

MS. 7376
2-MAR 1923

THE
REGISTRAR-GENERAL'S
STATISTICAL REVIEW
OF
ENGLAND AND WALES,
FOR THE YEAR
1921.

(New Annual Series No. 1.)

TABLES, PART I. MEDICAL.



LONDON:

PRINTED
To be pur
OFFICE a
and 2
1,

Purchased from—
WYMAN & SONS, LTD.,
Sale Office for Government Publications,
FETTER LANE, LONDON, E.C. 4.
Phone : 6810 Holborn.

IONERY OFFICE
H.M. STATIONERY
sway, London, W.C.2,
eet, Manchester;
t, Edinburgh.

1923.

Price 15s. 0d. net.

TABLE OF CONTENTS.

PART I.—Medical.

Note.—The reference which is given after the description of each Table indicates where the information for 1920 which corresponds most nearly to that given here for 1921 may be found.

	Page.
Preface	vii
Table 1. Deaths, Death-rates and Infant Mortality, England and Wales, 1838–1921	I
Deaths (persons, males and females) ; death-rates, crude and standardized (persons, males and females) ; infant mortality (total, legitimate and illegitimate) ; total for 1838–1921 ; totals for decennia, 1841–1850 to 1911–1920 ; totals for quinquennia, 1841–1845 to 1916–1920 ; and for single years, 1881 to 1921. All deaths registered. <i>Annual Report</i> , Tables 2, 3, pp. 4, 5.	
Table 2. Deaths and Death-rates in Quarters, England and Wales, 1838–1921	3
Deaths in each of the four quarters ; total for 1838–1921 ; totals for decennia, 1841–1850 to 1911–1920 ; and in single years, 1912–1921 (males, females and persons) ; death-rates for quarters in the same years and groups of years (persons only). All deaths registered. <i>Annual Report</i> , Table 4, p. 6.	
Table 3. Standardized Death-rates, Death-rates for Twelve Age-groups, and Infant Mortality, England and Wales, 1838–1921	4
Death-rates for period, 1838–1921 ; for decennia, 1841–1850 to 1911–1920 ; for quinquennia, 1841–1845 to 1916–1920 ; and for single years, 1881–1921 ; males, females and persons. All deaths registered. <i>Annual Report</i> , Tables, 6–8, pp. 7–9.	
Table 4. Deaths according to Causes, England and Wales, 1911–1921	7
Deaths from each cause in the International List of Causes of Death as revised for 1921 onwards ; all ages ; males and females. All deaths registered. <i>Annual Report</i> , Table 9, pp. 10–19.	
Table 5. Death-rates according to Causes of Death, England and Wales, 1911–1921	23
Crude rates per million living from each cause in the International List of Causes of Death as revised for 1921 onwards (causes omitted with mortality of less than 5 per million in 1921) ; males, females and persons. All deaths registered. <i>Annual Report</i> , Table 10, pp. 20–29.	
Table 6. Death-rates from the principal Epidemic Diseases, from Tuberculosis and from Cancer, England and Wales, 1838–1921	35
Rates per million living, at all ages, and for epidemic diseases at ages under 15 years ; in quinquennia (with one exception), 1838–1842 to 1916–1920 ; in decennia, 1851–60 to 1911–1920 ; and in single years, 1881–1921. All deaths registered. <i>Annual Report</i> , Table 12, p. 35.	

Table 7. Mortality from the principal Epidemic Diseases and from certain other causes, Administrative Counties and County Boroughs, 1920 and 21	36
Death-rates per million (epidemic diseases and tuberculosis); deaths per 1,000 births (all causes—infant diarrhoea, childbirth, puerperal sepsis); civilian population only. <i>Annual Report</i> , Table 13, pp. 36–40.	
Table 8. Deaths of Infants by Cause in each Year 1911 to 1921, England and Wales	41
Deaths under one year of age (without distinction of sex or precise age) from each of the principal causes of infantile mortality, and from groups of causes. <i>Annual Report</i> , Table 14, p. 41.	
Table 9. Infant Mortality by Cause in each Year 1911 to 1921, England and Wales	42
Death rates under one year (without distinction of sex or precise age) from each of the principal causes of infantile mortality and from groups of causes. <i>Annual Report</i> , Table 15, p. 42.	
Table 10. Infant Mortality by Sex, Age, Cause and Legitimacy, England and Wales, 1921	43
Rates per 1,000 births; causes as in Tables 8 and 9; five sub-divisions of age under one year; males, females and persons. <i>Annual Report</i> , Table 16, pp. 43, 44.	
Table 11. Infant Mortality by Age, Cause and Legitimacy and by Class of Administrative Area, 1921	48
Rates per 1,000 births; causes as in Tables 8 and 9; five sub-divisions of age; for London and aggregates of County Boroughs, other Urban Districts, Rural Districts and all Urban Districts (combined). <i>Annual Report</i> , Table 17, pp. 45–49.	
Table 12. Infant Mortality in Different Parts of England and Wales and in Different Classes of Administrative Area, 1921	54
All infants; certain causes and groups of causes; five sub-divisions of age under one year; for London, and for aggregates of County Boroughs, other Urban Districts and Rural Districts in the North, Midlands and South of England, and in Wales. <i>Annual Report</i> , Table 18, pp. 50, 51.	
Table 13. Deaths of Infants by Legitimacy and Age in Administrative Areas, 1921	57
Deaths by seven sub-divisions of age under one year in England and Wales and in aggregates of County Boroughs, other Urban Districts, and Rural Districts in the North, Midlands and South of England, and in Wales; in London and in each Metropolitan Borough; in each County Borough; and in aggregates of Urban Districts and Rural Districts in each Administrative County. Death rates per 1,000 births under four weeks and under one year. <i>Annual Report</i> , pp. 120–124.	

Table 14. Population, Births, Deaths, Total and Infant Mortality in Administrative Areas, 1921	Page. 62
<p>Estimated population; births; deaths; civilian mortality (per 1,000 living); and infant mortality (per 1,000 births) in :—</p> <p>(a) The North, Midlands and South of England, and in Wales; and in the aggregates of County Boroughs, other Urban Districts and Rural Districts in these areas;</p> <p>(b) each County Borough and Administrative County; in aggregates of Urban Districts and of Rural Districts in each Administrative County; and in each Municipal Borough, Urban District and Rural District. Civilian population only. <i>Annual Report</i>, pp. 87–119.</p>	
Table 15. Deaths at each Year of Age, England and Wales, 1921	108
<p>Total deaths registered; persons, males and females (with distinction for females of single, married and widowed); quinquennial totals. <i>Annual Report</i>, p. 125.</p>	
Table 16. Deaths at Ages in Greater London, Metropolitan Boroughs, County Boroughs and Administrative Counties, 1921	109
<p>Deaths at four periods of age under one year, in single years up to five years, and in five-yearly groups up to 85 years of age; males and females; civilian population only; aggregates of Urban and of Rural Districts in Administrative Counties. <i>Annual Report</i>, pp. 126–139.</p>	
Table 17. Deaths by Cause, Sex and Age, 1921	124
<p>Causes according to International List for 1921 onwards; ages 0–1, 1–5, in five-yearly groups up to 80 years of age, and 80 and upwards; England and Wales, total deaths registered (civilians and non-civilians); London (Administrative County), aggregates of County Boroughs, other Urban Districts, and Rural Districts civilian deaths only. <i>Annual Report</i>, pp. 140–241.</p>	
Table 17a. Deaths by Cause and by Ages under Five Years, England and Wales, 1921	209
<p>Causes of chief importance in early life; four groups of age under one year; single years up to five years; males and females. <i>Annual Report</i>, pp. 140–241.</p>	
Table 18. Deaths by Cause and by Month of Occurrence, England and Wales, January–September, 1921 ..	213
<p>Causes according to International List for 1921 onwards; males and females. All deaths registered. <i>New Table</i>.</p>	
Table 19. Deaths of Non-Civilians by Cause and by Age, England and Wales, 1921	225
<p>Causes of chief importance; five-yearly age-periods, 15 to 55. <i>Annual Report</i>, p. 260.</p>	

Table 20. Deaths by Condensed List of Causes and by Sex and Age, 1921	226
---	-----

England and Wales (total deaths registered). Nine age-periods. London Administrative County, aggregates of County Boroughs, other Urban Districts and Rural Districts in England and Wales, and in the Northern, Midland, Southern and Welsh Groups of Counties; Metropolitan Boroughs, County Boroughs, and aggregates of Urban Districts and of Rural Districts in Administrative Counties (civilian deaths only). *Annual Report*, pp. 276-403.

Table 21. Deaths by Cause in certain Administrative Areas, 1921	365
---	-----

Causes according to Condensed List; Municipal Boroughs, Urban Districts and Rural Districts with population over 10,000 at Census of 1921; males and females. Civilian deaths only. *Annual Report*, pp. 404-502.

Table 22. Violent Deaths by Sex, Age and Form of Violence, England and Wales, 1921	415
--	-----

Detailed causes grouped according to International List; twelve age-periods. Civilians and non-civilians. *Annual Report*, pp. 504-518.

Table 23. Infectious Diseases, Cases Notified per 1,000 Population, England and Wales, in each year 1911-1921..	425
---	-----

*Small-pox, scarlet fever, diphtheria, enteric fever, puerperal fever, erysipelas, cerebro-spinal fever, and poliomyelitis, for England and Wales, England, Wales, London; and for aggregates of Administrative Counties, County Boroughs, Municipal Boroughs and Urban Districts, and Rural Districts in England and in Wales. *Reports on Public Health and Medical Subjects*, No. 6, pp. 7, 8.

Table 24. Infectious Diseases, Seasonal Incidence, England and Wales, 1921	428
--	-----

*Scarlet fever, diphtheria, enteric fever, cerebro-spinal fever, poliomyelitis, and encephalitis lethargica; comparative figures for each week in the year. *Reports on Public Health and Medical Subjects*, No. 6, p. 6.

Table 25. Tuberculosis, Notifications in each year 1912-1921 ..	429
---	-----

*England and Wales, England (excluding London), London, Wales; cases notified of pulmonary tuberculosis and of other tuberculosis, and rates per 1,000 persons. *Reports on Public Health and Medical Subjects*, No. 6, p. 11.

Table 26. Infectious Diseases, Cases notified in the larger Administrative Areas, 1921	430
--	-----

*England and Wales, Administrative Counties, County Boroughs; period of 52 weeks ended 31st December, 1921. *Reports on Public Health and Medical Subjects*, No. 6, pp. 12-17.

* Cases of infectious disease occurring among men in establishments of the armed forces are excluded.

	Page.
Table 27. Infectious Diseases, Cases notified in all Administrative Areas in England and Wales, 1921	436
<p>*Small-pox, scarlet fever, diphtheria, enteric fever, puerperal fever and erysipelas ; number of cases notified and rates per 1,000 population. <i>Reports on Public Health and Medical Subjects</i>, No. 6, pp. 18-57.</p>	
Table 28. Air Temperature, Rainfall and Sunshine, England and Wales, 1921	478
<p><i>Annual Report</i>, Table 28, p. 67.</p>	
Table 29. Quarterly Meteorological Elements, Greenwich, 1921 ..	479
<p><i>Annual Report</i>, Table 27, p. 66.</p>	
Table 30. Meteorological Elements, Greenwich, 1872-1921 ..	480
<p><i>Annual Report</i>, Table 26, pp. 64, 65.</p>	
Appendix. Changes in the List of Causes of Death, 1921 ..	482

* See footnote on the preceding page.

PREFACE.

This volume forms part of the annual series of statistical publications which, under the style of the Registrar-General's Statistical Review, will henceforward take the place of the Registrar-General's Annual Report; and its appearance as the first publication in the new series may need some words of explanation as to the nature of the changes made and the circumstances which have given rise to them.

In view of the provisions of Section 5* of the Census Act, 1920, expressly requiring the Registrar-General "from time to time to collect and publish any available statistical information with respect to the number and condition of the population in the interval between one census and another," it appeared necessary to revise the form and arrangement of the Annual Reports in order to impart to them a character better suited to the requirements of that Section. At the same time, in order to minimize any disadvantages arising from a breach of continuity, it was arranged to defer the introduction of these changes until the decennium commencing with the census year 1921.

The revision has facilitated a change in format from folio foolscap to royal octavo, which had been decided upon for the sake of both Parliamentary and public convenience.

Three main considerations have been observed in the course of the revision.

In the first place, an endeavour has been made to re-group the statistical matter according to the distinctive character of its interest. The tables have thus been divided into (1) medical statistics, and (2) civil statistics.

Secondly, it seemed probable, particularly in view of the increased scale of prices for Government publications now prevailing, that sections of the public would find it of advantage to be able to obtain a part in which they are specially interested instead of being obliged to purchase the whole publication. The

* Census Act, 1920, Section 5. It shall be the duty of the Registrar-General from time to time to collect and publish any available statistical information with respect to the number and condition of the population in the interval between one census and another, and otherwise to further the supply and provide for the better co-ordination of such information, and the Registrar-General may make arrangements with any Government Department or local authority for the purpose of acquiring any materials or information necessary for the purpose aforesaid.

Statistical Review will thus be issued in three separately-priced sections, viz., Text ; Tables Part I—Medical ; Tables Part II—Civil. A further advantage accruing from this plan is that each section will be issued as and when it is ready, instead of, as hitherto, the issue of the tables being delayed by the preparation of the text, which cannot, of course, be undertaken until the tables are substantially completed.

Finally, the existing tables have been closely scrutinized with the object, not only of improving their value and instructiveness, but also of eliminating matter which appeared to have outlived its real utility, and of otherwise curtailing the tabulations wherever this seemed practicable without sacrifice of efficiency.

The present volume, representing “ Tables Part I—Medical ” in the first annual issue of the Registrar-General’s Statistical Review, thus consists primarily of those tables contained in the old series which have a medical interest, suitably rearranged. It also comprises the annual figures of the Notifications of Infectious Diseases, hitherto separately published, which are now included, following the course already adopted in connection with the Registrar-General’s Weekly and Quarterly Returns, by arrangement with the Ministry of Health in pursuance of the Section of the Census Act above cited.

General Register Office,
Somerset House,
London, W.C.2.

December, 1922.

TABLE I.—ENGLAND AND WALES.—DEATHS, DEATH-RATES AND INFANT MORTALITY, 1838-1921.

(Rates for the years 1911-21 are subject to slight revision when revised estimates of population have been prepared.)

Year.	Deaths.			Crude rates per 1,000 living.			Standardized rates per 1,000 living.*			Ratio of Standardized Male to Female mortality, the latter taken as 1,000.*	Deaths of Infants under 1 year per 1,000 births.		
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate.	Illegitimate.
1838-1921	40,709,951	20,905,613	19,804,338	18·7	19·9	17·5	18·1	19·5	16·9	1,158	140	—	—
1841-1850	3,769,396	1,909,125	1,860,271	22·4	23·1	21·6	21·6	22·5	20·7	1,085	153	—	—
1851-1860	4,210,715	2,138,536	2,072,179	22·2	23·1	21·4	21·2	22·1	20·3	1,092	154	—	—
1861-1870	4,794,498	2,459,489	2,335,009	22·5	23·7	21·4	21·3	22·6	20·2	1,119	154	—	—
1871-1880	5,178,311	2,679,416	2,498,895	21·4	22·7	20·1	20·3	21·8	19·0	1,150	149	—	—
1881-1890	5,244,770	2,698,316	2,546,454	19·1	20·3	18·1	18·6	20·0	17·3	1,154	142	—	—
1891-1900	5,575,375	2,865,226	2,710,149	18·2	19·3	17·1	18·1	19·5	16·7	1,167	153	—	—
1901-1910	5,248,774	2,706,356	2,542,418	15·4	16·4	14·4	15·2	16·6	13·9	1,190	128	—	—
1911-1920†	5,188,052	2,684,511	2,503,541	14·3	16·0	13·0	13·7	15·3	12·3	1,245	100	96	194
1841-1845	1,746,110	885,168	860,942	21·4	22·1	20·6	20·6	21·6	19·8	1,089	148	—	—
1846-1850	2,023,286	1,023,957	999,329	23·3	24·1	22·6	22·4	23·4	21·6	1,084	157	—	—
1851-1855	2,087,236	1,061,271	1,025,965	22·7	23·5	21·8	21·7	22·7	20·7	1,097	156	—	—
1856-1860	2,123,479	1,077,265	1,046,214	21·8	22·6	21·0	20·7	21·6	19·9	1,090	152	—	—
1861-1865	2,331,957	1,192,943	1,139,014	22·6	23·7	21·5	21·4	22·6	20·3	1,113	151	—	—
1866-1870	2,462,541	1,266,546	1,195,995	22·4	23·7	21·2	21·2	22·6	20·0	1,130	157	—	—
1871-1875	2,572,749	1,330,063	1,242,686	22·0	23·3	20·7	20·9	22·4	19·5	1,149	153	—	—
1876-1880	2,605,562	1,349,353	1,256,209	20·8	22·1	19·5	19·8	21·3	18·4	1,158	145	—	—
1881-1885	2,585,164	1,330,461	1,254,703	19·4	20·5	18·3	18·7	20·1	17·5	1,151	139	—	—
1886-1890	2,659,606	1,367,855	1,291,751	18·9	20·0	17·8	18·5	20·0	17·2	1,163	145	—	—
1891-1895	2,785,391	1,427,164	1,358,227	18·7	19·8	17·7	18·5	20·0	17·2	1,161	151	—	—
1896-1900	2,789,984	1,438,062	1,351,922	17·7	18·8	16·6	17·6	19·1	16·2	1,178	156	—	—
1901-1905	2,671,566	1,379,931	1,291,635	16·0	17·1	15·0	16·0	17·4	14·6	1,192	138	—	—
1906-1910	2,577,208	1,326,425	1,250,783	14·7	15·6	13·8	14·4	15·8	13·2	1,196	117	113	224
1911-1915†	2,598,719	1,344,171	1,254,548	14·3	15·4	13·2	13·8	15·2	12·5	1,218	110	105	210
1916-1920†	2,589,333	1,340,340	1,248,993	14·4	16·6	12·7	13·7	15·5	12·1	1,281	90	85	179
1881	491,935	253,605	238,330	18·9	20·0	17·8	18·2	19·6	17·0	1,154	130	—	—
1882	516,654	265,767	250,887	19·6	20·7	18·5	18·8	20·2	17·6	1,145	141	—	—
1883	522,997	269,262	253,735	19·6	20·8	18·5	19·0	20·4	17·7	1,153	137	—	—
1884	530,828	273,522	257,306	19·7	20·8	18·5	19·0	20·4	17·7	1,152	147	—	—
1885	522,750	268,305	254,445	19·2	20·3	18·2	18·7	20·0	17·4	1,151	138	—	—
1886	537,276	275,874	261,402	19·5	20·6	18·5	19·0	20·4	17·7	1,155	149	—	—
1887	530,758	272,137	258,621	19·1	20·2	18·1	18·6	20·0	17·3	1,152	145	—	—
1888	510,971	263,294	247,677	18·1	19·2	17·0	17·7	19·2	16·4	1,168	136	—	—
1889	518,353	266,102	252,251	18·2	19·3	17·2	17·9	19·2	16·6	1,159	144	—	—
1890	562,248	290,448	271,800	19·5	20·8	18·3	19·3	21·0	17·8	1,181	151	—	—
1891	587,925	302,494	285,431	20·2	21·5	19·0	20·0	21·7	18·5	1,174	149	—	—
1892	559,684	286,062	273,622	19·0	20·0	18·0	18·8	20·2	17·5	1,158	148	—	—
1893	569,958	291,889	278,069	19·2	20·3	18·1	18·9	20·4	17·6	1,157	159	—	—
1894	498,827	256,015	242,812	16·6	17·6	15·6	16·4	17·7	15·2	1,165	137	—	—
1895	568,997	290,704	278,293	18·7	19·7	17·7	18·5	19·9	17·3	1,155	161	—	—

* The Standardized death-rates are those which would have been recorded if the sex and age constitution of the population had been the same as in 1901. The rates for Males and Females are standardized for differences of age constitution in each sex, and also between the two sexes.

† For the years 1915-18 the mortality rates are based upon civilians only, but, as in other years, the numbers of deaths include those of non-civilians registered in England and Wales.

TABLE 1.—ENGLAND AND WALES.—DEATHS, DEATH-RATES AND INFANT MORTALITY,
1838-1921—*continued*.

(Rates for the years 1911-21 are subject to slight revision when revised estimates of population have been prepared.)

Year.	Deaths.			Crude rates per 1,000 living.			Standardized rates per 1,000 living.*			Ratio of Standardized Male to Female Mortality, the latter taken as 1,000.*	Deaths of Infants under 1 year per 1,000 births.		
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate.	Illegitimate.
1896	526,727	270,575	256,152	17.1	18.1	16.1	16.9	18.3	15.7	1,163	148	—	—
1897	541,487	280,211	261,276	17.4	18.6	16.2	17.3	18.8	15.9	1,187	156	—	—
1898	552,141	283,981	268,160	17.5	18.6	16.5	17.4	18.9	16.1	1,172	160	—	—
1899	581,799	299,472	282,327	18.2	19.4	17.2	18.2	19.8	16.8	1,176	163	—	—
1900	587,830	303,823	284,007	18.2	19.5	17.1	18.2	19.9	16.7	1,189	154	—	—
1901	551,585	285,618	265,967	16.9	18.1	15.8	16.9	18.5	15.5	1,192	151	—	—
1902	535,538	277,216	258,322	16.3	17.4	15.2	16.2	17.7	14.8	1,195	133	—	—
1903	514,628	266,290	248,338	15.5	16.5	14.4	15.4	16.8	14.1	1,196	132	—	—
1904	549,784	283,206	266,578	16.3	17.4	15.3	16.2	17.6	14.9	1,185	145	—	—
1905	520,031	267,601	252,430	15.3	16.3	14.4	15.2	16.5	13.9	1,188	128	—	—
1906	531,281	274,233	257,048	15.5	16.5	14.5	15.3	16.8	14.0	1,195	132	127	261
1907	524,221	269,259	254,962	15.1	16.0	14.2	14.9	16.2	13.6	1,190	118	113	220
1908	520,456	268,714	251,742	14.8	15.8	13.9	14.5	16.0	13.3	1,204	120	116	233
1909	518,003	265,203	252,800	14.6	15.5	13.8	14.3	15.6	13.1	1,192	109	104	211
1910	483,247	249,016	234,231	13.5	14.4	12.7	13.2	14.5	12.0	1,205	105	102	195
1911	527,810	272,512	255,298	14.6	15.6	13.7	14.2	15.6	13.0	1,202	130	125	245
1912	486,939	250,232	236,707	13.3	14.2	12.6	13.0	14.2	11.8	1,207	95	91	181
1913	504,975	261,687	243,288	13.8	14.8	12.9	13.5	14.9	12.2	1,223	108	104	213
1914	516,742	267,359	249,383	14.0	15.0	13.1	13.7	15.1	12.4	1,221	105	100	207
1915†	562,253	292,381	269,872	15.7	17.7	13.9	14.8	16.5	13.2	1,246	110	105	203
1916†	508,217	265,030	243,187	14.4	16.9	12.4	13.4	15.4	11.7	1,312	91	87	183
1917†	498,922	262,215	236,707	14.4	17.8	12.1	13.5	15.9	11.4	1,392	96	90	201
1918†	611,861	314,704	297,157	17.6	21.1	15.1	17.1	19.8	14.6	1,353	97	91	186
1919	504,203	258,089	246,114	13.7	15.0	12.5	13.3	14.8	11.9	1,250	89	84	173
1920	466,130	240,302	225,828	12.4	13.4	11.5	12.1	13.4	10.9	1,229	80	76	156
1921	458,629	234,291	224,338	12.1	13.0	11.3	11.5	12.7	10.5	1,213	83	79	158

* The Standardized death-rates are those which would have been recorded if the sex and age constitution of the population had been the same as in 1901. The rates for Males and Females are standardized for differences of age constitution in each sex, and also between the two sexes.

† For the years 1915-18 the mortality rates are based upon civilians only, but, as in other years the numbers of deaths include those of non-civilians registered in England and Wales.

TABLE 2.—ENGLAND AND WALES.—NUMBERS OF DEATHS AND ANNUAL DEATH-RATES IN EACH QUARTER IN GROUPS OF YEARS, 1838–1921, AND IN EACH YEAR 1912–1921.

Period.	Quarter ended.							
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
	Deaths : Males.				Deaths : Females.			
1838–1921	5,809,343	5,098,866	4,800,413	5,196,991	5,584,765	4,738,279	4,474,868	5,006,426
1841–50	522,415	471,969	452,208	462,533	507,070	454,122	440,756	458,323
1851–60	587,846	532,002	491,400	527,288	570,070	508,594	474,524	518,991
1861–70	677,517	597,458	578,694	605,820	645,889	559,376	547,594	582,150
1871–80	731,877	658,545	621,924	667,070	690,899	600,519	573,079	634,398
1881–90	744,679	661,355	618,271	674,011	714,871	610,420	575,831	645,332
1891–1900	790,553	697,093	682,542	695,038	771,792	640,661	629,133	668,563
1901–10	756,871	648,442	621,683	679,360	733,364	598,293	563,732	647,029
1911–20	785,560	638,473	565,071	695,407	746,774	582,169	509,764	634,834
1912	72,835	60,212	53,478	63,707	71,807	55,565	48,202	61,133
1913	75,403	63,338	59,472	63,474	71,138	58,405	53,974	59,771
1914	74,749	64,450	60,518	67,642	71,444	59,678	55,017	63,244
1915*	90,613	72,860	58,001	70,907	86,630	65,715	51,405	66,122
1916*	74,250	66,324	54,643	69,813	68,733	60,210	47,792	66,452
1917*	85,443	68,193	50,131	58,448	78,476	59,514	44,429	54,288
1918*	71,528	63,051	60,088	120,037	66,467	55,511	54,074	121,105
1919	97,572	55,605	46,214	58,698	94,345	52,834	42,873	56,062
1920	70,073	62,017	48,712	59,500	67,543	57,254	44,960	56,071
1921	65,716	55,782	51,405	61,388	63,557	52,687	47,691	60,403
	Deaths : Persons.				Death-Rates per 1,000 persons living.			
1838–1921	11,394,108	9,837,145	9,275,281	10,203,417	21·9	19·0	17·7	19·3
1841–50	1,029,485	926,091	892,964	920,856	24·7	22·0	21·0	21·7
1851–60	1,157,916	1,040,596	965,924	1,046,279	24·7	22·1	20·3	21·9
1861–70	1,323,406	1,156,834	1,126,288	1,187,970	25·2	21·8	21·0	22·1
1871–80	1,422,776	1,259,064	1,195,003	1,301,468	23·7	20·9	19·6	21·3
1881–90	1,459,550	1,271,775	1,194,102	1,319,343	21·6	18·7	17·3	19·1
1891–1900	1,562,345	1,337,754	1,311,675	1,363,601	20·7	17·6	17·0	17·7
1901–10	1,490,235	1,246,735	1,185,415	1,326,389	17·7	14·6	13·8	15·4
1911–20	1,532,334	1,220,642	1,074,835	1,360,241	17·2	13·6	11·8	15·0
1912	144,642	115,777	101,680	124,840	15·9	12·8	11·1	13·6
1913	146,541	121,743	113,446	123,245	16·2	13·3	12·3	13·4
1914	146,193	124,128	115,535	130,886	16·0	13·5	12·4	14·0
1915*	177,243	138,575	109,406	137,029	20·1	15·4	12·1	15·1
1916*	142,983	126,534	102,435	136,265	16·4	14·4	11·4	15·3
1917*	163,919	127,707	94,560	112,736	19·3	14·8	10·8	13·0
1918*	137,995	118,562	114,162	241,142	16·4	13·8	13·0	27·0
1919	191,917	108,439	89,087	114,760	21·2	11·8	9·6	12·4
1920	137,616	119,271	93,672	115,571	14·7	12·7	9·9	12·2
1921	129,273	108,469	99,096	121,791	13·8	11·5	10·4	12·8

* See Note † to Table 1.

TABLE 3.—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES AT TWELVE GROUPS OF AGES, AND INFANT MORTALITY, 1838-1921*—MALES.

Year.	Deaths of Males per 1,000 living at subjoined ages.															Deaths of Male Infants under 1 year of age per 1,000 Male Births.
	All Ages. (Standardized).†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.			
1838-1921	19.5	60.6	5.8	3.2	7.8				17.7	32.4	67.1	145.4	297.8	154		
1841-50	22.5	71.2	9.2	5.1	7.1	9.5	9.9	12.9	18.2	31.8	67.5	148.3	312.3	167		
1851-60	22.1	72.4	8.5	4.9	6.7	8.8	9.6	12.5	18.0	30.9	65.3	146.7	308.2	168		
1861-70	22.6	73.5	8.2	4.5	6.2	8.5	9.9	13.5	19.3	33.1	67.1	147.2	315.0	168		
1871-80	21.8	68.4	6.7	3.7	5.3	7.4	9.3	13.8	20.1	34.9	69.7	150.8	327.4	163		
1881-90	20.0	61.6	5.3	3.0	4.3	5.7	7.8	12.4	19.4	34.7	70.5	146.6	305.8	155		
1891-1900	19.5	62.7	4.3	2.4	3.8	5.1	6.8	11.5	18.9	34.9	70.4	146.1	286.8	168		
1901-10	16.6	50.0	3.5	2.1	3.1	4.2	5.6	9.2	16.2	31.8	64.8	137.7	279.2	140		
1911-20‡	15.3	37.5	3.5	2.2	6.4				14.9	29.4	64.8	145.6	277.4	112		
1841-45	21.6	68.7	8.8	4.8	6.8	9.0	9.4	12.2	17.2	30.3	65.5	143.7	305.1	162		
1846-50	23.4	73.7	9.5	5.4	7.4	10.0	10.5	13.6	19.2	33.2	69.5	152.9	319.5	172		
1851-55	22.7	73.9	8.8	5.2	7.0	9.2	10.0	12.9	18.6	31.6	66.7	150.9	310.9	172		
1856-60	21.6	71.5	8.3	4.6	6.4	8.4	9.2	12.2	17.5	30.4	64.3	142.7	305.3	166		
1861-65	22.6	74.1	8.5	4.7	6.4	8.6	9.8	13.2	18.9	32.8	66.4	145.9	316.6	166		
1866-70	22.6	72.9	7.9	4.3	6.0	8.3	10.1	13.7	19.6	33.5	67.8	148.7	313.5	170		
1871-75	22.4	69.9	7.1	4.0	5.7	8.1	10.0	14.3	20.3	34.8	70.1	149.6	323.3	167		
1876-80	21.3	67.1	6.3	3.4	4.8	6.7	8.7	13.4	19.8	34.9	69.4	152.2	331.5	159		
1881-85	20.1	61.3	5.8	3.2	4.5	6.0	8.2	12.8	19.3	34.2	68.8	145.4	297.9	152		
1886-90	20.0	61.9	4.9	2.8	4.1	5.5	7.4	12.1	19.4	35.2	72.1	147.9	313.7	159		
1891-95	20.0	62.9	4.5	2.6	4.0	5.2	7.1	11.9	19.5	35.8	72.5	149.2	290.8	165		
1896-1900	19.1	62.4	4.1	2.3	3.6	4.9	6.5	11.1	18.4	34.1	68.3	143.1	282.8	170		
1901-05	17.4	54.7	3.7	2.1	3.2	4.4	5.9	9.7	17.0	32.4	65.3	137.6	274.6	151		
1906-10	15.8	45.4	3.3	2.0	3.0	4.0	5.3	8.6	15.5	31.2	64.4	137.7	283.0	129		
1911-15‡	15.2	40.6	3.4	2.0	3.1	3.9	5.0	8.3	15.1	30.8	65.9	143.5	279.5	121		
1916-20‡	15.5	34.1	3.6	2.4	7.6				14.7	28.2	63.8	147.6	275.3	101		
1881	19.6	56.6	5.8	3.2	4.5	6.1	8.3	13.0	19.3	34.0	67.7	144.8	293.5	143		
1882	20.2	63.5	6.3	3.2	4.6	5.9	8.2	12.6	19.0	33.8	66.2	139.3	287.1	153		
1883	20.4	61.0	6.2	3.3	4.7	6.2	8.3	13.0	19.7	35.1	70.1	149.1	302.2	151		
1884	20.4	64.9	5.8	3.2	4.5	6.0	8.0	12.7	19.4	33.5	68.3	142.2	290.1	160		
1885	20.0	60.6	5.1	2.9	4.3	5.8	8.0	12.6	19.3	34.4	71.3	151.5	316.2	151		
1886	20.4	64.5	4.8	2.8	4.3	5.7	7.6	12.1	19.2	34.7	72.8	153.4	339.1	163		
1887	20.0	62.5	5.1	2.9	4.2	5.4	7.3	11.9	18.7	35.0	72.1	149.4	310.1	158		
1888	19.2	57.7	4.7	2.7	4.0	5.4	7.1	11.7	19.0	34.4	71.6	144.5	304.7	150		
1889	19.2	61.8	4.7	2.6	3.9	5.1	7.0	11.3	18.3	33.4	68.5	138.9	298.6	157		
1890	21.0	62.9	5.0	2.8	4.3	5.7	8.0	13.2	21.7	38.6	75.3	153.3	316.5	165		
1891	21.7	64.6	4.7	2.6	4.2	5.6	7.9	13.4	22.4	41.0	81.3	167.9	327.1	164		
1892	20.2	62.4	4.7	2.6	4.0	5.2	7.1	12.1	19.8	36.6	75.7	154.6	305.4	162		
1893	20.4	65.6	5.0	2.8	4.3	5.4	7.3	12.5	19.9	35.6	71.4	142.5	272.8	173		
1894	17.7	56.1	4.2	2.3	3.8	5.0	6.5	10.8	17.3	31.4	62.8	127.6	243.6	150		
1895	19.9	66.0	4.1	2.5	3.8	5.0	6.6	11.0	18.5	34.9	71.3	154.1	306.1	176		
1896	18.3	61.2	4.5	2.3	3.5	4.8	6.2	10.6	17.3	31.6	63.0	128.6	251.9	161		
1897	18.8	62.5	3.9	2.4	3.6	4.8	6.4	10.8	17.7	32.9	65.8	141.7	272.1	170		
1898	18.9	63.4	3.8	2.2	3.5	4.8	6.3	10.7	17.6	33.2	66.4	140.3	282.6	175		
1899	19.8	63.4	4.1	2.3	3.6	5.0	6.7	11.6	19.2	35.5	72.0	150.3	302.1	177		
1900	19.9	61.6	4.2	2.3	3.7	5.1	6.7	11.7	19.9	37.1	74.2	153.7	304.3	169		
1901	18.5	59.0	4.0	2.3	3.5	4.7	6.2	10.6	18.0	33.5	67.8	139.8	276.5	166		
1902	17.7	54.1	3.9	2.2	3.3	4.6	6.2	10.4	17.8	33.3	66.7	138.5	270.0	147		
1903	16.8	52.5	3.5	2.0	3.0	4.2	5.8	9.4	16.6	31.6	63.3	132.8	260.3	145		
1904	17.6	57.4	3.6	2.1	3.1	4.3	5.7	9.4	16.5	32.3	65.5	139.7	287.6	159		
1905	16.5	50.3	3.4	2.1	3.1	4.2	5.6	9.0	16.1	31.5	63.3	137.2	278.2	141		
1906	16.8	51.2	3.5	2.0	3.2	4.1	5.5	9.1	16.1	32.4	64.3	137.3	298.5	145		
1907	16.2	46.8	3.4	2.0	3.0	4.0	5.5	9.0	16.1	32.3	65.2	138.8	291.7	130		
1908	16.0	46.9	3.3	2.0	2.9	4.0	5.3	8.6	15.4	31.4	64.3	138.4	277.2	133		
1909	15.6	42.8	3.4	2.0	3.0	3.9	5.2	8.5	15.6	31.1	66.4	142.5	289.9	120		
1910	14.5	39.7	3.0	1.9	2.7	3.7	4.7	7.9	14.5	29.4	61.8	131.6	259.7	116		
1911	15.6	46.2	3.5	2.0	3.0	3.9	5.0	8.1	14.8	29.7	63.5	136.0	271.3	142		
1912	14.2	35.5	3.1	1.8	2.8	3.5	4.7	8.0	14.7	30.0	64.2	138.7	267.2	106		
1913	14.9	39.9	3.2	1.9	2.7	3.5	4.6	8.1	15.1	30.9	65.0	141.4	268.7	120		
1914	15.1	39.1	3.4	2.0	3.0	3.8	5.0	8.5	15.5	31.4	65.7	141.3	277.4	116		
1915‡	16.5	41.9	3.7	2.3	3.8	5.9	6.1	9.0	15.3	31.7	70.9	159.6	311.5	123		
1916‡	15.4	32.5	3.2	2.2	7.1				14.4	29.4	68.3	158.0	303.4	102		
1917‡	15.9	31.7	3.2	2.1	8.5				14.4	29.4	67.1	157.5	302.1	108		
1918‡	19.8	38.5	5.3	3.4	14.7				16.8	29.6	64.7	139.5	246.7	108		
1919	14.8	32.4	3.4	2.2	6.6				14.5	27.8	63.4	153.8	292.5	100		
1920	13.4	35.7	3.2	1.9	4.8				13.3	25.2	56.1	130.5	235.4	90		
1921	12.7	31.6	2.7	1.7	4.4				12.9	25.1	56.3	134.1	254.2	93		

* For the purposes of this table, the populations have been distributed among the several groups of ages according to the proportions found to prevail at the various Censuses except in the case of the populations for 1915-21. The rates for 1911-21 are subject to revision when revised estimates of population have been prepared.

† The death-rates in this column are standardized to the age constitution of the total population as enumerated in 1901, being thus standardized not only for differences of age constitution among males at the various dates, but also for differences in age constitution between the two sexes; see the Annual Report for 1911 (pages xxvii-xxxi) and the Annual Report for 1913 (p. xx).

‡ Including civilian mortality only in 1915-18.

TABLE 3 (contd.).—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES AT TWELVE GROUPS OF AGES, AND INFANT MORTALITY, 1838-1921.*—FEMALES.

Year.	Deaths of Females per 1,000 living at subjoined Ages.													Deaths of Female Infants under 1 year of age per 1,000 Female Births.
	All Ages. (Stand- ard- ized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up- wards.	
1838-1921	16·9	51·6	5·6	3·4	4·8	5·7	7·0	9·6	14·0	26·5	57·1	128·7	272·2	126
1841-50	20·7	61·1	8·9	5·4	7·9	9·1	10·6	12·9	16·0	28·4	61·0	135·9	293·3	137
1851-60	20·3	62·7	8·4	5·1	7·4	8·5	9·9	12·1	15·2	27·0	58·7	134·5	288·9	139
1861-70	20·2	63·7	7·8	4·5	6·6	8·0	9·7	12·1	15·6	27·9	59·1	134·9	285·1	139
1871-80	19·0	58·3	6·2	3·7	5·5	6·8	8·6	11·6	15·6	28·7	61·0	135·4	296·4	134
1881-90	17·3	51·9	5·3	3·1	4·4	5·5	7·4	10·6	15·1	28·5	60·4	130·6	270·8	128
1891-1900	16·7	52·8	4·4	2·6	3·7	4·5	6·1	9·6	14·7	28·4	60·7	130·6	261·4	138
1901-10	13·9	41·9	3·6	2·2	2·9	3·5	4·7	7·5	12·5	24·8	53·9	119·8	250·3	114
1911-20	12·3	31·2	3·5	2·3	3·2	3·7	4·6	6·5	11·3	22·7	51·2	122·9	260·9	89
1841-45	19·8	58·6	8·6	5·2	7·7	8·6	9·9	12·1	15·1	27·2	59·1	131·8	288·6	133
1846-50	21·6	63·6	9·2	5·7	8·1	9·6	11·2	13·7	17·0	29·7	62·7	140·0	297·7	142
1851-55	20·7	63·8	8·5	5·3	7·8	8·9	10·3	12·6	15·8	27·8	59·7	137·2	292·1	141
1856-60	19·9	62·3	8·4	4·8	7·1	8·2	9·6	11·8	14·8	26·5	58·1	131·9	285·8	137
1861-65	20·3	64·2	8·3	4·8	6·9	8·2	9·8	12·1	15·5	27·9	59·1	133·8	287·9	136
1866-70	20·0	63·3	7·4	4·3	6·4	7·8	9·6	12·1	15·8	27·9	59·1	136·1	282·3	142
1871-75	19·5	60·0	6·6	4·0	5·9	7·4	9·2	12·0	15·9	28·7	61·3	135·3	293·9	138
1876-80	18·4	56·8	5·9	3·5	5·0	6·2	8·0	11·3	15·3	28·6	60·8	135·5	299·0	130
1881-85	17·5	51·9	5·7	3·3	4·7	5·9	7·9	10·9	15·2	28·1	59·1	129·0	265·5	125
1886-90	17·2	52·0	4·9	2·9	4·2	5·2	6·9	10·3	15·0	28·8	61·7	132·3	276·1	131
1891-95	17·2	52·8	4·6	2·7	4·0	4·8	6·6	10·1	15·2	29·5	63·0	134·3	264·0	135
1896-1900	16·2	52·7	4·2	2·4	3·4	4·1	5·6	9·1	14·2	27·4	58·5	127·0	258·7	141
1901-05	14·6	45·8	3·8	2·2	3·0	3·7	5·0	8·0	13·1	25·4	54·8	119·9	249·4	124
1906-10	13·2	38·0	3·4	2·1	2·8	3·3	4·5	7·1	12·0	24·3	53·1	119·6	250·9	105
1911-15	12·5	33·8	3·3	2·1	2·7	3·1	4·0	6·6	11·7	23·6	52·6	123·5	253·0	97
1916-20	12·1	28·2	3·6	2·5	3·6	4·3	5·2	6·5	10·9	21·9	49·9	122·3	268·8	79
1881	17·0	48·0	5·7	3·2	4·7	6·0	7·9	11·0	14·9	28·0	58·4	126·4	263·8	117
1882	17·6	54·4	6·0	3·3	4·7	5·9	7·9	11·0	15·0	27·6	56·9	124·1	256·0	128
1883	17·7	51·1	5·8	3·4	4·9	6·1	8·1	11·1	15·6	28·8	60·2	134·2	277·0	123
1884	17·7	54·9	5·8	3·4	4·7	5·9	7·8	10·9	15·3	27·5	57·7	126·8	247·4	133
1885	17·4	51·0	5·1	3·1	4·5	5·7	7·7	10·8	15·2	28·7	62·0	133·2	282·8	124
1886	17·7	54·2	4·8	3·1	4·4	5·3	7·2	10·4	15·0	29·1	63·2	136·5	302·1	135
1887	17·3	52·7	5·1	3·0	4·2	5·4	7·0	10·3	15·2	28·8	62·2	131·6	272·1	131
1888	16·4	48·0	4·7	2·9	4·0	5·1	6·9	9·9	14·5	27·9	60·1	130·0	270·1	122
1889	16·6	51·9	4·7	2·8	3·9	4·9	6·5	9·8	14·3	27·4	58·7	126·5	260·3	129
1890	17·8	53·3	5·0	2·9	4·2	5·1	7·1	10·9	15·9	30·7	64·2	136·9	276·6	136
1891	18·5	53·7	4·7	2·9	4·3	5·2	7·1	11·1	17·1	33·4	70·6	148·1	300·7	133
1892	17·5	52·5	4·6	2·7	4·0	4·7	6·7	10·3	15·5	30·4	66·0	140·9	274·4	132
1893	17·6	55·2	5·1	3·0	4·3	5·1	7·0	10·7	15·2	29·2	62·4	128·7	250·0	143
1894	15·2	47·4	4·3	2·6	3·7	4·5	6·0	9·2	13·5	25·1	53·7	113·6	219·6	124
1895	17·3	55·2	4·2	2·6	3·7	4·5	6·1	9·5	14·8	29·6	62·6	140·9	276·2	144
1896	15·7	52·3	4·5	2·4	3·4	4·2	5·7	8·9	13·6	25·8	53·4	113·9	233·4	134
1897	15·9	52·4	4·0	2·4	3·4	4·1	5·6	8·9	13·7	26·2	55·7	121·2	252·6	141
1898	16·1	53·5	3·9	2·3	3·3	4·1	5·5	8·9	13·9	26·7	57·5	126·0	259·6	145
1899	16·8	53·6	4·2	2·4	3·3	4·1	5·7	9·4	15·0	28·7	62·3	136·3	273·2	148
1900	16·7	51·8	4·2	2·5	3·3	4·2	5·7	9·3	15·3	29·6	63·2	136·8	273·9	139
1901	15·5	49·5	4·1	2·4	3·2	3·8	5·3	8·7	13·8	26·5	56·5	122·6	247·1	136
1902	14·8	45·0	4·2	2·3	3·1	3·9	5·3	8·4	13·4	25·9	55·7	122·1	252·3	118
1903	14·1	43·7	3·6	2·1	2·9	3·5	4·9	7·9	12·8	24·4	52·9	114·7	233·9	118
1904	14·9	48·5	3·6	2·2	3·0	3·5	4·9	7·7	12·8	25·6	55·1	123·2	256·1	131
1905	13·9	42·1	3·5	2·2	2·9	3·6	4·8	7·5	12·5	24·8	53·8	117·2	256·7	115
1906	14·0	43·1	3·7	2·3	2·9	3·5	4·7	7·5	12·4	24·8	52·5	119·6	258·7	120
1907	13·6	39·1	3·5	2·1	2·9	3·4	4·6	7·4	12·4	25·3	55·1	122·6	259·4	104
1908	13·3	39·0	3·4	2·0	2·7	3·4	4·4	6·9	12·1	24·2	52·7	119·4	248·8	107
1909	13·1	35·7	3·5	2·1	2·8	3·3	4·4	6·9	12·1	24·8	55·5	124·2	256·2	97
1910	12·0	33·1	3·1	2·0	2·6	3·1	4·1	6·5	11·1	22·4	49·8	112·3	232·8	94
1911	13·0	39·3	3·4	2·1	2·7	3·2	4·1	6·6	11·4	23·0	50·9	116·6	233·1	117
1912	11·8	29·6	3·1	2·0	2·7	3·1	4·0	6·4	11·2	22·8	51·9	119·4	246·6	84
1913	12·2	32·9	3·1	2·0	2·6	3·0	3·9	6·5	11·5	23·2	51·5	118·3	242·6	96
1914	12·4	32·7	3·3	2·2	2·7	3·0	3·9	6·7	11·9	23·6	52·0	122·7	253·8	93
1915	13·2	34·3	3·7	2·3	3·0	3·2	4·0	6·8	12·2	25·1	56·5	139·6	287·5	96
1916	11·7	26·5	3·0	2·2	2·9	3·2	3·8	6·3	11·1	23·0	53·1	132·6	283·2	80
1917	11·4	26·2	3·0	2·2	3·1	3·3	3·7	6·0	10·6	22·2	50·2	126·8	280·6	85
1918	14·6	33·8	5·6	3·9	6·0	7·7	9·3	8·6	12·9	22·9	49·6	112·6	242·7	86
1919	11·9	26·1	3·4	2·3	3·4	4·2	5·1	6·2	10·7	22·0	51·2	128·4	292·4	78
1920	10·9	28·5	3·1	2·0	2·7	3·3	3·9	5·4	9·5	19·4	45·3	112·4	246·1	69
1921	10·5	25·3	2·6	1·8	2·7	3·3	3·5	5·2	9·3	19·4	46·6	117·5	268·9	72

* See Note * to Table 3.

† The death-rates in this column are standardized to the age constitution of the total population as enumerated in 1901, being thus standardized not only for differences of age constitution among females at the various dates, but also for differences in age constitution between the two sexes.

TABLE 3 (*contd.*).—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES,
DEATH-RATES AT TWELVE GROUPS OF AGES, AND INFANT MORTALITY,
1838–1921.*—PERSONS.

Year.	Deaths of Persons per 1,000 living at subjoined ages.														Deaths of In- fants under 1 year of age per 1,000 Births.
	All Ages (Stand- ard ized)	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up- wards.		
1838-1921	18.1	56.1	5.7	3.3	7.4				15.7	29.3	61.6	135.9	281.9	140	
1841-50	21.6	66.0	9.0	5.3	7.5	9.3	10.3	12.9	17.0	29.9	63.6	141.5	301.0	153	
1851-60	21.2	67.6	8.5	5.0	7.0	8.7	9.8	12.3	16.5	28.9	61.7	139.9	296.5	154	
1861-70	21.3	68.6	8.0	4.5	6.4	8.2	9.8	12.7	17.4	30.4	62.8	140.4	296.6	154	
1871-80	20.3	63.4	6.5	3.7	5.4	7.1	9.0	12.7	17.8	31.6	65.0	142.2	308.3	149	
1881-90	18.6	56.8	5.3	3.0	4.4	5.6	7.6	11.5	17.1	31.4	65.0	137.6	284.0	142	
1891-1900	18.1	57.7	4.3	2.5	3.7	4.7	6.4	10.5	16.8	31.5	65.0	137.2	270.8	153	
1901-10	15.2	46.0	3.6	2.1	3.0	3.8	5.1	8.3	14.3	28.1	58.8	127.2	260.8	128	
1911-20†	13.7	34.4	3.5	2.2	5.4				13.0	25.9	57.3	132.0	266.8	100	
1841-45	20.6	63.6	8.7	5.0	7.2	8.8	9.7	12.2	16.1	28.7	62.0	137.2	295.3	148	
1846-50	22.4	68.7	9.4	5.6	7.7	9.8	10.9	13.6	18.1	31.4	65.9	145.7	306.5	157	
1851-55	21.7	68.9	8.6	5.2	7.4	9.1	10.2	12.7	17.2	29.6	62.9	143.2	299.6	156	
1856-60	20.7	66.9	8.3	4.7	6.7	8.3	9.4	12.0	16.1	28.4	61.0	136.7	293.4	152	
1861-65	21.4	69.1	8.4	4.7	6.6	8.4	9.8	12.6	17.2	30.3	62.5	139.1	299.0	151	
1866-70	21.2	68.1	7.6	4.3	6.2	8.0	9.9	12.9	17.6	30.6	63.2	141.7	294.3	157	
1871-75	20.9	64.9	6.9	4.0	5.8	7.7	9.6	13.1	18.0	31.6	65.3	141.7	305.2	153	
1876-80	19.8	61.9	6.1	3.5	4.9	6.5	8.3	12.3	17.5	31.6	64.7	142.9	311.5	145	
1881-85	18.7	56.6	5.8	3.2	4.6	6.0	8.0	11.8	17.2	31.0	63.5	136.2	277.9	139	
1886-90	18.5	56.9	4.9	2.8	4.1	5.3	7.2	11.1	17.1	31.8	66.4	139.0	290.1	145	
1891-95	18.5	57.8	4.6	2.7	4.0	5.0	6.8	11.0	17.3	32.5	67.3	140.7	273.9	151	
1896-1900	17.6	57.6	4.1	2.4	3.5	4.5	6.0	10.1	16.2	30.5	62.9	133.8	267.7	156	
1901-05	16.0	50.2	3.7	2.2	3.1	4.0	5.4	8.9	14.9	28.7	59.4	127.3	258.6	138	
1906-10	14.4	41.7	3.4	2.0	2.9	3.6	4.8	7.8	13.7	27.5	58.1	127.0	262.4	117	
1911-15‡	13.8	37.2	3.3	2.1	2.9	3.5	4.5	7.4	13.3	27.0	58.5	131.6	262.4	110	
1916-20‡	13.7	31.2	3.6	2.4	6.1				12.7	25.0	56.1	132.4	271.1	90	
1881	18.2	52.3	5.7	3.2	4.6	6.0	8.1	11.9	17.0	30.8	62.7	134.5	275.2	130	
1882	18.8	58.9	6.1	3.3	4.7	5.9	8.1	11.7	17.0	30.5	61.2	130.8	267.9	141	
1883	19.0	56.0	6.0	3.4	4.8	6.2	8.2	12.0	17.5	31.8	64.7	140.7	286.6	137	
1884	19.0	59.9	5.8	3.3	4.6	6.0	7.9	11.7	17.3	30.4	62.6	133.5	263.6	147	
1885	18.7	55.8	5.1	3.0	4.4	5.8	7.8	11.6	17.2	31.4	66.2	141.1	295.4	138	
1886	19.0	59.3	4.8	2.9	4.4	5.5	7.4	11.2	17.0	31.8	67.5	143.8	316.0	149	
1887	18.6	57.6	5.1	2.9	4.2	5.4	7.2	11.1	16.9	31.7	66.6	139.3	286.4	145	
1888	17.7	52.9	4.7	2.8	4.0	5.3	7.0	10.8	16.7	30.9	65.3	136.2	283.1	136	
1889	17.9	56.8	4.7	2.7	3.9	5.0	6.7	10.5	16.2	30.2	63.1	131.8	274.6	144	
1890	19.3	58.1	5.0	2.9	4.2	5.4	7.5	12.0	18.7	34.4	69.2	143.9	291.4	151	
1891	20.0	59.1	4.7	2.7	4.2	5.4	7.4	12.2	19.6	36.9	75.4	156.6	310.5	149	
1892	18.8	57.4	4.6	2.6	4.0	4.9	6.9	11.2	17.5	33.3	70.4	146.8	285.9	148	
1893	18.9	60.4	5.1	2.9	4.3	5.3	7.2	11.5	17.5	32.2	66.5	134.6	258.5	159	
1894	16.4	51.7	4.3	2.5	3.7	4.7	6.3	9.9	15.4	28.0	57.8	119.6	228.5	137	
1895	18.5	60.6	4.1	2.5	3.7	4.7	6.3	10.2	16.6	32.1	66.5	146.5	287.3	161	
1896	16.9	56.7	4.5	2.4	3.5	4.4	5.9	9.7	15.4	28.5	57.7	120.1	240.3	148	
1897	17.3	57.4	4.0	2.4	3.5	4.5	6.0	9.8	15.6	29.3	60.2	129.9	259.8	156	
1898	17.4	58.5	3.8	2.2	3.4	4.4	5.9	9.8	15.7	29.7	61.5	132.1	268.1	160	
1899	18.2	58.5	4.1	2.4	3.5	4.5	6.1	10.5	17.0	31.9	66.6	142.2	283.9	163	
1900	18.2	56.7	4.2	2.4	3.5	4.6	6.2	10.5	17.5	33.1	68.1	143.9	285.2	154	
1901	16.9	54.2	4.1	2.3	3.3	4.2	5.8	9.6	15.9	29.8	61.5	129.8	258.0	151	
1902	16.2	49.6	4.1	2.3	3.2	4.2	5.7	9.3	15.5	29.4	60.6	129.0	258.8	133	
1903	15.4	48.1	3.5	2.1	3.0	3.8	5.4	8.6	14.6	27.7	57.5	122.2	243.6	132	
1904	16.2	53.0	3.6	2.1	3.1	3.9	5.3	8.5	14.6	28.7	59.7	130.1	267.6	145	
1905	15.2	46.2	3.5	2.1	3.0	3.9	5.2	8.3	14.2	28.0	58.0	125.5	264.5	128	
1906	15.3	47.2	3.6	2.1	3.0	3.8	5.1	8.2	14.2	28.2	57.7	126.9	273.1	132	
1907	14.9	42.9	3.5	2.1	2.9	3.7	5.0	8.2	14.2	28.6	59.6	129.3	271.0	118	
1908	14.5	43.0	3.4	2.0	2.8	3.7	4.9	7.8	13.7	27.6	57.8	127.2	259.0	120	
1909	14.3	39.2	3.4	2.1	2.9	3.6	4.8	7.7	13.8	27.8	60.4	131.7	268.3	109	
1910	13.2	36.4	3.0	1.9	2.7	3.4	4.4	7.2	12.7	25.7	55.2	120.1	242.4	105	
1911	14.2	42.8	3.4	2.1	2.9	3.5	4.5	7.3	13.0	26.2	56.5	124.5	246.6	130	
1912	13.0	32.6	3.1	1.9	2.8	3.3	4.3	7.2	12.9	26.2	57.3	127.2	253.9	95	
1913	13.5	36.5	3.1	1.9	2.6	3.3	4.2	7.3	13.2	26.8	57.4	127.6	251.9	108	
1914	13.7	35.9	3.4	2.1	2.8	3.4	4.4	7.6	13.6	27.3	58.1	130.2	262.2	105	
1915‡	14.8	38.1	3.7	2.3	3.3	4.1	4.9	7.8	13.7	28.3	62.9	147.7	296.0	110	
1916‡	13.4	29.5	3.1	2.2	5.3				12.7	26.1	59.9	142.8	290.4	91	
1917‡	13.5	29.0	3.1	2.1	5.6				12.4	25.7	57.7	139.0	288.3	96	
1918‡	17.1	36.2	5.4	3.6	10.2				14.7	26.1	56.4	123.3	244.1	97	
1919	13.3	29.3	3.4	2.2	5.7				12.5	24.8	56.7	138.5	292.4	89	
1920	12.1	32.2	3.1	1.9	4.4				11.2	22.2	50.2	119.6	242.2	80	
1921	11.5	28.5	2.6	1.8	4.1				11.0	22.1	51.0	124.2	263.5	83	

* See note * to Table 3.

† The death-rates in this column are standardized to the sex and age constitution of the population as enumerated in 1901.

‡ Including civilian mortality only in 1915–18.

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1911-1921.—MALES AND FEMALES.

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix.

[illegible]

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1911–1921.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix.

Inter- national List No.	Causes of Death.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
17	Plague { M. F.	— —	3 —	— —	2 1	— —	4 1	4 —	2 2	5 —	2 1	— —
	(a) Bubonic .. . { M. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	— —
	(b) Pneumonic .. . { M. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	— —
	(c) Septicæmic .. . { M. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	— —
	(d) Not otherwise defined { M. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	— —
18	Yellow Fever .. . { M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —
19	Spirochætosis ictero- hæmorrhagica .. . { M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
20	Leprosy .. . { M. F.	1 —	— 1	1 —	2 —	1 —	5 —	— —	5 —	3 —	3 —	1 —
21	Erysipelas .. . { M. F.	486 493	489 411	435 367	599 546	590 487	404 341	303 285	326 283	362 298	416 422	367 362
22	Acute poliomyelitis .. { M. F.	131 93	100 80	105 101	97 80	84 88	98 92	90 78	116 121	99 84	78 56	90 79
	(1) Poliomyelitis .. . { M. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	69 60
	(2) Polioencephalitis .. { M. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	21 19
23	Encephalitis lethargica .. { M. F.	— —	— —	— —	— —	— —	— —	— —	5 11	138 156	239 241	351 378
24	Meningococcal meningitis .. { M. F.	230 172	192 150	171 161	215 181	1475 728	926 442	1159 492	633 293	433 261	300 233	232 184
25	Other epidemic diseases .. { M. F.	54 47	50 51	57 55	74 72	71 103	84 64	122 80	87 56	55 38	66 43	53 34
	(1) German measles .. . { M. F.	11 10	10 15	13 16	13 11	32 48	49 33	68 47	44 25	16 13	12 13	9 6
	(2) Varicella .. . { M. F.	43 37	40 36	44 39	61 61	39 53	34 31	36 33	24 30	30 25	41 30	32 25
	(3) Other diseases included under 25 .. { M. F.	— —	— —	— —	— —	— 2	1 —	18 —	19 1	9 —	13 —	12 3
26	Glanders .. . { M. F.	3 —	— —	2 —	2 1	— —	3 —	— —	— —	— —	— —	1 1
27	Anthrax .. . { M. F.	12 3	9 —	8 2	13 —	23 1	24 4	20 2	10 2	16 3	12 2	10 1
28	Rabies .. . { M. F.	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
29	Tetanus .. . { M. F.	158 45	145 46	146 43	160 37	127 29	133 33	147 32	126 30	121 34	116 33	114 51
30	Mycoses .. . { M. F.	140 98	103 82	126 80	118 59	91 59	78 43	70 48	62 34	65 29	69 51	59 40
	(1) Actinomycosis .. . { M. F.	23 10	26 7	24 13	18 10	23 3	20 9	19 8	17 7	21 8	25 11	21 10
	(2) Other mycoses .. . { M. F.	117 88	77 75	102 67	100 49	68 56	58 34	51 40	45 27	44 21	44 40	38 30

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1911-1921.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix.

[illegible]

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1911–1921.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix.

Inter- national List No.	Causes of Death.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
43–69	II.—General Diseases not included in I. 1–42* .. {M. F.	22277 27742	22869 28628	23922 29774	24780 30476	25098 31082	25123 31330	24613 30621	24086 30267	24743 30870	26060 31911	27216 33850
43–49	Cancer, Malignant disease.. {M. F.	15589 20313	16188 21135	16918 22021	17363 22154	17421 22426	17787 22843	18145 23013	18078 23149	18723 23421	19659 24028	20649 25373
43	Buccal cavity {M. F.	1970 319	2042 317	2144 327	2093 347	2110 353	2216 370	2293 402	2357 377	2387 378	2449 369	2482 358
44	Pharynx, œsophagus, {M. stomach, liver and annexa {F.	6301 5941	6553 6017	6710 6352	6994 6495	6914 6537	7057 6579	7075 6347	6938 6378	7259 6289	7477 6576	7926 6818
45	Peritoneum, intestines {M. and rectum {F.	3166 3655	3460 3853	3763 4090	3719 4161	3815 4201	3892 4370	4029 4411	3914 4649	4178 4617	4439 4780	4683 5059
46	Female genital organs .. F.	4534	4660	4868	4772	4767	4839	5033	4997	5000	5005	5436
47	Breast {M. F.	22 3427	20 3736	22 3852	37 3800	34 3920	28 4131	39 4185	37 4082	28 4309	35 4488	33 4684
48	Skin {M. F.	603 328	560 361	571 313	605 350	611 392	644 365	640 392	647 392	714 416	702 385	719 401
49	Other or unspecified organs {M. F.	3527 2109	3553 2191	3708 2219	3915 2229	3937 2256	3950 2189	4069 2243	4185 2274	4157 2412	4557 2425	4806 2617
50	Tumours not returned as malignant (brain and female genital organs excepted) {M. F.	174 175	235 189	221 206	270 238	294 263	307 273	286 234	313 233	313 247	324 287	357 302
51	Rheumatic fever {M. F.	907 1060	916 1053	840 930	966 1094	1030 1121	878 1009	673 783	723 797	686 825	975 1149	868 947
52	Chronic rheumatism, osteo-arthritides, gout* {M. F.	786 1096	742 1123	786 1192	795 1195	913 1420	863 1466	873 1340	766 1438	804 1409	727 1379	749 1526
	(1) Chronic rheumatism, chronic arthritis* .. {M. F.	152 243	148 210	170 226	182 241	186 294	208 325	217 258	185 266	189 248	165 241	185 273
	(2) Rheumatoid and osteo-arthritides {M. F.	309 791	318 835	312 890	325 889	421 1034	374 1081	408 1030	382 1129	417 1130	386 1113	406 1219
	(3) Gout {M. F.	325 62	276 78	304 76	288 65	306 92	281 60	248 52	199 43	198 31	176 25	158 34
53	Scurvy {M. F.	22 23	9 17	21 22	13 10	13 20	22 17	21 16	16 29	12 8	16 15	30 23
54	Pellagra {M. F.	— —	1 —	1 9	1 2	3 13	3 7	— 9	— 1	— —	— 2	— 4
55	Beri-beri {M. F.	5 —	6 —	11 —	11 —	4 —	4 —	7 —	4 —	8 —	4 —	3 —
56	Rickets {M. F.	543 439	434 318	560 380	528 382	524 335	508 389	483 386	387 341	279 198	313 199	278 214
57	Diabetes {M. F.	1936 1917	2064 1987	2122 2189	2250 2257	2335 2324	2316 2228	1929 1887	1790 1778	1897 1960	1762 1987	1901 2191
58	Anæmia, chlorosis {M. F.	838 1130	866 1183	952 1235	1009 1369	1122 1459	1033 1454	1065 1457	978 1181	986 1385	1097 1400	1124 1656
	(a) Pernicious anæmia .. {M. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	986 1231	997 1460
	(b) Other anæmias and chlorosis .. {M. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	111 169	127 196
59	Diseases of the pituitary gland† {M. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	4 1

* Previous to 1921 deaths from Chronic arthritis were included under the heading Diseases of the joints (156).

† Previous to 1921 deaths from Diseases of the pituitary gland were included under the heading Other general diseases (69 : 3).

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES
1911–1921.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix.

International List No.	Causes of Death.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
60	Diseases of the thyroid gland* {M. F.	86 613	91 606	113 617	94 705	113 669	110 670	102 632	125 598	120 717	88 665	118 822
	(a) Exophthalmic goitre .. {M. F.	40 371	35 385	42 368	38 434	32 400	47 399	40 395	46 357	56 473	46 464	54 533
	{ 2. Cretinism {M. F.	17 39	13 27	21 23	20 36	21 32	21 49	25 43	30 38	31 23	21 25	27 34
	(b) { 1. Myxœdema {M. F.	29 203	43 194	50 226	36 235	60 237	42 222	37 194	49 203	33 221	21 176	15 130 22 125
	{ 3. Other diseases of the thyroid gland {M. F.											
61	Diseases of the parathyroid glands* {M. F.											—
62	Diseases of the thymus .. {M. F.	65 56	96 59	104 76	143 95	120 79	116 82	69 77	73 59	68 42	35 58	106 69
63	Diseases of the adrenals .. {M. F.	103 145	99 147	107 115	95 140	102 138	100 132	102 129	95 118	66 108	93 133	88 127
64	Diseases of the spleen .. {M. F.	14 11	13 23	17 20	29 28	23 21	32 21	14 22	16 23	18 22	17 20	23 12
65	Leukæmia, lymphadenoma {M. F.	382 289	405 307	369 296	413 311	414 310	425 319	373 290	397 283	389 300	448 320	488 311
	(a) Leukæmia {M. F.	200 182	221 199	194 191	228 206	226 207	225 217	211 193	209 176	198 191	237 195	248 198
	(b) Lymphadenoma (Hodg-kin's disease) .. {M. F.	182 107	184 103	175 105	185 105	188 103	200 102	162 97	188 107	191 109	211 125	240 113
66	Alcoholism (acute or chronic) {M. F.	439 240	344 203	406 245	441 235	293 204	237 119	124 84	61 20	88 27	166 50	127 55
67	Chronic poisoning by mineral substances .. {M. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	57 2
	(1) Occupational lead poisoning .. {M. F.	106 4	106 —	80 1	79 —	68 —	54 1	49 2	35 1	48 —	56 5	56 2
	(2) Other chronic poisoning by mineral substances. {M. F.	10 16	15 15	13 9	16 10	18 14	38 45	19 44	8 11	10 9	4 4	1 3 2
68	Chronic poisoning by organic substances .. {M. F.											
69	Other general diseases† .. {M. F.	272 215	239 263	281 211	264 251	288 266	240 255	279 216	221 207	228 192	226 210	243 213
	(1) Purpura {M. F.	164 150	117 183	171 141	153 163	156 136	138 170	169 151	135 143	120 120	111 139	123 128
	(2) Hæmophilia {M. F.	69 33	78 44	69 34	65 44	77 35	62 37	65 31	40 26	54 31	70 21	63 37
	(3) Other diseases included under 69† .. {M. F.	39 32	44 36	41 36	46 44	55 45	40 48	45 34	46 38	54 41	45 50	57 48

* Previous to 1921 deaths from Diseases of the parathyroid glands (61) were included under Diseases of the thyroid gland (60).
† Previous to 1921 deaths from Diseases of the pituitary gland (59) were included under this heading.

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1911–1921.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix.

Inter- national List No.	Causes of Death.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
70–86	III.—Diseases of the Nervous System and Sense Organs { M. F.	29327 28812	27899 27756	28481 28175	28611 28302	29944 29417	28480 27358	28550 27089	26119 25615	24887 25229	24136 24642	23685 24472
70	Encephalitis { M. F.	200 164	189 130	180 149	209 122	169 133	183 119	161 112	202 148	196 173	226 155	178 130
	(1) Cerebral abscess .. { M. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	116 70	115 74
	(2) Other diseases included under 70 .. { M. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	110 85	63 56
71	Meningitis { M. F.	2584 2201	1937 1711	2059 1860	2067 1812	2113 1799	1735 1553	1693 1417	1580 1387	1421 1155	1304 1098	1306 1129
72	Tabes dorsalis (locomotor ataxy) .. { M. F.	530 105	542 122	615 117	600 120	625 110	685 101	641 116	582 103	581 82	522 87	576 116
73	Other diseases of the spinal cord* .. { M. F.	1394 1090	1324 1072	1322 1150	1422 1184	1462 1190	1515 1174	1381 1150	1385 1086	1468 1155	1350 1131	716 582
74	Cerebral hæmorrhage, apoplexy, etc... { M. F.	10947 13626	11343 14172	11715 14386	11959 14726	12617 15444	12172 14635	12433 14844	11161 14002	11574 14833	11316 14325	11339 14324
	(a) { 1. Cerebral hæmorrhage, so returned .. { M. F.	7326 8889	7695 9457	8062 9887	8339 10178	8863 10654	8534 10258	8860 10594	8142 10025	8472 10745	8490 10626	8600 10686
	2. Apoplexy, lesion un- stated .. { M. F.	2707 3275	2600 3154	2494 2935	2442 2812	2515 3046	2429 2740	2389 2711	2011 2499	1980 2434	1669 2033	1550 1832
	(b) { 1. Cerebral embolism { M. F.	914 1462	1050 1561	1159 1564	1178 1736	1239 1744	1209 1637	1184 1539	1008 1478	1122 1654	1157 1666	294 491
	2. Cerebral thrombosis { M. F.											895 1315
75	Paralysis of unstated origin { M. F.	1381 1744	1207 1581	1159 1391	1169 1502	1319 1664	1298 1561	1255 1445	1084 1335	1119 1339	1009 1283	1045 1231
	(a) Hemiplegia { M. F.	1095 1490	977 1351	970 1201	943 1312	1039 1395	1019 1296	1005 1192	887 1121	957 1161	852 1096	880 1060
	(b) Other forms of paralysis { M. F.	286 254	230 230	189 190	226 190	280 269	279 265	250 253	197 214	162 178	157 187	165 171
76	General paralysis of the insane .. { M. F.	1763 438	1808 468	1732 408	1831 434	1829 434	1729 371	1940 425	1731 342	1336 272	1270 234	1254 283
77	Other forms of insanity .. { M. F.	580 809	580 772	394 612	423 587	449 657	483 682	624 702	617 723	433 537	316 540	292 548
78	Epilepsy { M. F.	1394 1217	1437 1315	1439 1292	1526 1286	1649 1425	1758 1470	2040 1572	1937 1562	1459 1315	1152 1048	1114 1097
79, 80	Convulsions (non-puerperal) { M. F.	5834 4432	5106 3735	5343 4133	4862 3637	4977 3744	4309 3118	3797 2881	3405 2620	3045 2252	3509 2594	3058 2140
81	Chorea { M. F.	37 92	38 114	33 111	36 140	43 110	26 90	19 58	26 59	25 66	46 93	25 68
82	Hysteria and neuritis .. { M. F.	160 398	126 348	167 394	164 360	189 325	123 237	131 168	99 113	87 129	98 131	107 164
83	Cerebral softening .. { M. F.	954 971	795 820	721 741	707 748	718 754	637 647	657 665	564 594	498 568	386 443	396 483
84	Other diseases of the nervous system† .. { M. F.	943 979	865 928	903 934	955 1042	1058 1088	1148 1096	1165 1076	1201 1109	1008 922	928 914	1567 1605
	(1) Idiocy, imbecility .. { M. F.	113 132	101 104	92 91	114 111	137 126	149 143	207 163	213 162	158 115	106 106	124 119

* Previous to 1921 deaths from Disseminated sclerosis (84 : 3) and Paralysis agitans (84 : 4) were included under this heading.

† Previous to 1921 deaths from Disseminated sclerosis and Paralysis agitans were included under the heading Other diseases of the spinal cord (73).

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1911–1921.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix.

Inter- national List No.	Causes of Death.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
	Other diseases of the nervous system— <i>cont.</i>											
	(2) Cerebral tumour .. {M. F.	360 318	397 375	395 416	452 454	508 501	527 487	472 449	422 431	466 434	478 475	521 509
	(3) Disseminated sclerosis* {M. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	283 349
	(4) Paralysis agitans* .. {M. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	339 314
	(5) Other diseases included {M. under 84 {F.	470 529	367 449	416 427	389 477	413 461	472 466	486 464	566 516	384 373	344 333	300 314
85	Diseases of the eye and {M. annexa {F.	26 28	23 22	27 19	22 35	28 22	24 24	30 24	24 13	30 27	28 26	27 28
86	Diseases of the ear and of {M. the mastoid sinus .. {F.	600 518	579 446	672 478	659 567	699 518	655 480	583 434	521 419	607 404	676 540	685 544
	(1) Diseases of the mastoid {M. sinus {F.	169 138	146 112	185 139	164 139	202 127	177 127	142 101	133 87	176 101	186 154	188 152
	(2) Diseases of the ear .. {M. F.	431 380	433 334	487 339	495 428	497 391	478 353	441 333	388 332	431 303	490 386	497 392
87–96	IV.—Diseases of the Circula- tory System† .. {M. F.	26362 27677	28664 30022	30593 31283	31549 32800	35157 35481	33984 34685	33386 33123	31573 31343	33071 33980	32541 33104	33389 34789
87–90	Heart diseases† .. {M. F.	22622 25425	23997 27195	25239 27721	25551 28841	28821 31343	27835 30553	26831 28847	25164 27053	25978 28946	25111 27804	24956 28754
87	Pericarditis† .. {M. F.	309 235	269 211	253 176	263 197	278 225	217 189	187 163	204 147	157 148	204 156	194 157
88	Acute endocarditis and {M. myocarditis† .. {F.	696 823	787 933	805 939	914 951	871 958	782 835	680 791	711 749	977 775	1215 1097	1152 943
	(1) Infective endocarditis.. {M. F.	267 323	308 316	284 312	328 323	250 284	265 251	259 264	273 274	444 262	573 422	724 479
	(2) Other acute endocar- {M. ditis† {F.	349 418	373 523	374 477	410 478	420 503	340 419	267 383	280 337	331 364	380 428	314 345
	(3) Acute myocarditis† .. {M. F.	80 82	106 94	147 150	176 150	201 171	177 165	154 144	158 138	202 149	262 247	114 119
89	Angina pectoris .. {M. F.	711 349	738 352	773 352	786 394	847 407	723 341	637 325	640 284	722 333	687 342	743 343
90	Other diseases of the heart‡ {M. F.	20906 24018	22203 25699	23408 26254	23588 27299	26825 29753	26113 29188	25327 27568	23609 25873	24122 27690	23005 26209	22867 27311
	(1) Aortic valve disease .. {M. F.											1917 850
	(2) Mitral valve disease .. {M. F.											3219 5372
	(3) Aortic and mitral valve {M. disease {F.	7971 9538	9254 11004	10010 11471	10332 12326	11670 13414	11725 13231	11823 12985	11314 12748	11616 13352	11586 12891	489 364
	(4) Other or unspecified {M. valve disease‡ .. {F.											5681 6742

* Previous to 1921 deaths from Disseminated sclerosis and Paralysis agitans were included under the heading Other diseases of the spinal cord (73).

† Previous to 1921 certain deaths from Diseases of the mediastinum (107 (b)) were included under this heading.

‡ Previous to 1921 deaths of persons aged 45–60 from Endocarditis (unqualified) were included under the heading Other acute endocarditis (88: 2), and from Myocarditis (unqualified) aged 45–60, under the heading Acute myocarditis (88: 3). For 1921 these deaths are shown under the headings Other or unspecified valve disease (90: 4) and Other or unspecified myocardial disease (90: 7), respectively.

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1911–1921.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix.

Inter- national List No.	Causes of Death.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
	Other diseases of the heart — <i>cont.</i>											
	(5) Fatty heart {M. F.	1230 1484	1425 1743	1553 1852	1487 1828	1527 1824	1329 1713	1190 1438	918 1089	1032 1326	1052 1221	1092 1325
	(6) Cardiac dilatation, cause unspecified {M. F.											487 525
	(7) Other or unspecified myocardial disease* {M. F.	11663 12953	11460 12889	11780 12865	11703 13061	13539 14399	12975 14149	12218 13036	11285 11918	11346 12857	10204 11897	4366 5258
	(9) Heart disease (unde- fined) {M. F.											5389 6584
	(8) Disordered action of the heart {M. F.	42 43	64 63	65 66	66 84	89 116	84 95	96 109	92 118	128 155	163 200	227 291
91	Diseases of the arteries .. {M. F.	3406 1777	4341 2353	5014 3056	5633 3411	5932 3680	5765 3727	6192 3859	6085 3917	6763 4641	7091 4823	8087 5572
	(a) Aneurism {M. F.	935 225	962 184	921 234	902 229	896 245	800 202	770 225	696 168	711 180	782 183	787 205
	(b) Arterio-sclerosis .. {M. F.	2389 1509	3273 2118	4004 2772	4641 3128	4960 3374	4888 3478	5362 3590	5312 3705	5975 4380	6222 4582	7202 5281
	(1) With record of cerebral vascular lesion .. {M. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	2139 1857
	(2) Without record of cere- bral vascular lesion . {M. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	5063 3424
	(c) Other diseases of the arteries {M. F.	82 43	106 51	89 50	90 54	76 61	77 47	60 44	77 44	77 81	87 58	98 86
92	Embolism and thrombosis {M. (not cerebral) {F.	135 213	128 186	155 197	152 225	169 180	131 145	133 140	123 132	143 138	138 169	137 179
93	Diseases of the veins (varices hæmorrhoids, phlebitis, etc.) {M. F.	96 171	112 216	93 229	120 234	126 194	154 184	123 182	91 160	94 183	118 221	112 225
94	Diseases of the lymphatic system (lymphangitis, etc.) {M. F.	48 48	47 40	56 42	50 56	72 50	57 47	67 55	69 50	48 38	45 46	62 41
95	Hæmorrhage without stated cause {M. F.	55 43	39 32	36 38	43 33	37 34	42 29	40 40	41 31	45 34	38 41	35 18
96	Other diseases of the circu- latory system {M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
97–107	V.—Diseases of the Respira- tory System†‡§ .. {M. F.	43711 37833	44785 39460	44990 38703	46803 40833	57609 50311	47418 40842	49253 39760	58117 49497	48094 42823	44317 36817	39975 34124
97	Diseases of the nasal fossæ and annexa†‡ {M. F.	30 46	34 23	43 33	40 41	34 27	29 17	27 21	28 20	26 28	42 24	69 60
	(1) Diseases of the nose† .. {M. F.	30 46	34 23	43 33	40 41	34 27	29 17	27 21	28 20	26 28	42 24	28 22
	(2) Diseases of the accessory nasal sinuses‡ .. {M. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	41 38

* Previous to 1921 deaths of persons aged 45–60 from Myocarditis (unqualified) were included under the heading Acute myocarditis (88 : 3.) For 1921 these deaths are shown under the heading Other or unspecified myocardial disease (90 : 7),

† Including deaths from Adenoids (109 : 1 pt.) previous to 1921.

‡ Previous to 1921 deaths from Diseases of the accessory nasal sinuses were included under the heading Diseases of the bones (155).

§ Previous to 1921 deaths from Diseases of the mediastinum were included under the headings Pericarditis (87), or Phlegmon, acute abscess (153).

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1911–1921.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix.

Inter- national List No.	Causes of Death.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
98	Diseases of the larynx .. { M. F.	739 565	649 424	618 503	679 526	728 544	615 456	520 431	461 394	446 384	500 427	367 286
	(1) Laryngismus stridulus { M. F.	140 103	129 53	136 103	157 94	152 91	131 81	92 97	77 64	77 50	93 86	88 49
	(2) Laryngitis .. { M. F.	582 454	510 363	469 390	510 420	568 443	473 370	424 327	375 324	357 329	393 336	267 228
	(3) Other diseases .. { M. F.	17 8	10 8	13 10	12 12	8 10	11 5	4 7	9 6	12 5	14 5	12 9
99	Bronchitis* .. { M. F.	17982 18673	19294 20439	19512 19715	19617 20572	25068 25906	21538 21874	21581 20326	20981 20492	22462 23081	19312 18688	16791 16893
	(a) Acute .. { M. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	3960 4765
	(b) Chronic .. { M. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	5562 4428
	(c and d) not stated whether acute or chronic { M. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	7269 7700
100, 101	Pneumonia (all forms)* .. { M. F.	21582 16060	21345 16003	21505 16025	23016 17054	27914 20960	21805 16111	23647 16185	33451 26215	21981 16968	21608 15541	19955 14753
100	Broncho-pneumonia* .. { M. F.	8914 7856	9059 8314	9401 8359	10029 8770	12455 10785	9229 7938	10073 8296	13416 11944	10186 8797	10312 8435	9349 8096
101	Pneumonia (lobar and not otherwise defined) { M. F.	12668 8204	12286 7689	12104 7666	12987 8284	15459 10175	12576 8173	13574 7889	20035 14271	11795 8171	11296 7103	10606 6657
	(a) Lobar .. { M. F.	4761 2826	4991 2952	5075 2980	5667 3338	6548 4139	5444 3336	5936 3246	8065 5190	4864 3132	5360 3105	5106 3049
	(b) Not otherwise defined { M. F.	7907 5378	7295 4737	7029 4686	7320 4946	8911 6036	7132 4837	7638 4643	11970 9081	6931 5039	5936 4001	5500 3608
102	Pleurisy .. { M. F.	838 595	871 589	792 544	880 613	897 639	860 565	938 586	849 549	768 524	785 548	786 506
	(1) Empyema .. { M. F.	295 143	273 130	287 147	315 182	295 172	318 150	303 150	331 130	305 126	309 146	320 143
	(2) Other pleurisy .. { M. F.	543 452	598 459	505 397	565 431	602 467	542 415	632 436	518 419	463 398	476 402	466 363
103	Congestion and hæmorrhagic infarct of lung .. { M. F.	917 878	881 938	838 863	759 902	818 897	731 767	645 715	559 687	597 640	542 632	569 716
104	Gangrene of the lung .. { M. F.	59 31	66 28	59 31	52 41	52 28	42 19	71 39	60 37	36 25	38 19	35 24
105	Asthma .. { M. F.	825 654	918 703	993 700	1020 777	1336 979	1186 790	1218 770	1228 899	1244 939	1028 757	964 707
106	Pulmonary emphysema .. { M. F.	284 113	301 129	250 111	312 121	367 169	245 106	226 70	165 56	200 75	158 64	125 45
107	Other diseases of the respira- tory system† .. { M. F.	455 218	426 181	380 178	428 186	395 162	367 137	380 117	335 148	334 159	304 117	314 134
	(a) Chronic interstitial pneumonia .. { M. F.	256 75	244 81	252 75	262 74	220 65	209 64	228 39	181 59	189 75	178 46	177 54
	(b) Diseases of the medias- tinum† .. { M. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	7 3
	(c) Other diseases included under 107 .. { M. F.	199 143	182 100	128 103	166 112	175 97	158 73	152 78	154 89	145 84	126 71	130 77

* Previous to 1921 deaths from Capillary bronchitis were included under the heading Bronchitis (99). They are now included under Broncho-pneumonia (100).

† Previous to 1921 deaths from Diseases of the mediastinum were included under the headings Pericarditis (87), or Phlegmon, acute abscess (153).

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1911–1921.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix.

Inter- national List No.	Causes of Death.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
108–127	VI.—Diseases of the Digestive System* {M. F.	35035 31925	16033 14634	24489 21798	23582 21134	21832 19208	18135 16235	6643 5051	15445 14126	14180 12865	15803 13373	19198 16156
108	Diseases of the buccal cavity and annexe {M. F.	181 162	176 135	205 183	235 221	193 169	209 175	188 153	174 167	181 164	230 185	231 221
	(1) Diseases of the teeth and gums {M. F.	138 114	139 112	156 155	174 169	150 128	160 146	143 116	117 102	123 117	159 135	150 147
	(2) Ludwig's angina {M. F.	14 5	17 4	15 7	25 19	21 17	30 12	22 12	33 25	43 33	55 28	56 43
	(3) Other diseases included under 108 {M. F.	29 43	20 19	34 21	36 33	22 24	19 17	23 25	24 40	15 14	16 22	25 31
109	Diseases of the pharynx and tonsils* {M. F.	296 257	241 251	313 274	397 341	359 318	303 271	239 238	269 232	341 321	337 281	336 298
	(1) Tonsillitis, etc., adenoid vegetations* {M. F.	227 204	187 191	247 214	302 255	274 243	223 211	185 196	205 184	284 258	258 239	244 231
	(2) Other diseases included under 109 {M. F.	69 53	54 60	66 60	95 86	85 75	80 60	54 42	64 48	57 63	79 42	92 67
110	Diseases of the œsophagus {M. F.	41 16	34 30	22 16	41 22	41 24	33 27	31 17	38 10	27 17	27 26	35 21
111	Ulcer of the stomach or duodenum {M. F.	1147 1120	1376 1093	1438 1056	1600 1122	1532 1076	1535 1071	1474 1096	1520 1053	1481 912	1693 963	1587 839
	(a) Ulcer of the stomach {M. F.	763 1010	873 973	884 914	1023 1007	1001 945	1000 945	988 956	1067 923	1002 800	1141 834	1020 729
	(b) Ulcer of the duodenum {M. F.	384 110	503 120	554 142	577 115	531 131	535 126	486 140	453 130	479 112	552 129	567 110
112	Other diseases of the stomach {M. F.	1944 1917	1799 1717	1948 1904	1942 2057	2046 2039	1923 1929	1686 1681	1524 1555	1431 1575	1653 1551	1490 1451
	(1) Inflammation of the stomach {M. F.	1616 1640	1434 1405	1609 1594	1569 1707	1701 1702	1563 1594	1430 1443	1274 1310	1194 1313	1406 1350	1275 1269
	(2) Other diseases included under 112. {M. F.	328 277	365 312	339 310	373 350	345 337	360 335	256 238	250 245	237 262	247 201	215 182
113, 114	Diarrhœa and enteritis {M. F.	24531 21681	5900 5032	13723 11608	12320 10498	10618 8871	7476 6565	6752 5933	6174 5316	5430 4573	6088 4918	9512 7574
	(1) Ulceration of the intestines {M. F.	180 186	148 173	133 157	151 190	163 167	125 160	132 147	109 170	96 129	86 151	114 139
	(2) Colitis {M. F.	24351 21495	5752 4859	13590 11451	12169 10308	10455 8704	7351 6405	6620 5786	6065 5146	5334 4444	6002 4767	246 296 9152 7139
	(3) Other diseases included under 113, 114 {M. F.											
115	Ankylostomiasis {M. F.	1 —	— —	— 1	— —	— —	2 —	— —	2 —	1 —	1 —	— —
116	Diseases due to other intestinal parasites {M. F.	10 22	4 12	6 14	9 11	14 17	13 17	8 5	12 11	7 9	5 8	5 11
	(a) Cestodes (hydatids of the liver excepted) {M. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	3 1
	(b) Trematodes {M. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	— —
	(c) Nematodes {M. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	2 6

* Previous to 1921 deaths from Adenoids were included under the heading Diseases of the nose (97 : 1).

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1911–1921.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix.

Inter- national List No.	Causes of Death.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
	Diseases due to other intestinal parasites— <i>cont.</i>											
	(d) Coccidia {M. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	— —
	(e) Other parasites .. {M. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	— —
	(f) Undefined parasites .. {M. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	— 4
117	Appendicitis and typhlitis .. {M. F.	1597 1133	1323 1034	1387 1142	1513 1111	1441 1062	1474 1129	1390 1053	1298 1118	1278 1151	1389 1142	1474 1237
118	Hernia, intestinal obstruc- tion {M. F.	2011 2182	1922 2049	1967 2081	1969 2073	2189 2263	2132 2156	2265 2574	2313 2707	2010 2101	2092 2084	2100 2087
	(a) Hernia {M. F.	708 861	710 803	781 897	738 892	898 1010	840 1021	983 1273	944 1266	777 863	795 875	752 900
	(b) Intestinal obstruction .. {M. F.	1303 1321	1212 1246	1186 1184	1231 1181	1291 1253	1292 1135	1282 1301	1369 1441	1233 1238	1297 1209	1348 1187
119	Other diseases of the intes- tines {M. F.	232 185	218 202	238 234	218 268	253 262	213 243	243 221	201 222	221 207	227 214	225 234
120	Acute yellow atrophy of the liver {M. F.	17 26	16 40	16 33	30 49	22 30	27 38	33 36	35 34	26 36	25 51	32 38
121	Hydatid tumour of the liver {M. F.	13 12	18 10	12 17	5 17	9 9	13 16	15 10	10 9	13 7	8 11	11 13
122	Cirrhosis of the liver .. {M. F.	2013 1627	2092 1661	2264 1732	2327 1821	2154 1582	1869 1210	1511 845	1121 609	969 538	1180 583	1288 639
	(a) Returned as alcoholic .. {M. F.	126 111	145 135	176 146	174 201	160 161	133 114	88 70	58 34	69 28	95 33	100 54
	(b) Not returned as alco- holic {M. F.	1887 1516	1947 1526	2088 1586	2153 1620	1994 1421	1736 1096	1423 775	1063 575	900 510	1085 550	1188 585
123	Biliary calculi {M. F.	222 591	231 564	220 626	237 608	222 582	208 565	198 487	189 423	218 542	212 569	259 670
124	Other diseases of the liver .. {M. F.	448 539	382 453	386 484	409 516	403 511	403 455	334 380	340 387	333 385	348 438	341 501
125	Diseases of the pancreas .. {M. F.	80 77	86 74	97 89	97 76	89 89	69 69	71 54	49 49	59 72	103 86	105 92
126	Peritonitis of unstated origin {M. F.	251 378	215 277	247 304	233 323	247 304	233 299	205 268	176 224	154 255	185 263	167 230
127	Other diseases of the diges- tive system {M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
128–142	VII.—Non-puerperal Diseases of the Genito-urinary System {M. F.	10957 8271	10957 8326	11535 8514	11735 8851	12260 8957	11590 8164	11818 7820	10849 7314	10355 7134	10217 7384	10438 7477
128	Acute nephritis (including unspecified under 10 years of age) {M. F.	996 922	1044 865	1031 924	1088 910	1177 1006	1150 874	1166 840	1031 807	852 753	836 757	787 677
129	Chronic nephritis (including unspecified over 10 years of age) {M. F.	6623 5756	6771 5912	7317 6071	7290 6388	7553 6333	6930 5695	6870 5422	6225 5016	5844 4858	5771 4920	5686 5034
130	Chyluria {M. F.	— —	1 —	— 1	2 —	— 1	1 —	1 —	— 1	— —	1 —	— —
131	Other diseases of the kidneys and annexa {M. F.	238 226	264 235	250 237	245 252	231 247	255 222	257 217	255 211	254 222	273 260	288 279

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1911–1921.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix.

Inter- national List No.	Causes of Death.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
132	Calculi of the urinary pass- ages {M. F.	196 73	181 89	195 73	189 65	185 85	189 81	188 71	173 71	183 66	178 91	183 113
133	Diseases of the bladder .. {M. F.	994 235	915 227	863 224	872 233	1078 258	986 219	1000 232	906 213	928 201	873 207	908 229
	(1) Cystitis {M. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	809 212
	(2) Other diseases {M. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	99 17
134	Diseases of the urethra, {M. urinary abscess, etc. .. F.	397 4	355 6	379 5	407 8	419 4	418 4	470 8	429 3	387 8	372 3	386 4
	(a) Stricture of the urethra M.	?	?	?	?	?	?	?	?	?	?	308
	(b) Other diseases of the {M. urethra, etc. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	78 4
135	Diseases of the prostate .. M.	1460	1372	1436	1545	1542	1603	1789	1778	1841	1835	2124
136	Non-venereal diseases of the male genital organs .. }M.	46	52	62	90	69	55	73	51	61	77	71
137	Cysts and other tumours of the ovary not returned as malignant }F.	314	288	270	304	300	307	284	273	273	309	297
138	Salpingitis and pelvic abscess* }F.	?	?	?	?	?	?	?	?	?	?	255
	(1) Salpingitis* F.	?	?	?	?	?	?	?	?	?	?	214
	(2) Pelvic abscess* .. F.	?	?	?	?	?	?	?	?	?	?	41
139	Tumours of the uterus not returned as malignant .. }F.	324	326	316	298	328	321	331	308	313	348	365
140	Uterine hæmorrhage .. F.	26	12	27	18	24	31	32	34	26	37	40
141	Other diseases of the female genital organs* }F.	376	348	340	360	352	395	357	358	388	422	167
	(1) Other diseases of the uterus* }F.	146	152	138	157	147	177	156	140	163	207	132
	(2) Diseases of the other fe- male genital organs not included above* }F.	230	196	202	203	205	218	201	218	225	215	35
142	Non-puerperal diseases of the breast {M. F.	7 15	2 18	2 26	7 15	6 19	3 15	4 26	1 19	5 26	1 30	5 17
143–150	VIII.—The Puerperal State F.	3413	3473	3492	3667	3408	3239	2598	2509	3028	4144	3322
143	Accidents of pregnancy .. F.	286	329	377	403	365	323	278	258	287	329	334
	(a) Abortion F.	89	119	120	125	126	106	119	106	121	111	107
	(b) Ectopic gestation .. F.	69	73	73	75	74	74	51	58	73	79	83
	(c) Other accidents .. F.	128	137	184	203	165	143	108	94	93	139	144
144	Puerperal hæmorrhage .. F.	490	522	507	465	465	447	357	321	380	521	469
145	Other accidents of childbirth F.	332	378	374	396	409	390	272	290	332	418	382
146	Puerperal sepsis F.	1262	1216	1108	1365	1201	1083	873	845	1157	1730	1171

* Previous to 1921 deaths from Salpingitis were included under the heading Diseases of the other female genital organs (141 : 2), and those from Pelvic abscess under Other diseases of the uterus (141 : 1).

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1911–1921.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix.

Inter- national List No.	Causes of Death.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
147	Phlegmasia alba dolens, puerperal embolism, etc. } F.	360	362	332	332	292	307	243	218	230	347	326
	(1) Phlegmasia alba dolens not returned as septic } F.	72	64	65	57	50	64	43	42	51	54	64
	(2) Embolism and sudden death } F.	288	298	267	275	242	243	200	176	179	293	262
148	Puerperal albuminuria and convulsions } F.	632	629	755	659	626	656	541	543	595	749	604
149	Childbirth not assignable to other headings (puerperal insanity) } F.	46	30	28	40	4	27	19	25	37	40	29
150	Puerperal diseases of the breast } F.	5	7	11	7	6	6	15	9	10	10	7
151–154	IX.—Diseases of the Skin and Cellular Tissue* .. { M. F.	1841 1683	1801 1573	1825 1639	2033 1854	2042 1795	1924 1741	1876 1678	1665 1471	1846 1533	1853 1590	1753 1456
151	Gangrene } M. F.	840 755	799 678	797 691	828 754	879 744	886 732	807 718	707 663	787 663	690 657	724 574
	(1) Senile gangrene .. } M. F.	740 654	703 577	722 600	722 635	782 634	780 633	700 617	620 536	694 587	613 586	654 508
	(2) Other gangrene .. } M. F.	100 101	96 101	75 91	106 119	97 110	106 99	107 101	87 127	93 76	77 71	70 66
152	Furuncle } M. F.	162 80	182 70	150 73	180 91	198 86	161 107	200 96	221 99	207 110	204 90	216 104
153	Phlegmon, acute abscess*.. } M. F.	357 282	356 278	390 302	456 347	448 374	390 320	431 274	336 249	427 299	485 353	382 324
	(1) Phlegmon* } M. F.	266 195	249 183	259 200	320 213	293 215	252 184	277 163	244 163	282 178	333 231	252 213
	(2) Acute abscess*.. } M. F.	91 87	107 95	131 102	136 134	155 159	138 136	154 111	92 86	145 121	152 122	130 111
154	Other diseases of the skin and its annexa } M. F.	482 566	464 547	488 573	569 662	517 591	487 582	438 590	401 460	425 466	474 490	431 454
	(1) Ulcer, bed sore .. } M. F.	145 269	144 282	149 284	194 351	178 335	135 284	166 310	135 235	114 235	124 225	108 212
	(2) Eczema } M. F.	168 101	152 93	149 84	152 91	145 76	136 84	85 70	95 64	119 59	121 63	88 63
	(3) Pemphigus } M. F.	66 66	68 52	72 70	77 62	61 52	87 73	68 60	52 53	73 54	72 55	88 52
	(4) Other diseases included under 154. } M. F.	103 130	100 120	118 135	146 151	133 128	129 141	119 150	119 108	119 118	157 147	147 127
155–158	X.—Diseases of the Bones and Organs of Locomotion†† { M. F.	398 286	420 287	431 296	472 300	454 306	461 305	487 321	416 287	506 353	479 362	481 291
155	Diseases of the bones† .. } M. F.	293 220	331 203	333 227	372 236	336 228	343 215	387 218	316 198	386 242	379 240	373 224
	(1) Infective osteomyelitis and periostitis .. } M. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	277 126
	(2) Other diseases of the bones } M. F.	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	? ?	96 98

* Previous to 1921 certain deaths from Diseases of the mediastinum (107 (b)) were included under these headings.

† Including deaths from Diseases of the accessory nasal sinuses (97 : 2) previous to 1921.

†† Including deaths from Chronic arthritis (52 : 1 pt.) previous to 1921.

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1911–1921.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix.

Inter- national List No.	Causes of Death.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
156	Diseases of the joints* .. {M. F.	84 52	62 62	74 53	71 64	83 67	96 72	77 77	76 77	98 89	87 101	86 52
157	Amputation {M. F.	1 —	1 —	— —	1 1	— 1	1 —	— —	2 —	— 1	— 1	— —
158	Other diseases of the organs {M. of locomotion {F.	20 14	26 17	24 16	28 14	35 10	21 18	23 25	22 12	22 21	13 20	22 15
159	XI.—Malformations .. {M. F.	2019 1641	1991 1569	2193 1740	2188 1727	2120 1705	2084 1679	1796 1546	1583 1320	1732 1350	2317 1913	2149 1681
	(1) Congenital hydro- {M. cephalus {F.	182 146	182 116	216 135	227 127	208 148	201 139	188 145	181 125	159 97	175 139	191 110
	(2) Congenital malforma- {M. tion of heart {F.	811 625	820 593	886 662	892 676	849 697	805 633	735 544	652 504	733 545	952 715	822 620
	(3) Other congenital mal- {M. formations {F.	1026 870	989 860	1031 943	1069 924	1063 860	1078 907	873 857	750 691	840 708	1190 1059	1136 951
160–163	XII.—Diseases of Early {M. Infancy {F.	19560 15144	18003 13401	18647 14152	17966 13455	16285 12236	15084 11112	12962 9877	12650 9608	14030 10551	16769 2325	15150 11292
160	Congenital debility, sclerema {M. and icterus {F.	7939 6072	6554 4670	6961 5001	6398 4522	5886 4314	5233 3589	4427 3303	4021 2984	4192 2923	5057 3375	4062 2802
	(1) Congenital debility and {M. sclerema {F.	7494 5760	6113 4401	6494 4731	5968 4254	5459 4074	4862 3382	4122 3114	3692 2816	3853 2719	4630 3121	3681 2569
	(2) Icterus {M. F.	445 312	441 269	467 270	430 268	427 240	371 207	305 189	329 168	339 204	427 254	381 233
161	Premature birth, injury at {M. birth {F.	10458 8155	10241 7815	10431 8286	10373 8022	9268 7093	8820 6711	7646 5869	7808 5987	8897 6886	10451 8013	9982 7608
	(1) Premature birth .. {M. F.	9939 7770	9670 7449	9794 7860	9724 7620	8715 6716	8282 6345	7169 5578	7426 5709	8409 6600	9714 7586	9265 7146
	(2) Injury at birth .. {M. F.	519 385	571 366	637 426	649 402	553 377	538 366	477 291	382 278	488 286	737 427	717 462
162	Other diseases peculiar to {M. early infancy {F.	1041 802	1076 784	1160 765	1100 795	1013 714	897 681	760 570	692 519	797 592	1077 802	958 753
	(2) Atelectasis {M. F.	854 637	858 607	936 610	909 614	820 530	718 516	622 452	569 406	668 459	879 622	783 586
	(1) Diseases of the umbili- {M. cus {F.	187 165	218 177	224 155	191 181	193 184	179 165	138 118	123 113	129 133	198 180	69 74 106 93
	(3) Other diseases included {M. under 162 {F.											
163	Lack of care {M. F.	122 115	132 132	95 100	95 116	118 115	134 131	129 135	129 118	144 150	184 135	148 129
164	XIII.—Old Age {M. F.	14850 19868	13713 18729	13260 17636	12775 17388	13759 19207	13560 18379	13616 17784	12055 15956	12994 18018	10917 15471	11268 16138
	(1) Senile dementia .. {M. F.	367 480	438 566	505 590	448 686	548 713	534 700	686 768	628 747	562 673	535 733	572 839
	(2) Other forms of senile {M. decay {F.	14483 19388	13275 18163	12755 17046	12327 16702	13211 18494	13026 17679	12930 17016	11427 15209	12432 17345	10382 14738	10696 15299

* Including deaths from chronic arthritis (52 : 1 pt.) previous to 1921.

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1911–1921.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix.

Inter- national List No.	Causes of Death.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
165–203	XIV.—External Causes .. {M. F.	14405 5929	13658 5916	13778 5885	15471 5889	16965 6255	18384 6101	16995 5980	17475 5365	13033 5292	12464 5117	11626 4874
165–174	Suicide {M. F.	2655 933	2706 902	2596 918	2802 922	2029 937	2063 792	1740 755	1845 920	2340 1008	2427 998	2763 996
165, 166	By solid or liquid poisons and corrosive substances {M. F.	305 210	324 223	302 210	283 223	156 168	130 115	102 94	96 122	121 135	185 129	203 172
167	By poisonous gas {M. F.	77 28	112 37	108 52	111 38	106 59	77 46	75 90	96 80	116 97	160 110	233 132
168	By hanging or strangula- tion {M. F.	739 175	740 159	741 173	759 159	517 182	552 152	462 127	462 154	649 185	567 155	676 166
169	By drowning {M. F.	506 309	498 298	469 284	537 305	371 336	364 319	291 269	339 349	425 349	490 397	585 323
170	By firearms {M. F.	240 3	263 15	249 11	297 10	241 11	243 8	213 8	205 17	206 12	238 15	248 10
171	By cutting or piercing instruments {M. F.	538 127	535 98	491 112	583 132	455 89	544 97	469 90	494 124	618 124	583 108	598 112
172	By jumping from high places {M. F.	48 37	50 24	53 34	67 25	76 52	54 33	40 39	66 41	63 53	57 42	69 38
173	By crushing {M. F.	158 21	174 39	172 27	160 24	98 31	94 17	77 29	82 28	133 33	138 22	146 23
174	By other means {M. F.	44 23	10 9	11 15	5 6	9 9	5 5	11 9	5 5	9 20	9 20	5 20
175–196 201–203	Violent deaths excluding suicide and homicide .. {M. F.	11597 4868	11007 4841	11042 4787	12536 4813	14807 5176	16205 5168	15142 5083	15530 4333	10545 4135	9895 3973	8746 3748
175	Food poisoning {M. F.	71 46	54 52	53 51	76 39	54 39	60 39	36 31	52 43	29 26	32 26	29 31
176	Poisoning by venomous animals {M. F.	7 10	3 2	6 6	3 10	6 6	5 1	4 4	3 4	3 3	4 7	5 10
177	Other acute accidental poisonings {M. F.	147 95	144 78	126 98	128 91	93 73	71 57	78 51	83 51	67 56	69 47	84 52
178	Conflagration {M. F.	57 33	46 51	27 28	39 29	38 34	34 44	29 50	31 29	29 20	43 45	22 28
179	Burns (conflagration ex- cepted) {M. F.	988 1360	915 1358	916 1228	871 1310	1002 1424	955 1403	962 1624	958 1309	830 1265	747 1038	696 892
180	Accidental mechanical suffocation {M. F.	756 699	804 760	774 681	810 666	717 570	508 420	517 394	390 341	384 286	428 336	415 305
181	Accidental absorption of irrespirable or poisonous gas {M. F.	63 21	73 34	65 27	72 26	99 41	108 52	128 58	100 49	91 40	100 36	94 56
182	Accidental drowning .. {M. F.	2233 405	2053 435	1999 421	2111 374	2257 474	2343 459	2015 363	1704 402	1537 341	1520 358	1564 333
	Accidental injury :—											
183	By firearms {M. F.	62 8	74 11	99 14	126 10	151 18	143 14	126 14	125 16	107 9	90 12	80 7
184	By cutting or piercing in- struments {M. F.	19 4	28 11	29 3	28 11	31 8	28 3	13 2	30 6	20 6	16 6	15 4
185	By fall {M. F.	1897 1314	2011 1343	1959 1437	2042 1410	2117 1445	2118 1546	1866 1349	1636 1113	1695 1168	1694 1206	1503 1105
186	In mines and quarries .. {M. F.	1476 —	1195 —	1154 —	1586 —	1165 —	1164 —	1226 —	1118 1	1144 1	964 1	671 —

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1911–1921.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix.

Inter- national List No.	Causes of Death.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
	Accidental injury— <i>cont.</i>											
187	By machinery {M. F.	287 13	258 6	287 8	242 8	331 9	311 23	347 12	352 38	305 21	317 22	183 6
188	By other forms of crushing {M. (vehicles, railways, etc.) F.	2504 483	2616 490	2872 582	3011 589	3672 777	3544 719	3348 702	3836 645	3014 716	3126 700	2785 711
189	Injury by animals (poisoning {M. excepted) F.	86 8	98 16	91 5	105 9	105 8	104 7	96 7	105 5	97 4	61 8	74 10
190	Wounds of war {M. F.	1 —	— —	— —	671 47	2115 89	3909 142	3585 215	4290 93	695 —	229 —	101 —
191	Execution of civilians by {M. belligerent armies .. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
192	Hunger or thirst {M. F.	14 5	17 15	17 6	23 6	25 13	16 15	18 12	12 1	7 4	14 2	11 8
193	Excessive cold {M. F.	77 16	84 20	63 10	61 23	111 21	148 29	128 38	59 13	54 19	29 10	29 4
194	Excessive heat {M. F.	354 187	84 31	94 52	94 41	50 19	88 45	65 25	44 17	63 35	13 13	132 115
195	Lightning {M. F.	22 1	17 3	9 2	24 7	20 1	11 1	20 —	13 —	5 —	11 —	3 —
196	Electricity (lightning excep- {M. ted) F.	17 —	23 —	22 —	20 —	29 —	34 —	24 —	40 —	32 —	26 —	19 —
197–199	Homicide {M. F.	153 128	145 173	140 180	133 154	129 142	116 141	113 142	100 112	148 149	142 146	117 130
197	By firearms {M. F.	18 9	11 16	15 24	28 16	13 7	8 8	12 9	8 5	21 16	6 12	11 14
198	By cutting or piercing in- {M. struments F.	12 28	26 41	16 28	19 38	23 30	20 27	19 24	16 29	33 36	23 34	14 31
199	By other means {M. F.	123 91	108 116	109 128	86 100	93 105	88 106	82 109	76 78	94 97	113 100	92 85
201	Fracture (cause not specified) {M. F.	75 62	66 19	44 21	57 16	67 23	53 21	55 18	65 16	45 23	34 17	32 11
202	Other external violence .. {M. F.	334 86	292 78	281 91	283 76	471 67	426 119	438 102	466 130	274 82	310 75	186 56
203	Violent deaths of unknown {M. causation F.	50 12	52 28	55 16	53 15	81 17	24 9	18 12	18 11	18 10	18 8	13 4
204, 205	XV.—Ill-defined Diseases .. {M. F.	2219 1697	1584 1284	1568 1200	1414 1273	1640 1383	1581 1248	1340 1145	1327 1120	1335 1019	1110 847	1088 794
204	Sudden death {M. F.	268 187	198 113	162 101	122 101	176 123	170 131	125 93	124 97	158 99	122 87	191 114
205	Cause of death unstated or {M. ill-defined F.	1951 1510	1386 1171	1406 1099	1292 1172	1464 1260	1411 1117	1215 1052	1203 1023	1177 920	988 760	897 680
	(1) Heart failure (1–70 {M. years) F.	996 704	755 586	755 488	723 598	806 629	771 589	698 570	664 579	721 569	621 462	540 374
	(2) Other ill-defined causes {M. F.	859 749	553 529	573 549	505 534	594 574	569 477	428 424	414 400	332 301	304 259	314 273
	(3) Cause not specified .. {M. F.	96 57	78 56	78 62	64 40	64 57	71 51	89 58	125 44	124 50	63 39	43 33

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES
AT ALL AGES TO A MILLION LIVING, 1911–1921.—MALES, FEMALES, AND PERSONS.

List of Causes as in use for 1921, but restricted in this table to headings showing a mortality of 5 or more per million in 1921. Where the incidence of mortality falls particularly on one sex, the rate in that sex has been taken as the criterion. For titles omitted see Table 4. The figures for "Other Diseases" in any particular class (e.g., 84, "Other Diseases of the Nervous System") relate to that heading of the International List, and do not include the diseases omitted from the table under the above rule.

These rates are subject to slight revision when revised estimates of population have been prepared.

List No.	Causes of Death.	1911.	1912.	1913.	1914.	1915.*	1916.*	1917.*	1918.*	1919.	1920.	1921.
	ALL CAUSES	M. 15,569 F. 13,662 P. 14,585	M. 14,181 F. 12,566 P. 13,347	M. 14,780 F. 12,872 P. 13,795	M. 14,955 F. 13,068 P. 13,981	M. 17,732 F. 13,936 P. 15,653	M. 16,884 F. 12,437 P. 14,371	M. 17,767 F. 12,061 P. 14,445	M. 21,098 F. 15,086 P. 17,560	M. 15,22 F. 12,544 P. 13,701	M. 13,413 F. 11,456 P. 12,388	M. 12,957 F. 11,328 P. 12,106
1-42	I. Epidemic, Endemic and Infectious Diseases	M. 2,831 F. 2,321 P. 2,569	M. 2,701 F. 2,212 P. 2,447	M. 2,596 F. 2,064 P. 2,322	M. 2,685 F. 2,171 P. 2,419	M. 3,448 F. 2,537 P. 2,949	M. 3,011 F. 2,085 P. 2,488	M. 3,297 F. 2,157 P. 2,634	M. 6,638 F. 5,146 P. 5,759	M. 3,334 F. 2,653 P. 2,971	M. 2,306 F. 1,868 P. 2,077	M. 2,039 F. 1,698 P. 1,861
1	Enteric fever	M. 81 F. 53 P. 67	M. 52 F. 36 P. 44	M. 51 F. 32 P. 41	M. 57 F. 36 P. 46	M. 43 F. 29 P. 35	M. 37 F. 25 P. 30	M. 33 F. 24 P. 28	M. 29 F. 25 P. 26	M. 18 F. 13 P. 16	M. 16 F. 12 P. 14	M. 17 F. 15 P. 16
	(a) Typhoid fever	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. 17 F. 14 P. 16
5	Malaria	M. 3 F. 0 P. 2	M. 3 F. 0 P. 2	M. 3 F. 0 P. 2	M. 3 F. 0 P. 2	M. 3 F. 1 P. 2	M. 2 F. 0 P. 1	M. 6 F. 0 P. 3	M. 6 F. 0 P. 3	M. 15 F. 0 P. 7	M. 13 F. 1 P. 7	M. 8 F. 0 P. 4
7	Measles	M. 392 F. 335 P. 363	M. 377 F. 329 P. 352	M. 314 F. 269 P. 291	M. 263 F. 233 P. 247	M. 530 F. 406 P. 462	M. 187 F. 129 P. 155	M. 384 F. 253 P. 308	M. 365 F. 236 P. 289	M. 106 F. 88 P. 96	M. 210 F. 174 P. 191	M. 66 F. 53 P. 59
8	Scarlet fever	M. 54 F. 51 P. 52	M. 56 F. 54 P. 55	M. 60 F. 55 P. 57	M. 78 F. 76 P. 77	M. 71 F. 61 P. 66	M. 44 F. 35 P. 39	M. 26 F. 19 P. 22	M. 33 F. 26 P. 29	M. 33 F. 33 P. 33	M. 39 F. 37 P. 38	M. 35 F. 34 P. 34
9	Whooping cough	M. 195 F. 237 P. 217	M. 211 F. 248 P. 230	M. 136 F. 161 P. 149	M. 201 F. 233 P. 218	M. 231 F. 230 P. 230	M. 178 F. 174 P. 176	M. 135 F. 133 P. 134	M. 319 F. 280 P. 296	M. 67 F. 74 P. 71	M. 110 F. 123 P. 117	M. 113 F. 128 P. 121
10	Diphtheria	M. 140 F. 132 P. 136	M. 119 F. 117 P. 118	M. 122 F. 121 P. 121	M. 162 F. 155 P. 159	M. 177 F. 155 P. 165	M. 172 F. 140 P. 154	M. 154 F. 116 P. 132	M. 166 F. 126 P. 142	M. 137 F. 129 P. 133	M. 150 F. 149 P. 150	M. 127 F. 125 P. 126
11	Influenza	M. 127 F. 113 P. 120	M. 152 F. 142 P. 147	M. 190 F. 160 P. 175	M. 174 F. 150 P. 161	M. 319 F. 271 P. 293	M. 279 F. 231 P. 252	M. 258 F. 182 P. 213	M. 3,360 F. 2,967 P. 3,129	M. 1,350 F. 1,101 P. 1,217	M. 315 F. 255 P. 283	M. 249 F. 226 P. 237
	(a) { 1. With pneumonic complications.	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. 116 F. 88 P. 101
	2. With other pulmonary complications.	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. 43 F. 46 P. 45
	(b) { 1. With non-pulmonary complications.	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. 53 F. 51 P. 52
	2. Without stated complication.	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. 37 F. 41 P. 39
16	Dysentery	M. 8 F. 9 P. 8	M. 5 F. 5 P. 5	M. 6 F. 6 P. 6	M. 7 F. 8 P. 7	M. 12 F. 14 P. 13	M. 16 F. 12 P. 13	M. 33 F. 19 P. 25	M. 32 F. 18 P. 24	M. 16 F. 8 P. 12	M. 9 F. 5 P. 7	M. 7 F. 7 P. 7
	(c) Unspecified, or other than Amoebic or Bacillary.	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. 6 F. 6 P. 6
21	Erysipelas	M. 28 F. 26 P. 27	M. 28 F. 22 P. 25	M. 25 F. 19 P. 22	M. 34 F. 29 P. 31	M. 35 F. 25 P. 30	M. 26 F. 17 P. 21	M. 20 F. 15 P. 17	M. 21 F. 14 P. 17	M. 21 F. 15 P. 18	M. 23 F. 21 P. 22	M. 20 F. 18 P. 19
23	Encephalitis lethargica	M. — F. — P. —	M. — F. — P. —	M. — F. — P. —	M. — F. — P. —	M. — F. — P. —	M. — F. — P. —	M. — F. — P. —	M. 0 F. 1 P. 0	M. 8 F. 8 P. 8	M. 13 F. 12 P. 13	M. 19 F. 19 P. 19
24	Meningococcal meningitis	M. 14 F. 9 P. 11	M. 11 F. 8 P. 9	M. 10 F. 8 P. 9	M. 12 F. 9 P. 10	M. 54 F. 37 P. 45	M. 31 F. 23 P. 26	M. 37 F. 25 P. 31	M. 24 F. 15 P. 18	M. 25 F. 13 P. 19	M. 17 F. 12 P. 14	M. 13 F. 9 P. 11
29	Tetanus	M. 9 F. 2 P. 6	M. 8 F. 2 P. 5	M. 8 F. 2 P. 5	M. 9 F. 2 P. 5	M. 7 F. 1 P. 4	M. 8 F. 2 P. 4	M. 9 F. 2 P. 5	M. 9 F. 2 P. 4	M. 7 F. 2 P. 4	M. 6 F. 2 P. 4	M. 6 F. 3 P. 4

* Based upon civilian deaths and civilian population.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1911–1921.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.	1911.	1912.	1913.	1914.	1915.*	1916.*	1917*	1918.*	1919.	1920.	1921.
31-37	Tuberculosis (all forms) .. { M. 1,670 1,576 1,562 1,571 1,851 1,912 2,072 2,153 1,429 1,279 1,266 F. 1,279 1,181 1,154 1,164 1,237 1,234 1,303 1,373 1,109 996 999 P. 1,468 1,372 1,352 1,361 1,515 1,529 1,624 1,694 1,258 1,131 1,127											
31	Respiratory system .. { M. 1,234 1,199 1,164 1,198 1,411 1,468 1,587 1,692 1,120 998 1,002 F. 901 855 825 860 911 916 971 1,064 853 757 777 P. 1,062 922 989 1,024 1,137 1,156 1,229 1,323 978 871 884											
32	Nervous system .. { M. 155 146 151 139 171 168 177 160 110 105 98 F. 136 129 124 114 131 122 124 106 92 86 80 P. 145 137 137 126 149 142 146 128 100 95 89											
33	Intestines and peritoneum { M. 122 93 111 100 117 112 124 115 67 58 59 F. 108 85 94 88 88 91 88 81 64 59 55 P. 115 89 103 94 102 100 103 94 65 58 57											
34	Vertebral column .. { M. 20 19 19 19 20 24 28 30 21 22 19 F. 17 14 16 14 15 14 16 20 15 14 16 P. 18 17 17 16 17 19 21 24 18 19 18											
35	Joints { M. 13 11 12 11 13 15 18 19 13 12 9 F. 9 8 8 6 8 7 7 9 8 7 7 P. 10 9 10 9 10 11 12 13 10 9 8											
36	Other organs { M. 19 21 18 20 20 25 26 25 21 18 17 F. 18 15 16 14 16 16 19 19 19 15 16 P. 19 18 17 16 17 21 22 21 19 16 16											
	(d) Genito-urinary system { M. ? ? ? ? ? ? ? ? ? ? ? F. ? ? ? ? ? ? ? ? ? ? ? P. ? ? ? ? ? ? ? ? ? ? ?											
37	Disseminated tuberculosis .. { M. 107 87 87 84 99 100 112 112 77 66 62 F. 90 75 71 68 68 68 78 74 58 58 48 P. 99 80 79 76 83 80 91 91 68 63 55											
	(a) Acute { M. 22 23 24 22 27 24 25 25 19 17 13 F. 22 21 22 21 21 20 20 18 18 19 12 P. 22 22 23 22 24 22 22 21 18 18 12											
	(b) Chronic or unstated .. { M. 85 64 63 62 72 76 87 87 58 49 49 F. 68 54 49 47 47 48 58 56 40 39 36 P. 77 58 56 54 59 58 69 70 50 45 43											
38	Syphilis { M. 60 62 67 69 67 75 85 81 64 64 57 F. 43 41 47 48 41 41 45 42 38 44 38 P. 51 51 57 58 53 55 61 58 50 54 47											
41	Purulent infection, septicæmia { M. 24 21 21 24 25 20 19 19 18 23 20 F. 11 10 10 12 12 10 8 9 9 12 12 P. 17 16 16 18 18 14 13 13 14 18 15											
	2. Forms other than vaccinia { M. 24 21 21 24 25 20 19 19 18 23 20 F. 11 10 10 12 12 10 8 9 9 12 12 P. 17 16 16 18 18 14 13 13 14 18 15											
43-69	II. General Diseases not included in I. 1-42.† { M. 1,273 1,296 1,351 1,386 1,544 1,634 1,709 1,702 1,440 1,455 1,505 F. 1,485 1,520 1,575 1,597 1,605 1,602 1,560 1,537 1,573 1,619 1,709 P. 1,382 1,412 1,467 1,495 1,578 1,616 1,622 1,604 1,511 1,541 1,612											
43-49	Cancer, malignant disease.. { M. 891 917 956 971 1,076 1,163 1,263 1,280 1,090 1,097 1,142 F. 1,087 1,122 1,165 1,161 1,158 1,168 1,173 1,175 1,194 1,219 1,281 P. 992 1,023 1,064 1,069 1,121 1,166 1,210 1,218 1,145 1,161 1,215											
43	Buccal cavity { M. 113 116 121 117 131 146 161 169 139 137 137 F. 17 17 17 18 18 19 20 19 19 19 18 P. 63 65 68 66 69 74 79 81 75 75 75											
44	Pharynx, œsophagus, stomach, liver and annexa { M. 360 371 379 391 427 460 493 493 422 417 438 F. 318 319 336 340 338 337 323 324 321 333 344 P. 338 345 357 365 378 391 394 393 367 373 389											
45	Peritoneum, intestines and rectum. { M. 181 196 213 208 236 255 282 279 243 248 259 F. 196 205 216 218 217 223 225 236 235 242 255 P. 188 200 215 213 226 237 249 254 239 245 257											
46	Female genital organs .. F. 243 247 258 250 246 247 256 254 255 254 275											
47	Breast { M. 1 1 1 2 2 2 3 3 2 2 2 F. 183 198 204 199 202 211 213 207 220 228 237 P. 95 103 106 104 112 120 125 123 118 120 125											

* Based upon civilian deaths and civilian population.

† See Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1911–1921.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.	1911.	1912.	1913.	1914.	1915.*	1916.*	1917.*	1918.*	1919.	1920.	1921.
	Cancer, malignant disease— <i>contd.</i>											
48	Skin.. .. . { M. F. P.	34 18 26	32 19 25	32 17 24	34 18 26	38 20 28	43 19 29	45 20 30	46 20 31	42 21 31	39 20 29	40 20 30
49	Other or unspecified organs { M. F. P.	202 112 157	201 117 157	210 117 161	219 118 166	242 117 173	257 112 175	279 116 184	290 115 187	242 123 179	254 123 186	266 132 196
50	Tumours not returned as malignant (brain and female genital organs excepted). { M. F. P.	10 9 10	13 10 12	12 11 12	15 12 14	18 14 16	19 14 16	20 12 15	22 12 16	18 13 15	18 15 16	20 15 18
51	Rheumatic fever .. . { M. F. P.	52 57 54	52 56 54	47 49 48	54 57 56	62 58 60	56 52 53	46 40 42	50 40 44	40 42 41	54 58 56	48 48 48
52	Chronic rheumatism, osteo- arthritis, gout.† { M. F. P.	46 58 52	43 59 52	45 63 54	44 63 54	57 73 66	58 75 67	62 68 66	55 73 65	47 73 60	41 69 56	42 78 60
	1. Chronic rheumatism, chronic arthritis.† { M. F. P.	9 13 11	8 11 10	10 12 11	10 13 11	12 15 14	14 17 15	15 13 14	13 14 13	11 13 12	9 12 11	11 14 12
	2. Rheumatoid and osteo- arthritis. { M. F. P.	18 42 30	18 44 32	18 47 33	18 47 33	26 53 41	25 55 42	29 52 43	28 57 45	24 58 42	22 56 40	22 62 43
	3. Gout .. . { M. F. P.	19 3 11	17 4 10	17 4 10	16 3 10	19 5 11	19 3 10	18 3 9	14 2 7	12 2 6	10 1 5	9 2 5
56	Rickets .. . { M. F. P.	31 23 27	24 17 21	32 20 26	30 20 25	33 17 24	34 20 26	34 20 26	28 17 22	16 10 13	17 10 14	15 11 13
57	Diabetes .. . { M. F. P.	111 103 106	117 105 111	120 116 118	126 118 122	142 120 130	150 114 130	133 96 112	126 90 105	110 100 105	98 101 100	105 111 108
58	Anæmia, chlorosis .. . { M. F. P.	48 60 54	49 63 56	54 65 60	56 72 64	69 75 72	69 74 72	74 74 74	69 60 64	57 71 64	61 71 66	62 84 74
	(a) Pernicious anæmia .. { M. F. P.	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	55 62 59	55 74 65
	(b) Other anæmias and chlorosis. { M. F. P.	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	6 9 7	7 10 9
60	Diseases of the thyroid gland† { M. F. P.	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	6 43 25
	(a) Exophthalmic goitre .. { M. F. P.	2 20 11	2 20 12	2 19 11	2 23 13	2 21 12	3 20 13	3 20 13	3 18 12	3 24 14	3 24 14	3 27 15
	(b) (1) Myxœdema .. { M. F. P.	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	1 7 4
	(b) (2) and (3) Cretinism and other diseases of the thyroid gland. { M. F. P.	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	2 9 6
62	Diseases of the thymus .. { M. F. P.	4 3 3	5 3 4	6 4 5	8 5 6	7 4 6	8 4 6	5 4 4	5 3 4	4 2 3	5 3 4	6 4 5
63	Diseases of the adrenals .. { M. F. P.	6 8 7	6 8 7	6 6 6	5 7 6	6 7 7	6 7 6	7 7 7	6 6 6	4 6 5	5 7 6	5 6 6
65	Leukæmia, lymphadenoma.. { M. F. P.	21 16 19	23 17 20	21 16 19	23 17 20	24 16 20	26 16 20	25 15 18	26 14 19	23 16 19	25 16 20	27 16 21
	(a) Leukæmia .. . { M. F. P.	11 10 11	13 11 12	11 10 11	13 11 12	13 11 12	14 11 12	14 10 11	13 9 11	12 10 11	13 10 11	14 10 12
	(b) Lymphadenoma (Hodg- kin's disease). { M. F. P.	10 6 8	10 6 8	10 6 8	10 6 8	11 5 8	12 5 8	11 5 7	13 5 8	11 6 8	12 6 9	13 6 9

* Based on civilian deaths and civilian population.

† See Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1911–1921.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of death.	1911.	1912.	1913.	1914.	1915.*	1916.*	1917.*	1918.*	1919.	1920.	1921.
66	Alcoholism (acute or chronic) { M. 25 19 23 25 18 14 8 4 5 9 7 F. 13 11 13 12 11 6 4 1 1 3 3 P. 19 15 18 18 14 10 6 2 3 6 5											
69	Other general diseases† .. { M. 15 14 16 16 17 14 18 15 13 13 13 F. 12 14 11 13 14 14 12 10 10 11 10 P. 14 14 14 15 16 14 14 13 12 12 13											
	1. Purpura { M. 9 7 10 9 9 8 11 9 7 6 7 F. 8 10 7 9 10 9 8 7 6 7 6 P. 9 8 9 9 10 8 9 8 7 7 7											
70–86	III. Diseases of the Nervous System and Sense Organs. { M. 1,676 1,581 1,609 1,600 1,847 1,860 1,982 1,843 1,449 1,347 1,310 F. 1,542 1,473 1,491 1,483 1,519 1,399 1,380 1,300 1,286 1,250 1,236 P. 1,607 1,526 1,548 1,540 1,668 1,600 1,632 1,524 1,362 1,296 1,271											
70	Encephalitis { M. 11 11 10 12 10 11 10 11 11 12 9 F. 9 7 8 6 7 6 6 8 9 8 7 P. 10 9 9 9 8 8 7 9 10 10 8											
	1. Cerebral abscess { M. ? ? ? ? ? ? ? ? ? 6 6 F. ? ? ? ? ? ? ? ? ? 4 4 P. ? ? ? ? ? ? ? ? ? 5 5											
71	Meningitis { M. 148 110 116 116 129 112 115 110 83 73 72 F. 118 91 98 95 93 79 72 70 59 56 57 P. 132 100 107 105 109 94 90 87 70 64 64											
72	Tabes dorsalis (locomotor ataxy). { M. 30 31 35 34 39 45 45 42 34 29 32 F. 6 6 6 6 6 5 6 5 4 4 6 P. 18 18 20 19 21 23 22 20 18 16 18											
73	Other diseases of the spinal cord.† { M. 80 75 75 80 90 99 96 98 85 75 40 F. 58 57 61 62 61 60 59 55 59 57 29 P. 69 66 68 71 75 77 74 73 71 66 34											
74	Cerebral hæmorrhage, apoplexy, etc. { M. 626 644 660 668 782 801 873 800 674 632 627 F. 729 753 761 771 797 749 756 711 756 728 724 P. 679 700 712 722 790 772 805 748 717 681 677											
	(a) { 1. Cerebral hæmorrhage so returned. { M. 419 436 455 466 549 562 622 583 493 474 476 F. 476 502 523 533 550 525 540 509 548 539 540 P. 448 470 490 501 549 541 574 540 522 508 509 2. Apoplexy, lesion un- stated. { M. 155 148 140 136 156 160 168 145 116 93 86 F. 175 168 155 147 157 140 138 127 124 104 93 P. 165 158 148 142 157 149 151 134 120 98 89											
	(b) { 1. Cerebral embolism. . { M. 52 60 65 66 77 79 83 72 65 65 16 F. 78 83 83 91 90 84 78 75 84 85 25 P. 66 72 74 79 84 82 80 74 75 75 21 2. Cerebral thrombosis { M. 66 72 74 79 84 82 80 74 75 75 49 F. 66 72 74 79 84 82 80 74 75 75 66 P. 66 72 74 79 84 82 80 74 75 75 58											
75	Paralysis of unstated origin. . { M. 80 68 66 65 83 86 88 78 66 56 58 F. 93 84 74 79 86 79 74 68 68 66 63 P. 86 76 69 73 84 82 80 72 67 62 60											
	(a) Hemiplegia { M. 63 55 55 53 65 68 71 64 56 48 49 F. 80 72 64 69 72 66 61 57 59 56 54 P. 71 64 59 61 69 67 65 60 58 52 51											
	(b) Other forms of paralysis { M. 17 13 11 12 18 18 17 14 10 8 9 F. 13 12 10 10 14 13 13 11 9 10 9 P. 15 12 10 12 15 15 15 12 9 10 9											
76	General paralysis of the insane. { M. 101 102 98 102 111 109 126 111 78 71 69 F. 23 25 22 23 22 19 22 17 14 12 14 P. 61 62 58 61 63 58 65 56 44 40 41											
77	Other forms of insanity .. { M. 33 33 22 24 27 31 42 42 25 18 16 F. 43 41 32 31 34 35 36 37 27 27 28 P. 38 37 27 27 31 33 38 39 26 23 22											
78	Epilepsy { M. 80 81 81 85 101 115 142 138 85 64 62 F. 65 70 68 67 74 75 80 79 67 53 55 P. 72 75 75 76 86 92 106 104 75 58 58											
79 & 80	Convulsions (non-puerperal) { M. 333 289 302 273 311 287 270 248 178 195 169 F. 238 199 219 191 193 160 147 133 115 131 108 P. 283 242 259 230 247 215 198 181 144 162 137											

* Based on civilian deaths and civilian population.

† See Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1911–1921.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.	1911.	1912.	1913.	1914.	1915.*	1916.*	1917.*	1918.*	1919.	1920.	1921.
82	Hysteria and neuritis .. { M. 9 8 9 10 12 8 9 7 5 6 6 F. 21 19 21 19 16 12 9 5 7 6 8 P. 16 13 16 14 14 11 9 7 6 6 7											
83	Cerebral softening .. { M. 55 45 41 40 45 42 47 41 29 22 22 F. 52 44 39 39 39 33 34 30 29 22 24 P. 53 44 40 39 42 37 39 35 29 22 23											
84	Other diseases of the nervous system.† { M. ? ? ? ? ? ? ? ? ? ? ? F. ? ? ? ? ? ? ? ? ? ? ? P. ? ? ? ? ? ? ? ? ? ? ?											88 82 83
	1. Idiocy, imbecility .. { M. 6 6 5 6 9 10 15 15 9 6 7 F. 7 6 5 6 7 8 8 8 6 5 6 P. 7 6 5 6 7 8 11 11 7 6 6											
	2. Cerebral tumour .. { M. 21 22 22 25 30 33 30 28 27 27 29 F. 17 20 22 24 26 25 23 22 22 24 26 P. 19 21 22 25 28 28 26 24 24 25 27											
	3. Disseminated sclerosis† { M. ? ? ? ? ? ? ? ? ? ? F. ? ? ? ? ? ? ? ? ? ? P. ? ? ? ? ? ? ? ? ? ?											16 18 17
	4. Paralysis agitans† .. { M. ? ? ? ? ? ? ? ? ? ? F. ? ? ? ? ? ? ? ? ? ? P. ? ? ? ? ? ? ? ? ? ?											19 16 17
	5. Other diseases included under 84. { M. 27 21 23 22 25 31 34 40 22 19 17 F. 28 24 23 25 24 24 24 26 19 17 16 P. 28 22 23 23 24 27 28 32 21 18 16											
86	Diseases of the ear and of the mastoid sinus. { M. 35 33 38 37 40 38 36 32 35 37 37 F. 27 24 25 29 27 24 22 21 20 28 28 P. 30 28 32 33 33 30 28 26 28 32 32											
	1. Diseases of the mastoid sinus. { M. 10 8 10 9 12 10 9 8 10 10 10 F. 7 6 7 7 7 6 5 4 5 8 8 P. 8 7 9 8 9 8 7 6 8 9 9											
	2. Diseases of the ear. .. { M. 25 25 28 28 28 28 27 24 25 27 27 F. 20 18 18 22 20 18 17 17 15 20 20 P. 22 21 23 25 24 22 21 20 20 23 23											
87-96	IV. Diseases of the Circulatory System.† { M. 1,506 1,624 1,728 1,765 2,168 2,225 2,332 2,245 1,925 1,816 1,847 F. 1,481 1,594 1,655 1,719 1,832 1,774 1,688 1,591 1,732 1,679 1,757 P. 1,493 1,609 1,690 1,741 1,984 1,970 1,957 1,860 1,822 1,745 1,800											
87-90	Heart diseases† .. { M. 1,292 1,359 1,425 1,430 1,779 1,824 1,874 1,788 1,511 1,402 1,380 F. 1,359 1,443 1,467 1,511 1,620 1,563 1,470 1,372 1,477 1,411 1,451 P. 1,326 1,402 1,447 1,472 1,692 1,674 1,639 1,542 1,493 1,406 1,418											
87	Pericarditis† .. { M. 18 15 14 15 16 13 12 13 9 11 11 F. 13 11 9 10 12 10 8 7 8 8 8 P. 15 13 12 12 14 11 10 10 8 10 9											
88	Acute endocarditis and myo- carditis.† { M. 40 44 45 51 51 46 42 42 57 68 63 F. 43 50 50 50 50 42 40 38 40 56 47 P. 41 47 47 51 50 43 42 39 48 61 55											
	1. Infective endocarditis .. { M. 15 17 16 18 14 14 15 12 26 32 40 F. 17 17 17 17 15 13 13 14 13 21 24 P. 16 17 16 18 14 13 14 13 19 26 32											
	2. Other acute endocarditis † { M. 20 21 21 23 25 21 17 19 19 21 17 F. 22 28 25 25 26 21 20 17 19 22 17 P. 21 25 23 24 26 21 19 18 19 21 17											
	3. Acute myocarditis† .. { M. 5 6 8 10 12 11 10 11 12 15 6 F. 4 5 8 8 9 8 7 7 8 13 6 P. 4 5 8 9 10 9 9 8 10 14 6											
89	Angina pectoris .. { M. 41 42 44 44 52 47 45 46 42 38 41 F. 19 19 19 21 21 17 17 14 17 17 17 P. 29 30 31 32 35 30 28 27 29 27 29											

* Based on civilian deaths and civilian population.

† See Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1911–1921.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.	1911.	1912.	1913.	1914.	1915.*	1916.*	1917.*	1918.*	1919.	1920.	1921.
90	Other diseases of the heart†..	{ M. 1,193 F. 1,284 P. 1,241	{ M. 1,258 F. 1,363 P. 1,312	{ M. 1,322 F. 1,389 P. 1,357	{ M. 1,320 F. 1,430 P. 1,377	{ M. 1,660 F. 1,537 P. 1,593	{ M. 1,718 F. 1,494 P. 1,590	{ M. 1,775 F. 1,405 P. 1,559	{ M. 1,687 F. 1,313 P. 1,466	{ M. 1,403 F. 1,412 P. 1,408	{ M. 1,285 F. 1,330 P. 1,308	{ M. 1,265 F. 1,379 P. 1,325
	1. Aortic valve disease ..	{ M. F. P.										{ 106 43 73
	2. Mitral valve disease ..	{ M. F. P.										{ 178 271 227
	3. Aortic and mitral valve disease.	{ M. 455 F. 510 P. 484	{ M. 524 F. 584 P. 555	{ M. 565 F. 607 P. 587	{ M. 578 F. 646 P. 613	{ M. 721 F. 693 P. 706	{ M. 769 F. 677 P. 717	{ M. 825 F. 662 P. 730	{ M. 803 F. 647 P. 711	{ M. 676 F. 681 P. 678	{ M. 647 F. 654 P. 651	{ 27 18 23
	4. Other or unspecified valve disease.†	{ M. F. P.										{ 314 341 327
	5. Fatty heart ..	{ M. 70 F. 79 P. 75	{ M. 81 F. 92 P. 87	{ M. 88 F. 98 P. 93	{ M. 83 F. 96 P. 90	{ M. 94 F. 94 P. 94	{ M. 87 F. 88 P. 87	{ M. 83 F. 73 P. 77	{ M. 65 F. 55 P. 59	{ M. 60 F. 68 P. 64	{ M. 59 F. 62 P. 60	{ 60 67 64
	6. Cardiac dilatation, cause unspecified.	{ M. F. P.										{ 27 27 27
	7. Other or unspecified myocardial disease.†	{ M. 666 F. 693 P. 680	{ M. 649 F. 684 P. 667	{ M. 665 F. 681 P. 673	{ M. 655 F. 684 P. 670	{ M. 840 F. 744 P. 787	{ M. 856 F. 724 P. 781	{ M. 861 F. 664 P. 746	{ M. 812 F. 605 P. 690	{ M. 660 F. 655 P. 658	{ M. 570 F. 604 P. 587	{ 242 265 254
	9. Heart disease(undefined)	{ M. F. P.										{ 298 332 316
	8. Disordered action of the heart.	{ M. 2 F. 2 P. 2	{ M. 4 F. 3 P. 3	{ M. 4 F. 3 P. 4	{ M. 4 F. 4 P. 4	{ M. 5 F. 6 P. 6	{ M. 6 F. 5 P. 5	{ M. 6 F. 6 P. 6	{ M. 7 F. 6 P. 6	{ M. 7 F. 8 P. 8	{ M. 9 F. 10 P. 10	{ 13 15 14
91	Diseases of the arteries ..	{ M. 194 F. 95 P. 143	{ M. 247 F. 125 P. 183	{ M. 283 F. 162 P. 221	{ M. 315 F. 179 P. 245	{ M. 366 F. 190 P. 270	{ M. 378 F. 189 P. 273	{ M. 434 F. 196 P. 296	{ M. 435 F. 199 P. 296	{ M. 393 F. 237 P. 309	{ M. 396 F. 245 P. 317	{ 448 280 361
	(a) Aneurism ..	{ M. 53 F. 12 P. 32	{ M. 55 F. 10 P. 31	{ M. 52 F. 12 P. 32	{ M. 50 F. 12 P. 31	{ M. 52 F. 13 P. 31	{ M. 50 F. 10 P. 28	{ M. 51 F. 11 P. 28	{ M. 46 F. 9 P. 24	{ M. 41 F. 9 P. 24	{ M. 44 F. 9 P. 26	{ 44 10 26
	(b) Arterio-sclerosis ..	{ M. 136 F. 81 P. 108	{ M. 186 F. 112 P. 148	{ M. 226 F. 147 P. 185	{ M. 260 F. 164 P. 210	{ M. 309 F. 174 P. 235	{ M. 323 F. 177 P. 241	{ M. 379 F. 183 P. 265	{ M. 383 F. 188 P. 268	{ M. 348 F. 224 P. 281	{ M. 347 F. 233 P. 287	{ 399 266 330
	1. With record of cerebral vascular lesion.	{ M. ? F. ? P. ?	{ M. ? F. ? P. ?	{ M. ? F. ? P. ?	{ M. ? F. ? P. ?	{ M. ? F. ? P. ?	{ M. ? F. ? P. ?	{ M. ? F. ? P. ?	{ M. ? F. ? P. ?	{ M. ? F. ? P. ?	{ M. ? F. ? P. ?	{ 119 93 106
	2. Without record of cerebral vascular lesion.	{ M. ? F. ? P. ?	{ M. ? F. ? P. ?	{ M. ? F. ? P. ?	{ M. ? F. ? P. ?	{ M. ? F. ? P. ?	{ M. ? F. ? P. ?	{ M. ? F. ? P. ?	{ M. ? F. ? P. ?	{ M. ? F. ? P. ?	{ M. ? F. ? P. ?	{ 280 173 224
	(c) Other diseases of the arteries.	{ M. 5 F. 2 P. 3	{ M. 6 F. 3 P. 4	{ M. 5 F. 3 P. 4	{ M. 5 F. 3 P. 4	{ M. 5 F. 3 P. 4	{ M. 5 F. 2 P. 4	{ M. 4 F. 2 P. 3	{ M. 6 F. 2 P. 4	{ M. 4 F. 4 P. 4	{ M. 5 F. 3 P. 4	{ 5 4 5
	Embolism and thrombosis (not cerebral).	{ M. 8 F. 11 P. 10	{ M. 7 F. 10 P. 9	{ M. 9 F. 10 P. 10	{ M. 9 F. 12 P. 10	{ M. 10 F. 9 P. 10	{ M. 8 F. 7 P. 8	{ M. 9 F. 7 P. 8	{ M. 8 F. 7 P. 7	{ M. 8 F. 7 P. 8	{ M. 8 F. 9 P. 8	{ 8 9 8
	Diseases of the veins (varices, hæmorrhoids, phlebitis, etc.)	{ M. 5 F. 9 P. 8	{ M. 6 F. 12 P. 9	{ M. 5 F. 12 P. 8	{ M. 6 F. 12 P. 10	{ M. 7 F. 10 P. 9	{ M. 9 F. 10 P. 10	{ M. 8 F. 9 P. 9	{ M. 6 F. 8 P. 7	{ M. 5 F. 9 P. 7	{ M. 6 F. 11 P. 9	{ 6 12 9
	V. Diseases of the Respiratory System.†	{ M. 2,497 F. 2,025 P. 2,254	{ M. 2,538 F. 2,095 P. 2,308	{ M. 2,541 F. 2,048 P. 2,286	{ M. 2,618 F. 2,140 P. 2,371	{ M. 3,528 F. 2,597 P. 3,018	{ M. 3,059 F. 2,088 P. 2,509	{ M. 3,368 F. 2,026 P. 2,586	{ M. 3,875 F. 2,513 P. 3,073	{ M. 2,799 F. 2,183 P. 2,471	{ M. 2,475 F. 1,868 P. 2,157	{ 2,210 1,721 1,955
	Diseases of the larynx ..	{ M. 42 F. 31 P. 37	{ M. 37 F. 23 P. 29	{ M. 36 F. 26 P. 31	{ M. 39 F. 28 P. 33	{ M. 45 F. 29 P. 36	{ M. 42 F. 23 P. 30	{ M. 37 F. 21 P. 29	{ M. 34 F. 20 P. 25	{ M. 26 F. 20 P. 22	{ M. 28 F. 21 P. 25	{ 21 14 18
	(2) Laryngitis ..	{ M. 33 F. 25 P. 29	{ M. 29 F. 20 P. 24	{ M. 27 F. 20 P. 23	{ M. 29 F. 22 P. 25	{ M. 35 F. 23 P. 29	{ M. 32 F. 19 P. 24	{ M. 30 F. 16 P. 23	{ M. 27 F. 17 P. 21	{ M. 21 F. 17 P. 19	{ M. 22 F. 17 P. 19	{ 15 12 13

* Based on civilian deaths and civilian population.

† See Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1911–1921.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.	1911.	1912.	1913.	1914.	1915.*	1916.*	1917.*	1918.*	1919.	1920.	1921.
99	Bronchitis†	M. 1,028 F. 999 P. 1,013	M. 1,094 F. 1,085 P. 1,089	M. 1,102 F. 1,043 P. 1,071	M. 1,097 F. 1,078 P. 1,087	M. 1,557 F. 1,338 P. 1,437	M. 1,417 F. 1,118 P. 1,248	M. 1,512 F. 1,061 P. 1,249	M. 1,504 F. 1,040 P. 1,232	M. 1,307 F. 1,176 P. 1,238	M. 1,078 F. 948 P. 1,010	M. 929 F. 852 P. 889
	(a) Acute	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. 219 F. 241 P. 231
	(b) Chronic	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. 308 F. 223 P. 263
	(c and d) Not stated whether acute or chronic.	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. 402 F. 388 P. 395
100 & 101	Pneumonia (all forms)† ..	M. 1,233 F. 859 P. 1,040	M. 1,209 F. 850 P. 1,024	M. 1,215 F. 848 P. 1,025	M. 1,287 F. 894 P. 1,084	M. 1,686 F. 1,083 P. 1,356	M. 1,379 F. 824 P. 1,065	M. 1,581 F. 825 P. 1,141	M. 2,115 F. 1,330 P. 1,654	M. 1,279 F. 865 P. 1,058	M. 1,206 F. 788 P. 987	M. 1,104 F. 745 P. 916
100	Broncho-pneumonia† ..	M. 509 F. 420 P. 463	M. 513 F. 441 P. 476	M. 531 F. 442 P. 485	M. 561 F. 460 P. 509	M. 769 F. 557 P. 653	M. 602 F. 406 P. 490	M. 688 F. 423 P. 533	M. 898 F. 606 P. 727	M. 593 F. 448 P. 516	M. 576 F. 427 P. 498	M. 517 F. 409 P. 460
101	Pneumonia (lobar and not otherwise defined).	M. 724 F. 439 P. 577	M. 696 F. 409 P. 548	M. 684 F. 406 P. 540	M. 726 F. 434 P. 575	M. 917 F. 526 P. 703	M. 777 F. 418 P. 575	M. 893 F. 402 P. 608	M. 1,217 F. 724 P. 927	M. 686 F. 417 P. 542	M. 630 F. 361 P. 489	M. 587 F. 336 P. 456
	(a) Lobar	M. 272 F. 151 P. 210	M. 283 F. 157 P. 218	M. 287 F. 158 P. 220	M. 317 F. 175 P. 244	M. 385 F. 214 P. 291	M. 334 F. 171 P. 242	M. 387 F. 165 P. 258	M. 476 F. 263 P. 351	M. 283 F. 160 P. 217	M. 299 F. 158 P. 225	M. 282 F. 154 P. 215
	(b) Not otherwise defined..	M. 452 F. 288 P. 367	M. 413 F. 252 P. 330	M. 397 F. 248 P. 320	M. 409 F. 259 P. 331	M. 532 F. 312 P. 412	M. 443 F. 247 P. 333	M. 506 F. 237 P. 350	M. 741 F. 461 P. 576	M. 403 F. 257 P. 325	M. 331 F. 203 P. 264	M. 305 F. 182 P. 241
102	Pleurisy	M. 48 F. 32 P. 39	M. 49 F. 31 P. 40	M. 45 F. 29 P. 37	M. 50 F. 33 P. 40	M. 53 F. 33 P. 42	M. 54 F. 29 P. 40	M. 61 F. 30 P. 43	M. 54 F. 28 P. 38	M. 45 F. 26 P. 35	M. 44 F. 27 P. 35	M. 44 F. 25 P. 34
	1. Empyema	M. 17 F. 8 P. 12	M. 15 F. 7 P. 11	M. 16 F. 8 P. 12	M. 18 F. 10 P. 13	M. 17 F. 9 P. 13	M. 20 F. 8 P. 13	M. 19 F. 8 P. 12	M. 18 F. 7 P. 11	M. 18 F. 6 P. 12	M. 17 F. 7 P. 12	M. 18 F. 7 P. 12
	2. Other pleurisy	M. 31 F. 24 P. 27	M. 34 F. 24 P. 29	M. 29 F. 21 P. 25	M. 32 F. 23 P. 27	M. 36 F. 24 P. 29	M. 34 F. 21 P. 27	M. 42 F. 22 P. 31	M. 36 F. 21 P. 27	M. 27 F. 20 P. 23	M. 27 F. 20 P. 23	M. 26 F. 18 P. 22
103	Congestion and hæmorrhagic infarct of lung.	M. 53 F. 47 P. 50	M. 50 F. 50 P. 50	M. 47 F. 46 P. 47	M. 43 F. 47 P. 45	M. 50 F. 46 P. 48	M. 48 F. 39 P. 43	M. 44 F. 36 P. 39	M. 40 F. 35 P. 37	M. 35 F. 33 P. 34	M. 30 F. 31 P. 31	M. 31 F. 36 P. 34
105	Asthma	M. 47 F. 35 P. 41	M. 52 F. 37 P. 45	M. 56 F. 37 P. 46	M. 57 F. 41 P. 49	M. 82 F. 51 P. 65	M. 76 F. 40 P. 56	M. 83 F. 39 P. 58	M. 88 F. 46 P. 63	M. 72 F. 48 P. 59	M. 57 F. 38 P. 47	M. 53 F. 36 P. 44
106	Pulmonary emphysema ..	M. 16 F. 6 P. 11	M. 17 F. 7 P. 12	M. 14 F. 6 P. 10	M. 17 F. 6 P. 12	M. 23 F. 9 P. 15	M. 16 F. 5 P. 10	M. 16 F. 4 P. 9	M. 12 F. 3 P. 6	M. 12 F. 4 P. 7	M. 9 F. 3 P. 6	M. 7 F. 2 P. 4
107	Other diseases of the respiratory system.†	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. 18 F. 7 P. 12
	(a) Chronic interstitial pneumonia.	M. 15 F. 4 P. 9	M. 14 F. 4 P. 9	M. 14 F. 4 P. 9	M. 15 F. 4 P. 9	M. 14 F. 3 P. 8	M. 14 F. 3 P. 8	M. 16 F. 2 P. 8	M. 13 F. 3 P. 7	M. 11 F. 4 P. 7	M. 10 F. 2 P. 6	M. 10 F. 3 P. 6
	(b and c) Other diseases included under 107, including disease of the mediastinum.†	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. 8 F. 4 P. 6
108–127	VI. Diseases of the Digestive System.†	M. 2,002 F. 1,708 P. 1,850	M. 909 F. 777 P. 841	M. 1,383 F. 1,153 P. 1,264	M. 1,319 F. 1,107 P. 1,210	M. 1,334 F. 992 P. 1,147	M. 1,167 F. 830 P. 977	M. 1,137 F. 767 P. 922	M. 1,072 F. 717 P. 863	M. 825 F. 656 P. 735	M. 882 F. 678 P. 775	M. 1,062 F. 816 P. 933
108	Diseases of the buccal cavity and annexa.	M. 11 F. 8 P. 10	M. 10 F. 7 P. 9	M. 12 F. 9 P. 11	M. 13 F. 12 P. 12	M. 11 F. 9 P. 10	M. 13 F. 9 P. 11	M. 12 F. 8 P. 9	M. 11 F. 8 P. 10	M. 11 F. 9 P. 10	M. 13 F. 9 P. 11	M. 12 F. 11 P. 12
	1. Diseases of the teeth and gums.	M. 8 F. 6 P. 7	M. 8 F. 6 P. 7	M. 9 F. 8 P. 8	M. 10 F. 9 P. 9	M. 9 F. 7 P. 8	M. 10 F. 7 P. 9	M. 9 F. 6 P. 7	M. 7 F. 5 P. 6	M. 7 F. 6 P. 7	M. 9 F. 7 P. 8	M. 8 F. 7 P. 8

* Based on civilian deaths and civilian population.

† See Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1911–1921.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.	1911.	1912.	1913.	1914.	1915.*	1916.*	1917.*	1918.*	1919.	1920.	1921.
109	Diseases of the pharynx and tonsils.†	M. 17	14	18	22	21	18	15	17	20	18	18
		F. 14	13	14	18	17	14	12	11	16	14	15
		P. 15	13	16	20	18	16	14	14	18	16	17
	1. Tonsillitis, etc., adenoid vegetations.†	M. 13	11	14	17	16	13	12	13	17	14	13
		F. 11	10	11	13	13	11	10	9	13	12	12
		P. 12	10	13	15	14	12	11	11	15	13	13
111	Ulcer of the stomach or duodenum.	M. 66	78	81	89	89	93	95	100	86	95	87
		F. 60	58	56	59	56	54	56	54	47	49	43
		P. 63	68	68	74	71	72	72	73	65	70	64
	(a) Ulcer of the stomach ..	M. 44	49	50	57	58	61	64	71	58	64	56
		F. 54	52	48	53	49	48	49	47	41	42	37
		P. 49	51	49	55	53	54	55	57	49	52	46
	(b) Ulcer of the duodenum	M. 22	29	31	32	31	32	31	29	28	31	31
		F. 6	6	8	6	7	6	7	7	6	7	6
		P. 14	17	19	19	18	18	17	16	16	18	18
112	Other diseases of the stomach	M. 111	102	110	109	127	126	119	110	83	92	83
		F. 103	92	100	107	105	99	86	79	80	78	73
		P. 107	97	105	109	115	111	99	92	82	85	77
	1. Inflammation of the stomach.	M. 92	81	91	88	106	103	101	92	69	78	71
		F. 88	75	84	89	88	82	74	67	67	68	64
		P. 90	78	87	89	96	91	85	77	68	73	67
	2. Other diseases included under 112.	M. 19	21	19	21	21	23	18	18	14	14	12
		F. 15	17	16	18	17	17	12	12	13	10	9
		P. 17	19	18	20	19	20	14	15	14	12	10
113 & 114	Diarrhoea and enteritis ..	M. 1,401	334	775	690	662	496	476	445	316	340	526
		F. 1,160	266	613	550	458	336	302	271	233	249	383
		P. 1,276	301	692	617	550	404	375	342	271	293	451
	1. Ulceration of the intestines.	M. 10	8	8	8	9	8	8	7	6	5	6
		F. 10	9	8	10	9	8	7	9	7	8	7
		P. 10	9	8	9	9	8	8	8	6	6	7
	2. Colitis	M. 1391	326	767	682	653	488	468	438	310	335	14
		F. 1150	257	605	540	449	328	295	262	226	241	15
		P. 1266	292	684	608	541	396	367	334	265	287	14
	3. Other diseases included under 113 & 114.	M. 1266	292	684	608	541	396	367	334	265	287	506
		F. 1150	257	605	540	449	328	295	262	226	241	361
		P. 1266	292	684	608	541	396	367	334	265	287	430
117	Appendicitis and typhlitis ..	M. 91	75	78	85	81	86	85	79	74	78	82
		F. 61	55	60	58	55	58	54	57	59	58	62
		P. 75	65	69	71	67	70	67	66	66	67	72
118	Hernia, intestinal obstruction.	M. 114	109	111	110	133	137	156	162	117	116	117
		F. 117	109	110	109	117	110	131	137	107	105	105
		P. 116	108	111	109	124	122	141	147	112	111	111
	(a) Hernia	M. 40	40	44	41	55	55	68	67	45	44	42
		F. 46	43	47	47	52	52	65	64	44	44	45
		P. 43	41	46	44	53	53	66	65	45	44	44
	(b) Intestinal obstruction..	M. 74	69	67	69	78	82	88	95	72	72	75
		F. 71	66	63	62	65	58	66	73	63	61	60
		P. 73	67	65	65	71	69	75	82	67	67	67
119	Other diseases of the intestines.	M. 13	12	13	12	15	13	16	14	13	13	12
		F. 10	11	12	14	14	12	11	11	11	11	12
		P. 12	12	13	13	14	13	13	12	12	12	12
122	Cirrhosis of the liver ..	M. 115	119	128	130	133	123	105	79	57	66	72
		F. 87	88	92	96	81	62	44	32	27	30	33
		P. 101	104	109	112	105	89	70	51	41	46	51
	(a) Returned as alcoholic..	M. 7	8	10	10	10	9	6	4	4	5	6
		F. 6	7	8	11	8	6	4	2	1	2	3
		P. 7	8	9	10	9	7	5	3	3	3	4
	(b) Not returned as alcoholic.	M. 108	111	118	120	123	114	99	75	53	61	66
		F. 81	81	84	85	73	56	40	30	26	28	30
		P. 94	96	100	102	96	82	65	48	38	43	47
123	Biliary calculi	M. 13	13	12	13	14	13	14	13	13	12	14
		F. 32	30	33	32	30	29	25	21	28	29	34
		P. 22	22	23	23	23	22	20	18	21	21	25

* Based on civilian deaths and civilian population.

† See Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1911–1921.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.	1911.	1912.	1913.	1914.	1915.*	1916.*	1917.*	1918.*	1919.	1920.	1921.
124	Other diseases of the liver .. { M. F. P.	26 29 27	22 24 23	22 26 24	23 27 25	24 26 25	24 23 24	22 19 20	22 20 21	19 20 20	19 22 21	19 25 22
125	Diseases of the pancreas .. { M. F. P.	5 4 4	5 4 4	5 5 5	5 4 5	5 5 5	4 4 4	4 3 3	3 2 3	3 4 4	6 4 5	6 5 5
126	Peritonitis of unstated origin. { M. F. P.	15 20 17	12 15 13	14 16 15	13 17 15	15 16 15	15 15 15	14 14 14	12 11 11	9 13 11	10 13 12	9 12 10
128–142	VII. Non-puerperal Diseases of the Genito-urinary System { M. F. P.	626 443 531	621 442 529	652 450 548	656 464 557	750 463 592	747 418 561	805 398 568	757 371 530	603 364 475	570 375 468	577 378 473
128	Acute nephritis (including unspecified under 10 years of age). { M. F. P.	57 49 53	59 46 52	58 49 53	61 48 54	69 52 60	71 45 56	72 43 55	65 41 51	50 38 44	47 38 42	44 34 39
129	Chronic nephritis (including unspecified over 10 years of age). { M. F. P.	379 308 342	384 314 348	413 322 365	407 335 370	463 327 388	449 291 360	471 277 358	436 255 330	340 248 291	322 250 284	314 254 283
131	Other diseases of the kidneys and annexa. { M. F. P.	14 12 13	15 12 14	14 13 13	14 13 13	13 13 13	15 11 13	16 11 13	16 11 13	15 11 13	15 13 14	16 14 15
132	Calculi of the urinary passages. { M. F. P.	11 4 7	10 5 7	11 4 7	11 3 7	11 4 8	11 4 7	12 4 7	11 4 7	11 3 7	10 5 7	10 6 8
133	Diseases of the bladder .. { M. F. P.	57 13 34	52 12 31	49 12 30	49 12 30	67 13 38	65 11 34	70 12 36	65 11 33	54 10 31	49 11 29	50 12 30
	1. Cystitis { M. F. P.	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	45 11 27
134	Diseases of the urethra, urinary abscess, etc. { M. F. P.	23 0 11	21 0 10	22 0 10	23 0 11	26 0 12	25 0 12	31 0 14	30 0 13	23 0 11	21 0 10	21 0 10
	(a) Stricture of the urethra M.	?	?	?	?	?	?	?	?	?	?	17
135	Diseases of the prostate .. M.	83	78	81	86	96	106	127	129	107	102	117
137	Cysts and other tumours of the ovary not returned as malignant. } F.	17	15	14	16	15	16	14	14	14	16	15
138	Salpingitis and pelvic abscess.† } F.	?	?	?	?	?	?	?	?	?	?	13
	1. Salpingitis† F.	?	?	?	?	?	?	?	?	?	?	11
139	Tumours of the uterus not returned as malignant. } F.	17	17	17	16	17	16	17	16	16	18	18
141	Other diseases of the female genital organs.† } F.	20	19	19	19	19	20	18	19	20	22	8
	1. Other diseases of the uterus.† } F.	8	8	8	8	8	9	8	7	9	11	7
143–150	VIII. The Puerperal State .. F.	183	184	185	192	176	166	132	127	154	210	168
143	Accidents of pregnancy .. F.	16	18	20	22	20	16	14	13	14	18	16
	(a) Abortion F.	5	6	6	7	7	5	6	5	6	6	5
	(b and c) Other accidents including ectopic gestation. } M. F. P.	11 11 11	12 12 12	14 14 14	15 15 15	13 13 13	11 11 11	8 8 8	8 8 8	8 12 12	11 11 11	
144	Puerperal hæmorrhage .. F.	26	28	27	24	24	23	18	16	19	26	24
145	Other accidents of childbirth F.	18	20	20	21	21	20	14	15	17	21	19

* Based on civilian deaths and civilian population.

† See Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1911–1921.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.	1911.	1912.	1913.	1914.	1915.*	1916.*	1917.*	1918.*	1919.	1920.	1921.
146	Puerperal sepsis F.	68	65	59	72	62	55	44	43	59	88	59
147	Phlegmasia alba dolens, puerperal embolism, etc. } F.	19	19	17	17	15	15	12	11	12	18	16
	(2) Embolism and sudden death. } F.	15	16	14	14	12	12	10	9	9	15	13
148	Puerperal albuminuria and convulsions. } F.	34	33	40	34	32	34	28	28	30	38	31
151–154	IX. Diseases of the Skin and Cellular Tissue.†	M. 105 F. 90 P. 97	M. 102 F. 84 P. 92	M. 103 F. 87 P. 95	M. 114 F. 97 P. 105	M. 126 F. 93 P. 108	M. 125 F. 89 P. 105	M. 128 F. 86 P. 103	M. 116 F. 75 P. 92	M. 107 F. 78 P. 92	M. 103 F. 81 P. 92	M. 97 F. 74 P. 85
151	Gangrene	M. 48 F. 41 P. 44	M. 45 F. 36 P. 39	M. 46 F. 37 P. 41	M. 46 F. 39 P. 43	M. 54 F. 39 P. 47	M. 57 F. 38 P. 47	M. 57 F. 36 P. 44	M. 51 F. 35 P. 40	M. 46 F. 33 P. 41	M. 38 F. 34 P. 37	M. 40 F. 29 P. 36
	1. Senile gangrene.. ..	M. 42 F. 35 P. 39	M. 40 F. 31 P. 35	M. 41 F. 32 P. 36	M. 40 F. 33 P. 37	M. 49 F. 33 P. 40	M. 52 F. 32 P. 41	M. 50 F. 31 P. 39	M. 45 F. 27 P. 35	M. 40 F. 30 P. 35	M. 34 F. 30 P. 32	M. 36 F. 26 P. 31
152	Furuncle	M. 9 F. 4 P. 7	M. 10 F. 4 P. 7	M. 8 F. 4 P. 6	M. 10 F. 5 P. 7	M. 12 F. 4 P. 8	M. 10 F. 5 P. 7	M. 12 F. 5 P. 8	M. 14 F. 5 P. 9	M. 12 F. 6 P. 9	M. 11 F. 5 P. 8	M. 12 F. 5 P. 8
153	Phlegmon, acute abscess†..	M. 20 F. 15 P. 18	M. 20 F. 15 P. 18	M. 22 F. 16 P. 19	M. 26 F. 18 P. 21	M. 28 F. 19 P. 23	M. 25 F. 16 P. 20	M. 28 F. 14 P. 20	M. 22 F. 12 P. 17	M. 24 F. 15 P. 19	M. 27 F. 18 P. 22	M. 21 F. 17 P. 18
	1. Phlegmon†	M. 15 F. 10 P. 13	M. 14 F. 10 P. 12	M. 15 F. 11 P. 13	M. 18 F. 11 P. 14	M. 18 F. 11 P. 14	M. 16 F. 9 P. 12	M. 18 F. 8 P. 12	M. 16 F. 8 P. 12	M. 16 F. 9 P. 12	M. 19 F. 12 P. 15	M. 14 F. 11 P. 12
	2. Acute abscess†	M. 5 F. 5 P. 5	M. 6 F. 5 P. 6	M. 7 F. 5 P. 6	M. 8 F. 7 P. 7	M. 10 F. 8 P. 9	M. 9 F. 7 P. 8	M. 10 F. 6 P. 8	M. 6 F. 4 P. 5	M. 8 F. 6 P. 7	M. 8 F. 6 P. 7	M. 7 F. 6 P. 6
154	Other diseases of the skin and its annexa.	M. 28 F. 30 P. 28	M. 27 F. 29 P. 28	M. 27 F. 30 P. 29	M. 32 F. 35 P. 34	M. 32 F. 31 P. 30	M. 33 F. 30 P. 31	M. 31 F. 31 P. 31	M. 29 F. 23 P. 26	M. 25 F. 24 P. 23	M. 27 F. 24 P. 25	M. 24 F. 23 P. 23
	1. Ulcer, Bedsore	M. 8 F. 14 P. 11	M. 8 F. 15 P. 12	M. 8 F. 15 P. 12	M. 11 F. 18 P. 15	M. 11 F. 17 P. 14	M. 9 F. 15 P. 12	M. 12 F. 16 P. 14	M. 10 F. 12 P. 11	M. 7 F. 12 P. 9	M. 7 F. 11 P. 9	M. 6 F. 11 P. 8
	2–4. Other diseases under 154, including eczema and pemphigus.	M. 20 F. 16 P. 17	M. 19 F. 14 P. 16	M. 19 F. 15 P. 17	M. 21 F. 17 P. 19	M. 21 F. 14 P. 16	M. 24 F. 15 P. 19	M. 19 F. 15 P. 17	M. 19 F. 11 P. 15	M. 18 F. 12 P. 14	M. 20 F. 13 P. 16	M. 18 F. 12 P. 15
155–158	X. Diseases of the Bones and Organs of Locomotion.†	M. 23 F. 15 P. 19	M. 24 F. 15 P. 19	M. 24 F. 16 P. 20	M. 26 F. 16 P. 21	M. 27 F. 16 P. 21	M. 28 F. 16 P. 21	M. 32 F. 16 P. 23	M. 28 F. 15 P. 20	M. 29 F. 18 P. 23	M. 27 F. 18 P. 22	M. 27 F. 15 P. 20
155	Diseases of the bones† ..	M. 17 F. 12 P. 14	M. 19 F. 11 P. 15	M. 19 F. 12 P. 15	M. 21 F. 12 P. 16	M. 20 F. 12 P. 15	M. 21 F. 11 P. 15	M. 26 F. 11 P. 17	M. 21 F. 10 P. 14	M. 22 F. 12 P. 17	M. 21 F. 12 P. 16	M. 20 F. 11 P. 16
	1. Infective osteomyelitis and periostitis.	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. 15 F. 6 P. 11
	2. Other diseases of the bones.	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. 5 F. 5 P. 5
159	XI. Malformations	M. 115 F. 88 P. 101	M. 113 F. 83 P. 98	M. 124 F. 92 P. 107	M. 122 F. 90 P. 106	M. 133 F. 88 P. 108	M. 138 F. 86 P. 109	M. 127 F. 79 P. 99	M. 115 F. 67 P. 87	M. 101 F. 69 P. 84	M. 129 F. 97 P. 112	M. 119 F. 85 P. 101
	1. Congenital hydrocephalus.	M. 10 F. 8 P. 9	M. 10 F. 6 P. 8	M. 12 F. 7 P. 10	M. 13 F. 7 P. 10	M. 13 F. 8 P. 10	M. 13 F. 7 P. 10	M. 13 F. 7 P. 10	M. 13 F. 6 P. 9	M. 9 F. 5 P. 7	M. 10 F. 7 P. 8	M. 11 F. 6 P. 8
	2. Congenital malformation of heart.	M. 46 F. 33 P. 40	M. 46 F. 31 P. 39	M. 50 F. 35 P. 42	M. 50 F. 35 P. 42	M. 53 F. 36 P. 44	M. 54 F. 32 P. 42	M. 52 F. 28 P. 38	M. 47 F. 26 P. 35	M. 43 F. 28 P. 35	M. 53 F. 36 P. 44	M. 45 F. 31 P. 38
	3. Other congenital malformations.	M. 59 F. 47 P. 52	M. 57 F. 46 P. 51	M. 62 F. 50 P. 55	M. 59 F. 48 P. 54	M. 67 F. 44 P. 54	M. 71 F. 47 P. 57	M. 62 F. 44 P. 51	M. 55 F. 35 P. 43	M. 49 F. 36 P. 42	M. 66 F. 54 P. 60	M. 63 F. 48 P. 55

* Based on civilian deaths and civilian population.

† See Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1911–1921.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.	1911.	1912.	1913.	1914.	1915.*	1916.*	1917.*	1918.*	1919.	1920.	1921.
160–163	XII. Diseases of Early Infancy { M. F. P.	1,117 810 959	1,020 711 861	1,053 749 896	1,005 705 850	1,018 632 807	1,003 568 757	920 503 677	918 488 665	817 538 668	936 625 773	838 570 698
160	Congenital debility, sclerema and icterus. { M. F. P.	454 325 387	371 247 308	393 265 327	358 237 296	369 223 289	348 184 256	315 169 230	292 152 210	245 148 194	282 171 224	225 142 181
	1. Congenital debility and sclerema. { M. F. P.	429 308 366	346 233 289	367 251 307	334 223 277	342 211 270	323 173 239	293 159 215	268 143 195	225 138 179	258 158 206	204 130 165
	2. Icterus { M. F. P.	25 17 21	25 14 19	26 14 20	24 14 19	27 12 19	25 11 17	22 10 15	24 9 15	20 10 15	24 13 18	21 12 16
161	Premature birth, injury at birth. { M. F. P.	596 436 514	580 416 495	589 438 512	581 421 497	579 366 462	586 342 447	542 298 399	567 303 412	518 352 428	584 405 491	552 382 465
	1. Premature birth .. { M. F. P.	566 415 489	548 397 469	553 415 483	545 400 469	544 347 436	550 323 421	508 283 376	539 289 392	490 337 407	543 383 460	512 359 434
	2. Injury at birth .. { M. F. P.	30 21 25	32 19 26	36 23 29	36 21 28	35 19 26	36 19 26	34 15 23	28 14 20	28 15 21	41 22 31	40 23 31
162	Other diseases peculiar to early infancy. { M. F. P.	60 43 51	62 41 51	66 41 52	61 41 51	63 37 49	60 35 46	54 29 40	50 27 36	46 30 38	60 42 50	53 39 45
	2. Atelectasis { M. F. P.	49 34 41	49 32 40	53 32 42	51 32 41	51 27 38	48 26 36	44 23 32	41 21 29	39 23 31	49 32 40	43 30 36
	1. and 3. Other diseases under 162, including diseases of umbilicus. { M. F. P.	11 9 10	13 9 11	13 9 10	10 9 10	12 10 11	12 9 10	10 6 8	9 6 7	7 7 7	11 10 10	10 9 9
163	Lack of care { M. F. P.	7 6 7	7 7 7	5 5 5	5 6 6	7 6 7	9 7 8	9 7 8	9 6 7	8 8 8	10 7 8	8 7 7
164	XIII. Old Age { M. F. P.	848 1,063 959	777 994 889	749 933 844	715 911 816	860 992 932	901 940 923	966 906 931	874 810 837	756 918 843	609 785 701	623 815 723
	1. Senile dementia .. { M. F. P.	21 26 23	25 30 28	29 31 30	25 36 31	34 37 36	36 36 36	49 39 43	46 38 41	33 34 34	30 37 34	32 42 37
	2. Other forms of senile decay. { M. F. P.	827 1,037 936	752 964 861	720 902 814	690 875 785	826 955 896	865 904 887	917 867 888	828 772 796	723 884 809	579 748 667	591 773 686
165–203	XIV. External Causes .. { M. F. P.	823 317 562	785 314 542	778 311 537	865 309 578	849 323 561	885 312 561	873 305 542	822 272 499	759 270 498	696 260 467	643 246 436
165–174	Suicide { M. F. P.	152 50 99	153 48 99	147 49 96	157 48 101	113 48 78	115 41 73	100 38 64	114 47 75	136 51 91	135 51 91	153 50 99
65 & 166	By solid or liquid poisons and corrosive substances. { M. F. P.	17 11 14	18 12 15	17 11 14	16 12 14	9 9 9	8 6 7	6 5 5	7 6 6	7 7 7	10 7 8	11 9 10
167	By poisonous gas.. .. { M. F. P.	4 1 3	6 2 4	6 3 4	6 2 4	6 3 5	5 2 3	5 5 5	7 4 5	7 5 6	9 6 7	13 7 10
168	By hanging or strangulation. { M. F. P.	42 9 25	42 8 25	42 9 25	42 8 25	30 9 19	34 8 20	28 6 15	29 8 17	37 9 22	32 8 19	37 8 22
169	By drowning { M. F. P.	29 17 23	28 16 22	26 15 21	30 16 23	23 16 20	22 17 19	19 14 16	23 19 20	25 17 21	27 20 24	32 16 24

* Based on civilian deaths and civilian population.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1911–1921.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.	1911.	1912.	1913.	1914.	1915.*	1916.*	1917.*	1918.*	1919.	1920.	1921.
	Suicide— <i>contd.</i>											
170	By firearms { M. 14 F. 0 P. 7	15 1 8	14 1 7	17 1 8	10 1 5	10 0 4	10 0 4	10 1 5	12 1 6	13 1 7	14 1 7	
171	By cutting or piercing instruments. { M. 31 F. 7 P. 18	30 5 17	28 6 16	33 7 19	24 5 13	28 5 15	24 5 13	29 6 16	35 6 20	32 5 18	33 6 19	
172– 174	By other means { M. 15 F. 5 P. 9	14 4 8	14 4 9	13 2 8	11 5 7	8 3 5	8 3 6	9 3 6	13 6 9	12 4 8	13 3 7	
175– 196 201– 203	Violent deaths, excluding suicide and homicide. { M. 662 F. 261 P. 455	624 257 434	623 253 433	700 253 469	729 268 476	763 265 481	767 260 472	702 220 419	615 211 399	554 201 368	483 189 330	
175– 177	Accidental poisoning .. { M. 12 F. 8 P. 10	11 7 9	10 8 9	11 8 9	8 6 6	8 5 6	7 5 6	8 5 7	6 4 4	6 3 5	7 6 6	
179	Burns (conflagration excepted). { M. 56 F. 73 P. 65	52 72 62	52 65 59	49 69 59	62 74 68	63 72 68	68 83 76	65 66 66	48 64 57	42 53 47	38 45 42	
180	Accidental mechanical suffocation. { M. 43 F. 37 P. 40	46 40 43	44 36 40	45 35 40	45 29 36	33 21 27	36 20 27	28 17 22	22 15 18	24 17 20	23 15 19	
182	Accidental drowning .. { M. 128 F. 22 P. 73	116 23 68	113 22 66	118 20 67	124 24 69	135 23 72	124 18 63	108 20 57	89 17 51	85 18 50	86 17 50	
185	Accidental injury by fall .. { M. 108 F. 70 P. 89	114 71 92	111 76 93	114 74 93	125 75 97	133 79 103	126 69 93	112 57 79	99 60 78	95 61 77	83 56 69	
186	Accidental injury in mines and quarries. { M. 84 F. — P. 41	68 — 33	65 — 32	89 — 43	73 — 33	77 — 34	87 — 36	81 0 33	67 0 31	54 0 26	37 0 18	
187	Accidental injury by machinery. { M. 16 F. 1 P. 8	15 0 7	16 0 8	14 0 7	21 0 10	21 1 10	24 1 10	24 2 11	18 1 9	18 1 9	11 0 5	
188	Accidental injury by other forms of crushing (vehicles, railways, &c.). { M. 143 F. 26 P. 83	148 26 85	162 31 94	168 31 97	205 40 115	205 37 110	186 36 99	177 33 92	175 36 101	174 36 102	154 36 92	
190	Wounds of war { M. 0 F. — P. 0	— — —	— — —	38 2 19	11 5 7	20 7 13	41 11 23	34 5 17	40 — 19	13 — 6	6 — 3	
194	Excessive heat { M. 20 F. 10 P. 15	5 2 3	5 3 4	5 2 4	3 1 2	6 2 4	4 1 3	3 1 2	4 2 3	1 1 1	7 6 7	
197– 199	Homicide { M. 9 F. 6 P. 8	8 9 9	8 9 8	8 8 8	7 7 7	7 6 7	6 7 6	6 5 5	8 8 8	7 8 8	7 7 7	
202	Other external violence .. { M. 19 F. 5 P. 12	17 4 10	16 5 10	16 4 10	15 3 9	22 6 13	24 5 13	26 7 15	16 4 10	17 4 10	10 3 6	
204– 205	XV. Ill defined Diseases .. { M. 127 F. 91 P. 108	90 68 79	89 63 76	79 67 73	100 71 84	101 64 80	91 58 72	93 57 72	78 52 64	62 43 52	60 40 50	
204	Sudden death { M. 15 F. 10 P. 12	11 6 8	9 5 7	7 5 6	10 6 8	11 7 8	8 5 6	8 5 6	9 5 7	7 4 5	11 6 8	
205	Cause of death unstated or ill-defined. { M. 112 F. 81 P. 96	79 62 71	80 58 69	72 62 67	90 65 76	90 57 72	83 53 66	85 52 66	69 47 57	55 39 47	49 34 42	
	1. Heart failure (1–70 yrs.) { M. 57 F. 38 P. 47	43 31 37	43 26 34	40 31 36	49 32 40	49 30 38	47 29 37	46 29 36	42 29 35	35 23 29	30 19 24	
	2. Other ill-defined causes { M. 49 F. 40 P. 44	32 27 29	32 29 31	28 28 28	37 30 33	37 24 30	30 22 25	30 20 24	19 15 17	17 13 15	17 14 15	

* Based on civilian deaths and civilian population.

TABLE 6.—ENGLAND AND WALES.—ANNUAL DEATH-RATES FROM THE PRINCIPAL EPIDEMIC OR GENERAL DISEASES, 1838–1921.

Period.	Annual Mortality per Million Persons Living.													
	At All Ages.									At Ages under 15 Years.				
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Diphtheria and Croup.	Whooping Cough.	Tuberculosis (All forms)	Tuberculosis of Respiratory System.	Cancer.	Measles.	Scarlet Fever.	Diphtheria.	Diphtheria and Croup.	Whooping Cough.
1838–42 (5 years)	575	539	797		?	504	4,419	3,782	173	?	?		?	?
1847–50 (4 years)	292	403	884		?	480	3,714	2,889	274	1,115	2,385		?	1,345
1851–55	249	399	911		?	511	3,638	2,805	306	1,114	2,481		?	1,439
1856–60	195	425	806	246	520	498	3,323	2,572	327	1,185	2,201	609	1,379	1,398
1861–65	219	457	982	248	535	516	3,313	2,527	367	1,265	2,646	617	1,422	1,437
1866–70	105	428	960	127	335	545	3,201	2,447	403	1,180	2,589	314	891	1,511
1871–75	411	373	759	121	305	499	2,942	2,217	445	1,023	2,018	298	807	1,378
1876–80	78	385	680	122	276	527	2,817	2,038	494	1,051	1,806	302	726	1,450
1881–85	78	413	436	156	320	459	2,543	1,830	548	1,138	1,160	396	848	1,269
1886–90	14	468	241	170	295	444	2,324	1,635	632	1,313	656	445	799	1,250
1891–95	20	407	182	253	323	398	2,122	1,461	712	1,174	498	694	896	1,151
1896–1900	7	421	135	272	307	359	1,906	1,323	800	1,260	380	790	893	1,079
1901–05	25	327	126	205	222	301	1,743	1,218	867	1,016	366	615	668	940
1906–10	1	291	86	154	162	253	1,566	1,106	939	930	257	476	503	813
1911–15*	0	342	61	140	141	209	1,413	1,046	1,054	1,100	183	436	440	675
1916–20*	0	205	32	142	143	156	1,437	1,104	1,179	648	93	436	438	496
1851–60	222	412	982		?	505	3,476	2,685	317	1,151	2,650		?	1,418
1861–70	162	443	971	187	435	530	3,255	2,485	386	1,221	2,617	460	1,148	1,475
1871–80	245	379	719	121	291	513	2,877	2,125	470	1,038	1,908	300	765	1,415
1881–90	46	441	338	163	308	451	2,431	1,730	591	1,227	903	421	823	1,259
1891–1900	13	414	158	263	315	378	2,011	1,390	757	1,217	439	742	894	1,115
1901–10	13	309	106	179	192	277	1,653	1,161	904	973	311	545	584	876
1911–20*	0	275	47	141	142	183	1,425	1,074	1,115	876	139	436	439	586
1881	119	280	548	121	259	415	2,532	1,825	520	764	1,450	300	679	1,141
1882	50	483	521	152	327	579	2,582	1,850	534	1,323	1,389	386	868	1,595
1883	36	350	475	158	330	393	2,594	1,880	549	962	1,270	401	878	1,086
1884	82	419	402	186	362	425	2,574	1,827	563	1,156	1,082	473	961	1,180
1885	103	533	233	164	320	481	2,433	1,770	572	1,475	623	418	852	1,342
1886	11	436	218	149	283	470	2,476	1,739	590	1,213	588	385	759	1,314
1887	19	602	282	160	303	404	2,286	1,615	615	1,684	764	414	815	1,135
1888	37	347	226	171	300	436	2,224	1,568	621	972	614	447	810	1,227
1889	1	518	235	189	303	430	2,261	1,573	656	1,457	646	503	825	1,216
1890	0	439	242	179	288	478	2,378	1,682	676	1,240	665	474	785	1,358
1891	2	436	170	173	264	468	2,303	1,599	692	1,237	465	460	719	1,335
1892	15	459	190	222	298	454	2,139	1,468	690	1,317	519	603	821	1,307
1893	49	373	235	318	389	342	2,143	1,466	710	1,075	629	869	1,074	991
1894	27	391	167	291	349	410	1,971	1,383	712	1,136	461	809	978	1,198
1895	7	377	149	259	313	315	2,062	1,395	753	1,106	418	729	889	927
1896	17	570	177	291	342	429	1,890	1,303	762	1,685	495	829	981	1,274
1897	0	408	147	246	281	367	1,926	1,336	785	1,214	414	700	805	1,097
1898	8	419	113	243	270	323	1,910	1,311	799	1,256	320	705	788	973
1899	5	314	117	292	324	318	1,904	1,330	826	948	334	857	953	965
1900	3	394	119	290	316	356	1,902	1,333	829	1,199	340	856	936	1,090
1901	10	277	133	273	298	313	1,807	1,264	842	850	380	809	888	965
1902	75	392	148	237	255	298	1,742	1,234	846	1,211	427	710	768	924
1903	23	275	125	183	196	286	1,747	1,206	874	854	364	550	592	893
1904	15	365	112	170	184	353	1,784	1,241	879	1,141	330	520	564	1,109
1905	4	326	113	161	175	256	1,639	1,146	889	1,025	333	489	532	809
1906	1	275	101	178	191	242	1,654	1,157	922	871	301	545	587	768
1907	0	364	93	165	176	296	1,617	1,148	915	1,157	275	507	541	944
1908	0	228	80	158	167	280	1,595	1,123	931	729	236	492	521	899
1909	1	356	91	148	155	203	1,537	1,091	962	1,145	273	462	484	654
1910	1	232	66	120	122	246	1,434	1,015	967	750	200	377	384	798
1911	1	363	52	136	138	217	1,468	1,062	992	1,170	158	425	432	703
1912	0	352	55	118	119	230	1,372	1,022	1,023	1,144	167	370	374	751
1913	0	291	57	121	122	149	1,352	989	1,064	943	174	385	389	488
1914	0	247	77	159	160	218	1,361	1,024	1,069	808	231	502	505	714
1915*	0	462	66	165	166	230	1,515	1,137	1,121	1,433	186	498	501	717
1916*	0	155	39	154	155	176	1,529	1,156	1,166	468	110	455	459	536
1917*	0	308	22	132	133	134	1,624	1,229	1,210	915	60	380	382	399
1918*	0	289	29	142	143	296	1,694	1,323	1,218	867	80	416	418	893
1919	1	96	33	133	134	71	1,258	978	1,145	326	101	433	436	241
1920	1	191	38	150	150	117	1,131	871	1,161	657	116	495	497	406
1921	0	59	34	126	?	121	1,127	884	1,215	206	103	420	?	422

* The mortality for the years 1915–1918 relates to civilians only.

TABLE 7.—ADMINISTRATIVE COUNTIES AND COUNTY BOROUGH: MORTALITY AMONG THE CIVILIAN POPULATION FROM THE PRINCIPAL EPIDEMIC DISEASES AND FROM CERTAIN OTHER CAUSES, 1920 AND 1921

(Note.—The figures relate to the areas as constituted at the various dates.)

Administrative Counties and County Boroughs.		Mortality per Million Civilian Population at All Ages.*										Mortality per 1,000 Births.													
		Small-pox.		Enteric Fever.		Tuberculosis, All Forms.		Tuberculosis of Respiratory System.†		Measles.		Whooping cough.		Scarlet Fever.		Diphtheria†		Total Deaths under One Year.		Diarrhoea and Enteritis under Two Years.		Childbirth (Mothers).		Puerperal Sepsis.	
		1920.	1921.	1920.	1921.	1920.	1921.	1920.	1921.	1920.	1921.	1920.	1921.	1920.	1921.	1920.	1921.	1920.	1921.	1920.	1921.	1920.	1921.	1920.	1921.
England and Wales ..		1	0	14	16	1,131	1,127	889	884	191	59	117	121	38	34	150	126	80	83	8.89	16.06	2.52	2.53	1.81	1.38
Administrative Counties (including London).		1	0	14	17	1,043	1,040	814	814	172	41	106	108	35	34	156	138	74	78	7.55	14.23	2.54	2.61	1.74	1.29
Bedfordshire ..		—	—	10	19	917	1,060	701	808	49	—	39	78	15	19	113	185	56	71	2.82	12.68	1.95	1.77	1.30	0.25
Berkshire ..		—	—	10	15	922	734	765	578	71	55	25	60	10	5	101	80	48	52	1.31	5.74	1.31	1.91	1.53	2.19
Buckinghamshire ..		—	—	—	4	873	772	700	647	61	9	48	30	13	13	126	99	57	56	3.64	6.01	1.72	1.56	1.72	1.34
Cambridgeshire ..		—	—	—	8	834	961	686	705	70	—	78	8	16	15	39	31	50	53	1.47	4.80	1.84	2.62	2.21	1.31
Cheshire ..		3	—	16	14	926	838	727	617	93	6	82	122	42	41	96	75	72	80	5.90	10.85	3.13	2.73	2.42	1.45
Cornwall ..		—	—	16	13	1,226	1,280	989	923	35	57	103	41	6	3	199	93	60	73	4.01	9.25	3.58	2.92	1.14	0.49
Cumberland ..		—	—	14	5	928	997	672	775	294	5	117	106	14	28	284	175	90	82	9.79	14.84	4.59	3.57	2.87	0.94
Derbyshire ..		—	—	14	14	793	788	575	584	277	37	138	102	14	17	124	75	83	77	6.61	10.54	2.89	2.29	1.41	0.83
Devonshire ..		—	—	12	24	1,154	1,159	954	893	34	12	55	65	14	5	140	70	51	62	3.75	7.18	2.84	3.00	1.02	1.04
Dorsetshire ..		—	—	9	14	999	835	771	655	46	5	70	74	19	14	56	46	57	54	3.67	5.11	1.84	0.70	2.04	1.63
Durham ..		—	—	23	16	1,187	1,286	856	951	234	197	139	255	119	57	189	126	107	109	13.84	21.76	2.74	2.80	1.29	1.36
Ely, Isle of ..		—	—	14	14	876	1,059	726	801	96	—	192	27	27	68	68	27	69	81	7.24	19.12	3.90	3.08	1.11	0.62
Essex ..		7	—	9	12	828	908	635	729	88	19	105	54	24	30	172	141	59	60	4.84	10.77	2.04	1.80	1.61	1.04
Gloucestershire ..		—	—	3	21	974	843	748	666	135	9	58	67	15	15	83	122	56	60	3.13	8.58	2.74	2.91	1.18	0.61
Herefordshire..		—	—	—	—	1,091	1,216	874	930	108	—	90	27	18	9	63	116	61	63	3.36	8.62	2.61	2.05	2.24	0.82
Hertfordshire..		—	—	6	12	905	879	692	716	76	—	67	51	15	18	97	72	48	50	3.57	8.13	2.06	3.09	1.65	0.65
Huntingdonshire ..		—	—	—	—	1,050	878	755	677	55	—	18	37	18	18	313	128	65	76	1.55	10.57	0.78	1.76	—	1.76
Kent ..		1	1	6	18	1,031	1,045	794	824	90	5	92	69	13	22	149	175	58	64	4.82	12.55	2.82	2.46	1.41	0.93
Lancashire ..		1	—	30	24	985	954	758	740	190	44	92	152	30	35	116	94	91	89	11.09	13.38	2.94	3.50	2.04	1.59
Leicestershire..		—	—	23	8	900	1,017	627	766	246	38	42	88	19	19	192	107	64	71	4.26	10.51	1.42	3.33	2.05	1.23
Lincolnshire, Holland ..		—	—	23	23	1,245	1,112	951	819	364	12	82	82	23	12	106	82	75	78	9.50	12.62	2.38	0.49	1.43	0.49
" Kesteven ..		—	—	28	28	886	1,078	640	757	265	—	137	104	—	28	164	76	68	77	2.66	12.98	3.04	2.68	1.90	1.79
" Lindsey ..		—	—	20	8	1,193	1,046	929	824	184	4	128	52	16	24	160	103	74	73	5.59	9.47	2.72	2.54	1.28	1.52
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
London	1	0	11	13	1,285	1,280	1,072	1,066	227	54	172	121	46	65	229	255	76	81	9.59	21.55	1.61	1.56	1.78	1.42
Middlesex	—	—	6	14	945	938	781	750	90	11	71	87	33	34	196	234	57	67	5.29	14.05	2.31	1.67	1.64	1.35
Norfolk	—	—	29	13	908	1,011	691	796	54	3	77	51	22	16	96	73	55	58	2.79	7.24	3.06	1.85	2.39	1.23
Northamptonshire	—	—	5	24	969	1,027	760	810	114	14	95	75	—	14	81	132	60	72	2.65	6.48	2.85	2.88	1.63	1.20
Northumberland	—	—	31	35	1,290	1,252	923	872	53	186	109	256	81	40	153	85	91	96	11.76	16.07	2.96	3.15	2.42	1.38
Nottinghamshire	3	—	8	10	965	969	695	686	355	8	80	123	24	18	130	52	85	87	7.32	12.08	2.54	2.72	2.03	1.63
Oxfordshire	—	—	8	—	820	920	690	753	8	61	69	15	—	15	84	76	52	56	3.43	6.52	1.25	1.92	1.87	0.38
Peterborough, Soke of	—	—	—	—	794	1,084	558	956	215	21	86	21	—	—	107	43	62	70	6.91	13.88	0.86	4.96	4.32	—
Rutlandshire	—	—	—	—	775	825	554	715	55	—	111	165	—	—	—	110	63	44	5.04	8.33	—	2.78	—	—
Shropshire	—	—	4	—	827	812	595	618	100	54	133	87	21	41	91	124	66	67	5.05	6.39	1.85	3.38	1.18	0.38
Somersetshire	—	—	10	13	931	904	741	685	52	3	70	62	18	—	122	41	54	56	3.75	6.79	2.54	2.93	1.09	0.67
Southampton	—	—	19	5	869	878	659	683	68	28	113	74	14	5	101	77	51	55	2.46	8.27	2.37	3.36	1.51	1.32
Staffordshire	—	—	13	12	957	948	687	722	177	104	190	73	32	29	129	76	86	88	7.80	16.08	3.13	2.33	1.29	1.27
Suffolk, East	—	—	10	10	923	919	712	700	54	49	123	34	10	63	98	112	61	62	3.29	5.98	2.91	1.11	1.94	1.33
West	—	—	18	—	1,015	1,374	821	1,081	37	—	9	110	9	18	65	27	52	57	3.00	6.65	2.62	1.77	1.12	0.89
Surrey	—	—	7	10	831	766	668	616	55	11	65	37	12	32	129	97	50	55	4.18	10.96	1.83	2.57	1.76	1.71
Sussex, East	—	—	—	4	887	778	701	593	125	8	32	32	16	12	117	108	46	50	1.98	3.80	2.78	2.38	2.18	1.66
West	—	—	16	—	719	943	561	753	16	—	38	33	11	38	120	54	49	49	4.17	4.98	0.78	4.04	2.35	0.93
Warwickshire	—	—	9	3	878	816	654	633	103	44	53	82	18	12	80	76	65	65	5.88	11.12	2.47	2.75	0.94	0.92
Westmorland	—	—	49	16	1,076	730	750	567	33	49	33	16	147	—	81	113	66	73	3.83	3.39	4.60	4.24	4.60	0.85
Wight, Isle of	—	—	24	12	1,121	1,127	956	986	130	—	130	106	—	12	71	35	51	57	3.85	10.58	2.20	1.98	1.65	1.32
Wiltshire	—	—	14	3	850	871	667	679	25	66	81	35	11	14	85	59	55	56	2.86	6.19	2.86	3.10	1.81	1.38
Worcestershire	—	—	3	—	1,012	910	774	744	117	113	77	70	30	3	114	70	63	67	4.95	9.71	3.26	2.04	1.27	0.78
Yorkshire, East Riding	—	—	43	18	1,017	935	775	744	130	25	56	117	12	6	93	61	67	76	3.89	9.58	2.59	2.90	0.52	0.87
North	—	—	26	29	1,073	1,047	783	782	75	133	121	139	42	26	199	113	79	84	8.37	10.34	3.04	2.97	2.54	0.71
West	—	—	31	57	994	1,033	709	745	340	22	72	207	32	23	127	91	92	97	13.61	16.43	3.12	3.71	2.14	1.33
Anglesey	—	—	—	—	1,374	1,387	1,138	1,055	—	78	20	391	—	20	216	98	80	76	5.95	8.60	3.40	5.73	—	1.91
Brecknockshire	—	—	—	—	1,262	1,200	864	871	282	—	116	82	33	33	116	148	87	83	4.81	9.92	3.43	8.50	2.75	2.83
Cardiganshire	—	—	17	—	1,942	1,717	1,613	1,336	35	—	139	69	17	17	87	87	75	60	4.85	6.93	0.97	2.97	1.94	1.98
Carmarthenshire	—	—	11	17	1,491	1,477	1,194	1,217	171	17	80	79	11	34	337	198	95	93	12.31	14.72	3.42	5.70	1.14	1.66
Carnarvonshire	—	—	8	16	1,740	1,508	1,363	1,172	131	—	57	254	16	8	90	189	73	86	6.55	7.63	6.14	3.34	1.23	0.48
Denbighshire	—	—	7	7	1,017	883	811	692	279	26	60	132	80	7	339	297	87	83	9.59	9.65	2.47	2.80	3.84	2.18
Flintshire	—	—	2	39	1,080	973	882	747	89	49	30	98	99	29	129	39	73	67	4.43	8.22	2.42	3.65	1.61	2.28
Glamorganshire	—	—	17	13	1,021	1,029	779	791	405	23	129	105	96	86	205	181	91	93	8.53	19.12	3.83	4.12	1.50	1.89
Merionethshire	—	—	—	—	2,276	1,699	1,869	1,364	72	48	24	48	24	48	120	168	71	83	9.06	13.03	4.53	3.55	3.40	1.18
Monmouthshire	—	—	14	11	898	904	700	703	530	19	165	170	59	30	184	115	88	92	7.61	21.04	3.90	2.81	1.86	1.26
Montgomeryshire	—	—	20	—	1,282	1,335	1,065	962	14	20	—	39	—	20	16	157	65	82	3.56	11.25	4.45	4.69	3.56	1.87
Pembrokeshire	—	—	11	11	1,231	1,364	943	1,045	122	44	—	55	33	11	133	22	66	64	8.49	9.29	0.89	0.98	3.58	2.44
Radnorshire	—	—	—	—	1,533	1,247	929	970	186	—	46	46	—	—	46	139	83	41	2.13	9.03	2.13	2.26	4.26	—

* Rates for England and Wales are based upon total deaths registered and total population in England and Wales.

† The figures for 1920 include deaths from group.

‡ The figures for 1920 include deaths from acute military tuberculosis.

TABLE 7.—ADMINISTRATIVE COUNTIES AND COUNTY BOROUGH: MORTALITY AMONG THE CIVILIAN POPULATION FROM THE PRINCIPAL EPIDEMIC DISEASES, &c., 1920 AND 1921—*continued*.

(Note.—The figures relate to the areas as constituted at the various dates.)

Administrative Counties and County Boroughs.	Mortality per Million Civilian Population at All Ages.										Mortality per 1,000 Births.													
	Small-pox.		Enteric Fever.		Tuberculosis, All Forms.		Tuberculosis of Respiratory System.*		Measles.		Whooping cough.		Scarlet Fever.		Diphtheria†		Total Deaths under One Year.		Diarrhoea and Enteritis under Two Years.		Childbirth (Mothers).		Puerperal Sepsis.	
	1920.	1921.	1920.	1921.	1920.	1921.	1920.	1921.	1920.	1921.	1920.	1921.	1920.	1921.	1920.	1921.	1920.	1921.	1920.	1921.	1920.	1921.	1920.	1921.
<i>County Boroughs.</i>	<i>1</i>	<i>0</i>	<i>14</i>	<i>14</i>	<i>1,306</i>	<i>1,298</i>	<i>1,039</i>	<i>1,024</i>	<i>233</i>	<i>95</i>	<i>141</i>	<i>146</i>	<i>45</i>	<i>35</i>	<i>142</i>	<i>104</i>	<i>92</i>	<i>92</i>	<i>11.42</i>	<i>19.43</i>	<i>2.49</i>	<i>2.40</i>	<i>1.93</i>	<i>1.54</i>
Barnsley ..	—	—	19	—	874	1,449	706	919	725	18	186	230	—	18	37	88	131	115	28.62	23.90	4.58	3.68	1.72	1.84
Barrow-in-Furness ..	—	—	27	27	1,225	1,277	794	891	229	386	148	13	—	13	27	53	76	84	5.58	7.77	4.57	4.44	2.03	0.55
Bath ..	—	—	—	—	806	732	689	527	103	15	15	59	15	15	44	15	53	72	4.51	6.35	1.50	—	1.50	—
Birkenhead ..	—	—	14	7	1,220	1,340	843	1,062	192	68	308	95	27	61	103	95	103	79	18.51	25.99	2.85	3.22	2.61	1.61
Birmingham ..	—	—	1	5	1,093	1,115	918	939	158	167	200	99	120	43	224	129	83	83	9.76	16.45	1.40	1.62	2.12	1.21
Blackburn ..	—	—	—	—	879	842	661	626	156	23	8	155	23	8	86	39	109	111	11.32	15.03	4.95	1.98	1.77	2.77
Blackpool ..	—	—	—	—	1,072	1,138	841	799	54	14	—	81	14	—	149	54	72	66	2.54	2.61	5.08	2.61	3.39	1.74
Bolton ..	6	—	39	16	1,050	1,087	868	873	149	27	188	137	11	38	193	115	99	96	10.40	13.26	2.36	3.12	1.65	1.82
Bootle ..	26	—	—	—	1,719	1,864	1,250	1,530	430	193	247	206	143	103	417	180	97	95	10.92	27.56	2.62	1.45	0.44	0.97
Bournemouth..	—	—	—	—	1,247	1,195	1,086	1,034	—	—	—	62	—	12	74	12	45	75	3.55	5.60	4.26	2.40	1.42	3.20
Bradford ..	—	—	21	10	1,125	1,192	932	924	31	196	93	161	48	48	97	93	94	110	7.62	10.89	3.81	1.76	3.15	3.86
Brighton ..	—	—	7	—	1,381	1,291	1,090	957	201	—	75	104	15	7	45	74	68	79	7.06	15.03	1.61	3.56	1.93	0.79
Bristol..	—	3	13	8	1,215	1,100	985	935	259	68	45	113	21	18	212	270	69	66	7.39	10.38	1.77	2.29	2.19	0.60
Burnley ..	—	—	29	28	1,139	988	842	693	77	—	10	313	29	9	77	95	129	119	15.45	20.89	2.85	3.84	0.81	2.56
Burton-upon-Trent ..	—	—	—	20	1,391	1,295	941	911	143	—	61	202	20	—	164	40	68	76	3.07	8.48	—	5.94	0.77	1.70
Bury ..	—	—	—	—	1,132	1,163	871	885	122	139	192	—	—	35	70	122	93	88	8.05	14.69	6.26	0.92	1.79	1.84
Canterbury ..	—	—	—	—	767	718	597	633	128	—	170	—	—	—	43	84	61	49	8.43	10.22	8.43	2.04	—	4.09
Carlisle ..	—	—	19	—	1,008	1,372	684	865	76	—	228	132	19	19	38	188	79	110	12.70	25.78	3.53	1.56	2.12	1.56
Chester ..	—	—	49	—	984	1,511	762	1,219	246	—	25	366	25	24	25	97	70	88	8.25	17.88	1.83	2.23	1.83	1.12
Coventry ..	—	—	—	8	1,258	1,120	994	890	109	8	93	31	16	31	70	61	75	80	7.02	14.42	1.22	3.87	1.22	1.76
Croydon ..	—	—	16	5	1,042	1,018	858	856	121	31	11	120	32	21	132	115	61	73	8.04	12.94	2.99	2.75	1.61	1.10
Darlington ..	—	—	15	30	1,263	1,235	928	964	107	15	396	30	137	—	—	—	92	98	9.29	18.90	2.32	3.15	1.74	3.15
Derby ..	—	—	8	46	918	948	780	759	69	23	8	137	46	76	77	68	77	72	5.30	10.81	1.25	1.39	0.94	0.70
Dewsbury ..	—	—	18	—	932	817	713	653	238	18	91	109	55	36	91	145	109	120	17.91	13.82	3.89	6.50	2.34	—
Dudley ..	—	—	36	18	819	963	694	806	214	88	—	88	36	88	71	70	106	85	13.30	25.41	2.89	1.77	2.31	1.18
Eastbourne ..	—	—	19	19	768	1,213	599	989	—	—	56	75	56	—	37	75	58	75	2.03	11.31	1.01	1.26	—	1.26
East Ham ..	21	—	28	14	1,099	1,052	911	852	118	21	104	34	7	14	125	165	60	63	5.90	11.90	1.07	0.63	1.07	0.63
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Exeter..	17	..	1,081	958	912	756	68	151	34	17	135	218	67	96	6.43	24.02	2.86	4.45	4.29	0.89
Gateshead	1,865	1,665	1,337	1,113	40	300	232	245	120	71	96	95	112	106	13.76	23.55	4.03	2.91	1.66	1.32
Gloucester	39	19	1,426	1,506	1,074	1,178	410	..	625	58	20	58	98	154	65	82	7.85	15.04	1.43	2.38	4.28	3.17
Great Yarmouth	18	18	1,362	1,456	1,165	1,048	108	..	72	89	72	89	63	69	2.56	16.75	2.56	1.59	1.92	1.59
Grimsby	12	48	1,503	1,435	1,152	1,041	364	..	121	251	12	..	121	60	92	103	10.19	21.37	2.12	2.32	2.12	0.46
Halifax	10	967	924	758	655	80	10	60	40	10	..	60	60	99	99	4.97	10.14	4.47	3.94	1.49	2.82
Hastings	84	..	1,529	1,479	1,160	1,210	118	..	67	34	..	17	218	34	50	53	7.85	10.59	..	7.06	2.62	1.18
Huddersfield	18	36	1,139	1,001	879	813	90	9	63	71	63	9	152	107	81	88	4.76	8.30	4.28	6.83	1.90	2.93
Ipswich	12	1,285	1,136	1,045	1,024	176	..	63	..	13	..	327	187	72	74	1.99	12.16	3.48	0.58	2.99	1.73
Kingston-upon-Hull	28	21	1,317	1,443	984	1,086	284	..	42	103	87	117	98	94	21.71	27.76	2.11	2.92	1.99	2.26
Leeds	9	4	1,538	1,383	1,211	1,091	321	11	217	155	35	30	136	82	110	98	12.20	18.23	2.14	2.46	3.03	1.28
Leicester	13	8	1,463	1,467	1,179	1,181	373	29	102	143	8	4	165	122	90	86	10.84	16.28	3.22	1.79	1.69	1.59
Lincoln	1,056	1,006	775	811	495	15	313	135	16	..	82	135	79	88	8.25	12.84	2.75	2.70	2.75	1.35
Liverpool	10	10	1,722	1,676	1,399	1,268	478	400	284	257	87	55	230	119	113	107	18.05	31.91	2.12	2.01	1.68	1.83
Manchester	15	16	1,492	1,653	1,218	1,319	285	5	117	228	62	79	96	121	98	98	12.34	21.37	1.15	1.71	2.34	1.94
Middlesbrough	15	7	1,384	1,252	1,110	1,019	335	360	190	105	46	..	91	75	136	120	24.60	26.79	2.48	3.08	2.26	0.95
Newcastle-on-Tyne	7	18	1,814	1,634	1,379	1,246	163	356	189	208	73	40	83	79	100	97	12.63	16.05	1.96	2.47	1.23	1.23
Northampton..	11	1,214	1,235	1,072	1,062	164	11	98	54	..	11	98	98	74	67	6.23	9.04	0.44	2.13	2.22	1.59
Norwich	33	16	1,311	1,446	1,039	1,217	330	..	206	106	16	8	66	180	75	75	7.93	10.55	2.22	2.26	1.90	0.75
Nottingham	4	11	1,160	1,152	879	901	394	..	95	158	34	4	349	98	96	103	10.93	17.38	2.59	1.46	2.59	1.30
Oldham	7	13	1,402	1,038	1,104	850	41	13	115	236	41	61	108	47	107	107	12.87	13.80	2.69	4.17	4.19	2.25
Oxford..	1,050	922	801	745	18	..	53	214	35	53	37	8.15	3.23	2.71	3.23	2.71	2.15
Plymouth	25	10	1,238	1,301	990	1,051	187	10	167	55	5	25	187	65	77	78	5.27	21.09	4.14	3.11	1.32	0.89
Portsmouth	9	13	1,156	1,176	929	906	153	103	179	90	13	56	192	128	61	64	3.53	15.34	1.69	1.78	0.77	1.07
Preston	8	8	1,329	951	934	701	118	..	84	242	17	25	109	108	101	112	6.37	19.92	4.36	2.85	3.02	2.49
Reading	1,025	1,102	862	842	120	43	98	43	55	76	65	60	7.02	9.51	3.07	0.53	3.51	..
Rochdale	43	11	1,475	1,176	1,161	917	76	119	130	11	33	32	76	22	92	86	6.18	8.67	4.64	5.96	3.09	1.08
Rotherham	29	14	997	1,331	821	1,013	29	14	117	304	..	14	73	29	101	86	13.88	14.57	3.47	2.60	1.98	1.56
St. Helen's	1,152	1,277	794	972	542	67	68	229	68	48	126	48	113	104	10.80	15.36	3.30	2.94	1.80	1.96
Salford	59	75	1,660	1,644	1,360	1,355	144	8	127	176	68	84	152	100	99	106	15.46	27.41	1.55	1.99	3.40	1.33
Sheffield	12	1,181	1,228	928	974	231	82	126	210	12	30	61	36	104	99	17.22	19.90	2.51	2.10	1.30	1.68
Smethwick	26	18	1,113	904	877	633	144	168	183	65	26	39	183	116	83	89	4.92	12.18	3.94	2.03	2.46	3.04
Southampton..	7	11	1,315	1,239	1,151	1,091	172	6	202	18	..	6	187	117	68	64	13.73	14.68	3.97	0.55	2.14	1.11
Southend-on-Sea	1,335	1,017	1,190	773	11	22	78	44	89	33	52	57	3.23	14.60	4.31	2.43	1.08	1.22
Southport	14	42	891	834	669	598	28	28	42	70	28	70	54	70	7.14	8.14	3.97	2.71	2.38	1.81
South Shields..	43	17	1,737	1,811	1,326	1,415	..	371	145	227	9	25	111	101	121	96	17.15	21.65	2.52	2.56	1.01	0.85
Stockport	16	24	1,251	1,068	1,034	940	337	8	217	80	56	40	241	151	97	91	8.97	14.39	3.11	3.50	2.07	1.94
Stoke-on-Trent	8	29	1,479	1,515	1,099	1,197	297	4	37	90	165	65	87	81	98	135	11.85	45.85	2.71	2.80	2.32	1.96
Sunderland	6	1,546	1,471	1,169	1,012	176	540	132	329	25	31	82	50	104	115	12.92	22.77	3.51	4.18	1.66	1.04
Tynemouth	95	78	1,791	1,565	1,395	1,095	32	235	95	235	..	47	79	47	95	102	10.97	18.02	4.70	1.74	1.04	0.58

* The figures for 1920 include deaths from acute military tuberculosis. † The figures for 1920 include deaths from group.

TABLE 7.—ADMINISTRATIVE COUNTIES AND COUNTY BOROUGH: MORTALITY AMONG THE CIVILIAN POPULATION FROM THE PRINCIPAL EPIDEMIC DISEASES, &c., 1920 AND 1921—continued.

(Note.—The figures relate to the areas as constituted at the various dates.)

Administrative Counties and County Boroughs.	Mortality per Million Civilian Population at all Ages.										Mortality per 1,000 Births.																			
	Small-pox.		Enteric Fever.		Tuberculosis, All Forms.		Tuberculosis of Respiratory System.*		Measles.		Whooping cough.		Scarlet Fever.		Diphtheria†		Total Deaths under One Year.		Diarrhoea and Enteritis under Two Years.		Childbirth (Mothers).		Puerperal Sepsis.							
	1920.	1921.	1920.	1921.	1920.	1921.	1920.	1921.	1920.	1921.	1920.	1921.	1920.	1921.	1920.	1921.	1920.	1921.	1920.	1921.	1920.	1921.	1920.	1921.						
Wakefield ..	—	—	75	56	1,469	1,417	1,243	1,100	301	—	56	205	19	19	75	75	89	100	11	93	15	21	1	49	4	00	2	24	3	20
Wallasey ..	—	—	22	11	1,090	1,150	899	926	56	—	124	112	11	45	67	134	72	61	5	30	9	15	3	18	2	44	1	59	2	44
Walsall ..	—	—	10	—	1,057	1,164	862	931	493	81	277	182	—	10	133	172	101	113	16	76	28	21	3	69	1	08	1	01	1	45
Warrington ..	—	—	—	25	1,197	1,298	862	992	257	38	64	394	26	—	103	64	91	98	13	70	20	91	3	09	2	99	1	77	1	49
West Bromwich ..	—	—	—	—	956	797	767	624	175	425	175	40	27	40	148	186	109	97	13	07	19	48	2	95	1	86	0	84	1	86
West Ham ..	13	—	13	7	1,303	1,274	1,091	1,013	129	33	212	121	26	36	238	104	74	75	9	46	19	66	1	03	1	46	0	62	0	49
West Hartlepool ..	—	—	29	87	1,287	1,457	833	1,140	278	173	249	115	29	58	88	101	103	96	9	61	18	48	2	75	2	50	1	83	1	50
Wigan ..	—	—	44	88	1,065	1,272	855	1,086	1,188	—	111	362	11	88	155	55	127	113	15	82	32	00	2	88	1	98	0	72	1	98
Wolverhampton ..	—	—	—	—	1,071	923	896	769	360	—	204	67	68	67	29	29	87	88	8	28	23	16	2	41	4	25	0	69	2	32
Worcester ..	—	—	61	—	1,045	1,078	861	875	287	—	205	20	—	—	102	41	68	60	7	88	6	04	0	88	3	02	—	2	01	—
York ..	—	—	—	12	1,158	1,420	907	1,077	36	95	12	189	36	12	131	36	63	97	6	44	19	37	1	38	1	14	3	22	1	14
Cardiff..	—	—	25	15	1,605	1,534	1,336	1,238	324	5	110	69	95	44	115	138	84	95	9	83	26	86	2	89	2	67	1	35	1	85
Merthyr Tydfil ..	—	—	—	24	1,411	1,271	1,027	1,002	235	—	87	134	223	49	322	281	83	92	10	83	17	75	5	87	0	89	2	26	1	33
Newport (Mon.) ..	—	—	11	32	1,222	1,345	1,016	1,067	659	—	97	213	32	32	238	128	77	82	7	55	13	53	2	64	2	96	2	27	0	42
Swansea ..	—	—	6	13	1,400	1,548	1,197	1,310	367	6	101	194	13	13	184	113	89	70	9	75	14	44	4	63	4	64	2	44	1	29

* The figures for 1920 include deaths from acute miliary tuberculosis.

† The figures for 1920 include deaths from croup.

TABLE 8.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES UNDER ONE YEAR OF AGE, 1911–1921.

Cause of Death.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
All Causes	114,600	82,779	95,608	91,971	89,380	71,646	64,483	64,386	61,715	76,552	70,250
I—Common Infectious Diseases (6–10, 25 : 2)	6,779	6,789	5,040	6,110	7,332	4,101	3,830	5,259	1,902	4,027	3,084
II—Tuberculous Diseases (31–37)	3,353	2,459	2,672	2,515	2,339	1,879	1,838	1,282	1,111	1,405	1,311
III—Diarrhœa and Enteritis (113) ..	31,900	6,734	17,038	15,297	12,333	8,313	6,885	6,319	6,039	7,641	11,705
IV—Developmental and Wasting Diseases (159, 160, 161 : 1, 162 : 2)	36,432	32,951	34,609	33,174	30,343	27,967	24,404	23,518	25,952	31,088	28,021
V—Miscellaneous Diseases—(Remainder)	36,136	33,846	36,249	34,875	37,033	29,386	27,526	28,008	26,711	32,391	26,129
Measles (7)	2,785	2,533	2,147	1,879	3,367	1,127	1,825	1,510	650	1,532	526
Whooping cough (9)	3,650	3,989	2,557	3,845	3,630	2,710	1,787	3,551	1,054	2,152	2,287
Diphtheria (10)	224	159	211	234	217	180	149	152	143	249	199
Influenza (11)	198	230	250	253	429	216	250	2,478	1,622	530	439
Tuberculosis of nervous system (32)	1,091	926	901	866	888	762	716	548	484	639	595
Tuberculosis of intestines and peritoneum (33)	1,313	868	1,106	986	868	623	633	403	323	367	386
Other tuberculous diseases (31, 34–37)	949	665	665	663	583	494	489	331	304	399	330
Syphilis (38)	1,140	1,171	1,286	1,361	1,169	1,232	1,354	1,262	1,217	1,443	1,214
Meningitis (71)	1,373	1,002	1,072	1,066	989	758	678	575	574	678	591
Convulsions (80)	8,530	7,413	7,971	7,137	7,077	5,967	5,271	4,617	4,361	5,347	4,322
Bronchitis (99)	7,300	6,911	7,161	6,821	7,738	5,871	5,636	5,454	5,791	7,208	4,538
Pneumonia (100, 101)	8,714	8,712	9,606	9,166	10,994	7,727	7,645	8,028	7,282	9,422	8,001
Other respiratory diseases (97, 98, 102–107)*	659	552	572	558	539	489	432	308	323	443	332
Inflammation of the stomach (112 : 1)	1,447	1,146	1,427	1,426	1,452	1,263	1,080	959	897	1,216	1,033
Diarrhœa and enteritis (113)	31,900	6,734	17,038	15,297	12,333	8,313	6,885	6,319	6,039	7,641	11,705
Hernia, intestinal obstruction (118)	448	459	463	483	464	449	442	393	404	617	536
Congenital malformations (159)	3,221	3,143	3,447	3,387	3,362	3,284	2,853	2,403	2,701	3,855	3,377
Congenital debility and sclerema (160 : 1)	13,254	10,514	11,225	10,222	9,533	8,244	7,236	6,508	6,572	7,751	6,250
Icterus (160 : 2)	757	710	737	698	667	578	494	497	543	681	614
Premature birth (161 : 1) ..	17,709	17,119	17,654	17,344	15,431	14,627	12,747	13,135	15,009	17,300	16,411
Injury at birth (161 : 2) ..	904	937	1,063	1,051	930	904	768	660	774	1,164	1,179
Disease of umbilicus (162 : 1)†	323	350	337	342	341	300	235	206	221	348	143
Atelectasis (162 : 2)	1,491	1,465	1,546	1,523	1,350	1,234	1,074	975	1,127	1,501	1,369
Suffocation in bed, and not stated (180 pt.)	1,224	1,348	1,226	1,233	1,020	742	704	557	525	593	502
Other causes	3,996	3,723	3,940	4,130	4,009	3,552	3,100	2,557	2,775	3,476	3,371

* Excluding Diseases of the accessory nasal sinuses and Diseases of the mediastinum previous to 1921.

† Including other hæmorrhages of the newborn previous to 1921.

TABLE 9.—ENGLAND AND WALES.—INFANT MORTALITY FROM VARIOUS CAUSES 1911–1921.

Cause of Death.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.
All Causes	130·06	94·85	108·41	104·62	109·72	91·21	96·48	97·16	89·13	79·93	82·76
I—Common Infectious Diseases (6–10, 25:2)	7·69	7·78	5·71	6·95	9·00	5·22	5·73	7·94	2·75	4·20	3·63
II—Tuberculous Diseases (31–37)	3·81	2·81	3·02	2·86	2·88	2·39	2·75	1·94	1·61	1·47	1·54
III—Diarrhoea and Enteritis (113)	36·20	7·72	19·32	17·40	15·14	10·58	10·30	9·54	8·72	7·98	13·79
IV—Developmental and Wasting Diseases (159, 160, 161:1, 162:2)	41·35	37·76	39·25	37·73	37·25	35·60	36·52	35·49	37·48	32·45	33·00
V—Miscellaneous Diseases (Remainder)	41·01	38·78	41·11	39·68	45·45	37·42	41·18	42·25	38·57	33·83	30·80
Measles (7)	3·16	2·90	2·43	2·14	4·13	1·43	2·73	2·28	0·94	1·60	0·62
Whooping cough (9)	4·14	4·57	2·90	4·37	4·46	3·45	2·67	5·36	1·52	2·25	2·69
Diphtheria (10)	0·25	0·18	0·24	0·27	0·27	0·23	0·22	0·23	0·21	0·26	0·23
Influenza (11)	0·22	0·26	0·28	0·29	0·53	0·27	0·37	3·74	2·34	0·55	0·52
Tuberculosis of nervous system (32)	1·24	1·06	1·02	0·99	1·09	0·97	1·07	0·83	0·70	0·67	0·70
Tuberculosis of intestines and peritoneum (33)	1·49	0·99	1·25	1·12	1·07	0·79	0·95	0·61	0·47	0·38	0·45
Other tuberculous diseases (31, 34–37)	1·08	0·76	0·75	0·75	0·72	0·63	0·73	0·50	0·44	0·42	0·39
Syphilis (38)	1·29	1·34	1·46	1·55	1·44	1·57	2·03	1·90	1·76	1·51	1·43
Meningitis (71)	1·56	1·15	1·22	1·21	1·21	0·96	1·01	0·87	0·83	0·71	0·70
Convulsions (80)	9·68	8·49	9·04	8·12	8·69	7·60	7·89	6·97	6·30	5·58	5·09
Bronchitis (99)	8·28	7·92	8·12	7·76	9·50	7·47	8·43	8·23	8·36	7·53	5·35
Pneumonia (100, 101)	9·89	9·98	10·89	10·43	13·50	9·84	11·44	12·11	10·52	9·84	9·43
Other respiratory diseases (97, 98, 102–107)*	0·75	0·63	0·65	0·63	0·66	0·62	0·65	0·46	0·47	0·46	0·39
Inflammation of the stomach (112:1)	1·64	1·31	1·62	1·62	1·78	1·61	1·62	1·45	1·30	1·27	1·22
Diarrhoea and enteritis (113)	36·20	7·72	19·32	17·40	15·14	10·58	10·30	9·54	8·72	7·98	13·79
Hernia, intestinal obstruction (118)	0·51	0·53	0·53	0·55	0·57	0·57	0·66	0·59	0·58	0·64	0·63
Congenital malformations (159)	3·66	3·60	3·91	3·85	4·13	4·18	4·27	3·63	3·90	4·02	3·98
Congenital debility and sclerema (160:1)	15·04	12·05	12·73	11·63	11·70	10·49	10·83	9·82	9·49	8·09	7·36
Icterus (160:2)	0·86	0·81	0·84	0·79	0·82	0·74	0·74	0·75	0·78	0·71	0·72
Premature birth (161:1)	20·10	19·62	20·02	19·73	18·94	18·62	19·07	19·82	21·68	18·06	19·33
Injury at birth (161:2)	1·03	1·07	1·21	1·20	1·14	1·15	1·15	1·00	1·12	1·22	1·39
Disease of umbilicus (162:1)†	0·37	0·40	0·38	0·39	0·42	0·38	0·35	0·31	0·32	0·36	0·17
Atelectasis (162:2)	1·69	1·68	1·75	1·73	1·66	1·57	1·61	1·47	1·63	1·57	1·61
Suffocation in bed, and not stated (180 pt.)	1·39	1·54	1·39	1·40	1·25	0·94	1·05	0·84	0·76	0·62	0·59
Other causes	4·54	4·29	4·46	4·70	4·90	4·55	4·64	3·85	3·99	3·63	3·98

* Excluding Diseases of the accessory nasal sinuses and Diseases of the mediastinum previous to 1921.

† Including other hæmorrhages of the newborn previous to 1921.

TABLE 10.—ENGLAND AND WALES.—INFANT MORTALITY BY SEX, AGE, CAUSE, AND LEGITIMACY, 1921.

Cause of Death.		Proportion of Deaths to 1,000 Births.																		
		All Infants.							Legitimate Infants.							Illegitimate Infants.				
		Under 4 Weeks	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	
All Causes	M 40·01	16·75	15·89	11·11	9·09	92·85	38·52	15·89	15·08	10·69	8·87	89·05	71·45	34·95	33·12	19·89	13·74	173·15	
		F 30·27	12·84	12·05	8·97	8·03	72·16	29·04	12·04	11·26	8·61	7·81	68·76	56·11	29·37	28·37	16·45	12·71	143·01	
		P 35·25	14·84	14·02	10·07	8·58	82·76	33·90	14·01	13·22	9·68	8·35	79·16	63·92	32·21	30·79	18·20	13·23	158·35	
I. Common Diseases (6-10, 25 : 2)	Infectious	M 0·11	0·59	0·72	0·94	1·17	3·53	0·11	0·60	0·72	0·91	1·16	3·50	0·10	0·41	0·76	1·58	1·32	4·17	
		F 0·11	0·76	0·72	0·92	1·23	3·74	0·11	0·76	0·72	0·91	1·20	3·70	0·05	0·74	0·74	1·00	2·06	4·59	
		P 0·11	0·67	0·72	0·93	1·20	3·63	0·11	0·68	0·72	0·91	1·18	3·60	0·08	0·57	0·75	1·29	1·69	4·38	
II. Tuberculous Diseases (31-37)	M 0·02	0·18	0·46	0·53	0·51	1·70	0·02	0·17	0·46	0·51	0·50	1·66	—	0·47	0·62	1·01	0·60	2·70	
		F 0·01	0·11	0·40	0·43	0·42	1·37	0·02	0·11	0·39	0·40	0·40	1·32	0·05	0·26	0·88	0·85	0·59	2·63	
		P 0·02	0·15	0·43	0·48	0·46	1·54	0·02	0·14	0·42	0·46	0·45	1·49	0·03	0·36	0·75	0·94	0·59	2·67	
III. Diarrhoea and Enteritis (113)	M 1·51	3·88	5·62	3·07	1·81	15·89	1·47	3·69	5·34	2·95	1·75	15·20	2·44	7·99	11·76	5·44	2·95	30·58	
		F 0·86	2·76	4·03	2·39	1·54	11·58	0·83	2·55	3·72	2·31	1·47	10·88	1·48	7·12	10·48	4·01	3·06	26·15	
		P 1·19	3·33	4·85	2·74	1·68	13·79	1·16	3·13	4·54	2·65	1·61	13·09	1·97	7·56	11·14	4·74	3·00	28·41	
IV. Developmental Wasting Diseases (159, 160, 161 : 1, 162 : 2)	and (159,)	M 29·30	4·86	1·86	0·51	0·31	36·84	28·60	4·55	1·65	0·47	0·30	35·57	44·06	11·29	6·26	1·52	0·77	63·90	
		F 22·92	3·85	1·47	0·52	0·23	28·99	22·29	3·57	1·35	0·47	0·22	27·90	35·52	9·65	4·12	1·70	0·53	51·52	
		P 26·17	4·36	1·67	0·52	0·28	33·00	25·51	4·08	1·51	0·47	0·26	31·83	39·87	10·49	5·20	1·61	0·65	57·82	
V. Miscellaneous Diseases (Remainder)	M 9·07	7·24	7·23	6·06	5·29	34·89	8·32	6·88	6·91	5·85	5·16	33·12	24·85	14·79	13·72	10·34	8·10	71·80	
		F 6·37	5·36	5·43	4·71	4·61	26·48	5·79	5·05	5·08	4·52	4·52	24·96	19·01	11·60	12·15	8·89	6·47	58·12	
		P 7·76	6·33	6·35	5·40	4·96	30·80	7·10	5·98	6·03	5·19	4·85	29·15	21·97	13·23	12·95	9·62	7·30	65·07	

TABLE 10.—ENGLAND AND WALES.—INFANT MORTALITY BY SEX, AGE, CAUSE, AND LEGITIMACY, 1921—*continued*.

		Proportion of Deaths to 1,000 Births.																	
Cause of Death.	Sex.	All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Measles (7)	M	0.02	0.03	0.06	0.18	0.36	0.65	0.02	0.04	0.07	0.18	0.34	0.65	—	—	—	0.31	0.25	0.56
	F	0.01	0.03	0.05	0.19	0.31	0.59	0.01	0.03	0.05	0.19	0.29	0.57	—	0.11	0.05	0.16	0.79	1.11
	P	0.01	0.03	0.06	0.18	0.34	0.62	0.01	0.03	0.06	0.18	0.33	0.61	—	0.05	0.03	0.23	0.52	0.83
Whooping cough (9)	M	0.06	0.53	0.60	0.65	0.68	2.52	0.06	0.54	0.60	0.63	0.67	2.50	0.06	0.25	0.61	0.97	0.86	2.75
	F	0.09	0.71	0.65	0.66	0.77	2.88	0.09	0.71	0.65	0.66	0.76	2.87	—	0.53	0.63	0.74	1.21	3.11
	P	0.07	0.61	0.63	0.66	0.72	2.69	0.08	0.63	0.63	0.64	0.70	2.68	0.03	0.39	0.62	0.85	1.04	2.93
Diphtheria (10)	M	0.02	0.02	0.03	0.07	0.13	0.27	0.01	0.01	0.03	0.07	0.13	0.25	0.06	0.10	0.06	0.24	0.15	0.61
	F	0.01	0.02	0.01	0.05	0.11	0.20	0.01	0.02	0.01	0.05	0.11	0.20	0.05	0.05	0.05	0.05	0.06	0.26
	P	0.01	0.02	0.02	0.06	0.12	0.23	0.01	0.02	0.02	0.06	0.11	0.22	0.05	0.08	0.05	0.16	0.10	0.44
Influenza (11)	M	0.04	0.13	0.15	0.16	0.14	0.62	0.04	0.12	0.15	0.16	0.13	0.60	0.06	0.25	0.20	0.25	0.31	1.07
	F	0.05	0.08	0.08	0.12	0.08	0.41	0.05	0.09	0.08	0.10	0.08	0.40	0.05	0.05	0.27	—	0.21	0.53
	P	0.04	0.11	0.12	0.14	0.11	0.52	0.04	0.10	0.11	0.14	0.11	0.50	0.05	0.16	0.23	0.13	0.26	0.83
Tuberculosis of system (32)	M	0.01	0.06	0.20	0.25	0.26	0.78	0.01	0.06	0.20	0.25	0.24	0.76	—	0.10	0.36	0.31	0.45	1.22
	F	0.00	0.02	0.17	0.21	0.22	0.62	0.01	0.02	0.17	0.21	0.22	0.63	—	0.05	0.20	0.11	0.11	0.47
	P	0.01	0.04	0.19	0.23	0.23	0.70	0.01	0.04	0.18	0.23	0.23	0.69	—	0.08	0.28	0.21	0.28	0.85
Tuberculosis of intestines and peritoneum (33)	M	0.00	0.10	0.15	0.15	0.12	0.52	0.00	0.09	0.15	0.14	0.12	0.50	—	0.31	0.20	0.41	0.15	1.07
	F	0.00	0.05	0.14	0.12	0.07	0.38	—	0.05	0.13	0.10	0.06	0.34	0.05	0.16	0.42	0.42	0.32	1.37
	P	0.00	0.08	0.14	0.13	0.10	0.45	0.00	0.07	0.14	0.12	0.09	0.42	0.03	0.23	0.31	0.42	0.23	1.22
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Other tuberculous diseases (31, 34-37)	M	0.01	0.02	0.11	0.13	0.40	0.01	0.02	0.11	0.12	0.14	0.40	—	0.06	0.06	0.29	—	0.41
	F	0.01	0.04	0.09	0.10	0.13	0.37	0.01	0.09	0.09	0.12	0.35	—	0.05	0.26	0.32	0.16	0.79
	P	0.01	0.03	0.10	0.12	0.13	0.39	0.01	0.10	0.11	0.13	0.38	—	0.05	0.16	0.31	0.08	0.60
Syphilis (38)	M	0.61	0.56	0.29	0.10	0.04	1.60	0.48	0.20	0.07	0.03	1.20	3.10	3.36	2.19	0.81	0.41	9.87
	F	0.47	0.45	0.23	0.08	0.03	1.26	0.37	0.14	0.06	0.03	0.93	2.32	2.75	2.21	0.53	0.21	8.02
	P	0.54	0.50	0.26	0.09	0.04	1.43	0.43	0.17	0.06	0.03	1.07	2.72	3.06	2.20	0.67	0.31	8.96
Meningitis (71)	M	0.04	0.10	0.26	0.18	0.17	0.75	0.04	0.10	0.19	0.18	0.74	0.06	0.10	0.40	0.10	0.10	0.76
	F	0.03	0.08	0.16	0.21	0.17	0.65	0.03	0.08	0.19	0.17	0.63	0.05	0.27	0.16	0.26	0.16	0.90
	P	0.04	0.09	0.21	0.19	0.17	0.70	0.03	0.09	0.19	0.17	0.69	0.05	0.18	0.29	0.18	0.13	0.83
Convulsions (80)	M	2.80	1.24	0.90	0.60	0.43	5.97	2.73	1.21	0.83	0.41	5.77	4.09	1.98	2.39	0.86	0.81	10.13
	F	1.75	0.88	0.67	0.46	0.41	4.17	1.75	0.81	0.62	0.41	4.02	1.85	2.32	1.63	1.16	0.37	7.33
	P	2.30	1.06	0.78	0.53	0.42	5.09	2.26	1.01	0.73	0.41	4.92	2.97	2.15	2.02	1.01	0.60	8.75
Bronchitis (99)	M	0.75	1.75	1.50	1.09	0.80	5.89	0.75	1.68	1.49	0.79	5.75	0.86	2.90	1.88	2.09	1.07	8.80
	F	0.55	1.25	1.18	0.98	0.82	4.78	0.55	1.23	1.13	0.81	4.66	0.63	1.58	2.28	1.74	1.05	7.28
	P	0.66	1.50	1.35	1.03	0.81	5.35	0.65	1.47	1.31	0.80	5.22	0.75	2.25	2.07	1.92	1.06	8.05
Pneumonia (100, 101)	M	0.66	1.85	2.61	2.78	2.75	10.65	0.65	1.80	2.54	2.70	10.37	0.97	2.85	4.07	4.48	4.22	16.59
	F	0.48	1.47	1.90	2.03	2.26	8.14	0.46	1.44	1.84	1.95	7.90	0.84	2.06	3.16	3.80	3.27	13.13
	P	0.57	1.66	2.26	2.42	2.52	9.43	0.56	1.63	2.20	2.33	9.17	0.91	2.46	3.63	4.14	3.75	14.89
Other respiratory diseases (97, 98, 102-107)	M	0.09	0.08	0.10	0.10	0.10	0.47	0.09	0.07	0.10	0.10	0.46	0.20	0.10	0.10	0.15	0.06	0.61
	F	0.09	0.04	0.06	0.05	0.07	0.31	0.08	0.04	0.06	0.05	0.31	—	0.05	0.05	0.06	—	0.16
	P	0.08	0.06	0.08	0.08	0.09	0.39	0.08	0.06	0.08	0.09	0.39	0.10	0.08	0.08	0.10	0.03	0.39
Inflammation of the stomach (112: 1)	M	0.29	0.43	0.37	0.18	0.08	1.35	0.28	0.41	0.35	0.08	1.30	0.51	1.06	0.66	0.20	0.06	2.49
	F	0.18	0.32	0.32	0.16	0.09	1.07	0.18	0.29	0.15	0.09	1.00	0.21	1.00	0.95	0.37	0.11	2.64
	P	0.23	0.40	0.34	0.17	0.08	1.22	0.23	0.35	0.16	0.09	1.15	0.36	1.04	0.80	0.28	0.08	2.56
Diarrhoea and enteritis (113)	M	1.51	3.88	5.62	3.07	1.81	15.89	1.47	3.69	5.34	1.75	15.20	2.44	7.99	11.76	5.44	2.95	30.58
	F	0.86	2.76	4.03	2.39	1.54	11.58	0.83	2.55	3.72	2.31	10.88	1.48	7.12	10.48	4.01	3.06	26.15
	P	1.19	3.33	4.85	2.74	1.68	13.79	1.16	3.13	4.54	1.61	13.09	1.97	7.56	11.14	4.74	3.00	28.41
Hernia, intestinal obstruc- tion (118)	M	0.10	0.11	0.30	0.25	0.10	0.86	0.10	0.10	0.32	0.10	0.87	0.15	0.20	0.31	0.15	—	0.81
	F	0.05	0.04	0.12	0.11	0.07	0.39	0.05	0.04	0.12	0.07	0.39	0.05	—	0.10	0.11	—	0.26
	P	0.08	0.07	0.22	0.18	0.08	0.63	0.08	0.07	0.22	0.09	0.64	0.10	0.10	0.21	0.13	—	0.54

TABLE 10.—ENGLAND AND WALES.—INFANT MORTALITY BY SEX, AGE, CAUSE, AND LEGITIMACY, 1921—continued.

		Proportion of Deaths to 1,000 Births.																	
Cause of Death.	Sex.	All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 4 Weeks.			3 Months—4 Weeks.			Under 4 Weeks.			4 Weeks—3 Months.			3 Months.			3-6 Months.		
		4 Weeks.	3 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.		4 Weeks.	3 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.		Under 4 Weeks.	4 Weeks—3 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	
Congenital malformations (159)	M	2.83	0.90	0.43	0.13	4.40		2.82	0.88	0.41	0.11	4.36		2.91	1.32	0.81	0.20	—	5.24
	F	2.32	0.68	0.31	0.08	3.54		2.34	0.66	0.31	0.15	3.54		1.94	1.05	0.32	0.11	0.11	3.53
	P	2.58	0.79	0.37	0.11	3.98		2.58	0.77	0.37	0.13	3.96		2.43	1.19	0.57	0.16	0.05	4.40
Congenital debility and sclerema (160 : 1)	M	4.63	2.06	1.22	0.38	8.46		4.46	1.84	1.05	0.34	7.84		8.14	6.67	4.94	1.32	0.71	21.78
	F	3.30	1.47	0.95	0.35	6.21		3.15	1.30	0.84	0.30	5.72		6.06	5.06	3.22	1.48	0.42	16.24
	P	3.97	1.77	1.09	0.37	7.36		3.82	1.58	0.95	0.32	6.81		7.12	5.88	4.09	1.40	0.57	19.06
Icterus (160 : 2)	M	0.77	0.11	0.00	—	0.88		0.77	0.11	0.00	—	0.88		0.71	0.10	—	—	—	0.81
	F	0.49	0.07	0.00	—	0.56		0.48	0.07	0.01	—	0.56		0.58	0.11	—	—	—	0.69
	P	0.63	0.09	0.00	—	0.72		0.63	0.09	0.00	—	0.72		0.65	0.10	—	—	—	0.75
Premature birth (161 : 1)	M	19.33	1.73	0.21	0.02	21.30		18.88	1.67	0.19	0.02	20.77		28.94	3.10	0.51	—	0.06	32.61
	F	15.44	1.58	0.21	0.02	17.26		14.99	1.50	0.19	0.02	16.71		24.78	3.27	0.58	0.11	—	28.74
	P	17.43	1.66	0.21	0.02	19.33		16.98	1.59	0.19	0.02	18.79		26.90	3.19	0.54	0.05	0.03	30.71
Injury at birth (161 : 2)	M	1.61	0.03	0.01	0.00	1.65		1.58	0.02	0.01	0.00	1.61		2.48	0.06	—	—	—	2.54
	F	1.10	0.02	—	—	1.12		1.04	0.02	—	—	1.06		2.16	0.05	—	—	—	2.21
	P	1.37	0.02	0.00	0.00	1.39		1.32	0.02	0.00	0.00	1.34		2.33	0.05	—	—	—	2.38
Disease of umbilicus (162 : 1)	M	0.13	0.03	—	—	0.16		0.12	0.03	—	—	0.15		0.25	0.06	—	—	—	0.31
	F	0.16	0.02	—	—	0.18		0.16	0.02	—	—	0.18		0.21	—	—	—	—	0.21
	P	0.15	0.02	—	—	0.17		0.14	0.02	—	—	0.16		0.23	0.03	—	—	—	0.26
		(1)	(2)	(3)	(4)	(6)		(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Atelectasis (162:2) ..	M	1.74	0.06	-	-	1.80	1.67	0.05	-	-	-	1.72	3.36	0.10	-	-	-	3.46
	F	1.37	0.05	-	-	1.42	1.33	0.04	-	-	-	1.37	2.16	0.16	-	-	-	2.32
	P	1.56	0.05	-	-	1.61	1.50	0.05	-	-	-	1.55	2.77	0.13	-	-	-	2.90
Suffocation in bed, and stated (180 pt.) ..	M	0.34	0.16	0.08	0.02	0.01	0.30	0.14	0.08	0.01	0.01	0.54	1.26	0.56	0.06	0.10	-	1.98
	F	0.26	0.17	0.11	0.03	0.00	0.21	0.17	0.11	0.03	0.01	0.53	1.21	0.11	0.16	0.05	-	1.53
	P	0.30	0.16	0.10	0.02	0.01	0.25	0.16	0.10	0.02	0.01	0.54	1.24	0.34	0.10	0.08	-	1.76
Other causes ..	M	1.62	0.78	0.69	0.64	0.67	1.18	0.79	0.63	0.59	0.67	3.86	10.84	1.37	1.55	1.21	1.12	16.09
	F	1.20	0.54	0.61	0.50	0.65	0.86	0.49	0.54	0.52	0.60	3.01	9.43	1.41	1.19	0.86	1.09	13.98
	P	1.42	0.69	0.64	0.58	0.65	1.04	0.62	0.59	0.56	0.64	3.45	10.16	1.38	1.37	1.03	1.11	15.05

TABLE 11.—CLASSES OF ADMINISTRATIVE AREAS.—[INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1921.

Proportion of Deaths to 1,000 Births.																			
Cause of Death.	All Infants.						Legitimate Infants.						Illegitimate Infants.						
	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	
All Causes—																			
London	29.35	14.28	16.95	10.96	9.36	80.90	27.85	12.96	15.61	10.50	8.99	75.91	64.76	45.72	48.69	21.75	18.04	198.96	
County Boroughs	37.51	16.71	16.08	11.62	10.28	92.20	35.97	15.86	15.15	11.13	9.96	88.07	69.08	34.32	35.27	21.77	16.91	177.35	
Other Urban Districts	36.03	14.51	13.15	9.68	7.92	81.29	34.66	13.71	12.48	9.28	7.80	77.93	65.72	32.22	27.95	18.44	10.63	154.96	
Rural Districts	33.50	12.40	10.05	7.42	6.18	69.55	32.50	11.88	9.58	7.27	6.05	67.28	52.29	22.21	18.99	10.27	8.72	112.48	
All Urban Districts	35.70	15.44	14.99	10.71	9.16	86.00	34.25	14.53	14.10	10.26	8.91	82.05	67.13	34.98	34.06	20.40	14.48	171.05	
I—Common Infectious Diseases (6-10, 25 : 2)—																			
London	0.14	0.57	0.58	1.02	1.45	3.76	0.14	0.56	0.56	0.99	1.41	3.66	0.25	0.74	0.99	1.73	2.22	5.93	
County Boroughs	0.07	0.69	0.77	1.17	1.46	4.16	0.07	0.71	0.77	1.15	1.44	4.14	—	0.36	0.65	1.67	2.04	4.72	
Other Urban Districts	0.13	0.63	0.77	0.79	1.13	3.45	0.13	0.63	0.76	0.77	1.11	3.40	0.16	0.64	0.97	1.29	1.45	4.51	
Rural Districts	0.12	0.77	0.64	0.68	0.72	2.93	0.13	0.77	0.65	0.69	0.69	2.93	—	0.72	0.48	0.48	1.19	2.87	
All Urban Districts	0.10	0.65	0.74	0.99	1.33	3.81	0.10	0.66	0.74	0.97	1.29	3.76	0.10	0.53	0.83	1.52	1.81	4.79	
II—Tuberculous Diseases (31-37)—																			
London	0.04	0.07	0.43	0.47	0.44	1.45	0.04	0.05	0.42	0.46	0.44	1.41	—	0.49	0.99	0.50	0.49	2.47	
County Boroughs	0.01	0.17	0.48	0.54	0.60	1.80	0.00	0.16	0.48	0.51	0.59	1.74	0.07	0.43	0.73	1.16	0.72	3.11	
Other Urban Districts	0.03	0.17	0.42	0.45	0.43	1.50	0.03	0.17	0.39	0.44	0.42	1.45	—	0.16	0.89	0.89	0.72	2.66	
Rural Districts	0.01	0.12	0.36	0.40	0.32	1.21	0.01	0.11	0.35	0.38	0.32	1.17	—	0.48	0.48	0.84	0.24	2.04	
All Urban Districts	0.02	0.15	0.46	0.50	0.50	1.63	0.02	0.15	0.43	0.48	0.49	1.57	0.03	0.33	0.82	0.97	0.69	2.84	
III—Diarrhoea and Enteritis (113)																			
London	1.17	3.72	7.34	4.00	2.40	18.63	1.14	3.19	6.73	3.79	2.28	17.13	1.98	16.07	21.74	8.90	5.44	54.13	
County Boroughs	1.40	4.17	5.69	3.23	1.94	16.43	1.35	3.99	5.37	3.10	1.83	15.64	2.61	7.84	12.26	5.95	4.21	32.87	
Other Urban Districts	1.25	3.09	4.38	2.52	1.52	12.76	1.22	2.90	4.15	2.45	1.50	12.22	1.77	7.33	9.83	3.87	1.85	24.65	
Rural Districts	0.75	2.02	2.63	1.49	1.04	7.93	0.73	1.96	2.44	1.46	1.01	7.60	1.19	3.34	6.10	2.03	1.55	14.21	
All Urban Districts	1.30	3.65	5.40	3.04	1.83	15.22	1.26	3.42	5.06	2.93	1.76	14.43	2.18	8.73	12.53	5.49	3.41	32.34	

IV—Developmental and Wasting
Diseases (159, 160, 160 : 1,
162 : 2)—

London	21.42	4.54	2.43	0.80	0.35	29.54	20.83	4.10	2.12	0.76	0.33	28.14	34.59	15.09	9.89	1.73	0.99	62.29
County Boroughs ..	27.86	4.63	1.87	0.60	0.30	35.26	27.05	4.30	1.64	0.50	0.28	33.77	44.24	11.47	6.61	2.62	1.01	65.95
Other Urban Districts ..	26.64	4.39	1.42	0.44	0.23	33.12	25.98	4.09	1.31	0.39	0.23	32.00	41.41	10.87	3.78	1.45	0.48	57.99
Rural Districts ..	25.24	3.75	1.31	0.36	0.23	30.89	24.84	3.63	1.22	0.36	0.24	30.29	32.95	6.09	2.75	0.12	0.12	42.03
All Urban Districts ..	26.43	4.51	1.76	0.55	0.29	33.54	25.72	4.18	1.56	0.49	0.26	32.21	41.79	11.70	5.89	2.02	0.79	62.19

V—Miscellaneous Diseases (Re-
mainder)—

London	6.58	5.38	6.17	4.67	4.72	27.52	5.70	5.06	5.78	4.50	4.53	25.57	27.94	13.33	15.08	8.89	8.90	74.14
County Boroughs ..	8.17	7.05	7.27	6.08	5.98	34.55	7.50	6.70	6.89	5.87	5.82	32.78	22.16	14.22	15.02	10.37	8.93	70.70
Other Urban Districts ..	7.98	6.23	6.16	5.48	4.61	30.46	7.30	5.92	5.87	5.23	4.54	28.86	22.38	13.22	12.48	10.94	6.13	65.15
Rural Districts ..	7.38	5.74	5.11	4.49	3.87	26.59	6.79	5.41	4.92	4.38	3.79	25.29	18.15	11.58	9.18	6.80	5.62	51.33
All Urban Districts ..	7.85	6.48	6.63	5.63	5.21	31.80	7.15	6.12	6.31	5.39	5.11	30.08	23.03	13.69	13.99	10.40	7.78	68.89

Measles (7)—

London	0.03	0.02	0.07	0.13	0.32	0.57	0.03	0.02	0.07	0.13	0.30	0.55	—	—	—	0.25	0.74	0.99
County Boroughs ..	0.01	0.05	0.09	0.29	0.48	0.92	0.01	0.05	0.10	0.27	0.46	0.89	—	0.07	—	0.51	0.87	1.45
Other Urban Districts ..	0.02	0.03	0.03	0.13	0.27	0.48	0.02	0.03	0.03	0.14	0.26	0.48	—	0.08	0.08	—	0.24	0.40
Rural Districts ..	—	0.01	0.04	0.13	0.18	0.36	—	0.01	0.04	0.13	0.18	0.36	—	—	—	0.12	0.24	0.36
All Urban Districts ..	0.02	0.04	0.06	0.20	0.36	0.68	0.02	0.04	0.06	0.19	0.36	0.67	—	0.07	0.03	0.26	0.60	0.96

Whooping cough (9)—

London	0.05	0.44	0.46	0.65	0.74	2.34	0.05	0.46	0.44	0.64	0.73	2.32	—	—	—	0.99	0.99	2.97
County Boroughs ..	0.05	0.62	0.62	0.80	0.81	2.90	0.05	0.64	0.63	0.79	0.80	2.91	—	0.22	0.36	1.08	1.02	2.68
Other Urban Districts ..	0.10	0.59	0.71	0.59	0.77	2.76	0.10	0.59	0.70	0.57	0.76	2.72	0.08	0.48	0.88	0.97	1.21	3.62
Rural Districts ..	0.10	0.75	0.59	0.51	0.47	2.42	0.10	0.77	0.59	0.52	0.45	2.43	—	0.72	0.48	0.24	0.83	2.27
All Urban Districts ..	0.07	0.58	0.63	0.69	0.79	2.76	0.07	0.59	0.63	0.68	0.78	2.75	0.03	0.30	0.66	1.03	1.09	3.11

Diphtheria (10)—

London	0.05	0.09	0.04	0.19	0.29	0.66	0.04	0.07	0.04	0.19	0.30	0.64	0.25	0.49	—	0.25	0.25	1.24
County Boroughs ..	0.01	0.01	0.04	0.04	0.14	0.24	0.01	0.01	0.04	0.04	0.13	0.23	—	0.07	0.15	0.07	0.15	0.44
Other Urban Districts ..	0.01	0.01	0.01	0.05	0.07	0.15	0.01	0.01	0.01	0.04	0.07	0.14	0.08	—	—	0.24	—	0.32
Rural Districts ..	0.01	0.01	0.01	0.03	0.05	0.11	0.01	0.01	0.01	0.02	0.05	0.10	—	—	—	0.12	0.12	0.24
All Urban Districts ..	0.01	0.02	0.03	0.07	0.14	0.27	0.01	0.02	0.03	0.06	0.13	0.25	0.07	0.10	0.07	0.16	0.10	0.50

Influenza (11)—

London	—	0.04	0.06	0.07	0.09	0.26	—	0.04	0.06	0.07	0.08	0.25	—	—	—	—	0.49	0.49
County Boroughs ..	0.05	0.10	0.13	0.14	0.09	0.51	0.05	0.11	0.13	0.14	0.08	0.51	0.07	0.07	0.07	0.15	0.22	0.58
Other Urban Districts ..	0.05	0.09	0.13	0.16	0.13	0.56	0.05	0.08	0.12	0.16	0.13	0.54	0.08	0.24	0.33	—	0.24	0.89
Rural Districts ..	0.06	0.17	0.11	0.13	0.14	0.61	0.06	0.18	0.09	0.11	0.13	0.57	—	0.24	0.47	0.36	0.24	1.31
All Urban Districts ..	0.04	0.09	0.12	0.13	0.11	0.49	0.04	0.09	0.12	0.13	0.10	0.48	0.07	0.13	0.17	0.07	0.25	0.69

TABLE 11.—CLASSES OF ADMINISTRATIVE AREAS.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1921—*continued*.

Proportion of Deaths to 1,000 Births.																			
Cause of Death.	All Infants.							Legitimate Infants.					Illegitimate Infants.						
	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	
Tuberculosis of nervous system (32)—																			
London ..	0.03	0.03	0.19	0.22	0.27	0.74	0.03	0.03	0.19	0.23	0.26	0.74	—	—	0.25	—	0.49	0.74	0.74
County Boroughs ..	—	0.04	0.22	0.26	0.28	0.80	—	0.04	0.22	0.26	0.27	0.79	—	0.07	0.22	0.22	0.43	0.94	0.94
Other Urban Districts ..	0.02	0.04	0.18	0.20	0.21	0.65	0.02	0.04	0.16	0.21	0.21	0.64	—	0.08	0.49	0.16	0.16	0.89	0.89
Rural Districts ..	—	0.04	0.14	0.22	0.19	0.59	—	0.04	0.14	0.21	0.20	0.59	—	0.12	0.12	0.36	0.12	0.72	0.72
All Urban Districts ..	0.01	0.04	0.20	0.23	0.25	0.73	0.01	0.04	0.19	0.24	0.24	0.72	—	0.07	0.32	0.17	0.33	0.89	0.89
Tuberculosis of intestines and peritoneum (33)—																			
London ..	—	0.03	0.10	0.08	0.05	0.26	—	0.01	0.09	0.06	0.05	0.21	—	0.49	0.49	0.50	—	1.48	1.48
County Boroughs ..	0.01	0.10	0.14	0.13	0.13	0.51	0.00	0.09	0.14	0.12	0.13	0.48	0.07	0.29	0.22	0.43	0.22	1.23	1.23
Other Urban Districts ..	0.00	0.09	0.16	0.16	0.11	0.52	0.00	0.09	0.15	0.15	0.10	0.49	—	0.08	0.32	0.49	0.40	1.29	1.29
Rural Districts ..	—	0.05	0.14	0.11	0.05	0.35	—	0.04	0.13	0.11	0.04	0.32	—	0.24	0.36	0.24	0.12	0.96	0.96
All Urban Districts ..	0.00	0.08	0.15	0.14	0.11	0.48	0.00	0.08	0.14	0.12	0.10	0.44	0.03	0.23	0.30	0.47	0.26	1.29	1.29
Other tuberculous diseases (31, 34-37)—																			
London ..	0.01	0.01	0.14	0.17	0.12	0.45	0.01	0.01	0.14	0.17	0.13	0.46	—	—	0.25	—	—	0.25	0.25
County Boroughs ..	0.00	0.03	0.12	0.15	0.19	0.49	0.00	0.03	0.12	0.13	0.19	0.47	—	0.07	0.29	0.51	0.07	0.94	0.94
Other Urban Districts ..	0.01	0.04	0.08	0.09	0.11	0.33	0.01	0.04	0.08	0.08	0.11	0.32	—	—	0.08	0.24	0.16	0.48	0.48
Rural Districts ..	0.01	0.03	0.08	0.07	0.08	0.27	0.01	0.03	0.08	0.06	0.08	0.26	—	0.12	—	0.24	—	0.36	0.36
All Urban Districts ..	0.01	0.03	0.11	0.13	0.14	0.42	0.01	0.03	0.10	0.12	0.15	0.41	—	0.03	0.20	0.33	0.10	0.66	0.66
Syphilis (38)—																			
London ..	0.54	0.59	0.25	0.05	0.01	1.44	0.46	0.43	0.15	0.02	—	1.06	2.22	4.45	2.72	0.74	0.25	10.38	10.38
County Boroughs ..	0.76	0.69	0.42	0.12	0.06	2.05	0.59	0.54	0.29	0.07	0.04	1.53	3.98	3.85	3.27	1.16	0.51	12.77	12.77
Other Urban Districts ..	0.43	0.40	0.20	0.08	0.04	1.15	0.35	0.29	0.14	0.06	0.03	0.87	2.34	2.66	1.45	0.48	0.24	7.17	7.17
Rural Districts ..	0.34	0.29	0.10	0.06	0.01	0.80	0.26	0.22	0.04	0.06	0.01	0.59	1.43	1.68	1.31	0.12	0.12	4.66	4.66
All Urban Districts ..	0.59	0.55	0.30	0.10	0.05	1.59	0.48	0.42	0.20	0.06	0.03	1.19	3.08	3.43	2.45	0.83	0.36	10.15	10.15
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(18)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Meningitis (71)—																		
London	0.05	0.07	0.19	0.12	0.15	0.58	0.04	0.06	0.17	0.13	0.16	0.56	0.25	0.25	0.49	—	—	0.99
County Boroughs ..	0.04	0.10	0.21	0.23	0.17	0.75	0.04	0.11	0.21	0.23	0.17	0.76	0.07	0.07	0.15	0.07	0.15	0.51
Other Urban Districts ..	0.02	0.08	0.24	0.20	0.19	0.73	0.02	0.06	0.24	0.19	0.19	0.70	—	0.40	0.49	0.32	0.16	1.37
Rural Districts ..	0.04	0.10	0.16	0.18	0.14	0.62	0.04	0.11	0.16	0.17	0.14	0.62	—	—	0.12	0.24	0.12	0.48
All Urban Districts ..	0.03	0.09	0.22	0.20	0.18	0.72	0.03	0.08	0.22	0.20	0.18	0.71	0.07	0.23	0.33	0.17	0.13	0.93
Convulsions (80)—																		
London	1.12	0.36	0.30	0.22	0.20	2.20	1.10	0.38	0.28	0.20	0.20	2.16	1.48	—	0.74	0.74	0.25	3.21
County Boroughs ..	2.48	1.14	0.82	0.55	0.44	5.43	2.47	1.11	0.76	0.52	0.44	5.30	2.75	1.89	2.10	1.02	0.51	8.27
Other Urban Districts ..	2.52	1.09	0.88	0.61	0.41	5.51	2.50	1.06	0.82	0.57	0.39	5.34	2.99	1.93	2.17	1.45	0.72	9.26
Rural Districts ..	2.28	1.29	0.85	0.55	0.52	5.49	2.17	1.15	0.79	0.56	0.51	5.18	4.05	3.94	2.27	0.48	0.72	11.46
All Urban Districts ..	2.29	1.01	0.77	0.53	0.39	4.99	2.27	0.98	0.71	0.51	0.38	4.85	2.68	1.65	1.95	1.16	0.56	8.00
Bronchitis (99)—																		
London	0.37	0.73	0.87	0.52	0.40	2.89	0.38	0.73	0.83	0.49	0.35	2.78	0.25	0.74	1.97	1.24	1.48	5.68
County Boroughs ..	0.70	1.73	1.54	1.19	0.99	6.15	0.70	1.70	1.52	1.15	0.98	6.05	0.65	2.32	1.96	1.89	1.16	7.98
Other Urban Districts ..	0.70	1.55	1.40	1.10	0.81	5.56	0.69	1.48	1.35	1.06	0.81	5.39	0.97	2.97	2.42	2.01	0.89	9.26
Rural Districts ..	0.67	1.46	1.20	0.95	0.75	5.03	0.66	1.44	1.17	0.88	0.74	4.89	0.84	1.79	1.79	2.14	0.96	7.52
All Urban Districts ..	0.65	1.51	1.38	1.05	0.83	5.42	0.65	1.47	1.35	1.02	0.81	5.30	0.73	2.38	2.15	1.85	1.09	8.20
Pneumonia (100, 101) —																		
London	0.82	2.24	3.23	2.50	2.75	11.54	0.80	2.14	3.10	2.42	2.67	11.13	1.24	4.70	6.17	4.45	4.70	21.26
County Boroughs ..	0.60	1.82	2.54	2.81	3.21	10.98	0.57	1.77	2.46	2.71	3.13	10.64	1.31	2.68	4.14	4.79	5.08	18.00
Other Urban Districts ..	0.55	1.61	2.04	2.42	2.21	8.83	0.55	1.58	1.98	2.30	2.17	8.58	0.64	2.26	3.46	5.00	2.90	14.26
Rural Districts ..	0.42	1.14	1.58	1.62	1.64	6.40	0.42	1.13	1.56	1.61	1.61	6.33	0.48	1.31	1.79	1.67	2.39	7.64
All Urban Districts ..	0.61	1.79	2.43	2.60	2.74	10.17	0.59	1.75	2.35	2.50	2.66	9.85	1.03	2.78	4.13	4.83	4.13	16.90
Other respiratory diseases (97, 98, 102-107)—																		
London	0.14	0.06	0.08	0.05	0.09	0.42	0.15	0.06	0.08	0.05	0.09	0.43	0.25	—	—	—	—	0.25
County Boroughs ..	0.09	0.05	0.07	0.08	0.10	0.39	0.08	0.05	0.07	0.07	0.10	0.37	0.15	0.15	0.15	0.28	—	0.73
Other Urban Districts ..	0.09	0.05	0.08	0.09	0.10	0.41	0.09	0.05	0.08	0.09	0.11	0.42	0.08	—	—	—	0.08	0.16
Rural Districts ..	0.07	0.08	0.08	0.07	0.05	0.35	0.07	0.08	0.08	0.08	0.05	0.36	—	0.12	0.12	—	—	0.24
All Urban Districts ..	0.09	0.05	0.08	0.08	0.10	0.40	0.09	0.05	0.08	0.08	0.10	0.40	0.13	0.07	0.07	0.13	0.03	0.43
Inflammation of the stomach (112:1)																		
London	0.06	0.22	0.16	0.12	0.10	0.66	0.06	0.22	0.15	0.10	0.09	0.62	—	0.49	0.49	0.50	0.25	1.73
County Boroughs ..	0.27	0.44	0.38	0.18	0.11	1.38	0.26	0.39	0.35	0.18	0.12	1.30	0.36	1.24	1.09	0.29	0.07	3.05
Other Urban Districts ..	0.27	0.42	0.38	0.17	0.07	1.31	0.26	0.39	0.36	0.16	0.07	1.24	0.48	1.05	0.81	0.32	0.08	2.74
Rural Districts ..	0.21	0.35	0.32	0.17	0.05	1.10	0.20	0.31	0.31	0.18	0.06	1.06	0.36	0.95	0.48	0.12	—	1.91
All Urban Districts ..	0.24	0.40	0.35	0.17	0.09	1.25	0.23	0.38	0.32	0.16	0.09	1.18	0.36	1.06	0.89	0.33	0.10	2.74

TABLE 11.—CLASSES OF ADMINISTRATIVE AREAS.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1921—*continued*.

Proportion of Deaths to 1,000 Births.																					
Cause of Death.		All Infants.						Legitimate Infants.						Illegitimate Infants.							
		3-6 Months.					Total under 1 Year.	3-6 Months.					Total under 1 Year.	3-6 Months.					Total under 1 Year.		
		Under 4 Weeks.	4 Weeks—3 Months.	6-9 Months.	9-12 Months.	9-12 Months.	Under 4 Weeks.	4 Weeks—3 Months.	6-9 Months.	9-12 Months.	Under 4 Weeks.	4 Weeks—3 Months.	6-9 Months.	9-12 Months.	Under 4 Weeks.	4 Weeks—3 Months.	6-9 Months.	9-12 Months.	Under 4 Weeks.	4 Weeks—3 Months.	6-9 Months.
Diarrhoea and enteritis (113)—		1.17	5.72	7.34	4.00	2.40	18.63	1.14	3.19	6.73	3.79	2.28	17.13	1.98	16.07	21.74	8.90	5.44	54.13		
London		1.40	4.17	5.69	3.23	1.94	16.43	1.35	3.99	5.37	3.10	1.83	15.64	2.61	7.84	12.26	5.95	4.21	32.87		
County Boroughs ..		1.25	3.09	4.38	2.52	1.52	12.76	1.22	2.90	4.15	2.45	1.50	12.22	1.77	7.33	9.83	3.87	1.85	24.65		
Other Urban Districts ..		0.75	2.02	2.63	1.49	1.04	7.93	0.73	1.96	2.44	1.46	1.01	7.60	1.19	3.34	6.10	2.03	1.55	14.21		
Rural Districts		1.30	3.65	5.40	3.04	1.83	15.22	1.26	3.42	5.06	2.93	1.76	14.43	2.18	8.73	12.53	5.49	3.41	32.34		
All Urban Districts ..																					
Hernia, intestinal obstruction (118)—																					
London		0.10	0.08	0.24	0.25	0.07	0.74	0.09	0.08	0.24	0.27	0.07	0.75	0.24	—	0.25	—	—	0.49		
County Boroughs ..		0.07	0.06	0.26	0.19	0.10	0.68	0.07	0.06	0.25	0.19	0.11	0.68	0.07	0.22	0.29	0.07	—	0.65		
Other Urban Districts ..		0.07	0.10	0.19	0.16	0.08	0.60	0.07	0.10	0.19	0.17	0.08	0.61	0.08	0.08	0.24	0.08	—	0.48		
Rural Districts		0.10	0.04	0.16	0.16	0.07	0.53	0.10	0.04	0.17	0.15	0.08	0.54	0.12	—	—	0.36	—	0.48		
All Urban Districts ..		0.07	0.08	0.23	0.19	0.09	0.66	0.07	0.08	0.23	0.19	0.09	0.66	0.10	0.13	0.26	0.07	—	0.56		
Congenital malformations (159)																					
London		2.27	0.97	0.41	0.19	0.14	3.98	2.25	0.90	0.40	0.20	0.14	3.89	2.22	2.73	0.74	—	0.25	5.94		
County Boroughs ..		2.57	0.77	0.38	0.12	0.09	3.93	2.56	0.76	0.36	0.11	0.10	3.89	2.61	0.87	0.80	0.29	0.07	4.64		
Other Urban Districts ..		2.76	0.73	0.33	0.13	0.08	4.03	2.77	0.70	0.33	0.13	0.09	4.02	2.50	1.29	0.32	0.16	—	4.27		
Rural Districts		2.44	0.84	0.43	0.13	0.14	3.98	2.47	0.84	0.42	0.13	0.15	4.01	2.14	0.84	0.48	—	—	3.46		
All Urban Districts ..		2.61	0.78	0.36	0.13	0.10	3.98	2.61	0.76	0.35	0.13	0.10	3.95	2.50	1.29	0.60	0.20	0.07	4.66		
Congenital debility and sclerema (160 : 1)—																					
London		2.63	1.80	1.80	0.60	0.21	7.04	2.50	1.54	1.51	0.55	0.19	6.29	5.68	7.91	8.66	1.73	0.74	24.72		
County Boroughs ..		3.86	1.96	1.27	0.46	0.20	7.75	3.70	1.74	1.07	0.38	0.17	7.06	7.18	6.53	5.37	2.18	0.87	22.13		
Other Urban Districts ..		4.43	1.77	0.89	0.28	0.14	7.51	4.26	1.59	0.80	0.23	0.13	7.01	7.97	5.80	2.82	1.29	0.48	18.36		
Rural Districts		4.22	1.41	0.68	0.22	0.08	6.61	4.11	1.28	0.62	0.22	0.08	6.31	6.45	3.94	1.67	0.12	0.12	12.30		
All Urban Districts ..		3.92	1.86	1.19	0.40	0.18	7.55	3.77	1.65	1.02	0.34	0.15	6.93	7.32	6.41	4.76	1.75	0.69	20.93		
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)		

		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Icterus (160 : 2)—																			
London	0.44	0.07	—	—	—	0.51	0.45	0.06	—	—	—	0.51	0.24	0.25	—	—	—	0.49
County Boroughs	0.61	0.08	0.00	—	—	0.69	0.61	0.08	0.00	—	—	0.69	0.50	0.15	—	—	—	0.65
Other Urban Districts	..	0.64	0.12	0.01	—	—	0.77	0.64	0.12	0.01	—	—	0.77	0.89	0.08	—	—	—	0.97
Rural Districts	0.73	0.09	0.01	—	—	0.83	0.73	0.09	0.01	—	—	0.83	0.72	—	—	—	—	0.72
All Urban Districts	..	0.61	0.09	0.00	—	—	0.70	0.61	0.09	0.00	—	—	0.70	0.63	0.13	—	—	—	0.76
Premature birth (161 : 1)—																			
London	14.28	1.66	0.22	0.01	—	16.17	13.93	1.56	0.21	0.01	—	15.71	22.25	4.20	0.49	—	—	26.94
County Boroughs	19.06	1.77	0.22	0.02	0.01	21.08	18.47	1.67	0.21	0.01	0.01	20.37	31.27	3.77	0.44	0.15	0.07	35.70
Other Urban Districts	..	17.47	1.71	0.19	0.03	0.01	19.41	17.02	1.63	0.17	0.03	0.01	18.86	27.39	3.46	0.64	—	—	31.49
Rural Districts	16.41	1.37	0.19	0.01	0.01	17.99	16.14	1.38	0.17	0.01	0.01	17.71	21.25	1.31	0.60	—	—	23.16
All Urban Districts	..	17.69	1.73	0.21	0.02	0.01	19.66	17.20	1.63	0.19	0.02	0.01	19.05	28.47	3.70	0.53	0.07	0.03	32.80
Injury at birth (161 : 2)—																			
London	1.44	0.02	—	0.01	—	1.47	1.43	0.01	—	0.01	—	1.45	1.73	0.25	—	—	—	1.98
County Boroughs	1.28	0.02	0.00	—	—	1.30	1.19	0.02	0.00	—	—	1.21	2.98	0.07	—	—	—	3.05
Other Urban Districts	..	1.36	0.02	0.01	—	—	1.39	1.32	0.02	0.01	—	—	1.35	2.34	—	—	—	—	2.34
Rural Districts	1.47	0.03	—	—	—	1.50	1.46	0.03	—	—	—	1.49	1.55	—	—	—	—	1.55
All Urban Districts	..	1.33	0.02	0.01	0.00	—	1.36	1.27	0.02	0.01	0.00	—	1.30	2.54	0.07	—	—	—	2.61
Disease of umbilicus (162 : 1)—																			
London	0.21	0.03	—	—	—	0.24	0.21	0.03	—	—	—	0.24	0.25	—	—	—	—	0.25
County Boroughs	0.13	0.02	—	—	—	0.15	0.13	0.02	—	—	—	0.15	0.07	—	—	—	—	0.07
Other Urban Districts	..	0.17	0.03	—	—	—	0.20	0.15	0.03	—	—	—	0.18	0.56	0.08	—	—	—	0.64
Rural Districts	0.10	0.01	—	—	—	0.11	0.11	0.01	—	—	—	0.12	—	—	—	—	—	—
All Urban Districts	..	0.15	0.03	—	—	—	0.18	0.14	0.03	—	—	—	0.17	0.30	0.03	—	—	—	0.33
Atelectasis (162 : 2)—																			
London	1.80	0.04	—	—	—	1.84	1.70	0.04	—	—	—	1.74	4.20	—	—	—	—	4.20
County Boroughs	1.76	0.05	—	—	—	1.81	1.71	0.05	—	—	—	1.76	2.68	0.15	—	—	—	2.83
Other Urban Districts	..	1.34	0.06	—	—	—	1.40	1.29	0.05	—	—	—	1.34	2.66	0.24	—	—	—	2.90
Rural Districts	1.44	0.04	—	—	—	1.48	1.39	0.04	—	—	—	1.43	2.39	—	—	—	—	2.39
All Urban Districts	..	1.60	0.05	—	—	—	1.65	1.53	0.05	—	—	—	1.58	2.87	0.17	—	—	—	3.04
Suffocation in bed and not stated (180 pt.)—																			
London	0.33	0.25	0.09	0.02	0.03	0.72	0.23	0.24	0.09	0.02	0.03	0.61	2.72	0.74	—	—	—	3.46
County Boroughs	0.37	0.21	0.12	0.03	0.00	0.73	0.33	0.21	0.12	0.03	0.00	0.69	1.09	0.22	0.07	0.07	—	1.45
Other Urban Districts	..	0.26	0.13	0.09	0.01	0.01	0.50	0.23	0.12	0.08	0.01	0.01	0.45	0.89	0.40	0.16	0.08	—	1.53
Rural Districts	0.24	0.09	0.08	0.02	0.01	0.44	0.18	0.08	0.08	0.02	0.01	0.37	1.31	0.24	0.12	0.12	—	1.79
All Urban Districts	..	0.32	0.18	0.10	0.02	0.01	0.63	0.28	0.17	0.10	0.02	0.01	0.58	1.22	0.36	0.10	0.07	—	1.75
Other causes —																			
London	1.41	0.71	0.71	0.79	0.93	4.55	0.77	0.65	0.64	0.75	0.87	3.68	17.31	1.96	2.25	1.46	1.72	24.70
County Boroughs	1.33	0.68	0.80	0.60	0.74	4.15	1.02	0.62	0.73	0.63	0.70	3.70	8.61	1.44	1.87	0.59	1.23	13.74
Other Urban Districts	..	1.49	0.66	0.54	0.50	0.58	3.77	1.02	0.66	0.52	0.48	0.57	3.25	10.93	1.23	0.96	1.28	0.82	15.22
Rural Districts	1.39	0.69	0.47	0.59	0.51	3.65	1.08	0.61	0.48	0.58	0.46	3.21	8.01	1.31	0.71	1.19	1.07	12.29
All Urban Districts	..	1.44	0.69	0.66	0.59	0.66	4.04	1.01	0.61	0.64	0.56	0.68	3.50	10.72	1.43	1.56	0.96	1.15	15.82

TABLE 12.—INFANT MORTALITY IN DIFFERENT PARTS OF ENGLAND AND WALES, 1921.

(For list of Counties in the several Geographical Divisions, see Note to Table 13).

Area.	Proportion of Deaths to 1,000 Births.																	
	All Causes.						I.—Common Infectious Diseases (6–10, 25 : 2).						II.—Tuberculous Diseases (31–37).					
	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
All Areas :																		
North	40·12	17·49	16·53	12·28	11·04	97·46	0·12	0·95	0·96	1·31	1·67	5·01	0·01	0·17	0·47	0·55	0·52	1·72
Midlands	33·77	13·39	11·85	8·77	6·96	74·74	0·08	0·46	0·59	0·72	0·88	2·73	0·03	0·12	0·45	0·46	0·48	1·54
South	29·94	12·46	12·69	8·47	7·03	70·59	0·13	0·52	0·51	0·70	1·00	2·86	0·03	0·13	0·39	0·43	0·40	1·38
Wales	36·25	16·18	15·54	10·36	8·73	87·06	0·11	0·77	0·81	0·77	0·97	3·43	0·02	0·18	0·32	0·40	0·36	1·28
England and Wales	35·25	14·84	14·02	10·07	8·58	82·76	0·11	0·67	0·72	0·93	1·20	3·63	0·02	0·15	0·43	0·48	0·46	1·54
London	29·35	14·28	16·95	10·96	9·36	80·90	0·14	0·57	0·58	1·02	1·45	3·76	0·04	0·07	0·43	0·47	0·44	1·45
County Boroughs :																		
North	39·49	18·23	18·01	12·98	11·93	100·64	0·07	0·86	0·85	1·49	1·80	5·07	0·01	0·18	0·50	0·58	0·60	1·87
Midlands	36·01	15·42	14·30	10·50	8·72	84·95	0·07	0·43	0·70	0·83	1·17	3·20	0·01	0·16	0·52	0·52	0·65	1·86
South	31·59	12·96	11·03	8·36	6·49	70·43	0·04	0·69	0·33	0·73	0·80	2·59	0·04	0·15	0·47	0·47	0·40	1·53
Wales	36·33	14·89	15·47	9·57	8·98	85·24	0·07	0·45	1·05	0·67	0·90	3·14	—	0·15	0·15	0·53	0·37	1·20
England and Wales	37·51	16·71	16·08	11·62	10·28	92·20	0·07	0·69	0·77	1·17	1·46	4·16	0·01	0·17	0·48	0·54	0·60	1·80
Other Urban Districts :																		
North	41·16	16·81	15·15	11·73	10·30	95·15	0·17	1·08	1·07	1·18	1·73	5·23	0·01	0·19	0·47	0·60	0·45	1·72
Midlands	33·40	13·04	11·74	8·49	6·58	73·25	0·09	0·41	0·54	0·65	0·81	2·50	0·06	0·11	0·42	0·42	0·51	1·52
South	30·93	10·83	9·30	6·44	5·18	62·68	0·14	0·27	0·61	0·35	0·71	2·08	—	0·18	0·37	0·38	0·35	1·28
Wales	36·24	17·53	17·07	11·93	8·95	91·72	0·12	0·53	0·79	0·73	0·89	3·06	0·03	0·23	0·29	0·33	0·26	1·14
England and Wales	36·03	14·51	13·15	9·68	7·92	81·29	0·13	0·63	0·77	0·79	1·13	3·45	0·03	0·17	0·42	0·45	0·43	1·50
Rural Districts :																		
North	40·25	16·19	13·90	10·77	9·33	90·44	0·22	0·98	1·15	0·93	0·99	4·27	—	0·10	0·34	0·37	0·36	1·17
Midlands	31·18	11·18	8·71	6·84	5·13	63·04	0·06	0·56	0·50	0·70	0·62	2·44	0·01	0·09	0·39	0·45	0·20	1·14
South	29·00	9·41	6·97	4·56	3·71	53·65	0·13	0·61	0·32	0·27	0·37	1·70	0·03	0·21	0·24	0·34	0·37	1·19
Wales	36·26	14·66	12·81	8·04	8·14	79·91	0·11	1·43	0·69	0·90	1·16	4·29	—	0·11	0·48	0·48	0·52	1·59
England and Wales	33·50	12·40	10·05	7·42	6·18	69·55	0·12	0·77	0·64	0·68	0·72	2·93	0·01	0·12	0·36	0·40	0·32	1·21
	III.—Diarrhoea and Enteritis (113).						IV.—Developmental and Wasting Diseases (159, 160, 161 : 1, 162 : 2).						V.—Miscellaneous Diseases (Remainder).					
All Areas :																		
North	1·36	3·77	5·37	2·87	2·04	15·41	29·47	4·91	1·82	0·57	0·30	37·07	9·16	7·69	7·91	6·98	6·51	38·25
Midlands	1·11	3·11	4·08	2·41	1·17	11·88	25·89	4·04	1·45	0·47	0·26	32·11	6·66	5·66	5·28	4·71	4·17	26·48
South	1·05	2·95	5·05	2·84	1·69	13·58	22·04	4·10	1·78	0·53	0·29	28·74	6·69	4·76	4·96	3·97	3·65	24·03
Wales	1·26	3·46	4·90	3·14	1·94	14·70	25·61	4·01	1·57	0·47	0·24	31·90	9·25	7·76	7·94	5·58	5·22	35·75
England and Wales	1·19	3·33	4·85	2·74	1·68	13·79	26·17	4·36	1·67	0·52	0·28	33·00	7·76	6·33	6·35	5·40	4·96	30·80
London	1·17	3·72	7·34	4·00	2·40	18·63	21·42	4·54	2·43	0·80	0·35	29·54	6·58	5·38	6·17	4·67	4·72	27·52
County Boroughs :																		
North	1·48	4·26	6·18	3·25	2·19	17·36	28·82	4·88	2·14	0·58	0·34	36·76	9·11	8·05	8·34	7·08	7·00	39·58
Midlands	1·41	4·24	5·25	3·27	1·60	15·77	27·70	4·34	1·71	0·71	0·32	34·78	6·82	6·25	6·12	5·17	4·98	29·34
South	1·02	3·61	4·21	2·99	1·46	13·29	23·72	4·34	1·14	0·55	0·15	29·90	6·77	4·17	4·88	3·62	3·68	23·12
Wales	1·27	3·66	5·84	3·22	2·24	16·23	25·35	4·04	1·42	0·22	0·22	31·25	9·64	6·59	7·01	4·93	5·25	33·42
England and Wales	1·40	4·17	5·69	3·23	1·94	16·43	27·86	4·63	1·87	0·60	0·30	35·26	8·17	7·05	7·27	6·08	5·98	34·55
Other Urban Districts :																		
North	1·33	3·25	4·64	2·40	1·94	13·56	30·08	5·16	1·45	0·58	0·22	37·49	9·57	7·13	7·52	6·97	5·96	37·15
Midlands	1·17	2·93	3·99	2·34	1·12	11·55	25·37	3·95	1·42	0·32	0·22	31·28	6·71	5·64	5·37	4·76	3·92	26·40
South	1·02	2·47	3·51	2·06	1·12	10·18	22·98	3·71	1·07	0·20	0·30	28·26	6·79	4·20	3·74	3·45	2·70	20·88
Wales	1·55	4·06	6·03	4·03	2·04	17·71	25·82	4·41	1·75	0·70	0·26	32·94	8·72	8·30	8·21	6·14	5·50	36·87
England and Wales	1·25	3·09	4·38	2·52	1·52	12·76	26·64	4·39	1·42	0·44	0·23	33·12	7·98	6·23	6·16	5·48	4·61	30·46
Rural Districts :																		
North	0·95	3·10	3·84	2·51	1·71	12·11	30·79	4·36	1·39	0·46	0·27	37·27	8·23	7·65	7·18	6·50	6·00	35·62
Midlands	0·62	1·85	2·61	1·33	0·67	7·08	24·12	3·77	1·15	0·39	0·24	29·67	6·37	4·91	4·06	3·97	3·40	22·71
South	0·77	1·09	1·61	0·66	0·72	4·85	21·25	3·29	1·46	0·24	0·19	26·43	6·82	4·21	3·34	3·05	2·06	19·48
Wales	0·74	2·23	2·17	1·48	1·53	8·15	25·51	3·27	1·32	0·22	0·16	30·48	9·90	7·62	8·15	4·96	4·77	35·40
England and Wales	0·75	2·02	2·63	1·49	1·04	7·93	25·24	3·75	1·31	0·36	0·23	30·89	7·38	5·74	5·11	4·49	3·87	26·59

TABLE 12.—INFANT MORTALITY IN DIFFERENT PARTS OF ENGLAND AND WALES, 1921—*continued.*

Area.	Proportion of Deaths to 1,000 Births.																	
	Measles (7).						Whooping cough (9).						Meningitis (71).					
	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
All Areas :																		
North	0·01	0·06	0·08	0·30	0·50	0·95	0·10	0·88	0·84	0·94	1·03	3·79	0·04	0·13	0·27	0·24	0·21	0·89
Midlands	0·02	0·02	0·04	0·13	0·24	0·45	0·05	0·42	0·52	0·52	0·53	2·04	0·03	0·07	0·15	0·20	0·14	0·59
South	0·02	0·01	0·05	0·11	0·26	0·45	0·07	0·45	0·42	0·45	0·54	1·93	0·03	0·05	0·18	0·14	0·14	0·54
Wales	—	0·05	0·03	0·12	0·15	0·35	0·08	0·72	0·72	0·54	0·69	2·75	0·03	0·12	0·25	0·14	0·20	0·74
England and Wales	0·01	0·03	0·06	0·18	0·34	0·62	0·07	0·61	0·63	0·66	0·72	2·69	0·04	0·09	0·21	0·19	0·17	0·70
London	0·03	0·02	0·07	0·13	0·32	0·57	0·05	0·44	0·46	0·65	0·74	2·34	0·05	0·07	0·19	0·12	0·15	0·58
County Boroughs :																		
North	0·01	0·07	0·11	0·39	0·58	1·16	0·05	0·77	0·69	1·01	1·04	3·56	0·04	0·13	0·25	0·26	0·19	0·87
Midlands	0·02	0·01	0·08	0·18	0·40	0·69	0·04	0·38	0·56	0·57	0·62	2·17	0·04	0·07	0·13	0·19	0·15	0·58
South	—	0·04	0·04	0·18	0·40	0·66	0·04	0·65	0·26	0·47	0·22	1·64	—	0·07	0·18	0·11	0·11	0·47
Wales	—	0·07	—	—	—	0·07	0·07	0·37	0·98	0·60	0·60	2·62	0·07	0·07	0·23	0·37	0·23	0·97
England and Wales	0·01	0·05	0·09	0·29	0·48	0·92	0·05	0·62	0·62	0·80	0·81	2·90	0·04	0·10	0·21	0·23	0·17	0·75
Other Urban Districts :																		
North	0·02	0·05	0·04	0·21	0·50	0·82	0·15	1·02	1·01	0·92	1·15	4·25	0·03	0·13	0·33	0·22	0·26	0·97
Midlands	0·02	0·03	0·03	0·11	0·13	0·32	0·05	0·36	0·50	0·44	0·59	1·94	0·02	0·05	0·16	0·19	0·15	0·57
South	0·02	—	—	0·06	0·19	0·27	0·10	0·24	0·55	0·27	0·47	1·63	—	0·02	0·18	0·23	0·12	0·55
Wales	—	0·03	0·03	0·06	0·14	0·26	0·09	0·50	0·70	0·55	0·67	2·51	0·03	0·09	0·35	0·09	0·23	0·79
England and Wales	0·02	0·03	0·03	0·13	0·27	0·48	0·10	0·59	0·71	0·59	0·77	2·76	0·02	0·08	0·24	0·20	0·19	0·73
Rural Districts :																		
North	—	—	0·07	0·17	0·20	0·44	0·15	0·94	1·05	0·76	0·71	3·61	0·05	0·15	0·17	0·24	0·20	0·81
Midlands	—	—	—	0·09	0·21	0·30	0·06	0·56	0·49	0·56	0·35	2·02	0·04	0·09	0·19	0·20	0·10	0·62
South	—	—	0·05	0·08	0·08	0·21	0·13	0·60	0·27	0·16	0·27	1·43	0·05	0·03	0·13	0·11	0·16	0·48
Wales	—	0·05	0·05	0·33	0·26	0·69	0·05	1·38	0·58	0·48	0·79	3·28	—	0·21	0·11	0·05	0·11	0·48
England and Wales	—	0·01	0·04	0·13	0·18	0·36	0·10	0·75	0·59	0·51	0·47	2·42	0·04	0·10	0·16	0·18	0·14	0·62
	Convulsions (80).						Bronchitis (99).						Pneumonia (100, 101).					
All Areas :																		
North	3·02	1·38	0·98	0·70	0·60	6·68	0·86	2·00	1·90	1·51	1·19	7·46	0·54	1·87	2·73	3·09	3·33	11·56
Midlands	1·74	0·88	0·59	0·46	0·28	3·95	0·62	1·41	1·16	0·87	0·71	4·77	0·56	1·46	1·85	2·10	2·04	8·01
South	1·31	0·46	0·35	0·33	0·23	2·68	0·39	0·81	0·76	0·53	0·40	2·89	0·66	1·65	2·19	1·87	1·98	8·35
Wales	4·40	2·30	2·06	0·72	0·71	10·19	0·75	1·76	1·47	1·13	0·81	5·92	0·53	1·56	2·04	2·30	2·39	8·82
England and Wales	2·30	1·06	0·78	0·53	0·42	5·09	0·66	1·50	1·35	1·03	0·81	5·35	0·57	1·66	2·26	2·42	2·52	9·43
London	1·12	0·36	0·30	0·22	0·20	2·20	0·37	0·73	0·87	0·52	0·40	2·89	0·82	2·24	3·23	2·50	2·75	11·54
County Boroughs :																		
North	2·89	1·41	0·96	0·66	0·54	6·46	0·81	2·04	1·88	1·44	1·27	7·44	0·56	1·98	2·96	3·24	3·70	12·44
Midlands	1·63	0·80	0·63	0·39	0·29	3·74	0·67	1·50	1·23	0·99	0·67	5·06	0·69	1·76	2·22	2·48	2·80	9·95
South	1·75	0·37	0·51	0·55	0·47	3·65	0·33	0·88	0·73	0·47	0·58	2·99	0·47	1·28	1·46	1·50	1·97	6·68
Wales	4·86	1·94	1·20	0·30	0·22	8·52	0·22	1·50	1·27	0·90	0·67	4·56	0·75	1·35	1·94	2·62	2·69	9·35
England and Wales	2·48	1·14	0·82	0·55	0·44	5·43	0·70	1·73	1·54	1·19	0·99	6·15	0·60	1·82	2·54	2·81	3·21	10·98
Other Urban Districts :																		
North	3·23	1·21	0·94	0·73	0·58	6·69	0·93	1·74	1·86	1·49	1·09	7·11	0·60	1·87	2·53	3·22	3·02	11·24
Midlands	1·87	0·86	0·63	0·53	0·26	4·15	0·61	1·42	1·29	0·89	0·69	4·90	0·57	1·54	1·84	2·10	1·79	7·84
South	1·34	0·55	0·37	0·43	0·14	2·83	0·31	0·91	0·65	0·51	0·41	2·79	0·49	1·22	1·39	1·45	1·24	5·79
Wales	4·05	2·22	2·16	0·79	0·76	9·98	0·90	2·28	1·46	1·43	0·93	7·00	0·47	1·60	2·16	2·42	2·48	9·13
England and Wales	2·52	1·09	0·88	0·61	0·41	5·51	0·70	1·55	1·40	1·10	0·81	5·56	0·55	1·61	2·04	2·42	2·21	8·83
Rural Districts :																		
North	2·99	1·68	1·15	0·78	0·90	7·50	0·85	2·49	2·08	1·81	1·15	8·38	0·34	1·42	2·27	2·17	2·64	8·84
Midlands	1·65	1·02	0·50	0·45	0·32	3·94	0·56	1·30	0·87	0·69	0·79	4·21	0·36	0·95	1·38	1·55	1·37	5·61
South	1·46	0·66	0·34	0·32	0·27	3·05	0·58	0·86	0·62	0·61	0·27	2·94	0·58	0·93	1·01	1·03	0·90	4·45
Wales	4·71	2·70	2·49	0·90	0·95	11·75	0·85	1·01	1·63	0·74	0·69	4·92	0·48	1·64	1·90	1·85	2·01	7·88
England and Wales	2·28	1·29	0·85	0·55	0·52	5·49	0·67	1·46	1·20	0·95	0·75	5·03	0·42	1·14	1·58	1·62	1·64	6·40

TABLE 12.—INFANT MORTALITY IN DIFFERENT PARTS OF ENGLAND AND WALES, 1921—*continued*.

Area.	Proportion of Deaths to 1,000 Births.																	
	Syphilis (38).						Suffocation in bed, and not stated (180 pt.).						Injury at birth (161 : 2).					
	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
All Areas :	0.67	0.59	0.33	0.14	0.06	1.79	0.31	0.18	0.11	0.02	0.01	0.63	1.54	0.01	0.01	—	—	1.56
North	0.52	0.49	0.26	0.05	0.03	1.35	0.29	0.17	0.11	0.02	0.01	0.60	1.17	0.03	0.00	—	—	1.20
Midlands	0.45	0.48	0.20	0.06	0.02	1.21	0.34	0.17	0.08	0.02	0.01	0.62	1.42	0.04	—	0.00	—	1.46
South	0.25	0.23	0.18	0.14	0.03	0.83	0.13	0.06	0.08	0.02	—	0.29	1.14	—	—	—	—	1.14
Wales	0.54	0.50	0.26	0.09	0.04	1.43	0.30	0.16	0.10	0.02	0.01	0.59	1.37	0.02	0.00	0.00	—	1.39
England and Wales																		
London	0.54	0.59	0.25	0.05	0.01	1.44	0.33	0.25	0.09	0.02	0.03	0.72	1.44	0.02	—	0.01	—	1.47
County Boroughs :																		
North	0.85	0.77	0.48	0.15	0.09	2.34	0.36	0.23	0.14	0.03	—	0.76	1.32	0.01	0.01	—	—	1.34
Midlands	0.66	0.63	0.38	0.04	0.04	1.75	0.40	0.22	0.10	0.04	0.01	0.77	1.15	0.04	—	—	—	1.19
South	0.62	0.51	0.29	0.18	0.04	1.64	0.40	0.15	0.11	—	—	0.66	1.35	0.04	—	—	—	1.39
Wales	0.52	0.45	0.30	0.30	—	1.57	0.07	—	—	—	—	0.07	1.35	—	—	—	—	1.35
England and Wales	0.76	0.69	0.42	0.12	0.06	2.05	0.37	0.21	0.12	0.03	0.00	0.73	1.28	0.02	0.00	—	—	1.30
Other Urban Districts :																		
North	0.54	0.44	0.18	0.13	0.03	1.32	0.26	0.13	0.09	0.01	0.01	0.50	1.79	0.02	0.02	—	—	1.83
Midlands	0.46	0.49	0.25	0.07	0.05	1.32	0.25	0.17	0.12	0.01	0.02	0.57	1.07	0.02	0.01	—	—	1.10
South	0.33	0.31	0.12	0.04	0.02	0.82	0.35	0.08	0.04	0.02	—	0.49	1.47	0.04	—	—	—	1.51
Wales	0.20	0.12	0.20	0.03	0.06	0.61	0.09	0.11	0.06	—	—	0.26	0.85	—	—	—	—	0.85
England and Wales	0.43	0.40	0.20	0.08	0.04	1.15	0.26	0.13	0.09	0.01	0.01	0.50	1.36	0.02	0.01	—	—	1.39
Rural Districts :																		
North	0.32	0.22	0.12	0.10	—	0.76	0.33	0.07	0.02	—	0.02	0.44	1.78	—	—	—	—	1.78
Midlands	0.42	0.32	0.10	0.03	—	0.87	0.17	0.12	0.10	0.01	—	0.40	1.36	0.01	—	—	—	1.37
South	0.27	0.34	0.11	—	0.05	0.77	0.24	0.11	0.08	0.05	—	0.48	1.29	0.11	—	—	—	1.40
Wales	0.16	0.27	0.05	0.21	—	0.69	0.27	—	0.16	0.05	—	0.48	1.53	—	—	—	—	1.53
England and Wales	0.34	0.29	0.10	0.06	0.01	0.80	0.24	0.09	0.08	0.02	0.01	0.44	1.47	0.03	—	—	—	1.50
Congenital malformations (159).						Premature birth (161 : 1).						Congenital debility and sclerema (160 : 1).						
All Areas :	2.79	0.82	0.39	0.14	0.11	4.25	19.46	1.88	0.22	0.02	0.01	21.59	4.80	2.02	1.20	0.41	0.18	8.61
North	2.50	0.71	0.36	0.11	0.09	3.77	17.36	1.56	0.16	0.02	0.02	19.12	3.97	1.64	0.92	0.34	0.15	7.02
Midlands	2.29	0.90	0.36	0.15	0.14	3.84	14.96	1.49	0.21	0.01	0.01	16.68	2.77	1.59	1.21	0.37	0.14	6.08
South	2.74	0.63	0.41	0.17	0.08	4.03	16.52	1.56	0.32	0.03	0.02	18.45	4.19	1.74	0.84	0.27	0.14	7.18
Wales	2.58	0.79	0.37	0.13	0.11	3.98	17.43	1.66	0.21	0.02	0.01	19.33	3.97	1.77	1.09	0.37	0.16	7.36
England and Wales																		
London	2.27	0.97	0.41	0.19	0.14	3.98	14.28	1.66	0.22	0.01	—	16.17	2.63	1.80	1.80	0.60	0.21	7.04
County Boroughs :																		
North	2.68	0.83	0.44	0.12	0.10	4.17	19.62	1.86	0.24	0.01	0.01	21.74	4.01	2.05	1.45	0.45	0.23	8.19
Midlands	2.62	0.62	0.32	0.12	0.10	3.78	18.79	1.57	0.16	0.03	0.01	20.56	4.18	2.00	1.23	0.56	0.21	8.18
South	1.75	0.80	0.26	0.11	0.07	2.99	17.02	1.75	0.22	0.07	0.04	19.10	2.76	1.68	0.66	0.37	0.04	5.51
Wales	2.39	0.90	0.37	0.15	—	3.81	18.39	2.02	0.45	—	—	20.86	1.95	1.12	0.60	0.07	0.22	3.96
England and Wales	2.57	0.77	0.38	0.12	0.09	3.93	19.06	1.77	0.22	0.02	0.01	21.08	3.86	1.96	1.27	0.46	0.20	7.75
Other Urban Districts :																		
North	3.05	0.78	0.32	0.15	0.10	4.40	19.10	1.99	0.17	0.04	—	21.30	5.74	2.10	0.95	0.39	0.12	9.30
Midlands	2.50	0.68	0.35	0.09	0.05	3.67	17.41	1.65	0.19	0.02	0.02	19.29	3.68	1.54	0.87	0.21	0.15	6.45
South	2.55	0.86	0.22	0.12	0.12	3.87	15.66	1.39	0.14	—	0.02	17.21	2.66	1.28	0.71	0.08	0.16	4.89
Wales	3.01	0.55	0.41	0.20	0.09	4.26	15.49	1.52	0.35	0.06	0.03	17.45	5.43	2.22	0.99	0.44	0.14	9.22
England and Wales	2.76	0.73	0.33	0.13	0.08	4.03	17.47	1.71	0.19	0.03	0.01	19.41	4.43	1.77	0.89	0.28	0.14	7.51
Rural Districts :																		
North	2.71	0.88	0.34	0.15	0.12	4.20	19.79	1.68	0.27	0.02	—	21.76	5.67	1.68	0.78	0.29	0.15	8.57
Midlands	2.30	0.88	0.43	0.13	0.14	3.88	15.34	1.41	0.13	0.01	0.01	16.90	4.07	1.30	0.58	0.25	0.09	6.29
South	2.41	0.85	0.50	0.11	0.19	4.06	14.37	0.98	0.24	—	—	15.59	3.28	1.38	0.72	0.13	—	5.51
Wales	2.54	0.58	0.42	0.11	0.11	3.76	17.09	1.32	0.16	—	—	18.57	3.55	1.32	0.74	0.11	0.05	5.77
England and Wales	2.44	0.84	0.43	0.13	0.14	3.98	16.41	1.37	0.19	0.01	0.01	17.99	4.22	1.41	0.68	0.22	0.08	6.61

TABLE 13.—INFANT MORTALITY: DEATHS AND DEATH RATES (PER 1,000 BIRTHS) IN ADMINISTRATIVE AREAS, 1921.

ALL INFANTS.										Area.	ILLEGITIMATE INFANTS.										
DEATHS.								Deaths per 1,000 Births.			Deaths per 1,000 Births.		DEATHS.								
Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 year.		Under 4 weeks.	Total under 1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	
SUMMARY*.																					
9150	9873	10909	12598	11897	8544	7279	70250	35	83	All Areas.	64	158	929	705	834	1244	1189	703	511	6115	
3560	3993	4596	5296	5001	3715	3343	29504	40	97	England and Wales	66	172	298	296	353	488	475	297	243	2450	
2795	2983	3185	3558	3149	2329	1849	19848	34	75	North	61	146	280	197	253	356	334	199	128	1747	
2098	2068	2241	2667	2713	1811	1506	15104	30	71	Midlands	64	157	291	150	178	318	308	161	112	1518	
697	829	887	1077	1034	689	581	5794	36	87	South†	63	146	60	62	50	82	72	46	28	400	
935	907	1089	1426	1692	1094	934	8077	29	81	Wales	65	199	134	47	81	185	197	88	73	805	
3315	3659	4196	4976	4788	3460	3061	27455	38	92	London Administra- tive County.	69	177	329	270	353	473	486	300	233	2444	
1887	2088	2447	2967	2930	2113	1940	16372	39	101	County Boroughs.	69	177	329	270	353	473	486	300	233	2444	
1008	1096	1293	1455	1349	990	823	8014	36	85	England and Wales	69	177	329	270	353	473	486	300	233	2444	
274	305	286	355	302	229	178	1929	32	70	North	70	187	182	158	208	282	292	173	158	1453	
146	170	170	199	207	128	120	1140	36	85	Midlands	65	168	93	74	103	132	146	85	62	695	
3079	3432	3730	4126	3739	2751	2252	23109	36	81	South	73	161	44	31	30	45	35	37	10	232	
1146	1363	1569	1666	1502	1161	1021	9428	41	95	Wales	70	155	10	7	12	14	13	5	3	64	
1071	1134	1199	1328	1196	865	670	7463	33	73	Other Urban Districts.	66	155	308	251	257	400	347	229	132	1924	
514	511	492	531	456	316	254	3074	31	63	England and Wales	66	155	308	251	257	400	347	229	132	1924	
348	424	470	601	585	409	307	3144	36	92	North	66	164	88	96	109	147	132	96	61	729	
1821	1875	1894	2070	1678	1239	1032	11609	34	70	Midlands	65	156	116	74	89	148	125	78	40	670	
527	542	580	663	569	441	382	3704	40	90	South	63	130	73	47	37	61	49	21	20	308	
716	753	693	775	604	474	356	4371	31	63	Wales	67	166	31	34	22	44	41	34	11	217	
375	345	374	355	263	172	140	2024	29	54	Rural Districts.	52	112	158	137	143	186	159	86	73	942	
203	235	247	277	242	152	154	1510	36	80	England and Wales	52	112	158	137	143	186	159	86	73	942	
										North	52	132	28	42	36	59	51	28	24	268	
										Midlands	52	109	71	49	61	76	63	36	26	382	
										South	52	95	40	25	30	27	27	15	9	173	
										Wales	55	116	19	21	16	24	18	7	14	119	

* The Counties in the four areas, North, Midlands, South and Wales, are as follows :—

North.	Midlands.	South.	Wales.
Cheshire.	Middlesex.	Gloucestershire.	London.
Lancashire.	Hertfordshire.	Herefordshire.	Surrey.
Yorks, West Riding.	Buckinghamshire.	Shropshire.	Kent.
„ East Riding.	Oxfordshire.	Staffordshire.	Sussex, East.
„ North Riding.	Northamptonshire.	Worcestershire.	„ West.
Durham.	Soke of Peterborough.	Warwickshire.	Southampton.
Northumberland.	Huntingdonshire.	Leicestershire.	Isle of Wight.
Cumberland.	Bedfordshire.	Rutlandshire.	Berkshire.
Westmorland.	Cambridgeshire.	Lincolnshire.	Wiltshire.
	Isle of Ely.	Parts of Holland.	Dorsetshire.
	Essex.	„ Kesteven.	Devonshire.
	Suffolk, East.	„ Lindsey.	Cornwall.
	„ West.	Nottinghamshire.	Somersetshire.
	Norfolk.	Derbyshire.	

† Including London.

TABLE 13.—*continued.* INFANT MORTALITY: DEATHS AND DEATH RATES (PER 1,000 BIRTHS) IN ADMINISTRATIVE AREAS, 1921.

ALL INFANTS.										ILLEGITIMATE INFANTS.										
DEATHS.								Deaths per 1,000 Births.		Area.	Deaths per 1,000 Births.		DEATHS.							
Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 year.		Under 4 weeks.	Total under 1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.
GREATER LONDON AND METROPOLITAN BOROUGHES.																				
1525	1476	1730	2150	2400	1601	1271	12153	29	75	Greater London* ..	69	197	221	82	132	266	295	140	100	123
2	5	2	1	2	1	1	14	70	109	London, City of ..	300	300	1	—	2	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	The Inner and Mid- dle Temples.	—	—	—	—	—	—	—	—	—	—
38	21	49	42	50	38	38	276	29	74	Battersea	61	191	3	1	4	5	5	4	3	2
28	33	33	64	71	46	34	309	28	93	Bermondsey	94	266	5	1	—	7	3	1	—	1
26	32	27	42	92	46	35	300	28	100	Bethnal Green ..	57	257	3	—	1	5	9	—	—	1
54	49	69	81	94	66	50	463	27	74	Camberwell	33	178	1	2	3	8	8	7	3	3
19	13	12	19	14	8	5	90	40	82	Chelsea	114	229	5	1	2	3	3	2	—	1
30	20	30	43	45	29	37	234	30	88	Deptford	44	265	1	—	2	6	4	3	2	1
21	22	26	37	25	23	28	182	35	91	Finsbury	17	169	1	—	—	2	2	1	4	1
37	34	36	70	55	34	31	297	30	84	Fulham	101	308	10	2	4	16	11	1	5	4
25	17	25	30	35	24	19	175	29	75	Greenwich	99	282	6	—	1	5	6	1	1	2
39	42	44	67	66	43	30	331	25	66	Hackney	49	189	4	2	1	8	9	2	1	2
27	36	33	41	54	23	30	244	35	82	Hammersmith ..	58	240	5	—	4	9	7	7	5	3
14	13	14	13	19	8	7	88	31	66	Hampstead	96	205	3	3	2	4	4	—	1	1
5	5	10	12	13	3	3	51	31	79	Holborn	73	91	2	1	1	—	1	—	—	—
76	59	90	104	146	95	73	643	29	82	Islington	48	184	6	3	4	12	15	6	4	5
36	38	34	59	96	67	36	366	32	107	Kensington	81	315	12	4	3	13	26	11	5	7
70	68	63	77	113	69	55	515	30	76	Lambeth	45	146	10	4	—	11	13	6	2	4
27	25	28	38	40	15	20	193	23	56	Lewisham	56	232	3	—	4	5	14	2	1	2
39	29	34	48	45	44	24	263	35	91	Paddington	75	167	8	2	7	9	3	5	4	3
32	42	58	67	70	46	59	374	29	83	Poplar	25	175	—	1	1	3	4	2	3	1
15	16	21	32	16	10	19	129	30	73	St. Marylebone ..	87	147	5	3	8	8	1	1	1	2
44	37	57	60	74	52	38	362	29	76	St. Pancras	58	178	8	2	5	9	11	7	4	4
35	35	39	50	72	59	49	339	36	111	Shoreditch	36	200	1	1	2	3	5	5	5	2
47	40	57	82	101	67	59	453	29	90	Southwark	59	168	4	3	5	7	10	1	4	3
44	76	77	94	128	71	70	560	32	90	Stepney	68	231	1	6	3	8	7	4	5	3
9	8	8	6	16	6	5	58	23	54	Stoke Newington ..	30	121	1	—	—	—	1	—	2	—
50	50	61	78	77	50	49	415	26	67	Wandsworth	62	177	9	4	3	10	8	7	5	4
22	21	27	29	24	22	11	156	36	81	Westminster	104	173	11	1	9	8	3	—	3	3
24	21	25	40	39	29	19	197	22	62	Woolwich	63	150	5	—	—	1	4	2	—	1

* Greater London consists of the City of London, the Metropolitan Boroughs and the Outer Ring. For the details of the constitution see Census of England and Wales, 1921, Preliminary Report, pp. 58, 59. (Cmd. 1485.)

TABLE 13.—*continued.* INFANT MORTALITY: DEATHS AND DEATH RATES (PER 1,000 BIRTHS)
IN ADMINISTRATIVE AREAS, 1921.

ALL INFANTS.												ILLEGITIMATE INFANTS.									
DEATHS.								Deaths per 1,000 Births.		Area.	Deaths per 1,000 Births.		DEATHS.								
1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 year.		Under 4 weeks.	Total under 1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	
COUNTY BOROUGHES.																					
ENGLAND.																					
15	33	26	34	36	22	22	188	45	115	Barnsley	111	189	3	7	—	—	1	4	2	17	
17	28	31	29	19	13	15	152	42	84	Barrow-in-Furness ..	103	176	—	4	3	1	2	—	2	12	
12	12	12	12	14	8	9	79	33	72	Bath	115	180	2	2	3	3	1	—	—	11	
35	32	58	49	57	39	24	294	33	79	Birkenhead	73	202	7	2	—	3	7	4	2	25	
34	240	307	329	284	236	216	1846	35	83	Birmingham	57	151	14	19	16	25	24	16	15	129	
43	42	40	54	42	28	31	280	49	111	Blackburn	55	127	3	—	3	3	2	2	1	14	
8	19	18	11	10	9	1	76	39	66	Blackpool	38	67	—	2	2	2	—	1	—	7	
52	50	56	77	58	43	35	371	41	96	Bolton	100	180	11	5	4	4	6	4	2	36	
22	21	33	32	32	23	34	197	37	95	Bootle	50	117	1	1	1	2	—	—	2	7	
24	24	13	13	10	8	2	94	49	75	Bournemouth	99	198	5	2	2	4	1	4	—	18	
76	100	83	128	109	58	71	625	45	110	Bradford	68	211	7	13	4	15	20	9	7	75	
27	34	33	32	40	18	15	199	37	79	Brighton	92	188	7	6	6	4	8	7	1	39	
38	71	90	101	88	61	49	548	30	66	Bristol	61	155	13	2	2	7	12	3	4	43	
26	37	50	58	41	29	38	279	48	119	Burnley	79	232	4	3	5	4	7	3	9	35	
22	12	15	9	10	9	13	90	42	76	Burton-upon-Trent ..	100	175	2	1	1	1	—	2	—	7	
15	10	23	17	8	11	12	96	44	88	Bury	108	215	3	—	4	2	—	2	3	14	
4	3	3	4	4	4	2	24	20	49	Canterbury	87	174	1	1	—	—	—	2	—	4	
15	20	15	23	34	20	14	141	39	110	Carlisle	15	138	—	1	—	2	3	1	2	9	
9	13	8	15	20	8	6	79	34	88	Chester	83	222	1	2	—	2	2	1	—	8	
41	34	43	37	36	22	14	227	42	80	Coventry	68	193	1	1	4	4	3	4	—	17	
27	33	42	49	47	36	31	265	28	73	Croydon	58	228	3	4	3	8	9	9	3	39	
13	28	29	32	28	12	13	155	44	98	Darlington	30	104	—	—	2	2	2	1	—	7	
28	29	37	40	36	20	18	208	33	72	Derby	47	148	—	5	1	5	7	1	—	19	
22	22	23	33	25	10	13	148	54	120	Dewsbury	85	169	2	1	2	4	—	1	—	10	
8	31	24	28	20	13	19	143	37	85	Dudley	54	125	—	1	2	1	2	—	1	7	
12	8	9	10	9	7	5	60	36	75	Eastbourne	89	196	4	—	1	3	—	2	1	11	
30	18	33	40	36	25	18	200	25	63	East Ham	73	146	4	—	2	—	2	3	1	12	
13	13	15	23	15	17	12	108	36	96	Exeter	79	159	1	2	2	3	1	1	—	10	
57	41	62	86	61	46	49	402	42	106	Gateshead	56	204	2	4	2	9	5	5	2	29	
15	20	15	18	16	12	7	103	40	82	Gloucester	125	214	2	3	2	—	3	1	1	12	
6	16	9	12	21	8	15	87	25	69	Gt. Yarmouth	27	110	—	2	—	—	4	2	—	8	
15	22	32	42	43	36	31	221	32	103	Grimsby	61	177	3	3	3	3	6	4	4	26	
12	26	40	31	30	17	19	175	44	99	Halifax	108	171	3	2	7	1	2	2	2	19	
4	6	7	10	6	7	5	45	20	53	Hastings	45	91	—	—	2	1	—	1	—	4	
26	27	30	36	28	18	15	180	41	88	Huddersfield	98	173	4	3	6	9	1	—	—	23	
17	24	24	23	19	12	9	128	37	74	Ipswich	68	125	1	3	2	2	2	—	1	11	
37	74	105	142	157	86	80	711	33	94	Kingston-upon-Hull ..	56	192	4	4	12	19	20	2	7	68	
15	135	167	187	179	116	98	997	41	98	Leeds	77	208	13	14	17	29	27	8	11	119	
56	61	58	76	91	50	40	432	35	86	Leicester	63	153	7	6	6	7	11	6	3	46	
19	16	19	24	28	9	15	130	36	88	Lincoln	98	207	5	2	2	4	4	1	1	19	
47	247	268	391	477	387	337	2354	35	107	Liverpool	62	229	21	20	10	28	46	37	28	190	
35	193	278	288	331	225	193	1713	39	98	Manchester	74	188	32	10	25	32	39	16	17	171	
47	60	69	87	84	86	73	506	42	120	Middlesbrough	57	187	3	4	4	6	8	5	6	36	
91	100	96	129	120	77	92	705	39	97	Newcastle-on-Tyne ..	89	185	8	10	9	9	10	6	4	56	
20	18	31	14	14	17	12	126	37	67	Northampton	50	113	2	—	2	1	2	1	1	9	
24	41	38	29	23	27	18	200	39	75	Norwich	79	136	2	3	6	6	2	—	—	19	
38	88	101	127	102	80	66	632	42	103	Nottingham	64	190	7	8	16	23	15	16	7	92	
44	55	51	68	51	32	32	333	48	107	Oldham	55	186	2	3	5	12	5	3	4	34	
5	8	6	5	5	2	3	34	20	37	Oxford	75	94	1	—	3	1	—	—	—	5	
47	48	61	62	56	48	31	353	35	78	Plymouth	84	156	5	3	7	4	4	4	1	28	
43	54	51	77	52	46	35	358	26	64	Portsmouth	59	141	5	6	4	10	6	3	2	36	
40	39	47	70	51	40	29	316	45	112	Preston	85	215	4	2	9	6	8	6	3	38	
18	22	15	21	16	12	10	114	29	60	Reading	67	114	6	1	—	1	1	3	—	12	
24	29	26	33	14	20	13	159	43	86	Rochdale	100	217	2	5	5	5	3	2	4	26	
17	22	21	27	33	27	19	166	31	86	Rotherham	61	121	2	2	2	—	3	2	1	12	
39	34	44	56	60	44	40	317	38	104	St. Helens	81	169	—	4	7	4	3	5	—	23	
34	75	107	121	112	88	72	639	41	106	Salford	64	154	5	4	11	10	8	5	5	48	
46	147	200	191	188	166	135	1173	41	99	Sheffield	74	182	12	9	19	14	18	17	9	98	
30	27	25	28	28	16	22	176	42	89	Smethwick	100	150	2	—	4	—	2	—	1	9	
43	48	25	42	33	18	21	230	32	64	Southampton	49	110	5	4	—	4	4	1	2	20	
5	13	9	19	18	12	8	94	23	57	Southend-on-Sea	65	176	3	3	1	5	3	4	—	19	
12	9	13	12	13	10	8	77	31	70	Southport	75	224	2	—	3	4	3	1	2	15	
39	46	56	58	53	37	47	336	40	96	South Shields	59	170	2	2	5	5	3	3	6	26	
24	39	35	49	38	31	18	234	38	91	Stockport	70	171	4	4	1	5	6	1	1	22	
32	114	144	212	183	140	88	963	48	135	Stoke-on-Trent	75	236	8	3	15	18	18	11	9	82	

TABLE 13.—*continued.* INFANT MORTALITY: DEATHS AND DEATH RATES (PER 1,000 BIRTHS) IN ADMINISTRATIVE AREAS, 1921.

ALL INFANTS.										ILLEGITIMATE INFANTS.										
DEATHS.									Deaths per 1,000 Births.	Area.	Deaths per 1,000 Births.	DEATHS.								
Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.				Total under 1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.
COUNTY BOROUGHES.—continued.																				
50	72	69	80	101	90	87	549	40	115	Sunderland..	47	141	2	2	5	4	5	6	3	
27	20	23	37	30	18	21	176	41	102	Tynemouth..	62	222	2	1	2	4	4	2	3	
19	16	17	24	21	16	12	125	42	100	Wakefield ..	74	176	2	2	1	3	2	1	1	
13	15	11	21	21	6	13	100	24	61	Wallasey ..	75	134	3	1	1	2	1	—	1	
37	50	54	50	60	35	27	313	51	113	Walsall ..	61	182	3	1	2	6	4	2	—	
27	22	27	35	31	26	29	197	38	98	Warrington..	53	123	1	2	—	1	1	—	2	
30	32	36	32	31	22	26	209	45	97	West Bromwich ..	118	303	3	2	4	3	3	4	2	
89	73	89	104	118	78	64	615	30	75	West Ham ..	61	155	9	1	5	6	12	1	4	
20	26	31	33	36	19	23	193	38	96	West Hartlepool ..	36	84	1	—	2	1	1	1	—	
34	44	34	53	49	36	37	287	44	113	Wigan ..	83	220	2	2	5	7	3	2	3	
23	27	43	42	30	41	23	229	36	88	Wolverhampton ..	37	156	1	2	1	2	3	3	5	
6	11	11	14	9	7	2	60	28	60	Worcester ..	63	125	—	3	1	2	2	—	—	
13	20	27	30	42	24	15	171	34	97	York ..	55	183	2	1	3	7	5	2	—	
WALES.																				
54	62	70	82	79	59	58	464	38	95	Cardiff ..	91	166	6	4	6	4	8	—	1	
30	37	29	35	44	14	19	208	43	92	Merthyr Tydfil ..	57	161	1	1	3	3	3	1	2	
21	25	37	31	32	32	17	195	35	82	Newport, Mon. ..	67	217	1	1	2	6	1	2	—	
41	46	34	51	52	23	26	273	31	70	Swansea ..	43	87	2	1	1	1	1	2	—	
ADMINISTRATIVE COUNTIES.																				
NOTE :—The following figures relate to the aggregates of Urban Districts (including Municipal Boroughs but excluding County Boroughs) and of Rural Districts in each Administrative County.																				
ENGLAND.																				
22	29	26	38	26	24	18	183	32	76	Bedford .. U.D.	61	132	2	1	4	1	3	3	1	
17	19	20	18	12	8	3	97	37	63	.. R.D.	105	193	2	1	3	2	3	—	1	
16	13	11	9	11	11	2	73	31	57	Berks .. U.D.	27	55	—	2	—	—	1	—	—	
23	20	15	25	15	9	10	117	24	49	.. R.D.	43	96	2	2	1	3	—	2	1	
14	14	19	20	19	8	6	100	25	53	Bucks .. U.D.	21	94	1	1	—	2	1	2	—	
35	22	30	22	19	16	6	151	34	58	.. R.D.	77	154	5	1	3	3	4	1	1	
6	9	10	12	5	5	7	54	24	53	Cambs .. U.D.	20	40	—	1	—	1	—	—	—	
17	15	7	9	7	7	5	67	31	53	.. R.D.	49	111	2	1	1	2	1	1	—	
108	112	128	152	117	78	71	766	39	86	Cheshire .. U.D.	45	165	4	5	7	11	16	9	6	
23	49	50	33	30	26	14	225	34	63	.. R.D.	51	108	1	6	1	3	3	1	2	
26	29	33	44	25	26	20	203	34	78	Cornwall .. U.D.	71	143	6	2	3	7	3	—	1	
40	44	52	35	37	26	13	247	38	69	.. R.D.	59	92	3	2	6	3	1	1	1	
29	40	46	57	46	43	20	281	36	89	Cumberland U.D.	41	140	4	2	1	8	5	3	1	
19	29	30	22	25	18	13	156	36	72	.. R.D.	49	111	1	4	2	2	5	1	1	
88	86	79	92	93	85	57	580	34	78	Derby .. U.D.	53	130	9	4	4	13	4	6	2	
69	86	78	101	87	63	47	531	34	77	.. R.D.	43	112	3	7	2	1	9	6	3	
39	42	44	39	33	20	21	238	35	67	Devon .. U.D.	94	143	9	5	5	4	5	1	—	
46	41	41	42	29	24	17	240	31	59	.. R.D.	60	107	3	4	3	—	5	2	1	
24	26	29	14	21	15	9	138	35	61	Dorset .. U.D.	94	141	4	4	4	1	4	—	1	
16	16	19	23	8	6	6	94	25	46	.. R.D.	28	65	2	1	—	3	—	1	—	
221	227	237	282	264	191	221	1643	44	107	Durham .. U.D.	58	159	11	14	12	17	23	14	11	
231	201	209	247	235	198	154	1475	49	112	.. R.D.	58	147	11	10	10	21	13	9	4	
10	13	7	13	10	5	9	67	36	80	Ely, I. of .. U.D.	33	82	1	—	1	2	1	—	—	
8	7	12	12	8	7	10	64	34	81	.. R.D.	24	49	—	—	1	—	—	—	—	
114	126	138	138	124	100	57	797	29	61	Essex .. U.D.	77	141	17	5	9	9	9	5	3	
52	52	52	44	43	31	18	292	29	55	.. R.D.	55	127	4	4	5	7	9	1	—	
24	23	13	27	19	4	7	117	32	63	Gloucester .. U.D.	55	165	—	2	3	6	3	—	1	
46	52	47	57	29	29	17	277	31	59	.. R.D.	47	75	6	3	1	3	1	2	—	
9	6	14	14	11	13	3	70	31	75	Hereford .. U.D.	90	149	2	1	3	1	3	—	—	
10	23	14	15	9	5	7	83	31	55	.. R.D.	21	41	—	—	2	—	2	—	—	
44	38	37	35	31	18	14	217	28	51	Hertford .. U.D.	51	144	4	3	3	8	5	2	3	
20	15	13	16	9	9	10	92	25	48	.. R.D.	14	96	—	1	—	2	2	1	1	
3	5	7	8	4	4	—	31	30	62	Huntingdon U.D.	33	67	1	—	—	—	1	—	—	
11	11	10	7	5	7	4	55	50	87	.. R.D.	143	171	1	1	3	—	1	—	—	
154	147	166	170	158	126	95	1016	30	66	Kent .. U.D.	71	151	23	11	13	21	12	13	7	
63	62	67	64	52	30	27	365	31	59	.. R.D.	53	106	6	5	5	5	6	4	1	
332	437	529	524	440	354	273	2889	41	90	Lancs .. U.D.	69	170	31	18	43	49	35	31	18	
49	58	59	61	59	32	34	352	36	76	.. R.D.	67	128	1	7	4	3	6	—	2	
24	37	32	31	34	24	20	202	38	82	Leicester .. U.D.	52	93	3	1	1	2	1	1	—	
29	23	33	32	33	27	27	204	26	63	.. R.D.	37	96	3	1	1	3	2	2	1	
17	8	9	11	8	9	9	71	39	81	Lincs, Holland U.D.	19	130	1	—	—	—	2	3	1	
13	15	13	18	9	16	5	89	35	75	.. R.D.	72	130	3	1	1	2	1	—	1	
8	8	12	16	11	11	7	73	34	89	Lincs, Kesteven U.D.	94	170	1	3	1	3	—	1	—	
11	20	23	17	14	8	6	99	38	70	.. R.D.	54	76	3	1	1	1	1	—	—	
27	27	38	48	42	18	20	220	32	76	Lincs, Lindsey U.D.	56	153	1	1	8	7	3	5	2	
31	37	28	47	33	20	17	213	32	70	.. R.D.	22	121	1	2	1	6	8	1	3	
240	235	243	299	272	199	122	1610	30	67	Middlesex .. U.D.	85	221	41	16	21	42	47	24	13	
7	7	9	15	17	11	5	71	21	65	.. R.D.	104	292	1	2	2	2	4	3	—	
14	13	11	16	16	17	2	89	32	75	Norfolk .. U.D.	59	94	2	3	—	1	1	1	—	
52	52	41	49	43	33	19	289	27	54	.. R.D.	39	70	5	6	4	7	—	2	—	

ALL INFANTS.										Area.		ILLEGITIMATE INFANTS.									
DEATHS.							Deaths per 1,000 Births.		DEATHS.												
Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 year.			Under 4 weeks.	Total under 1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.
ADMINISTRATIVE COUNTIES.—continued.																					
31	38	27	22	21	10	9	158	51	84	Northants ..	U.D.	96	181	2	5	2	4	4	—	—	1
22	22	28	27	16	14	13	142	32	62		R.D.	55	121	2	2	1	4	—	1	1	11
105	115	109	136	122	123	106	816	41	102	North'berland	U.D.	77	197	6	14	7	15	9	10	8	69
22	25	30	22	19	21	14	153	36	72		R.D.	66	154	3	2	4	5	4	1	2	21
56	87	81	114	101	72	58	569	36	91	Notts ..	U.D.	68	133	6	7	5	5	7	4	1	35
34	38	32	34	43	26	20	227	35	77		R.D.	79	171	6	2	3	4	4	3	2	24
5	5	11	7	6	3	3	40	30	56	Oxford ..	U.D.	—	56	—	—	—	2	—	—	—	2
21	28	17	15	13	7	5	106	35	56		R.D.	77	137	3	3	3	3	1	3	—	16
11	8	13	9	9	6	2	58	42	76	Peterborough,	U.D.	115	308	2	1	—	—	2	3	—	8
4	2	—	3	2	1	1	13	24	52	Soke of	R.D.	—	59	—	—	—	—	—	—	1	1
—	—	2	1	—	1	—	4	34	68	Rutland ..	U.D.	—	—	—	—	—	—	—	—	—	—
—	4	3	2	1	1	1	12	23	40		R.D.	—	45	—	—	—	—	1	—	—	1
33	28	31	31	19	16	28	186	38	78	Salop ..	U.D.	54	161	1	4	4	9	2	3	4	27
41	31	23	25	20	11	17	168	32	57		R.D.	54	109	6	2	3	5	3	1	2	22
31	34	24	25	30	10	14	168	29	55	Somerset	U.D.	94	117	3	7	2	—	3	—	—	15
46	47	59	45	21	17	17	252	34	57		R.D.	37	79	3	2	2	2	2	2	2	15
40	32	40	43	34	16	21	226	29	58	Southants ..	U.D.	35	98	3	—	3	5	3	—	3	17
46	33	41	42	34	22	16	234	27	53		R.D.	39	68	7	—	1	3	2	1	—	14
187	193	214	222	201	150	141	1308	43	95	Staffs ..	U.D.	63	159	11	6	13	19	13	8	6	76
44	56	64	68	47	43	30	352	32	69		R.D.	63	129	3	4	8	9	1	3	3	31
21	23	23	20	14	7	13	121	35	62	Suffolk, East	U.D.	88	127	2	5	2	2	1	1	—	13
38	27	23	27	23	9	10	157	34	61		R.D.	53	80	3	1	4	4	—	—	—	12
8	6	12	5	8	9	6	54	32	67	Suffolk, West	U.D.	22	178	—	1	—	1	4	1	1	8
11	12	15	18	10	6	2	74	26	51		R.D.	67	101	2	1	3	2	1	—	—	9
93	112	84	114	90	54	42	589	29	59	Surrey ..	U.D.	65	151	13	11	6	18	13	5	4	70
23	21	19	21	22	4	6	116	22	41		R.D.	67	128	4	1	5	2	5	—	2	19
26	13	18	20	14	10	12	113	30	59	Sussex, East	U.D.	65	97	7	1	—	1	1	—	2	12
12	17	22	23	6	10	9	99	22	43		R.D.	89	145	4	3	4	3	3	1	—	18
14	26	16	15	8	9	6	94	37	62	Sussex, West	U.D.	11	67	1	—	—	2	1	—	2	6
18	10	15	7	7	3	4	64	25	38		R.D.	45	67	1	2	1	—	1	—	—	6
21	31	34	35	44	16	25	206	27	65	Warwick ..	U.D.	42	151	2	—	3	5	6	2	—	18
47	52	34	46	38	42	35	294	30	66		R.D.	54	96	4	1	4	2	3	1	1	16
6	8	8	6	7	2	3	40	44	80	Westmorland	U.D.	54	297	—	2	—	3	3	1	2	11
7	5	10	8	8	5	3	46	32	67		R.D.	24	95	—	—	1	1	—	1	1	4
13	6	8	14	11	3	4	59	27	60	Wight, I. of	U.D.	37	56	1	1	—	—	1	—	—	3
6	2	1	7	4	5	2	27	17	52		R.D.	29	114	1	—	—	2	1	—	—	4
38	31	19	24	21	16	8	157	34	61	Wilts ..	U.D.	59	101	3	3	1	2	2	1	—	12
36	32	23	21	28	16	13	169	28	52		R.D.	59	79	4	3	2	1	1	—	1	12
34	38	56	44	48	31	27	278	35	76	Worcester ..	U.D.	60	114	4	3	2	3	2	3	—	17
25	25	24	31	14	17	16	152	27	56		R.D.	38	98	3	1	1	2	2	2	2	13
12	17	13	12	26	10	8	98	33	77	Yorks, E.R.	U.D.	42	105	—	3	1	1	3	1	1	10
29	21	26	39	26	12	12	165	35	76		R.D.	46	131	2	2	4	5	5	2	3	23
58	61	67	58	65	46	52	407	43	94	Yorks, N.R.	U.D.	72	169	7	6	4	4	9	6	4	40
39	36	30	25	24	16	19	189	39	69		R.D.	30	85	3	3	—	4	4	2	1	17
275	346	432	439	415	314	267	2488	41	97	Yorks, W.R.	U.D.	74	154	25	32	34	39	29	21	10	190
108	118	136	206	143	113	119	943	37	97		R.D.	52	149	6	8	10	15	11	11	8	69
WALES.																					
5	4	6	8	6	4	5	38	35	88	Anglesey ..	U.D.	33	133	1	—	—	1	—	1	1	4
8	6	3	11	7	2	5	42	28	68		R.D.	15	15	1	—	—	—	—	—	—	1
3	5	6	4	5	5	4	32	35	80	Brecon ..	U.D.	—	95	—	—	—	1	—	1	—	2
10	12	16	14	16	7	10	85	38	84		R.D.	36	143	—	—	2	—	2	3	1	8
2	3	2	3	1	2	3	16	28	65	Cardigan ..	U.D.	—	—	—	—	—	—	—	—	—	—
5	3	8	13	10	3	3	45	21	59		R.D.	37	37	1	—	1	—	—	—	—	2
13	21	30	26	36	16	20	162	35	89	Carmarthen	U.D.	32	175	—	1	1	2	4	2	1	11
25	34	40	44	41	26	19	229	41	96		R.D.	90	135	2	4	4	3	1	—	1	15
9	14	15	16	10	8	9	81	39	83	Carnarvon ..	U.D.	100	157	1	4	2	3	—	—	1	11
9	14	7	25	17	15	13	100	27	89		R.D.	22	99	2	—	—	4	1	—	2	9
11	13	10	12	6	8	9	69	36	72	Denbigh ..	U.D.	129	177	2	3	3	1	1	1	—	11
34	23	30	32	45	16	18	198	38	88		R.D.	79	152	4	4	4	1	6	1	3	23
10	9	11	11	5	8	8	62	36	74	Flint ..	U.D.	53	158	2	—	—	2	—	1	1	6
15	13	18	12	7	10	10	85	34	63		R.D.	27	68	—	—	2	3	—	—	—	5
175	213	237	345	333	218	147	1668	36	95	Glamorgan ..	U.D.	68	177	13	18	9	23	22	16	3	104
52	81	87	85	73	56	57	491	38	85		R.D.	62	129	4	7	1	3	5	1	4	25
6	5	5	6	8	7	—	37	46	107	Merioneth ..	U.D.	91	242	2	1	—	1	2	2	—	8
8	4	3	10	2	3	3	33	30	66		R.D.	—	68	—	—	—	2	—	—	1	3
106	123	133	150	161	121	92	886	39	95	Monmouth ..	U.D.	78	177	9	7	7	7	10	8	4	52
12	12	11	8	10	1	4	58	37	61		R.D.	143	257	1	3	1	2	1	—	—	9
3	3	4	5	2	3	2	22	28	62	Montgomery	U.D.	—	167	—	—	—	2	1	2	—	5
10	22	8	13	5	4	4	66	56	93		R.D.	46	185	—	2	1	5	1	1	2	12
5	11	9	13	10	9	8	65	26	68	Pembroke ..	U.D.	19	37	1	—	—	—	1	—	—	2
11	9	15	8	7	8	8	66	32	60		R.D.	81	113	4	1	—	1	1	—	—	7
—	—	2	2	2	—	—	6	20	59	Radnor ..	U.D.	—	125	—	—	—	1	—	—	—	1
4	2	1	2	2	1	—	12	21	35		R.D.	—	—	—	—	—	—	—	—	—	—

TABLE 14.—POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.
COUNTIES—COUNTY BOROUGH—MUNICIPAL BOROUGH AND URBAN
DISTRICTS—RURAL DISTRICTS.

Note.—The estimates of population shown in the following table have been based primarily on the 1921 Census returns. (See Section "Population" in Text.) In the case of Districts marked with an *, changes in boundaries have occurred during the year, and the populations have been adjusted in order to make them comparable with the records of births and deaths. Particulars of the changes of boundary will be found in Part II of the Tables. The births and deaths exclude stillbirths. Deaths are transferred to the area of residence of the deceased person; births occurring in lying-in institutions have been transferred to the area of residence of the parents. Deaths of non-civilians have been excluded throughout this table, the districts in which this exclusion appreciably affects the rates being referred to in footnotes.

SUMMARY.

Area.		Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
				Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births.
All Areas	Eng. & Wales	37,885,242	848,814	457,878§	12·1	70,250	83
	North ..	12,775,883	302,722	166,435	13·0†	29,504	97
	Midlands ..	11,968,623	265,550	135,655	11·3†	19,848	75
	South† ..	10,483,077	213,994	123,750	11·9†	15,104	71
	Wales ..	2,657,659	66,548	32,038	12·1†	5,794	87
London	4,524,000	99,839	56,259	12·5†	8,077	81
County Boroughs	Eng. & Wales	12,680,930*	297,784	160,810	12·7†	27,455	92
	North ..	6,764,880*	162,684	91,520	13·5	16,372	101
	Midlands ..	3,993,370	94,337	46,838	11·7	8,014	85
	South ..	1,384,880	27,389	16,110	11·8†	1,929	70
	Wales ..	537,800	13,374	6,342	11·8	1,140	85
Other Urban Districts	Eng. & Wales	12,875,757*	284,279	150,546	11·7†	23,109	81
	North ..	4,280,985*	99,083	54,151	12·7†	9,428	95
	Midlands ..	4,711,128*	101,879	51,450	10·9†	7,463	73
	South ..	2,600,591*	49,040	29,712	11·6†	3,074	63
	Wales ..	1,283,053*	34,277	15,233	11·9†	3,144	92
Rural Districts	Eng. & Wales	7,804,555*	166,912	90,263	11·6†	11,609	70
	North ..	1,730,018*	40,955	20,764	12·0†	3,704	90
	Midlands ..	3,264,125*	69,334	37,367	11·5†	4,371	63
	South ..	1,973,606*	37,726	21,669	11·1†	2,024	54
	Wales ..	836,806*	18,897	10,463	12·5†	1,510	80

† Death-rates based upon estimated civilian populations as follows:—All Areas, North 12,772,043; Midlands 11,954,131; South 10,393,862; Wales 2,656,551; London 4,514,405; County Boroughs, South 1,360,678; Total 12,656,728*. Other Urban Districts, North 4,279,026*; Midlands 4,706,921*; South 2,566,512*. Wales 1,282,253*; Total 12,834,712*. Rural Districts, North 1,728,137*; Midlands 3,253,840*; South 1,952,267*; Wales 836,498*; Total 7,770,742*.

‡ Including London.

§ The number of deaths differs from the total given elsewhere by the exclusion of deaths of non-civilians.

|| For the constitution of the several areas, North, Midlands, South, and Wales, see the footnote to Table 13.

TABLE 14—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births.
ENGLAND.						
BEDFORDSHIRE.						
ADMINISTRATIVE COUNTY ..	207,040	3,944	2,387	11·6†	280	71
<i>Municipal Boroughs and Urban Districts</i> ..	126,497	2,410	1,423	11·3†	183	76
Amphill	2,247	30	39	17·4	3	100
Bedford, M.B.	40,050	680	450	11·2	43	63
Biggleswade	5,400	110	67	12·4	6	55
Dunstable, M.B.	8,930	167	115	12·9	10	60
Kempston	5,250	107	46	9·1†	5	47
Leighton Buzzard ..	6,820	155	92	13·5	12	77
Luton, M.B.	57,800	1,161	614	10·6	104	90
<i>Rural Districts</i>	80,543	1,534	964	12·2†	97	63
Amphill	19,180	353	293	15·3	28	79
Bedford	20,240	405	193	9·8†	19	47
Biggleswade	23,100	408	264	11·9†	18	44
Eaton Bray	3,745	77	54	14·4	6	78
Eaton Socon	3,338	69	44	13·2	7	101
Luton	10,940	222	116	10·6	19	86
BERKSHIRE.						
COUNTY BOROUGH—						
Reading	92,600	1,892	995	10·7	114	60
ADMINISTRATIVE COUNTY ..	199,873	3,660	2,153	10·8‡	190	52
<i>Municipal Boroughs and Urban Districts</i> ..	66,563	1,283	779	11·7	73	57
Abingdon, M.B.	7,130	134	73	10·2	7	52
Maidenhead, M.B. ..	16,490	284	183	11·1	16	56
Newbury, M.B.	12,200	236	148	12·1	9	38
New Windsor, M.B. ..	19,770	420	230	11·6	25	60
Wallingford, M.B... ..	2,681	51	29	10·8	3	59
Wantage	3,862	78	54	14·0	7	90
Wokingham, M.B.	4,430	80	62	14·0	6	75
<i>Rural Districts</i>	133,310	2,377	1,374	10·4‡	117	49
Abingdon	10,220	202	96	9·4	9	45
Bradfield	14,350	271	173	12·1	15	55
Cookham	13,240	218	129	9·7	10	46
Easthampstead	18,610	277	178	10·1‡	13	47
Faringdon (part of) ..	10,050	205	109	10·8	8	39
Hungerford	8,270	169	95	11·5	11	65
Newbury	10,500	180	117	11·1	8	44
Wallingford	8,830	145	81	9·2	10	69
Wantage	11,630	234	130	11·2	14	60
Windsor	9,410	160	80	8·5	5	31
Wokingham	18,200	316	186	10·2	14	44
BUCKINGHAMSHIRE.						
ADMINISTRATIVE COUNTY ..	234,547	4,493	2,475	10·7§	251	56
<i>Municipal Boroughs and Urban Districts</i> ..	100,297	1,873	1,003	10·0	100	53
Aylesbury, M.B.	12,130	219	127	10·5	10	46
Beaconsfield	3,512	58	31	8·8	3	52

† Death-rates based upon estimated civilian populations as follows:—Administrative County, 205,572; Municipal Boroughs and Urban Districts, 126,316; Kempston U.D., 5,069; Rural Districts, 79,256; Bedford R.D., 19,792; Biggleswade R.D., 22,261.

‡ Death-rates based upon estimated civilian populations as follows:—Administrative County, 198,948; Rural Districts, 132,385; Easthampstead R.D., 17,685.

§ Death-rate based upon estimated civilian population of 231,975.

|| The remainder of Faringdon Rural District is in Gloucestershire.

TABLE 14—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births.
BUCKINGHAMSHIRE						
—cont.						
<i>Municipal Boroughs and Urban Districts—cont.</i>						
Bletchley	5,450	94	63	11.6	5	53
Buckingham, M.B. ..	3,059	48	43	14.1	3	63
Chepping Wycombe, M.B.	22,170	488	192	8.7	18	37
Chesham	8,660	164	107	12.4	10	61
Eton	3,379	30	24	7.1	3	100
Linslade	2,388	44	19	8.0	2	45
Marlow	4,983	114	55	11.0	10	88
Newport Pagnell	4,086	71	43	10.5	5	70
Slough	16,320	339	151	9.3	20	59
Wolverton §	14,160	204	148	10.5	11	54
<i>Rural Districts</i>	134,250	2,620	1,472	11.2†	151	58
Amersham	21,930	450	199	9.1	27	60
Aylesbury	18,800	340	202	12.4†	23	68
Buckingham	7,380	154	88	11.9	6	39
Eton	27,000	553	294	10.9	23	42
Hambledon	2,000	38	29	14.5	5	132
Long Crendon	3,750	69	44	11.7	6	87
Newport Pagnell	14,590	277	194	13.3	18	65
Wing	5,530	98	78	14.1	6	61
Winslow	6,290	103	75	11.9	4	39
Wycombe	26,980	538	269	10.0	33	61
CAMBRIDGESHIRE.						
ADMINISTRATIVE COUNTY ..	129,094	2,291	1,497	11.6	121	53
<i>Municipal Borough—</i>						
Cambridge, M.B.	58,900	1,026	642	10.9	54	53
<i>Rural Districts</i>	70,194	1,265	855	12.2	67	53
Caxton and Arrington ..	7,400	144	89	12.0	6	42
Chesterton	23,860	399	273	11.4	22	55
Linton	9,870	171	123	12.5	9	53
Melbourn	8,000	136	117	14.6	11	81
Newmarket	18,640	361	225	12.1	16	44
Swavesey	2,424	54	28	11.6	3	56
CHESHIRE.						
COUNTY BOROUGHS	403,930	8,838	4,800	11.9	707	80
Birkenhead	147,800	3,732	1,721	11.6	294	79
Chester	41,030	895	588	14.3	79	88
Stockport	125,500	2,571	1,525	12.2	234	91
Wallasey	89,600	1,640	966	10.8	100	61
ADMINISTRATIVE COUNTY ..	629,642	12,440	7,197	11.4†	991	80
<i>Municipal Boroughs and Urban Districts</i>						
Alderley Edge	437,899	8,858	5,198	11.9	766	86
Alsager	3,068	44	31	10.1	1	23
Altrincham	2,707	44	31	11.5	5	114
Ashton-upon-Mersey ..	20,700	435	222	10.7	34	78
Ashton-upon-Mersey ..	7,840	138	76	9.7	4	29
Bollington	5,180	99	57	11.0	6	61
Bowden	2,936	41	40	13.6	2	49
Bredbury and Romiley ..	9,260	140	106	11.4	8	57

† Death-rates based upon estimated civilian populations as follows:—Buckinghamshire, Rural Districts, 131,678; Aylesbury R.D., 16,228; Cheshire, Administrative County, 629,226.

§ Formerly Stratford and Wolverton.

TABLE 14—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births.
CHESHIRE—cont.						
<i>Municipal Boroughs and Urban Districts—cont.</i>						
Bromborough	2,649	53	15	5.7	2	38
Buglawton	1,576	50	19	12.1	1	20
Cheadle and Gatley ..	11,070	175	109	9.8	11	63
Compstall	934	21	11	11.8	1	48
Congleton, M.B.	11,910	268	144	12.1	19	71
Crewe, M.B.	47,210	916	521	11.0	84	92
Dukinfield, M.B.	19,940	431	295	14.8	49	114
EllesmerePort and Whitby	13,350	398	111	8.3	31	78
Hale	9,210	139	71	7.7	12	86
Handforth	908	15	8	8.8	1	67
Hazel Grove and Bramhall	10,160	153	109	10.7	16	105
Higher Bebington	1,784	49	15	8.4	2	41
Hollingworth	2,499	41	35	14.0	5	122
Hoole	6,030	128	58	9.6	11	86
Hoylake and West Kirby	16,530	263	170	10.3	15	57
Hyde, M.B.	34,130	704	486	14.2	80	114
Knutsford	5,390	93	66	12.2	8	86
Lower Bebington	14,940	277	128	8.6	20	72
Lymm	5,300	110	54	10.2	6	55
Macclesfield, M.B.	34,380	695	472	13.7	81	117
Marple	6,610	83	76	11.5	6	72
Middlewich	5,190	121	57	11.0	7	58
Mottram in Longdendale ..	2,920	43	40	13.7	3	70
Nantwich	7,390	175	93	12.6	19	109
Neston and Parkgate	5,150	123	49	9.5	7	57
Northwich	18,650	407	212	11.4	35	86
Runcorn	18,730	445	226	12.1	40	90
Sale	16,440	348	184	11.2	25	72
Sandbach	5,920	166	84	14.2	8	48
Stalybridge, M.B.	25,760	547	421	16.3	62	113
Tarporley	2,512	55	22	8.8	6	109
Wilmslow	8,260	132	118	14.3	7	53
Winsford	11,100	268	137	12.3	26	97
Yeardsley-cum-Whaley	1,676	25	19	11.3
<i>Rural Districts</i>	191,743	3,582	1,999	10.4†	225	63
Bucklow	22,240	351	226	10.2	18	51
Chester	13,360	215	110	8.5†	11	51
Congleton	13,320	296	151	11.3	24	81
Disley	2,995	48	36	12.0	2	42
Macclesfield	17,000	271	187	11.0	18	66
Malpas	4,410	109	63	14.3	4	37
Nantwich	25,050	482	311	12.4	29	60
Northwich	24,550	536	249	10.1	35	65
Runcorn	29,170	513	290	9.9	40	78
Tarvin	13,370	294	147	11.0	14	48
Tintwistle	2,058	38	27	13.1	6	158
Wirral	24,220	429	202	8.3	24	56
CORNWALL.						
ADMINISTRATIVE COUNTY ..	315,325	6,165	4,145	13.2†	450	73
<i>Municipal Boroughs and Urban Districts</i>	137,799	2,595	1,893	13.8†	203	78
Bodmin	5,510	96	74	13.8†	6	63

† Death-rates based upon estimated civilian populations as follows:—Cheshire, Rural Districts, 191,327; Chester R.D., 12,944; Cornwall, Administrative County, 313,275; Municipal Boroughs and Urban Districts, 137,643; Bodmin, M.B., 5,354.

TABLE 14—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births.
CORNWALL—cont.						
<i>Municipal Boroughs and Urban Districts—cont.</i>						
Callington	1,629	27	28	17.2	—	—
Camborne	14,780	285	194	13.1	30	105
Falmouth, M.B. ..	12,940	246	164	12.7	19	77
Fowey, M.B.	1,994	33	18	9.0	3	91
Hayle	1,008	17	15	14.9	—	—
Helston, M.B. .. .	2,631	58	37	14.1	3	52
Launceston, M.B. ..	3,954	48	47	11.9	7	146
Liskeard, M.B. .. .	4,373	81	56	12.8	1	12
Looe	2,634	31	36	13.7	2	65
Lostwithiel, M.B. ..	1,299	26	30	23.1	2	77
Ludgvan	2,081	45	31	14.9	6	133
Madron	3,263	53	49	15.0	3	57
Newquay	4,910	61	45	9.2	3	49
Padstow	1,687	38	32	19.0	1	26
Paul	5,470	112	84	15.4	9	80
Penryn, M.B. .. .	3,180	72	41	12.9	5	69
Penzance, M.B. .. .	11,700	196	184	15.7	21	107
Phillack	3,447	72	44	12.8	2	28
Redruth	10,030	213	167	16.6	20	94
St. Austell	3,257	65	37	11.4	3	46
St. Ives, M.B. .. .	6,550	109	98	15.0	12	110
St. Just	5,080	113	75	14.8	12	106
Saltash, M.B. .. .	3,630	85	52	14.3	10	118
Stratton and Bude ..	3,125	46	34	10.9	—	—
Torpoint	4,467	91	49	11.0	4	44
Truro, M.B.	10,850	238	134	12.4	18	76
Wadebridge	2,320	38	38	16.4	1	26
<i>Rural Districts</i>	177,526	3,570	2,252	12.8†	247	69
Bodmin	9,920	196	126	12.7	12	61
Calstock	4,617	108	63	13.6	11	102
Camelford	7,430	140	97	13.1	12	86
East Kerrier	8,070	152	99	12.3	6	39
Helston	16,110	348	220	13.7	27	78
Holsworthy (part of)‡. ..	345	9	4	11.6	1	111
Launceston	7,160	147	86	12.0	14	95
Liskeard	14,580	285	181	12.4	14	49
Redruth	17,000	373	277	16.3	31	83
St. Austell	31,000	693	361	11.6	39	56
St. Columb Major ..	11,360	231	117	10.3	14	61
St. Germans	13,880	218	151	12.6†	15	69
Scilly, Isles of	1,714	27	19	11.1	2	74
Stratton	4,870	105	54	11.1	11	105
Truro	19,160	336	258	13.5	25	74
West Penwith	10,310	202	139	13.5	13	64
CUMBERLAND.						
COUNTY BOROUGH—						
Carlisle	53,200	1,280	767	14.4	141	110
ADMINISTRATIVE COUNTY ..	216,691	5,325	2,703	12.5	437	82
<i>Municipal Boroughs and Urban Districts</i> ..						
Arlecdon and Frizington..	120,701	3,159	1,566	13.0	281	89
	5,230	163	73	14.0	13	80

† Death-rates based upon estimated civilian populations as follows:—Rural Districts, 175,632; St. Germans, R.D., 11,986.

‡ The remainder of Holsworthy Rural District is in Devonshire.

TABLE 14—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births.
CUMBERLAND—cont.						
<i>Municipal Boroughs and Urban Districts—cont.</i>						
Aspatria	3,549	79	29	8.2	5	63
Cleator Moor	8,460	237	111	13.1	21	89
Cockermouth	4,834	108	61	12.6	1	9
Egremont	6,710	170	88	13.1	19	112
Harrington.. ..	4,462	134	59	13.2	11	82
Holme Cultram	4,732	99	44	9.3	6	61
Keswick	4,283	69	59	13.8	8	116
Maryport	11,100	314	139	12.5	22	70
Millom	8,780	236	126	14.4	31	131
Penrith	8,240	177	117	14.2	6	34
Whitehaven, M.B. ..	19,810	588	270	13.6	56	95
Wigton	3,651	84	58	15.9	10	119
Workington, M.B. ..	26,860	701	332	12.4	72	103
<i>Rural Districts</i>	95,990	2,166	1,137	11.8	156	72
Alston with Garrigill ..	2,770	50	45	16.2	6	120
Bootle	5,960	107	60	10.1	4	37
Brampton	8,050	158	108	13.4	9	57
Carlisle	11,820	238	143	12.1	7	29
Cockermouth	22,830	604	263	11.5	59	98
Longtown	6,350	155	70	11.0	11	71
Penrith	12,060	217	150	12.4	10	46
Whitehaven	14,820	366	160	10.8	29	79
Wigton	11,330	271	138	12.2	21	77
DERBYSHIRE.						
COUNTY BOROUGH—						
Derby	131,800	2,869	1,495	11.3	208	72
ADMINISTRATIVE COUNTY ..	588,632	14,417	6,572	11.2	1,111	77
<i>Municipal Boroughs and Urban Districts</i> ..						
Alfreton	306,485*	7,481	3,452	11.3	580	78
Alfreton	20,800	562	260	12.5	53	94
Alvaston and Boulton ..	1,632	44	19	11.6	1	23
Ashbourne	4,166	92	46	11.0	5	54
Bakewell	2,964	57	28	9.4	4	70
Baslow and Bubnell ..	811	16	7	8.6	—	—
Belper	12,330	288	136	11.0	19	66
Bolsover	11,700	302	125	10.7	33	109
Bonsall	1,170	27	15	12.8	2	74
Brampton and Walton ..	2,323	43	20	8.6	4	93
Buxton, M.B.	14,790	244	133	9.0	10	41
Chesterfield, M.B. ..	62,400	1,702	716	11.5	138	81
Clay Cross	8,840	261	110	12.4	20	77
Dronfield	4,448	90	63	14.2	7	78
Glossop, M.B.	20,870	373	273	13.1	29	78
Heage	3,801	78	46	12.1	7	90
Heanor	21,870	538	220	10.1	44	82
Ilkeston, M.B.	32,980	911	387	11.7	85	93
Long Eaton	20,499*	436	192	9.4	33	76
Matlock	6,250	129	72	11.5	1	8
Matlock Bath and Scarthin						
Nick	1,695	33	29	17.1	—	—
New Mills	8,590	192	111	12.9	15	78
North Darley	3,219	62	26	8.1	1	16

* Population adjusted to allow for changes in boundary during the year.

TABLE 14.—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births.
DERBYSHIRE—cont.						
<i>Municipal Boroughs and Urban Districts—cont.</i>						
Ripley	13,560	318	138	10·2	25	79
South Darley	731	9	15	20·5	—	—
Swadlincote District ..	20,440	599	221	10·8	37	62
Wirksworth	3,606	75	44	12·2	7	93
<i>Rural Districts</i>	282,147*	6,936	3,120	11·1	531	77
Ashbourne	10,300	214	121	11·7	11	51
Bakewell	19,710	372	233	11·8	21	56
Belper	23,620	513	255	10·8	21	41
Blackwell	42,450	1,253	453	10·7	121	97
Chapel-en-le-Frith ..	15,890	310	186	11·7	19	61
Chesterfield	77,000	2,190	876	11·4	174	79
Clowne	17,730	484	175	9·9	32	66
Glossop Dale	3,810	56	37	9·7	4	71
Hartshorn and Seals ..	8,720	520	91	10·4	17	83
Hayfield	4,413	71	49	11·1	5	70
Norton	4,570	74	44	9·6	5	68
Repton	16,420	361	187	11·4	28	78
Shardlow	33,501*	752	368	11·0	67	89
Sudbury	2,509	54	26	10·4	3	56
Codnor Park and Shipley Civil Parishes administered by R.D. Council of Basford (Notts.) ..	1,504	27	19	12·6	3	111
DEVONSHIRE.						
COUNTY BOROUGHS	270,500	5,629	3,232	12·5†	461	82
Exeter	59,500	1,124	765	12·9	108	96
Plymouth	211,000	4,505	2,467	12·3†	353	78
ADMINISTRATIVE COUNTY ..	418,343	7,658	5,396	12·9†	478	62
<i>Municipal Boroughs and Urban Districts</i>						
Ashburton	203,043	3,576	2,874	14·2†	238	67
Ashburton	2,304	55	30	13·0	2	36
Axminster	2,050	37	28	13·7	—	—
Bampton	1,436	32	16	11·1	3	94
Barnstaple, M.B.	14,350	292	177	12·3	21	72
Bideford, M.B.	9,020	184	131	14·5	15	82
Brixham	7,750	179	118	15·2	11	61
Buckfastleigh	2,262	36	43	19·0	2	56
Budleigh Salterton ..	2,400	16	38	15·8	2	125
Crediton	3,480	62	44	12·6	5	81
Dartmouth, M.B.	7,200	129	91	14·2†	4	31
Dawlish	4,354	80	52	11·9	3	38
Exmouth	12,800	175	176	13·8	4	23
Great Torrington, M.B. ..	2,953	68	45	15·2	6	88
Holsworthy	1,420	24	17	12·0	4	167
Honiton, M.B.	3,035	52	42	13·8	2	38
Ilfracombe	8,740	139	124	14·2	6	43
Ivybridge	1,582	33	28	17·7	8	242
Kingsbridge	2,900	60	46	15·9	—	—
Lynton	1,747	40	24	13·7	6	150

* Population adjusted to allow for changes in boundary during the year.

† Death-rates based upon estimated civilian populations as follows:—County Boroughs, 259,369; Plymouth C.B., 199,869; Administrative County, 416,792; Municipal Boroughs and Urban Districts, 202,263; Dartmouth M.B., 6,420.

TABLE 14.—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.		
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births.	
DEVONSHIRE—cont.							
<i>Municipal Boroughs and Urban Districts—cont.</i>							
Newton Abbot	13,710	246	189	13·8	25	102	
Northam	5,790	139	86	14·9	7	50	
Okehampton, M.B. ..	3,407	74	37	10·9	5	68	
Ottery St. Mary	3,500	85	33	9·4	2	24	
Paignton	12,480	173	184	14·7	12	69	
Salcombe	1,996	26	27	13·5	2	77	
Seaton	1,845	31	32	17·3	1	32	
Sidmouth	4,937	67	64	13·0	2	30	
South Molton, M.B. ..	2,808	58	35	12·5	4	69	
Tavistock	4,270	65	45	10·5	3	46	
Teignmouth	9,250	144	138	14·9	12	83	
Tiverton, M.B.	9,670	173	139	14·4	11	64	
Torquay, M.B.	33,660	542	533	15·8	45	83	
Totnes, M.B.	3,937	60	62	15·7	3	50	
<i>Rural Districts</i>	215,300	4,082	2,522	11·8†	240	59	
Axminster	9,500	167	116	12·2	7	42	
Barnstaple	17,910	329	226	12·6	26	79	
Bideford	5,890	117	66	11·2	5	43	
Broadwood Widger ..	2,284	44	29	12·7	—	—	
Crediton	9,980	178	126	12·6	7	39	
Culmstock	3,146	61	30	9·5	4	66	
Holsworthy (part of) ‡ ..	6,730	150	95	14·1	17	113	
Honiton	8,910	185	122	13·7	11	59	
Kingsbridge	11,080	174	113	10·2	12	69	
Newton Abbot	19,530	392	222	11·4	26	66	
Okehampton	13,100	248	162	12·4	10	40	
Plympton St. Mary ..	21,600	411	233	11·2†	27	66	
St. Thomas	26,150	468	289	11·1	25	53	
South Molton	10,010	228	121	12·1	15	66	
Tavistock	15,020	272	173	11·5	12	44	
Tiverton	14,220	281	142	10·0	14	50	
Torrington	8,440	184	109	12·9	10	54	
Totnes	11,800	193	148	12·5	12	62	
DORSETSHIRE.							
ADMINISTRATIVE COUNTY ..	221,924	4,306	2,489	11·5†	232	54	
<i>Municipal Boroughs and Urban Districts</i> ..	117,923*	2,263	1,295	11·3†	138	61	
Blandford Forum, M.B. ..	3,196	57	33	10·3	2	35	
Bridport, M.B.	5,810	107	83	14·3	5	47	
Dorchester, M.B.	9,580	196	95	9·9	12	61	
Lyme Regis, M.B.	2,280	44	32	14·0	—	—	
Poole, M.B.	42,900	945	481	11·2	62	66	
Portland	12,550	213	102	10·7†	13	61	
Shaftesbury, M.B.	1,877*	25	24	12·8	1	40	
Sherborne	6,340	100	54	8·5	3	30	
Swanage	5,480	76	49	8·9	3	39	

* Population adjusted to allow for changes in boundary during the year.

† Death-rates based upon estimated civilian populations as follows:—Rural Districts, 214,529; Plympton St. Mary R.D., 20,829; Administrative County, 216,820; Municipal Boroughs and Urban Districts, 114,911*; Portland Urban District, 9,538.

‡ The remainder of Holsworthy Rural District is in Cornwall.

TABLE 14.—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

TABLE 14.— <i>cont.</i> POPULATION, BIRTHS, & DEATHS.						
Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births
DORSETSHIRE— <i>cont.</i>						
<i>Municipal Boroughs and Urban Districts—cont.</i>						
Wareham, M.B.	1,997	42	25	12.5	1	24
Weymouth and Melcombe Regis, M.B.	22,230	409	273	12.3	34	83
Wimborne Minster	3,683	49	44	11.9	2	41
<i>Rural Districts</i>	104,001*	2,043	1,194	11.7†	94	46
Beaminster	8,310	159	104	12.5	2	13
Blandford	8,110	168	89	11.0	4	24
Bridport	6,720	109	73	10.9	6	55
Cerne	4,446	98	62	13.9	5	51
Dorchester	8,760	159	94	10.7	8	50
Poole	7,290	161	79	10.8	12	75
Shaftesbury	9,995*	188	114	11.4	7	37
Sherborne	5,440	94	60	11.0	4	43
Sturminster	7,870	155	116	14.7	8	52
Wareham & Purbeck	13,400	276	114	10.1†	14	51
Weymouth	8,720	182	103	11.8	9	49
Wimborne and Cranborne	14,940	294	186	12.4	15	51
DURHAM.						
COUNTY BOROUGHs	542,230*	15,666	7,916	14.6	1,635	85
Darlington	66,400	1,587	817	12.3	155	98
Gateshead	126,700	3,779	1,831	14.5	402	106
South Shields	118,730*	3,511	1,812	15.3	336	96
Sunderland	161,100	4,787	2,475	15.4	549	115
West Hartlepool	69,300	2,002	981	14.2	193	96
ADMINISTRATIVE COUNTY . .	955,344*	28,586	12,662	13.3	3,118	109
<i>Municipal Boroughs and Urban Districts</i>						
Annfield Plain	513,662*	15,404	7,007*	13.6	1,643	107
Barnard Castle	16,860	507	259	15.4	66	130
Benfieldside	4,500	93	70	15.6	7	75
Benfieldside	9,080	237	117	12.9	20	84
Bishop Auckland	14,390	396	208	14.5	42	106
Blaydon	33,650	971	416	12.4	108	111
Brandon and Byshottles . .	18,930	546	220	11.6	48	88
Chester-le-Street	16,032*	403	200	12.5	49	122
Consett	12,350	383	196	15.9	52	136
Crook	12,930	341	145	11.2	32	94
Durham, M.B.	17,300	407	235	13.6	49	120
Felling	26,700	791	383	14.3	79	100
Hartlepool, M.B.	21,300	683	348	16.3	78	114
Hebburn	24,660	861	373	15.1	90	105
Hetton	17,630	573	244	13.8	77	134
Houghton-le-Spring	10,430	350	163	15.6	39	111
Jarrow, M.B.	36,200	1,240	626	17.3	145	117
Leadgate	5,270	151	82	15.6	22	146
Ryton	14,520	409	144	9.9	32	78
Seaham Harbour	17,210	618	242	14.1	58	94
Sildon	14,390	400	163	11.3	40	100
Southwick-on-Wear	14,890	481	169	11.3	48	100
Spennymoor	18,530	586	251	13.5	55	94
Stanhope	1,912	48	25	13.1	7	146

* Population adjusted to allow for changes in boundary during the year.

† Death-rates based upon estimated civilian populations as follows:—Rural Districts, 101,909*; Wareham and Purbeck Rural District, 11,308.

TABLE 14—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births.
DURHAM—cont.						
<i>Municipal Boroughs and Urban Districts—cont.</i>						
Stanley	25,540	801	340	13·3	109	136
Stockton-on-Tees, M.B. ..	65,000	1,898	841	12·9	175	92
Tanfield	10,570	288	136	12·9	29	101
Tow Law	4,108	118	52	12·7	10	85
Whickham	19,400	539	265	13·7	59	109
Willington	9,380	285	94	10·0	18	63
<i>Rural Districts</i>	441,682*	13,182	5,655	12·8	1,475	112
Auckland	62,400	1,833	851	13·6	228	124
Barnard Castle	11,590	272	143	12·3	26	96
Chester-le-Street	72,208*	2,298	941	13·0	256	111
Darlington	9,600	221	106	11·0	12	54
Durham	31,900	954	421	13·2	98	103
Easington	76,500	2,588	973	12·7	302	117
Hartlepool	3,634	62	36	9·9	6	97
Houghton-le-Spring	27,810	860	383	13·8	102	119
Lanchester	34,460	929	382	11·1	90	97
Sedgefield	37,630	1,110	463	12·3	120	108
South Shields	18,890*	500	215	11·4	55	110
Stockton	14,840	415	183	12·3	45	108
Sunderland	30,960	956	418	13·5	120	126
Weardale	9,260	184	140	15·1	15	82
ELY, ISLE OF.						
ADMINISTRATIVE COUNTY ..	73,642	1,621	894	12·1	131	81
<i>Municipal Boroughs and Urban Districts</i> ..						
Chatteris	37,206	833	471	12·7	67	80
Ely	5,113	131	58	11·3	13	99
March	7,650	162	93	12·2	7	43
Whittlesey	9,030	209	92	10·2	13	62
Wisbech	4,223	99	68	16·1	11	111
<i>Rural Districts</i>	11,190	232	160	14·3	23	99
Ely	36,436	788	423	11·6	64	81
North Witchford	12,950	270	164	12·7	28	104
Thorney	5,130	117	62	12·1	7	60
Whittlesey	2,240	53	17	7·6	4	75
Wisbech	3,466	76	46	13·3	2	26
Wisbech	12,650	272	134	10·6	23	85
ESSEX.						
COUNTY BOROUGHS	543,000	13,079	6,178	11·4	909	69
East Ham	145,500	3,193	1,480	10·2	200	63
Southend-on-Sea	90,500	1,644	986	10·9	94	57
West Ham	307,000	8,242	3,712	12·1	615	75
ADMINISTRATIVE COUNTY ..	912,605	18,298	9,325	10·2†	1,089	60
<i>Municipal Boroughs and Urban Districts</i> ..						
Barking Town	641,320	12,993	6,385	10·0†	797	61
Braintree	36,250	968	394	10·9	74	76
Brentwood	7,020	152	74	10·5	6	39
Brightlingsea	6,910	127	85	12·3	10	79
Buckhurst Hill	4,448	86	60	13·5	6	70
Buckhurst Hill	4,932	106	49	9·9	7	66

* Population adjusted to allow for changes in boundary during the year.

† Death-rates based upon estimated civilian populations as follows:—Administrative County, 910,797; Municipal Boroughs and Urban Districts, 639,512.

TABLE 14.—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births.
ESSEX—cont.						
Municipal Boroughs and Urban Districts—cont.						
Burnham-on-Crouch	3,406	58	42	12.3	2	34
Chelmsford, M.B.	20,800	402	205	9.9	18	45
Chingford	9,430	156	108	11.5	13	83
Clacton	11,750	172	99	8.4	3	17
Colchester, M.B.	43,630	904	449	10.6†	59	65
Epping	4,161	70	56	13.5	3	43
Frinton-on-Sea	2,003	35	16	8.0	1	29
Grays Thurrock	17,600	415	172	9.8	24	58
Halstead	5,970	126	65	10.9	6	48
Harwich, M.B.	12,420	304	123	10.3†	22	72
Ilford	85,500	1,492	751	8.8	76	51
Leyton	130,100	2,679	1,294	9.9	182	68
Loughton	5,680	101	62	10.9	2	20
Maldon, M.B.	6,400	118	77	12.0	3	25
Romford	19,490	372	215	11.0	30	81
Saffron Walden, M.B. ..	5,870	93	69	11.8	4	43
Shoeburyness	6,240	149	46	7.4	7	47
Tilbury	9,750	221	82	8.4	13	59
Waltham Holy Cross ..	6,870	135	77	11.2	5	37
Walthamstow	129,800	2,814	1,243	9.6	173	61
Walton-on-the-Naze ..	2,454	41	18	7.3	3	73
Wanstead	15,210	205	162	10.7	8	39
Witham	3,700	79	48	13.0	8	101
Wivenhoe	2,356	49	38	16.1	4	82
Woodford	21,170	364	206	9.7	25	69
Rural Districts	271,285	5,305	2,940	10.8	292	55
Belchamp	4,187	78	49	11.7	5	64
Billericay	23,900	442	247	10.3	32	72
Braintree	18,770	349	232	12.4	18	52
Bumpstead	2,388	41	30	12.6	—	—
Chelmsford.. ..	24,350	461	242	9.9	20	43
Dunmow	15,220	276	195	12.8	17	62
Epping	14,400	287	149	10.3	14	49
Halstead	9,760	186	114	11.7	6	32
Lexden and Winstree ..	19,220	338	208	10.8	23	68
Maldon	16,260	323	176	10.8	19	59
Ongar	9,970	207	119	11.9	9	43
Orsett	22,820	509	223	9.8	32	63
Rochford	22,320	414	246	11.0	22	53
Romford	29,450	615	266	9.0	31	50
Saffron Walden	10,000	207	132	13.2	7	34
Stansted	6,770	138	96	14.2	12	87
Tendring	21,500	434	216	10.0	25	58
GLOUCESTERSHIRE.						
COUNTY BOROUGHS	433,500	9,546	4,858	11.2	651	68
Bristol	381,700	8,283	4,230	11.1	548	66
Gloucester	51,800	1,263	628	12.1	103	82
ADMINISTRATIVE COUNTY ..	328,772	6,528	3,949	12.0	394	60
Municipal Boroughs and Urban Districts ..	98,976	1,858	1,290	13.0	117	63
Awre	1,146	18	9	7.9	—	—
Charlton Kings	4,311	69	54	12.5	6	87

† Death-rates based upon estimated civilian populations as follows :—Colchester M.B., 42,275 ; Harwich M.B., 11,967.

TABLE 14.—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births.
GLOUCESTERSHIRE— <i>cont.</i>						
<i>Municipal Boroughs and Urban Districts—cont.</i>						
Cheltenham, M.B.	48,040	809	688	14.3	56	69
Cirencester	7,410	110	94	12.7	7	64
Coleford	2,768	66	34	12.3	1	15
Kingswood	13,210	305	146	11.1	21	69
Nailsworth	3,158	64	37	11.7	7	109
Newnham	1,174	31	13	11.1	1	32
Stow-on-the-Wold	1,157	33	16	13.8	2	61
Stroud	8,590	154	93	10.8	4	26
Tetbury	1,576	41	25	15.9	2	49
Tewkesbury, M.B.	4,667	123	62	13.3	7	57
Westbury on Severn	1,769	35	19	10.7	3	86
<i>Rural Districts</i>	229,796	4,670	2,659	11.6	277	59
Campden	5,410	84	64	11.8	7	83
Cheltenham	5,100	86	59	11.6	7	81
Chipping Sodbury.. . . .	21,150	384	250	11.8	29	76
Cirencester	11,930	259	130	10.9	8	31
Dursley	12,520	255	153	12.2	19	75
East Dean and United Parishes	20,700	580	232	11.2	40	69
Faringdon (part of)‡	1,015	18	12	11.8	1	56
Gloucester	13,050	223	120	9.2	10	45
Lydney	9,840	227	109	11.1	8	35
Marston Sicca	1,671	21	23	13.8	—	—
Newent	6,550	130	84	12.8	2	15
Northleach	7,540	151	107	14.2	11	73
Pebworth	3,191	67	44	13.8	2	30
Stow on the Wold (part of)‡	6,180	119	85	13.8	7	59
Stroud	28,560	499	323	11.3	37	74
Tetbury (part of)‡	3,542	93	35	9.9	5	54
Tewkesbury (part of) ‡	4,637	84	57	12.3	4	48
Thornbury	18,780	388	238	12.7	26	67
Warmley	18,740	358	191	10.2	19	53
West Dean	14,750	360	146	9.9	20	56
Wheatenhurst	6,160	112	78	12.7	6	54
Winchcomb (part of)‡	8,780	172	119	13.6	9	52
HEREFORDSHIRE.						
ADMINISTRATIVE COUNTY	111,829	2,436	1,414	12.6	153	63
<i>Municipal Boroughs and Urban Districts</i>	39,778	928	521	13.1	70	75
Bromyard	1,531	33	14	9.1	1	30
Hereford M.B.	23,250	553	293	12.6	42	76
Kington	1,694	33	29	17.1	4	121
Ledbury	3,110	71	46	14.8	6	85
Leominster.. . . .	5,550	128	75	13.5	9	70
Ross	4,643	110	64	13.8	8	73
<i>Rural Districts</i>	72,051	1,508	893	12.4	83	55
Bredwardine	1,940	43	23	11.9	3	70
Bromyard	7,620	165	117	15.4	10	61
Dore	6,170	144	89	14.4	8	56
Hereford	13,560	265	144	10.6	11	42

† The remainder of Faringdon Rural District is in Berkshire. The remaining parts of Stow on the Wold, Tewkesbury and Winchcomb Rural Districts are in Worcestershire. The remainder of Tetbury Rural District is in Wiltshire.

TABLE 14—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births.
HEREFORDSHIRE—cont.						
Rural Districts—cont.						
Kington	4,821	99	62	12.9	10	101
Ledbury	8,850	175	104	11.8	7	40
Leominster.. .. .	7,550	152	109	14.4	5	33
Ross	10,030	203	108	10.8	10	49
Weobley	6,350	157	80	12.6	13	83
Whitchurch	1,652	38	16	9.7	2	53
Wigmore	3,508	67	41	11.7	4	60
HERTFORDSHIRE.						
ADMINISTRATIVE COUNTY ..	332,220	6,151	3,281	9.9	309	50
Municipal Boroughs and Urban Districts ..	228,546*	4,249	2,243	9.8	217	51
Baldock	2,475	40	28	11.3	2	50
Barnet	11,740	205	120	10.2	11	54
Bishop's Stortford ..	8,840	132	84	9.5	5	38
Bushey	8,020	130	82	10.2	8	62
Cheshunt	13,640	301	119	8.7	9	30
Chorleywood	2,331	35	30	12.9	2	57
East Barnet Valley ..	13,490	263	123	9.1	13	49
Great Berkhamstead ..	7,250	116	75	10.3	9	78
Harpenden	6,670	99	40	6.0	1	10
Hemel Hempstead, M.B...	13,920	259	141	10.1	14	54
Hertford, M.B.	10,750	215	138	12.8	9	42
Hitchin	13,352*	243	147	11.0	14	58
Hoddesdon.. .. .	5,400	102	66	12.2	9	88
Letchworth	10,210	219	77	7.5	11	50
Rickmansworth	7,520	168	93	12.4	11	65
Royston	3,780	48	50	13.2	4	83
St. Albans, M.B.	25,620	444	221	8.6	29	65
Sawbridgeworth	2,285	46	28	12.3	3	65
Stevenage	5,023	83	44	8.8	6	72
Tring	4,278	78	51	11.9	5	64
Ware	5,950	133	60	10.1	4	30
Watford	46,002*	890	426	9.3	38	43
Rural Districts	103,674*	1,902	1,038	10.0	92	48
Ashwell	3,600	60	58	16.1	3	50
Barnet	4,500	86	43	9.6	6	70
Berkhamstead	4,692	84	53	11.3	6	71
Buntingford	4,890	96	55	11.2	5	52
Hadham	5,480	118	55	10.0	3	25
Hatfield	8,850*	205	89	10.1	9	44
Hemel Hempstead	6,840	132	62	9.1	1	8
Hertford	7,138*	138	71	9.9	4	29
Hitchin	12,978*	250	139	10.7	14	56
St. Albans	14,580	255	116	8.0	12	47
Ware	11,260	235	139	12.3	15	64
Watford	16,158*	199	132	8.2	10	50
Welwyn	2,708*	44	26	9.6	4	91
HUNTINGDONSHIRE.						
ADMINISTRATIVE COUNTY ..	54,670	1,135	694	12.7	86	76
Municipal Boroughs and Urban Districts ..	23,909	501	288	12.0	31	62
Godmanchester, M.B. ..	2,035	39	33	16.2	3	77
Huntingdon, M.B.	4,144	67	48	11.6	3	45

* Population adjusted to allow for changes in boundary during the year.

TABLE 14—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.		
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births.	
HUNTINGDONSHIRE— <i>cont.</i> <i>Municipal Boroughs and Urban Districts—cont.</i>							
Old Fletton	5,700	154	54	9.5	13	84	
Ramsey	5,150	120	62	12.0	9	75	
St. Ives, M.B.	2,810	39	31	11.0	1	26	
St. Neots	4,070	82	60	14.7	2	24	
<i>Rural Districts</i>	30,761	634	406	13.2	55	87	
Huntingdon	6,650	153	82	12.3	12	78	
Norman Cross	5,520	111	69	12.5	13	117	
Oundle (part of)†	1,028	25	19	18.5	2	80	
St. Ives	9,520	191	123	12.9	19	99	
St. Neots No. 1	2,347	48	31	13.2	3	63	
„ No. 2	340	5	7	20.6	1	200	
„ No. 3	2,240	39	32	14.3	1	26	
„ No. 4	1,893	36	28	14.8	1	28	
Thrapston (part of)†	813	14	8	9.8	2	143	
C.P. of Sibsom-cum-Stib- bington administered by R.D.C. of Barnack (Soke of Peterborough)	410	12	7	17.1	1	83	
KENT.							
COUNTY BOROUGH—							
Canterbury	23,680	489	289	12.2	24	49	
ADMINISTRATIVE COUNTY ..	1,077,528	21,518	12,164	11.4†	1,381	64	
<i>Municipal Boroughs and Urban Districts</i>	759,106*	15,332	8,652	11.6†	1,016	66	
Ashford	14,440	286	163	11.3	19	66	
Beckenham	32,970	539	336	10.2	34	63	
Bexley	21,510	509	234	10.9	44	86	
Broadstairs and St. Peter's	11,130	127	116	10.4	3	24	
Bromley, M.B.	34,810	624	386	11.1	33	53	
Chatham, M.B.	43,230	1,011	541	12.8†	87	86	
Cheriton	6,990	178	43	9.0†	7	39	
Chislehurst	8,910	120	87	9.8	6	50	
Crayford	12,050	315	116	9.6	27	86	
Dartford	26,350	482	288	10.9	27	56	
Deal, M.B.	12,240	260	138	11.3	10	38	
Dover, M.B.	40,201*	978	460	11.4	57	58	
Erith	32,060	735	338	10.5	50	68	
Faversham, M.B.	10,880	226	147	13.5	14	62	
Folkestone, M.B. §	33,517	641	388	11.6	32	50	
Gillingham, M.B.	54,300	1,123	580	12.0†	78	69	
Gravesend, M.B.	31,300	701	417	13.3	52	74	
Herne Bay	10,130	139	113	11.2	14	101	
Hythe, M.B.	7,440	136	83	11.6†	15	110	
Lydd, M.B.	2,232	33	16	7.2	2	61	
Maidstone, M.B.	37,910	719	448	11.8	47	65	
Margate, M.B.	27,740	459	307	11.1	32	70	

* Population adjusted to allow for change in boundary during the year.

† Death-rates based upon estimated civilian populations as follows:—Administrative County, 1,062,886; Municipal Boroughs and Urban Districts, 745,921*; Chatham, M.B., 42,103; Cheriton, U.D., 4,801; Gillingham, M.B., 48,149; Hythe, M.B., 7,147.

‡ The remaining parts of Oundle and Thrapston Rural Districts are in Northamptonshire.

§ Excluding Civil Parish of Folkestone next Sandgate.

TABLE 14.—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births.
KENT—cont.						
<i>Municipal Boroughs and Urban Districts—cont.</i>						
Milton Regis	7,540	175	79	10·5	10	57
New Romney, M.B. ..	1,500	18	15	10·0	1	56
Northfleet	15,960	403	161	10·1	21	52
Penge	26,430	564	311	11·8	36	64
Queenborough, M.B. ..	3,115	79	27	8·7	14	177
Ramsgate, M.B.	30,080	641	401	13·3	53	83
Rochester, M.B.	31,500	698	365	11·6	54	77
Royal Tunbridge Wells, M.B.	34,270	513	455	13·3	25	49
Sandgate†	2,571	46	20	9·4†	—	—
Sandwich, M.B.	3,147	64	51	16·2	5	78
Sevenoaks	8,830	162	107	12·1	8	49
Sheerness	18,720	384	174	10·5†	26	68
Sidcup§	8,920	164	107	12·0	14	85
Sittingbourne	9,420	244	108	11·5	18	74
Southborough	6,960	161	90	12·9	8	50
Tenterden, M.B.	3,347	54	36	10·8	1	19
Tonbridge	15,898*	311	155	9·7	14	45
Walmer	5,210	80	58	13·1†	6	75
Whitstable	9,140	141	134	14·7	5	35
Wrotham	4,208	89	53	12·6	7	79
<i>Rural Districts</i>	318,422*	6,186	3,512	11·1†	365	59
Blean	8,280	140	99	12·0	5	36
Bridge	11,240	218	124	11·0	12	55
Bromley	25,540	451	261	10·2	29	64
Cranbrook	12,800	243	150	11·7	15	62
Dartford	37,880	731	361	9·5	46	63
Dover	8,549*	135	85	10·3†	13	96
East Ashford	14,840	286	193	13·0	19	66
Eastry	13,340	243	153	11·5	23	95
Elham	7,830	112	83	10·6	6	54
Faversham	14,260	312	159	11·2	14	45
Hollingbourne	13,050	233	141	10·8	7	30
Hoo	4,847	108	56	12·4†	10	93
Isle of Thanet	12,020	201	105	9·3†	13	65
Maidstone	16,920	332	215	12·7	15	45
Malling	25,280	601	311	12·3	37	62
Milton	13,960	291	140	10·0	14	48
Romney Marsh	3,016	55	24	8·0	3	55
Sevenoaks	23,360	441	261	11·2	20	45
Sheppey	4,468	90	45	10·4†	10	111
Strood	16,360	360	185	11·3	23	64
Tenterden	5,720	118	78	13·6	3	25
Tonbridge	17,212*	346	198	11·5	23	66
West Ashford	7,650	139	85	11·1	5	36

* Population adjusted to allow for changes in boundary during the year.

† Death-rates based upon estimated civilian populations as follows:—Sandgate U.D., 2,134; Sheerness U.D., 16,516; Walmer U.D., 4,426; Rural Districts, 316,965*; Dover R.D., 8,271*; Hoo R.D., 4,509; Isle of Thanet R.D., 11,329; Sheppey R.D., 4,318.

‡ Including Civil Parish of Folkestone next Sandgate.

§ Formerly Foots Cray Urban District.

TABLE 14.—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births.
LANCASHIRE.						
COUNTY BOROUGHS	3,208,900	76,780	43,648	13·6	7,843	102
Barrow-in-Furness	75,200	1,802	867	11·5	152	84
Blackburn	129,400	2,528	1,659	12·8	280	111
Blackpool	73,800	1,151	917	12·4	76	66
Bolton	182,200	3,845	2,350	12·9	371	96
Bootle	77,800	2,068	1,009	13·0	197	95
Burnley	105,300	2,346	1,445	13·7	279	119
Bury	57,600	1,089	768	13·3	96	88
Liverpool	817,000	21,904	11,707	14·3	2,354	107
Manchester	744,000	17,549	10,111	13·6	1,713	98
Oldham	148,300	3,116	2,164	14·6	333	107
Preston	119,900	2,811	1,595	13·3	316	112
Rochdale	92,700	1,846	1,233	13·3	159	86
St. Helens	104,900	3,059	1,328	12·7	317	104
Salford	239,100	6,020	3,332	13·9	639	106
Southport	71,900	1,106	921	12·8	77	70
Warrington	78,600	2,009	965	12·3	197	98
Wigan	91,200	2,531	1,277	14·0	287	113
ADMINISTRATIVE COUNTY ..	1,760,247	36,558	21,582	12·3†	3,241	89
Municipal Boroughs and Urban Districts ..	1,516,621*	31,942	18,667	12·3†	2,889	90
Urban Districts—						
Abram	7,000	159	79	11·3	21	132
Accrington, M.B.	44,480	775	583	13·1	78	101
Adlington	4,485	106	55	12·3	14	132
Ashton in Makerfield ..	22,990	604	241	10·5	60	99
Ashton under Lyne, M.B.	44,200	990	663	15·0	104	105
Aspull	8,050	254	101	12·5	25	98
Atherton	20,320	455	220	10·8	44	97
Audenshaw	8,050	165	115	14·3	16	97
Bacup, M.B.	21,720	455	302	13·9	37	81
Barrowford	5,720	120	96	16·8	13	108
Billinge	5,260	105	73	13·9	12	114
Blackrod	3,956	104	46	11·6	10	96
Brierfield	8,480	155	104	12·3	11	71
Carnforth	3,234	81	34	10·5	5	62
Chadderton	29,380	596	376	12·8	62	104
Chorley, M.B.	31,220	697	384	12·3	64	92
Church	6,900	139	87	12·6	14	101
Clayton le Moors	8,750	182	116	13·3	18	99
Clitheroe, M.B.	12,390	241	155	12·5	22	91
Colne, M.B.	25,220	454	311	12·3	54	119
Crompton	15,250	348	197	12·9	40	115
Croston	2,013	41	19	9·4	2	49
Dalton in Furness.. ..	12,470	324	196	15·7	37	114
Darwen, M.B.	38,720	753	448	11·6	53	70
Denton	18,020	351	217	12·0	34	97
Droylsden	14,150	336	165	11·7	30	89
Eccles, M.B.	44,960	913	519	11·5	72	79
Failsworth	17,360	387	201	11·6	30	78
Farnworth	28,580	682	358	12·5	62	91
Fleetwood	19,510	463	189	9·9†	36	78

* Population adjusted to allow for changes in boundary during the year.

† Death-rates based upon estimated civilian populations as follows:—Administrative County, 1,758,738; Municipal Boroughs and Urban Districts, 1,515,363*; Rural Districts, 243,375*; Fleetwood Urban District, 19,043.

TABLE 14—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births.
LANCASHIRE—cont.						
Urban Districts—						
Formby	6,270	95	69	11.0	6	63
Fulwood	6,700	82	72	12.2†	7	85
Golborne	7,340	233	88	12.0	15	64
Grange	2,057	21	27	13.1	1	48
Great Crosby	13,560	257	154	11.4	16	62
Great Harwood	13,900	257	136	9.8	25	97
Haslingden, M.B.	17,820	298	226	12.7	16	54
Haydock	10,570	347	156	14.8	41	118
Heysham	3,820	53	56	14.7	2	38
Heywood, M.B.	27,280	595	357	13.1	57	96
Hindley	24,120	597	325	13.5	68	114
Horwich	15,830	296	168	10.6	19	64
Hurst	8,270	171	105	12.7	15	88
Huyton with Roby	5,210	107	56	10.7	7	65
Ince in Makerfield	23,440	709	325	13.9	72	102
Irlam	9,600	225	101	10.5	22	98
Kearsley	9,850	244	125	12.7	34	139
Kirkham	3,892	74	50	12.8	5	68
Lancaster, M.B.	40,660	802	499	12.3	72	90
Lathom and Burscough	7,730	162	92	11.9	16	99
Lees	4,907	109	64	13.0	4	37
Leigh, M.B.	46,550	1,096	664	14.3	131	120
Leyland	9,210	161	102	11.1	7	43
Litherland	16,660	459	186	11.2	29	63
Littleborough	11,660	230	139	11.9	19	83
Little Crosby	1,108	19	11	9.9	2	105
Little Hulton	8,110	181	101	12.5	15	83
Little Lever	4,922	113	74	15.0	15	133
Longridge	4,336	79	46	10.6	13	165
Lytham	10,140	152	126	12.4	8	53
Middleton, M.B.	28,910	563	386	13.4	44	78
Milnrow	8,550	150	122	14.3	10	67
Morecambe, M.B.	13,610	195	211	15.5	18	92
Mossley, M.B.	12,990	251	170	13.1	29	116
Nelson, M.B.	40,690	641	424	10.4	44	69
Newton in Makerfield	19,160	456	230	12.0	50	110
Norden	4,128	65	54	13.1	5	77
Ormskirk	7,500	177	87	11.6	8	45
Orrell	6,910	155	82	11.9	16	103
Oswaldtwistle	15,440	335	167	10.8	27	81
Padiham	12,710	239	159	12.5	18	75
Poulton le Fylde	2,730	41	39	14.3	3	73
Preesall	1,672	38	15	9.0	—	—
Prescot	9,200	233	101	11.0	17	73
Prestwich	18,900	301	166	8.8	22	73
Radcliffe	25,270	482	301	11.9	44	91
Rainford	3,542	89	33	9.3	2	22
Ramsbottom	15,610	273	173	11.1	14	51
Rawtenstall, M.B.	28,970	595	364	12.6	41	69
Rishton	7,170	137	80	11.2	9	66
Royton	17,600	382	239	13.6	41	107
St. Anne's on the Sea	10,520	122	119	11.3	10	82
Skelmersdale	6,830	178	81	11.9	16	90
Standish with Langtree	7,420	174	109	14.7	18	103

† Death-rate based upon an estimated civilian population of 5,909.

TABLE 14—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births.
LANCASHIRE—cont.						
Urban Districts—cont.						
Stretford	47,030	871	524	11.1	49	56
Swinton and Pendlebury	31,580	634	347	11.0	48	76
Thornton	5,340	109	58	10.9	6	55
Tottington	6,860	118	80	11.7	11	93
Trawden	2,818	41	31	11.0	6	146
Turton	12,300	221	151	12.3	22	100
Tyldesley and Shakerley	16,220	416	201	12.4	38	91
Ulverston	10,120	222	117	11.6	19	86
Upholland	5,610	137	65	11.6	13	95
Urmston	8,380	157	90	10.7	8	51
Walton le Dale	12,390	255	138	11.1	18	71
Wardle	4,556	86	77	16.9	14	163
Waterloo with Seaforth ..	29,760	616	345	11.6	61	99
Westhoughton	15,870	367	209	13.2	43	117
Whitefield	7,030	142	76	10.8	12	85
Whitworth	8,960	162	113	12.6	16	99
Widnes, M.B.	39,720	1,140	576	14.5	127	111
Withnell	3,461	62	37	10.7	2	32
Worsley	14,224*	255	170	12.0	31	122
Rural Districts	243,626*	4,616	2,915	12.0†	352	76
Barton upon Irwell	10,176*	161	127	12.5	5	31
Blackburn	10,240	168	113	11.0	11	65
Burnley	19,490	321	264	13.5	25	78
Bury	9,630	173	133	13.8	15	87
Chorley	22,240	456	250	11.2	42	92
Clitheroe	6,710	97	78	11.6	6	62
Fylde	12,650	246	152	12.0	19	77
Garstang	10,700	228	145	13.6	14	61
Lancaster	9,320	192	114	12.2	16	83
Leigh	10,880	258	150	13.8	33	128
Limehurst	9,500	202	124	13.4†	10	50
Lunesdale	6,540	128	75	11.5	6	47
Preston	23,210	366	233	10.0	23	63
Sefton	5,760	94	58	10.1	3	32
Ulverston	17,980	367	258	14.3	32	87
Warrington	12,260	257	136	11.1	27	105
West Lancashire	21,390	391	224	10.5	26	66
Whiston	18,640	384	202	10.8	32	83
Wigan	6,310	127	79	12.5	7	55
LEICESTERSHIRE.						
COUNTY BOROUGH—						
Leicester	237,900	5,036	2,874	12.1	432	86
ADMINISTRATIVE COUNTY ..	262,721	5,709	2,968	11.3†	406	71
Municipal Boroughs and						
Urban Districts	109,469	2,477	1,240	11.3†	202	82
Ashby de la Zouch	5,004	118	62	12.4	5	42
Ashby Woulds	3,275	95	34	10.4	3	32
Coalville	20,820	549	228	11.0	64	117
Hinckley	13,930	328	175	12.6	29	88

* Population adjusted to allow for changes in boundary during the year.

† Death-rate based upon estimated civilian populations as follows:—Lancashire, Rural Districts, 243,375*; Limehurst Rural District, 9,249; Leicestershire, Administrative County, 262,527; Municipal Boroughs and Urban Districts, 109,275.

TABLE 14—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births.
LEICESTERSHIRE—cont.						
Municipal Boroughs and Urban Districts—cont.						
Loughborough, M.B. ..	26,230	553	323	12.3	49	89
Market Harborough ..	8,620	152	95	11.0	8	53
Melton Mowbray	9,250	231	89	9.6	13	56
Oadby	3,253	53	28	9.2†	2	38
Quorndon	2,457	42	29	11.8	4	95
Shepshed	5,640	135	68	12.1	11	81
Thurmaston	2,240	43	20	8.9	3	70
Wigston Magna	8,750	178	89	10.2	11	62
Rural Districts	153,252	3,232	1,728	11.3	204	63
Ashby de la Zouch ..	17,320	474	227	13.1	39	82
Barrow-upon-Soar ..	25,360	477	260	10.3	19	40
Belvoir	3,220	73	53	16.5	3	41
Billesdon	7,230	115	72	10.0	4	35
Blaby	17,240	350	172	10.0	22	63
Castle Donington ..	6,490	113	77	11.9	8	71
Hallaton	1,719	37	23	13.4	—	—
Hinckley	14,570	310	166	11.4	21	68
Loughborough	4,523	92	40	8.8	8	87
Lutterworth	10,230	192	132	12.9	13	68
Market Bosworth ..	23,400	579	254	10.9	48	83
Market Harborough ..	7,510	141	88	11.7	5	35
Melton Mowbray	14,440	279	164	11.4	14	50
LINCOLNSHIRE.						
(Parts of Holland.)						
ADMINISTRATIVE COUNTY ..	85,461	2,061	987	11.5	160	78
Municipal Boroughs and Urban Districts ..	37,826	876	453	12.0	71	81
Boston, M.B.	16,180	361	206	12.7	34	94
Holbeach	5,380	139	57	10.6	9	65
Long Sutton	3,226	60	38	11.8	6	100
Spalding	10,700	258	128	12.0	19	74
Sutton Bridge	2,340	58	24	10.3	3	52
Rural Districts	47,635	1,185	534	11.2	89	75
Boston	22,050	556	273	12.4	42	76
Crowland	2,729	72	26	9.5	6	83
East Elloe	9,510	227	96	10.1	14	62
Spalding (part of)‡ ..	13,346	330	139	10.4	27	82
LINCOLNSHIRE.						
(Parts of Kesteven.)						
ADMINISTRATIVE COUNTY ..	108,008	2,235	1,359	12.9†	172	77
Municipal Boroughs and Urban Districts ..	40,971	820	538	13.1	73	89
Bourne	4,317	89	65	15.1	5	56
Grantham, M.B.	19,010	344	252	13.3	39	113
Ruskington	1,104	25	23	20.8	2	80
Sleaford	6,670	137	70	10.5	11	80
Stamford, M.B.	9,870	225	128	13.0	16	71

† Death-rates based upon estimated civilian populations as follows:—Oadby U.D., 3,059; Lincolnshire (Kesteven), Administrative County, 105,709.

‡ The remainder of Spalding Rural District is in Lincolnshire (Kesteven).

TABLE 14—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births.
LINCOLNSHIRE— <i>cont.</i> (Parts of Kesteven)— <i>cont.</i>						
<i>Rural Districts</i>	67,037	1,415	821	12·7†	99	70
Bourne	12,650	292	191	15·1	18	62
Branston	13,640	277	154	11·6†	18	65
Claypole	7,880	150	103	13·1	13	87
Grantham	11,960	285	138	11·5	15	53
Sleaford	18,840	371	212	12·6†	30	81
Spalding (part of)‡ ..	634	17	8	12·6	4	235
Uffington	1,433	23	15	10·5	1	43
LINCOLNSHIRE. (Parts of Lindsey.)						
COUNTY BOROUGHS	150,200	3,633	1,735	11·6	351	97
Grimsby	83,600	2,153	979	11·7	221	103
Lincoln	66,600	1,480	756	11·4	130	88
ADMINISTRATIVE COUNTY ..	252,412	5,914	2,981	11·8	433	73
<i>Municipal Boroughs and Urban Districts</i> ..	117,171	2,876	1,353	11·5	220	76
Alford	2,168	48	35	16·1	3	63
Barton-upon-Humber ..	6,470	142	82	12·7	12	85
Brigg	3,327	81	27	8·1	5	62
Broughton	1,744	45	11	6·3	3	67
Cleethorpes	27,440	640	288	10·5	54	84
Crowle	3,030	86	53	17·5	7	81
Gainsborough	19,880	466	207	10·4	34	73
Horncastle	3,451	52	61	17·7	5	96
Louth, M.B.	9,530	200	142	14·9	14	70
Mablethorpe	1,966	19	14	7·1	—	—
Market Rasen	2,149	40	25	11·6	—	—
Roxby-cum-Risby ..	609	12	4	6·6	1	83
Scunthorpe and Frodingham	27,790	906	308	11·1	77	85
Skegness	4,475	70	55	12·3	2	29
Winterton	1,710	44	31	18·1	3	68
Woodhall Spa	1,432	25	10	7·0	—	—
<i>Rural Districts</i>	135,241	3,038	1,628	12·0	213	70
Caistor	12,670	259	146	11·5	15	58
Gainsborough	14,250	303	192	13·5	14	46
Glanford Brigg	25,280	645	275	10·9	48	74
Grimsby	12,290	317	133	10·8	30	95
Horncastle	12,020	256	148	12·3	12	47
Isle of Axholme	6,740	183	85	12·6	15	82
Louth	17,210	343	213	12·4	29	85
Sibsey	3,001	73	36	12·0	6	82
Spilsby	20,970	403	280	13·4	29	72
Welton	10,810	256	120	11·1	15	59
GREATER LONDON.§						
GREATER LONDON	7,535,582	161,344	87,366	11·6†	12,153	75

† Death-rates based upon estimated civilian populations as follows:—Lincolnshire (Kesteven), Rural Districts 64,738; Branston R.D., 13,313; Sleaford R.D., 16,868; Greater London, 7,523,963.

‡ The remainder of Spalding Rural District is in Lincolnshire (Holland).

§ Greater London consists of the City of London, the Metropolitan Boroughs and the Outer Ring. For the detailed constitution *see* Census of England and Wales, 1921, Preliminary Report, pp. 58, 59. (Cmd. 1485).

TABLE 14—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births.
LONDON.						
ADMINISTRATIVE COUNTY, CITY AND INNER AND MIDDLE TEMPLES ..	4,524,000	99,839	56,259	12.5†	8,077	81
City of London	13,527	129	163	12.0	14	109
Inner and Middle Temples ..	293	3	3	10.2	—	—
Metropolitan Boroughs—						
Battersea	169,200	3,742	2,060	12.2	276	74
Bermondsey	120,500	3,328	1,658	13.8	309	93
Bethnal Green	118,300	3,003	1,530	12.9	300	100
Camberwell	269,600	6,278	3,260	12.1	463	74
Chelsea	64,290	1,097	876	13.6	90	82
Deptford	113,500	2,667	1,382	12.2	234	88
Finsbury	76,690	1,990	1,134	14.8	182	91
Fulham	159,400	3,528	1,881	11.8	297	84
Greenwich	101,400	2,329	1,242	12.2	175	75
Hackney	224,200	4,978	2,586	11.5	331	66
Hammersmith	131,500	2,779	1,638	12.7†	244	88
Hampstead	86,890	1,342	973	11.2	88	66
Holborn	43,520	648	556	12.8	51	79
Islington	333,000	7,812	4,409	13.2	643	82
Kensington	177,300	3,417	2,451	13.8	366	107
Lambeth	305,700	6,737	3,730	12.2	515	76
Lewisham	175,800	3,462	1,853	10.5	193	56
Paddington	145,600	2,887	1,758	12.1	263	91
Poplar	164,100	4,481	2,093	12.8	374	83
St. Marylebone	105,200	1,760	1,362	12.9	129	73
St. Pancras	212,900	4,754	2,778	13.0	362	76
Shoreditch	105,200	3,060	1,492	14.2	339	111
Southwark	186,000	5,038	2,665	14.3	453	90
Stepney	252,000	6,200	3,308	13.1	560	90
Stoke Newington	52,590	1,073	637	12.1	58	54
Wandsworth	331,500	6,201	3,557	10.7	415	67
Westminster	142,600	1,919	1,630	11.7†	156	81
Woolwich	141,700	3,197	1,594	11.6†	197	62
MIDDLESEX.						
ADMINISTRATIVE COUNTY ..	1,260,364	25,191	12,763	10.1†	1,681	67
Municipal Boroughs and Urban Districts ..	1,203,932	24,097	12,185	10.1†	1,610	67
Acton, M.B.	62,000	1,314	650	10.5	92	70
Brentford	17,320	407	198	11.4	23	57
Chiswick	40,950	816	512	12.5	75	92
Ealing, M.B.	67,800	1,144	721	10.6	72	63
Edmonton	67,800	1,665	685	10.1	116	70
Enfield	61,400	1,198	598	9.7	82	68
Feltham	6,400	122	57	8.9	7	57
Finchley	46,680	879	531	11.4	63	72
Friern Barnet	17,510	293	142	8.1	21	72
Greenford	1,448	24	10	6.9	2	83
Hampton	10,560	177	112	10.6	16	90
Hampton Wick	3,220	46	32	11.6†	2	43
Hanwell	20,650	442	214	10.4	37	84

† Death-rates based upon estimated civilian populations as follows:—London, 4,514,405; Hammersmith Met.B., 128,708; City of Westminster, 139,893; Woolwich Met.B., 137,604; Middlesex Administrative County, 1,258,340; Municipal Boroughs and Urban Districts, 1,201,908; Hampton Wick U.D., 2,754.

TABLE 14—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births.
MIDDLESEX—cont.						
<i>Municipal Boroughs and Urban Districts—cont.</i>						
Harrow-on-the-Hill ..	19,460	322	186	9·6	17	53
Hayes	6,380	136	52	8·2	8	59
Hendon	55,500	994	443	8·0	61	61
Heston and Isleworth ..	47,290	950	516	11·3†	66	69
Hornsey, M.B.	87,600	1,468	968	11·1	72	49
Kingsbury	1,852	67	13	7·0	2	30
Ruislip Northwood ..	9,000	166	67	7·4	10	60
Southall Norwood..	30,800	581	269	8·7	37	64
Southgate	38,900	603	307	7·9	22	36
Staines	7,240	136	80	11·0	11	81
Sunbury-on-Thames ..	5,360	149	53	9·9	7	47
Teddington	21,060	452	233	11·1	25	55
Tottenham	149,200	3,402	1,557	10·4	232	68
Twickenham	34,700	755	402	11·6	64	85
Uxbridge	13,010	265	119	9·1	17	64
Wealdstone	13,520	242	107	7·9	10	41
Wembley	16,110	311	138	8·6	14	45
Willesden	167,200	3,562	1,678	10·0	260	73
Wood Green	51,100	905	493	9·6	63	70
Yiewsley	4,912	104	42	8·6	4	38
<i>Rural Districts</i>	56,432	1,094	578	10·2	71	65
Hendon	17,440	297	156	8·9	8	27
South Mimms	3,122	51	26	8·3	2	39
Staines	25,170	545	270	10·7	39	72
Uxbridge	10,700	201	126	11·8	22	109
NORFOLK.						
COUNTY BOROUGHS	178,700	3,908	2,107	11·8	287	73
Great Yarmouth	56,300	1,255	729	12·9	87	69
Norwich	122,400	2,653	1,378	11·3	200	75
ADMINISTRATIVE COUNTY ..	315,394	6,492	3,729	11·8	378	58
<i>Municipal Boroughs and Urban Districts</i> ..						
Cromer	60,588	1,183	676	11·2	89	75
Diss	4,011	67	35	8·7	2	30
Diss	3,479	59	50	14·4	7	119
Downham Market..	2,341	39	34	14·5	1	26
East Dereham	5,680	115	63	11·1	10	87
Kings Lynn, M.B. ..	20,110	428	225	11·2	32	75
New Hunstanton ..	3,036	26	32	10·5	4	154
North Walsham	4,160	85	37	8·9	4	47
Sheringham	3,634	64	33	9·1	4	63
Swaffham	2,889	44	48	16·6	4	91
Thetford, M.B.	4,709	90	55	11·7	7	78
Walsoken	3,943	108	37	9·4	12	111
Wells	2,596	58	27	10·4	2	34
<i>Rural Districts</i>	254,806	5,309	3,053	12·0	289	54
Aylsham	16,280	359	211	13·0	15	42
Blofield	12,260	232	131	10·7	8	34
Depwade	19,000	398	260	13·7	17	43
Docking	16,660	328	187	11·2	11	34
Downham	14,680	311	182	12·4	22	71

† Death-rate based upon an estimated civilian population of 45,732.

TABLE 14.—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births.
NORFOLK—cont.						
Rural Districts—cont.						
East and West Flegg ..	10,250	186	116	11·3	9	48
Erpingham.. ..	17,180	308	192	11·2	22	71
Forehoe	11,350	244	132	11·6	14	57
Freebridge Lynn ..	11,720	242	147	12·5	10	41
Henstead	9,890	208	126	12·7	13	63
Kings Lynn	906	15	14	15·5	1	67
Loddon and Clavering ..	12,130	244	129	10·6	18	74
Marshland	14,020	339	135	9·6	17	50
Mitford and Launditch ..	17,940	381	214	11·9	19	50
St. Faith's	10,930	236	89	8·1	5	21
Smallburgh	13,670	294	183	13·4	19	65
Swaffham	7,190	163	95	13·2	11	67
Thetford	9,410	206	139	14·8	16	78
Walsingham	16,180	342	192	11·9	16	47
Wayland	13,160	273	179	13·6	26	95
NORTHAMPTONSHIRE.						
COUNTY BOROUGH—						
Northampton	92,300	1,881	970	10·5	126	67
ADMINISTRATIVE COUNTY ..	212,769	4,166	2,514	11·8†	300	72
Municipal Boroughs and Urban Districts						
Brackley, M.B.	2,397	42	30	12·5	—	—
Daventry, M.B.	3,518	65	52	14·8	5	77
Desborough	4,176	73	32	7·7	4	55
Finedon	4,039	107	40	9·9	8	75
Higham Ferrers, M.B. ..	2,912	47	32	11·0	2	43
Irthlingborough	4,911	90	47	9·6	6	67
Kettering	30,060	593	350	11·6	56	94
Oundle	2,678	25	25	9·3	2	80
Raunds	3,818	62	39	10·2	3	48
Rothwell	4,429	69	59	13·3	7	101
Rushden	13,720	273	147	10·7	22	81
Wellingborough	20,600	436	237	11·5	43	99
Rural Districts	115,511	2,284	1,424	12·4†	142	62
Brackley	6,590	133	91	13·8	6	45
Brixworth	11,580	225	130	11·2	13	58
Crick	2,392	45	27	11·3	1	22
Daventry	14,150	283	184	13·5†	15	53
Easton on the Hill ..	1,374	36	24	17·5	3	83
Gretton	1,390	30	16	11·5	3	100
Hardingstone	7,480	161	115	15·4	13	81
Kettering	12,680	230	135	10·6	15	65
Middleton Cheney.. ..	2,516	51	20	7·9	1	20
Northampton	7,360	124	65	8·8	6	48
Oundle (part of)† ..	6,520	126	88	13·5	8	63
Oxendon	3,972	63	57	14·4	1	16
Potterspury	4,707	100	56	11·9	6	60
Thrapston (part of)† ..	10,340	206	119	11·5	10	49
Towcester	9,920	211	131	13·2	21	100
Wellingborough	12,540	260	166	13·2	20	77

† Death-rates based upon estimated civilian populations as follows:—Administrative County, 212,270; Rural Districts, 115,012; Daventry Rural District, 13,651.

‡ The remaining parts of Oundle and Thrapston Rural Districts are in Huntingdonshire.

TABLE 14.—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births
NORTHUMBERLAND.						
COUNTY BOROUGHS ..	342,300	9,008	4,835	14.1	881	98
Newcastle-upon-Tyne ..	278,400	7,288	3,952	14.2	705	97
Tynemouth	63,900	1,720	883	13.8	176	102
ADMINISTRATIVE COUNTY ..	397,834	10,146	4,944	12.4	969	96
<i>Municipal Boroughs and Urban Districts</i> ..	294,675*	8,034	3,783	12.8	816	102
Alnwick	6,920	160	106	15.3	18	113
Amble	4,840	129	58	12.0	10	78
Ashington	29,900	1,006	380	12.7	127	126
Bedlingtonshire	26,880	784	344	12.8	74	94
Berwick-upon-Tweed, M.B.	12,330	282	183	14.8	15	53
Blyth	32,340	922	462	14.3	98	106
Cramlington	8,550	238	119	13.9	29	122
Earsdon	11,400	342	141	12.4	33	96
Gosforth	15,760	292	175	11.1	22	75
Hexham	8,500	202	132	15.5	27	134
Longbenton	13,920	373	151	10.8	46	123
Morpeth, M.B.	7,580	183	122	16.1	17	93
Newbiggin-by-the-Sea ..	6,468*	201	81	12.5	29	144
Newburn	19,160	508	204	10.6	33	65
Prudhoe	8,870	237	96	10.8	14	59
Rothbury	1,216	16	12	9.9	—	—
Seaton Delaval	7,880	199	103	13.1	16	80
Seghill	1,981	59	31	15.6	5	85
Wallsend, M.B.	43,880	1,393	620	14.1	154	111
Weetslade	7,080	211	102	14.4	33	156
Whitley and Monkseaton	19,220	297	161	8.4	16	54
<i>Rural Districts</i>	103,159*	2,112	1,161	11.3	153	72
Alnwick	12,380	219	138	11.1	17	78
Belford	4,940	80	50	10.1	5	63
Bellingham	5,630	109	60	10.7	6	55
Castle Ward	12,580	244	129	10.3	26	107
Glendale	8,040	167	94	11.7	10	60
Haltwhistle	9,380	229	111	11.8	13	57
Hexham	21,960	458	270	12.3	30	66
Morpeth	18,052*	419	173	9.6	35	84
Norham and Islandshires..	5,440	84	62	11.4	4	48
Rothbury	4,752	103	73	15.4	7	68
Moot Hall and precincts ..	5	—	1	200.0	—	—
NOTTINGHAMSHIRE.						
COUNTY BOROUGH—						
Nottingham	266,400	6,155	3,509	13.2	632	103
ADMINISTRATIVE COUNTY ..	381,969	9,187	4,413	11.6	796	87
<i>Municipal Boroughs and Urban Districts</i> ..	246,540	6,239	2,793	11.3	569	91
Arnold	11,990	281	139	11.6	20	71
Beeston	12,640	284	132	10.4	17	60
Carlton	18,780	497	192	10.2	43	87
East Retford, M.B. ..	13,380	342	177	13.2	29	85
Eastwood	5,150	138	59	11.5	13	94
Hucknall	17,180	485	200	11.6	53	109
Huthwaite	5,560	130	61	11.0	8	62
Kirkby-in-Ashfield ..	17,540	477	188	10.7	49	103
Mansfield, M.B.	45,190	1,163	490	10.8	91	78

* Population adjusted to allow for changes in boundary during the year.

TABLE 14—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births.
NOTTINGHAMSHIRE—						
<i>cont.</i>						
<i>Municipal Boroughs and Urban Districts—cont.</i>						
Mansfield Woodhouse ..	13,720	407	120	8·7	32	79
Newark, M.B. ..	17,020	370	206	12·1	35	95
Sutton-in-Ashfield ..	24,370	679	308	12·6	75	110
Warsop ..	7,380	220	81	11·0	30	136
West Bridgford ..	13,260	174	129	9·7	13	75
Worksop ..	23,380	592	311	13·3	61	103
<i>Rural Districts</i> ..	135,429	2,948	1,620	12·0	227	77
Basford ..	43,840	998	474	10·8	85	85
Bingham ..	14,220	295	194	13·6	19	64
Blyth and Cuckney ..	5,060	119	65	12·8	10	84
East Retford ..	14,600	301	178	12·2	22	73
Leake ..	3,702	75	41	11·1	5	67
Misterton ..	4,127	76	62	15·0	10	132
Newark ..	8,730	189	93	10·7	7	37
Shire Hall ..	6	—	—	—	—	—
Skegby ..	9,090	263	121	13·3	28	106
Southwell ..	19,970	379	256	12·8	22	58
Stapleford ..	11,680	245	131	11·2	17	69
Civil Parishes of Kingston-upon-Soar and Ratcliffe-upon-Soar administered by R.D.C. of Shardlow (Derbyshire) ..	404	8	5	12·4	2	250
OXFORDSHIRE.						
COUNTY BOROUGH—						
Oxford ..	56,400	929	598	10·6	34	37
ADMINISTRATIVE COUNTY ..	131,510	2,609	1,577	12·0	146	56
<i>Municipal Boroughs and Urban Districts</i> ..						
Banbury, M.B. ..	13,390	291	175	13·1	18	62
Bicester ..	2,933	70	42	14·3	4	57
Chipping Norton, M.B. ..	3,541	63	44	12·4	3	48
Henley-on-Thames, M.B. . .	6,580	128	66	10·0	9	70
Thame ..	2,903	51	35	12·1	4	78
Wheatley ..	919	19	23	25·0	—	—
Witney ..	3,368	62	46	13·7	1	16
Woodstock, M.B. ..	1,502	26	22	14·6	1	38
<i>Rural Districts</i> ..	96,374	1,899	1,124	11·7	106	56
Banbury ..	11,130	208	144	12·9	15	72
Bicester ..	8,490	175	102	12·0	7	40
Chipping Norton ..	10,300	212	138	13·4	9	42
Crowmarsh. . .	4,971	104	63	12·7	6	58
Culham ..	2,491	57	24	9·6	5	88
Goring ..	3,152	48	30	9·5	5	104
Headington ..	13,840	282	116	8·4	13	46
Henley ..	10,530	168	113	10·7	11	65
Thame ..	5,100	89	68	13·3	4	45
Witney ..	16,080	330	200	12·4	17	52
Woodstock ..	10,290	226	126	12·2	14	62

TABLE 14—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births.
PETERBOROUGH, SOKE OF.						
ADMINISTRATIVE COUNTY ..	47,057	1,009	519	11.0	71	70
<i>Municipal Borough—</i>						
Peterborough, M.B. ..	35,630	761	401	11.3	58	76
<i>Rural Districts</i>	11,427	248	118	10.3	13	52
Barnack	1,897	30	19	10.0	2	67
Peterborough	9,530	218	99	10.4	11	50
RUTLANDSHIRE.						
ADMINISTRATIVE COUNTY ..	18,172	360	241	13.3	16	44
<i>Urban District—</i>						
Oakham	3,289	59	37	11.2	4	68
<i>Rural Districts</i>	14,883	301	204	13.7	12	40
Ketton	2,773	65	21	7.6	2	31
Oakham	5,950	126	92	15.5	7	56
Uppingham	6,160	110	91	14.8	3	27
SHROPSHIRE.						
ADMINISTRATIVE COUNTY ..	242,528	5,318	3,000	12.4	354	67
<i>Municipal Boroughs and Urban Districts</i> ..						
Bishop's Castle, M.B. ..	1,273	31	19	14.9	1	32
Bridgnorth, M.B. ..	5,130	109	57	11.1	8	73
Church Stretton ..	1,461	21	12	8.2	1	48
Dawley	7,450	171	92	12.3	16	94
Ellesmere	1,846	35	27	14.6	3	86
Ludlow, M.B. ..	5,630	133	90	16.0	11	83
Market Drayton ..	4,692	117	62	13.2	10	85
Newport	3,082	60	41	13.3	4	67
Oakengates	11,540	271	140	12.1	25	92
Oswestry, M.B. ..	9,820	203	137	14.0	15	74
Shrewsbury, M.B. ..	31,030	664	382	12.3	55	83
Wellington	8,140	161	84	10.3	12	75
Wem	2,196	37	37	16.8	5	135
Wenlock, M.B. ..	13,800	289	182	13.2	15	52
Whitchurch	5,600	90	67	12.0	5	56
<i>Rural Districts</i>	129,838	2,926	1,571	12.1	168	57
Atcham	21,960	495	253	11.5	24	48
Bridgnorth	8,470	172	103	12.2	11	64
Burford	1,260	22	18	14.3	—	—
Chirbury	3,233	76	48	14.8	7	92
Church Stretton ..	4,440	103	63	14.2	8	78
Cleobury Mortimer ..	7,280	193	93	12.8	15	78
Clun	6,200	135	73	11.8	7	52
Drayton	7,140	161	79	11.1	9	56
Ellesmere	7,970	188	96	12.0	7	37
Ludlow	8,870	200	105	11.8	7	35
Newport	5,780	126	72	12.5	10	79
Oswestry	16,300	373	194	11.9	26	70
Shifnal	7,620	144	102	13.4	3	21
Teme	1,641	49	20	12.2	3	61
Wellington	11,150	252	136	12.2	18	71
Wem	8,520	191	96	11.3	12	63
Whitchurch	2,004	46	20	10.0	1	22
SOMERSETSHIRE.						
COUNTY BOROUGH—						
Bath	68,300	1,103	855	12.5	79	72
ADMINISTRATIVE COUNTY ..	387,099	7,506	4,500	11.6	420	56

TABLE 14.—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births.
SOMERSETSHIRE—cont.						
Municipal Boroughs and Urban Districts	162,025*	3,055	1,906	11·8	168	55
Bridgwater, M.B.	16,030	351	193	12·0	17	48
Burnham	4,925	69	54	11·0	4	58
Chard, M.B.	4,338	77	44	10·1	3	39
Clevedon	6,250	82	79	12·6	4	49
Crewkerne	3,726	81	39	10·5	7	86
Frome	10,500	211	124	11·8	9	43
Glastonbury, M.B. . . .	4,297	80	38	8·8	2	25
Highbridge.. .. .	2,433	47	32	13·2	3	64
Ilminster	2,352	42	19	8·1	3	71
Midsomer Norton .. .	7,840	189	76	9·7	11	58
Minehead	5,080	89	63	12·4	5	56
Portishead	3,755	64	50	13·3	2	31
Radstock	3,682	89	38	10·3	3	34
Shepton Mallet	4,288	87	53	12·4	4	46
Street	4,403	97	52	11·8	7	72
Taunton, M.B.	23,440*	456	291	12·4	33	72
Watchet	1,814	36	28	15·4	1	28
Wellington	7,210	119	97	13·5	5	42
Wells, M.B.	4,299	80	50	11·6	5	63
Weston-super-Mare .. .	25,070	380	307	12·2	14	37
Wiveliscombe	1,243	26	15	12·1	5	192
Yeovil, M.B.	15,050	303	164	10·9	21	69
Rural Districts	225,074*	4,451	2,594	11·5	252	57
Axbridge	22,890	401	289	12·6	24	60
Bath	14,630	290	159	10·9	10	34
Bridgwater.. .. .	17,300	356	249	14·4	24	67
Chard	12,650	264	137	10·8	12	45
Clutton	15,880	360	175	11·0	30	83
Dulverton	4,494	83	42	9·3	3	36
Frome	10,730	240	120	11·2	14	58
Keynsham	10,630	187	120	11·3	14	75
Langport	12,480	258	142	11·4	18	70
Long Ashton	17,490	347	186	10·6	22	63
Shepton Mallett	9,600	182	109	11·4	13	71
Taunton	16,790*	341	193	11·5	13	38
Wellington	5,770	102	71	12·3	5	49
Wells	10,150	190	105	10·3	10	53
Williton	11,480	223	136	11·8	14	63
Wincanton	15,520	296	163	10·5	11	37
Yeovil	16,590	331	198	11·9	15	45
SOUTHAMPTON.						
COUNTY BOROUGHs	490,400	10,470	5,506	11·5†	682	65
Bournemouth	81,200	1,251	1,084	13·3	94	75
Portsmouth	247,000	5,608	2,661	11·4†	358	64
Southampton	162,200	3,611	1,761	10·9	230	64
ADMINISTRATIVE COUNTY ..	406,604	8,340	4,223	10·8†	460	55
Municipal Boroughs and Urban Districts	183,642	3,886	1,860	10·9†	226	58
Aldershot	28,940	697	208	9·6†	43	62
Alton	5,540	120	71	12·8	5	42

* Population adjusted to allow for changes in boundary during the year.

† Death-rates based upon estimated civilian populations as follows:—County Boroughs, 477,329; Portsmouth C.B., 233,929; Administrative County, 389,588; Municipal Boroughs and Urban Districts, 170,429; Aldershot U.D., 21,707.

TABLE 14.—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births.
SOUTHAMPTON—cont.						
<i>Municipal Boroughs and Urban Districts—cont.</i>						
Andover, M.B.	8,540	181	95	11·1	9	50
Basingstoke, M.B. ..	12,750	263	118	9·3	11	42
Christchurch, M.B. ..	6,910	112	72	10·4	7	63
Eastleigh and Bishopstoke	15,760	317	141	8·9	15	47
Fareham	10,070	199	76	7·8†	7	35
Farnborough	12,590	272	95	9·8†	12	44
Fleet	3,634	67	37	10·2	4	60
Gosport and Alverstoke ..	33,710	789	360	11·7†	51	65
Havant	4,386	82	41	9·3	3	37
Lymington, M.B.	4,562	107	72	15·8	9	84
Petersfield	3,871	77	43	11·1	4	52
Romsey, M.B.	4,824	125	70	14·5	20	160
Warblington	3,975	68	40	10·1	2	29
Winchester, M.B.	23,580	410	321	13·6	24	59
<i>Rural Districts</i>	222,962	4,454	2,363	10·8†	234	53
Alresford	7,280	143	71	9·8	9	63
Alton	15,750	363	162	11·3†	19	52
Andover	11,770	266	102	9·4†	8	30
Basingstoke	12,530	241	153	12·2	12	50
Catherington	3,721	70	54	14·5	4	57
Christchurch	5,110	74	50	9·8	5	68
Droxford	12,790	263	138	10·8	8	30
Fareham	14,370	279	144	10·3†	13	47
Fordingbridge	6,130	127	65	10·6	6	47
Hartley Wintney	20,290	404	202	10·0	24	59
Havant	6,560	101	64	9·8	3	30
Hursley	4,491	86	46	10·2	3	35
Kingsclere	8,460	157	93	11·0	12	76
Lymington	12,480	220	152	12·2	14	64
New Forest	18,380	426	185	10·1	23	54
Petersfield	11,550	236	106	9·2	7	30
Ringwood	7,320	126	96	13·1	6	48
Romsey	6,950	144	89	12·8	8	56
South Stoneham	12,260	241	126	10·3	19	79
Stockbridge	6,220	142	76	12·2	9	63
Whitchurch	6,370	155	84	13·2	15	97
Winchester	12,180	190	105	9·4†	7	37
STAFFORDSHIRE.						
COUNTY BOROUGHS	650,510	17,794	8,647	13·3	1,980	111
Burton-upon-Trent	49,410	1,179	597	12·1	90	76
Smethwick	77,400	1,971	860	11·1	176	89
Stoke-on-Trent	245,600	7,132	3,658	14·9	963	135
Walsall	98,800	2,765	1,320	13·4	313	113
West Bromwich	75,300	2,156	954	12·7	209	97
Wolverhampton	104,000	2,591	1,258	12·1	229	88

† Death-rates based upon estimated civilian populations as follows:—Fareham U.D., 9,806; Farnborough U.D., 9,706; Gosport and Alverstoke U.D., 30,878; Rural Districts 219,159; Alton R.D., 14,293; Andover R.D., 10,891; Fareham R.D., 13,929; Winchester R.D., 11,154.

TABLE 14—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births.
STAFFORDSHIRE— <i>cont.</i>						
ADMINISTRATIVE COUNTY ..	722,366	18,848	8,530	11·8†	1,660	88
<i>Municipal Boroughs and Urban Districts</i> ..	502,288*	13,768	6,139	12·2	1,308	95
Amblecote	3,236	75	38	11·7	3	40
Audley	15,020	367	164	10·9	24	65
Biddulph	8,100	233	96	11·9	22	94
Bilston	28,150	939	393	14·0	90	96
Brierley Hill	12,760	347	164	12·9	29	84
Brownhills	18,630	530	224	12·0	52	98
Cannock	32,930	979	390	11·8	102	104
Coseley	24,800	719	284	11·5	72	100
Darlaston	18,660	511	220	11·8	45	88
Heathtown or Wednesfield Heath	13,360	343	140	10·5	29	85
Kidsgrove	9,670	268	104	10·8	20	75
Leek	17,500	384	228	13·0	31	81
Lichfield, M.B.	8,370	195	104	12·4	7	36
Newcastle-under-Lyme, M.B.	20,828*	614	306	14·7	54	88
Perry Barr	2,756	72	25	9·1	7	97
Quarry Bank	8,030	234	84	10·5	15	64
Rowley Regis	40,990	1,186	469	11·4	124	105
Rugeley	4,664	117	72	15·4	17	145
Sedgley	17,670	449	206	11·7	32	71
Short Heath	4,544	111	30	6·6	9	81
Smallthorne	14,360	432	170	11·8	45	104
Stafford, M.B.	29,080	595	324	11·1	44	74
Stone	5,570	116	73	13·1	9	78
Tamworth, M.B.	8,150	219	106	13·0	16	73
Tettenhall	5,520	71	72	13·0	9	127
Tipton	34,920	1,107	482	13·8	125	113
Uttoxeter	5,410	145	77	14·2	15	103
Wednesbury, M.B.	31,080	913	421	13·5	106	116
Wednesfield	7,620	162	81	10·6	17	105
Willenhall	20,100	583	231	11·5	57	98
Wolstanton United	29,810	752	361	12·1	81	108
<i>Rural Districts</i>	220,078*	5,080	2,391	10·9†	352	69
Blore Heath	2,282	47	33	14·5	2	43
Cannock	21,860	566	206	9·4	42	74
Cheadle	28,730	651	317	11·0	43	66
Dudley	25	—	—	—	—	—
Gnosall	4,655	92	60	12·9	7	76
Kingswinford	22,430	636	231	10·3	61	96
Leek	16,190	394	188	11·6	29	74
Lichfield	29,730	714	309	10·8†	50	70
Mayfield	3,958	92	47	11·9	6	65
Newcastle-under-Lyme	6,352*	148	81	12·8	8	54
Seisdon	16,710	335	187	11·2	18	54
Stafford	11,070	170	109	9·8	9	53
Stoke-upon-Trent	5,100	131	59	11·6	14	107
Stone	14,470	302	174	12·0	17	56
Tamworth (part of)†	5,400	124	55	10·2	9	73
Tutbury	8,920	177	111	12·4	7	40
Uttoxeter	8,300	162	94	11·3	7	43

* Population adjusted to allow for changes in boundary during the year.

† Death-rates based upon estimated civilian population as follows:—Administrative County, 721,201; Rural Districts, 218,913*; Lichfield R.D., 28,565.

‡ The remainder of Tamworth Rural District is in Warwickshire.

TABLE 14—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births.
STAFFORDSHIRE— <i>cont.</i>						
<i>Rural Districts—cont.</i>						
Walsall	13,220	328	121	9·2	23	70
Civil Parishes of Blymhill and Weston-under-Lizard administered by R.D.C. of Shifnal (Shropshire) ..	676	11	9	13·3	—	—
SUFFOLK, EAST.						
COUNTY BOROUGH—						
Ipswich	80,100	1,735	891	11·1	128	74
ADMINISTRATIVE COUNTY ..	207,909	4,517	2,272	11·0†	278	62
<i>Municipal Boroughs and Urban Districts</i>						
Aldeburgh, M.B.	2,563	44	21	8·2	2	45
Beccles, M.B.	7,040	146	64	9·1	1	7
Bungay	3,100	64	54	17·4	5	78
Eye, M.B.	1,786	36	24	13·4	3	83
Felixstowe	9,470	168	89	9·4	14	83
Halesworth	2,077	45	36	17·3	4	89
Leiston-cum-Sizewell	4,663	83	46	9·9	3	36
Lowestoft, M.B.	43,950	1,127	435	9·9	76	67
Saxmundham	1,360	21	13	9·6	—	—
Southwold, M.B.	2,783	34	28	10·1	5	147
Stowmarket	4,240	76	47	11·1	4	53
Woodbridge	4,589	94	56	12·2	4	43
<i>Rural Districts</i>	120,288	2,579	1,359	11·5†	157	61
Blything	17,660	399	217	12·3	30	75
Bosmere and Claydon	13,860	321	166	12·0	15	47
East Stow	6,330	135	58	9·2	5	37
Hartismere	10,870	223	128	11·8	8	36
Hoxne	9,600	213	119	12·4	14	66
Mutford and Lothingland ..	11,780	278	123	10·4	25	90
Plomesgate	14,900	323	201	13·5	21	65
Samford	14,640	271	123	9·9†	13	48
Wangford	4,578	109	51	11·1	9	83
Woodbridge	16,070	307	173	10·8	17	55
SUFFOLK WEST.						
ADMINISTRATIVE COUNTY ..	109,196	2,254	1,361	12·5	128	57
<i>Municipal Boroughs and Urban Districts</i>						
Bury St. Edmunds, M.B. ...	16,050	338	190	11·8	26	77
Glemsford	1,456	33	16	11·0	1	30
Hadleigh	3,028	70	47	15·5	5	71
Haverhill	4,130	66	60	14·5	3	45
Newmarket	9,840	169	111	11·3	11	65
Sudbury, M.B.	7,110	136	100	14·1	8	59
<i>Rural Districts</i>	67,582	1,442	837	12·4	74	51
Brandon	5,680	124	76	13·4	6	48
Clare	7,370	160	105	14·2	10	63
Cosford	10,370	225	135	13·0	9	40
Melford	12,140	207	149	12·3	9	43
Mildenhall	8,050	185	95	11·8	10	54
Moulton	2,162	36	33	15·3	2	56
Thedwastre	8,420	187	88	10·5	8	43
Thingoe	13,390	318	156	11·7	20	63

† Death-rates based upon estimated civilian populations as follows :—Administrative County, 205,734 ; Rural Districts, 118,113 ; Samford R.D., 12,465.

TABLE 14.—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births.
SURREY.						
COUNTY BOROUGH—						
Croydon	191,500	3,631	2,041	10·7	265	73
ADMINISTRATIVE COUNTY ..	733,338	12,863	7,128	9·8†	705	55
<i>Municipal Boroughs and Urban Districts</i> ..	568,868	10,053	5,692	10·1†	589	59
Barnes	34,010	651	388	11·4	42	65
Beddington and Wallington	16,110	250	161	10·0	18	72
Carshalton	14,000	244	137	9·8	19	78
Caterham	11,770	186	74	7·0†	8	43
Chertsey	15,000	263	126	8·4	18	68
Coulsdon and Purley ..	21,080	284	159	7·5	5	18
Dorking	7,930	141	99	12·5	7	50
East and West Molesey ..	7,170	131	76	10·6	4	31
Egham	13,570	247	136	10·0	12	49
Epsom†	18,820	227	128	6·8	13	57
Esher and the Dittons ..	14,270	239	112	7·8	12	50
Farnham	12,110	225	134	11·1	11	49
Frimley	13,460	271	114	10·1†	23	85
Godalming, M.B.	9,170	151	93	10·1	9	60
Guildford, M.B.	24,780	452	249	10·0	32	71
Ham	1,509	17	13	8·6	1	59
Haslemere	3,741	48	39	10·4	1	21
Kingston-on-Thames, M.B.	39,520	799	457	11·6	48	60
Leatherhead	5,770	115	57	9·9	1	9
Merton and Morden ..	17,520	322	131	7·5	23	71
Mitcham	35,550	825	396	11·1	58	70
Reigate, M.B.	28,690	469	293	10·2	17	36
Richmond, M.B.	35,120	581	438	12·5	34	59
Surbiton	19,330	349	230	11·9	22	63
Sutton	20,910	352	199	9·5	14	40
The Maldens and Coombe	14,430	256	144	10·0	14	55
Walton-upon-Thames ..	14,350	263	127	8·9	14	53
Weybridge	6,480	96	67	10·3	4	42
Wimbledon, M.B.	61,700	1,033	634	10·3	72	70
Windlesham	4,698	65	54	11·5	4	62
Woking	26,300	501	227	8·6	29	58
<i>Rural Districts</i>	164,470	2,810	1,436	8·8†	116	41
Chertsey	10,970	185	95	8·7	4	22
Dorking	10,200	190	97	9·5	7	37
Epsom	33,650	556	289	8·6	21	38
Farnham	17,920	326	167	9·3	16	49
Godstone	24,980	455	231	9·2	17	37
Guildford	21,600	374	153	7·7†	17	45
Hambledon	22,710	368	227	10·0	18	49
Reigate	22,440	356	177	7·9	16	45
SUSSEX EAST.						
COUNTY BOROUGHS	247,900	4,175	3,192	12·9	304	73
Brighton	134,800	2,529	1,696	12·6	199	79
Eastbourne	53,600	796	639	11·9	60	75
Hastings	59,500	850	857	14·4	45	53

† Death-rates based upon estimated civilian populations as follows:—Administrative County, 728,408; Urban Aggregate, 565,621; Caterham U.D., 10,640; Frimley U.D., 11,343. Rural Districts, 162,787; Guildford R.D., 19,917.

‡ A considerable proportion of the population of this area was enumerated in County Lunatic Asylums, the deaths in which are allocated to the areas in which the deceased patients had resided before admission.

TABLE 14.—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births.
SUSSEX, EAST— <i>cont.</i>						
ADMINISTRATIVE COUNTY ..	251,851	4,210	2,871	11·5†	212	50
<i>Municipal Boroughs and Urban Districts</i> ..	122,299	1,925	1,505	12·3†	113	59
Battle	2,868	46	48	16·7	—	—
Bexhill, M.B.	17,610	221	204	11·6	21	95
Burgess Hill	5,540	88	72	13·0	8	91
Cuckfield	1,873	21	22	11·7	—	—
East Grinstead	7,210	139	82	11·4	4	29
Haywards Heath	4,996	86	54	10·8	2	23
Hove, M.B.	44,150	590	609	13·8	37	63
Lewes, M.B.	10,700	219	143	13·4	12	55
Newhaven	6,460	143	65	10·1	8	56
Portslade-by-Sea	7,670	162	79	10·3	9	56
Rye, M.B.	3,832	70	37	9·7	3	43
Seaford	6,040	70	43	7·3†	4	57
Uckfield	3,350	70	47	14·0	5	71
<i>Rural Districts</i>	129,552	2,285	1,366	10·7†	99	43
Battle	6,210	119	87	14·0	6	50
Chailey	12,590	230	100	7·9	4	17
Cuckfield	16,350	286	171	10·5	9	31
Eastbourne	5,630	101	52	9·2	4	40
East Grinstead	13,530	248	126	9·3	3	12
Hailsham	18,290	342	205	11·2	22	64
Hastings	1,829	25	21	11·5	1	40
Newhaven	5,860	89	55	9·4	5	56
Rye	6,830	117	75	11·0	8	68
Steyning, East	3,453	44	39	11·3	6	136
Ticehurst	12,800	238	161	12·6	13	55
Uckfield	26,180	446	274	11·4†	18	40
SUSSEX, WEST.						
ADMINISTRATIVE COUNTY ..	184,874	3,214	2,185	11·8†	158	49
<i>Municipal Boroughs and Urban Districts</i> ..	90,044	1,514	1,143	12·7†	94	62
Arundel, M.B.	2,640	53	29	11·0	1	19
Bognor	11,490	135	112	9·7	8	59
Chichester, M.B.	12,400	244	153	12·3	15	61
Horsham	11,370	203	165	14·5	8	39
Littlehampton	8,710	171	118	13·5	15	88
Shoreham-by-Sea	7,080	124	71	10·5†	12	97
Southwick	4,834	97	54	11·2	6	62
Worthing, M.B.	31,520	487	441	14·0	29	60
<i>Rural Districts</i>	94,830	1,700	1,042	11·0	64	38
East Preston	7,110	95	78	11·0	6	63
Horsham	21,130	360	246	11·6	7	19
Midhurst	14,550	264	148	10·2	9	34
Petworth	7,990	139	104	13·0	9	65
Steyning, West	9,840	158	88	8·9	5	32
Thakeham	8,150	187	96	11·8	8	43
Westbourne	8,830	190	102	11·6	4	21
Westhampnett	17,230	307	180	10·4	16	52

† Death-rates based upon estimated civilian populations as follows:—Sussex, East, Administrative County, 249,469; Municipal Boroughs and Urban Districts, 122,159; Seaford U.D., 5,900; Rural Districts, 127,310; Uckfield, R.D., 23,938; Sussex, West, Administrative County, 184,528; Municipal Boroughs and Urban Districts 89,698; Shoreham-by-Sea U.D., 6,734.

TABLE 14—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births
WARWICKSHIRE.						
COUNTY BOROUGHES	1,066,300	25,087	11,704	11·0	2,073	83
Birmingham	936,000	22,244	10,393	11·1	1,846	83
Coventry	130,300	2,843	1,311	10·1	227	80
ADMINISTRATIVE COUNTY ..	343,333	7,646	3,681	10·7†	500	65
<i>Municipal Boroughs and Urban Districts</i> ..	150,060	3,162	1,598	10·6	206	65
Bulkington.. ..	2,250	54	18	8·0	3	56
Kenilworth	6,700	148	56	8·4	7	47
Nuneaton, M.B.	42,720	1,135	416	9·7	76	67
Royal Leamington Spa, M.B.	28,560	546	372	13·0	35	64
Rugby	25,220	462	236	9·4	31	67
Stratford-on-Avon, M.B. . .	8,950	177	119	13·3	11	62
Sutton Coldfield, M.B. ..	22,840	390	229	10·0	23	59
Warwick, M.B.	12,820	250	152	11·9	20	80
<i>Rural Districts</i>	193,273	4,484	2,083	10·8†	294	66
Alcester	12,260	249	145	11·8	13	52
Atherstone	21,210	618	226	10·7	55	89
Brailes	5,650	104	83	14·7	7	67
Coventry	5,200	178	33	6·7†	12	67
Farnborough	1,402	24	12	8·6	—	—
Foleshill	33,840	984	311	9·2	58	59
Meriden	16,970	275	198	11·7	21	76
Monks Kirby	1,509	33	16	10·6	3	91
Nuneaton	3,402	98	30	8·8	8	82
Rugby	19,410	440	206	10·6	24	55
Solihull	20,840	344	243	11·7	28	81
Southam	10,000	230	148	14·8	13	57
Stratford-on-Avon	10,750	205	125	11·6	11	54
Tamworth (part of)‡ ..	18,130	470	166	9·2	26	55
Warwick	12,700	232	141	11·1	15	65
WESTMORLAND.						
ADMINISTRATIVE COUNTY ..	61,686	1,180	791	12·8	86	73
<i>Municipal Boroughs and Urban Districts</i> ..	26,566	498	351	13·2	40	80
Ambleside	2,300	28	30	13·0	—	—
Appleby, M.B.	1,660	29	18	10·8	—	—
Grasmere	853	6	4	4·7	—	—
Kendal, M.B.	14,190	314	202	14·2	27	86
Kirkby Lonsdale	1,361	20	19	14·0	3	150
Shap	992	30	18	18·1	3	100
Windermere	5,210	71	60	11·5	7	99
<i>Rural Districts</i>	35,120	682	440	12·5	46	67
East Westmorland	10,640	228	154	14·5	13	57
South Westmorland	18,470	325	207	11·2	23	71
West Ward	6,010	129	79	13·1	10	78
WIGHT, ISLE OF.						
ADMINISTRATIVE COUNTY ..	85,172	1,512	1,051	12·3	86	57
<i>Municipal Boroughs and Urban Districts</i> ..	55,632	991	725	13·0	59	60
Cowes	9,970	180	135	13·5	15	83
East Cowes	4,682	90	51	10·9	6	67

† Death-rates based upon estimated civilian populations as follows :—Administrative County, 343,045 ; Rural Aggregate, 192,985 ; Coventry R.D., 4,912.

‡ The remainder of Tamworth Rural District is in Staffordshire.

TABLE 14—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births.
WIGHT, ISLE OF						
—cont.						
<i>Municipal Boroughs and Urban Districts—cont.</i>						
Newport, M.B.	11,030	256	132	12·0	18	70
Ryde, M.B.	10,410	166	155	14·9	7	42
St. Helens	4,871	94	62	12·7	8	85
Sandown	5,440	75	69	12·7	1	13
Shanklin	4,295	51	43	10·0	—	—
Ventnor	4,934	79	78	15·8	4	51
<i>Rural District</i>	29,540	521	326	11·0	27	52
Isle of Wight	29,540	521	326	11·0	27	52
WILTSHIRE.						
ADMINISTRATIVE COUNTY ..	292,266	5,814	3,076	10·8†	326	56
<i>Municipal Boroughs and Urban Districts</i> ..	133,647	2,567	1,388	10·4	157	61
Bradford-on-Avon	4,672	89	48	10·3	10	112
Calne, M.B.	3,643	69	44	12·1	4	58
Chippenham, M.B.	7,750	132	79	10·2	6	45
Devizes, M.B.	6,000	129	76	12·7	3	23
Malmesbury, M.B.	2,398	36	33	13·8	3	83
Marlborough, M.B.	4,137	57	27	6·5	3	53
Melksham	3,597	51	31	8·6	4	78
Salisbury, M.B.	22,690	440	243	10·7	27	61
Swindon, M.B.	55,500	1,125	532	9·6	76	68
Trowbridge	12,130	244	146	12·0	13	53
Warminster	5,410	84	62	11·5	2	24
Westbury	3,709	69	35	9·4	1	14
Wilton, M.B.	2,011	42	32	15·9	5	119
<i>Rural Districts</i>	158,619	3,247	1,688	11·1†	169	52
Amesbury	15,300	303	104	10·4†	20	66
Bradford-on-Avon	5,460	103	53	9·7	6	58
Calne	4,594	85	50	10·9	3	35
Chippenham	14,420	274	170	11·8	9	33
Cricklade and Wootton Bassett	10,720	248	120	11·2	6	24
Devizes	12,310	239	110	8·9	9	38
Highworth	15,940	370	175	11·0	21	57
Malmesbury	8,480	163	90	10·6	6	37
Marlborough	4,168	85	35	8·4	4	47
Melksham	5,030	99	54	10·7	9	91
Mere	4,635	85	50	10·8	5	59
Pewsey	13,060	315	143	12·0†	18	57
Ramsbury	6,260	133	71	11·3	6	45
Salisbury	10,130	209	105	10·4	12	57
Tetbury (part of)†	372	10	3	8·1	2	200
Tisbury	7,180	148	93	13·0	6	41
Warminster	5,990	105	73	12·2	6	57
Westbury and Whorwells-down	6,570	110	86	13·1	9	82
Wilton	8,000	163	103	12·9	12	74

† Death-rates based upon estimated civilian populations as follows:—Administrative County, 285,794; Rural Districts, 152,147; Amesbury R.D., 9,959; Pewsey R.D., 11,929.

‡ The remainder of Tetbury Rural District is in Gloucestershire.

TABLE 14—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births.
WORCESTERSHIRE.						
COUNTY BOROUGHS	106,260	2,685	1,272	12·0	203	76
Dudley	57,100	1,692	666	11·7	143	85
Worcester	49,160	993	606	12·3	60	60
ADMINISTRATIVE COUNTY ..	301,033	6,383	3,434	11·4	430	67
<i>Municipal Boroughs and Urban Districts</i>	167,131	3,675	1,910	11·4	278	76
Bewdley, M.B.	2,676	68	39	14·6	5	74
Bromsgrove	9,560	208	109	11·4	16	77
Droitwich, M.B.	3,916	88	59	15·1	3	34
Evesham, M.B.	8,610	164	88	10·2	6	37
Kidderminster, M.B. ..	27,440	597	346	12·6	47	79
Lye and Wollescote ..	12,310	311	161	13·1	34	109
Malvern	17,000	197	185	10·9	10	51
North Bromsgrove ..	8,390	157	72	8·6	10	64
Oldbury	37,700	994	432	11·5	100	101
Redditch	16,530	367	147	8·9	19	52
Stourbridge, M.B. ..	18,190	420	223	12·3	22	52
Stourport	4,809	104	49	10·2	6	58
<i>Rural Districts</i>	133,902	2,708	1,524	11·4	152	56
Bromsgrove	16,850	323	178	10·6	25	77
Droitwich	12,760	228	136	10·7	12	53
Evesham	9,660	166	110	11·4	3	18
Feckenham	5,480	89	48	8·8	6	67
Halesowen	28,850	745	305	10·6	43	58
Kidderminster	7,520	149	77	10·2	11	74
Martley	12,320	255	142	11·5	17	67
Pershore	12,820	247	161	12·6	9	36
Rock	2,152	42	37	17·2	2	48
Shipston-on-Stour ..	4,258	74	57	13·4	9	122
Stow-on-the-Wold (part of)†	283	6	6	21·2	—	—
Tenbury	4,433	84	57	12·9	3	36
Tewkesbury (part of)† ..	2,113	40	26	12·3	—	—
Upton-on-Severn	13,280	235	163	12·3	9	38
Winchcomb (part of)† ..	105	2	1	10·0	—	—
Civil Parishes of Redmarley d'Abitôt and Staunton administered by R.D.C. of Newent (Glos.) ..	1,018	23	20	19·6	3	130
YORKSHIRE, EAST RIDING.						
COUNTY BOROUGH—						
Kingston-upon-Hull ..	291,800	7,530	3,818	13·1	711	94
ADMINISTRATIVE COUNTY ..	162,917	3,445	2,013	12·4†	263	76
<i>Municipal Boroughs and Urban Districts</i> ..	64,442	1,278	883	13·7	98	77
Beverley, M.B.	13,550	322	192	14·2	27	84
Bridlington, M.B. ...	15,220	271	244	16·0	23	85
Cottingham	5,150	98	57	11·1	6	61
Filey	3,372	60	49	14·5	5	83
Great Driffield	5,680	118	74	13·0	10	85
Hedon, M.B.	1,318	30	22	16·7	—	—
Hessle	6,100	107	59	9·7	3	28

† The remaining parts of Stow-on-the-Wold, Tewkesbury and Winchcomb Rural Districts are in Gloucestershire.

† Death-rate based upon an estimated civilian population of 162,631.

TABLE 14—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births.
YORKSHIRE, EAST RIDING— <i>cont.</i> <i>Municipal Boroughs and Urban Districts—cont.</i>						
Hornsea	3,700	82	52	14.1	7	85
Norton	3,850	86	54	14.0	7	81
Pocklington	2,633	52	39	14.8	4	77
Withernsea	3,869	52	41	10.6	6	115
<i>Rural Districts</i>	98,475	2,167	1,130	11.5†	165	76
Beverley	11,790	259	117	9.9	17	66
Bridlington	7,810	156	90	11.5	16	103
Driffield	11,650	285	141	12.1	15	53
Escrick	5,880	101	60	10.2	5	50
Howden	12,960	289	165	13.0†	32	111
Norton	5,320	119	51	9.6	3	25
Patrington	7,450	163	103	13.8	18	110
Pocklington	10,810	223	129	11.9	19	85
Riccall	5,310	142	63	11.9	12	85
Sculcoates	10,340	218	100	9.7	10	46
Sherburn	2,075	54	31	14.9	7	130
Skirlaugh	7,080	158	80	11.3	11	70
YORKSHIRE, NORTH RIDING.						
COUNTY BOROUGH—						
Middlesbrough	133,400	4,218	1,910	14.3	506	120
ADMINISTRATIVE COUNTY ..	310,599	7,063	3,920	12.7†	596	84
<i>Municipal Boroughs and Urban Districts</i> ..						
	174,779*	4 343	2,263	13.0†	407	94
Eston	31,165*	958	399	12.8	98	102
Guisborough	7,135	213	94	13.2	20	94
Hinderwell	2,560	69	31	12.1	2	29
Kirklington-cum-Upsland	238	7	—	—	—	—
Loftus	9,120	246	112	12.3	27	110
Malton	4,402	94	64	14.5	13	138
Masham	2,043	38	19	9.3	3	79
Northallerton	4,755	103	54	11.4	10	97
Pickering	3,438	63	65	18.9	8	127
Redcar	15,450	383	149	9.6	31	81
Richmond, M.B.	3,779	84	37	10.6†	7	83
Saltburn-by-the-Sea	3,844	59	44	11.4	4	68
Scalby	1,390	17	9	6.5	—	—
Scarborough, M.B.	37,530	657	579	15.4	55	84
Skelton and Brotton	15,860	469	208	13.1	53	113
Thornaby-on-Tees, M.B. ..	20,160	636	259	12.8	61	96
Whitby	11,910	247	140	11.8	15	61
<i>Rural Districts</i>	135,820*	2,720	1,657	12.3†	189	69
Aysgarth	4,201	95	59	14.0	6	63
Bedale	6,500	146	81	12.5	8	55
Croft	2,199	53	24	10.9	3	57
Easingwold	9,800	178	131	13.4	15	84
Flaxton	9,760	141	91	9.3	11	78
Guisborough	8,135*	222	102	12.5	19	86

* Population adjusted to allow for changes of boundary during the year.

† Death-rates based upon estimated civilian populations as follows:—Yorks, East Riding Rural Districts, 98,189; Howden R.D., 12,674; Yorks, North Riding Administrative County, 309,373; Municipal Boroughs and Urban Districts, 174,481*; Richmond, M.B., 3,481; Rural Districts, 134,892.*

TABLE 14—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births.
YORKSHIRE, NORTH RIDING— <i>cont.</i>						
<i>Rural Districts—cont.</i>						
Helmsley	4,935	72	48	9.7	5	69
Kirkby Moorside	4,774	93	50	10.5	4	43
Leyburn	6,130	132	105	17.1	20	152
Malton	5,760	120	77	13.4	10	83
Middlesbrough	2,388	31	17	7.1	2	65
Northallerton	7,520	186	99	13.2	17	91
Pickering	5,970	133	74	12.4	6	45
Reeth	2,351	49	23	9.8	2	41
Richmond	9,230	181	102	12.3†	14	77
Scarborough	6,120	97	76	12.4	4	41
Startforth	4,657	95	71	15.2	8	84
Stokesley	12,430	254	148	11.9	15	59
Thirsk	12,300	250	138	11.2	11	44
Wath	2,060	43	25	12.1	3	70
Whitby	8,600	149	116	13.5	6	40
YORKSHIRE, WEST RIDING.						
COUNTY BOROUGHS	1,704,620*	37,609	22,793	13.4	3,777	100
Barnsley	56,601*	1,632	865	15.3	188	115
Bradford	291,100	5,695	3,991	13.7	625	110
Dewsbury	55,100	1,230	814	14.8	148	120
Halifax	100,700	1,775	1,367	13.6	175	99
Huddersfield	111,900	2,049	1,488	13.3	180	88
Leeds	465,500	10,150	6,287	13.5	997	98
Rotherham	69,100	1,922	911	13.2	166	86
Sheffield	500,995*	11,907	6,287	12.5	1,173	99
Wakefield	53,624*	1,249	783	14.6	125	100
ADMINISTRATIVE COUNTY ..	1,516,043*	35,295	19,103	12.6†	3,431	97
<i>Municipal Boroughs and Urban Districts</i>						
Adwick-le-Street	12,020	392	131	10.9	40	102
Altofts	5,150	126	58	11.3	12	95
Ardley†	6,156*	208	70	11.4	23	111
Ardley, East and West ..	8,610	205	102	11.8	21	102
Baildon	6,580	110	82	12.5	12	109
Barkisland	1,606	30	12	7.5	2	67
Barnoldswick	12,190	243	121	9.9	12	49
Batley, M.B.	36,910	791	460	12.5	64	81
Bentley with Arksey ..	13,290	409	121	9.1	40	98
Bingley	19,210	379	205	10.7	23	61
Birkenshaw	2,776	59	35	12.6	6	102
Birstal	7,230	131	96	13.3	13	99
Bolton-upon-Dearne ..	12,180	390	193	15.8	44	113
Brighouse, M.B.	20,610	394	263	12.8	39	99
Burley-in-Wharfedale ..	3,816	70	40	10.5	6	86
Calverley	3,403	48	33	9.7	1	21
Castleford	24,670	735	343	13.9	97	132
Clayton	5,150	63	51	9.9	1	16

* Population adjusted to allow for changes in boundary during the year.

† Death-rates based upon estimated civilian populations as follows:—Richmond R.D., 8,302; Administrative County, 1,515,640*; Municipal Boroughs and Urban Districts, 1,131,237*.

‡ Abolished on 9th November, 1921.

TABLE 14—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number.	Rate per 1,000 Births.
YORKSHIRE, WEST RIDING— <i>cont.</i>						
<i>Municipal Boroughs and Urban Districts—cont.</i>						
Clayton West	2,010	48	22	10·9	2	42
Conisbrough§	12,161*	436	186	15·3	51	117
Cudworth	7,790	277	109	14·0	29	105
Darfield	5,650	156	85	15·0	28	179
Darton	11,490	325	145	12·6	41	126
Denby and Cumberworth	3,687	67	49	13·3	4	60
Denholme	2,981	61	50	16·8	5	82
Dodworth	3,390	92	44	13·0	11	120
Doncaster, M.B.	54,700	1,282	693	12·7	149	116
Drighlington	4,169	86	58	13·9	9	105
Earby	5,990	116	63	10·5	9	78
Elland	10,750	156	108	10·0	10	64
Emley	1,733	38	14	8·1	3	79
Farnley Tyas	471	15	3	6·4	—	—
Farsley	6,210	107	67	10·8	4	37
Featherstone	15,110	453	206	13·6	68	150
Flockton	1,419	36	19	13·4	3	83
Garforth	3,947	85	53	13·4	7	82
Gildersome	2,920	45	41	14·0	4	89
Golcar	10,560	137	133	12·6	12	88
Goole	19,360	572	275	14·2	53	93
Greasbrough	3,213	65	34	10·6	7	108
Greetland	4,437	71	52	11·7	4	56
Guiseley	5,410	96	61	11·3	6	63
Gunthwaite and Ingbirchworth	332	8	6	18·1	—	—
Handsworth†	13,791*	410	144	10·4	39	95
Harrogate, M.B.	34,440	482	387	11·2	35	73
Haworth	6,710	118	92	13·7	10	85
Hebden Bridge	6,580	95	97	14·7	6	63
Heckmondwike	9,140	198	135	14·8	15	76
Hemsworth§	8,622*	290	116	13·5	45	155
Hipperholme	4,819	61	49	10·2	1	16
Holme	348	8	9	25·9	—	—
Holmfirth	10,600	192	136	12·8	14	73
Honley	4,774	70	74	15·5	10	143
Horbury	7,940	159	93	11·7	14	88
Horsforth	9,400	136	98	10·4	9	66
Hoyland Nether	15,160	425	214	14·1	50	118
Hoyland Swaine	689	20	10	14·5	1	50
Hunsworth.. ..	1,340	16	13	9·7	2	125
Ilkley	8,590	133	88	10·2	7	53
Keighley, M.B.	42,550	791	566	13·3	81	102
Kirkburton	3,446	60	45	13·1	1	17
Kirkheaton	2,753	44	30	10·9	2	45
Knaresborough	5,340	96	82	15·4	5	52
Knottingley	6,840	225	129	18·9	30	133
Lepton	3,207	67	49	15·3	7	104
Linthwaite	10,000	169	144	14·4	21	124
Luddenden Foot	2,877	50	40	13·9	3	60

* Population adjusted to allow for changes in boundary during the year.

† Abolished on 9th November, 1921.

§ Created on 1st April, 1921.

TABLE 14—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.		
			Total.	Rate per 1,000 living.	Number	Rate per 1,000 Births.	
YORKSHIRE, WEST RIDING— <i>cont.</i> <i>Municipal Boroughs and Urban Districts—cont.</i>							
Marsden	6,060	98	56	9.2	2	20	
Meltham	5,100	78	63	12.4	10	128	
Methley	4,573	95	51	11.2	6	63	
Mexborough	15,590	443	208	13.3	45	102	
Midgley	2,004	33	28	14.0	—	—	
Mirfield	12,330	232	161	13.1	19	82	
Monk Bretton†	4,450*	162	62	13.9	17	105	
Morley, M.B.	24,440	535	306	12.5	50	93	
Mytholmroyd	4,202	74	65	15.5	6	81	
New Mill	4,522	86	62	13.7	7	81	
Normanton	16,130	464	186	11.5	49	106	
Oakworth	4,212	62	42	10.0	1	16	
Ossett, M.B.	15,050	340	219	14.6	41	121	
Otley	9,550	174	132	13.8	13	75	
Oxenhope	2,368	40	39	16.5	1	25	
Penistone	3,823	85	39	10.2	7	82	
Pontefract, M.B.	17,000	519	245	14.8†	63	121	
Pudsey, M.B.	14,550	251	192	13.2	27	108	
Queensbury	5,980	111	88	14.7	11	99	
Rawdon	3,784	47	40	10.6	3	64	
Rawmarsh	18,240	487	251	13.8	59	121	
Ripon, M.B.	8,310	205	97	11.7	13	63	
Rishworth	884	12	5	5.7	—	—	
Rothwell	15,500	370	183	11.8	32	86	
Royston	6,600	207	92	13.9	29	140	
Saddleworth	12,740	207	150	11.8	15	72	
Scammonden	390	11	3	7.7	2	182	
Selby	10,130	253	109	10.8	14	55	
Shelf	2,430	32	35	14.4	6	188	
Shelley	1,779	36	26	14.6	—	—	
Shepley	1,727	24	14	8.1	3	125	
Shipley	28,770	564	394	13.7	55	98	
Silsden	4,880	77	61	12.5	4	52	
Skelmanthorpe	3,985	74	46	11.5	3	41	
Skipton	12,130	233	139	11.5	17	73	
Slaithwaite	5,550	77	54	9.7	5	65	
South Crosland	3,111	56	46	14.8	2	36	
Southowram	2,719	59	34	12.5	2	34	
Sowerby	3,208	72	43	13.4	8	111	
Sowerby Bridge	11,650	207	177	15.2	19	92	
Soyland	2,810	38	28	10.0	—	—	
Spenborough	31,680	636	414	13.1	63	99	
Springhead	5,060	117	74	14.6	11	94	
Stainland with Old Lindley	4,612	61	67	14.5	1	16	
Stanley	14,940	397	197	13.2	39	98	
Stocksbridge	9,240	258	95	10.3	10	39	
Swinton	14,160	439	189	13.3	48	109	
Thurlstone	2,741	56	29	10.6	2	36	
Thurnscoe	5,060	162	43	8.5	16	99	

* Population adjusted to allow for changes in boundary during the year.

† Death-rate based upon an estimated civilian population of 16,597.

‡ Abolished on 9th November, 1921.

TABLE 14—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number	Rate per 1,000 Births.
YORKSHIRE,						
WEST RIDING— <i>cont.</i>						
<i>Municipal Boroughs and Urban Districts—cont.</i>						
Thurstonland ‡	2,500	19	20	8·0	1	53
Tickhill	2,084	73	36	17·3	7	96
Todmorden, M.B.	24,190	428	325	13·4	35	82
Wath-upon-Dearne	13,040	398	170	13·0	46	116
Whitley Upper	851	17	16	18·8	1	59
Whitwood	6,050	192	98	16·2	30	156
Wombwell	19,390	599	268	13·8	70	117
Worsborough	13,668*	405	183	13·4	48	119
Yeadon	7,710	152	106	13·7	11	72
<i>Rural Districts</i>	384,403*	9,728	4,670	12·1	943	97
Barnsley	4,241	118	64	15·1	17	144
Bishopthorpe	2,091	36	15	7·2	3	83
Bowland	5,490	120	56	10·2	5	42
Doncaster	30,479*	939	429	14·1	123	131
Goole	8,400	226	112	13·3	21	93
Great Ouseburn	10,960	238	113	10·3	10	42
Halifax	6,410	103	72	11·2	7	68
Hemsworth	40,058*	1,345	530	13·2	166	123
Hunslet	7,240	156	85	11·7	12	77
Keighley	6,880	114	75	10·9	7	61
Kiveton Park	15,220	434	162	10·6	36	83
Knarborough	8,640	148	87	10·1	9	61
Pateley Bridge	7,070	118	100	14·1	10	85
Penistone	5,720	142	77	13·5	14	99
Pontefract	18,030	556	243	13·5	54	97
Ripon	5,200	92	61	11·7	9	98
Rotherham	38,521*	1,230	505	13·1	134	109
Sedbergh	3,897	82	49	12·6	3	37
Selby	6,170	132	82	13·3	14	106
Settle	15,120	310	172	11·4	18	58
Skipton	18,990	331	211	11·1	18	54
Tadcaster	28,380	718	346	12·2	63	88
Thorne	11,100	340	133	12·0	28	82
Todmorden	4,587	68	63	13·7	4	59
Wakefield	17,936*	500	215	12·0	58	116
Wetherby	14,320	255	169	11·8	18	71
Wharfedale, North	3,865	56	47	12·2	5	89
Wharfedale, South	6,415	68	36	5·6	4	59
Wortley	32,973*	753	361	10·9	73	97
COUNTY BOROUGH—						
York	84,500	1,755	1,033	12·2	171	97
WALES.						
ANGLESEY.						
ADMINISTRATIVE COUNTY ..	51,202	1,047	713	13·9	80	76
<i>Municipal Borough and Urban Districts</i> ..	19,637	431	253	12·9	38	88
Amlwch	2,643	57	41	15·5	4	70
Beaumaris, M.B.	1,723	32	30	17·4	1	31

* Population adjusted to allow for changes in boundary during the year.

† A considerable proportion of the population of this area was enumerated in a County Lunatic Asylum, the deaths in which are allocated to the areas in which the deceased patients had resided before admission.

TABLE 14—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number	Rate per 1,000 Births.
ANGLESEY—cont.						
<i>Municipal Boroughs and Urban Districts—cont.</i>						
Holyhead	11,860	273	148	12.5	32	117
Llangefni	1,704	29	10	5.9	1	34
Menai Bridge	1,707	40	24	14.1	—	—
<i>Rural Districts</i>	31,565	616	460	14.6	42	68
Aethwy	8,170	144	118	14.4	9	63
Dwyran	2,885	68	48	16.6	5	74
Twrcelyn	9,120	169	131	14.4	7	41
Valley	11,390	235	163	14.3	21	89
BRECKNOCKSHIRE.						
ADMINISTRATIVE COUNTY ..	61,069	1,411	803	13.2†	117	83
<i>Urban Districts</i>	17,861	402	239	13.6†	32	80
Brecknock ‡	5,630	111	78	14.5†	8	72
Brynmaur	8,240	218	104	12.6	20	92
Builth Wells	1,680	28	22	13.1	2	71
Hay.. ..	1,537	30	23	15.0	2	67
Llanwrtyd	774	15	12	15.5	—	—
<i>Rural Districts</i>	43,208	1,009	564	13.1	85	84
Brecknock (Defynnock Div.)	3,367	63	49	14.6	8	127
Brecknock (Llangorse Div.)	3,222	65	30	9.3	1	15
Brecknock (Merthyr Cynog)	2,171	43	28	12.9	4	93
Builth	3,989	95	57	14.3	3	32
Crickhowell	8,200	196	110	13.4	15	77
Hay.. ..	4,169	77	50	12.0	8	104
Vaynor and Penderyn ..	5,770	138	78	13.5	13	94
Ystradgynlais	11,300	316	148	13.1	32	101
C.P. of Llanwrthwl administered by R.D.C. of Rhayader (Radnor) ..	368	7	5	13.6	—	—
C.P. of Ystradfellte administered by R.D.C. of Neath (Glam.)	652	9	9	13.8	1	111
CARDIGANSHIRE.						
ADMINISTRATIVE COUNTY ..	57,654	1,010	877	15.2	61	60
<i>Municipal Boroughs and Urban Districts</i> ..	16,562	246	245	14.8	16	65
Aberayron	1,234	24	21	17.0	1	42
Aberystwyth, M.B. ..	8,990	131	121	13.5	8	61
Cardigan, M.B.	3,443	48	53	15.4	6	125
Lampeter, M.B.	1,781	31	30	16.8	1	32
New Quay	1,114	12	20	18.0	—	—
<i>Rural Districts</i>	41,092	764	632	15.4	45	59
Aberayron	7,460	153	129	17.3	10	65
Aberystwyth, North ..	6,851	116	113	16.5	3	26
Aberystwyth, South ..	5,049	94	77	15.3	4	43
Cardigan	3,067	53	39	12.7	1	19
Lampeter	3,491	72	54	15.5	9	125
Llandyssil	7,930	148	111	14.0	10	68
Tregaron	6,920	125	101	14.6	7	56
Civil Parish of Ysgubor y coed administered by R.D.C. of Machynlleth (Montgomeryshire) ..	324	3	8	24.7	1	333

† Death-rates based upon estimated civilian populations as follows:—Administrative County, 60,815; Municipal Boroughs and Urban Districts, 17,607; Brecknock U.D., 5,376.

‡ Brecknock U.D. includes Brecknock M.B. and the Civil Parishes of Castle Inn and Christ's College.

TABLE 14—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number	Rate per 1,000 Births.
CARMARTHENSHIRE.						
ADMINISTRATIVE COUNTY ..	176,667	4,213	2,256	12·8	391	93
<i>Municipal Boroughs and Urban Districts</i> ..	73,872	1,821	869	11·8	162	89
Ammanford	7,100	176	76	10·7	19	108
Burry Port.. ..	6,040	194	74	12·3	19	98
Carmarthen, M.B... ..	10,070	193	134	13·3	16	83
Cwmamman	5,420	143	56	10·3	14	98
Kidwelly, M.B. \	3,247	87	38	11·7	5	57
Llandilo	2,031	38	23	11·3	3	79
Llandovery, M.B.	1,941	47	32	16·5	5	106
Llanelly, M.B.	37,180	926	409	11·0	76	82
Newcastle Emlyn	843	17	27	32·0	5	294
<i>Rural Districts</i>	102,795	2,392	1,387	13·5	229	96
Carmarthen	24,200	565	374	15·5	50	88
Llandilo Fawr	21,910	524	283	12·9	53	101
Llandovery	6,900	117	89	12·9	12	103
Llanelly	34,970	897	424	12·1	85	95
Llanybyther	3,495	70	55	15·7	8	114
Newcastle-in-Emlyn ..	6,310	110	89	14·1	12	109
Whitland	5,010	109	73	14·6	9	83
CARNARVONSHIRE.						
ADMINISTRATIVE COUNTY ..	121,989	2,098	1,771	14·5	181	86
<i>Municipal Boroughs and Urban Districts</i> ..	60,035	975	793	13·2	81	83
Bangor, M.B.	10,970	174	152	13·9	16	92
Bethesda	4,118	86	79	19·2	11	128
Bettws-y-Coed	871	17	8	9·2	—	—
Carnarvon, M.B.	8,340	169	134	16·1	13	77
Conway, M.B.	6,180	84	62	10·0	6	71
Criccieth	1,802	21	22	12·2	1	48
Llandudno	12,900	177	130	10·1	11	62
Llanfairfechan	3,083	50	30	9·7	3	60
Penmaenmawr	4,146	61	44	10·6	3	49
Portmadoc	4,079	70	72	17·7	7	100
Pwllheli, M.B.	3,546	66	60	16·9	10	152
<i>Rural Districts</i>	61,954	1,123	978	15·8	100	89
Conway	8,230	165	86	10·4	8	48
Geirionydd.. ..	4,082	70	65	15·9	5	71
Glaslyn	2,992	54	39	13·0	3	56
Gwyrfaï	24,180	427	422	17·5	50	117
Lleyn	16,680	803	270	16·2	24	79
Ogwen	5,790	104	96	16·6	10	96
DENBIGHSHIRE.						
ADMINISTRATIVE COUNTY ..	151,716	3,214	1,861	12·3	267	83
<i>Municipal Boroughs and Urban Districts</i> ..	52,588	954	633	12·0	69	72
Abergele and Pensarn ..	2,287	40	32	14·0	4	100
Colwyn Bay and Colwyn..	15,820	187	177	11·2	11	59
Denbigh, M.B.	6,810	127	71	10·4	9	71
Llangollen	3,323	49	49	14·7	3	61
Llanrwst	2,356	52	39	16·6	3	58
Ruthin, M.B.	2,782	44	30	10·8	3	68
Wrexham, M.B.	19,210	455	235	12·2	36	79

TABLE 14—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number	Rate per 1,000 Births
DENBIGHSHIRE— <i>cont.</i>						
<i>Rural Districts</i>	99,128	2,260	1,228	12·4	198	88
Chirk	4,519	105	55	12·2	8	76
Llangollen	3,652	71	38	10·4	3	42
Llanrwst	4,330	93	58	13·4	6	65
Llansilin	2,921	51	41	14·0	5	98
Ruthin	9,140	155	107	11·7	9	58
St. Asaph (Denbigh) ..	6,790	113	62	9·1	8	71
Uwchaled	2,130	53	34	16·0	2	38
Wrexham	63,900	1,583	813	12·7	156	99
C.P. of Llanellian yn Rhôs and Llansantffraid Glan Conway administered by R.D.C. of Conway (Carnarvonshire)	1,746	36	20	11·5	1	28
FLINTSHIRE.						
ADMINISTRATIVE COUNTY ..	102,077	2,189	1,135	11·2†	147	67
<i>Municipal Boroughs and Urban Districts</i> ..	39,247	836	440	11·2	62	74
Buckley	6,830	167	81	11·9	9	54
Connah's Quay	5,170	126	55	10·6	12	95
Flint, M.B... ..	6,410	181	77	12·0	17	94
Holywell	2,840	77	36	12·7	2	26
Mold	4,701	108	44	9·4	8	74
Prestatyn	2,946	30	29	9·8	1	33
Rhyl	10,350	147	118	11·4	13	88
<i>Rural Districts</i>	62,830	1,353	695	11·1†	85	63
Hawarden	24,220	578	238	9·8	37	64
Holywell (Holywell Div.) ..	17,155	366	204	11·9	19	52
„ (Mold Div.)	8,665	197	101	11·7	10	51
Overton	5,100	105	57	11·2	10	95
St. Asaph (Flint)	7,690	107	95	12·9†	9	84
GLAMORGANSHIRE.						
COUNTY BOROUGHES	444,100	11,009	5,312	12·0	945	86
Cardiff	202,700	4,877	2,462	12·1	464	95
Merthyr Tydfil	81,800	2,253	1,043	12·8	208	92
Swansea	159,600	3,879	1,807	11·3	273	70
ADMINISTRATIVE COUNTY ..	827,658	23,280	9,265	11·2	2,159	93
<i>Municipal Boroughs and Urban Districts</i> ..	603,642*	17,494	6,907	11·4	1,668	95
Aberdare	56,100	1,485	674	12·0	156	105
Barry	38,930	971	367	9·4	76	78
Bridgend	9,280	228	116	12·5	22	96
Briton Ferry	9,389*	217	108	11·5	19	88
Caerphilly	37,630	1,199	414	11·0	110	92
Cowbridge, M.B.	1,138	28	17	14·9	—	—
Gelligaer	43,940	1,376	448	10·2	130	94
Glyncorwg	11,000	351	126	11·5	25	71
Maesteg	29,520	918	336	11·4	78	85
Margam†	15,424*	401	154	10·0	38	95
Mountain Ash	44,240	1,285	537	12·1	107	83
Neath, M.B.	19,310	519	248	12·8	44	85

* Population adjusted to allow for changes in boundary during the year.

† Death-rates based upon estimated civilian populations as follows:—Administrative County, 101,769; Rural Districts, 62,522; St. Asaph R.D., 7,382.

‡ Abolished on 9th November, 1921.

TABLE 14—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number	Rate per 1,000 Births.
GLAMORGANSHIRE—cont.						
<i>Municipal Boroughs and Urban Districts—cont.</i>						
Ogmore and Garw ..	30,850	949	330	10·7	81	85
Penarth	17,230	390	182	10·6	22	56
Pontypridd	48,180	1,551	550	11·4	163	105
Porthcawl	5,530	126	58	10·5	6	48
Port Talbot†	19,351*	598	235	12·1	52	87
Rhondda	166,600	4,902	2,007	12·0	539	110
<i>Rural Districts</i>	224,016*	5,786	2,358	10·5	491	85
Cowbridge	9,690	241	103	10·6	11	46
Gower	9,310	201	89	9·6	11	55
Llandaff and Dinas Powis	42,140	886	404	9·6	81	91
Llantrisant and Llantwit-fardre	26,060	808	286	11·0	85	105
Neath	48,176*	1,373	542	11·3	101	74
Penybont	28,140	706	295	10·5	63	89
Pontardawe	35,280	966	385	10·9	83	86
Swansea	25,220	605	254	10·1	56	93
MERIONETHSHIRE.						
ADMINISTRATIVE COUNTY ..	41,783	844	671	16·1	70	83
<i>Urban Districts</i>	17,970	347	305	17·0	37	107
Bala	1,365	23	28	20·5	2	87
Barmouth	2,010	33	34	16·9	2	61
Dolgelly	1,951	38	33	16·9	6	158
Ffestiniog	8,180	178	155	18·9	22	124
Mallwyd	700	12	12	17·1	—	—
Towyn	3,764	63	43	11·4	5	79
<i>Rural Districts</i>	23,813	497	366	15·4	33	66
Deudraeth	7,170	140	113	15·8	8	57
Dolgelly	7,790	167	106	13·6	5	30
Edeirnion	4,773	118	83	17·4	11	93
Penllyn	3,673	63	59	16·1	8	127
C.P. of Pennal administered by R.D.C. of Machynlleth (Montgomeryshire) ..	407	9	5	12·3	1	111
MONMOUTHSHIRE.						
COUNTY BOROUGH—						
Newport	93,700	2,365	1,030	11·0	195	82
ADMINISTRATIVE COUNTY ..	363,958	10,312	4,107	11·3	944	92
<i>Municipal Boroughs and Urban Districts</i> ..	317,288	9,362	3,636	11·5	886	95
Abercarn	20,480	605	234	11·4	58	96
Abergavenny, M.B. ..	9,050	218	141	15·6	21	96
Abersychan	27,620	779	322	11·7	79	101
Abertillery	39,660	1,242	401	10·1	127	102
Bedwas and Machen ..	8,620	236	106	12·3	16	68
Bedwellty	31,700	1,134	396	12·5	123	108
Blaenavon	12,680	326	156	12·3	33	101
Caerleon	2,307	31	22	9·5	2	65
Chepstow	5,190	146	54	10·4	9	62
Ebbw Vale	36,150	1,103	398	11·0	87	79
Llanfrechfa Upper ..	4,778	127	48	10·0	6	47

* Population adjusted to allow for changes in boundary during the year.

† Formerly called Aberavon.

TABLE 14—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.		
			Total.	Rate per 1,000 living.	Number	Rate per 1,000 Births.	
MONMOUTHSHIRE—cont.							
<i>Municipal Boroughs and Urban Districts—cont.</i>							
Llantarnam	7,540	207	82	10.9	21	101	
Monmouth, M.B.	5,170	124	81	15.7	18	145	
Mynyddislwyn	15,160	511	168	11.1	43	84	
Nantyglo and Blaina ..	16,860	490	172	10.2	43	88	
Panteg	11,200	271	125	11.2	26	96	
Pontypool	6,990	208	98	14.0	23	111	
Rhymney	11,940	360	129	10.8	36	100	
Risca	17,060	444	171	10.0	37	83	
Tredegar	25,650	773	310	12.1	77	100	
Usk	1,483	27	22	14.8	1	37	
<i>Rural Districts</i>	46,670	950	471	10.1	58	61	
Abergavenny	9,220	185	97	10.5	4	22	
Chepstow	8,680	171	82	9.4	12	70	
Magor	5,460	119	63	11.5	9	76	
Monmouth	6,500	158	63	9.7	8	51	
Pontypool	5,270	116	57	10.8	6	52	
St. Mellons	11,540	201	109	9.4	19	95	
MONTGOMERYSHIRE.							
ADMINISTRATIVE COUNTY ..	50,950	1,067	782	15.3	88	82	
<i>Municipal Boroughs and Urban Districts</i> ..	18,313	355	314	17.1	22	62	
Llanfyllin, M.B.	1,597	25	37	23.2	3	120	
Llanidloes, M.B.	2,520	45	54	21.4	2	44	
Machynlleth	1,844	35	35	19.0	—	—	
Montgomery, M.B.	942	14	11	11.7	—	—	
Newtown and Llanllwchaern	5,720	118	90	15.7	7	59	
Welshpool	5,690	118	87	15.3	10	85	
<i>Rural Districts</i>	32,637	712	468	14.3	66	93	
Forden	5,600	119	89	15.9	15	126	
Llanfyllin	12,030	266	183	15.2	29	109	
Machynlleth	3,787	56	56	14.8	5	89	
Newtown and Llanidloes ..	11,220	271	140	12.5	17	63	
PEMBROKESHIRE.							
ADMINISTRATIVE COUNTY ..	91,480	2,046	1,199	13.2†	131	64	
<i>Municipal Boroughs and Urban Districts</i> ..	40,406	952	529	13.3†	65	68	
Fishguard	3,010	77	39	13.0	4	52	
Haverfordwest, M.B. ..	5,820	145	93	16.0	9	62	
Milford Haven	7,860	216	87	11.1	18	83	
Narberth	1,143	17	8	7.0	1	59	
Neyland	2,739	68	42	15.3	8	118	
Pembroke, M.B.	15,580	363	197	13.1†	19	52	
Tenby, M.B.	4,254	66	63	14.8	6	91	
<i>Rural Districts</i>	51,074	1,094	670	13.1	66	60	
Haverfordwest	21,310	480	264	12.4	35	73	
Llanfyrnach	2,334	36	33	14.1	1	28	
Narberth	10,930	240	149	13.6	9	38	
Pembroke	8,610	179	88	10.2	11	61	
St. Dogmells	7,890	159	136	17.2	10	63	

† Death-rates based upon estimated civilian populations as follows:—Administrative County, 90,934; Municipal Boroughs and Urban Districts, 39,860; Pembroke M.B., 15,034.

TABLE 14—*contd.* POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, 1921.

Administrative Area.	Adjusted Population (Middle 1921).	Births.	Deaths (exclusive of Still-born).		Deaths under one year.	
			Total.	Rate per 1,000 living.	Number	Rate per 1,000 Births.
RADNORSHIRE.						
ADMINISTRATIVE COUNTY ..	21,656	443	256	11·8	18	41
Urban Districts	5,632	102	70	12·4	6	59
Knighton	1,689	25	22	13·0	2	80
Llandrindod Wells ..	2,792	48	25	9·0	2	42
Presteigne	1,151	29	23	20·0	2	69
Rural Districts	16,024	341	186	11·6	12	35
Colwyn	2,050	46	21	10·2	1	22
Knighton	4,165	101	45	10·8	4	40
New Radnor	2,653	44	23	8·7	3	68
Painscastle	2,207	58	26	11·8	2	34
Rhayader	4,949	92	71	14·3	2	22

TABLE 15.—ENGLAND AND WALES—DEATHS at EACH YEAR of AGE REGISTERED in the YEAR 1921. (Total deaths registered.)

Age last birth-day.	Persons.	Males.	Females.				Age last birth-day.	Persons.	Males.	Females.			
			Total.	Single.	Married.	Widowed.				Total.	Single.	Married.	Widowed.
All Ages	458629	234,291	224,338	84,668	69,612	70,058	50-54	24,027	13,231	10,796	1,774	7,170	1,852
							50	4,507	2,494	2,013	382	1,324	307
							51	4,315	2,363	1,952	314	1,312	326
0-4	96,641	54,294	42,347	42,347	—	—	52	4,970	2,683	2,287	398	1,508	381
0	70,250	40,381	29,869	29,869	—	—	53	4,962	2,739	2,223	348	1,492	383
1	15,636	8,356	7,280	7,280	—	—	54	5,273	2,952	2,321	332	1,534	455
2	4,994	2,627	2,367	2,367	—	—	55-59	28,373	15,767	12,606	2,005	7,551	3,050
3	3,177	1,614	1,563	1,563	—	—	55	5,065	2,781	2,284	372	1,411	501
4	2,584	1,316	1,268	1,268	—	—	56	5,568	3,087	2,481	427	1,510	544
5-9	9,707	4,967	4,740	4,740	—	—	57	5,617	3,188	2,429	384	1,486	559
5	2,612	1,296	1,316	1,316	—	—	58	6,139	3,402	2,737	420	1,627	690
6	2,211	1,149	1,062	1,062	—	—	59	5,984	3,309	2,675	402	1,517	756
7	1,962	1,009	953	953	—	—	60-64	33,154	17,979	15,175	2,154	7,922	5,099
8	1,521	795	726	726	—	—	60	6,393	3,563	2,830	399	1,601	830
9	1,401	718	683	683	—	—	61	6,102	3,338	2,764	410	1,477	877
10-14	6,558	3,234	3,324	3,324	—	—	62	6,708	3,611	3,097	456	1,645	996
10	1,246	617	629	629	—	—	63	6,698	3,580	3,118	410	1,602	1,106
11	1,256	650	606	606	—	—	64	7,253	3,887	3,366	479	1,597	1,290
12	1,288	652	636	636	—	—	65-69	39,033	20,483	18,550	2,436	7,777	8,337
13	1,396	670	726	726	—	—	65	7,674	4,067	3,607	516	1,653	1,438
14	1,372	645	727	727	—	—	66	7,345	3,880	3,465	483	1,566	1,416
15-19	9,692	4,914	4,778	4,643	134	1	67	7,425	3,992	3,433	448	1,451	1,534
15	1,740	856	884	884	—	—	68	8,057	4,149	3,908	490	1,549	1,869
16	1,816	916	900	898	2	—	69	8,532	4,395	4,137	499	1,558	2,080
17	1,935	963	972	966	6	—	70-74	41,462	20,243	21,219	2,737	6,201	12,281
18	2,082	1,098	984	947	37	—	70	8,579	4,313	4,266	565	1,467	2,234
19	2,119	1,081	1,038	948	89	1	71	7,772	3,869	3,903	511	1,234	2,158
20-24	10,689	5,171	5,513	3,843	1,660	15	72	8,568	4,228	4,340	546	1,266	2,528
20	2,066	1,014	1,052	905	147	—	73	8,211	4,002	4,209	553	1,100	2,556
21	2,133	1,089	1,044	798	246	—	74	8,332	3,831	4,501	562	1,134	2,805
22	2,069	1,012	1,057	751	304	2	75-79	39,044	17,663	21,381	2,645	4,146	14,590
23	2,214	1,038	1,176	733	439	4	75	8,292	3,783	4,509	567	1,088	2,854
24	2,207	1,018	1,189	656	524	9	76	8,452	3,904	4,548	583	916	3,049
25-29	10,951	5,190	5,761	2,273	3,342	146	77	7,834	3,533	4,301	490	841	2,970
25	2,174	1,061	1,113	546	556	11	78	7,397	3,288	4,109	506	703	2,900
26	2,165	981	1,184	490	666	28	79	7,069	3,155	3,914	499	598	2,817
27	2,126	1,019	1,107	414	667	26	80-84	27,767	11,363	16,404	2,060	1,823	12,521
28	2,185	1,059	1,126	405	689	32	80	6,876	2,919	3,957	503	499	2,955
29	2,301	1,070	1,231	418	764	49	81	5,932	2,479	3,453	451	440	2,562
30-34	11,686	5,834	5,852	1,507	4,059	286	82	5,376	2,210	3,166	383	349	2,434
30	2,240	1,104	1,136	330	765	41	83	4,889	1,936	2,953	352	258	2,343
31	2,090	1,009	1,081	286	743	52	84	4,694	1,819	2,875	371	277	2,227
32	2,456	1,247	1,209	294	858	57	85-89	13,499	5,010	8,489	1,152	463	6,874
33	2,393	1,197	1,196	302	824	70	85	3,723	1,417	2,306	326	151	1,829
34	2,507	1,277	1,230	295	869	66	86	3,199	1,195	2,004	268	121	1,615
35-39	14,323	7,405	6,918	1,387	5,104	427	87	2,757	993	1,764	227	91	1,446
35	2,630	1,293	1,337	266	1,003	68	88	2,199	834	1,365	186	70	1,109
36	2,745	1,422	1,323	267	972	84	89	1,621	571	1,050	145	30	875
37	2,803	1,407	1,396	279	1,030	87	90-94	4,018	1,292	2,726	337	70	2,319
38	3,085	1,619	1,466	301	1,068	97	90	1,321	452	869	115	30	724
39	3,060	1,664	1,396	274	1,031	91	91	986	301	685	83	14	588
40-44	16,803	8,901	7,902	1,510	5,740	652	92	763	246	517	75	16	426
40	3,240	1,735	1,505	291	1,103	111	93	569	177	392	43	6	343
41	3,184	1,676	1,508	287	1,104	117	94	379	116	263	21	4	238
42	3,514	1,873	1,641	322	1,193	126	95-99	791	205	586	90	2	494
43	3,370	1,795	1,575	296	1,121	158	95	312	91	221	38	—	183
44	3,495	1,822	1,673	314	1,219	140	96	214	49	165	24	1	140
45-49	20,352	11,124	9,228	1,697	6,448	1,083	97	118	34	84	14	—	70
45	3,911	2,152	1,759	378	1,217	164	98	81	18	63	9	1	53
46	3,845	2,099	1,746	316	1,207	223	99	66	13	53	5	—	48
47	3,914	2,160	1,754	329	1,228	197	100-	59	21	38	7	—	31
48	4,243	2,303	1,940	353	1,349	238	100	25	9	16	2	—	14
49	4,439	2,410	2,029	321	1,447	261	101-	34	12	22	5	—	17

NOTE.—The 458,629 deaths at all ages include 643 cases (393 males and 250 females) in which only approximate ages were stated; these have been included under the stated age (e.g., age "about 40" under age 40). In 46 cases (31 males and 15 females) the ages were stated to be within certain limits (e.g., age 20 to 25 years); these have been distributed over the age group in proportion to the numbers of precisely stated ages in the individual years of age. In 17 cases (15 males and 2 females) the ages were stated to be unknown; these have been distributed to the particular ages, with regard as far as possible to the cause of death.

Of the 224,338 deaths of females, 231 were cases in which the condition as to marriage was not stated; these have been distributed among the single, married, and widowed in proportion to their respective numbers at the same age. The deaths of 34 divorced women are included with the deaths of widows.

DEATHS AT DIFFERENT AGES IN GREATER LONDON AND METROPOLITAN BOROUGH, 1921.
(Civilian Population Only.)

Age.	Sex.	Greater London.*	City of London.	Inner and Middle Temple.	Battersea.	Bermondsey.	Bethnal Green.	Camberwell.	Chelsea.	Deptford.	Finsbury.	Fulham.	Greenwich.	Hackney.	Hammersmith.	Hampstead.
All Ages	M	44260	82	2	1012	880	810	1673	472	695	612	921	666	1266	829	453
	F	43106	81	1	1048	778	720	1587	404	687	522	960	576	1320	809	520
Under 1 month	M	2721	6	—	61	53	49	100	29	37	41	55	40	82	52	20
1–3 months	F	2010	3	—	47	41	36	72	15	43	28	52	27	43	44	21
3–6 months	M	1254	1	—	23	41	25	53	12	25	21	43	18	38	21	8
6–12 months	F	896	—	—	19	23	17	28	7	18	16	27	12	29	20	5
	M	1399	—	—	32	39	52	58	10	23	13	34	21	40	30	12
	F	1001	2	—	18	32	40	36	4	22	12	21	14	26	24	7
	M	1616	1	—	46	45	42	59	8	35	24	38	28	41	27	11
	F	1256	1	—	30	35	39	57	5	31	27	27	15	32	26	4
Total under 1 year	M	6990	8	—	162	178	168	270	59	120	99	170	107	201	130	51
1—	F	5163	6	—	114	131	132	193	31	114	83	127	68	130	114	37
2—	M	1462	—	—	31	38	47	56	3	23	34	33	27	44	22	8
	F	1314	—	—	39	51	52	44	11	20	14	34	26	34	15	12
3—	M	434	—	—	6	14	11	18	2	11	15	7	11	13	11	1
	F	389	—	—	9	12	4	17	1	9	6	5	4	11	10	6
4—	M	334	—	—	11	10	10	14	1	5	6	7	4	11	6	2
	F	286	—	—	8	13	3	18	—	7	10	3	1	11	8	1
	M	270	—	—	8	11	5	17	—	5	4	9	5	7	3	5
	F	255	—	—	8	16	9	9	—	4	2	13	2	4	4	3
Total under 5 years	M	9490	8	—	218	251	241	375	65	164	158	226	154	276	172	67
5—	F	7407	6	—	178	223	200	281	43	154	115	182	101	190	151	59
10—	M	1057	—	—	34	28	23	40	9	15	18	22	24	18	26	7
	F	1045	—	—	31	30	13	39	8	14	13	31	17	32	18	11
15—	M	619	2	—	19	15	14	19	4	5	17	12	10	26	8	5
	F	679	1	—	16	23	14	29	7	13	6	13	7	23	8	7
20—	M	946	2	—	25	23	18	33	4	15	19	20	17	24	17	6
	F	935	1	—	28	25	13	27	6	17	13	18	14	23	23	9
25—	M	924	4	—	16	23	11	30	11	23	17	27	19	22	18	8
	F	1016	4	—	26	17	19	47	9	19	12	26	17	34	14	9
30—	M	927	3	—	29	16	24	35	5	17	17	26	14	34	18	9
	F	1072	1	—	17	18	20	39	9	20	7	27	13	45	19	12
35—	M	1129	—	—	30	25	18	40	12	17	12	24	16	32	17	10
	F	1135	1	—	28	23	14	48	—	18	16	25	22	41	26	13
40—	M	1465	3	—	34	23	35	68	6	24	23	25	27	54	35	18
	F	1341	1	—	19	18	18	50	15	16	12	30	26	34	24	17
45—	M	1852	4	—	47	37	36	63	11	26	25	41	28	39	42	20
	F	1619	3	—	38	31	32	61	17	27	22	45	20	41	36	22
50—	M	2414	3	—	55	51	44	100	19	43	33	53	30	73	55	28
	F	1871	4	—	44	33	36	77	13	21	28	29	27	54	37	21
55—	M	2925	3	—	65	48	55	104	24	49	44	64	39	83	54	18
	F	2225	2	1	41	40	43	82	19	39	24	65	20	57	36	35
60—	M	3200	7	—	65	67	54	108	25	40	39	66	48	111	51	35
	F	2507	6	—	66	38	38	74	32	34	28	49	30	97	41	33
65—	M	3598	9	1	86	66	66	123	35	69	60	70	63	86	70	32
	F	2918	9	—	65	50	40	113	30	39	33	59	42	94	55	37
70—	M	3805	15	—	77	77	50	157	50	57	39	77	47	100	80	49
	F	3442	5	—	95	52	69	117	32	39	47	86	47	107	53	44
75—	M	3692	12	1	87	47	45	142	69	55	36	56	50	121	63	52
	F	4070	15	—	108	50	57	149	54	65	52	80	50	125	66	52
80—	M	3171	5	—	62	44	48	126	51	40	30	60	42	83	57	37
	F	4092	8	—	105	55	41	160	50	71	40	95	46	133	90	45
85—	M	1995	1	—	45	27	19	73	48	16	17	35	24	52	32	27
	F	3276	6	—	76	31	37	91	30	43	35	57	53	114	63	53
	M	1051	1	—	18	12	9	37	24	20	8	17	14	32	14	25
	F	2456	8	—	67	21	16	103	30	38	19	43	24	76	49	41

* See footnote on p. 171.

DEATHS AT DIFFERENT AGES IN GREATER LONDON AND METROPOLITAN BOROUGHES, 1921.
(Civilian Population Only)—continued.

Age.	Sex.	Holborn.	Islington.	Kensington.	Lambeth.	Lewisham.	Paddington.	Poplar.	St. Marylebone.	St. Pancras.	Shoreditch.	Southwark.	Stepney.	Stoke Newington.	Wandsworth.	Westminster.	Woolwich.
All Ages	M	323	2231	1083	1915	881	876	1104	669	1465	819	1441	1782	304	1716	900	806
	F	233	2178	1368	1815	972	882	989	693	1313	673	1224	1526	333	1841	730	788
Under 1 month	M	11	134	57	109	42	69	78	31	77	43	77	110	12	91	39	44
	F	9	91	51	92	38	33	54	21	61	66	67	87	13	70	31	26
1-3 months	M	7	59	31	48	22	26	35	21	39	32	41	66	2	44	16	24
	F	5	45	28	29	16	22	32	11	21	18	41	28	4	34	13	16
3-6 months	M	8	79	50	62	24	26	38	7	44	50	50	71	13	54	16	23
	F	5	67	46	51	16	19	32	9	30	22	51	57	3	23	8	16
6-12 months	M	2	88	62	68	24	49	57	12	51	66	66	68	6	60	20	30
	F	4	80	41	56	11	19	48	17	39	42	60	73	5	39	13	18
Total under 1 year	M	28	360	200	287	112	170	208	71	211	191	234	315	33	249	91	121
	F	23	283	166	228	81	93	166	58	151	148	219	245	25	166	65	76
1—	M	8	76	41	68	17	27	70	15	40	51	69	88	12	34	17	26
	F	3	69	51	53	11	29	64	12	38	43	51	76	8	37	12	29
2—	M	3	23	8	16	8	3	21	2	16	14	16	28	2	14	4	7
	F	1	24	8	9	8	8	29	3	10	12	17	24	3	9	7	8
3—	M	1	23	6	10	4	3	12	9	11	6	8	16	3	12	6	8
	F	4	19	4	12	5	6	7	1	6	6	5	16	1	6	4	5
4—	M	1	17	4	15	8	5	9	2	6	4	7	19	—	5	6	5
	F	1	14	5	7	6	1	10	5	9	6	6	10	2	13	3	2
Total under 5 years	M	41	499	259	396	149	208	320	99	284	266	334	466	50	314	124	167
	F	32	409	234	309	111	137	276	79	214	215	298	371	39	231	91	120
5—	M	3	75	19	35	15	11	27	9	37	18	33	43	6	44	15	21
	F	2	47	16	33	21	17	36	11	32	16	27	39	8	43	10	34
10—	M	1	19	5	27	15	10	20	5	27	15	15	32	7	27	7	12
	F	3	34	10	25	13	8	18	3	20	9	25	19	5	31	5	13
15—	M	8	35	17	41	20	13	24	10	27	16	25	29	7	41	11	22
	F	3	48	19	41	22	15	21	9	24	17	28	48	6	43	10	20
20—	M	9	38	20	35	15	18	16	8	22	11	33	28	5	48	16	20
	F	4	51	21	39	25	14	31	15	29	13	26	35	6	42	16	27
25—	M	7	40	15	30	21	8	23	17	32	18	26	34	3	41	17	20
	F	9	37	26	45	29	27	28	22	33	16	37	41	4	52	21	27
30—	M	10	56	23	47	35	27	14	15	31	22	42	47	8	46	17	13
	F	4	47	34	41	22	29	26	18	38	19	41	36	8	37	29	22
35—	M	10	77	35	79	20	21	36	26	47	29	48	61	13	55	19	18
	F	7	62	40	49	31	29	32	18	42	22	41	45	8	65	22	25
40—	M	12	85	34	76	39	43	45	32	60	30	61	95	7	77	38	34
	F	9	75	41	67	32	23	22	23	44	29	32	64	13	84	28	29
45—	M	17	109	56	110	42	46	52	50	85	46	67	101	7	106	52	50
	F	12	87	46	76	27	52	38	44	60	24	56	63	12	86	41	33
50—	M	30	162	58	130	59	63	69	46	102	59	109	143	18	112	70	54
	F	17	123	59	87	47	47	51	54	60	37	55	95	22	89	52	49
55—	M	19	166	75	156	69	66	94	64	124	54	116	113	21	126	102	54
	F	12	118	86	118	54	54	48	52	72	38	97	97	21	84	57	56
60—	M	24	179	100	157	82	77	69	72	123	65	124	157	29	132	87	69
	F	22	146	108	116	60	63	60	66	125	48	81	123	27	119	58	48
65—	M	40	181	102	171	67	62	92	70	154	57	146	137	29	133	102	69
	F	17	185	99	159	87	77	73	64	123	56	97	118	32	133	64	60
70—	M	30	206	83	178	72	77	83	59	110	50	128	151	32	128	92	72
	F	30	235	140	185	117	85	78	66	115	42	100	129	36	180	52	84
75—	M	41	155	93	132	77	58	64	48	118	29	71	81	29	151	67	57
	F	24	210	151	189	108	90	64	64	134	24	79	92	42	208	74	57
80—	M	18	100	60	78	41	45	35	22	56	26	43	44	21	82	44	32
	F	17	154	131	128	90	66	55	48	80	30	63	69	29	185	68	47
85—	M	3	49	29	37	43	23	21	17	26	8	20	20	12	53	20	22
	F	9	110	107	108	76	49	32	37	68	18	41	42	15	129	32	37

TABLE 16.—DEATHS AT DIFFERENT AGES IN COUNTY BOROUGH, 1921.
(Civilian Population Only)—*continued.*

Age.	Sex.	Barnsley.	Barrow-in-Furness.	Bath.	Birkenhead.	Birmingham.	Blackburn.	Blackpool.	Bolton.	Bootle.	Bournemouth.	Bradford.	Brighton.	Bristol.	Burnley.
All Ages ..	M	457	476	381	900	5540	822	396	1155	549	475	2005	756	2105	754
	F	408	391	474	821	4853	837	521	1195	460	609	1986	940	2125	691
Under 1 month	M	39	47	17	69	456	68	23	92	47	36	149	49	143	80
	F	35	29	19	56	325	57	22	66	29	25	110	45	106	33
1-3 months	M	16	16	5	20	199	32	6	40	17	7	79	19	58	33
	F	18	13	7	29	130	22	5	37	15	6	49	13	43	25
3-6 months	M	24	11	10	31	166	24	7	36	19	8	66	26	54	24
	F	12	8	4	26	118	18	3	22	13	2	43	14	34	17
6-12 months	M	25	15	12	33	246	36	6	47	23	6	69	15	67	34
	F	19	13	5	30	206	23	4	31	34	4	60	18	43	33
Total under 1 year	M	104	89	44	153	1067	160	42	215	106	57	363	109	322	171
	F	84	63	35	141	779	120	34	156	91	37	262	90	226	108
1—	M	23	26	5	44	253	19	4	40	37	5	88	14	63	27
	F	31	19	2	33	212	21	8	42	38	9	62	14	45	28
2—	M	13	5	1	10	57	4	3	10	22	2	27	7	14	9
	F	11	10	—	13	57	6	4	13	7	—	20	7	23	9
3—	M	3	4	1	6	46	3	1	9	8	—	4	2	13	8
	F	6	3	—	9	34	7	1	10	3	—	7	2	17	6
4—	M	1	5	1	5	35	4	2	5	5	—	10	3	12	7
	F	2	3	1	3	37	3	3	4	4	1	10	5	13	6
Total under 5 years	M	144	129	52	218	1458	190	52	279	178	64	492	135	424	222
	F	134	98	38	199	1119	157	50	225	143	47	361	118	324	157
5—	M	15	9	4	26	123	14	5	26	13	4	30	12	56	12
	F	8	6	4	19	111	14	7	27	20	8	33	13	55	12
10—	M	15	9	3	14	65	11	4	20	13	1	17	10	33	10
	F	15	7	1	12	75	19	5	24	11	6	22	11	29	10
15—	M	9	8	5	21	94	17	5	19	14	7	37	11	43	6
	F	14	7	2	23	83	11	6	29	13	12	37	17	56	8
20—	M	10	17	6	25	107	8	8	23	13	7	44	14	53	15
	F	9	10	5	22	120	17	13	24	16	10	35	16	56	25
25—	M	8	4	10	19	108	25	7	20	18	5	45	13	49	12
	F	13	13	8	23	107	26	16	30	15	15	36	18	51	15
30—	M	11	14	10	25	140	14	7	23	9	12	40	18	54	15
	F	17	8	4	26	138	11	10	37	14	14	60	13	52	31
35—	M	12	19	10	38	185	27	17	34	24	8	65	37	75	21
	F	12	14	8	26	167	29	19	44	12	12	53	32	65	21
40—	M	20	14	7	37	277	36	13	49	29	18	96	19	80	27
	F	13	21	15	40	185	32	16	45	14	11	86	35	81	20
45—	M	25	25	22	49	295	47	21	44	22	31	101	34	102	34
	F	13	13	20	37	205	39	24	61	22	26	78	37	90	33
50—	M	25	28	21	56	333	51	37	72	35	22	134	46	120	42
	F	24	17	23	52	274	47	25	74	24	15	103	51	98	43
55—	M	30	28	32	74	399	66	35	88	30	37	160	62	165	54
	F	18	34	31	40	258	63	35	76	17	43	144	54	124	40
60—	M	29	37	30	68	464	58	30	99	47	34	162	66	157	79
	F	24	20	36	54	312	81	51	91	27	48	169	60	154	60
65—	M	40	29	37	72	452	71	59	139	35	55	184	61	178	80
	F	25	31	48	46	399	79	58	111	20	68	208	82	154	64
70—	M	23	44	36	50	438	87	36	108	35	52	182	79	184	57
	F	26	32	61	73	400	82	75	105	31	64	219	100	204	59
75—	M	23	30	45	50	336	63	32	66	19	59	120	61	173	46
	F	21	33	52	59	406	68	51	95	33	94	183	119	237	53
80—	M	17	26	34	45	177	25	19	35	14	34	64	47	90	18
	F	16	13	56	51	308	43	38	65	20	68	105	101	163	32
85—	M	1	6	17	13	89	12	9	11	1	25	32	31	69	4
	F	6	14	62	19	186	19	22	32	8	48	54	63	132	8

TABLE 16.—DEATHS AT DIFFERENT AGES IN COUNTY BOROUGHES 1921.
(Civilian Population Only)—continued.

Age.		Sex.	Burton-on-Trent.	Bury.	Canterbury.	Carlisle.	Chester.	Coventry.	Croydon.	Darlington.	Derby.	Dewsbury.	Dudley.	Eastbourne.	East Ham.	Exeter.	Gateshead.	Gloucester.
All Ages	..	M	306	380	129	385	314	663	971	452	770	424	375	302	737	334	961	291
		F	291	388	160	382	274	648	1070	365	725	390	291	337	743	431	870	337
Under 1 year	{	M	28	23	7	27	16	59	65	38	50	38	42	21	45	27	102	25
		F	21	25	3	23	14	59	37	32	44	29	21	8	36	14	58	25
		M	4	8	2	15	9	25	26	19	29	25	18	6	18	11	41	5
		F	5	9	2	8	6	12	23	13	11	8	10	4	22	12	45	13
		M	8	4	4	21	11	22	25	21	25	16	14	4	16	10	39	7
		F	2	4	—	13	9	14	22	7	11	9	6	5	20	5	22	9
		M	8	12	2	17	11	18	34	12	23	14	19	7	22	15	53	11
		F	14	11	4	17	3	18	33	13	15	9	13	5	21	14	42	8
Total under 1 year	{	M	48	47	15	80	47	124	150	90	127	93	93	38	101	63	235	48
		F	42	49	9	61	32	103	115	65	81	55	50	22	99	45	167	55
		M	10	10	—	14	12	15	23	13	26	15	15	2	27	8	58	8
		F	12	7	1	10	11	11	13	9	24	10	20	4	16	8	62	9
		M	2	3	—	1	7	4	1	3	2	5	11	3	8	3	21	1
		F	3	2	—	3	2	8	6	2	9	8	12	1	8	4	17	2
		M	1	1	—	5	4	3	7	5	—	3	2	2	3	2	10	2
		F	—	2	—	4	1	4	4	1	8	4	3	—	7	4	14	1
Total under 5 years	{	M	1	1	—	4	4	1	10	5	6	1	2	—	2	2	9	1
		F	2	3	—	2	2	4	6	2	5	—	2	1	3	1	10	2
		M	62	62	15	104	74	147	191	116	161	117	123	45	141	78	333	60
		F	59	63	10	80	48	130	144	79	127	77	87	28	133	62	270	69
		M	6	5	1	10	4	14	25	3	8	10	11	6	12	14	34	5
		F	5	6	2	5	2	19	19	4	18	5	11	6	25	9	25	9
		M	9	8	—	7	8	9	19	5	11	4	7	2	8	7	14	2
		F	2	6	1	7	1	9	18	2	6	3	6	1	12	7	17	6
10—	{	M	7	6	2	5	4	16	25	12	10	4	8	2	24	5	21	14
		F	9	4	4	8	7	23	15	11	11	6	6	5	23	8	18	6
15—	{	M	4	10	1	8	6	22	27	14	14	7	8	6	21	8	21	3
		F	6	8	1	7	7	21	31	10	25	10	3	5	26	10	22	8
20—	{	M	10	6	—	7	7	19	14	9	22	10	4	7	18	9	19	7
		F	7	12	3	12	6	18	15	6	13	10	5	12	26	5	24	14
25—	{	M	5	8	1	10	14	18	22	13	22	3	12	7	18	4	19	9
		F	6	11	4	7	10	20	23	9	16	15	6	7	18	8	17	8
30—	{	M	9	15	4	7	6	26	26	15	21	11	6	9	22	5	31	8
		F	11	9	6	13	12	26	44	19	18	11	7	9	29	12	30	10
35—	{	M	14	17	3	13	15	32	38	20	34	25	19	6	39	11	39	11
		F	9	20	6	12	16	26	31	14	21	20	15	7	28	12	31	12
40—	{	M	16	30	1	13	19	44	48	27	55	22	16	15	41	9	48	13
		F	11	24	16	13	13	28	39	11	29	19	11	14	34	19	31	8
45—	{	M	23	30	7	17	18	46	63	23	51	24	16	19	54	17	47	14
		F	15	24	8	19	9	37	56	15	33	19	14	22	40	22	58	10
50—	{	M	14	31	9	30	22	49	61	20	54	33	26	25	57	22	56	26
		F	14	21	5	27	16	41	63	28	35	23	14	25	34	26	37	19
55—	{	M	19	34	10	34	30	45	75	34	54	39	25	29	57	28	61	23
		F	27	37	8	21	15	43	63	18	43	29	9	41	51	20	62	17
60—	{	M	36	40	24	41	19	48	71	27	73	40	28	30	59	28	71	17
		F	25	44	17	32	19	38	87	35	87	37	26	25	40	39	54	22
65—	{	M	29	38	13	33	23	51	81	52	69	29	31	26	54	33	54	26
		F	26	34	18	39	33	55	107	32	78	45	17	31	61	44	61	40
70—	{	M	23	24	18	24	17	36	88	34	66	28	13	32	62	22	45	25
		F	25	37	20	38	35	52	124	31	82	30	22	34	60	54	55	33
75—	{	M	11	11	14	19	21	28	68	17	30	15	17	24	31	17	34	14
		F	17	19	23	28	12	36	106	26	52	21	23	34	58	31	36	25
80—	{	M	9	5	6	3	7	13	29	11	15	3	5	12	19	17	14	14
		F	17	9	8	14	13	26	85	15	31	10	9	31	45	43	22	21

TABLE 16.—DEATHS AT DIFFERENT AGES IN COUNTY BOROUGH, 1921.
(Civilian Population Only)—continued.

Age.	Sex.	Great Yarmouth.	Grimsby.	Halifax.	Hastings.	Huddersfield.	Ipswich.	Kingston-upon-Hull.	Leeds.	Leicester.	Lincoln.	Liverpool.	Manchester.	Middlesbrough.	Newcastle-upon-Tyne.	Northampton.	Norwich.	Nottingham.
All Ages	M	359	521	637	388	743	431	1998	3273	1444	386	6076	5382	1070	2106	497	686	1762
	F	370	458	730	469	745	460	1820	3014	1430	370	5631	4729	840	1846	473	692	1747
Under 1 month	M	19	40	45	13	49	36	150	238	102	40	437	405	104	162	36	63	155
1-3 months	F	12	29	33	4	34	29	96	179	73	14	325	271	72	125	33	40	102
3-6 months	M	9	22	14	5	23	12	73	105	43	11	215	174	49	79	9	17	78
6-12 months	F	3	20	17	5	13	11	69	82	33	13	176	114	38	50	5	12	49
	M	9	20	20	5	9	9	104	104	48	14	271	200	53	72	8	14	66
	F	12	23	10	1	19	10	53	75	43	14	206	131	31	48	6	9	36
	M	11	35	16	6	15	11	93	111	56	10	388	229	81	85	15	21	77
	F	12	32	20	6	18	10	73	103	34	14	336	189	78	84	14	24	69
Total under 1 year	M	48	117	95	29	96	68	420	558	249	75	1311	1008	287	398	68	115	376
	F	39	104	80	16	84	60	291	439	183	55	1043	705	219	307	58	85	256
1—	M	12	21	18	2	19	5	69	135	47	17	534	247	81	150	13	18	66
	F	12	16	10	3	12	7	58	144	34	4	492	228	69	109	2	8	55
2—	M	2	8	8	3	2	8	22	32	6	3	149	61	23	46	2	4	17
	F	3	9	4	1	11	5	23	34	8	4	106	48	17	32	1	2	23
3—	M	3	7	4	2	3	3	11	15	7	3	69	43	12	17	4	2	10
	F	4	2	4	—	6	2	15	14	11	4	68	32	13	29	4	4	14
4—	M	—	5	1	2	2	2	7	17	10	3	40	36	7	18	6	5	10
	F	3	4	3	2	4	2	13	18	10	3	40	31	7	10	2	2	12
Total under 5 years	M	65	158	126	38	122	86	529	757	319	101	2103	1395	410	629	93	144	479
	F	61	135	101	22	117	76	400	649	246	70	1749	1044	325	487	67	101	360
5—	M	1	11	12	3	12	12	49	46	27	2	145	124	23	43	11	12	31
	F	6	10	12	2	10	10	45	70	23	7	149	98	17	48	10	18	27
10—	M	6	7	8	3	11	7	35	38	24	—	85	67	16	37	4	6	20
	F	6	—	6	6	6	10	43	48	18	5	99	82	8	39	8	12	21
15—	M	9	14	11	—	20	5	42	65	25	6	115	118	19	48	13	7	32
	F	5	8	11	4	15	9	53	81	44	4	130	148	23	43	7	19	43
20—	M	7	16	10	7	16	9	48	69	33	7	137	108	27	48	12	24	28
	F	12	10	11	7	16	15	55	82	44	7	145	146	23	49	19	24	23
25—	M	7	18	4	7	22	9	52	72	40	8	133	133	29	42	17	13	39
	F	8	7	18	13	15	10	45	70	46	12	159	158	23	52	22	19	44
30—	M	9	9	18	10	19	13	61	84	40	11	175	156	30	61	11	15	53
	F	4	14	9	11	23	11	55	94	51	10	159	117	22	64	9	15	52
35—	M	12	17	22	13	21	8	83	109	35	10	214	220	34	79	23	14	48
	F	17	16	29	9	26	8	75	78	53	16	152	183	22	46	14	9	67
40—	M	12	19	24	19	26	17	78	144	50	11	257	265	44	105	27	18	77
	F	11	23	21	12	31	13	68	114	55	11	201	191	40	50	13	23	55
45—	M	14	25	26	15	36	25	112	182	82	18	346	354	38	104	26	29	67
	F	17	23	28	16	30	16	74	137	64	12	239	213	36	72	21	26	75
50—	M	13	32	40	17	66	28	119	211	82	18	356	381	69	125	27	43	93
	F	13	27	47	19	45	23	79	127	62	15	300	249	26	77	20	26	99
55—	M	23	29	54	30	88	28	119	263	89	27	389	398	69	136	26	47	116
	F	16	20	42	24	61	21	103	179	72	16	291	336	38	120	18	38	92
60—	M	26	34	66	36	71	26	125	252	115	30	429	425	58	164	43	58	135
	F	31	26	70	36	60	25	124	212	113	21	316	342	51	132	33	59	128
65—	M	27	37	86	50	72	39	166	299	129	34	397	426	62	168	48	56	189
	F	23	33	70	36	77	38	116	271	128	28	373	377	52	136	46	53	160
70—	M	38	40	50	50	64	41	148	310	149	35	352	387	60	136	41	80	157
	F	43	29	92	55	58	46	146	299	137	39	418	382	59	149	43	70	145
75—	M	35	25	43	38	45	41	128	211	87	37	253	262	47	106	36	50	107
	F	40	41	87	77	79	50	126	255	120	50	390	351	37	159	52	77	171
80—	M	38	23	27	33	23	22	68	118	75	23	137	111	26	53	25	50	54
	F	26	21	52	64	53	44	124	183	90	22	238	192	29	80	51	58	115
85—	M	17	7	10	19	9	15	36	43	43	8	53	52	9	22	14	20	37
	F	31	15	24	56	23	35	89	65	64	25	123	120	9	43	20	45	70

TABLE 16.—DEATHS AT DIFFERENT AGES IN COUNTY BOROUGH, 1921.
(Civilian Population Only)—continued.

Age.	Sex.	Oldham.	Oxford.	Plymouth.	Portsmouth.	Preston.	Reading.	Rochdale.	Rotherham.	St. Helens.	Salford.	Sheffield.	Smethwick.	Southampton.	Southend-on-Sea.	Southport.	South Shields.	Stockport.
All Ages	M	1093	267	1224	1274	783	488	307	482	707	1780	3364	447	892	482	420	981	754
	F	1071	331	1243	1387	812	507	626	429	621	1552	2923	413	869	504	501	831	771
Under 1 month	M	90	13	78	77	81	31	37	33	68	143	285	56	67	18	22	79	65
	F	60	6	78	71	45	24	42	27	49	103	208	26	49	19	12	62	33
1-3 months	M	40	3	37	44	33	9	22	11	28	74	111	14	23	14	5	30	29
	F	28	2	25	33	37	12	11	16	28	47	80	14	19	5	7	28	20
3-6 months	M	34	3	32	26	29	12	10	18	38	65	107	15	12	8	7	32	17
	F	17	2	24	26	22	4	4	15	22	47	81	13	21	10	6	21	21
6-12 months	M	38	4	42	46	40	9	15	28	43	87	170	24	20	15	12	43	26
	F	26	1	37	35	29	13	18	18	41	73	131	14	19	5	6	41	23
Total under 1 year	M	202	23	189	193	183	61	84	90	177	369	673	109	122	55	46	184	137
	F	131	11	164	165	133	53	75	76	140	270	500	67	108	39	31	152	97
1—	M	45	5	30	54	32	10	13	31	49	78	160	12	25	9	6	68	18
	F	38	4	26	36	36	6	6	27	55	72	144	16	10	4	8	64	18
2—	M	8	—	9	12	9	1	1	10	9	27	57	5	6	1	2	15	7
	F	8	2	11	13	6	2	4	11	19	15	40	9	5	3	7	20	6
3—	M	5	1	4	13	3	—	2	11	6	13	22	6	2	2	2	11	7
	F	2	2	8	15	3	5	1	3	6	12	22	8	2	3	2	13	7
4—	M	5	2	5	14	—	1	4	2	2	8	20	3	3	2	2	5	4
	F	4	—	5	5	2	—	2	2	2	10	17	3	3	1	2	4	5
Total under 5 years	M	265	31	237	286	227	73	104	144	243	495	932	135	158	69	58	283	173
	F	183	19	214	234	180	66	88	119	222	379	723	103	128	50	50	253	133
5—	M	11	3	22	29	16	8	14	11	26	30	61	12	13	3	2	23	20
	F	24	5	24	30	16	13	13	10	12	31	58	11	17	14	3	31	9
10—	M	13	2	18	17	14	8	8	5	7	36	38	10	9	8	4	22	12
	F	13	5	9	26	8	9	14	16	9	33	56	6	11	6	1	14	12
15—	M	14	9	34	25	18	8	14	11	17	49	71	9	25	11	7	19	21
	F	30	6	34	21	17	8	8	7	14	49	62	7	19	4	7	21	14
20—	M	21	11	20	15	13	15	23	12	14	33	59	9	15	4	9	31	12
	F	21	5	41	34	11	9	14	15	15	39	64	16	27	9	12	25	14
25—	M	21	9	30	27	18	6	9	12	15	40	84	9	23	14	8	33	15
	F	22	4	43	40	23	17	20	9	27	57	90	13	19	15	9	22	14
30—	M	35	3	29	28	22	15	12	9	17	62	78	8	34	12	12	30	19
	F	31	4	31	33	21	10	21	12	27	55	80	13	24	18	7	19	18
35—	M	41	10	35	41	21	15	23	23	22	87	132	20	31	19	11	38	26
	F	27	3	38	39	17	14	28	18	22	49	98	10	20	21	12	28	26
40—	M	59	9	32	50	20	22	27	23	26	92	151	25	36	13	15	44	28
	F	48	12	41	48	25	14	25	17	20	63	96	10	24	21	13	44	26
45—	M	68	15	65	60	46	22	30	28	30	125	159	27	50	34	18	54	47
	F	52	15	49	51	39	15	32	27	18	68	134	20	49	24	14	34	32
50—	M	95	14	78	86	46	31	51	27	41	131	230	28	47	27	25	43	49
	F	57	20	55	69	50	19	36	20	30	76	144	19	43	27	31	37	51
55—	M	84	12	108	96	44	27	55	30	46	124	235	21	65	32	41	60	70
	F	81	24	67	82	54	30	48	24	31	86	164	21	49	27	27	42	64
60—	M	114	18	102	100	67	39	72	31	56	129	264	24	78	44	34	68	67
	F	93	20	80	83	67	30	54	20	35	100	180	36	62	35	43	47	48
65—	M	98	41	107	105	70	36	59	35	59	152	319	32	91	53	50	85	81
	F	125	34	75	113	84	45	60	34	43	118	198	42	62	49	52	52	70
70—	M	68	32	96	97	59	60	54	26	32	96	249	26	87	48	40	65	43
	F	113	32	139	146	76	68	64	26	31	139	268	31	78	48	68	57	86
75—	M	48	16	108	89	50	46	38	31	39	61	181	24	71	42	41	48	39
	F	80	40	132	124	62	64	57	30	35	107	229	29	99	55	76	49	67
80—	M	29	23	68	76	25	34	10	14	15	27	88	21	33	36	26	24	21
	F	51	41	99	125	49	42	33	19	24	66	181	17	63	42	48	44	57
85—	M	9	9	35	47	7	23	4	10	2	11	33	7	26	13	19	11	11
	F	20	42	72	89	13	34	11	6	6	37	98	9	75	39	28	12	30

TABLE 16.—DEATHS AT DIFFERENT AGES IN COUNTY BOROUGH, 1921.
(Civilian Population Only)—continued.

Age.	Sex.	Stoke-on-Trent.	Sunderland.	Tynemouth.	Wakefield.	Wallasey.	Walsall.	Warrington.	West Bromwich.	West Ham.	West Hartlepool.	Wigan.	Wolverhampton.	Worcester.	York.	Cardiff.	Merthyr Tydfil.	Newport (Mon.)	Swansea.
All Ages ..	M	1975	1298	473	433	443	682	525	520	2020	542	663	634	307	526	1371	557	542	944
	F	1683	1177	410	350	523	638	440	434	1692	439	614	624	299	507	1091	486	488	863
Under 1 month	M	191	110	43	37	19	93	42	60	142	42	69	48	16	41	115	64	48	76
	F	149	81	27	15	20	48	34	38	109	35	43	45	12	19	71	32	35	45
	M	127	42	24	15	10	25	20	22	67	24	28	29	10	17	48	19	21	27
	F	85	38	13	9	11	25	15	10	37	9	25	13	4	13	34	16	10	24
	M	112	50	15	15	13	30	18	19	70	21	25	15	5	27	45	29	15	28
	F	71	51	15	6	8	30	13	12	48	15	24	15	4	15	34	15	17	24
	M	125	101	20	17	8	29	34	25	79	28	42	32	6	25	66	19	21	27
	F	103	76	19	11	11	33	21	23	63	19	31	32	3	14	51	14	28	22
Total under 1 year	M	555	303	102	84	50	177	114	126	358	115	164	124	37	110	274	131	105	158
	F	408	246	74	41	50	136	83	83	257	78	123	105	23	61	190	77	90	115
1—	M	93	115	30	23	7	30	24	25	101	40	47	36	4	25	44	13	23	34
	F	84	104	29	15	15	34	26	36	102	22	36	25	4	22	38	15	16	29
2—	M	33	29	9	5	7	11	8	8	23	6	5	6	2	6	13	4	8	14
	F	21	25	9	8	2	13	13	9	17	12	11	10	3	1	14	7	10	8
3—	M	17	16	1	6	2	6	5	6	21	3	3	2	—	3	7	6	3	8
	F	17	16	—	6	4	2	1	5	12	2	6	2	—	5	7	6	4	7
4—	M	10	8	3	—	4	4	6	—	4	5	6	2	2	4	7	6	1	10
	F	13	9	5	—	2	6	7	7	5	4	1	2	1	4	3	1	3	5
Total under 5 years	M	708	471	145	118	70	228	157	165	507	169	225	170	45	148	345	160	140	224
	F	543	400	117	70	73	191	130	140	393	118	177	144	31	93	252	106	123	164
5—	M	46	40	9	5	9	15	13	9	51	14	20	17	5	8	32	20	11	22
	F	39	30	15	2	11	16	9	13	56	13	13	11	3	9	24	23	15	17
10—	M	33	17	14	4	5	11	8	11	26	7	16	14	1	4	10	9	9	19
	F	29	15	6	4	8	7	7	5	34	9	14	10	3	6	23	15	10	14
15—	M	36	46	7	8	8	16	10	8	63	7	21	14	5	14	38	18	16	32
	F	41	18	9	12	10	10	8	8	51	8	23	8	6	13	28	16	19	20
20—	M	49	29	13	14	18	8	14	10	46	13	9	10	6	13	52	7	13	25
	F	51	26	14	12	12	12	14	16	52	5	17	11	2	16	46	15	21	35
25—	M	42	22	12	15	11	17	14	9	45	2	22	8	6	10	46	16	14	28
	F	48	31	13	7	14	16	12	6	35	16	17	15	10	12	40	12	22	32
30—	M	48	31	18	10	18	11	15	15	59	14	19	15	5	16	47	15	14	35
	F	45	22	7	8	12	18	10	7	40	13	17	16	4	19	27	22	18	38
35—	M	57	38	18	10	12	26	30	27	60	29	15	19	10	16	57	21	26	35
	F	56	33	15	12	22	12	18	9	59	20	26	19	7	7	39	15	14	25
40—	M	74	51	14	21	16	28	11	19	86	30	28	14	9	21	54	29	27	29
	F	70	48	17	18	23	17	15	17	76	15	29	27	10	14	49	14	18	31
45—	M	116	49	18	20	35	35	29	22	119	18	22	34	18	31	87	22	24	54
	F	75	49	15	15	23	31	18	15	68	31	27	30	8	17	50	14	19	46
50—	M	103	53	26	33	34	45	34	30	109	27	31	55	23	29	74	47	38	63
	F	76	39	23	14	23	25	28	20	75	18	28	21	18	27	56	32	22	52
55—	M	129	79	29	24	30	45	37	40	136	44	41	37	22	30	92	35	33	62
	F	98	66	19	14	31	36	26	16	116	16	30	28	15	29	66	28	28	44
60—	M	129	77	40	25	41	31	35	32	149	39	54	41	19	34	103	44	29	71
	F	114	73	24	24	45	31	31	35	111	22	37	46	29	33	73	43	23	57
65—	M	156	93	34	36	37	38	42	40	157	41	48	62	33	39	101	34	52	67
	F	110	83	30	34	47	50	38	26	141	37	37	64	23	39	66	34	27	62
70—	M	106	85	31	42	38	49	34	28	178	40	41	43	38	26	92	36	26	74
	F	104	90	27	40	54	52	24	39	129	25	54	62	32	47	86	33	43	77
75—	M	84	65	29	29	22	39	23	30	132	26	36	46	31	49	60	31	43	54
	F	93	55	23	28	53	53	35	26	119	39	37	51	40	58	87	29	31	65
80—	M	44	36	12	14	24	29	12	21	72	19	13	21	20	24	56	10	17	32
	F	61	60	27	24	38	37	11	19	89	20	19	37	31	37	45	27	20	44
85—	M	15	16	4	5	15	11	7	4	25	3	2	14	11	14	25	3	10	18
	F	30	39	9	12	24	24	6	17	48	14	12	24	27	31	34	8	15	40

TABLE 16.—DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1921.
(Civilian Population Only)—*continued*.

Age.	Sex.	Bedford-shire.		Berksire.		Buckinghamshire.		Cambridgeshire.		Cheshire.		Cornwall.		Cumberland.		Derbyshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	709	490	370	718	472	751	315	427	2621	1057	891	1065	754	576	1770	1625
	F	714	474	409	656	531	721	327	428	2577	942	1002	1187	812	561	1682	1495
Under 1 month	M	44	38	25	36	24	47	17	22	207	71	50	88	69	56	140	135
	F	33	18	15	22	23	41	8	17	141	51	38	48	46	22	113	98
1-3 months	M	24	12	4	16	12	13	8	6	89	24	30	18	31	12	47	56
	F	14	6	5	9	8	9	4	3	63	9	14	17	26	10	45	45
3-6 months	M	19	7	6	13	11	13	—	6	72	16	17	20	23	13	57	52
	F	7	5	5	2	8	6	5	1	45	14	8	17	23	12	36	35
6-12 months	M	18	8	12	14	8	8	8	8	85	26	23	19	34	17	76	61
	F	24	3	1	5	6	14	4	4	64	14	23	20	29	14	66	49
Total under 1 year	M	105	65	47	79	55	81	33	42	453	137	120	145	157	98	320	304
	F	78	32	26	38	45	70	21	25	313	88	83	102	124	58	260	227
1—	M	9	4	6	11	7	11	6	6	73	23	22	25	25	14	90	55
	F	17	8	11	12	11	5	2	2	48	16	18	21	29	16	48	53
2—	M	4	5	3	7	4	7	1	1	27	5	8	13	7	7	32	13
	F	1	6	3	6	2	1	1	3	20	8	2	6	14	1	22	16
3—	M	5	2	1	4	3	1	2	—	12	9	4	4	4	5	8	15
	F	2	—	1	1	—	3	—	—	17	7	4	4	8	4	19	8
4—	M	4	—	2	1	2	2	—	1	11	5	4	1	5	5	12	8
	F	6	2	2	1	1	3	1	1	10	1	3	1	7	3	8	12
Total under 5 years	M	127	76	59	102	71	102	42	50	576	179	158	188	198	129	462	395
	F	104	48	43	58	59	82	25	31	408	120	110	134	182	82	357	316
5—	M	19	12	5	11	7	8	3	4	56	20	22	14	18	3	36	36
	F	14	9	2	6	12	7	3	3	45	14	13	12	21	6	37	38
10—	M	11	8	4	6	7	13	2	4	39	14	13	15	13	5	24	24
	F	4	7	4	10	7	9	4	2	29	10	10	11	8	7	25	22
15—	M	12	6	8	8	6	6	8	11	52	15	15	16	16	13	48	40
	F	12	7	12	6	9	14	7	8	49	22	24	21	19	8	42	36
20—	M	15	11	5	17	13	22	8	9	55	25	20	19	20	9	42	41
	F	24	16	9	8	12	15	10	7	61	22	23	19	28	19	37	30
25—	M	26	7	5	12	11	13	9	10	57	29	20	21	16	14	36	39
	F	22	13	7	17	8	16	9	6	58	20	24	29	15	16	50	42
30—	M	22	13	8	16	6	16	6	7	74	21	30	20	20	18	36	27
	F	13	4	11	14	17	13	8	11	65	15	27	22	27	14	42	39
35—	M	22	11	6	16	13	21	11	3	90	30	26	28	16	10	62	47
	F	14	8	7	21	13	20	10	8	95	24	21	29	25	12	63	34
40—	M	27	10	14	25	8	21	8	13	108	44	27	37	29	16	49	65
	F	16	9	7	19	18	17	7	6	125	30	32	18	23	19	54	58
45—	M	32	11	18	31	11	21	12	13	108	52	35	38	25	13	82	55
	F	27	13	14	25	23	22	13	16	137	44	40	26	31	21	66	64
50—	M	44	14	21	34	33	34	24	16	147	35	44	41	35	19	108	76
	F	24	14	16	32	19	22	25	16	144	47	40	61	33	22	74	62
55—	M	60	36	33	46	39	48	21	23	189	65	71	69	41	45	96	86
	F	38	31	30	45	24	46	14	28	167	52	54	67	37	31	104	70
60—	M	45	35	25	59	39	57	24	34	224	90	68	87	54	41	137	117
	F	47	31	24	42	31	49	16	30	189	77	74	83	68	53	115	91
65—	M	59	31	37	60	44	78	39	38	246	104	65	92	70	61	155	150
	F	52	48	34	68	50	73	27	36	233	90	76	131	65	45	144	126
70—	M	50	68	45	84	47	78	38	43	218	104	98	124	72	57	172	145
	F	89	48	54	89	63	86	39	48	247	103	107	152	72	53	169	142
75—	M	70	62	24	84	54	94	30	77	203	117	87	115	59	76	111	150
	F	82	61	49	68	58	95	54	52	274	111	124	142	75	63	149	139
80—	M	44	45	32	58	34	65	19	43	115	74	46	74	32	28	73	70
	F	70	55	45	69	55	68	35	56	172	85	97	135	49	53	103	126
85—	M	24	34	21	49	29	54	11	29	64	39	46	67	20	19	41	62
	F	62	52	41	59	53	67	21	64	79	56	106	95	34	37	51	60

TABLE 16.—DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1921.
(Civilian Population Only)—*continued.*

Age.	Sex.	Devonshire.		Dorsetshire.		Durham.		Fly, Isle of.		Essex.		Gloucester-shire.		Hereford-shire.		Hertford-shire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	1333	1246	618	581	3780	2975	230	213	3181	1539	598	1320	251	499	1151	527
	F	1541	1276	677	613	3227	2680	241	210	3204	1401	692	1339	270	394	1092	511
Under 1 year	M	68	77	46	25	403	367	17	13	231	91	29	73	16	30	71	31
	F	57	51	33	26	282	274	13	14	147	65	31	72	13	17	48	17
	M	17	27	11	12	154	143	7	8	68	27	17	37	7	10	21	14
	F	22	15	3	11	128	104	6	4	70	17	10	20	7	5	14	2
	M	18	12	13	4	143	127	4	3	67	29	12	17	9	6	21	5
	F	15	17	8	4	121	108	6	5	57	14	7	12	2	3	10	4
	M	27	21	16	5	232	200	5	10	83	27	5	13	8	5	19	13
	F	14	20	8	7	180	152	9	7	74	22	6	33	8	7	13	6
Total under 1 year	M	130	137	86	46	932	837	33	34	449	174	63	140	40	51	132	63
	F	108	103	52	48	711	638	34	30	348	118	54	137	30	32	85	29
1—	M	18	9	8	7	267	205	6	6	66	18	9	22	2	9	23	10
	F	16	10	7	4	233	158	5	5	67	15	7	14	3	9	11	7
2—	M	7	8	3	1	80	55	1	—	23	12	1	8	—	1	9	3
	F	4	5	4	—	49	57	1	1	34	10	2	8	1	1	4	3
3—	M	4	2	2	1	34	33	—	2	23	10	2	7	1	4	2	—
	F	6	5	1	3	48	40	1	3	14	6	2	5	2	1	6	5
4—	M	5	2	1	3	30	20	3	1	16	8	3	3	1	2	3	3
	F	2	2	3	3	27	28	1	—	19	8	2	4	1	3	5	3
Total under 5 years	M	164	158	100	58	1343	1150	43	43	577	222	78	180	44	67	169	79
	F	136	125	67	58	1068	921	42	39	482	157	67	168	37	46	111	47
5—	M	14	16	10	8	101	85	5	1	66	28	15	20	1	9	23	10
	F	28	19	10	2	95	91	2	6	71	24	6	14	9	5	15	7
10—	M	26	20	8	6	65	48	1	3	42	7	5	17	4	6	12	2
	F	15	11	10	8	69	49	4	4	69	16	7	15	1	4	10	9
15—	M	27	27	12	5	98	73	3	3	76	27	9	33	5	5	18	9
	F	30	24	16	9	86	64	2	5	53	19	13	24	3	7	20	7
20—	M	32	34	11	7	92	79	6	5	76	24	13	33	4	12	26	8
	F	36	27	18	13	105	78	6	4	79	27	9	36	9	11	22	13
25—	M	31	27	20	10	91	59	6	3	78	27	12	34	4	7	22	11
	F	26	23	19	10	88	75	1	2	89	26	11	37	6	4	26	13
30—	M	24	24	18	11	93	56	2	5	78	36	13	39	8	9	36	9
	F	30	23	14	11	92	80	4	4	83	28	18	30	5	11	25	17
35—	M	34	22	12	12	98	69	4	8	114	29	18	38	2	13	35	10
	F	41	49	19	12	102	87	3	5	100	31	23	27	10	5	32	24
40—	M	41	33	15	14	114	81	6	7	124	42	25	43	8	10	41	19
	F	45	41	27	14	116	80	12	5	125	46	19	37	7	13	41	17
45—	M	46	54	35	17	132	88	9	8	143	56	26	60	15	21	58	27
	F	55	43	28	16	120	102	8	7	127	53	24	49	1	11	33	24
50—	M	68	63	22	28	176	117	9	4	195	68	27	61	15	28	62	25
	F	60	52	33	36	124	108	10	7	177	51	26	67	14	16	50	18
55—	M	84	86	40	28	208	164	7	7	228	89	30	79	23	21	96	26
	F	87	79	42	35	150	129	11	13	172	74	40	58	16	17	50	27
60—	M	106	88	51	51	223	189	15	15	258	112	38	96	19	32	93	37
	F	108	97	49	55	180	151	12	5	211	90	43	87	12	25	86	33
65—	M	135	115	57	62	310	208	18	19	301	147	65	126	22	50	125	48
	F	134	115	58	46	207	173	23	13	258	116	65	128	26	37	107	44
70—	M	137	138	71	64	261	185	36	24	288	170	76	115	20	56	104	56
	F	165	138	66	76	210	181	26	21	330	147	74	123	21	40	137	59
75—	M	158	134	65	90	206	166	28	25	268	193	76	153	27	74	109	72
	F	205	142	71	94	221	143	24	32	310	186	93	184	42	53	133	63
80—	M	114	125	40	60	128	110	21	16	179	141	46	112	15	53	73	47
	F	212	149	61	70	132	101	27	22	276	165	88	148	24	47	103	55
85—	M	92	82	31	50	41	48	11	17	90	121	26	81	15	26	49	32
	F	128	119	69	48	62	67	24	16	192	145	66	107	27	42	91	34

TABLE 16.—DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1921.
(Civilian Population Only)—*continued.*

Age.	Sex.	Huntingdor-shire.		Kent.		Lancashire.		Leicester-shire.		Lincolnshire (Parts of Holland).		Lincolnshire (Parts of Kesteven).		Lincolnshire (Parts of Lindsey).		Middlesex.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	137	208	4190	1850	9401	1473	630	825	244	279	269	405	686	841	6037	300
	F	151	198	4462	1662	9266	1442	610	903	209	255	269	416	667	787	6148	278
Under 1 month	M	11	20	274	117	729	96	60	51	26	23	13	26	49	61	428	13
	F	4	12	193	75	569	70	33	34	8	18	15	28	43	35	290	10
	M	6	3	108	34	288	40	20	13	6	11	10	8	30	30	168	9
	F	2	4	62	30	236	21	11	19	5	7	6	9	18	17	131	6
	M	3	2	90	20	255	28	23	20	6	5	7	9	26	24	162	10
	F	1	3	68	32	185	31	11	13	2	4	4	5	16	9	110	7
	M	3	5	109	35	358	37	19	24	13	12	11	6	21	22	190	6
	F	1	6	112	22	269	29	25	30	5	9	7	8	17	15	131	10
Total under 1 year	M	23	30	581	206	1630	201	122	108	51	51	41	49	126	137	948	38
	F	8	25	435	159	1259	151	80	96	20	38	32	50	94	76	662	33
1—	M	1	4	89	34	356	29	20	21	4	4	6	8	15	11	162	6
	F	5	1	102	29	276	28	19	11	10	4	10	4	10	9	127	7
2—	M	1	—	41	7	113	9	3	4	3	—	2	3	5	7	57	3
	F	—	1	33	15	113	6	4	8	1	2	2	6	5	4	43	2
3—	M	—	1	32	7	63	8	3	8	1	2	1	2	7	5	40	—
	F	2	—	29	7	68	6	1	3	—	—	—	3	3	3	38	3
4—	M	—	1	29	9	47	6	6	5	—	2	3	2	6	5	34	3
	F	—	1	17	10	51	7	2	3	2	1	2	1	2	1	39	—
Total under 5 years	M	25	36	772	263	2209	253	154	146	59	59	53	159	165	64	1241	50
	F	15	28	616	220	1767	198	106	121	33	45	46	64	114	93	909	45
5—	M	1	5	108	34	231	27	15	26	2	5	—	5	12	10	165	6
	F	2	5	86	31	185	31	16	28	2	7	6	6	26	8	169	4
10—	M	2	4	50	30	158	23	8	12	2	4	2	7	11	10	98	2
	F	1	5	65	20	119	9	6	17	2	6	8	6	10	11	93	5
15—	M	5	2	89	36	201	30	14	15	5	6	7	8	12	20	137	11
	F	1	6	88	28	173	23	15	19	4	3	4	6	12	22	137	6
20—	M	2	—	92	42	185	32	17	15	3	3	8	11	21	9	128	3
	F	2	4	95	35	229	26	23	18	2	6	4	8	19	18	134	5
25—	M	3	4	92	32	191	27	14	12	8	9	6	5	15	21	134	5
	F	4	3	110	39	252	47	14	17	4	6	5	12	18	18	134	3
30—	M	1	3	87	32	251	40	16	20	2	6	8	6	14	16	177	12
	F	2	3	95	31	259	43	22	28	8	4	6	11	21	18	181	5
35—	M	7	4	121	35	319	48	24	14	11	11	12	9	17	18	214	9
	F	2	7	128	48	323	42	24	33	6	4	7	9	29	26	198	9
40—	M	6	5	151	61	335	58	24	32	1	6	10	10	27	25	262	12
	F	1	4	176	59	392	56	23	22	3	10	9	8	15	27	237	10
45—	M	7	10	185	83	494	60	26	29	2	9	5	8	28	18	318	12
	F	9	5	185	58	408	68	26	26	7	16	11	13	17	27	290	10
50—	M	2	12	218	79	550	70	25	37	11	8	11	13	37	22	412	22
	F	4	7	220	76	541	73	25	42	9	12	11	17	26	32	298	16
55—	M	10	9	293	107	738	100	50	47	8	13	12	32	39	51	389	20
	F	14	7	269	85	590	96	32	45	7	4	10	20	43	40	354	13
60—	M	14	17	326	154	872	112	46	47	13	12	33	37	64	44	442	24
	F	8	16	289	113	747	113	29	50	9	16	17	23	45	47	416	18
65—	M	12	8	370	166	827	159	48	82	25	25	25	35	53	65	523	25
	F	9	16	376	147	850	133	41	93	19	18	26	39	47	64	445	22
70—	M	14	21	401	191	806	141	58	80	33	34	26	48	48	101	512	26
	F	22	15	416	181	913	162	60	88	26	21	32	36	63	74	594	31
75—	M	10	24	382	232	577	152	50	93	25	31	20	42	48	105	447	23
	F	24	28	500	178	823	146	60	99	31	23	35	47	63	100	617	33
80—	M	6	23	288	153	336	85	27	67	20	18	15	37	54	92	287	27
	F	16	19	401	151	483	101	52	89	23	28	22	46	53	89	530	23
85—	M	10	21	165	120	121	56	14	51	14	20	16	28	27	49	151	11
	F	15	20	347	162	212	75	36	68	14	26	10	45	46	73	412	20

TABLE 16.—DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1921.
(Civilian Population Only)—*continued.*

Age.	Sex.	Norfolk.		Northamptonshire.		Northumberland.		Nottinghamshire.		Oxfordshire.		Peterborough, Soke of.		Rutlandshire.		Shropshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	332	1496	540	726	1980	603	1421	841	209	569	186	68	17	85	742	794
	F	344	1557	550	698	1803	558	1372	779	244	555	215	50	20	119	687	777
Under 1 month	M	22	87	50	41	198	49	133	66	11	44	17	5	2	4	49	53
	F	16	58	46	31	131	28	91	38	10	22	15	1	—	3	43	42
1–3 months	M	7	30	11	19	81	15	65	22	5	7	4	3	—	1	25	14
	F	9	19	11	8	55	7	49	12	2	8	5	—	1	1	6	11
3–6 months	M	8	23	15	13	67	10	65	26	5	9	4	1	—	1	12	10
	F	8	20	6	3	55	9	36	17	1	4	5	1	—	—	7	10
6–12 months	M	10	28	13	16	130	20	73	27	1	5	4	2	1	2	25	13
	F	9	24	6	11	99	15	57	19	5	7	4	—	—	—	19	15
Total under 1 year	M	47	168	89	89	476	94	336	141	22	65	29	11	3	8	111	90
	F	42	121	69	53	340	59	233	86	18	41	29	2	1	4	75	78
1—	M	7	16	9	5	117	14	55	26	1	11	2	—	—	4	26	16
	F	3	23	8	6	126	7	65	27	7	4	3	1	—	2	17	14
2—	M	1	7	3	2	36	1	28	14	2	4	—	1	—	—	11	3
	F	1	6	4	3	30	6	24	5	1	2	3	—	—	1	7	7
3—	M	—	2	2	5	22	5	11	6	2	3	—	—	1	1	4	1
	F	—	5	5	4	16	3	20	7	2	3	2	1	—	—	4	2
4—	M	4	6	6	2	17	2	9	4	—	5	—	1	—	—	2	6
	F	2	7	2	—	20	2	15	2	—	—	—	1	—	—	2	5
Total under 5 years	M	59	199	109	103	668	116	439	191	27	88	31	13	4	13	154	116
	F	48	162	88	66	532	77	357	127	28	50	37	5	1	7	105	106
5—	M	6	23	9	10	46	10	33	12	3	3	5	—	—	3	12	8
	F	5	10	7	15	51	6	33	18	—	13	2	1	2	1	19	10
10—	M	5	12	8	12	28	4	18	13	1	5	3	4	—	2	9	14
	F	2	17	8	12	43	7	12	15	1	6	2	—	1	1	2	13
15—	M	6	25	16	10	50	18	29	19	2	6	3	—	—	1	16	11
	F	4	30	15	14	36	11	38	22	3	5	4	1	—	—	8	18
20—	M	2	36	11	14	36	16	34	17	2	9	7	1	—	3	18	21
	F	9	30	16	18	49	18	29	19	4	11	5	1	—	5	10	16
25—	M	9	32	15	11	50	10	37	20	6	13	4	2	1	3	12	20
	F	5	38	24	20	51	10	43	21	5	10	5	1	—	2	13	21
30—	M	4	30	19	16	43	15	37	13	4	15	6	3	—	—	6	13
	F	7	38	20	16	52	21	36	21	5	13	6	—	1	3	5	16
35—	M	8	34	23	15	46	21	38	17	7	15	7	1	1	2	18	21
	F	11	32	20	23	49	21	41	25	2	21	4	3	—	2	19	11
40—	M	18	28	16	22	56	11	59	16	4	17	9	3	—	2	25	18
	F	9	43	16	14	60	17	52	24	5	12	5	2	2	2	18	34
45—	M	12	54	24	29	75	26	62	32	14	14	5	8	1	2	37	31
	F	16	41	27	28	69	20	68	26	13	20	12	1	—	1	22	19
50—	M	18	55	27	26	89	34	46	42	10	30	5	2	1	4	41	38
	F	10	50	22	19	70	15	71	23	12	25	9	3	4	3	27	24
55—	M	21	77	41	43	130	36	76	61	8	30	7	2	—	7	46	54
	F	21	77	26	38	107	31	74	32	11	27	13	1	1	3	37	44
60—	M	31	101	33	39	132	49	95	50	19	34	20	2	2	5	49	80
	F	26	75	35	63	99	41	72	57	23	33	11	4	—	7	41	46
65—	M	29	134	42	75	162	57	93	70	24	50	18	3	1	12	72	72
	F	24	155	60	50	111	45	116	64	25	44	16	6	3	10	74	68
70—	M	27	179	53	96	154	69	133	92	19	77	25	7	3	5	78	81
	F	40	179	45	70	140	63	94	80	31	63	26	4	2	15	75	105
75—	M	40	193	37	90	115	50	104	84	27	77	15	9	1	8	78	86
	F	47	205	56	98	116	62	116	86	34	77	17	8	2	21	74	94
80—	M	23	162	37	68	63	40	62	49	16	47	6	6	1	9	39	67
	F	27	197	39	69	96	56	70	68	21	57	18	5	—	20	86	73
85—	M	14	122	20	47	37	21	26	43	16	39	10	2	1	4	32	43
	F	33	178	26	65	72	37	50	51	21	68	23	4	1	16	52	59

TABLE 16.—DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1921.

(Civilian Population Only)—*continued.*

Age.	Sex.	Somerset-shire.		Southampton.		Stafford-shire.		Suffolk, East.		Suffolk, West.		Surrey.		Sussex, East.		Sussex, West.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	896	1262	950	1202	3339	1206	472	704	266	409	2776	690	672	697	563	512
	F	1010	1332	910	1161	2800	1185	441	655	258	428	2916	746	833	669	580	530
Under 1 month	M	46	80	74	73	350	89	38	51	16	25	173	30	36	29	38	26
	F	43	72	38	47	244	75	29	37	10	13	116	33	21	22	18	17
1-3 months	M	16	29	19	23	138	42	11	16	4	11	68	13	10	12	7	4
	F	9	16	24	19	84	26	9	11	1	7	46	8	10	11	8	3
3-6 months	M	19	9	17	19	118	29	7	15	6	9	65	14	8	2	5	3
	F	11	12	17	15	83	18	7	8	2	1	25	8	6	4	3	4
6-12 months	M	12	22	24	21	178	39	14	11	9	6	62	4	10	12	9	3
	F	12	12	13	17	113	34	6	8	6	2	34	6	12	7	6	4
Total under 1 year	M	93	140	134	136	784	199	70	93	35	51	368	61	64	55	59	36
	F	75	112	92	98	524	153	51	64	19	23	221	55	49	44	35	28
1—	M	9	21	22	21	177	39	7	12	6	4	54	10	6	8	8	6
	F	13	15	16	19	111	27	6	7	—	8	42	7	5	2	3	3
2—	M	1	8	5	7	60	13	1	3	—	3	14	3	4	3	3	7
	F	3	3	6	9	50	15	2	5	3	3	13	3	3	3	4	3
3—	M	2	3	8	3	33	10	2	6	1	2	13	1	2	1	2	1
	F	1	5	4	4	25	9	2	2	1	—	8	3	1	1	1	4
4—	M	2	5	5	2	12	5	1	—	—	—	9	3	3	1	4	2
	F	4	5	4	7	27	5	4	1	3	2	12	5	1	1	1	—
Total under 5 years	M	107	177	174	169	1066	266	81	114	42	60	458	78	79	68	76	52
	F	96	140	122	137	737	209	65	79	26	36	296	73	59	51	44	38
5—	M	11	14	17	21	74	25	11	12	7	5	61	9	8	12	11	9
	F	13	9	21	15	73	26	18	14	4	6	63	8	11	18	7	10
10—	M	11	11	8	11	43	12	4	9	2	3	35	10	4	12	8	12
	F	9	11	15	13	40	15	8	14	5	8	30	9	7	7	5	6
15—	M	14	22	19	25	59	18	9	11	1	6	56	18	13	9	6	2
	F	16	28	19	16	70	27	15	8	5	5	65	16	11	7	2	8
20—	M	16	20	17	18	64	31	5	14	8	10	55	11	15	18	9	9
	F	20	22	22	25	78	38	15	22	6	5	52	12	5	12	7	8
25—	M	26	16	18	21	74	23	8	23	5	11	56	10	11	12	12	9
	F	23	36	22	22	80	33	7	12	6	10	77	17	8	10	12	9
30—	M	28	26	25	24	64	23	14	12	5	10	58	20	17	15	15	12
	F	23	34	26	33	62	29	13	14	6	11	76	16	18	13	16	17
35—	M	22	40	29	43	87	28	13	16	4	12	64	20	19	27	11	9
	F	34	22	26	37	89	37	10	14	8	8	98	27	22	24	23	15
40—	M	24	39	33	33	122	41	19	15	8	11	104	24	13	25	22	14
	F	32	39	27	34	82	34	12	23	16	9	117	27	25	23	16	14
45—	M	47	48	41	50	160	37	17	19	10	13	150	21	31	18	21	26
	F	46	55	42	42	111	37	16	24	11	14	150	36	44	19	16	24
50—	M	51	65	60	59	158	72	19	22	13	27	147	36	34	30	33	20
	F	62	57	35	49	125	44	21	19	12	15	144	38	46	32	27	27
55—	M	65	82	65	70	190	62	31	32	16	22	211	54	50	42	30	28
	F	59	77	61	61	125	68	19	34	13	19	146	49	50	34	23	26
60—	M	82	97	64	87	220	110	40	44	16	28	236	58	60	61	51	38
	F	59	87	53	62	165	81	21	48	17	33	175	49	47	52	48	39
65—	M	96	133	92	125	299	107	43	76	20	33	247	76	67	70	59	47
	F	100	128	81	112	223	94	33	51	17	39	246	71	98	69	61	50
70—	M	89	146	105	131	270	115	50	71	29	43	249	79	88	85	62	62
	F	133	128	89	120	231	119	47	61	20	52	294	82	97	71	66	74
75—	M	98	162	88	128	200	112	42	79	35	55	272	68	78	77	56	62
	F	98	158	96	154	235	123	34	69	40	57	355	90	103	81	76	62
80—	M	70	104	58	102	130	71	46	75	27	37	207	52	53	62	47	50
	F	106	148	75	108	182	88	51	73	24	42	291	66	95	79	68	57
85—	M	39	60	37	85	59	53	20	60	18	23	110	46	32	54	34	51
	F	81	153	78	121	92	83	36	76	22	59	241	60	87	67	63	46

TABLE 16.—DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1921.
(Civilian Population Only)—continued.

Age.	Sex.	Warwick-shire.		Westmor-land.		Wight, Isle of.		Wiltshire.		Worcester-shire.		Yorkshire, East Riding.		Yorkshire, North Riding.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	764	1070	189	217	344	150	664	872	950	781	461	625	1140	842
	F	834	1013	162	223	381	176	724	816	960	743	422	505	1123	815
Under 1 month	M	45	75	15	11	14	7	48	52	79	43	25	47	100	62
	F	41	58	7	11	13	2	40	39	49	31	17	29	86	43
1-3 months	M	17	24	4	6	10	4	13	10	25	18	10	24	31	15
	F	18	22	2	2	4	3	11	11	19	13	2	15	27	10
3-6 months	M	31	18	6	3	4	2	12	19	24	8	16	13	33	19
	F	13	20	1	5	7	2	9	9	24	6	10	13	32	5
6-12 months	M	25	42	3	5	3	5	12	18	31	22	10	16	50	17
	F	16	35	2	3	4	2	12	11	27	11	8	8	48	18
Total under 1 year	M	118	159	28	25	31	18	85	99	159	91	61	100	214	113
	F	88	135	12	21	28	9	72	70	119	61	37	65	193	76
1—	M	29	23	4	4	2	2	7	14	28	22	11	13	46	14
	F	24	34	—	3	2	2	15	6	19	18	8	7	46	15
2—	M	5	11	3	—	2	—	5	4	10	14	4	5	25	5
	F	6	7	3	—	1	1	4	3	6	6	4	7	13	10
3—	M	4	5	1	—	2	1	3	4	7	5	2	5	14	1
	F	3	5	—	1	1	—	1	1	3	3	2	4	8	1
4—	M	4	5	—	1	1	—	—	4	8	3	1	7	13	3
	F	2	5	1	—	2	—	6	4	3	3	1	1	5	1
Total under 5 years	M	160	203	36	30	38	21	100	125	212	135	79	130	312	136
	F	123	186	16	25	34	12	98	84	150	91	52	84	265	103
5—	M	10	23	4	5	4	3	11	13	26	12	3	20	32	19
	F	15	16	1	—	5	—	13	15	16	16	8	8	18	4
10—	M	10	12	2	—	2	3	8	6	12	9	4	6	14	6
	F	12	17	1	2	3	1	7	13	15	8	4	9	27	13
15—	M	18	21	2	4	10	1	10	14	20	12	4	11	21	18
	F	9	26	4	2	2	1	15	19	20	16	6	7	21	21
20—	M	19	34	5	2	4	1	17	18	30	20	5	12	32	16
	F	14	26	2	2	11	8	20	18	34	19	5	11	21	11
25—	M	15	27	3	7	8	1	12	20	20	8	5	16	16	18
	F	16	23	5	6	6	2	21	11	30	28	9	14	29	24
30—	M	14	23	3	2	5	4	13	20	14	19	7	13	29	21
	F	14	30	3	4	10	3	22	18	20	16	10	10	23	16
35—	M	19	38	4	3	10	6	21	16	24	16	16	11	23	19
	F	25	23	7	7	11	5	20	23	26	14	8	16	27	27
40—	M	29	31	3	4	12	3	24	25	32	29	26	14	46	19
	F	37	30	3	5	12	3	14	28	30	16	12	10	44	28
45—	M	24	46	6	8	15	4	33	18	50	28	22	12	51	26
	F	38	34	5	6	13	2	28	23	26	27	26	16	30	32
50—	M	28	44	9	10	12	4	42	38	60	30	20	23	43	33
	F	31	40	8	5	18	10	26	33	37	26	18	21	53	32
55—	M	47	72	14	6	24	8	42	52	69	47	27	27	64	62
	F	55	47	11	16	16	11	41	34	49	46	13	20	47	44
60—	M	62	60	17	20	25	13	59	69	59	57	40	42	73	57
	F	44	54	16	21	25	15	47	35	78	40	27	39	73	48
65—	M	80	111	21	28	41	16	67	84	83	74	44	55	104	70
	F	74	100	16	26	31	20	61	82	81	71	46	41	79	86
70—	M	77	87	28	27	33	16	71	106	82	86	63	65	103	99
	F	82	86	28	23	46	21	76	87	114	68	45	49	117	94
75—	M	63	110	20	34	44	14	77	116	69	89	49	74	87	81
	F	101	108	9	32	50	23	89	108	95	87	49	52	115	96
80—	M	54	77	6	14	32	18	27	80	63	72	28	55	62	88
	F	85	88	23	18	46	23	68	100	72	84	43	51	79	78
85—	M	35	51	6	13	25	14	30	52	25	38	19	39	28	54
	F	59	79	4	23	42	16	58	85	67	70	41	47	55	58

TABLE 16.—DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1921.
(Civilian Population Only)—*continued*.

Age.	Sex.	Yorkshire, West Riding.		Anglesey.		Brecknock- shire.		Cardigan- shire.		Carmarthen- shire.		Carnarvon- shire.		Denbigh- shire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	7406	2517	127	211	119	309	104	276	451	691	391	493	325	643
	F	7027	2153	126	249	120	255	141	356	418	696	402	485	308	585
Under 1 month	M	631	200	9	10	9	28	3	8	41	56	21	22	17	46
	F	422	162	6	7	5	10	4	8	23	43	17	8	17	41
	M	263	128	4	6	2	7	3	9	13	28	10	14	9	16
	F	176	78	4	5	2	7	—	4	13	16	6	11	3	16
	M	244	87	5	6	4	11	1	3	15	24	3	7	4	21
	F	171	56	1	1	1	5	—	7	21	17	7	10	2	24
	M	335	132	4	4	7	11	2	3	18	32	10	17	13	18
	F	246	100	5	3	2	6	3	3	18	13	7	11	4	16
Total under 1 year	M	1473	547	22	26	22	57	9	23	87	140	44	60	43	101
	F	1015	396	16	16	10	28	7	22	75	89	37	40	26	97
	M	293	108	5	6	4	14	2	1	15	14	6	8	10	21
	F	262	94	3	6	1	6	3	1	7	18	7	7	8	8
	M	104	58	1	1	—	2	3	3	5	7	5	5	4	4
	F	104	36	1	2	1	3	1	—	3	6	2	3	1	9
	M	49	25	—	—	1	2	—	2	5	12	3	2	1	6
	F	65	28	—	3	2	2	—	1	1	8	2	1	1	7
	M	41	21	—	—	3	3	1	—	1	6	2	1	1	2
	F	48	14	1	3	—	1	—	—	2	4	1	1	3	4
	M	1960	759	28	33	30	78	15	29	113	179	60	76	59	134
	F	1494	568	21	30	14	40	11	24	88	125	49	52	39	125
	M	152	74	2	3	2	2	—	7	7	12	7	11	8	17
	F	132	43	4	1	1	6	1	6	8	18	7	6	4	13
	M	112	31	3	5	—	7	1	2	5	7	5	6	4	11
	F	100	31	1	6	3	2	1	2	5	10	5	5	4	6
	M	151	53	3	2	5	11	3	8	9	21	8	8	2	15
	F	162	42	2	4	3	4	3	6	17	15	3	12	7	12
	M	191	43	2	6	—	5	1	4	9	21	9	5	8	16
	F	171	49	4	4	3	9	1	7	15	28	5	17	5	12
	M	147	49	3	3	2	11	2	7	17	18	8	10	5	17
	F	161	69	1	2	4	11	3	6	19	22	6	11	14	23
	M	187	46	1	7	3	8	4	8	12	17	7	11	12	18
	F	178	77	4	8	2	10	6	7	8	16	10	6	2	10
	M	233	73	4	6	4	6	2	4	16	16	13	11	11	17
	F	237	68	5	7	5	9	4	12	11	20	11	7	5	18
	M	278	79	6	4	4	12	3	6	21	25	11	20	13	14
	F	247	70	8	13	7	9	6	6	16	23	19	19	6	10
	M	349	79	2	6	2	9	1	18	17	24	14	25	12	16
	F	304	81	5	8	8	11	7	17	15	26	24	21	15	25
	M	369	116	7	12	7	14	7	10	25	28	22	30	15	35
	F	365	88	4	12	3	12	7	8	19	37	12	25	19	32
	M	438	143	9	12	7	18	4	10	30	37	23	28	15	53
	F	404	111	7	13	7	17	6	18	28	28	22	26	19	31
	M	612	155	11	17	10	22	9	20	33	41	25	47	34	58
	F	525	135	10	13	9	15	13	26	23	37	33	52	24	38
	M	694	225	10	19	16	23	10	29	46	68	51	48	33	59
	F	648	156	8	21	8	19	13	43	39	50	38	41	20	46
	M	656	209	19	29	12	24	14	34	42	69	50	56	33	55
	F	673	183	23	31	12	19	16	32	39	62	41	57	43	64
	M	494	177	9	29	7	21	12	42	24	50	47	46	28	58
	F	615	169	9	29	13	23	17	63	25	76	39	64	40	39
	M	247	140	6	12	5	29	12	27	17	37	25	33	20	29
	F	396	122	6	30	11	22	15	41	25	57	48	38	25	52
	M	136	66	2	6	3	9	4	11	8	21	6	22	13	21
	F	215	91	4	17	7	17	11	32	18	46	30	26	17	29

TABLE 16.—DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1921.

(Civilian Population Only)—*continued.*

Age.	Sex.	Flintshire.		Glamorgan-shire.		Merioneth-shire.		Monmouth-shire.		Montgomeryshire.		Pembroke-shire.		Radnorshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	239	355	3751	1220	161	167	2031	247	155	238	249	295	34	101
	F	201	340	3156	1138	144	199	1605	224	159	230	280	375	36	85
Under 1 month	M	20	28	356	130	7	9	214	23	5	21	13	13	1	5
	F	10	18	269	90	9	6	148	12	5	19	12	22	1	2
1-3 months	M	6	7	189	48	4	5	85	5	3	7	9	5	1	—
	F	5	5	156	37	2	5	65	3	2	6	4	3	1	2
3-6 months	M	2	4	178	40	4	—	103	6	1	2	5	7	—	2
	F	3	3	155	33	4	2	58	4	1	3	5	—	2	—
6-12 months	M	6	13	221	61	7	5	118	2	1	4	12	8	—	1
	F	10	7	144	52	—	1	95	3	4	4	5	8	—	—
Total under 1 year	M	34	52	944	279	22	19	520	36	10	34	39	33	2	8
	F	28	33	724	212	15	14	366	22	12	32	26	33	4	4
1—	M	9	6	155	38	2	1	97	2	3	—	6	6	—	2
	F	5	10	128	44	—	1	91	2	—	5	5	6	1	1
2—	M	2	5	52	27	—	—	33	3	3	2	2	4	—	—
	F	2	2	52	14	—	1	21	7	2	2	2	4	—	—
3—	M	1	2	37	12	—	1	26	3	1	1	3	—	1	—
	F	—	1	34	13	—	1	21	1	—	1	2	4	—	—
4—	M	1	3	35	6	1	2	22	—	—	—	—	—	—	—
	F	—	3	35	15	—	1	15	2	2	—	1	—	1	—
Total under 5 years	M	47	68	1223	362	25	23	698	44	17	37	50	43	3	11
	F	35	49	973	298	15	18	514	34	16	40	36	47	6	5
5—	M	6	8	112	35	5	3	51	3	3	7	4	6	1	—
	F	4	12	114	35	3	3	41	3	1	4	3	5	—	2
10—	M	2	8	62	20	1	2	29	3	2	1	4	7	—	2
	F	2	11	73	22	2	2	42	1	—	2	2	10	1	1
15—	M	11	5	90	31	2	4	58	6	6	6	3	7	1	—
	F	3	5	99	24	6	7	44	1	5	3	3	6	2	1
20—	M	6	7	90	33	—	2	40	2	4	7	8	12	2	3
	F	3	10	103	49	4	5	65	9	4	2	11	7	1	2
25—	M	5	7	76	34	2	3	47	7	4	4	7	7	1	—
	F	8	10	109	27	3	5	42	10	—	7	11	6	—	2
30—	M	3	10	98	26	4	2	45	7	1	5	7	6	—	2
	F	4	9	108	47	—	5	49	4	1	6	8	9	1	4
35—	M	3	4	144	31	3	7	65	8	2	3	9	1	1	3
	F	14	5	134	46	9	7	60	5	1	9	10	11	—	6
40—	M	11	9	149	58	3	4	83	13	6	4	10	9	—	1
	F	7	10	111	31	2	8	64	10	5	3	11	16	—	2
45—	M	12	15	194	62	4	4	73	9	7	8	10	9	1	4
	F	4	14	114	36	2	10	68	11	1	8	14	15	3	4
50—	M	22	23	216	73	7	6	113	9	12	11	17	16	1	8
	F	10	17	147	68	8	13	64	11	8	11	17	13	1	4
55—	M	23	27	272	84	4	12	133	12	12	7	14	16	5	5
	F	6	12	155	54	7	12	80	12	8	14	12	20	1	3
60—	M	10	25	273	75	12	11	140	18	22	15	16	19	2	11
	F	18	19	169	69	8	14	89	12	18	10	15	33	2	5
65—	M	19	27	259	80	25	15	140	28	10	25	20	22	4	9
	F	18	30	208	70	16	25	81	21	17	21	20	35	3	6
70—	M	19	40	230	83	20	26	126	25	7	27	20	34	3	17
	F	17	42	187	93	13	19	105	23	22	24	22	33	3	13
75—	M	17	33	156	65	20	25	100	22	21	33	17	36	3	12
	F	26	36	161	70	24	19	89	26	21	28	32	50	5	12
80—	M	19	21	80	47	18	13	64	10	13	21	20	28	3	7
	F	11	21	126	63	12	19	66	19	21	25	32	35	3	7
85—	M	4	18	27	21	6	5	26	21	6	17	13	17	3	5
	F	11	28	65	36	10	8	42	12	10	13	21	24	4	6

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921. (TOTAL DEATHS REGISTERED).

NOTE.—The sequence of causes of death followed in this table is that of the International List of Causes of Death. Separate columns are not devoted to those causes to which, as a rule, few deaths are assigned. In order, however, to make the record complete, the list numbers of such causes are printed as nearly as possible to the places where they would occur. The deaths, if any, from these causes are shown in footnotes in which the heavy-faced figures preceding the cause express the International List number, and the figures following it indicate the sex and age-group of the decedent, roman type for males and italic type for females. Thus, **4** Mediterranean Fever, 35, *55*, denotes that the deaths of one male in age-group 35-40 and one female in age-group 55-60 are assigned to this cause. A dash (—) indicates that no deaths are assigned.

Causes of Death	All Causes		I. 1-42 Epidemic, Endemic, and Infectious Diseases.		1 Enteric fever.		1(a) Typhoid fever.		1 (b) Paratyphoid fever.		2, 3, 4*		6*		8 Scarlet fever.	
											5 Malaria.		7 Measles.			
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	234291	224338	36875	33622	312	301	304	291	8	10	139	4	1188	1053	631	674
0—1	40381	29869	3507	3042	2	—	1	—	1	—	—	—	281	245	28	17
1—5	13913	12478	4871	4751	6	3	6	3	—	—	1	—	831	692	264	237
5—10	4967	4740	2147	2340	13	13	13	13	—	—	—	—	68	98	204	222
10—15	3234	3324	1122	1533	20	27	20	25	—	2	—	—	4	6	55	81
15—20	4914	4778	2080	2809	44	43	43	43	1	—	—	—	2	2	33	30
20—25	5171	5518	2553	3007	40	40	38	39	2	1	14	1	—	3	16	22
25—30	5190	5761	2306	2669	20	38	20	37	—	1	24	—	—	2	9	23
30—35	5834	5852	2353	2229	33	29	33	28	—	1	30	1	2	1	7	10
35—40	7405	6918	2673	2048	30	26	30	26	—	—	25	—	—	1	5	11
40—45	8901	7902	2766	1810	24	22	23	22	1	—	13	—	—	—	4	10
45—50	11124	9228	2692	1546	26	21	25	19	1	2	12	—	—	1	2	4
50—55	13231	10796	2183	1224	18	15	17	15	1	—	8	—	—	1	4	1
55—60	15767	12606	1862	1032	13	8	12	8	1	—	3	1	—	1	—	2
60—65	17979	15175	1436	932	7	5	7	5	—	—	1	—	—	—	—	2
65—70	20483	18550	1035	835	12	5	12	4	—	1	5	—	—	—	—	1
70—75	20243	21219	637	705	3	6	3	4	—	2	—	1	—	—	—	—
75—80	17663	21381	379	567	1	—	1	—	—	—	1	—	—	—	—	1
80 and upwards	17891	28243	273	543	—	—	—	—	—	—	2	—	—	—	—	—

* 2. Typhus —; 3. Relapsing fever (*Spirillum obermeieri*) —; 4. Mediterranean fever 35, *55*; 6. Small-pox 1, 10, 10, 45, 45.

Causes of Death.	9 Whoop- ing cough.		10 Diph- theria.		11 Influ- enza.		11 (a) 1. With pneumonic com- plications.		11 (a) 2. With other pul- monary complica- tions.		11 (b) 1. With non- pulmonary complica- tions.		11 (b) 2. Without stated complica- tion.		12*	
															13 Mumps.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2046	2530	2298	2474	4511	4484	2096	1757	776	916	964	1008	675	803	11	19
0—1	1094	1193	116	83	271	168	99	64	53	38	76	37	43	29	3	3
1—5	903	1253	969	997	269	207	138	103	29	27	82	66	20	11	2	6
5—10	45	71	886	1021	102	102	39	29	8	8	41	42	14	23	2	6
10—15	1	4	233	234	64	88	23	34	7	4	26	38	8	12	—	1
15—20	2	2	46	46	169	142	84	83	14	10	56	34	15	15	—	—
20—25	—	1	11	22	152	155	92	78	15	12	30	47	15	18	2	1
25—30	—	—	8	14	166	189	96	113	18	11	36	36	16	29	—	—
30—35	—	—	7	8	177	199	121	108	12	22	32	47	12	22	1	—
35—40	—	—	7	8	256	217	161	120	25	21	40	46	30	30	—	—
40—45	—	—	6	9	282	191	172	91	23	25	61	50	26	25	—	—
45—50	—	1	2	8	319	219	186	110	48	32	58	48	27	29	—	—
50—55	—	—	3	10	304	263	159	107	56	46	58	69	31	41	—	—
55—60	—	—	2	4	377	288	171	118	75	61	85	60	46	49	1	—
60—65	—	1	1	3	388	352	176	125	78	93	71	86	63	48	—	1
65—70	—	—	—	4	407	418	156	137	103	111	70	106	78	64	—	—
70—75	1	3	1	1	328	423	96	122	86	116	58	78	88	107	—	—
75—80	—	1	—	1	261	412	81	117	66	140	44	59	70	96	—	—
80 and upwards	—	—	—	1	219	451	46	98	60	139	40	59	73	155	—	1

* 12. Miliary fever —.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(TOTAL DEATHS REGISTERED).

Causes of Death.	14*		16		16 (a)		16 (b)		16 (c)		17, 18, 19, 20*		22 Acute poliomyelitis.		22 (1) Poliomyelitis.	
	15 Cholera nostras.		Dysentery.		Amoebic.		Bacillary.		Other or unspecified.		21 Erysipelas.					
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	6	4	127	134	10	1	9	8	108	125	367	362	90	79	69	60
0—1	1	2	5	7	—	—	1	1	4	6	59	54	16	13	14	12
1—5	—	—	6	4	—	—	—	—	6	4	5	10	31	18	22	13
5—10	—	1	7	2	—	—	—	—	7	2	3	2	14	15	10	11
10—15	—	—	—	—	—	—	—	—	—	—	4	6	6	11	5	6
15—20	—	—	3	3	1	—	1	—	1	3	8	7	13	6	10	3
20—25	—	—	8	3	2	—	—	—	6	3	8	8	3	5	3	5
25—30	—	—	14	5	1	1	—	—	13	4	4	12	—	1	—	1
30—35	—	—	13	4	—	—	1	1	12	3	12	18	1	2	—	2
35—40	—	—	15	10	2	—	4	—	9	10	16	20	2	3	1	2
40—45	—	—	9	4	1	—	1	1	7	3	14	16	1	—	1	—
45—50	1	—	7	7	2	—	—	1	5	6	31	21	—	1	—	1
50—55	1	—	6	14	—	—	—	2	6	12	34	37	1	1	1	1
55—60	—	—	6	14	—	—	—	1	6	13	54	22	1	2	1	2
60—65	—	—	8	11	1	—	—	—	7	11	29	23	—	1	—	1
65—70	2	1	4	13	—	—	—	1	4	12	33	29	—	—	—	—
70—75	—	—	9	17	—	—	1	—	8	17	18	33	—	—	—	—
75—80	—	—	3	14	—	—	—	—	3	14	17	21	1	—	1	—
80 and upwards	1	—	4	2	—	—	—	—	4	2	18	23	—	—	—	—

* 14. Asiatic cholera —; 17. Plague —; 18. Yellow fever —; 19. Spirochaetosis-ictero-hæmorrhagica —; 20. Leprosy 40

Causes of Death.	22 (2) Polioencephalitis.		23 Encephalitis lethargica.		24 Meningococcal meningitis.		25 Other epidemic diseases.		25 (1) German measles.		25 (2) Varicella.		25 (3) Other diseases included under 25.		26* 27 Anthrax.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	21	19	351	378	232	184	53	34	9	6	32	25	12	3	10	1
0—1	2	1	10	8	73	60	18	16	2	4	15	12	1	—	—	—
1—5	9	5	44	43	56	40	22	13	6	2	16	10	—	1	—	—
5—10	4	4	23	27	25	17	1	2	—	—	1	2	—	—	—	—
10—15	1	5	27	23	21	19	—	1	—	—	—	1	—	—	—	—
15—20	3	3	37	28	18	16	—	1	—	—	—	—	—	1	—	—
20—25	—	—	13	35	4	8	—	—	—	—	—	—	—	—	1	—
25—30	—	—	13	32	11	5	3	—	1	—	—	—	2	—	2	—
30—35	1	—	14	18	3	4	3	—	—	—	—	—	3	—	1	—
35—40	1	1	23	27	7	2	2	—	—	—	—	—	2	—	1	—
40—45	—	—	18	28	3	2	3	1	—	—	—	—	3	1	2	—
45—50	—	—	39	24	6	6	—	—	—	—	—	—	—	—	1	1
50—55	—	—	32	31	2	1	—	—	—	—	—	—	—	—	—	—
55—60	—	—	28	22	—	3	—	—	—	—	—	—	—	—	—	—
60—65	—	—	16	16	1	1	—	—	—	—	—	—	—	—	1	—
65—70	—	—	10	9	1	—	1	—	—	—	—	—	1	—	1	—
70—75	—	—	2	5	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—

* 26. Glanders 35, 50

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(TOTAL DEATHS REGISTERED).

Causes of Death.	28*		30 Mycoses.		30 (1) Actino-mycosis.		30 (2) Other mycoses.		Tuberculosis.							
	29 Tetanus.								31-37 All forms.		31 Respiratory system.		32 Nervous system.		33 Intestines and peritoneum.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	114	51	59	40	21	10	38	30	22899	19779	18121	15384	1781	1584	1064	1083
0—1	11	4	33	23	—	—	33	23	741	570	61	65	339	256	227	159
1—5	8	3	—	5	—	—	—	5	1408	1177	205	159	656	557	308	262
5—10	11	3	—	—	—	—	—	—	717	717	130	217	324	287	101	92
10—15	17	6	1	2	1	2	—	—	640	1008	235	608	173	173	91	76
15—20	11	2	3	1	3	1	—	—	1662	2458	1226	2030	133	117	91	115
20—25	10	4	1	1	1	1	—	—	2252	2672	1976	2401	50	63	42	66
25—30	2	3	—	—	—	—	—	—	2002	2318	1814	2087	31	40	31	68
30—35	5	6	2	1	2	1	—	—	2000	1895	1835	1723	14	27	36	41
35—40	8	4	2	—	1	—	1	—	2211	1682	2068	1521	20	26	21	35
40—45	6	3	3	1	3	1	—	—	2308	1483	2162	1325	17	16	23	54
45—50	8	3	2	—	2	—	—	—	2178	1180	2031	1054	12	8	22	34
50—55	5	2	1	1	1	—	—	1	1703	816	1590	719	8	4	23	29
55—60	3	2	6	1	4	1	2	—	1295	627	1199	538	2	3	18	21
60—65	5	1	1	1	1	1	—	—	923	489	854	405	1	3	13	14
65—70	1	2	1	1	1	1	—	—	513	326	452	269	1	3	13	5
70—75	3	1	2	1	—	—	2	1	242	201	199	153	—	—	1	9
75—80	—	1	1	1	1	1	—	—	77	102	62	74	—	1	2	2
80 and upwards	—	1	—	—	—	—	—	—	27	58	22	36	—	—	1	1

* 28. Rabies —.

Causes of Death.	Tuberculosis—continued.															
	34 Vertebral column.		35 Joints.		36 Other organs.		36 (a) Skin and subcutaneous tissue.		36 (b) Bones (vertebral column excepted).		36 (c) Lymphatic system (abdominal glands exceptd).		36 (d) Genito-urinary system.		36 (e) Others in 36.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	349	318	160	135	303	313	36	52	70	52	60	72	126	113	11	24
0—1	1	2	2	—	19	5	1	1	3	1	12	1	—	—	3	2
1—5	14	8	6	4	19	18	—	2	4	4	10	9	4	—	1	3
5—10	19	13	8	6	5	7	1	—	2	1	2	4	—	2	—	—
10—15	25	23	16	8	10	10	1	1	3	—	1	7	5	1	—	1
15—20	42	32	29	14	18	25	—	4	9	1	1	8	7	11	1	1
20—25	45	25	15	10	30	28	3	5	6	2	7	5	13	15	1	1
25—30	36	28	7	10	15	29	—	1	4	2	1	3	10	20	—	3
30—35	29	32	8	9	26	16	5	1	2	1	4	5	14	8	1	1
35—40	23	19	8	14	21	20	3	2	2	2	1	1	13	15	2	—
40—45	23	17	8	7	18	26	3	2	1	5	1	2	13	13	—	4
45—50	28	23	9	9	26	24	3	6	4	4	4	1	14	13	1	—
50—55	17	19	6	6	16	14	—	3	2	1	3	2	11	6	—	2
55—60	12	22	10	5	15	19	1	3	6	6	2	4	5	3	1	3
60—65	12	24	10	11	18	16	2	4	4	5	2	3	10	3	—	1
65—70	11	16	8	5	16	15	5	2	6	4	3	6	2	2	—	1
70—75	12	9	7	9	19	15	3	2	9	6	3	6	4	1	—	—
75—80	—	4	3	7	8	11	3	5	1	3	3	2	1	—	—	1
80 and upwards	—	2	—	1	4	15	2	8	2	4	—	3	—	—	—	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(TOTAL DEATHS REGISTERED).

Causes of Death.	Tuberculosis— <i>continued.</i>						38 Syphilis.		39*		40 (1) Gonococcal infection (ophthalmia excepted).		40 (2) Gonorrhœal or purulent ophthalmia.		41 Purulent infection, septicæmia.	
	37 Disseminated tuberculosis.		37 (a) Acute.		37 (b) Chronic or unstated.				40 Gonococcal infection.		M.	F.	M.	F.	M.	F.
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1121	962	234	230	887	732	1038	761	31	40	13	18	18	22	354	234
0—1	92	83	26	26	66	57	694	520	20	23	2	2	18	21	31	33
1—5	200	169	49	48	151	121	32	30	—	1	—	—	—	1	13	12
5—10	130	95	31	28	99	67	1	8	—	—	—	—	—	—	25	13
10—15	90	110	11	22	79	88	1	6	—	—	—	—	—	—	26	10
15—20	123	125	24	36	99	89	9	9	1	1	1	1	—	—	19	12
20—25	94	79	15	15	79	64	8	9	—	3	—	3	—	—	10	14
25—30	68	56	14	15	54	41	13	16	—	1	—	1	—	—	15	10
30—35	52	47	10	13	42	34	23	13	—	4	—	4	—	—	19	16
35—40	50	47	11	12	39	35	39	25	1	3	1	3	—	—	21	9
40—45	57	38	16	6	41	32	41	28	3	2	3	2	—	—	25	10
45—50	50	28	9	3	41	25	34	28	1	2	1	2	—	—	21	19
50—55	43	25	9	3	34	22	41	22	—	—	—	—	—	—	20	8
55—60	39	19	5	2	34	17	50	18	2	—	2	—	—	—	21	16
60—65	15	16	—	—	15	16	24	10	1	—	1	—	—	—	30	15
65—70	12	13	4	1	8	12	17	11	1	—	1	—	—	—	26	15
70—75	4	6	—	—	4	6	7	4	1	—	1	—	—	—	20	9
75—80	2	3	—	—	2	3	4	4	—	—	—	—	—	—	11	7
80 and upwards	—	3	—	—	—	3	—	—	—	—	—	—	—	—	1	6

* 39. Soft chancre —.

Causes of Death.	41 (1), 42*		II. 43-69 General diseases not included in I. 1-42.		Cancer, Malignant Disease.											
	41 (2) Other forms.				43-49 Total Deaths.		43 Buccal cavity.		44 Pharynx, œsophagus, stomach, liver and annæa.		45 Peritoneum, intestines, and rectum.		46 Female genital organs.		47 Breast.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	353	232	272	163	2064	925	2482	358	7926	6818	4683	5059	—	5436	33	4684
0—1	30	31	318	219	15	8	1	—	2	—	—	1	—	—	—	—
1—5	13	12	333	277	38	38	—	2	2	2	3	4	—	1	—	—
5—10	25	13	232	229	28	20	—	—	3	2	2	2	—	2	—	—
10—15	26	10	270	280	27	18	4	—	—	2	3	—	—	3	1	—
15—20	19	12	330	336	62	41	4	2	4	2	7	4	—	7	—	—
20—25	10	14	268	334	66	63	5	2	6	7	15	8	—	13	—	2
25—30	15	10	333	428	107	163	3	3	18	16	24	40	—	43	—	15
30—35	19	16	413	658	175	337	2	4	65	56	49	48	—	127	1	55
35—40	21	9	643	1155	349	774	18	15	121	114	82	104	—	263	—	176
40—45	25	10	957	1906	657	1407	54	10	252	190	149	187	—	471	—	393
45—50	21	19	1775	2721	1339	2185	154	34	556	390	267	307	—	717	2	547
50—55	20	8	2693	3475	2150	2818	276	33	885	645	408	452	—	824	1	575
55—60	21	16	3594	4020	2990	3191	411	44	1233	823	586	566	—	740	2	668
60—65	30	15	4139	4378	3463	3522	462	42	1408	1062	801	717	—	738	6	575
65—70	26	15	4288	4611	3600	3650	425	51	1430	1201	818	857	—	596	7	509
70—75	20	9	3339	3856	2816	3088	327	45	1051	1022	754	748	—	458	2	458
75—80	11	7	2146	2858	1791	2321	216	37	601	773	448	593	—	270	6	361
80 and upwards	1	6	1145	2109	976	1729	120	34	289	511	267	421	—	163	5	350

* 41. (1) Vaccinia 0, 0, 0 ; 42. Other infectious diseases —.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(TOTAL DEATHS REGISTERED).

Causes of Death.	Cancer—continued.				50 Tumours not returned as malignant. (brain and female genital organs exceptd).		51 Rheumatic fever.		52 Chronic rheumatism, osteo-arthritis, gout.		52 (1) Chronic rheumatism, chronic arthritis.		52 (2) Rheumatoid and osteo-arthritis.		52 (3) Gout.	
	48 Skin.		49 Other or unspecified organs.													
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	719	401	4806	2617	357	302	868	947	749	1526	185	273	406	1219	158	34
0—1	—	1	12	6	5	3	2	1	—	—	—	—	—	—	—	—
1—5	1	—	32	29	6	4	20	24	—	—	—	—	—	—	—	—
5—10	1	1	22	13	1	3	108	115	—	1	—	—	—	1	—	—
10—15	1	—	18	13	4	1	142	151	1	—	—	—	1	—	—	—
15—20	—	1	47	25	4	3	112	146	—	2	—	1	—	1	—	—
20—25	—	2	40	29	6	3	55	84	1	3	—	1	1	2	—	—
25—30	6	5	56	41	13	9	60	51	1	5	—	—	1	5	—	—
30—35	2	4	56	43	10	5	55	54	10	13	2	—	7	13	1	—
35—40	9	11	119	91	10	11	51	47	10	11	3	1	6	9	1	1
40—45	17	8	185	148	16	11	39	60	13	27	2	5	8	22	3	—
45—50	32	16	328	174	31	28	51	42	21	55	3	5	12	50	6	—
50—55	57	23	523	266	39	30	49	35	39	91	5	5	23	86	11	—
55—60	69	38	689	312	28	26	37	42	70	159	16	21	40	135	14	3
60—65	95	39	691	349	45	26	32	36	121	180	24	34	71	142	26	4
65—70	109	37	811	399	53	42	26	27	154	263	38	37	86	218	30	8
70—75	101	57	581	300	38	31	18	17	121	281	35	46	59	231	27	4
75—80	111	57	409	230	33	30	7	8	121	229	35	54	60	169	26	6
80 and upwards	108	101	187	149	15	36	4	7	66	206	22	63	31	135	13	8

Causes of Death.	53 Scurvy.		54, 55 *		57 Diabetes.		58 Anæmia, chlorosis.		58 (a) Pernicious anæmia.		58 (b) Other anæmias and chlorosis.		59 *		60 (a) Exophthalmic goitre.	
			56 Rickets.										60 Diseases of the thyroid gland.			
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	30	23	278	214	1901	2191	1124	1656	997	1460	127	196	118	822	54	533
0—1	15	11	122	74	—	—	12	18	4	4	8	14	8	6	—	—
1—5	10	5	146	130	10	7	15	17	5	8	10	9	13	15	—	—
5—10	1	1	5	7	19	28	11	11	6	5	5	6	1	5	—	—
10—15	—	1	2	1	40	48	10	19	5	9	5	10	1	12	—	5
15—20	1	1	—	1	74	52	8	28	5	17	3	11	13	37	4	28
20—25	—	—	1	—	60	76	17	36	13	29	4	7	6	32	4	29
25—30	—	—	—	—	85	65	16	47	11	41	5	6	4	51	3	40
30—35	—	1	1	—	75	77	39	80	31	65	8	15	7	42	6	37
35—40	—	—	—	1	96	98	34	101	30	87	4	14	8	53	4	43
40—45	1	—	1	—	82	113	76	144	66	133	10	11	8	87	8	73
45—50	1	—	—	—	132	120	107	133	95	123	12	10	6	92	4	76
50—55	—	—	—	—	174	161	145	189	136	176	9	13	10	82	6	60
55—60	1	1	—	—	185	231	160	221	153	206	7	15	9	92	8	62
60—65	—	—	—	—	232	281	180	222	173	206	7	16	9	65	2	33
65—70	—	1	—	—	245	322	146	194	134	179	12	15	4	66	3	31
70—75	—	—	—	—	211	265	89	112	79	103	10	9	3	46	—	11
75—80	—	—	—	—	117	158	47	66	41	56	6	10	7	27	2	5
80 and upwards	—	1	—	—	64	89	12	18	10	13	2	5	1	12	—	—

* 54 Pellagra 20, 35, 45, 45; 55 Beri-beri 30, 45, 45; 59 Diseases of the pituitary gland 25, 55, 60, 80, 2;

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(TOTAL DEATHS REGISTERED).

Causes of Death.	60 (b) (1) Myxœdema.		60 (b) (2) Cretinism.		60 (b) (3) Other diseases of the thyroid gland.		61 * 62 Diseases of the thymus.		63 Diseases of the adrenals.		64 Diseases of the spleen.		65 Leukæmia, lymph adenoma.		65 (a) Leukæmia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	15	130	27	34	22	125	106	69	88	127	23	12	488	311	248	198
0—1	—	1	8	4	—	1	66	34	—	—	—	1	5	3	5	2
1—5	—	4	10	9	3	2	23	13	—	—	2	—	25	10	21	10
5—10	—	—	1	4	—	1	6	11	—	—	1	—	33	12	19	9
10—15	—	—	1	1	—	6	3	4	2	1	2	—	22	14	10	9
15—20	—	—	4	3	5	6	3	2	1	2	1	—	39	15	20	10
20—25	—	—	—	1	2	2	3	1	3	5	—	—	42	19	17	8
25—30	—	1	1	6	—	4	—	—	3	3	—	—	30	23	9	11
30—35	—	—	1	3	—	2	1	2	6	7	1	1	23	26	10	15
35—40	2	4	1	—	1	6	—	1	8	15	2	2	37	25	17	14
40—45	—	3	—	1	—	10	—	—	9	21	2	—	27	19	15	15
45—50	1	9	—	—	1	7	—	1	6	18	—	3	36	21	20	15
50—55	3	8	—	1	1	13	1	—	11	18	2	1	31	33	17	25
55—60	—	19	—	1	1	10	—	—	17	14	3	1	50	22	26	14
60—65	4	20	—	—	3	12	—	—	7	9	3	2	24	23	14	15
65—70	1	19	—	—	—	16	—	—	6	7	2	—	26	25	14	13
70—75	1	23	—	—	2	12	—	—	7	3	—	—	25	6	8	5
75—80	2	12	—	—	3	10	—	—	2	4	1	—	10	10	4	6
80 and upwards	1	7	—	—	—	5	—	—	—	—	1	1	3	5	2	2

* 61. Diseases of the parathyroid glands —.

Causes of Death.	65 (b) Lymph-adenoma (Hodgkin's disease).		66 Alcoholism (acute or chronic).		67 Chronic poisoning by mineral substances.		67 (1) Occupational lead poisoning		67 (2), 68 * 69 Other general diseases.		69 (1) Purpura.		69 (2) Hæmophilia.		69 (3) Other diseases included under 69.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	240	113	127	55	57	2	56	2	243	213	123	128	63	37	57	48
0—1	—	1	—	—	—	—	—	—	68	60	34	30	30	27	4	3
1—5	4	—	—	—	—	—	—	—	25	13	9	8	7	—	9	5
5—10	14	3	—	—	—	—	—	—	18	15	14	9	2	2	2	4
10—15	12	5	—	—	—	—	—	—	14	10	8	10	1	—	5	—
15—20	19	5	—	—	1	—	1	—	11	6	6	4	4	2	1	—
20—25	25	11	—	—	—	—	—	—	8	11	4	7	2	1	2	3
25—30	21	12	4	1	1	1	—	1	8	8	4	7	3	—	1	1
30—35	13	11	5	3	—	—	—	—	4	10	2	7	1	2	1	1
35—40	20	11	24	6	7	—	7	—	6	9	2	4	3	2	1	3
40—45	12	4	13	9	3	—	3	—	10	8	4	5	3	—	3	3
45—50	16	6	25	11	12	1	12	1	6	9	2	8	2	—	2	1
50—55	14	8	21	5	11	—	11	—	10	11	5	4	1	—	4	7
55—60	24	8	17	8	9	—	9	—	17	12	6	5	3	—	8	7
60—65	10	8	8	6	5	—	5	—	9	6	3	4	1	—	5	2
65—70	12	12	5	5	7	—	7	—	13	9	11	4	—	1	2	4
70—75	17	1	4	1	—	—	—	—	6	6	3	4	—	—	3	2
75—80	6	4	1	—	1	—	1	—	8	5	5	4	—	—	3	1
80 and upwards	1	3	—	—	—	—	—	—	2	5	1	4	—	—	1	1

* 67 (2) Other chronic poisoning by mineral substances 25; 68 Chronic poisoning by organic substances 35, 65, 70, 25, 50.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(TOTAL DEATHS REGISTERED).

Causes of Death.	III. 70-86 Diseases of the nervous system and sense organs.		70 Encephalitis.		70 (1) Cerebral abscess.		70 (2) Other diseases included under 70.		71 Meningitis.		72 Tabes dorsalis (locomotor ataxy).		73 Other diseases of the spinal cord.		74 Cerebral hæmorrhage, apoplexy, etc.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	23685	24472	178	130	115	74	63	56	1306	1129	576	116	716	582	11339	14324
0—1	3101	2123	10	3	6	1	4	2	324	267	—	—	—	4	9	33
1—5	1012	895	11	16	4	8	7	8	389	338	—	—	8	3	11	99
5—10	376	358	7	6	4	5	3	1	147	142	—	—	6	2	7	22
10—15	322	286	14	8	13	5	1	3	88	83	—	—	12	2	8	99
15—20	374	292	13	9	10	6	3	3	55	53	—	1	28	8	19	133
20—25	309	292	10	11	9	9	1	2	38	45	—	—	17	14	24	233
25—30	313	253	16	8	15	4	1	4	31	16	2	1	16	12	34	311
30—35	400	334	9	10	5	6	4	4	20	24	12	4	21	21	67	500
35—40	638	483	10	11	6	6	4	5	26	26	28	4	38	34	94	1099
40—45	820	699	10	12	9	6	1	6	29	25	37	4	37	39	187	2563
45—50	1039	1013	15	12	9	7	6	5	27	23	71	16	58	39	372	4988
50—55	1377	1405	15	11	10	6	5	5	28	17	96	16	63	63	708	8700
55—60	1803	1700	10	3	5	1	5	2	24	16	106	23	99	92	1052	11433
60—65	2198	2212	8	2	5	—	3	2	22	16	93	13	91	79	1392	16263
65—70	2641	2783	8	1	3	1	5	—	20	9	68	20	106	78	1877	21111
70—75	2811	3216	7	4	1	2	6	2	19	11	41	7	67	42	2133	25588
75—80	2317	3034	1	2	—	1	1	1	10	13	19	5	33	33	1832	24544
80 and upwards	1834	3094	4	1	1	—	3	1	9	5	3	2	16	17	1513	25599

Causes of Death.	74 (a) (1) Cerebral hæmorrhage so returned.		74 (a) (2) Apoplexy, lesion unstated.		74 (b) (1) Cerebral embolism.		74 (b) (2) Cerebral thrombosis.		75 Paralysis of unstated origin.		75 (a) Hemiplegia.		75 (b) Other forms of paralysis.		76 General paralysis of the insane.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	8600	10686	1550	1832	294	491	895	1315	1045	1231	880	1060	165	171	1254	283
0—1	4	3	4	—	—	—	1	—	2	1	1	—	1	1	—	—
1—5	5	5	4	3	—	1	2	—	2	3	1	—	1	3	—	—
5—10	4	2	2	—	1	—	—	—	3	—	1	—	2	—	—	—
10—15	4	6	1	1	—	—	3	2	2	1	1	—	1	1	3	—
15—20	13	5	1	2	2	3	3	3	2	4	—	2	2	2	5	22
20—25	16	13	4	1	2	3	2	6	2	3	—	1	2	2	6	11
25—30	22	18	2	6	3	3	7	4	2	3	2	1	—	2	23	77
30—35	47	30	7	7	7	7	6	6	6	4	3	3	3	1	90	299
35—40	71	63	15	17	3	15	5	14	8	9	2	7	6	2	220	283
40—45	143	194	23	25	7	22	14	15	24	18	16	15	8	3	277	555
45—50	299	394	48	51	10	28	15	25	14	27	11	20	3	7	232	588
50—55	562	686	92	107	19	32	35	45	44	59	41	50	3	9	150	344
55—60	818	896	148	143	21	33	65	71	71	75	56	63	15	12	114	255
60—65	1103	1268	169	189	27	58	93	111	129	120	114	108	15	12	76	177
65—70	1456	1621	255	282	45	64	121	144	180	175	160	154	20	21	38	163
70—75	1595	1899	307	348	62	72	169	239	220	231	181	201	39	30	14	44
75—80	1356	1793	266	309	41	79	169	273	184	237	161	196	23	41	5	5
80 and upwards	1082	1790	202	341	44	71	185	357	150	261	129	239	21	22	1	22

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(TOTAL DEATHS REGISTERED).

Causes of Death.	77 Other forms of insanity.		78 Epilepsy.		79 & 80 Convulsions (non-puerperal)		81 Chorea.		82 Hysteria and neuritis.		83 Cerebral softening.		84 Other diseases of the nervous system.		84 (1) Idiocy, imbecility.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	292	548	1114	1097	3058	2140	25	68	107	164	396	483	1567	1605	124	119
0—1	—	—	23	22	2596	1726	—	—	—	—	—	1	48	40	16	23
1—5	—	—	45	33	432	378	—	1	—	1	—	—	53	43	25	24
5—10	—	—	46	33	21	19	7	19	1	3	—	—	47	31	16	13
10—15	—	—	61	44	2	4	8	22	—	—	—	—	42	35	9	11
15—20	4	6	115	79	2	3	3	16	1	1	—	—	54	41	15	7
20—25	5	11	96	92	1	1	1	4	1	3	1	2	38	48	9	4
25—30	6	15	87	71	—	—	—	2	—	2	—	1	44	57	4	5
30—35	15	22	71	74	2	—	1	1	2	3	4	2	50	63	5	5
35—40	21	44	72	83	—	1	1	1	3	10	—	6	81	97	8	7
40—45	18	65	69	91	—	1	1	—	9	11	6	6	93	98	2	4
45—50	23	76	65	89	1	1	—	1	10	21	6	15	124	124	2	3
50—55	32	61	64	81	—	—	2	—	14	12	12	22	124	139	4	4
55—60	49	66	72	64	—	—	1	1	19	14	35	32	132	132	3	1
60—65	48	72	75	64	—	—	—	—	14	19	58	38	172	133	2	1
65—70	34	53	60	57	—	1	—	—	11	21	59	67	171	165	2	6
70—75	18	34	41	56	1	2	—	—	9	19	79	89	148	153	2	—
75—80	13	14	40	34	—	1	—	—	8	10	80	86	89	131	—	—
80 and upwards	6	9	12	30	—	2	—	—	5	14	56	116	57	75	—	1

Causes of Death.	84 (2) Cerebral tumour.		84 (3) Disseminated sclerosis.		84 (4) Paralysis agitans.		84 (5) Other diseases included under 84.		85 Diseases of the eye and annexa.		86 Diseases of the ear and of the mastoid sinus.		86 (1) Diseases of the mastoid sinus.		86 (2) Diseases of the ear.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	521	509	283	349	339	314	300	314	27	28	685	544	188	152	497	392
0—1	7	5	—	—	—	—	25	12	4	2	85	54	17	13	68	41
1—5	13	11	—	—	—	—	15	8	1	1	60	69	19	23	41	46
5—10	24	15	—	—	—	—	7	3	2	4	82	97	28	33	54	64
10—15	31	20	—	2	—	—	2	2	—	1	82	77	35	24	47	53
15—20	25	24	7	3	—	—	7	7	1	2	72	54	12	18	60	36
20—25	18	28	6	9	—	—	5	7	1	2	68	32	22	7	46	25
25—30	24	32	9	14	—	—	7	6	—	1	52	26	10	7	42	19
30—35	31	32	6	17	—	—	8	9	—	1	30	26	10	5	20	21
35—40	47	46	19	32	2	1	5	11	2	2	34	18	9	6	25	12
40—45	56	47	26	33	1	5	8	9	—	—	23	18	4	6	19	12
45—50	63	60	31	39	6	2	22	20	—	—	21	13	5	2	16	11
50—55	51	68	40	39	5	6	24	22	2	1	23	19	7	4	16	15
55—60	51	42	30	45	18	16	30	28	1	1	18	13	1	1	17	12
60—65	34	31	42	33	55	35	39	33	3	1	17	12	6	—	11	12
65—70	29	22	27	30	81	71	32	36	3	3	6	6	1	2	5	4
70—75	15	13	24	28	86	80	21	32	6	—	8	6	2	1	6	5
75—80	1	10	11	15	54	70	23	36	1	6	2	3	—	—	2	3
80 and upwards	1	3	5	10	31	28	20	33	—	—	2	1	—	—	2	1

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(TOTAL DEATHS REGISTERED).

Causes of Death.	IV. 87-96 Diseases of the circulatory system.		87-90 Heart diseases.		87 Pericarditis.		88 Acute endocarditis and myocarditis.		88 (1) Infective endo- carditis.		88 (2) Other acute endo- carditis.		88 (3) Acute myocarditis.		89 Angina pectoris.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	33389	34789	24956	28754	194	157	1152	943	724	479	314	345	114	119	743	343
0—1	40	23	12	16	3	4	6	6	2	1	2	5	2	—	—	—
1—5	68	61	54	54	9	6	14	18	2	3	10	12	2	3	—	—
5—10	185	231	182	222	12	19	50	69	10	16	37	50	3	3	—	—
10—15	290	380	286	376	18	21	50	92	18	40	29	48	3	4	—	—
15—20	389	424	381	421	14	6	79	94	39	50	37	42	3	2	—	—
20—25	444	424	436	412	5	6	129	96	91	64	31	24	7	8	—	1
25—30	597	525	580	508	13	1	176	121	131	74	38	37	7	10	1	—
30—35	693	541	667	520	9	8	177	81	136	53	32	22	9	6	3	2
35—40	813	780	747	735	12	10	171	105	117	45	38	39	16	21	11	2
40—45	1084	1007	949	928	13	6	124	88	68	26	29	36	27	26	21	5
45—50	1465	1459	1208	1342	20	7	35	37	24	26	5	8	6	3	45	15
50—55	2159	1886	1703	1673	15	16	38	44	28	30	7	9	3	5	72	24
55—60	2981	2438	2309	2145	12	10	39	20	23	14	6	2	10	4	105	30
60—65	3886	3433	2953	2947	13	10	24	25	12	13	7	5	5	7	115	47
65—70	5119	4697	3784	3997	11	8	25	20	15	10	4	5	6	5	140	64
70—75	5047	5483	3571	4466	6	10	6	15	4	8	—	1	2	6	123	63
75—80	4422	5254	2943	4084	8	3	8	9	4	3	2	—	2	6	77	58
80 and upwards	3707	5743	2191	3908	1	6	1	3	—	3	—	—	1	—	30	32

Causes of Death.	90 Other diseases of the heart.		90 (1) Aortic valve disease.		90 (2) Mitral valve disease.		90 (3) Aortic and mitral valve disease.		90 (4) Other or unspecified valve disease.		90 (5) Fatty heart.		90 (6) Cardiac dilatation, cause unspecified.		90 (7) Other or unspecified myocardial disease.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	22867	27311	1917	850	3219	5372	489	364	5681	6742	1092	1325	487	525	4366	5258
0—1	3	6	—	—	—	1	—	—	1	1	—	—	1	—	—	—
1—5	31	30	—	1	7	7	—	—	15	13	—	—	—	—	1	—
5—10	120	134	5	1	38	52	3	4	51	51	—	—	—	—	2	—
10—15	218	263	11	3	68	97	12	9	84	96	—	1	2	1	3	1
15—20	288	321	11	12	83	116	18	10	113	123	—	3	1	4	5	—
20—25	302	309	35	10	81	116	16	11	118	111	3	4	2	2	2	3
25—30	390	386	40	7	95	138	28	12	151	144	1	4	5	5	5	8
30—35	478	429	84	9	105	144	22	11	154	150	10	15	3	8	17	9
35—40	553	618	69	16	104	213	28	17	195	164	23	21	7	10	22	24
40—45	791	829	116	31	140	241	35	18	258	268	35	40	14	9	36	42
45—50	1108	1283	132	58	176	321	35	19	333	399	61	79	16	17	118	120
50—55	1578	1589	188	52	235	355	42	24	402	475	106	106	37	20	219	195
55—60	2153	2085	232	76	294	431	39	40	565	561	133	151	40	23	352	292
60—65	2801	2865	263	105	350	570	56	34	696	746	179	194	54	50	482	430
65—70	3608	3905	262	125	458	679	51	43	845	979	213	230	102	72	728	726
70—75	3436	4378	238	127	430	682	49	43	750	1021	148	224	77	104	830	990
75—80	2850	4014	143	112	337	681	33	38	593	807	113	128	71	99	783	1034
80 and upwards	2159	3867	88	105	218	528	22	31	357	633	67	125	55	101	761	1384

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(TOTAL DEATHS REGISTERED).

Causes of Death.	90 (8) Disordered action of the heart.		90 (9) Heart disease (undefined).		91 Diseases of the arteries.		91 (a) Aneurism.		91 (b) Arterio-sclerosis.		91 (b) (1) With record of cerebral vascular lesion.		91 (b) (2) Without record of cerebral vascular lesion.		91 (c) Other diseases of the arteries.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	227	291	5389	6584	8087	5572	787	205	7202	5281	2139	1857	5063	3424	98	86
0—1	—	—	1	4	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	8	9	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	1	21	25	—	—	—	—	—	—	—	—	—	—	—	—
10—15	1	—	37	55	—	1	—	1	—	—	—	—	—	—	—	—
15—20	—	1	57	52	3	—	—	—	2	—	—	—	2	—	1	—
20—25	3	3	42	49	3	2	2	1	—	1	—	—	—	1	1	—
25—30	2	—	63	68	8	4	4	3	3	—	2	—	1	—	1	1
30—35	5	5	78	78	19	5	11	3	6	2	3	1	3	1	2	—
35—40	9	12	96	141	52	16	29	5	21	9	8	7	13	2	2	2
40—45	8	7	149	173	120	37	62	9	51	23	20	18	31	5	7	5
45—50	9	17	228	253	235	82	126	12	105	69	51	41	54	28	4	1
50—55	15	19	334	343	422	173	148	24	266	144	125	95	141	49	8	5
55—60	24	26	474	485	634	245	142	29	479	209	175	120	304	89	13	7
60—65	29	39	692	697	889	433	113	24	767	400	293	220	474	180	9	9
65—70	42	40	907	1011	1298	656	78	37	1205	606	405	266	800	340	15	13
70—75	30	53	884	1134	1451	978	45	22	1392	944	390	358	1002	586	14	12
75—80	26	40	751	1075	1460	1138	21	11	1428	1110	374	344	1054	766	11	17
80 and upwards	24	28	567	932	1493	1802	6	24	1477	1764	293	387	1184	1377	10	14

Causes of Death.	92 Embolism and thrombosis (not cerebral).		93 Diseases of the veins (varices, hæmorrhoids, phlebitis, etc.).		94 Diseases of the lymphatic system (lymphangitis, etc.).		96* 95 Hæmorrhage without stated cause.		* V. 97-107 Diseases of the respiratory system.		97 Diseases of the nasal fossæ and annexa.		97 (1) Diseases of the nose.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	137	179	112	225	62	41	35	18	39975	34124	69	60	28	22
0—1	3	1	1	—	20	5	4	1	7395	5476	8	7	8	7
1—5	1	—	—	—	13	7	—	—	4716	4099	4	1	4	1
5—10	—	4	—	2	1	2	2	1	683	628	2	2	1	1
10—15	1	—	—	1	3	1	—	1	270	248	5	6	1	1
15—20	1	1	—	1	2	1	2	—	448	282	3	8	1	3
20—25	1	6	—	1	2	3	2	—	512	325	8	2	4	1
25—30	4	7	4	5	1	1	—	—	603	429	11	3	1	—
30—35	2	7	2	7	3	1	—	1	804	531	3	5	1	2
35—40	6	15	5	12	1	2	2	—	1090	640	2	7	2	—
40—45	6	17	8	22	—	2	1	1	1412	698	5	4	—	—
45—50	12	18	6	15	2	1	2	1	1742	872	7	1	2	—
50—55	14	15	13	21	4	2	3	2	2004	1012	3	3	1	—
55—60	22	17	14	26	—	5	2	—	2404	1462	2	2	—	1
60—65	19	14	16	34	6	4	3	1	2835	2008	1	1	—	—
65—70	17	13	15	30	2	—	3	1	3465	2811	1	1	—	1
70—75	12	16	7	20	1	1	5	2	3530	3717	2	3	—	1
75—80	9	12	10	16	—	1	—	3	3072	3857	—	1	—	—
80 and upwards	7	16	11	12	1	2	4	3	2990	5029	2	3	2	3

* 96. Other diseases of the circulatory system.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(TOTAL DEATHS REGISTERED).

Causes of Death.	97 (2) Diseases of the accessory nasal sinuses.		98 Diseases of the larynx.		98 (1) Laryngismus stridulus.		98 (2) Laryngitis.		98 (3) Other diseases.		99 Bronchitis.		99 (a) Acute.		99 (b) Chronic.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	41	38	367	286	88	49	267	228	12	9	16791	16893	3960	4765	5562	4428
0—1	—	—	83	43	47	16	35	27	1	—	2560	1978	1189	868	19	22
1—5	—	—	164	128	36	22	125	106	3	—	814	759	389	391	17	13
5—10	1	1	47	60	3	10	44	49	—	1	59	60	32	32	5	7
10—15	4	5	5	10	2	1	3	8	—	1	22	24	7	5	8	3
15—20	2	5	—	3	—	—	—	3	—	—	30	21	12	8	10	6
20—25	4	1	—	1	—	—	—	1	—	—	51	24	8	8	24	7
25—30	10	3	7	6	—	—	5	6	2	—	52	42	17	18	23	12
30—35	2	3	3	2	—	—	3	—	—	2	94	66	35	25	31	13
35—40	—	7	4	2	—	—	4	2	—	—	185	109	37	35	80	37
40—45	5	4	3	5	—	—	2	3	1	2	302	166	56	49	136	63
45—50	5	1	12	3	—	—	10	2	2	1	461	274	85	66	202	94
50—55	2	3	3	4	—	—	3	4	—	—	692	425	128	108	321	153
55—60	2	1	8	2	—	—	7	1	1	1	1021	693	180	164	467	274
60—65	1	1	8	4	—	—	7	4	1	—	1471	1130	256	305	687	423
65—70	1	—	7	4	—	—	6	3	1	1	1996	1741	301	433	945	623
70—75	2	2	2	5	—	—	2	5	—	—	2367	2537	414	595	980	838
75—80	—	1	6	—	—	—	6	—	—	—	2264	2821	367	678	880	849
80 and upwards	—	—	5	4	—	—	5	4	—	—	2350	4023	447	977	727	991

Causes of Death.	99 (c & d) Not stated whether acute or chronic.		100 & 101 Pneumonia (all forms).		100 Broncho-pneumonia.		101 Pneumonia (lobar and not otherwise defined).		101 (a) Pneumonia, lobar.		101 (b) Pneumonia, not otherwise defined.		102 Pleurisy.		102 (1) Empyema.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	7269	7700	19955	14753	9349	8096	10606	6657	5106	3049	5500	3608	786	506	320	143
0—1	1352	1088	4630	3371	3833	2837	797	534	213	142	584	392	24	11	18	7
1—5	408	355	3639	3136	2796	2486	843	650	284	218	559	432	65	45	57	41
5—10	22	21	528	476	257	243	271	233	120	97	151	136	27	19	19	15
10—15	7	16	219	185	70	67	149	118	75	63	74	55	9	8	5	4
15—20	8	7	376	220	54	41	322	179	175	90	147	89	21	19	10	10
20—25	19	9	402	269	55	47	347	222	183	128	164	94	31	14	17	8
25—30	12	12	476	329	61	65	415	264	253	144	162	120	29	21	17	8
30—35	28	28	630	387	74	60	556	327	294	180	262	147	32	31	20	11
35—40	68	37	801	468	97	74	704	394	377	219	327	175	36	18	20	6
40—45	110	54	946	446	140	86	806	360	456	204	350	156	54	24	24	4
45—50	174	114	1063	486	174	124	889	362	495	205	394	157	59	31	21	9
50—55	243	164	1043	483	219	124	824	359	442	187	382	172	75	26	26	5
55—60	374	255	1085	627	225	203	860	424	441	210	419	214	76	28	26	7
60—65	528	402	1082	710	258	229	824	481	428	240	396	241	66	33	15	1
65—70	750	685	1157	841	324	311	833	530	408	258	425	272	73	47	14	4
70—75	973	1104	870	913	285	398	585	515	249	215	336	300	55	50	6	2
75—80	1017	1294	587	748	239	345	348	403	142	155	206	248	33	42	3	—
80 and upwards	1176	2055	421	658	188	356	233	302	71	94	162	208	21	39	2	1

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(TOTAL DEATHS REGISTERED).

Causes of Death.	102 (2) Other pleurisy.		103 Congestion and hæmorrhagic infarct of lung.		104 Gangrene of the lung.		105 Asthma.		106 Pulmonary emphysema.		107 Other diseases of the respiratory system.		107 (a) Chronic interstitial pneumonia.		107 (b) Diseases of the mediastinum.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	466	363	569	716	35	24	964	707	125	45	314	134	177	54	7	3
0—1	6	4	78	60	—	—	6	4	—	—	6	2	—	—	—	1
1—5	8	4	22	21	—	1	5	3	1	—	2	5	1	1	—	—
5—10	8	4	6	7	1	1	9	2	—	—	4	1	2	—	—	—
10—15	4	4	3	8	1	1	2	3	—	—	4	3	1	1	1	—
15—20	11	9	5	7	2	—	6	2	—	—	5	2	1	1	—	—
20—25	14	6	6	5	—	—	8	6	1	—	5	4	1	—	—	—
25—30	12	13	7	9	2	—	6	14	1	—	12	5	2	2	2	—
30—35	12	20	3	7	3	2	24	28	—	—	12	3	5	—	—	—
35—40	16	12	7	6	2	2	36	19	6	1	11	8	5	4	—	1
40—45	30	20	12	7	2	4	56	34	7	—	25	8	13	4	—	—
45—50	38	22	15	13	3	—	79	47	6	6	37	11	18	5	—	—
50—55	49	21	24	15	3	2	111	47	10	1	40	6	26	2	—	—
55—60	50	21	28	24	8	2	123	68	15	3	38	13	25	6	1	1
60—65	51	32	24	31	3	1	113	87	17	1	50	10	36	5	1	—
65—70	59	43	37	47	1	3	141	102	21	6	31	19	25	9	—	—
70—75	49	48	78	80	1	3	117	97	18	14	20	15	12	8	2	—
75—80	30	42	83	143	2	2	77	83	13	4	7	13	3	6	—	—
80 and upwards	19	38	131	226	1	—	45	61	9	9	5	6	1	—	—	—

Causes of Death.	107 (c) Other diseases included under 107.				VI. 108-127 Diseases of the digestive system.	108 Diseases of the buccal cavity and annexa.		108 (1) Diseases of the teeth and gums.		108 (2) Ludwig's angina.		108 (3) Other diseases included under 108.		109 Diseases of the pharynx and tonsils.		
	M.	F.			M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	130	77			19198	16156	231	221	150	147	56	43	25	31	336	298
0—1	6	1			8029	5527	23	27	15	13	6	7	2	7	34	18
1—5	1	4			1721	1486	29	20	16	16	9	3	4	1	66	66
5—10	2	1			515	492	9	2	6	2	3	—	—	—	74	62
10—15	2	2			344	300	3	10	1	4	2	5	—	1	24	35
15—20	4	1			365	243	8	5	5	3	3	2	—	—	18	20
20—25	4	4			275	223	9	9	5	7	2	—	2	2	15	10
25—30	8	3			242	267	5	4	3	4	2	—	—	—	15	9
30—35	7	3			321	322	15	10	9	5	5	4	1	1	10	13
35—40	6	3			471	390	8	14	4	9	4	3	—	2	9	9
40—45	12	4			544	499	9	7	6	6	2	1	1	—	2	8
45—50	19	6			717	591	14	17	12	14	2	2	—	1	15	7
50—55	14	4			891	721	24	22	20	18	3	3	1	1	13	10
55—60	12	6			976	746	12	17	9	14	3	2	—	1	11	—
60—65	13	5			1019	851	22	11	18	7	2	3	2	1	8	7
65—70	6	10			934	927	15	18	10	12	4	4	1	2	8	4
70—75	6	7			735	921	10	5	4	4	3	—	3	1	6	5
75—80	4	7			575	797	9	13	4	6	—	2	5	5	6	8
80 and upwards	4	6			524	853	7	10	3	3	1	2	3	5	2	7

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(TOTAL DEATHS REGISTERED).

Causes of Death.	109 (1) Tonsillitis, etc., adenoid vegetations.		109 (2) Other diseases included under 109.		110 Diseases of the œsophagus.		111 Ulcer of the stomach or duodenum.		111 (a) Ulcer of the stomach.		111 (b) Ulcer of the duodenum.		112 Other diseases of the stomach.		112 (1) Inflamma- tion of the stomach.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	244	231	92	67	35	21	1587	839	1020	729	567	110	1490	1451	1275	1269
0—1	16	8	18	10	—	—	2	1	1	—	1	1	622	466	589	444
1—5	46	52	20	14	—	—	1	—	1	—	—	—	105	93	97	87
5—10	66	55	8	7	1	—	1	4	—	3	1	1	34	38	31	31
10—15	21	29	3	6	1	—	—	6	—	6	—	—	17	15	15	11
15—20	15	16	3	4	—	—	23	19	18	18	5	1	10	6	8	5
20—25	11	10	4	—	—	1	40	30	22	28	18	2	8	12	5	9
25—30	12	6	3	3	—	—	61	41	39	33	22	8	10	13	8	10
30—35	7	11	3	2	1	1	104	52	64	48	40	4	17	24	14	17
35—40	6	8	3	1	2	—	170	77	112	66	58	11	25	13	17	11
40—45	2	6	—	2	3	2	193	96	124	84	69	12	36	26	25	22
45—50	11	6	4	1	4	—	198	95	139	83	59	12	34	39	24	33
50—55	9	6	4	4	1	1	204	99	122	88	82	11	61	53	42	41
55—60	8	—	3	—	5	4	185	76	116	66	69	10	76	59	58	51
60—65	5	6	3	1	7	3	170	76	115	67	55	9	83	72	60	55
65—70	4	2	4	2	4	3	124	69	75	58	49	11	90	85	67	68
70—75	3	3	3	2	3	2	57	49	43	43	14	6	88	144	72	120
75—80	2	4	4	4	1	3	39	29	21	22	18	7	90	139	70	124
80 and upwards	—	3	2	4	2	1	15	20	8	16	7	4	84	154	73	130

Causes of Death.	112 (2) Other diseases included under 112.		113 & 114 Diarrhoea and enteritis.		113 & 114 (1) Ulceration of the intestines.		113 & 114 (2) Colitis.		113 & 114 (3) Other diseases included under 113 & 114.		115* 116 Diseases due to other intestinal parasites.		116* (a, b, c, d, e, f) 117 Appen- dicitis and typhlitis.		118 Hernia, intestinal obstruction.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	215	182	9512	7574	114	139	246	296	9152	7139	5	11	1474	1237	2100	2087
0—1	33	22	6911	4794	4	4	105	71	6802	4719	—	1	6	2	376	160
1—5	8	6	1329	1171	1	4	18	21	1310	1146	2	8	58	47	90	44
5—10	3	7	138	124	1	1	4	1	133	122	—	2	183	166	51	33
10—15	2	4	40	34	2	2	—	2	38	30	—	—	197	154	41	25
15—20	2	1	28	23	1	3	1	3	26	17	—	—	199	127	55	17
20—25	3	3	10	17	3	5	—	2	7	10	—	—	135	87	31	33
25—30	2	3	23	43	6	15	4	7	13	21	—	—	69	78	39	33
30—35	3	7	20	52	7	13	3	11	10	28	—	—	73	64	36	40
35—40	8	2	43	55	9	17	5	10	29	28	—	—	84	79	53	57
40—45	11	4	43	60	14	14	6	13	23	33	1	—	67	80	54	98
45—50	10	6	63	66	18	17	7	16	38	33	—	—	90	79	92	107
50—55	19	12	71	84	10	6	9	20	52	58	—	—	79	72	131	152
55—60	18	8	75	78	4	6	11	8	60	64	—	—	84	45	154	174
60—65	23	17	107	121	11	8	10	19	86	94	—	—	55	46	182	227
65—70	23	17	118	164	6	13	17	20	95	131	—	—	50	46	224	249
70—75	16	24	159	204	4	5	11	24	144	175	—	—	26	35	191	226
75—80	20	15	145	211	6	5	10	27	129	179	2	—	12	19	160	207
80 and upwards	11	24	189	273	7	1	25	21	157	251	—	—	7	11	140	205

*115. Ankylostomiasis —; 116 (a). Cestodes (hydatids of the liver excepted) 40, 75, 75, 5; 116 (b). Trematodes —; 116 (c). Nematodes 1, 1, 0, 1, 1, 1, 1, 5; 116 (d). Coccidia —; 116 (e). Other parasites —; 116 (f). Undefined parasites 1, 1, 1, 1.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(TOTAL DEATHS REGISTERED).

Causes of Death.	118 (a) Hernia.		118 (b) Intestinal obstruction.		119 Other diseases of the intestines.		120 Acute yellow atrophy of the liver.		121 Hydatid tumour of the liver.		122 Cirrhosis of the liver.		122 (a) Returned as alcoholic.		122 (b) Not returned as alcoholic.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	752	900	1348	1187	225	234	32	38	11	13	1288	639	100	54	1188	585
0—1	81	15	295	145	18	25	2	—	—	—	2	2	—	—	2	2
1—5	14	4	76	40	11	5	3	—	—	—	2	4	—	—	2	4
5—10	4	3	47	30	6	1	2	4	1	—	1	3	—	—	1	3
10—15	3	1	38	24	3	1	1	1	—	—	3	3	—	—	3	3
15—20	3	2	52	15	2	4	2	2	—	—	3	3	—	—	3	3
20—25	6	3	25	30	4	5	8	9	—	1	—	1	—	—	—	1
25—30	6	9	33	24	—	8	1	3	—	—	8	4	—	1	8	3
30—35	7	7	29	33	10	7	3	4	1	3	9	12	—	1	9	11
35—40	12	13	41	44	10	10	1	9	2	3	34	20	4	3	30	17
40—45	20	32	34	66	8	15	—	—	2	2	83	45	11	4	72	41
45—50	37	50	55	57	12	19	2	1	—	—	135	86	18	15	117	71
50—55	49	90	82	62	20	24	1	1	—	—	202	87	21	6	181	81
55—60	67	108	87	66	26	10	2	—	2	1	226	91	20	6	206	85
60—65	66	122	116	105	25	13	2	2	2	—	238	91	16	7	222	84
65—70	103	140	121	109	17	13	—	1	1	2	177	79	6	5	171	74
70—75	104	119	87	107	21	27	1	—	—	—	106	65	2	5	104	60
75—80	87	107	73	100	13	19	1	—	—	—	37	29	1	1	36	28
80 and upwards	83	75	57	130	19	28	—	1	—	1	22	14	1	—	21	14

Causes of Death.	123 Biliary calculi.		124 Other diseases of the liver.		125 Diseases of the pancreas.		127* Peritonitis of unstated origin.		VII. 128-142 Non-puerperal diseases of the genito-urinary system.		128 Acute nephritis (including unspecified under 10 years of age).		129 Chronic nephritis (including unspecified over 10 years of age).		130* Other diseases of the kidneys and annexa.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	259	670	341	501	105	92	167	230	10438	7477	787	677	5686	5034	288	279
0—1	—	—	5	11	2	—	26	20	110	57	43	35	—	—	9	14
1—5	—	1	15	5	—	—	10	22	99	71	82	51	9	14	5	2
5—10	1	—	7	7	1	—	5	46	101	79	71	54	19	23	4	—
10—15	—	—	3	2	1	—	10	14	74	87	30	30	36	41	3	8
15—20	—	1	5	6	2	4	10	6	96	99	26	26	53	53	7	5
20—25	—	1	3	2	1	1	11	4	119	184	35	40	71	88	3	5
25—30	—	4	6	9	4	4	1	14	172	228	32	43	109	87	8	14
30—35	1	10	15	8	4	5	2	17	204	264	26	24	146	118	9	21
35—40	4	11	13	20	3	5	10	8	297	393	43	39	202	180	21	18
40—45	11	18	15	19	11	7	6	16	387	572	51	64	272	299	21	24
45—50	16	32	16	22	13	7	13	14	594	609	48	53	407	351	30	27
50—55	28	57	38	40	9	11	9	8	798	689	74	41	584	501	23	24
55—60	46	103	46	66	14	15	12	7	980	701	60	41	694	533	24	26
60—65	51	99	36	62	20	17	11	4	1220	774	56	50	793	623	26	20
65—70	41	107	42	62	11	11	12	14	1448	829	42	32	788	688	29	21
70—75	25	98	29	51	6	1	7	9	1445	760	33	27	667	609	21	15
75—80	23	63	27	50	1	4	9	3	1249	621	26	15	508	488	20	18
80 and upwards	12	65	20	59	2	—	3	4	1045	460	9	12	328	338	25	17

* 127. Other diseases of the digestive system — ; 130. Chyluria —.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(TOTAL DEATHS REGISTERED).

Causes of Death.	132 Calculi of the urinary passages.		133 Diseases of the bladder.		133 (1) Cystitis.		133 (2) Other diseases.		134 Diseases of the urethra, urinary abscess, etc.		134 (a) Stricture of the urethra.		134 (b) Other diseases of the urethra, etc.		135 Diseases of the prostate.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	183	113	908	229	809	212	99	17	386	4	308	—	78	4	2124	—
0—1	—	—	3	1	2	1	1	—	—	—	—	—	—	—	—	—
1—5	2	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
5—10	5	1	2	—	2	—	—	—	—	—	—	—	—	—	—	—
10—15	3	2	1	3	1	3	—	—	—	—	—	—	—	—	—	—
15—20	5	3	3	2	3	2	—	—	2	—	1	—	1	—	—	—
20—25	5	3	4	2	4	2	—	—	1	—	—	—	1	—	—	—
25—30	14	3	6	4	6	2	—	2	2	—	1	—	1	—	1	—
30—35	4	7	10	3	10	3	—	—	8	1	5	—	3	1	1	—
35—40	8	6	9	7	8	7	1	—	11	1	9	—	2	1	3	—
40—45	7	8	12	4	9	3	3	1	21	—	15	—	6	—	1	—
45—50	19	15	32	8	30	7	2	1	44	—	35	—	9	—	12	—
50—55	14	10	37	21	32	19	5	2	46	—	34	—	12	—	19	—
55—60	19	13	47	15	44	15	3	—	48	—	39	—	9	—	86	—
60—65	12	8	87	10	73	9	14	1	63	—	53	—	10	—	182	—
65—70	25	9	115	27	103	26	12	1	69	—	56	—	13	—	375	—
70—75	17	10	167	35	150	33	17	2	34	2	27	—	7	2	504	—
75—80	16	10	175	35	158	33	17	2	25	—	23	—	2	—	477	—
80 and upwards	8	5	198	51	174	46	24	5	12	—	10	—	2	—	463	—

Causes of Death.	136 Non-venereal diseases of the male genital organs.		137 Cysts and other tumours of the ovary not returned as malignant.		138 Salpingitis and pelvic abscess.		138 (1) Salpin- gitis.		138 (2) Pelvic abscess.		139 Tumours of the uterus not returned as malignant.		140 Uterine hæmor- rhage.		141 Other diseases of the female genital organs.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	71	—	—	297	—	255	—	214	—	41	—	365	—	40	—	167
0—1	50	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
1—5	1	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
10—15	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	1
15—20	—	—	—	3	—	4	—	4	—	—	—	—	—	1	—	2
20—25	—	—	—	6	—	31	—	30	—	1	—	—	—	3	—	6
25—30	—	—	—	18	—	31	—	28	—	3	—	10	—	2	—	15
30—35	—	—	—	19	—	38	—	35	—	3	—	15	—	4	—	13
35—40	—	—	—	16	—	50	—	43	—	7	—	44	—	8	—	22
40—45	2	—	—	19	—	51	—	43	—	8	—	73	—	7	—	22
45—50	2	—	—	24	—	21	—	17	—	4	—	77	—	11	—	20
50—55	1	—	—	18	—	12	—	8	—	4	—	50	—	3	—	8
55—60	2	—	—	31	—	7	—	3	—	4	—	23	—	—	—	12
60—65	1	—	—	33	—	4	—	1	—	3	—	18	—	—	—	8
65—70	5	—	—	28	—	4	—	1	—	3	—	11	—	—	—	8
70—75	2	—	—	32	—	1	—	—	—	1	—	19	—	—	—	10
75—80	2	—	—	36	—	—	—	—	—	—	—	12	—	1	—	6
80 and upwards	2	—	—	11	—	—	—	—	—	—	—	13	—	—	—	12

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(TOTAL DEATHS REGISTERED).

Causes of Death.	141 (1) Other diseases of the uterus.		141 (2) Diseases of the other female genital organs not included in other headings.		142 Non-puerperal diseases of the breast.		VIII. 143-150 The puerperal state.		143 Accidents of pregnancy.		143 (a) Abortion.		143 (b) Ectopic gestation.		143 (c) Other accidents.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	132	—	35	5	17	—	3322	—	334	—	107	—	83	—	144
0—1	—	—	—	1	5	6	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—
15—20	—	2	—	—	—	—	—	77	—	5	—	3	—	—	—	2
20—25	—	4	—	2	—	—	—	510	—	38	—	8	—	4	—	26
25—30	—	9	—	6	—	1	—	761	—	70	—	19	—	25	—	26
30—35	—	9	—	4	—	1	—	771	—	67	—	19	—	24	—	24
35—40	—	18	—	4	—	2	—	751	—	99	—	34	—	21	—	44
40—45	—	18	—	4	—	1	—	402	—	50	—	23	—	8	—	19
45—50	—	18	—	2	—	2	—	48	—	4	—	1	—	—	—	3
50—55	—	8	—	—	—	1	—	1	—	1	—	—	—	1	—	—
55—60	—	11	—	1	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	7	—	1	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	6	—	2	—	1	—	—	—	—	—	—	—	—	—	—
70—75	—	7	—	3	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	9	—	3	—	1	—	—	—	—	—	—	—	—	—	—

Causes of Death.	144 Puerperal hæmorrhage.		145 Other accidents of childbirth.		146 Puerperal sepsis.		147 Phlegmasia alba dolens, puerperal embolism, etc.		147 (1) Phlegmasia alba dolens not returned as septic.		147 (2) Embolism and sudden death.		148 Puerperal albuminuria and convulsions.		150* 149 Childbirth not assignable to other headings (puerperal insanity).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	469	—	382	—	1171	—	326	—	64	—	262	—	604	—	29
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	5	—	4	—	29	—	4	—	—	—	4	—	28	—	1
20—25	—	44	—	58	—	206	—	27	—	2	—	25	—	128	—	7
25—30	—	83	—	99	—	295	—	62	—	9	—	53	—	140	—	10
30—35	—	103	—	88	—	284	—	88	—	21	—	67	—	135	—	6
35—40	—	137	—	84	—	234	—	86	—	16	—	70	—	108	—	2
40—45	—	89	—	43	—	108	—	50	—	13	—	37	—	58	—	3
45—50	—	8	—	5	—	15	—	9	—	3	—	6	—	7	—	—
50—55	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

150. Puerperal diseases of the breast 15, 20, 20, 25, 25, 35, 40.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(TOTAL DEATHS REGISTERED).

Causes of Death.	IX. 151-154 Diseases of the skin and cellular tissue.		151 Gangrene.		151 (1) Senile gangrene.		151 (2) Other gangrene.		152 Furuncle.		153 Phlegmon, acute abscess.		153 (1) Phlegmon.		153 (2) Acute abscess.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1753	1456	724	574	654	508	70	66	216	104	382	324	252	213	130	111
0—1	287	198	12	7	—	—	12	7	4	6	68	64	31	28	37	36
1—5	47	50	9	14	—	—	9	14	2	1	23	14	11	5	12	9
5—10	12	16	1	3	—	—	1	3	—	1	9	10	3	9	6	1
10—15	8	8	—	3	—	—	—	3	—	1	7	3	5	2	2	1
15—20	31	22	2	4	—	—	2	4	5	7	21	11	17	9	4	2
20—25	18	17	1	4	—	—	1	4	6	4	9	6	8	4	1	2
25—30	24	25	—	1	—	—	—	1	3	6	19	14	12	7	7	7
30—35	19	8	—	—	—	—	—	—	9	3	9	4	9	4	—	—
35—40	29	32	3	2	—	—	3	2	9	4	13	15	8	12	5	3
40—45	37	24	4	1	—	—	4	1	7	3	21	16	13	12	8	4
45—50	48	41	5	2	—	—	5	2	21	6	16	23	15	19	1	4
50—55	64	44	10	5	3	1	7	4	21	8	21	14	12	11	9	3
55—60	85	75	16	16	5	5	11	11	25	8	27	21	23	15	4	6
60—65	106	93	28	34	23	31	5	3	24	9	36	19	27	12	9	7
65—70	157	131	77	61	76	58	1	3	22	10	24	25	18	18	6	7
70—75	254	166	166	92	165	91	1	1	23	14	26	25	17	16	9	9
75—80	249	194	171	119	165	117	6	2	19	5	18	15	10	10	8	5
80 and upwards	278	312	219	206	217	205	2	1	16	8	15	25	13	20	2	5

Causes of Death.	154 Other diseases of the skin and its annexa.		154 (1) Ulcer, bed sore.		154 (2) Eczema.		154 (3) Pemphigus.		154 (4) Other diseases included under 154.		X. 155-158 Diseases of the bones and organs of locomotion.		155 Diseases of the bones.		155 (1) Infective osteomyelitis and periostitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	431	454	108	212	88	63	88	52	147	127	481	291	373	224	277	126
0—1	203	121	3	3	56	38	68	31	76	49	33	28	19	23	10	16
1—5	13	21	1	1	4	5	—	5	8	10	52	36	42	34	37	29
5—10	2	2	1	1	—	—	—	1	1	—	63	26	56	26	54	22
10—15	1	1	—	—	—	—	—	1	1	—	81	38	74	35	63	32
15—20	3	—	1	—	—	—	—	—	2	—	63	12	55	9	40	6
20—25	2	3	—	—	1	1	—	—	1	2	20	6	16	4	14	2
25—30	2	4	1	—	1	—	—	—	—	4	13	2	9	1	7	—
30—35	1	1	—	—	—	—	—	—	1	1	7	7	5	5	4	1
35—40	4	11	2	4	—	2	2	—	—	5	8	9	5	6	3	1
40—45	5	4	2	1	—	—	—	—	3	3	18	12	11	6	5	2
45—50	6	10	—	7	2	—	1	2	3	1	14	14	6	12	3	2
50—55	12	17	3	7	1	1	2	3	6	6	27	13	22	9	12	1
55—60	17	30	4	24	2	2	1	2	10	2	25	13	13	6	8	1
60—65	18	31	12	25	2	3	—	—	4	3	7	13	5	9	3	3
65—70	34	35	15	25	6	2	4	—	9	8	17	13	13	10	6	2
70—75	39	35	20	26	8	—	4	2	7	7	21	19	14	10	6	3
75—80	41	55	24	34	3	4	5	4	9	13	7	16	4	12	1	1
80 and upwards	28	73	19	54	2	5	1	1	6	13	5	14	4	7	1	2

(TOTAL DEATHS REGISTERED).

* 157. Amputation —.

[illegible]

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(TOTAL DEATHS REGISTERED).

Causes of Death.	162 (2) Atelectasis.		162 (3) Other diseases included under 162.		163 Lack of care.		XIII. 164 Old age.		164 (1) Senile dementia.		164 (2) Other forms of senile decay.		XIV. 165-203 External causes.		Suicide. 165-174 Total.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	783	586	106	93	148	129	11268	16138	572	839	10696	15299	11626	4874	2763	9963
0—1	783	586	106	93	148	129	—	—	—	—	—	—	431	363	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	772	536	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	600	299	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	415	128	7	—
15—20	—	—	—	—	—	—	—	—	—	—	—	—	713	158	48	488
20—25	—	—	—	—	—	—	—	—	—	—	—	—	629	171	85	599
25—30	—	—	—	—	—	—	—	—	—	—	—	—	566	159	103	622
30—35	—	—	—	—	—	—	—	—	—	—	—	—	590	172	143	763
35—40	—	—	—	—	—	—	—	—	—	—	—	—	705	208	229	922
40—45	—	—	—	—	—	—	—	—	—	—	—	—	817	231	277	1111
45—50	—	—	—	—	—	—	1	1	—	—	1	1	959	270	362	1388
50—55	—	—	—	—	—	—	4	3	2	1	2	2	927	265	375	1244
55—60	—	—	—	—	—	—	30	36	10	14	20	22	915	283	327	1033
60—65	—	—	—	—	—	—	120	118	48	44	72	74	825	248	311	822
65—70	—	—	—	—	—	—	497	497	89	92	408	405	661	264	232	488
70—75	—	—	—	—	—	—	1948	2079	144	174	1804	1905	464	283	164	288
75—80	—	—	—	—	—	—	2906	3844	130	224	2776	3620	323	323	72	166
80 and upwards	—	—	—	—	—	—	5762	9560	149	290	5613	9270	314	513	28	99

Suicide—*continued.*

Causes of Death.	165 & 166 By solid or liquid poisons and corrosive substances.		167 By poisonous gas.		168 By hanging or strangulation.		169 By drowning.		170 By firearms.		171 By cutting or piercing instruments.		172 By jumping from high places.		173 By crushing.		174 By other means.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	203	172	233	132	676	166	585	323	248	10	598	112	69	38	146	23	5	20
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	1	—	—	—	3	—	—	—	—	—	—	—	1	—	2	—	—	—
15—20	—	8	2	—	13	2	12	31	10	3	4	—	3	—	4	1	—	3
20—25	13	16	10	7	15	4	8	23	23	1	7	3	2	1	7	1	—	3
25—30	6	14	4	5	22	5	26	28	20	1	13	4	2	1	9	2	1	2
30—35	15	9	9	13	24	11	36	25	22	—	26	12	3	1	8	3	—	2
35—40	18	20	30	17	49	14	36	25	30	1	54	7	2	4	10	3	—	1
40—45	21	17	21	17	71	11	51	42	22	—	68	11	9	5	14	4	—	4
45—50	32	24	36	21	98	28	74	40	27	—	68	18	7	4	19	—	1	3
50—55	25	24	36	13	71	25	79	32	33	1	96	16	9	9	25	4	1	—
55—60	26	18	30	15	68	27	69	23	25	1	87	17	8	1	13	1	1	—
60—65	20	11	20	8	90	18	73	22	17	2	65	12	8	5	17	3	1	1
65—70	13	5	20	11	78	7	54	16	11	—	45	5	4	3	7	1	—	—
70—75	6	4	11	4	48	4	44	9	6	—	33	3	9	3	7	—	—	1
75—80	4	1	3	—	19	8	18	4	2	—	20	2	2	1	4	—	—	—
80 and upwards	3	1	1	1	7	2	5	3	—	—	12	2	—	—	—	—	—	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(TOTAL DEATHS REGISTERED).

Causes of Death.	175-196 201-203 Violent d'ths excluding suicide and homicide.		175 Food poison- ing.		176 Poisoning by venomous animals.		177 Other acute accidental poisonings.		178 Conflag- ration.		179 Burns (conflag- ration excepted).		180 Accidental mechanical suffocation.		181 Accidental absorption of irrespir- able or pois- onous gas.		182 Accidental drowning.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	8746	3748	29	31	5	10	84	52	22	28	696	892	415	305	94	56	1564	333
0—1	399	331	—	—	—	1	1	1	1	2	54	33	285	256	1	2	14	12
1—5	765	528	4	6	—	1	14	8	2	4	391	312	24	15	2	1	92	33
5—10	596	293	2	—	—	1	3	—	3	4	46	107	2	4	2	1	163	16
10—15	408	125	2	5	—	—	4	1	—	—	14	46	8	2	2	2	140	15
15—20	661	103	1	—	2	—	1	2	3	1	18	38	15	1	8	3	171	23
20—25	536	99	—	—	—	1	—	3	1	—	12	22	8	4	5	4	130	27
25—30	462	88	—	2	—	—	4	2	1	—	9	13	6	1	9	5	71	22
30—35	440	85	2	1	1	—	7	2	—	1	10	15	6	2	5	4	68	17
35—40	463	101	3	2	1	1	7	6	1	2	8	18	9	2	4	—	82	22
40—45	533	116	2	6	—	1	5	6	1	3	11	19	8	2	11	—	86	27
45—50	587	124	3	1	—	1	12	5	1	1	11	31	6	—	5	3	115	15
50—55	545	139	4	1	—	1	9	4	—	—	7	22	10	3	5	4	113	23
55—60	580	175	3	—	—	—	6	3	3	2	13	28	3	2	10	8	104	23
60—65	509	162	—	1	1	—	2	2	—	—	16	18	10	3	9	2	97	20
65—70	428	215	1	4	—	—	2	2	2	1	17	36	7	2	3	3	63	16
70—75	298	254	2	—	—	1	4	1	1	2	19	39	3	2	6	7	22	10
75—80	251	306	—	—	—	1	2	2	1	2	17	43	3	2	4	6	20	4
80 and upwards	285	504	—	2	—	—	1	2	1	3	23	52	2	2	3	1	13	8

Causes of Death.	183 Accidental injury by firearms.		184 Accidental injury by cutting or piercing instruments.		185 Accidental injury by fall.		186 Accidental injury in mines and quarries.		187 Accidental injury by machinery.		188 Accidental injury by other forms of crushing (vehicles, railways, etc.).		189 Injury by animals (poisoning excepted).		190 Wounds of war.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	80	7	15	4	1503	1105	671	—	183	6	2785	711	74	10	101	—
0—1	—	—	—	—	15	3	—	—	—	—	3	3	1	—	—	—
1—5	1	—	3	—	48	27	—	—	3	1	150	96	6	7	—	—
5—10	2	1	4	1	49	14	—	—	1	—	300	134	3	1	—	—
10—15	2	1	1	—	36	9	12	—	10	—	158	35	2	1	—	—
15—20	19	4	1	1	55	4	81	—	26	1	212	19	8	—	—	—
20—25	8	1	—	—	45	3	82	—	14	1	180	27	5	—	22	—
25—30	7	—	2	—	43	4	73	—	21	1	161	28	3	—	25	—
30—35	7	—	—	—	49	8	69	—	13	—	162	25	1	—	20	—
35—40	6	—	—	1	75	11	50	—	10	—	167	30	1	—	16	—
40—45	7	—	—	—	77	22	78	—	17	—	189	22	6	—	12	—
45—50	7	—	2	—	106	30	55	—	21	1	201	33	7	—	4	—
50—55	2	—	1	1	100	31	64	—	10	—	185	37	6	—	1	—
55—60	6	—	—	—	146	56	41	—	17	—	190	36	11	—	1	—
60—65	1	—	—	—	138	56	31	—	10	1	160	47	4	—	—	—
65—70	5	—	—	—	108	94	23	—	6	—	161	42	6	—	—	—
70—75	—	—	1	—	106	146	10	—	4	—	98	39	2	—	—	—
75—80	—	—	—	—	122	205	2	—	—	—	64	31	1	—	—	—
80 and upwards	—	—	—	—	185	382	—	—	—	—	44	27	1	1	—	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(TOTAL DEATHS REGISTERED).

Causes of Death.	191*		193		194		195*		Homicide.								201	
	192		Excessive		Excessive		Electricity		197-199		197		198		199		Fracture	
	Hunger or thirst.		cold.		heat.		(lightning excepted).		Total.		By firearms.		By cutting or piercing instruments.		By other means.		(cause not specified).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	11	8	29	4	132	115	19	—	117	130	11	14	14	31	92	85	32	11
0—1	—	—	—	—	14	8	—	—	32	32	—	—	2	5	30	27	2	2
1—5	—	—	—	—	11	8	1	—	7	8	—	1	2	3	5	4	1	—
5—10	—	—	—	—	7	6	—	—	4	6	—	1	2	2	2	3	—	—
10—15	—	—	—	—	6	6	1	—	—	3	—	—	—	1	—	2	1	1
15—20	—	—	1	—	2	5	3	—	4	7	1	3	—	1	3	3	3	—
20—25	—	—	1	—	2	1	1	—	8	13	3	—	1	3	4	10	1	—
25—30	—	—	—	1	—	3	4	—	1	9	—	—	—	1	1	8	4	—
30—35	—	—	1	—	2	3	1	—	7	11	1	1	2	3	4	7	3	1
35—40	—	1	—	—	9	1	—	—	13	15	1	4	1	4	11	7	1	—
40—45	1	—	2	—	6	4	3	—	7	4	1	1	1	2	5	1	—	—
45—50	1	—	1	—	11	1	1	—	10	8	1	1	—	3	9	4	4	2
50—55	3	1	2	—	7	7	1	—	7	2	1	—	2	1	4	1	3	2
55—60	2	1	2	—	10	12	1	—	8	5	—	2	—	1	8	2	3	1
60—65	2	2	8	—	6	7	1	—	5	4	1	—	1	1	3	3	4	—
65—70	1	1	3	1	10	9	1	—	1	1	1	—	—	—	—	1	—	—
70—75	—	1	2	—	14	6	—	—	2	1	—	—	—	—	2	1	—	—
75—80	1	—	4	—	7	9	—	—	—	1	—	—	—	—	—	1	1	1
80 and upwards	—	1	2	2	8	19	—	—	1	—	—	—	—	—	1	—	1	1

* 191. Execution of civilians by belligerent armies — ; 195. Lightning 30, 35, 50.

Causes of Death.	202		203		XV.		204		205		205 (1)		205 (2)		205 (3)	
	Other external violence.		Violent deaths of unknown causation.		204-205 Ill-defined diseases.		Sudden death.		Cause of death unstated or ill-defined.		Heart failure 1-70 years.		Other ill-defined causes.		Cause not specified.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	186	56	13	4	1088	794	191	114	897	680	540	374	314	273	43	333
0—1	6	7	2	1	68	56	—	—	68	56	—	—	49	36	19	200
1—5	12	9	—	—	109	105	2	1	107	104	9	2	98	101	—	1
5—10	9	3	—	—	10	17	1	3	9	14	3	7	6	7	—	—
10—15	9	1	—	—	13	11	—	3	13	8	11	3	2	5	—	—
15—20	31	1	—	—	10	7	3	—	7	7	2	2	3	4	2	1
20—25	17	5	2	—	13	15	2	—	11	15	9	9	1	4	1	2
25—30	19	6	—	—	15	11	2	2	13	9	9	6	3	2	1	1
30—35	11	6	1	—	25	11	6	2	19	9	14	6	3	2	2	1
35—40	12	3	—	1	35	21	7	3	28	18	22	18	5	—	1	—
40—45	10	4	1	—	55	39	14	7	41	32	29	23	10	8	2	1
45—50	11	—	2	—	73	40	7	6	66	34	48	25	18	9	—	—
50—55	11	2	—	—	102	55	23	12	79	43	60	37	16	6	3	—
55—60	5	3	3	—	110	97	26	20	84	77	72	62	11	14	1	1
60—65	8	3	1	—	186	114	48	28	138	86	109	71	24	14	5	1
65—70	9	2	—	2	220	152	50	25	170	127	143	103	23	24	4	—
70—75	3	—	1	—	12	14	—	1	12	13	—	—	12	12	—	1
75—80	2	—	—	—	18	16	—	1	18	15	—	—	18	13	—	2
80 and upwards	1	1	—	—	14	13	—	—	14	13	—	—	12	12	2	1

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only)

Causes of Death.	All Causes.		I. 1-42 Epidemic, Endemic, and Infectious Diseases.		1 Enteric fever.		1 (a) Typhoid fever.		1 (b) Paratyphoid fevers.		2, 3, 4*		6*		8 Scarlet fever.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	28688	27571	5248	4630	29	31	26	29	3	2	16	—	133	111	143	149
0—1	4604	3473	410	368	—	—	—	—	—	—	—	—	33	24	7	7
1—5	1747	1576	769	758	1	—	1	—	—	—	—	—	96	79	68	61
5—10	675	649	362	364	2	1	2	1	—	—	—	—	3	6	46	46
10—15	400	408	148	189	1	3	1	2	—	1	—	—	1	—	8	17
15—20	569	591	266	345	1	1	1	1	—	—	—	—	—	—	5	4
20—25	571	647	295	376	4	4	4	4	—	—	1	—	—	1	3	5
25—30	599	701	273	340	3	3	3	3	—	—	3	—	—	1	2	2
30—35	706	726	290	289	3	3	3	3	—	—	5	—	—	—	1	1
35—40	969	818	363	245	4	2	4	2	—	—	1	—	—	—	—	1
40—45	1187	1010	395	236	3	7	2	7	1	—	1	—	—	—	2	2
45—50	1583	1181	420	210	1	4	—	3	1	1	2	—	—	—	—	—
50—55	1934	1448	383	189	1	1	—	1	1	—	—	—	—	—	1	—
55—60	2135	1630	297	158	2	—	2	—	—	—	—	—	—	—	—	1
60—65	2382	1936	237	144	1	1	1	1	—	—	1	—	—	—	—	1
65—70	2487	2237	155	131	1	—	1	—	—	—	1	—	—	—	—	1
70—75	2387	2597	93	130	—	1	—	1	—	—	—	—	—	—	—	—
75—80	1956	2549	58	82	1	—	1	—	—	—	1	—	—	—	—	—
80 and upwards	1797	3394	34	76	—	—	—	—	—	—	—	—	—	—	—	—

* 2. Typhus —; 3. Relapsing fever (*Spirillum obermeieri*) —; 4. Mediterranean fever 55.; 6. Small-pox 45.

Causes of Death.	9 Whooping cough.		10 Diphtheria.		11 Influenza.		11 (a) With pulmonary complications.		11 (b) Without pulmonary complications.		12* 13 Mumps.		14* 15 Cholera nostras.		16 Dysentery.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	249	297	587	563	461	563	345	390	116	173	—	4	—	—	24	37
0—1	113	121	40	26	16	10	11	6	5	4	—	—	—	—	—	1
1—5	130	163	277	262	16	19	9	14	7	5	—	1	—	—	—	—
5—10	6	12	202	199	11	7	5	4	6	3	—	1	—	—	—	—
10—15	—	—	50	52	1	8	—	2	1	6	—	—	—	—	—	—
15—20	—	1	8	8	18	21	11	16	7	5	—	—	—	—	1	1
20—25	—	—	1	4	12	22	8	15	4	7	—	1	—	—	—	1
25—30	—	—	3	3	14	24	10	18	4	6	—	—	—	—	1	3
30—35	—	—	2	1	15	29	13	23	2	6	—	—	—	—	1	2
35—40	—	—	2	—	31	20	26	14	5	6	—	—	—	—	4	2
40—45	—	—	2	3	30	17	26	12	4	5	—	—	—	—	1	1
45—50	—	—	—	1	47	33	40	28	7	5	—	—	—	—	3	1
50—55	—	—	—	2	36	38	28	24	8	14	—	—	—	—	1	4
55—60	—	—	—	—	46	42	35	29	11	13	—	—	—	—	2	4
60—65	—	—	—	1	43	47	33	36	10	11	—	—	—	—	3	3
65—70	—	—	—	1	45	58	37	38	8	20	—	—	—	—	1	4
70—75	—	—	—	—	27	67	19	41	8	26	—	—	—	—	3	7
75—80	—	—	—	—	32	49	19	38	13	11	—	—	—	—	2	3
80 and upwards	—	—	—	—	21	52	15	32	6	20	—	1	—	—	1	—

* 12. Miliary fever —; 14. Asiatic cholera —.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	16 (a) Amoebic.		16 (b) Bacillary.		16 (c) Other or unspecified.		17,18,19,20* 21 Erysipelas.		22 Acute poliomyelitis.		23 Encephalitis lethargica.		24 Meningococcal meningitis.		25 Other epidemic and endemic diseases.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	4	—	—	1	20	36	57	60	6	12	40	34	47	33	10	4
0—1	—	—	—	—	—	1	5	11	—	—	2	—	19	18	4	2
1—5	—	—	—	—	—	—	—	3	1	5	5	1	14	7	4	2
5—10	—	—	—	—	—	—	—	—	—	1	1	2	3	1	—	—
10—15	—	—	—	—	—	—	2	—	1	2	—	1	5	—	—	—
15—20	—	—	—	—	1	1	1	—	3	2	5	2	1	1	—	—
20—25	—	—	—	—	—	1	2	1	—	1	1	4	—	4	—	—
25—30	—	—	—	—	1	3	—	—	—	—	—	7	1	1	—	—
30—35	—	—	—	1	1	1	4	2	—	—	4	—	—	—	1	—
35—40	1	—	—	—	3	2	3	1	1	—	2	2	—	—	1	—
40—45	1	—	—	—	—	1	2	1	—	—	2	3	—	—	—	—
45—50	1	—	—	—	2	1	2	5	—	1	6	—	3	—	—	—
50—55	—	—	—	—	1	4	7	13	—	—	4	4	—	—	—	—
55—60	—	—	—	—	2	4	8	1	—	—	3	4	—	1	—	—
60—65	1	—	—	—	2	3	7	7	—	—	2	2	—	—	—	—
65—70	—	—	—	—	1	4	2	5	—	—	2	1	1	—	—	—
70—75	—	—	—	—	3	7	3	3	—	—	—	—	—	—	—	—
75—80	—	—	—	—	2	3	4	5	—	—	1	1	—	—	—	—
80 and upwards	—	—	—	—	1	—	5	2	—	—	—	—	—	—	—	—

* 17. Plague — ; 18. Yellow fever — ; 19. Spirochaetosis ictero-haemorrhagica — ; 20. Leprosy — .

Causes of Death.	26*		28*		30 Mycoses.		31-37 All forms.		31 Respiratory system.		32 Nervous system.		33 Intestines and peritoneum.		34 Vertebral Column.	
Ages at Death.	M.	F.	M.	F.												
All Ages	1	—	17	7	6	6	3225	2552	2737	2076	204	196	69	72	42	28
0—1	—	—	3	—	1	2	80	65	9	7	39	35	14	12	—	—
1—5	—	—	—	1	—	—	151	148	23	26	84	83	11	7	1	—
5—10	—	—	4	—	—	—	79	85	13	23	37	37	5	9	2	1
10—15	—	—	3	—	—	—	73	104	26	65	21	17	7	8	4	2
15—20	—	—	2	—	2	—	216	299	169	257	16	9	6	10	7	3
20—25	—	—	1	1	—	—	267	322	243	298	1	5	4	4	6	2
25—30	—	—	—	1	—	—	240	286	229	266	2	4	2	4	2	1
30—35	—	—	1	1	1	1	247	239	232	230	1	2	5	1	3	1
35—40	—	—	2	—	1	—	303	212	288	202	1	2	2	1	3	2
40—45	—	—	1	—	—	—	337	196	324	188	—	—	1	2	1	1
45—50	1	—	—	1	—	—	344	157	331	141	1	—	4	5	2	4
50—55	—	—	—	—	—	1	318	118	312	114	—	—	2	1	1	—
55—60	—	—	—	—	1	1	226	99	219	83	1	1	1	2	1	5
60—65	—	—	—	1	—	—	171	76	166	62	—	—	2	1	2	4
65—70	—	—	—	—	—	—	93	57	85	48	—	—	1	2	2	1
70—75	—	—	—	—	—	1	59	48	49	40	—	—	—	2	5	1
75—80	—	—	—	—	—	—	15	24	14	17	—	1	1	1	—	—
80 and upwards	—	—	—	1	—	—	6	17	5	9	—	—	1	—	—	—

* 26. Glanders — ; 28. Rabies — .

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	Tuberculosis—contd.															
	35 Joints.		36 Other organs.		36 (a) Skin and subcutaneous tissue.		36 (b) Bones (vertebral column excepted).		36 (c) Lymphatic system (abdominal glands excepted).		36 (d) Genito-urinary system.		36 (e) Others in 36.		37 Disseminated.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	20	17	21	47	1	10	5	8	4	12	11	14	—	3	132	116
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	18	11
1—5	—	—	4	5	—	1	1	—	2	3	1	—	—	1	28	27
5—10	1	—	—	1	—	—	—	—	—	—	—	1	—	—	21	14
10—15	3	2	—	—	—	—	—	—	—	—	—	—	—	—	12	10
15—20	5	1	1	5	—	—	1	—	—	2	—	3	—	—	12	14
20—25	1	4	3	3	—	—	—	1	1	—	2	2	—	—	9	6
25—30	—	3	—	2	—	—	—	—	—	—	—	1	—	1	5	6
30—35	2	—	1	2	—	—	—	—	—	—	1	2	—	—	3	3
35—40	1	1	2	2	1	—	—	—	—	—	1	2	—	—	6	2
40—45	1	—	3	1	—	—	—	—	—	—	3	1	—	—	7	4
45—50	2	1	—	3	—	1	—	1	—	—	—	1	—	—	4	3
50—55	1	1	1	1	—	—	—	—	—	—	1	1	—	—	1	1
55—60	1	—	1	3	—	—	—	1	1	1	—	—	—	1	2	5
60—65	—	2	1	3	—	—	—	2	—	1	1	—	—	—	—	4
65—70	1	—	2	3	—	1	1	—	—	2	1	—	—	—	2	3
70—75	1	—	2	2	—	1	2	1	—	—	—	—	—	—	2	3
75—80	—	1	—	4	—	2	—	1	—	1	—	—	—	—	—	—
80 and upwards	—	1	—	7	—	4	—	1	—	2	—	—	—	—	—	—

Causes of Death.	Tuberculosis—contd.				38 Syphilis.		39*		40 (a) Gonococcal infection (ophthalmia excepted).		40 (b) Gonorrhœal or purulent ophthalmia.		42*		II. 43-69 General diseases not included in I. 1-42.	
	37 (a) Acute.		37 (b) Chronic or unstated.				40 Gonococcal infection.						41 Purulent infection, Septicæmia.			
	Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Ages	35	30	97	86	133	121	5	8	1	2	4	6	58	37	3480	4103
0—1	4	6	14	5	75	69	4	8	—	2	4	6	8	4	46	38
1—5	9	7	19	20	2	3	—	—	—	—	—	—	4	3	37	32
5—10	6	4	15	10	—	2	—	—	—	—	—	—	5	1	34	37
10—15	3	2	9	8	—	1	—	—	—	—	—	—	3	1	29	32
15—20	1	4	11	10	—	2	—	—	—	—	—	—	3	3	28	41
20—25	1	1	8	5	2	2	—	—	—	—	—	—	1	3	34	35
25—30	3	1	2	5	3	7	—	—	—	—	—	—	3	2	35	46
30—35	1	—	2	3	2	4	—	—	—	—	—	—	3	6	41	70
35—40	2	1	4	1	5	5	—	—	—	—	—	—	3	—	93	137
40—45	1	1	6	3	7	5	1	—	1	—	—	—	6	1	102	226
45—50	2	1	2	2	7	4	—	—	—	—	—	—	3	3	240	332
50—55	—	—	1	1	13	8	—	—	—	—	—	—	2	—	375	431
55—60	—	1	2	4	8	2	—	—	—	—	—	—	1	2	481	499
60—65	—	—	—	4	6	3	—	—	—	—	—	—	3	2	564	535
65—70	2	1	—	2	3	3	—	—	—	—	—	—	6	1	580	535
70—75	—	—	2	3	—	1	—	—	—	—	—	—	1	2	394	450
75—80	—	—	—	—	—	—	—	—	—	—	—	—	2	—	261	347
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	1	3	106	280

* 39. Soft chancre —; 42. Other infectious diseases —.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	Cancer Malignant Disease.															
	43-49 Total.		43 Buccal cavity.		44 Pharynx, œsophagus, stomach, liver and annexa.		45 Peritoneum, intestines and rectum.		46 Female genital organs.		47 Breast.		48 Skin.		49 Other or unspecified organs.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2812	3196	358	39	1099	747	597	659	—	766	6	601	59	42	693	342
0—1	3	5	—	—	1	—	—	1	—	—	—	—	—	—	2	4
1—5	9	5	—	1	—	—	—	—	—	—	—	—	1	—	8	4
5—10	4	—	—	—	—	—	—	—	—	—	—	—	1	—	3	—
10—15	2	2	—	—	—	—	—	—	—	—	—	—	—	—	2	2
15—20	1	7	—	1	—	1	—	1	—	2	—	—	—	—	1	2
20—25	9	8	2	—	2	1	—	2	—	1	—	—	—	—	5	4
25—30	16	18	2	1	5	1	3	5	—	4	—	4	1	—	5	3
30—35	17	45	—	1	6	8	3	6	—	15	—	5	1	—	7	10
35—40	63	95	2	2	26	14	13	15	—	33	—	19	—	2	22	10
40—45	81	164	8	1	36	18	13	17	—	52	—	57	1	1	23	18
45—50	197	287	24	4	88	46	34	42	—	103	—	67	2	2	49	23
50—55	331	372	43	3	130	78	60	63	—	123	—	64	5	3	93	38
55—60	412	428	56	7	179	79	70	84	—	112	—	93	4	5	103	48
60—65	493	442	78	3	212	110	107	108	—	115	2	72	8	4	86	30
65—70	511	430	52	5	192	128	124	97	—	77	1	73	15	2	127	48
70—75	351	366	43	4	112	101	106	81	—	72	2	56	5	5	83	47
75—80	218	290	37	1	75	96	49	83	—	31	—	43	9	9	48	27
80 and upwards	94	232	11	5	35	66	15	54	—	26	1	48	6	9	26	24

Causes of Death.	50 Tumours not returned as malignant (tumours of brain & female genital organs excepted).		51 Rheumatic fever.		52 Chronic rheumatism, osteo-arthritis, gout.		53 Scurvy.		54, 55*		57 Diabetes.		58 Anæmia, chlorosis.		58 (a) Pernicious anæmia.	
									56 Rickets.							
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	57	35	88	124	78	159	4	2	23	25	172	250	86	134	74	119
0—1	1	1	—	1	—	—	4	1	11	11	—	—	2	6	1	3
1—5	1	—	1	6	—	—	—	1	12	12	—	—	1	1	—	1
5—10	—	—	16	24	—	—	—	—	—	2	3	1	2	1	—	1
10—15	—	—	19	17	—	—	—	—	—	—	1	7	2	4	1	2
15—20	—	—	11	22	—	—	—	—	—	—	6	3	1	3	1	3
20—25	3	1	3	9	—	—	—	—	—	—	7	6	1	1	1	1
25—30	3	1	5	7	—	—	—	—	—	—	5	7	—	5	—	5
30—35	2	2	9	2	2	1	—	—	—	—	5	8	1	5	1	4
35—40	—	1	4	3	2	—	—	—	—	—	8	14	6	6	6	5
40—45	1	1	3	7	1	—	—	—	—	—	3	17	4	14	4	14
45—50	3	6	5	3	3	7	—	—	—	—	12	12	8	3	7	3
50—55	7	6	3	3	3	10	—	—	—	—	13	11	9	18	6	17
55—60	5	1	2	6	9	11	—	—	—	—	24	30	14	12	13	10
60—65	8	3	1	2	13	17	—	—	—	—	30	36	13	23	13	21
65—70	6	4	2	6	21	30	—	—	—	—	24	36	9	14	8	12
70—75	9	3	1	1	6	36	—	—	—	—	15	30	5	8	5	8
75—80	7	1	2	3	14	22	—	—	—	—	10	21	8	5	7	4
80 and upwards	1	4	1	2	4	25	—	—	—	—	6	11	—	5	—	5

* 54. Pellagra 45; 55. Beri-beri —

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	58 (b) Other anæmias and chlorosis.		59* 60 Diseases of the thyroid glands.		60 (a) Exophthalmic goitre.		60 (b) Other diseases of the thyroid glands.		61* 62 Diseases of the thymus.		63 Diseases of the adrenals.		64 Diseases of the spleen.		65 Leukæmia, lymph-adenoma.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	12	15	11	79	7	42	4	37	24	8	14	9	4	—	66	41
0—1	1	3	—	—	—	—	—	—	18	2	—	—	—	—	1	1
1—5	1	—	1	1	—	—	1	1	5	2	—	—	—	—	4	3
5—10	2	—	—	2	—	—	—	2	1	2	—	—	—	—	8	3
10—15	1	2	—	—	—	—	—	—	—	1	1	—	—	—	4	1
15—20	—	—	1	1	—	1	1	—	—	—	1	—	1	—	4	2
20—25	—	—	1	5	—	5	1	—	—	—	1	—	—	—	6	4
25—30	—	—	—	5	—	4	—	1	—	—	—	—	—	—	4	2
30—35	—	1	2	3	2	2	—	1	—	—	1	—	—	—	2	2
35—40	—	1	2	8	2	6	—	2	—	1	1	1	—	—	5	4
40—45	—	—	—	11	—	10	—	1	—	—	2	6	1	—	1	1
45—50	1	—	2	6	2	3	—	3	—	—	1	—	—	—	5	1
50—55	3	1	1	6	1	3	—	3	—	—	1	—	—	—	4	3
55—60	1	2	—	6	—	4	—	2	—	—	3	1	2	—	4	3
60—65	—	2	1	6	—	2	1	4	—	—	1	—	—	—	3	6
65—70	1	2	—	9	—	2	—	7	—	—	1	—	—	—	4	4
70—75	—	—	—	5	—	—	—	5	—	—	—	1	—	—	6	—
75—80	1	1	—	4	—	—	—	4	—	—	—	—	—	—	1	1
80 and upwards	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—

* 59. Diseases of the pituitary gland 25, 60 ; 61. Diseases of the parathyroid glands — .

Causes of Death.	65 (a) Leukæmia.		65 (b) Lymph-adenoma. (Hodgkin's disease).		66 Alcoholism (acute or chronic).		67 Chronic poisoning by mineral substances.		68* 69 Other general diseases.		III. 70-86 Diseases of the nervous system and sense organs.		70 Encephalitis.		71 Meningitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	27	27	39	14	12	11	4	—	22	30	2232	2378	24	17	107	85
0—1	1	1	—	—	—	—	—	—	6	10	183	137	2	—	26	32
1—5	1	3	3	—	—	—	—	—	3	1	73	60	—	4	25	20
5—10	4	3	4	—	—	—	—	—	—	2	46	30	2	1	9	7
10—15	2	1	2	—	—	—	—	—	—	—	40	28	—	1	8	3
15—20	2	2	2	—	—	—	—	—	2	3	34	31	—	1	2	2
20—25	2	2	4	2	—	—	—	—	3	1	31	27	2	1	3	2
25—30	1	1	3	1	—	—	—	—	1	1	48	29	3	—	3	—
30—35	1	1	1	1	—	1	—	—	—	1	43	50	1	2	2	4
35—40	2	3	3	1	1	3	—	—	1	1	75	51	2	3	2	1
40—45	—	1	1	—	4	2	1	—	—	3	112	85	4	—	2	6
45—50	2	—	3	1	2	1	2	—	—	6	139	111	2	1	3	1
50—55	2	1	2	2	2	2	—	—	1	—	174	193	3	1	3	2
55—60	3	2	1	1	3	1	1	—	2	—	190	175	—	—	5	3
60—65	1	3	2	3	—	—	—	—	—	—	231	225	2	—	4	2
65—70	2	3	2	1	—	1	—	—	2	1	253	267	1	—	3	—
70—75	—	—	6	—	—	—	—	—	—	—	241	308	—	2	—	—
75—80	1	—	—	1	—	—	—	—	1	—	178	289	—	—	4	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	141	282	—	—	3	—

* 68. Chronic poisoning by organic substances 70.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	72 Tabes dorsalis (locomotor ataxy).		73 Other diseases of the spinal cord.		74 Cerebral hæmorrhage, apoplexy.		74 (a) Cerebral hæmorrhage.		74 (b) Cerebral embolism and thrombosis		75 Paralysis of unstated origin.		75 (a) Hemi-plegia.		75 (b) Other forms of paralysis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	131	22	69	83	983	1383	851	1129	132	254	78	106	69	90	9	16
0—1	—	—	—	2	1	1	1	1	—	—	—	—	—	—	—	—
1—5	—	—	2	—	—	2	—	2	—	—	—	—	—	—	—	—
5—10	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—
10—15	—	—	1	—	1	1	1	1	—	—	—	—	—	—	—	—
15—20	—	1	3	—	1	1	1	1	—	—	—	—	—	—	—	—
20—25	—	—	1	4	2	1	1	—	1	1	—	—	—	—	—	—
25—30	1	—	1	1	2	2	2	2	—	—	—	—	—	—	—	—
30—35	—	—	—	3	6	4	6	4	—	—	1	1	1	—	—	1
35—40	3	2	6	4	12	12	12	11	—	1	1	—	—	—	1	—
40—45	8	2	1	4	21	24	20	18	1	6	3	2	2	1	1	1
45—50	14	1	9	4	37	46	35	41	2	5	1	4	1	2	—	2
50—55	24	4	4	12	75	108	69	93	6	15	5	8	5	8	—	—
55—60	26	4	11	11	87	117	79	102	8	15	2	7	2	6	—	1
60—65	20	1	9	11	140	169	128	145	12	24	10	7	9	7	1	—
65—70	19	3	9	14	170	192	149	166	21	26	17	14	15	12	2	2
70—75	11	1	10	3	174	239	140	197	34	42	15	24	13	21	2	3
75—80	4	2	1	7	141	231	115	177	26	54	10	23	9	19	1	4
80 and upwards	1	1	1	2	112	233	91	168	21	65	13	16	12	14	1	2

Causes of Death.	76 General paralysis of the insane.		77 Other forms of insanity.		78 Epilepsy.		79 & 80 Convulsions (non- puerperal).		81 Chorea.		82 Hysteria and neuritis.		83 Cerebral softening.		84 Other diseases of the nervous system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	226	54	18	53	113	127	154	101	2	8	11	16	32	46	181	205
0—1	—	—	—	—	1	1	134	86	—	—	—	—	—	—	9	8
1—5	—	—	—	—	7	3	19	14	—	1	—	—	—	—	8	9
5—10	—	—	—	—	7	3	1	1	2	2	1	—	—	—	6	3
10—15	1	—	—	—	12	4	—	—	—	3	—	—	—	—	4	3
15—20	4	1	—	1	10	12	—	—	—	2	—	—	—	—	6	4
20—25	2	—	—	—	8	8	—	—	—	—	—	—	—	1	5	7
25—30	3	1	1	4	17	8	—	—	—	—	—	—	—	—	6	8
30—35	18	5	—	5	5	11	—	—	—	—	—	—	1	—	5	10
35—40	28	3	1	6	3	7	—	—	—	—	1	2	—	1	13	8
40—45	56	10	2	5	6	13	—	—	—	—	—	3	—	1	8	14
45—50	47	13	—	4	7	8	—	—	—	—	2	—	—	2	13	26
50—55	29	12	2	8	6	10	—	—	—	—	3	1	2	3	12	20
55—60	21	3	5	5	8	5	—	—	—	—	2	3	4	3	18	11
60—65	11	4	3	4	3	4	—	—	—	—	—	1	8	6	18	16
65—70	4	1	2	5	5	8	—	—	—	—	—	2	3	7	19	20
70—75	2	—	1	2	4	11	—	—	—	—	2	1	5	6	16	17
75—80	—	1	1	2	3	5	—	—	—	—	—	1	7	5	7	12
80 and upwards	—	—	—	2	1	6	—	—	—	—	—	2	2	11	8	9

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	85 Diseases of the eye and annexa.		86 Diseases of the ear and of the mastoid sinus.		IV. 87-96 Diseases of the circulatory system.		87-90 Heart disease (all forms).		87 Peri-carditis.		88 Acute endo-carditis and myocarditis.		89 Angina pectoris.		90 Other diseases of the heart.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1	2	102	70	4307	4625	3243	3820	42	31	204	150	70	35	2927	3604
0—1	—	—	10	7	5	2	3	2	2	1	1	1	—	—	—	—
1—5	—	—	12	7	9	9	7	8	2	1	2	1	—	—	3	6
5—10	—	—	17	12	26	43	26	42	6	9	5	7	—	—	15	26
10—15	—	—	13	13	42	62	42	62	3	8	10	18	—	—	29	36
15—20	—	1	8	5	63	64	63	64	4	1	17	11	—	—	42	52
20—25	—	—	8	3	58	64	58	64	—	—	26	19	—	1	32	44
25—30	—	1	11	4	74	73	73	71	2	—	28	25	—	—	43	46
30—35	—	—	4	5	99	68	98	67	2	1	29	11	—	—	67	55
35—40	—	—	3	2	106	107	98	99	3	2	34	16	1	—	60	81
40—45	—	—	1	1	152	130	127	117	3	—	22	9	1	—	101	108
45—50	—	—	4	1	201	193	156	177	1	—	6	9	6	1	143	167
50—55	1	—	5	4	298	247	228	211	3	2	6	5	7	4	212	200
55—60	—	—	1	3	402	319	293	274	4	1	6	4	11	1	272	268
60—65	—	—	3	—	519	444	378	379	3	2	5	6	6	3	364	368
65—70	—	—	1	1	608	559	463	466	2	—	6	3	9	2	446	461
70—75	—	—	1	2	638	697	468	560	1	—	—	2	14	8	453	550
75—80	—	—	—	—	528	727	360	575	1	1	1	3	10	9	348	562
80 and upwards	—	—	—	—	479	817	302	582	—	2	—	—	5	6	297	574

Causes of Death.	90 (1-4) Valvular disease.		90 (5-8) Other defined heart disease.		90 (9) Heart disease undefined.		91 Diseases of the arteries.		91 (a) Aneurism.		91 (b) Arterio-sclerosis.		91 (b) 1 With record of cerebral vascular lesion.		91 (b) 2 Without record of cerebral vascular lesion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1282	1574	1059	1314	586	716	1019	753	161	44	844	689	219	218	625	471
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	1	5	1	—	1	1	—	—	—	—	—	—	—	—	—	—
5—10	11	24	—	—	4	2	—	—	—	—	—	—	—	—	—	—
10—15	27	28	2	1	—	7	—	—	—	—	—	—	—	—	—	—
15—20	31	41	3	2	8	9	—	—	—	—	—	—	—	—	—	—
20—25	24	37	—	1	8	6	—	—	—	—	—	—	—	—	—	—
25—30	34	37	—	3	9	6	1	1	1	—	—	—	—	—	—	—
30—35	54	42	4	7	9	6	1	—	—	—	1	—	1	—	—	—
35—40	37	52	12	13	11	16	6	2	4	2	2	—	—	—	2	—
40—45	66	67	18	20	17	21	24	5	14	1	8	3	2	2	6	1
45—50	80	96	28	41	35	30	42	11	23	1	19	9	9	5	10	4
50—55	101	115	69	53	42	32	67	32	31	7	34	24	15	14	19	10
55—60	139	136	89	80	44	52	103	40	31	8	71	30	22	14	49	16
60—65	153	174	135	111	76	83	133	58	26	3	107	54	50	26	57	28
65—70	180	195	170	161	96	105	136	89	13	11	121	74	35	32	86	42
70—75	151	193	200	248	102	109	169	133	9	5	156	125	33	42	123	83
75—80	116	189	154	248	78	125	163	150	7	3	156	142	29	40	127	102
80 and upwards	77	143	174	325	46	106	174	232	2	3	169	228	23	43	146	185

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	91 (c) Other diseases of the arteries.		92 Embolism and thrombosis (not cerebral).		93 Diseases of the veins, (varices, hæmorrhoids, phlebitis, etc.).		94 Diseases of the lymphatic system (Lymphangitis, etc.).		96* 95 Hæmorrhage without stated cause.		V. 97-107 Diseases of the respiratory system.		97 Diseases of the nasal fossae and annexa.		98 Diseases of the larynx.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	14	20	21	18	18	29	6	5	—	—	5270	4832	16	11	18	22
0—1	—	—	1	—	1	—	—	—	—	—	848	635	—	2	2	3
1—5	—	—	—	—	—	—	2	1	—	—	508	435	—	—	10	10
5—10	—	—	—	1	—	—	—	—	—	—	59	75	1	—	3	4
10—15	—	—	—	—	—	—	—	—	—	—	21	29	2	3	—	—
15—20	—	—	—	—	—	—	—	—	—	—	53	41	1	2	—	—
20—25	—	—	—	—	—	—	—	—	—	—	49	29	2	—	—	—
25—30	—	1	—	—	—	1	—	—	—	—	63	54	5	1	1	1
30—35	—	—	—	—	—	1	—	—	—	—	106	77	1	1	—	—
35—40	—	—	1	4	1	1	—	1	—	—	149	85	—	—	—	—
40—45	2	1	1	2	—	4	—	2	—	—	199	121	1	—	—	1
45—50	—	1	3	3	—	1	—	1	—	—	278	132	1	—	1	1
50—55	2	1	1	2	2	2	—	—	—	—	336	162	—	—	—	—
55—60	1	2	3	2	3	3	—	—	—	—	392	251	1	—	—	—
60—65	—	1	4	2	2	5	2	—	—	—	407	304	—	1	—	—
65—70	2	4	3	1	4	3	2	—	—	—	474	442	—	1	1	1
70—75	4	3	—	1	1	3	—	—	—	—	488	578	1	—	—	1
75—80	—	5	4	—	1	2	—	—	—	—	430	569	—	—	—	—
80 and upwards	3	1	—	—	3	3	—	—	—	—	410	813	—	—	—	—

* 96. Other diseases of the circulatory system —.

Causes of Death.	99 Bronchitis.		99 (a) Acute.		99 (b) Chronic.		99 (c & d) Not stated whether acute or chronic.		100 & 101 Pneumonia (all forms).		100 Broncho-Pneumonia.		101 Pneumonia (lobar and not otherwise defined).		101 (a) Pneumonia, lobar.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2160	2319	427	598	864	702	869	1019	2734	2167	1304	1181	1430	986	798	528
0—1	166	123	76	55	—	2	90	66	657	495	555	417	102	78	34	27
1—5	47	35	30	20	1	1	16	14	436	383	323	303	113	80	52	36
5—10	1	3	—	1	—	1	1	1	50	64	16	34	34	30	18	16
10—15	—	2	—	—	—	1	—	1	18	21	8	5	10	16	4	11
15—20	3	2	1	1	—	1	2	—	41	34	8	4	33	30	18	15
20—25	11	3	1	—	8	2	2	1	32	25	5	3	27	22	15	15
25—30	12	4	2	1	7	2	3	1	42	44	10	7	32	37	26	23
30—35	13	10	5	3	4	3	4	4	82	55	15	8	67	47	39	30
35—40	32	13	7	4	17	3	8	6	101	64	18	14	83	50	47	36
40—45	51	27	6	6	26	10	19	11	126	76	18	18	108	58	68	37
45—50	79	40	16	8	38	14	25	18	172	75	29	19	143	56	98	35
50—55	140	64	25	20	73	28	42	16	160	89	32	26	128	63	78	39
55—60	171	127	22	25	91	48	58	54	177	104	38	32	139	72	78	38
60—65	219	157	35	39	107	57	77	61	161	127	47	34	114	93	74	54
65—70	260	260	48	69	107	106	105	85	181	143	57	61	124	82	74	47
70—75	336	381	58	91	144	116	134	174	117	143	39	67	78	76	36	31
75—80	309	401	39	93	129	136	141	172	103	123	48	67	55	56	28	24
80 and upwards	310	667	56	162	112	171	142	334	78	102	38	62	40	40	11	14

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	101 (b) Pneumonia, not otherwise defined.		102 Pleurisy.		103 Congestion and hamorrhagic infarct of lung.		104 Gangrene of the lung.		105 Asthma.		106 Pulmonary emphy- sema.		107 Other diseases of the respiratory system.		107 (a) Chronic interstitial pneumonia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	632	458	95	62	72	117	7	10	104	94	26	8	38	22	18	10
0—1	68	51	8	3	13	7	—	—	1	1	—	—	1	1	—	—
1—5	61	44	13	6	2	—	—	—	—	—	—	—	—	1	—	1
5—10	16	14	3	2	—	1	—	—	—	—	—	—	1	1	—	—
10—15	6	5	1	—	—	3	—	—	—	—	—	—	—	—	—	—
15—20	15	15	3	2	1	—	1	—	—	—	—	—	3	1	1	—
20—25	12	7	2	1	1	—	—	—	—	—	—	—	1	—	1	—
25—30	6	14	3	4	—	—	—	—	—	—	—	—	—	—	—	—
30—35	28	17	6	3	1	—	1	—	1	7	—	—	1	1	—	—
35—40	36	14	5	5	1	—	1	—	6	2	2	—	1	1	1	—
40—45	40	21	6	1	2	2	—	4	7	7	3	—	3	3	2	2
45—50	45	21	8	4	1	2	1	—	11	8	—	—	4	2	1	1
50—55	50	24	6	3	2	2	—	1	15	2	6	1	7	—	1	—
55—60	61	34	6	2	8	3	3	—	21	14	3	—	2	1	2	1
60—65	40	39	7	2	2	6	—	1	13	8	2	1	3	1	1	—
65—70	50	35	9	5	3	10	—	2	13	18	—	1	7	1	6	—
70—75	42	45	6	10	14	23	—	2	8	14	3	2	3	2	1	1
75—80	27	32	3	7	9	24	—	—	4	8	2	1	—	5	—	4
80 and upwards	29	26	—	2	12	34	—	—	4	5	5	2	1	1	1	—

Causes of Death.	107 (b) Diseases of the media- stinum.		107 (c) Other diseases included under 107.		VI. 108-127 Diseases of the digestive system.		108 Diseases of the buccal cavity and annexa.		108 (1) Diseases of the teeth and gums.		108 (2) Other diseases of the buccal cavity and annexa.		109 Diseases of the pharynx and tonsils.		110 Diseases of the œso- phagus.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1	1	19	11	2560	2096	23	18	10	11	13	7	48	40	5	—
0—1	—	1	1	—	1207	817	—	3	—	1	—	2	5	2	—	—
1—5	—	—	—	—	219	206	2	3	1	3	1	—	10	11	—	—
5—10	—	—	1	1	47	62	—	—	—	—	—	—	9	9	—	—
10—15	—	—	—	—	47	32	1	1	—	—	1	1	3	6	—	—
15—20	—	—	2	1	38	33	4	1	2	—	2	1	3	2	—	—
20—25	—	—	—	—	29	26	3	—	1	—	2	—	1	2	—	—
25—30	—	—	—	—	24	30	—	1	—	1	—	—	2	—	—	—
30—35	—	—	1	1	47	39	3	1	2	1	1	—	2	3	—	—
35—40	—	—	—	1	62	44	1	—	1	—	—	—	2	—	1	—
40—45	—	—	1	1	81	65	1	—	—	—	1	—	1	—	—	—
45—50	—	—	3	1	97	82	1	—	—	—	1	—	2	1	1	—
50—55	—	—	6	—	121	83	—	1	—	—	—	1	2	2	—	—
55—60	—	—	—	—	120	93	1	2	1	2	—	—	2	—	—	—
60—65	—	—	2	1	129	102	1	2	1	2	—	—	1	1	1	—
65—70	—	—	1	1	95	99	—	2	—	1	—	1	2	—	—	—
70—75	1	—	1	1	84	103	1	—	1	—	—	—	1	1	1	—
75—80	—	—	—	1	64	85	1	—	—	—	1	—	—	—	—	—
80 and upwards	—	—	—	1	49	95	3	1	—	—	3	1	—	—	1	—

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	111 Ulcer of the stomach or duodenum.		111 (a) Ulcer of the stomach.		111 (b) Ulcer of the duodenum.		112 Other diseases of the stomach.		113 & 114 Diarrhœa and enteritis.		115* Diseases due to other intestinal parasites.		117 Appen- dicitis and typhlitis.		118 Hernia, Intestinal obstruction.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	245	104	166	93	79	11	96	83	1408	1086	—	—	193	171	242	284
0—1	1	—	1	—	—	—	39	33	1110	750	—	—	—	—	47	27
1—5	—	—	—	—	—	—	8	1	177	163	—	—	9	13	6	9
5—10	—	1	—	1	—	—	1	1	10	11	—	—	21	20	5	4
10—15	—	—	—	—	—	—	1	1	4	2	—	—	34	18	2	2
15—20	1	2	1	2	—	—	—	—	3	3	—	—	20	20	5	2
20—25	3	4	3	3	—	1	—	2	1	1	—	—	15	11	3	6
25—30	6	5	3	4	3	1	—	2	3	9	—	—	9	6	3	4
30—35	18	6	14	5	4	1	1	1	1	7	—	—	9	9	7	6
35—40	26	5	17	4	9	1	2	1	2	6	—	—	12	9	9	6
40—45	34	14	26	13	8	1	2	1	5	7	—	—	10	10	7	18
45—50	41	15	25	14	16	1	4	—	8	6	—	—	11	10	8	18
50—55	37	5	28	5	9	—	5	3	9	5	—	—	10	15	17	24
55—60	29	10	18	10	11	—	5	3	13	6	—	—	6	8	16	25
60—65	21	11	12	10	9	1	6	3	16	14	—	—	12	8	23	25
65—70	13	8	7	8	6	—	6	4	6	20	—	—	7	5	27	31
70—75	11	8	10	7	1	1	7	8	13	20	—	—	5	4	20	25
75—80	4	6	1	4	3	2	6	6	8	23	—	—	2	4	25	25
80 and upwards	—	4	—	3	—	1	3	13	19	33	—	—	1	1	12	27

* 115. Ankylostomiasis —.

Causes of Death.	118 (a) Hernia.		118 (b) Intestinal obstruction.		119 Other diseases of the intestines.		120 Acute yellow atrophy of the liver.		121 Hydatid tumour of the liver.		122 Cirrhosis of the liver.		122 (a) Returned as alcoholic.		122 (b) Not returned as alcoholic.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	101	120	141	164	30	38	3	6	—	1	172	106	23	15	149	91
0—1	7	2	40	25	1	1	—	—	—	—	—	1	—	—	—	1
1—5	1	—	5	9	3	—	1	—	—	—	—	1	—	—	—	1
5—10	1	—	4	4	—	—	—	1	—	—	—	—	—	—	—	—
10—15	—	—	2	2	1	—	—	—	—	—	—	1	—	—	—	1
15—20	—	—	5	2	—	1	—	—	—	—	—	1	—	—	—	1
20—25	1	—	2	6	—	—	2	—	—	—	—	—	—	—	—	—
25—30	—	1	3	3	—	—	—	—	—	—	1	1	—	1	1	—
30—35	1	—	6	6	2	1	—	—	—	1	1	2	—	—	—	2
35—40	3	1	6	5	1	3	—	2	—	—	4	5	1	3	3	2
40—45	4	3	3	15	—	2	—	—	—	—	16	5	3	—	13	5
45—50	5	9	3	9	—	3	—	1	—	—	13	17	2	4	11	13
50—55	8	14	9	10	1	5	—	—	—	—	32	8	7	—	25	8
55—60	8	19	8	6	5	3	—	—	—	—	30	20	4	1	26	19
60—65	6	11	17	14	4	3	—	1	—	—	29	19	3	2	26	17
65—70	17	18	10	13	2	5	—	—	—	—	25	10	2	—	23	10
70—75	13	17	7	8	4	6	—	—	—	—	14	11	1	4	13	7
75—80	16	14	9	11	1	3	—	—	—	—	6	2	—	—	6	2
80 and upwards	10	11	2	16	5	2	—	1	—	—	1	2	—	—	1	2

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	123 Biliary calculi.		124 Other diseases of the liver.		125 Diseases of the pancreas.		127* 126 Peritonitis of unstated origin.		VII. 128-142 Non-puerperal diseases of the genito-urinary system.		128 Acute nephritis (including unspecified under 10 years of age).		129 Chronic nephritis (including unspecified over 10 years of age).		130* 131 Other diseases of the kidneys and annexa.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	16	66	40	49	19	12	20	32	1304	947	72	58	730	668	38	49
0—1	—	—	—	—	—	—	4	—	13	7	3	2	—	—	4	5
1—5	—	1	3	—	—	—	—	4	7	5	5	1	2	3	—	—
5—10	—	—	1	—	—	—	—	15	7	3	5	2	1	1	1	—
10—15	—	—	1	—	—	—	—	1	7	10	3	3	3	5	1	1
15—20	—	—	1	—	—	—	1	1	6	11	—	3	3	7	1	—
20—25	—	—	—	—	—	—	1	—	13	27	1	3	10	19	—	—
25—30	—	—	—	1	—	—	—	1	18	28	1	4	14	9	1	5
30—35	—	1	2	—	1	—	—	1	19	33	5	1	9	15	1	5
35—40	—	2	—	4	—	1	2	—	34	46	3	3	26	19	3	2
40—45	2	4	1	2	2	1	—	1	53	60	5	6	39	33	1	3
45—50	2	7	1	1	4	1	1	2	68	66	2	2	49	40	4	2
50—55	2	7	3	6	1	1	2	1	117	90	12	5	81	65	4	4
55—60	1	6	8	6	2	3	2	1	132	85	4	6	95	68	3	2
60—65	2	9	6	4	4	2	3	—	157	118	8	9	95	95	4	4
65—70	2	6	4	4	1	2	—	2	183	105	5	4	98	82	5	6
70—75	1	12	4	6	1	—	1	2	194	100	2	1	98	86	2	3
75—80	4	5	3	10	1	1	3	—	147	76	7	1	59	64	2	2
80 and upwards	—	6	2	5	2	—	—	—	129	77	1	2	48	57	1	5

* 127. Other diseases of the digestive system —; 130. Chyluria —.

Causes of Death.	132 Calculi of the urinary passages.		133 Diseases of the bladder.		134 Diseases of the urethra, urinary abscess, etc.		134 (a) Stricture of the urethra.		134 (b) Other diseases of the urethra, etc.		135 Diseases of the prostate.		136 Non-venereal diseases of the male genital organs.		137 Cysts and other tumours of the ovary not returned as malignant.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	22	17	113	29	67	—	60	—	7	—	252	—	10	—	—	32
0—1	—	—	—	—	—	—	—	—	—	—	—	—	6	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
15—20	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—25	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
25—30	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	1
30—35	—	—	—	—	4	—	2	—	2	—	—	—	—	—	—	3
35—40	1	2	1	1	—	—	—	—	—	—	—	—	—	—	—	4
40—45	—	3	2	1	5	—	4	—	1	—	—	—	1	—	—	2
45—50	4	3	6	—	2	—	2	—	—	—	1	—	—	—	—	3
50—55	1	2	6	2	12	—	12	—	—	—	1	—	—	—	—	2
55—60	3	1	6	4	7	—	6	—	1	—	12	—	2	—	—	3
60—65	1	2	11	2	13	—	13	—	—	—	25	—	—	—	—	3
65—70	5	1	13	2	12	—	11	—	1	—	45	—	—	—	—	6
70—75	1	1	20	5	4	—	3	—	1	—	66	—	1	—	—	1
75—80	2	1	22	3	5	—	5	—	—	—	50	—	—	—	—	4
80 and upwards	—	—	24	7	3	—	2	—	1	—	52	—	—	—	—	—

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	138 Salpingitis and pelvic abscess.		139 Tumours of the uterus not returned as malignant.		140 Uterine hæmorrhage.		141 Other diseases of the female genital organs.		142 Non-puerperal diseases of the breast.		VIII. 143-150 The puerperal state.		143 Accidents of pregnancy.		143 (a) Abortion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	26	—	41	—	2	—	23	—	2	—	298	—	30	—	11
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	1	—	—	—	—	—	—	—	—	—	4	—	1	—	—
20—25	—	4	—	—	—	—	—	1	—	—	—	40	—	5	—	1
25—30	—	2	—	2	—	1	—	2	—	—	—	72	—	3	—	1
30—35	—	3	—	3	—	—	—	2	—	1	—	79	—	10	—	4
35—40	—	6	—	6	—	1	—	2	—	—	—	63	—	5	—	1
40—45	—	5	—	6	—	—	—	1	—	—	—	38	—	6	—	4
45—50	—	2	—	12	—	—	—	2	—	—	—	2	—	—	—	—
50—55	—	1	—	8	—	—	—	1	—	—	—	—	—	—	—	—
55—60	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
60—65	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—
65—70	—	2	—	1	—	—	—	1	—	—	—	—	—	—	—	—
70—75	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	1	—	—	—	5	—	—	—	—	—	—	—	—

Causes of Death.	143 (b) Ectopic gestation.		143 (c) Other accidents.		144 Puerperal hæmorrhage.		145 Other accidents of childbirth.		146 Puerperal sepsis.		147 Phlegmasia alba dolens, puerperal embolism, etc.		148 Puerperal albuminuria and convulsions.		150* Childbirth not assignable elsewhere (puerperal insanity).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	10	—	9	—	36	—	24	—	142	—	24	—	41	—	1
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	—	1	—	—	—	—	—	1	—	—	—	2	—	—
20—25	—	—	—	4	—	4	—	3	—	16	—	2	—	10	—	—
25—30	—	1	—	1	—	5	—	8	—	38	—	6	—	11	—	1
30—35	—	6	—	—	—	10	—	5	—	38	—	8	—	8	—	—
35—40	—	2	—	2	—	10	—	3	—	33	—	5	—	7	—	—
40—45	—	1	—	1	—	7	—	5	—	14	—	3	—	3	—	—
45—50	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
50—55	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* 150. Puerperal diseases of the breast —.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	IX. 151-154 Diseases of the skin and cellular tissue.		151 Gangrene.		152 Furuncle.		153 Phlegmon, acute abscess.		154 Other diseases of the skin and its annexa.		X. 155-158 Diseases of the bones and organs of locomotion.		155 Diseases of the bones.		156 Diseases of the joints.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	189	171	54	62	27	17	59	44	49	48	75	46	60	34	11	10
0—1	28	18	1	—	—	—	12	11	15	7	6	3	4	2	2	1
1—5	5	7	1	—	1	—	2	2	1	5	5	10	5	10	—	—
5—10	1	1	—	—	—	—	1	—	—	1	12	2	9	2	2	—
10—15	—	1	—	—	—	—	—	—	—	1	14	9	14	8	—	1
15—20	2	3	1	1	—	1	1	1	—	—	9	2	6	1	2	1
20—25	4	2	—	1	2	1	2	—	—	—	3	—	3	—	—	—
25—30	5	4	—	—	1	1	4	2	—	1	3	—	3	—	—	—
30—35	4	—	—	—	1	—	3	—	—	—	—	—	—	—	—	—
35—40	5	7	1	1	3	—	1	3	—	3	1	1	1	1	—	—
40—45	3	5	—	—	1	—	2	3	—	2	2	2	1	1	1	1
45—50	9	8	1	—	3	3	4	5	1	—	3	3	1	2	2	1
50—55	10	6	1	1	2	2	4	1	3	2	7	—	6	—	—	—
55—60	13	8	2	2	2	1	6	2	3	3	—	1	—	1	—	—
60—65	24	13	6	7	6	3	7	3	5	—	1	2	1	1	—	1
65—70	6	17	2	7	1	2	1	2	2	6	4	2	3	2	1	—
70—75	19	17	9	8	1	1	6	4	3	4	4	4	2	2	1	1
75—80	30	24	15	17	1	1	3	1	11	5	—	3	—	1	—	1
80 and upwards	21	30	14	17	2	1	—	4	5	8	1	2	1	—	—	2

Causes of Death.	157* 158 Other diseases of the organs of locomotion.		XI. 159 Malformations.		XII. 160-163 Diseases of early infancy.		160 Congenital debility.		161 Premature birth, injury at birth.		161 (1) Premature birth.		161 (2) Injury at birth.		162 Other diseases peculiar to early infancy.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	4	2	265	180	1552	1229	451	303	962	799	873	741	89	58	114	103
0—1	—	—	233	164	1552	1229	451	303	962	799	873	741	89	58	114	103
1—5	—	—	17	7	—	—	—	—	—	—	—	—	—	—	—	—
5—10	1	—	3	3	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—
15—20	1	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—
20—25	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—
25—30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—35	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—40	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
40—45	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—50	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
50—55	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
55—60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

*157. Amputations — .

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	163 Lack of care.		XIII. 164 Old age.		XIV. 165-203 External causes.		Suicide.									
							165-174 Total.		165 & 166 By solid or liquid poisons and corrosive substances.		167 By poisonous gas.		168 By hanging or strangulation.		169 By drowning.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	25	24	838	1357	1340	656	373	154	45	43	55	31	77	21	49	2
0—1	25	24	—	—	70	51	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	87	45	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	78	28	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	50	14	2	—	—	—	—	—	1	—	—	—
15—20	—	—	—	—	69	14	5	4	—	—	1	—	1	—	2	1
20—25	—	—	—	—	50	21	12	7	5	3	2	1	2	1	1	—
25—30	—	—	—	—	55	25	19	11	1	6	1	2	3	—	4	2
30—35	—	—	—	—	57	21	22	6	3	—	5	1	2	1	2	3
35—40	—	—	—	—	80	31	36	15	4	6	5	5	5	2	6	—
40—45	—	—	—	—	87	39	40	18	5	3	5	5	8	—	3	4
45—50	—	—	—	—	126	38	54	22	7	3	12	5	14	6	6	4
50—55	—	—	—	—	111	47	51	26	5	9	9	4	10	4	3	4
55—60	—	—	—	1	105	36	33	17	7	4	3	3	4	5	5	4
60—65	—	—	11	8	98	39	37	9	3	2	5	1	10	1	4	2
65—70	—	—	50	35	75	41	29	10	3	3	4	3	10	—	6	1
70—75	—	—	166	157	66	53	23	6	1	2	3	1	4	1	6	1
75—80	—	—	215	308	45	39	8	1	—	1	—	—	2	—	1	—
80 and upwards	—	—	396	848	31	74	2	2	1	1	—	—	1	—	—	1

Causes of Death.	Suicide— <i>contd.</i>										175-196 201-203 Violent deaths, excluding suicide and homicide.		175 Food poisoning.		176 Poisoning by venomous animals.	
	170 By firearms.		171 By cutting or piercing instruments.		172 By jumping from high places.		173 By crushing.		174 By other means.							
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	38	3	68	9	18	15	23	2	—	3	944	480	5	2	2	—
0—1	—	—	—	—	—	—	—	—	—	—	63	45	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	85	44	2	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	78	28	—	—	—	—
10—15	—	—	—	—	—	—	1	—	—	—	48	13	—	—	—	—
15—20	—	1	—	—	1	—	—	—	—	2	64	9	—	—	2	—
20—25	2	1	—	—	—	—	—	—	—	1	35	11	—	—	—	—
25—30	4	1	4	—	—	—	2	—	—	—	36	11	—	—	—	—
30—35	4	—	4	—	—	—	2	1	—	—	35	12	1	—	—	—
35—40	6	—	9	1	—	1	1	—	—	—	39	14	—	—	—	—
40—45	4	—	7	2	4	3	4	1	—	—	47	21	1	2	—	—
45—50	3	—	9	2	—	2	3	—	—	—	70	16	—	—	—	—
50—55	8	—	9	1	4	4	3	—	—	—	59	21	—	—	—	—
55—60	2	—	10	1	—	—	2	—	—	—	71	19	1	—	—	—
60—65	3	—	6	1	3	2	3	—	—	—	59	28	—	—	—	—
65—70	1	—	2	1	2	2	1	—	—	—	46	31	—	—	—	—
70—75	—	—	4	—	4	1	1	—	—	—	43	47	—	—	—	—
75—80	1	—	4	—	—	—	—	—	—	—	37	38	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	29	72	—	—	—	—

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	177 Other acute accidental poisonings.		178 Conflagration.		179 Burns (conflagration excepted).		180 Accidental mechanical suffocation.		181 Accidental absorption of irrespirable or poisonous gas.		182 Accidental drowning.		183 Accidental injury by firearms.		184 Accidental injury by cutting or piercing instruments.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	17	13	3	5	70	69	60	50	14	12	143	27	3	1	1	1
0—1	1	—	1	1	5	—	42	37	—	1	4	1	—	—	—	—
1—5	—	2	1	—	42	28	2	4	—	—	3	1	—	—	—	—
5—10	—	—	—	1	3	4	—	1	—	—	19	—	—	—	—	—
10—15	1	—	—	—	—	—	—	1	1	1	15	1	—	—	1	—
15—20	—	1	1	—	3	2	2	—	1	1	12	1	—	1	—	—
20—25	—	1	—	—	2	2	1	—	—	1	8	3	—	—	—	—
25—30	1	1	—	—	2	2	—	—	1	2	8	—	—	—	—	—
30—35	1	—	—	1	1	4	1	—	3	—	7	1	—	—	—	—
35—40	1	2	—	—	—	2	—	—	—	—	6	3	—	—	—	1
40—45	2	2	—	1	2	3	1	—	3	—	7	4	1	—	—	—
45—50	3	—	—	—	1	5	3	—	—	1	15	2	—	—	—	—
50—55	3	2	—	—	—	1	1	1	—	1	11	6	—	—	—	—
55—60	2	—	—	1	2	2	2	1	—	2	12	1	1	—	—	—
60—65	—	1	—	—	—	2	2	2	2	—	11	—	—	—	—	—
65—70	—	1	—	—	2	4	1	1	—	1	4	—	1	—	—	—
70—75	1	—	—	—	1	2	1	1	1	1	1	3	—	—	—	—
75—80	1	—	—	—	2	3	1	—	2	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	2	3	—	1	—	—	—	—	—	—	—	—

Causes of Death.	185 Accidental injury by fall.		186 Accidental injury in mines and quarries.		187 Accidental injury by machinery.		188 Accidental injury by other forms of crushing (vehicles, etc.).		189 Injury by animals (poisoning excepted).		190 Wounds of war.		191* 192 Hunger or thirst.		193 Excessive cold.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	217	169	—	—	15	2	336	108	4	—	14	—	3	—	—	1
0—1	4	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—
1—5	15	1	—	—	—	—	17	7	—	—	—	—	—	—	—	—
5—10	9	—	—	—	—	—	45	22	—	—	—	—	—	—	—	—
10—15	7	4	—	—	—	—	23	6	—	—	—	—	—	—	—	—
15—20	3	1	—	—	2	—	34	2	1	—	—	—	—	—	—	—
20—25	2	—	—	—	1	—	15	3	—	—	5	—	—	—	—	—
25—30	4	1	—	—	1	—	14	4	—	—	4	—	—	—	—	—
30—35	4	—	—	—	1	—	14	3	—	—	2	—	—	—	—	—
35—40	13	2	—	—	2	—	14	2	—	—	1	—	—	—	—	—
40—45	6	5	—	—	—	—	20	3	—	—	1	—	1	—	—	—
45—50	19	4	—	—	2	1	21	3	1	—	1	—	—	—	—	—
50—55	12	5	—	—	3	—	24	4	—	—	—	—	1	—	—	—
55—60	32	5	—	—	1	—	13	3	—	—	—	—	1	—	—	—
60—65	18	10	—	—	1	1	21	12	1	—	—	—	—	—	—	—
65—70	13	16	—	—	1	—	21	6	—	—	—	—	—	—	—	—
70—75	17	29	—	—	—	—	21	11	—	—	—	—	—	—	—	—
75—80	18	23	—	—	—	—	13	11	—	—	—	—	—	—	—	—
80 and upwards	21	61	—	—	—	—	6	6	—	—	—	—	—	—	—	1

*191. Execution of civilians by belligerent armies —.

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	All Causes.		I. 1-42 Epidemic, Endemic and Infectious Diseases.		1 Enteric fever.		1 (a) Typhoid fever.		1 (b) Paratyphoid fevers.		2, 3, 4*		6*		8 Scarlet fever.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	82824	77986	13976	12312	94	89	92	85	2	4	43	2	630	578	217	224
0—1	15703	11752	1475	1247	—	—	—	—	—	—	—	—	140	133	13	4
1—5	5825	5303	1967	1977	2	1	2	1	—	—	1	—	455	401	95	67
5—10	1731	1709	688	788	2	2	2	2	—	—	—	—	33	38	62	87
10—15	1168	1235	390	566	5	6	5	6	—	—	—	—	—	2	18	32
15—20	1739	1765	771	1058	18	14	17	14	1	—	—	—	1	1	10	13
20—25	1801	2014	902	1094	12	13	11	12	1	1	5	—	—	1	7	4
25—30	1868	2097	833	965	7	10	7	9	—	1	3	—	—	1	4	9
30—35	2182	2107	890	793	12	16	12	15	—	1	9	1	1	1	3	1
35—40	2856	2478	1039	716	8	8	8	8	—	—	8	—	—	—	2	2
40—45	3484	2881	1139	680	8	3	8	3	—	—	6	—	—	—	1	2
45—50	4399	3341	1123	602	8	4	8	4	—	—	3	—	—	—	—	3
50—55	5114	3906	901	418	3	4	3	4	—	—	5	—	—	—	2	—
55—60	5821	4519	687	319	1	3	1	3	—	—	1	1	—	—	—	—
60—65	6350	5354	516	321	2	1	2	1	—	—	—	—	—	—	—	—
65—70	7012	6241	336	263	6	4	6	3	—	1	1	—	—	—	—	—
70—75	6376	6950	175	199	—	—	—	—	—	—	—	—	—	—	—	—
75—80	5032	6655	93	175	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	4363	7679	51	131	—	—	—	—	—	—	1	—	—	—	—	—

* 2. Typhus —; 3. Relapsing fever (*Spirillum obermeieri*) —; 4. Mediterranean fever —; 6. Small-pox, 1.

Causes of Death.	9 Whooping cough.		10 Diphtheria.		11 Influenza.		11 (a) With pulmonary complications.		11 (b) Without pulmonary complications.		12* 13 Mumps.		14* 15 Cholera nostras.		16 Dysentery.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	810	1043	612	702	1437	1465	965	901	472	564	3	3	3	1	32	26
0—1	423	441	42	30	92	61	56	35	36	26	1	1	—	—	1	—
1—5	368	571	262	295	105	87	65	60	40	27	1	1	—	—	—	—
5—10	19	30	230	296	29	32	17	10	12	22	—	1	—	1	1	—
10—15	—	—	54	49	14	37	9	20	5	17	—	—	—	—	—	—
15—20	—	—	9	7	50	47	28	30	22	17	—	—	—	—	—	—
20—25	—	—	4	5	47	50	36	30	11	20	—	—	—	—	1	—
25—30	—	—	1	4	61	68	44	47	17	21	—	—	—	—	5	1
30—35	—	—	3	2	61	58	43	42	18	16	1	—	—	—	4	1
35—40	—	—	2	1	94	71	64	50	30	21	—	—	—	—	4	3
40—45	—	—	1	3	105	75	75	45	30	30	—	—	—	—	3	1
45—50	—	—	1	1	118	88	92	61	26	27	—	—	1	—	2	2
50—55	—	—	2	5	107	86	76	45	31	41	—	—	1	—	2	2
55—60	—	—	1	1	132	88	92	60	40	28	—	—	—	—	2	3
60—65	—	—	—	1	131	118	86	77	45	41	—	—	—	—	3	4
65—70	—	—	—	—	102	125	69	74	33	51	—	—	1	—	1	3
70—75	—	1	—	1	83	133	53	77	30	56	—	—	—	—	2	4
75—80	—	—	—	1	66	123	39	76	27	47	—	—	—	—	—	2
80 and upwards	—	—	—	—	40	118	21	62	19	56	—	—	—	—	1	—

* 12. Miliary fever —; 14. Asiatic cholera —.

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	16 (a) Amœbic.		16 (b) Bacillary.		16 (c) Other or unspecified.		17, 18, 19, 20* 21 Erysipelas.		22 Acute poliomye- litis.		23 Encephalitis lethargica.		24 Meningococcal meningitis.		25 Other epidemic and endemic diseases.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1	1	3	1	28	24	145	122	34	23	118	109	78	74	16	17
0—1	—	—	1	—	—	—	31	20	7	5	4	3	27	26	8	7
1—5	—	—	—	—	—	—	2	1	11	5	13	16	22	18	6	8
5—10	—	—	—	—	1	—	1	—	5	4	11	7	6	7	—	11
10—15	—	—	—	—	—	—	2	1	3	3	11	5	7	7	—	—
15—20	—	—	—	—	—	—	5	4	5	2	13	9	6	8	—	11
20—25	—	—	—	—	1	—	4	3	2	—	5	10	—	1	—	—
25—30	—	1	—	—	5	—	2	6	—	—	2	8	2	1	1	—
30—35	—	—	1	—	3	1	7	10	—	2	2	7	2	2	—	—
35—40	—	—	1	—	3	3	6	7	—	1	7	8	2	—	—	—
40—45	—	—	—	—	3	1	4	5	1	—	5	9	1	—	1	—
45—50	1	—	—	—	1	2	13	5	—	—	12	8	1	2	—	—
50—55	—	—	—	—	2	2	14	9	—	—	14	5	—	1	—	—
55—60	—	—	—	1	2	2	16	7	—	1	9	5	—	1	—	—
60—65	—	—	—	—	3	4	9	8	—	—	6	7	1	—	—	—
65—70	—	—	—	—	1	3	15	14	—	—	3	1	—	—	—	—
70—75	—	—	—	—	2	4	6	9	—	—	—	1	—	—	—	—
75—80	—	—	—	—	—	2	5	8	—	—	1	—	—	—	—	—
80 and upwards	—	—	—	—	1	—	3	5	—	—	—	—	1	—	—	—

* 17. Plague —; 18. Yellow Fever —; 19. Spirochætosis ictero-hæmorrhagica —; 20. Leprosy —.

Causes of Death.	26*		28*		30		Tuberculosis.								34	
Ages at Death.	27 Anthrax.		29 Tetanus.		Mycoses.		31—37 All forms.		31 Respira- tory system.		32 Nervous system.		33 Intestines and peritoneum.		Vertebral Column.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3	1	19	15	20	12	9058	7373	7240	5719	674	622	438	404	114	1077
0—1	—	—	1	—	11	6	300	237	27	24	133	104	90	63	1	11
1—5	—	—	2	—	—	1	607	486	98	69	246	219	149	121	6	38
5—10	—	—	1	1	—	—	279	274	54	92	122	106	46	36	4	44
10—15	—	—	4	—	1	1	262	415	97	241	71	73	43	30	10	133
15—20	—	—	—	1	—	1	646	942	487	779	38	50	38	40	19	144
20—25	1	—	2	3	1	1	805	994	707	890	19	25	18	25	11	122
25—30	—	—	—	2	—	—	735	845	671	763	15	18	9	23	13	111
30—35	—	—	2	2	—	—	774	679	720	626	7	10	6	9	8	100
35—40	1	—	1	1	1	—	882	600	838	553	8	5	6	8	5	88
40—45	1	—	1	2	—	1	976	563	922	505	7	7	7	15	10	66
45—50	—	1	1	—	—	—	944	470	892	425	6	2	8	13	8	66
50—55	—	—	1	2	1	—	729	295	689	267	2	1	9	7	7	33
55—60	—	—	2	—	2	—	489	200	460	180	—	—	6	9	2	22
60—65	—	—	1	—	1	1	340	173	317	146	—	1	1	3	3	66
65—70	—	—	—	—	1	—	193	108	176	89	—	1	2	—	3	88
70—75	—	—	—	—	1	—	76	49	67	37	—	—	—	2	4	—
75—80	—	—	—	1	—	—	16	35	14	27	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	5	8	4	6	—	—	—	—	—	—

* 26. Glanders —; 28. Rabies —.

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	Tuberculosis—contd.															
	35 Joints.		36 Other organs.		36 (a) Skin and subcutaneous tissue.		36 (b) Bones (vertebral column excepted).		36 (c) Lymphatic system (abdominal glands exceptd).		36 (d) Genito-urinary system.		36 (e) Others in 36.		37 Disseminated.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	52	50	111	115	10	20	30	21	13	26	53	40	5	8	429	356
0—1	1	—	6	3	1	—	1	1	2	1	—	—	2	1	42	42
1—5	3	1	8	8	—	1	3	4	3	3	1	—	1	—	97	65
5—10	4	4	1	3	1	—	—	1	—	1	—	1	—	—	48	29
10—15	7	3	3	6	—	—	1	—	1	5	1	—	—	1	31	49
15—20	9	4	9	9	—	3	4	—	—	2	5	3	—	1	46	46
20—25	5	1	13	9	1	3	3	1	3	2	6	3	—	—	32	32
25—30	1	2	9	12	—	1	2	1	—	3	7	7	—	—	17	16
30—35	1	6	10	6	1	1	—	—	1	1	7	3	1	1	22	12
35—40	2	5	8	7	1	1	1	—	—	—	6	6	—	—	15	14
40—45	5	3	5	10	1	1	1	2	—	—	3	5	—	2	20	17
45—50	3	3	8	11	1	3	1	1	1	1	4	6	1	—	19	10
50—55	3	2	6	5	—	2	1	—	—	1	5	2	—	—	13	10
55—60	—	4	7	2	—	—	3	1	—	—	4	—	—	1	14	3
60—65	3	5	6	6	—	—	2	2	1	1	3	2	—	1	10	6
65—70	4	1	5	7	2	1	1	3	1	1	1	2	—	—	3	2
70—75	1	3	4	6	—	1	4	2	—	3	—	—	—	—	—	1
75—80	—	3	2	3	1	1	1	2	—	—	—	—	—	—	—	2
80 and upwards	—	—	1	2	—	1	1	—	—	1	—	—	—	—	—	—

Causes of Death.	Tuberculosis—cont.				38 Syphilis.		39*		40 (a) Gonococcal infection (ophthalmia excepted).		40 (b) Gonorrhœal or purulent ophthalmia.		42*		II. 43-69 General diseases not included in I. 1-42.	
	37 (a) Acute		37 (b) Chronic or unstated.				40 Gonococcal infection.		M.	F.	M.	F.	41 Purulent infection, septicæmia.		M.	F.
	M.	F.	M.	F.			M.	F.					M.	F.		
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	87	89	342	267	492	347	12	17	6	9	6	8	99	69	8910	11068
0—1	9	12	33	30	359	252	7	7	1	—	6	7	8	14	110	85
1—5	23	16	74	49	11	15	—	1	—	—	—	1	3	3	136	101
5—10	13	9	35	20	—	3	—	—	—	—	—	—	9	4	83	77
10—15	2	11	29	38	1	2	—	—	—	—	—	—	8	6	95	90
15—20	7	12	39	34	4	3	—	—	—	—	—	—	4	5	94	116
20—25	5	5	27	27	2	3	—	2	—	2	—	—	4	4	104	109
25—30	1	6	16	10	7	5	—	1	—	1	—	—	3	4	130	166
30—35	3	5	19	7	5	6	—	2	—	2	—	—	4	3	148	235
35—40	4	3	11	11	15	10	1	2	1	2	—	—	5	2	218	409
40—45	9	5	11	12	15	12	2	1	2	1	—	—	8	3	322	682
45—50	4	2	15	8	15	12	1	1	1	1	—	—	3	5	653	943
50—55	4	2	9	8	14	7	—	—	—	—	—	—	6	2	1017	1223
55—60	2	1	12	2	23	5	—	—	—	—	—	—	9	4	1291	1365
60—65	—	—	10	6	10	4	—	—	—	—	—	—	12	4	1375	1447
65—70	1	—	2	2	6	5	1	—	1	—	—	—	6	3	1382	1467
70—75	—	—	—	1	3	—	—	—	—	—	—	—	4	1	979	1203
75—80	—	—	—	2	2	3	—	—	—	—	—	—	3	2	522	795
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	251	555

* 39. Soft chancre — ; 42. Other infectious diseases —.

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	Cancer, Malignant Disease.															
	43-49 Total.		43 Buccal cavity.		44 Pharynx, œsophagus, stomach, liver and annexa.		45 Peritoneum, intestines and rectum.		46 Female genital organs.		47 Breast.		48 Skin.		49 Other or unspecified organs.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	6764	8347	878	120	2558	2091	1425	1649	—	2001	6	1495	233	130	1664	861
0—1	6	2	1	—	1	—	—	—	—	—	—	—	—	1	4	1
1—5	12	13	—	—	—	1	—	1	—	1	—	—	—	—	12	10
5—10	11	9	—	—	1	1	1	1	—	1	—	—	—	1	9	5
10—15	10	7	2	—	—	1	1	—	—	1	1	—	—	—	6	5
15—20	20	12	—	—	2	—	1	1	—	1	—	—	—	1	17	9
20—25	26	24	1	—	2	3	7	2	—	8	—	—	—	—	16	11
25—30	53	76	1	1	7	9	10	20	—	21	—	5	3	3	32	17
30—35	71	124	2	2	30	23	16	18	—	45	—	21	1	2	22	13
35—40	119	301	5	4	46	40	26	43	—	115	—	60	4	4	38	35
40—45	220	500	17	4	84	64	50	65	—	178	—	131	7	5	62	53
45—50	515	787	66	6	216	134	85	112	—	283	—	176	12	6	136	70
50—55	806	1013	118	16	326	210	129	160	—	323	—	218	25	7	208	79
55—60	1069	1094	168	18	417	287	198	199	—	268	1	206	28	11	257	105
60—65	1182	1149	170	17	431	328	283	220	—	266	—	182	43	17	255	119
65—70	1168	1183	143	21	475	378	248	268	—	208	2	158	36	15	264	135
70—75	825	961	100	13	320	290	208	271	—	157	—	128	30	19	167	83
75—80	442	635	56	9	145	202	96	159	—	79	1	107	25	13	119	66
80 and upwards	209	457	28	9	55	120	66	109	—	46	1	103	19	25	40	45

Causes of Death.	50 Tumours not returned as malignant (tumours of brain and female genital organs exceptd)		51 Rheumatic fever.		52 Chronic rheumatism, osteo-arthritis, gout.		53 Scurvy.		54, 55*		57 Diabetes.		58 Anæmia chlorosis.		58 (a) Pernicious anæmia.	
									56 Rickets.							
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	119	97	299	319	214	474	12	12	120	86	583	709	371	517	328	454
0—1	1	—	—	—	—	—	4	6	48	29	—	—	2	2	1	1
1—5	1	2	9	6	—	—	6	1	65	54	5	3	6	5	2	1
5—10	—	1	44	40	—	1	—	1	4	3	4	5	4	4	4	3
10—15	1	—	54	45	1	—	—	1	2	—	10	17	4	5	—	3
15—20	2	1	33	52	—	—	—	—	—	—	20	20	5	10	3	4
20—25	—	—	15	33	—	1	—	—	1	—	28	22	6	15	5	11
25—30	5	4	20	15	1	3	—	—	—	—	24	20	5	15	3	14
30—35	3	2	17	20	5	5	—	1	—	—	23	25	14	35	12	28
35—40	4	3	24	18	2	3	—	—	—	—	24	29	11	22	9	21
40—45	8	6	12	24	7	12	1	—	—	—	26	42	26	45	23	41
45—50	10	7	16	13	7	19	—	—	—	—	39	41	35	38	31	36
50—55	14	8	16	14	20	24	—	—	—	—	69	60	53	53	50	49
55—60	13	11	15	14	22	48	1	1	—	—	61	76	58	68	56	62
60—65	9	9	9	12	32	67	—	—	—	—	64	106	59	74	57	70
65—70	24	13	5	7	45	87	—	—	—	—	69	82	46	66	42	62
70—75	10	15	8	4	35	75	—	—	—	—	66	88	27	38	21	31
75—80	8	7	1	1	24	79	—	—	—	—	33	45	8	16	7	14
80 and upwards	6	8	1	1	13	50	—	1	—	—	18	28	2	6	2	3

* 54. Pellagra 45; 55. Beri-beri 30, 45

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	58 (b) Other anæmias and chlorosis.		59* 60 Diseases of the thyroid glands.		60 (a) Exophthalmic goitre.		60 (b) Other diseases of the thyroid glands.		61* 62 Diseases of the thymus		63 Diseases of the adrenals.		64 Diseases of the spleen.		65 Leukæmia, lymphadenoma.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	43	63	40	248	23	161	17	87	32	28	27	37	7	3	155	96
0—1	1	1	3	3	—	—	3	3	18	18	—	—	—	—	1	—
1—5	4	4	3	6	—	—	3	6	8	5	—	—	—	—	10	3
5—10	—	1	—	1	—	—	—	1	1	3	—	—	—	—	10	3
10—15	4	2	—	2	—	—	—	2	1	—	—	1	1	—	6	6
15—20	2	6	3	12	1	10	2	2	—	1	—	—	—	—	9	6
20—25	1	4	5	5	4	5	1	—	3	1	1	1	—	—	17	5
25—30	2	1	3	15	2	13	1	2	—	—	1	3	—	—	13	14
30—35	2	7	1	8	1	8	—	—	—	—	3	2	—	1	7	5
35—40	2	1	3	18	2	16	1	2	—	—	1	3	2	—	16	5
40—45	3	4	—	32	—	26	—	6	—	—	3	5	—	—	10	8
45—50	4	2	2	25	1	22	1	3	—	—	—	5	—	1	11	3
50—55	3	4	4	30	2	21	2	9	1	—	3	4	1	—	12	12
55—60	2	6	5	28	5	19	—	9	—	—	9	5	1	—	17	10
60—65	2	4	2	20	1	9	1	11	—	—	2	3	1	—	4	4
65—70	4	4	3	20	3	8	—	12	—	—	3	2	1	—	7	5
70—75	6	7	1	16	—	2	1	14	—	—	1	1	—	—	2	2
75—80	1	2	2	6	1	2	1	4	—	—	—	2	—	—	2	3
80 and upwards	—	3	—	1	—	—	—	1	—	—	—	—	—	1	1	2

* 59. Diseases of the pituitary gland —; 61. Diseases of the parathyroid glands —.

Causes of Death.	65 (a) Leukæmia.		65 (b) Lymphadenoma. (Hodgkin's disease).		66 Alcoholism (acute or chronic).		67 Chronic poisoning by mineral substances.		68* 69 Other general diseases.		III. 70—86 Diseases of the Nervous system and sense organs.		70 Encephalitis.		71 Meningitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	88	59	67	37	47	18	30	2	88	73	8132	8188	63	47	485	451
0—1	1	—	—	—	—	—	—	—	27	25	1145	804	4	1	119	103
1—5	10	3	—	—	—	—	—	—	11	3	371	349	5	3	145	139
5—10	5	3	5	—	—	—	—	—	5	6	130	136	2	1	51	58
10—15	2	2	4	4	—	—	—	—	5	6	128	107	5	—	37	35
15—20	7	4	2	2	—	—	1	—	1	2	145	100	6	3	16	18
20—25	9	2	8	3	—	—	—	—	2	2	113	103	4	4	9	18
25—30	5	7	8	7	2	—	—	1	3	—	96	80	4	2	11	4
30—35	5	4	2	1	2	2	—	—	1	5	151	117	6	6	3	10
35—40	9	3	7	2	6	1	6	—	—	6	242	158	4	1	10	8
40—45	6	5	4	3	5	4	—	—	4	4	293	248	3	8	12	7
45—50	8	2	3	1	11	1	4	1	2	1	417	345	6	4	11	6
50—55	4	10	8	2	5	3	5	—	8	1	503	498	4	6	10	7
55—60	7	6	10	4	8	4	5	—	7	6	680	635	5	2	9	9
60—65	2	1	2	3	5	1	4	—	2	2	815	790	2	2	10	7
65—70	4	2	3	3	1	1	5	—	5	1	920	919	1	1	11	5
70—75	2	2	—	—	2	1	—	—	2	2	875	1033	2	1	14	6
75—80	1	2	1	1	—	—	—	—	2	1	672	946	—	1	4	7
80 and upwards	1	1	—	1	—	—	—	—	1	—	436	820	—	1	3	4

* 68. Chronic poisoning by organic substances 50.

AGGREGATE OF COUNTY BOROUGHs.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	72 Tabes dorsalis (locomotor ataxy).		73 Other diseases of the spinal cord.		74 Cerebral hæmorrhage, apoplexy.		74 (a) Cerebral hæmorrhage.		74 (b) Cerebral embolism and thrombosis.		75 Paralysis of unstated origin.		75 (a) Hemi-plegia.		75 (b) Other forms of paralysis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	198	44	248	166	3759	4632	3408	4132	351	500	343	424	280	363	63	611
0—1	—	—	—	1	4	2	4	2	—	—	1	—	—	—	1	—
1—5	—	—	4	1	5	5	5	4	—	1	—	1	—	—	—	11
5—10	—	—	2	—	—	2	—	2	—	—	1	—	—	—	1	—
10—15	—	—	7	1	6	3	4	2	2	1	2	—	1	—	1	—
15—20	—	—	13	2	5	3	4	2	1	1	1	2	—	2	1	—
20—25	—	—	7	7	11	8	9	5	2	3	1	1	—	—	1	11
25—30	1	1	8	5	11	12	9	11	2	1	1	2	1	1	—	11
30—35	3	2	12	6	26	18	20	16	6	2	1	1	1	1	—	—
35—40	11	—	12	7	42	36	38	26	4	10	3	4	—	4	3	—
40—45	16	—	14	11	64	104	53	94	11	10	11	9	7	7	4	22
45—50	25	8	21	9	161	181	147	170	14	11	7	14	6	12	1	22
50—55	36	6	19	22	270	311	246	288	24	23	20	23	18	22	2	11
55—60	39	10	34	26	424	422	391	395	33	27	22	29	16	23	6	66
60—65	28	6	25	23	531	583	484	522	47	61	49	49	42	44	7	55
65—70	20	8	35	20	661	697	604	624	57	73	57	66	49	56	8	100
70—75	9	2	16	11	655	821	601	731	54	90	81	76	66	63	15	133
75—80	10	1	11	9	518	746	475	655	43	91	54	80	47	65	7	155
80 and upwards	—	—	8	5	365	678	314	583	51	95	31	67	26	63	5	44

Causes of Death.	76 General paralysis of the insane.		77 Other forms of insanity.		78 Epilepsy.		79 & 80 Convulsions (non- puerperal).		81 Chorea.		82 Hysteria and neuritis.		83 Cerebral softening.		84 Other diseases of the nervous system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	459	99	120	190	355	339	1128	818	13	22	34	58	139	164	521	5199
0—1	—	—	—	—	9	7	957	661	—	—	—	—	—	1	19	9
1—5	—	—	—	—	13	10	164	144	—	—	—	1	—	—	16	122
5—10	—	—	—	—	16	14	3	7	4	5	—	—	—	—	20	133
10—15	2	—	—	—	18	11	1	2	6	7	—	—	—	—	12	177
15—20	—	1	1	3	48	25	2	—	1	6	1	—	—	—	22	177
20—25	3	—	2	5	31	23	1	1	—	2	—	2	—	—	15	177
25—30	10	2	3	7	21	25	—	—	—	—	—	—	—	1	12	144
30—35	36	15	10	4	22	21	—	—	1	1	2	1	1	2	14	166
35—40	93	11	6	17	20	25	—	—	1	—	1	2	—	1	23	399
40—45	87	23	5	22	30	33	—	—	—	—	2	4	3	1	34	211
45—50	92	20	11	24	19	24	—	—	—	1	3	10	4	5	47	366
50—55	49	10	11	17	21	27	—	—	—	—	6	3	4	5	46	533
55—60	43	5	22	29	24	27	—	—	—	—	6	4	14	10	34	566
60—65	27	4	24	26	28	19	—	—	—	—	4	9	20	13	61	422
65—70	13	5	11	15	19	21	—	1	—	—	3	6	27	24	56	499
70—75	2	1	5	14	10	16	—	—	—	—	2	9	31	29	44	46
75—80	2	2	7	6	5	8	—	1	—	—	3	3	25	37	31	42
80 and upwards	—	—	2	1	1	3	—	1	—	—	1	4	10	35	15	20

AGGREGATE OF COUNTY BOROUGHs.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	85 Diseases of the eye and annexa.		86 Diseases of the ear and of the mastoid sinus.		IV. 87-96 Diseases of the circulatory system.		87-90 Heart disease (all forms).		87 Peri-carditis.		88 Acute endo-carditis and myocarditis.		89 Angina pectoris.		90 Other diseases of the heart.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	15	11	252	204	10900	11291	7988	9221	60	55	397	358	258	110	7273	8698
0—1	3	1	29	18	19	11	7	7	—	2	5	3	—	—	2	2
1—5	1	—	18	33	25	24	23	21	2	4	8	9	—	—	13	8
5—10	1	2	30	34	63	77	63	75	2	6	23	25	—	—	38	44
10—15	—	1	32	30	112	149	110	147	4	3	15	42	—	—	91	102
15—20	—	—	29	20	143	177	140	176	7	2	31	41	—	—	102	133
20—25	1	1	28	14	164	154	161	150	2	4	37	32	—	—	122	114
25—30	—	—	14	5	217	207	210	199	4	—	57	47	1	—	148	152
30—35	—	1	14	13	247	194	235	186	2	4	53	26	2	2	178	154
35—40	—	—	16	7	303	288	279	271	6	6	59	42	4	1	210	222
40—45	—	—	12	5	445	385	386	352	5	3	48	34	7	1	326	314
45—50	—	—	10	3	597	534	489	483	9	5	14	9	18	4	448	465
50—55	—	—	7	8	826	689	640	605	4	5	11	20	25	8	600	572
55—60	1	1	3	5	1101	881	833	773	2	2	15	7	40	15	776	749
60—65	2	1	4	6	1322	1172	976	976	2	2	6	4	50	20	918	950
65—70	3	—	3	1	1710	1540	1189	1299	3	2	9	7	44	19	1133	1271
70—75	2	—	2	1	1516	1709	1017	1339	3	3	2	5	36	21	976	1310
75—80	1	3	1	—	1198	1546	744	1147	3	1	4	3	20	11	717	1132
80 and upwards	—	—	—	1	892	1554	486	1015	—	1	—	2	11	8	475	1004

Causes of Death.	90 (1-4) Valvular disease.		90 (5-8) Other defined heart disease.		90 (9) Heart disease undefined.		91 Diseases of the arteries.		91 (a) Aneurism.		91 (b) Arterio-sclerosis.		91 (b) 1 With record of cerebral vascular lesion.		91 (b) 2 Without record of cerebral vascular lesion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3835	4579	1859	2248	1579	1871	2820	1930	310	78	2471	1820	701	630	1770	1190
0—1	1	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—
1—5	9	5	—	—	4	3	—	—	—	—	—	—	—	—	—	—
5—10	33	36	1	—	4	8	—	—	—	—	—	—	—	—	—	—
10—15	81	79	2	—	8	23	—	1	—	1	—	—	—	—	—	—
15—20	84	112	1	1	17	20	2	—	—	—	1	—	—	—	1	—
20—25	101	89	4	7	17	18	1	2	—	1	—	1	—	—	—	1
25—30	116	122	7	4	25	26	3	2	—	2	2	—	2	—	—	—
30—35	138	115	14	13	26	26	10	2	4	1	5	1	2	—	3	1
35—40	154	151	23	22	33	49	21	9	9	3	12	4	4	3	8	1
40—45	234	230	34	21	58	63	55	21	30	5	22	14	7	10	15	4
45—50	271	296	101	82	76	87	101	38	57	7	41	31	22	19	19	12
50—55	342	340	144	112	114	120	176	70	66	11	108	57	48	39	60	18
55—60	408	412	194	178	174	159	253	95	52	12	197	82	69	51	128	31
60—65	471	491	245	256	202	203	337	177	41	10	293	160	91	81	202	79
65—70	521	637	326	337	286	297	510	229	30	10	473	215	142	80	331	135
70—75	425	601	318	397	233	312	495	362	13	6	477	351	129	115	348	236
75—80	286	505	252	373	179	254	453	388	7	3	440	381	100	116	340	265
80 and upwards	160	357	192	445	123	202	403	534	1	6	400	523	85	116	315	407

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	91 (c) Other diseases of the arteries.		92 Embolism and thrombosis (not cerebral).		93 Diseases of the veins, (varices, hæmorrhoids, phlebitis, etc.).		94 Diseases of the lymphatic system (Lymphangitis, etc.).		96* 95 Hæmorrhage without stated cause.		V. 97-107 Diseases of the respiratory system.		97 Diseases of the nasal fossæ and annexa.		98 Diseases of the larynx.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	39	32	35	42	24	79	21	13	12	6	15854	13230	21	22	124	83
0—1	—	—	1	1	—	—	9	3	2	—	2990	2226	6	1	24	21
1—5	—	—	1	—	—	—	1	3	—	—	2117	1865	—	—	56	37
5—10	—	—	—	1	—	1	—	—	—	—	298	237	—	—	14	13
10—15	—	—	—	—	—	1	2	—	—	—	124	101	1	1	1	4
15—20	1	—	—	—	—	—	1	1	—	—	181	100	—	2	—	—
20—25	1	—	—	—	—	1	2	1	—	—	200	140	1	1	—	—
25—30	1	—	3	3	1	2	—	1	—	—	265	167	1	1	4	1
30—35	1	—	—	1	1	5	1	—	—	—	361	226	1	3	2	1
35—40	—	2	1	4	—	4	—	—	2	—	492	262	2	3	2	2
40—45	3	2	1	5	3	7	—	—	—	—	640	277	1	2	—	—
45—50	3	—	2	6	3	7	1	—	1	—	747	363	4	—	6	—
50—55	2	2	3	4	4	10	1	—	2	—	875	450	1	2	—	1
55—60	4	1	9	4	6	8	—	1	—	—	992	603	—	2	5	—
60—65	3	7	4	4	3	12	1	2	1	1	1138	819	—	—	4	2
65—70	7	4	8	4	2	7	—	—	1	1	1335	1063	1	—	3	—
70—75	5	5	1	1	—	4	1	1	2	2	1265	1411	1	1	1	1
75—80	6	4	—	2	1	7	—	—	—	2	1014	1390	—	1	—	—
80 and upwards	2	5	1	2	—	3	1	—	1	—	820	1530	1	2	2	2

* 96. Other diseases of the circulatory system — .

Causes of Death.	99 Bronchitis.		99 (a) Acute.		99 (b) Chronic.		99 (c & d) Not stated whether acute or chronic.		100 & 101 Pneumonia (all forms).		100 Broncho-pneumonia.		101 Pneumonia (lobar, and not otherwise defined).		101 (a) Pneumonia, lobar.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	6549	6536	1444	1752	2194	1708	2911	3076	8240	5914	3938	3434	4302	2480	2188	1156
0—1	1036	794	462	323	6	10	568	461	1889	1382	1546	1170	343	212	103	59
1—5	371	359	168	176	10	4	193	179	1650	1433	1295	1145	355	288	125	94
5—10	28	19	19	9	2	1	7	9	235	189	125	111	110	78	50	32
10—15	11	13	3	3	5	1	3	9	102	76	31	34	71	42	42	18
15—20	13	6	3	1	5	1	5	4	154	80	19	14	135	66	77	37
20—25	15	12	2	5	8	2	5	5	168	116	28	20	140	96	78	50
25—30	19	21	8	10	7	5	4	6	218	125	20	22	198	103	129	58
30—35	49	36	18	12	14	6	17	18	272	163	31	28	241	135	135	75
35—40	85	54	16	17	34	22	35	15	358	185	43	34	315	151	176	84
40—45	161	79	26	28	75	25	60	26	429	168	72	36	357	132	217	71
45—50	220	132	34	26	99	50	87	56	440	194	85	59	355	135	193	79
50—55	334	205	50	48	161	69	123	88	455	208	90	59	365	149	198	82
55—60	476	315	76	70	216	124	184	121	411	239	96	93	315	146	180	80
60—65	615	507	94	135	290	195	231	177	433	260	100	102	333	158	172	84
65—70	822	707	116	157	395	244	311	306	425	297	112	116	313	181	163	88
70—75	878	1011	142	219	360	342	376	450	301	324	111	147	190	177	90	85
75—80	756	1042	96	236	310	306	350	500	189	262	84	119	105	143	43	52
80 and upwards	660	1224	111	277	197	301	352	646	111	213	50	125	61	88	17	28

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	101 (b) Pneumonia, not otherwise defined.		102 Pleurisy.		103 Congestion and hæmorrhagic infarct of lung.		104 Gangrene of the lung.		105 Asthma.		106 Pulmonary emphysema.		107 Other diseases of the respiratory system.		107 (a) Chronic interstitial pneumonia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2114	1324	288	162	180	212	12	5	304	237	34	12	102	45	48	13
0—1	240	153	8	4	22	23	—	—	1	1	—	—	4	—	—	—
1—5	230	194	29	18	9	13	—	—	1	2	—	—	1	3	—	—
5—10	60	46	14	12	3	2	—	1	2	1	—	—	2	—	2	—
10—15	29	24	5	2	2	2	—	1	2	—	—	—	—	2	—	1
15—20	58	29	9	7	2	4	—	—	1	1	—	—	2	—	—	—
20—25	62	46	9	3	2	3	—	—	3	4	1	—	1	1	—	—
25—30	69	45	11	7	2	6	1	—	3	4	—	—	6	2	1	—
30—35	106	60	14	8	2	1	1	1	16	12	—	—	4	1	1	—
35—40	139	67	17	5	4	2	—	—	18	8	3	—	3	3	1	2
40—45	140	61	14	10	4	4	1	—	22	13	1	—	7	1	2	—
45—50	162	56	24	11	7	4	1	—	29	16	2	1	14	5	6	1
50—55	167	67	23	9	12	4	1	—	39	19	—	—	10	2	8	1
55—60	135	66	29	9	8	10	3	1	40	21	4	1	16	5	7	2
60—65	161	74	24	9	10	8	2	—	25	28	7	—	18	5	11	2
65—70	150	93	22	11	12	9	—	1	34	30	9	1	7	7	5	1
70—75	100	92	19	15	22	24	1	—	34	26	4	5	4	4	2	3
75—80	62	91	13	12	28	38	1	—	23	30	2	2	2	3	2	—
80 and upwards	44	60	4	10	29	55	—	—	11	21	1	2	1	1	—	—

Causes of Death.	107 (b) Diseases of the mediastinum.		107 (c) Other diseases included under 107.		VI. 108—127 Diseases of the digestive system.		108 Diseases of the buccal cavity and annæxa.		108 (1) Diseases of the teeth and gums.		108 (2) Other diseases of the buccal cavity and annæxa.		109 Diseases of the pharynx and tonsils.		110 Diseases of the œsophagus.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	1	54	31	7034	6058	66	74	37	47	29	27	100	96	15	8
0—1	—	—	4	—	3256	2356	11	9	7	4	4	5	14	6	—	—
1—5	—	—	1	3	744	624	12	6	7	5	5	1	26	10	—	—
5—10	—	—	—	—	173	203	2	—	2	—	—	—	21	30	—	—
10—15	—	—	—	1	112	117	—	6	—	3	—	3	6	11	1	—
15—20	—	—	2	—	110	73	1	3	1	3	—	—	5	10	—	—
20—25	—	—	1	1	84	80	2	4	—	3	2	1	2	4	—	—
25—30	—	—	5	2	72	89	3	1	1	1	2	—	4	—	—	—
30—35	—	—	3	1	119	111	3	2	2	—	1	2	2	3	1	—
35—40	—	—	2	1	171	141	2	7	1	3	1	4	3	2	1	—
40—45	—	—	5	1	201	155	1	2	—	2	1	—	—	2	1	1
45—50	—	—	8	4	259	190	2	5	1	4	1	1	5	2	2	—
50—55	—	—	2	1	315	246	9	9	7	8	2	1	5	3	—	—
55—60	—	1	9	2	340	260	1	5	—	3	1	2	3	—	1	3
60—65	—	—	7	3	329	312	5	4	3	3	2	1	—	4	4	—
65—70	—	—	2	6	277	317	5	5	4	3	1	2	1	2	2	—
70—75	—	—	2	1	207	313	4	2	—	2	4	—	2	2	1	2
75—80	—	—	—	3	143	235	2	4	—	—	2	4	1	3	1	2
80 and upwards	—	—	1	1	122	236	1	—	1	—	—	—	—	2	—	—

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	111 Ulcer of the stomach or duodenum.		111 (a) Ulcer of the stomach.		111 (b) Ulcer of the duodenum.		112 Other diseases of the stomach.		113 & 114 Diarrhoea. and enteritis.		115* 116* Diseases due to other intestinal parasites.		117 Appendicitis and typhlitis.		118 Hernia, intestinal obstruction.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	551	259	361	229	190	30	546	558	3812	3125	2	1	445	411	674	707
0—1	—	—	—	—	—	—	251	181	2823	2071	—	—	—	1	141	61
1—5	—	—	—	—	—	—	44	46	596	523	2	—	16	11	35	19
5—10	—	1	—	1	—	—	11	18	59	53	—	1	57	65	12	15
10—15	—	4	—	4	—	—	6	6	13	14	—	—	58	57	20	5
15—20	10	5	7	5	3	—	5	1	3	6	—	—	59	32	21	7
20—25	16	12	6	11	10	1	3	3	2	5	—	—	38	30	10	13
25—30	20	17	12	13	8	4	4	5	4	13	—	—	15	20	12	17
30—35	42	13	26	13	16	—	9	16	9	14	—	—	23	19	17	13
35—40	55	29	42	23	13	1	12	6	22	18	—	—	29	29	15	19
40—45	75	22	50	21	25	1	14	13	21	15	—	—	19	27	23	29
45—50	76	27	56	22	20	5	12	11	19	27	—	—	31	23	36	30
50—55	75	35	44	31	31	4	19	20	24	31	—	—	22	24	43	50
55—60	59	27	35	23	24	4	28	23	27	29	—	—	37	17	62	55
60—65	50	19	33	18	17	1	30	25	29	46	—	—	16	17	44	93
65—70	40	21	27	17	13	4	23	31	34	60	—	—	11	19	76	89
70—75	19	13	14	11	5	2	22	50	51	65	—	—	7	14	46	85
75—80	9	10	6	7	3	3	26	49	36	58	—	—	5	4	35	51
80 and upwards	5	4	3	4	2	—	27	54	40	77	—	—	2	2	26	56

* 115. Ankylostomiasis —; * 116 (a) Cestodes (hydatids of the liver excepted) 5; 116 (c) Nematodes 1. 1.

Causes of Death.	118 (a) Hernia.		118 (b) Intestinal obstruction.		119 Other diseases of the intestines.		120 Acute yellow atrophy of the liver.		121 Hydatid tumour of the liver.		122 Cirrhosis of the liver.		122 (a) Returned as alcoholic.		122 (b) Not returned as alcoholic.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	232	322	442	385	75	72	9	13	7	5	434	210	36	17	398	193
0—1	40	5	101	56	5	12	1	—	—	—	—	1	—	—	—	—
1—5	6	4	29	15	4	4	—	—	—	—	1	—	—	—	1	—
5—10	—	2	12	13	6	1	1	—	—	—	—	2	—	—	—	—
10—15	2	—	18	5	1	—	—	1	—	—	2	1	—	—	2	—
15—20	2	1	19	6	1	1	1	1	—	—	—	—	—	—	—	—
20—25	2	2	8	11	3	1	3	4	—	1	—	—	—	—	—	—
25—30	3	6	9	11	—	3	—	1	—	—	4	2	—	—	4	—
30—35	2	3	15	10	4	4	1	1	—	2	2	5	—	—	2	—
35—40	2	5	13	14	6	1	—	4	1	—	17	9	2	—	15	—
40—45	8	12	15	17	3	3	—	—	2	—	27	18	3	2	24	10
45—50	15	13	21	17	3	7	—	—	—	—	52	31	11	5	41	23
50—55	14	30	29	20	7	8	—	1	—	—	75	29	4	4	71	23
55—60	28	38	34	17	7	1	1	—	1	—	75	34	6	2	69	30
60—65	14	61	30	32	10	2	1	—	2	—	83	27	6	1	77	23
65—70	30	54	46	35	4	3	—	—	1	1	46	23	2	2	44	20
70—75	30	44	16	41	5	6	—	—	—	—	31	14	1	—	30	10
75—80	19	28	16	23	3	8	—	—	—	—	13	10	1	1	12	—
80 and upwards	15	14	11	42	3	7	—	—	—	1	6	4	—	—	6	—

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	123 Biliary calculi.		124 Other diseases of the liver.		125 Diseases of the pancreas.		127* 126 Peritonitis of unstated origin.		VII. 128-142 Non-puerperal diseases of the genito-urinary system.		128 Acute nephritis (including unspecified under 10 years of age).		129 Chronic nephritis (including unspecified over 10 years of age).		130* 131 Other diseases of the kidneys and annexa.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	94	226	118	173	33	34	53	86	3508	2592	308	253	1971	1743	99	95
0—1	—	—	3	5	—	—	7	9	43	26	19	16	—	—	1	5
1—5	—	—	5	1	—	—	3	4	45	25	37	16	2	5	3	2
5—10	—	—	1	3	1	—	2	14	41	33	26	21	8	12	3	—
10—15	—	—	1	2	—	—	4	10	29	34	15	8	13	19	—	5
15—20	—	1	1	1	1	2	2	3	42	41	8	9	28	25	2	2
20—25	—	1	2	—	—	—	3	2	44	68	15	14	24	29	1	4
25—30	—	2	2	—	3	—	1	8	76	87	17	17	48	32	4	5
30—35	—	3	3	6	2	3	1	7	73	90	7	8	56	37	2	6
35—40	1	5	4	6	1	3	2	3	119	155	15	12	88	71	5	8
40—45	7	3	4	8	1	5	3	7	143	224	19	28	96	117	10	8
45—50	7	11	5	9	3	2	6	5	248	211	21	18	165	128	12	7
50—55	12	17	17	12	4	3	3	4	300	255	31	18	214	189	7	7
55—60	13	29	15	29	6	6	4	2	358	268	17	15	251	211	6	12
60—65	26	43	18	25	6	7	5	—	449	286	23	20	292	238	12	5
65—70	13	38	13	18	3	3	5	4	477	291	17	12	260	247	13	7
70—75	7	38	9	20	2	—	1	2	436	229	9	15	201	177	6	6
75—80	4	19	7	15	—	—	1	2	343	159	9	2	147	126	4	2
80 and upwards	4	16	8	13	—	—	—	—	242	110	3	4	78	80	8	4

* 127. Other diseases of the digestive system — ; 130. Chyluria — .

Causes of Death.	132 Calculi of the urinary passages.		133 Diseases of the bladder.		134 Diseases of the urethra, urinary abscess, etc.		134 (a) Stricture of the urethra.		134 (b) Other diseases of the urethra, &c.		135 Diseases of the prostate.		136 Non-venereal diseases of the male genital organs.		137 Cysts and other tumours of the ovary not returned as malignant.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	66	37	254	75	171	1	130	—	41	1	612	—	25	—	—	85
0—1	—	—	1	—	—	—	—	—	—	—	—	—	20	—	—	—
1—5	2	—	—	1	—	—	—	—	—	—	—	—	1	—	—	1
5—10	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1
15—20	2	—	1	1	1	—	—	—	1	—	—	—	—	—	—	—
20—25	3	2	—	1	1	—	—	—	1	—	—	—	—	—	—	3
25—30	3	2	2	—	1	—	1	—	—	—	1	—	—	—	—	7
30—35	3	5	4	1	1	—	1	—	—	—	—	—	—	—	—	5
35—40	3	1	3	6	4	1	3	—	1	1	1	—	—	—	—	5
40—45	5	3	5	2	8	—	5	—	3	—	—	—	—	—	—	5
45—50	7	2	11	2	25	—	19	—	6	—	6	—	1	—	—	6
50—55	5	5	14	8	21	—	14	—	7	—	7	—	1	—	—	8
55—60	5	7	18	6	23	—	19	—	4	—	38	—	—	—	—	5
60—65	4	2	28	4	30	—	24	—	6	—	60	—	—	—	—	6
65—70	7	3	36	6	28	—	20	—	8	—	116	—	—	—	—	9
70—75	6	1	51	12	15	—	13	—	2	—	148	—	—	—	—	11
75—80	4	3	42	10	9	—	7	—	2	—	127	—	1	—	—	10
80 and upwards	3	1	37	14	4	—	4	—	—	—	108	—	1	—	—	3

AGGREGATE OF COUNTY BOROUGHs.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	138 Salpingitis and pelvic abscess.		139 Tumours of the uterus not returned as malignant.		140 Uterine hæmorrhage.		141 Other diseases of the female genital organs.		142 Non-puerperal diseases of the breast.		VIII. 143-150 The puerperal state.		143 Accidents of pregnancy.		143 (a) Abortion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	96	—	127	—	12	—	60	2	8	—	1173	—	125	—	34
0—1	—	—	—	—	—	—	—	1	2	4	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
15—20	—	1	—	—	—	1	—	2	—	—	—	26	—	—	—	—
20—25	—	12	—	—	—	—	—	3	—	—	—	187	—	15	—	3
25—30	—	14	—	4	—	—	—	5	—	1	—	276	—	30	—	9
30—35	—	14	—	6	—	3	—	5	—	—	—	270	—	18	—	4
35—40	—	17	—	26	—	2	—	6	—	—	—	261	—	36	—	10
40—45	—	26	—	23	—	2	—	9	—	1	—	139	—	25	—	8
45—50	—	7	—	25	—	4	—	11	—	1	—	13	—	1	—	—
50—55	—	3	—	15	—	—	—	1	—	1	—	—	—	—	—	—
55—60	—	1	—	7	—	—	—	4	—	—	—	—	—	—	—	—
60—65	—	1	—	8	—	—	—	2	—	—	—	—	—	—	—	—
65—70	—	—	—	3	—	—	—	4	—	—	—	—	—	—	—	—
70—75	—	—	—	4	—	—	—	3	—	—	—	—	—	—	—	—
75—80	—	—	—	5	—	—	—	1	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	1	—	—	—	3	—	—	—	—	—	—	—	—

Causes of Death.	143 (b) Ectopic gestation.		143 (c) Other accidents.		144 Puerperal hæmorrhage.		145 Other accidents of childbirth.		146 Puerperal sepsis.		147 Phlegmasia alba dolens, puerperal embolism, etc.		148 Puerperal albuminuria and convulsions.		150* 149 Childbirth not assignable elsewhere (puerperal insanity).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	28	—	63	—	166	—	124	—	458	—	87	—	196	—	15
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
15—20	—	—	—	—	—	1	—	3	—	12	—	—	—	8	—	1
20—25	—	2	—	10	—	17	—	15	—	83	—	10	—	45	—	2
25—30	—	8	—	13	—	35	—	32	—	111	—	19	—	41	—	7
30—35	—	5	—	9	—	35	—	34	—	111	—	20	—	49	—	3
35—40	—	9	—	17	—	47	—	29	—	91	—	23	—	35	—	—
40—45	—	4	—	13	—	31	—	9	—	43	—	12	—	17	—	2
45—50	—	—	—	1	—	—	—	1	—	7	—	3	—	1	—	—
50—55	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* 150. Puerperal diseases of the breast 15, 25.

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	IX. 151-154 Diseases of the skin and cellular tissue.		151 Gangrene.		152 Furuncle.		153 Phlegmon, acute abscess.		154 Other diseases of the skin and its annexa.		X. 155-158 Diseases of the bones and organs of locomotion.		155 Diseases of the bones.		156 Diseases of the joints.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	570	454	219	167	67	34	131	111	153	142	168	104	131	78	31	19
0—1	115	77	6	4	3	5	22	23	84	45	15	12	7	9	8	3
1—5	24	21	6	8	—	—	12	5	6	8	22	15	19	14	3	1
5—10	5	8	—	—	—	—	4	7	1	1	24	8	22	8	2	—
10—15	4	5	—	2	—	1	3	2	1	—	25	14	23	13	2	—
15—20	13	12	—	2	3	5	9	5	1	—	18	6	16	4	2	2
20—25	5	4	—	1	1	1	3	2	1	—	7	1	6	1	1	—
25—30	11	6	—	—	1	3	9	1	1	2	3	1	1	1	2	—
30—35	7	1	—	—	3	1	4	—	—	—	3	3	2	3	1	—
35—40	11	10	1	—	2	1	5	6	3	3	5	1	3	—	1	1
40—45	14	7	3	—	2	1	8	4	1	2	5	6	3	3	2	3
45—50	15	15	2	1	6	1	5	10	2	3	4	4	1	3	—	—
50—55	19	10	3	1	5	1	5	3	6	5	10	5	10	4	—	1
55—60	29	29	6	3	9	3	8	11	6	12	11	6	6	2	4	3
60—65	26	31	8	12	3	3	12	6	3	10	3	6	1	4	2	—
65—70	57	44	32	24	10	4	6	5	9	11	2	3	2	2	—	1
70—75	82	48	48	28	8	2	12	10	14	8	5	5	4	2	1	2
75—80	68	50	49	30	7	1	3	2	9	17	3	4	3	3	—	1
80 and upwards	65	76	55	51	4	1	1	9	5	15	3	4	2	2	—	1

Causes of Death.	157* 158 Other diseases of the organs of locomotion.		XI. 159 Mal- formations.		XII. 160-163 Diseases of early infancy.		160 Congenital debility.		161 Premature birth, injury at birth.		161 (1) Premature birth.		161 (2) Injury at birth.		162 Other diseases peculiar to early infancy.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	6	7	719	604	5690	4223	1486	1028	3779	2885	3543	2735	236	150	370	280
0—1	—	—	649	520	5690	4223	1486	1028	3779	2885	3543	2735	236	150	370	280
1—5	—	—	31	52	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	15	7	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	1	8	7	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	2	5	—	—	—	—	—	—	—	—	—	—	—	—
20—25	—	—	3	4	—	—	—	—	—	—	—	—	—	—	—	—
25—30	—	—	4	2	—	—	—	—	—	—	—	—	—	—	—	—
30—35	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—
35—40	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
40—45	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
45—50	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50—55	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
55—60	1	1	2	2	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* 157. Amputation —.

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	163 Lack of care.		XIII. 164 Old age.		XIV. 165-203 External causes.		Suicide.									
							165-174 Total.		165 & 166 By solid or liquid poisons and corrosive substances.		167 By poisonous gas.		168 By hanging or strangulation.		169 By drowning.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	55	30	3263	4719	3769	1739	881	316	75	59	117	53	197	58	176	81
0—1	55	30	—	—	175	149	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	295	194	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	207	130	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	136	41	2	—	1	—	—	—	—	—	—	—
15—20	—	—	—	—	217	46	11	10	—	3	—	—	3	1	3	6
20—25	—	—	—	—	170	63	21	23	1	10	4	4	5	1	3	6
25—30	—	—	—	—	158	47	30	17	2	2	2	1	6	4	8	4
30—35	—	—	—	—	171	65	29	36	4	4	3	10	3	4	6	6
35—40	—	—	—	—	243	69	94	28	12	4	16	8	21	7	13	5
40—45	—	—	—	—	271	70	101	29	7	5	13	3	27	3	23	12
45—50	—	—	—	1	309	115	119	54	13	11	15	8	24	11	20	14
50—55	—	—	3	—	310	93	129	34	12	4	17	6	22	5	26	8
55—60	—	—	19	23	282	102	108	30	6	8	17	7	19	8	18	3
60—65	—	—	66	59	259	79	88	27	5	6	10	3	24	5	22	6
65—70	—	—	225	200	231	101	80	14	6	1	12	1	26	4	16	6
70—75	—	—	699	694	137	102	48	6	3	1	5	1	14	—	12	3
75—80	—	—	882	1230	88	122	13	4	2	—	2	—	3	3	4	1
80 and upwards	—	—	1369	2512	110	151	8	4	1	—	1	1	—	2	2	1

Causes of Death.	Suicide— <i>continued.</i>										175-196 201-203 Violent deaths, excluding suicide and homicide.		175 Food poisoning.		176 Poisoning by venomous animals.	
	170 By firearms.		171 By cutting or piercing instruments.		172 By jumping from high places.		173 By crushing.		174 By other means.							
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	52	—	206	44	26	7	30	6	2	8	2843	1379	6	14	—	1
0—1	—	—	—	—	—	—	—	—	—	—	161	138	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	295	192	—	3	—	1
5—10	—	—	—	—	—	—	—	—	—	—	204	128	—	—	—	—
10—15	—	—	—	—	1	—	—	—	—	—	134	40	1	4	—	—
15—20	1	—	2	—	2	—	—	—	—	—	204	33	—	—	—	—
20—25	5	—	1	2	2	—	—	—	—	—	146	36	—	—	—	—
25—30	7	—	1	2	1	1	3	1	—	2	127	27	—	—	—	—
30—35	3	—	7	10	1	—	2	—	—	2	140	27	—	1	—	—
35—40	8	—	22	2	—	2	2	—	—	—	147	35	—	1	—	—
40—45	4	—	21	4	3	—	3	1	—	1	167	38	1	—	—	—
45—50	6	—	31	7	3	1	7	—	—	2	184	59	2	1	—	—
50—55	6	—	37	6	3	2	5	3	1	—	179	58	—	1	—	—
55—60	4	—	37	4	4	—	3	—	—	—	171	70	2	—	—	—
60—65	3	—	17	5	3	1	3	—	1	1	169	51	—	1	—	—
65—70	4	—	15	1	—	—	1	1	—	—	150	87	—	2	—	—
70—75	—	—	11	1	3	—	—	—	—	—	88	96	—	—	—	—
75—80	1	—	—	—	—	—	1	—	—	—	75	117	—	—	—	—
80 and upwards	—	—	4	—	—	—	—	—	—	—	102	147	—	—	—	—

AGGREGATE OF COUNTY BOROUGHES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	177 Other acute accidental poisonings.		178 Con-flagration.		179 Burns (con-flagration excepted).		180 Accidental mechanical suffocation.		181 Accidental absorption of irrespirable or poisonous gas.		182 Accidental drowning.		183 Accidental injury by firearms.		184 Accidental injury by cutting or piercing instruments.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	31	21	5	12	279	340	178	122	39	32	516	117	11	3	2	2
0—1	—	1	—	1	26	16	124	112	—	1	2	1	—	—	—	—
1—5	8	2	—	—	164	125	13	3	1	1	24	9	1	—	2	—
5—10	1	—	—	3	21	45	1	1	2	1	56	7	—	—	—	1
10—15	2	1	—	—	3	13	3	—	1	1	43	4	—	—	—	—
15—20	—	—	1	1	4	14	7	—	4	1	56	10	4	2	—	—
20—25	—	1	1	—	7	5	2	1	1	3	42	10	—	1	—	—
25—30	1	1	—	—	3	—	4	1	5	3	25	10	1	—	—	—
30—35	1	1	—	—	6	3	3	—	2	2	23	3	2	—	—	—
35—40	3	2	—	1	3	7	4	—	2	—	25	10	—	—	—	—
40—45	1	3	—	—	2	5	4	1	4	—	30	11	—	—	—	—
45—50	2	3	—	1	3	16	2	—	1	2	38	5	—	—	—	—
50—55	6	2	—	—	2	9	4	—	3	2	34	10	1	—	—	1
55—60	1	—	1	1	5	13	—	1	4	4	36	9	2	—	—	—
60—65	—	—	—	—	5	9	5	—	2	—	35	5	—	—	—	—
65—70	2	1	1	1	7	14	2	—	2	2	28	6	—	—	—	—
70—75	1	1	1	1	6	17	—	1	3	4	6	2	—	—	—	—
75—80	1	1	—	1	4	14	—	1	—	4	8	2	—	—	—	—
80 and upwards	1	1	—	1	8	15	—	—	2	1	5	3	—	—	—	—

Causes of Death.	185 Accidental injury by fall.		186 Accidental injury in mines and quarries.		187 Accidental injury by machinery.		188 Accidental injury by other forms of crushing (vehicles, etc.).		189 Injury by animals (poisoning excepted).		190 Wounds of war.		191* 192 Hunger or thirst.		193 Excessive cold.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	574	399	96	—	79	2	861	249	12	—	31	—	3	—	1	—
0—1	4	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
1—5	13	12	—	—	—	—	59	29	1	—	—	—	—	—	—	—
5—10	21	7	—	—	1	—	98	60	—	—	—	—	—	—	—	—
10—15	4	3	3	—	7	—	62	12	2	—	—	—	—	—	—	—
15—20	27	—	14	—	11	—	59	4	—	—	—	—	—	—	—	—
20—25	20	2	9	—	8	1	40	11	—	—	6	—	—	—	—	—
25—30	13	2	15	—	9	1	32	5	1	—	6	—	—	—	—	—
30—35	25	4	15	—	4	—	42	7	—	—	8	—	—	—	—	—
35—40	33	3	3	—	5	—	57	9	—	—	5	—	—	—	—	—
40—45	32	8	8	—	6	—	68	7	2	—	5	—	—	—	—	—
45—50	50	13	6	—	10	—	59	16	2	—	—	—	—	—	—	—
50—55	51	14	8	—	6	—	55	14	—	—	—	—	2	—	1	—
55—60	43	24	4	—	6	—	60	15	—	—	1	—	—	—	—	—
60—65	54	22	5	—	2	—	54	12	2	—	—	—	1	—	—	—
65—70	45	38	5	—	3	—	49	16	2	—	—	—	—	—	—	—
70—75	36	55	1	—	1	—	31	14	—	—	—	—	—	—	—	—
75—80	36	82	—	—	—	—	21	9	—	—	—	—	—	—	—	—
80 and upwards	67	109	—	—	—	—	15	8	—	—	—	—	—	—	—	—

* 191. Execution of civilians by belligerent armies --.

AGGREGATE OF COUNTY BOROUGHs.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	194 Excessive heat.		195*		Homicide.								201 Fracture (cause not specified).	
			196 Electricity (lightning excepted).		197-199 All forms.		197 By firearms.		198 By cutting or piercing instruments.		199 By other means.			
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	35	34	5	—	45	44	3	8	3	12	39	24	9	7
0—1	3	2	—	—	14	11	—	—	1	4	13	7	—	1
1—5	5	1	—	—	—	2	—	1	—	—	—	1	—	—
5—10	2	2	—	—	3	2	—	1	1	—	2	1	—	—
10—15	2	2	—	—	—	1	—	—	—	—	—	1	—	—
15—20	2	1	2	—	2	3	1	2	—	—	1	1	1	—
20—25	—	1	—	—	3	4	1	—	—	1	2	3	1	—
25—30	—	1	1	—	1	3	—	—	—	—	1	3	1	—
30—35	1	—	—	—	2	2	—	1	1	1	1	—	1	1
35—40	3	—	—	—	2	6	—	1	—	2	2	3	1	—
40—45	—	2	—	—	3	3	—	1	—	2	3	—	—	—
45—50	3	1	1	—	6	2	—	—	—	2	6	—	1	1
50—55	1	3	1	—	2	1	—	—	—	—	2	1	1	2
55—60	2	1	—	—	3	2	—	1	—	—	3	1	—	1
60—65	—	1	—	—	2	1	—	—	—	—	2	1	2	—
65—70	2	4	—	—	1	—	1	—	—	—	—	—	—	—
70—75	1	1	—	—	1	—	—	—	—	—	1	—	—	—
75—80	4	3	—	—	—	1	—	—	—	—	—	1	—	—
80 and upwards	4	8	—	—	—	—	—	—	—	—	—	—	—	1

* 195. Lightning 50.

Causes of Death.	202 Other external violence.		203 Violent deaths of unknown causation.		XV. 204-205 Ill-defined diseases.		204 Sudden death.		205 Cause of death unstated or ill-defined.		205 (1) Heart failure, 1-70 years.		205 (2 & 3) Others.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	63	21	6	3	331	231	56	33	275	198	146	83	129	115
0—1	1	1	1	—	21	16	—	—	21	16	—	—	21	16
1—5	4	6	—	—	48	56	1	—	47	56	—	—	47	56
5—10	1	1	—	—	4	5	1	2	3	3	2	2	1	1
10—15	1	—	—	—	5	3	—	1	5	2	3	2	2	—
15—20	12	—	—	—	3	5	1	—	2	5	1	2	1	3
20—25	7	—	2	—	5	7	1	—	4	7	3	5	1	2
25—30	10	3	—	—	3	4	—	1	3	3	2	1	1	2
30—35	6	5	1	—	10	—	2	—	8	—	5	—	3	—
35—40	3	1	—	1	13	7	2	1	11	6	8	6	3	—
40—45	4	1	—	—	10	7	3	1	7	6	3	4	4	2
45—50	4	—	—	—	27	5	3	2	24	3	14	2	10	1
50—55	2	—	—	—	34	18	7	3	27	15	17	10	10	5
55—60	3	1	1	—	29	26	4	6	25	20	22	14	3	6
60—65	1	1	1	—	51	32	12	10	39	22	33	14	6	8
65—70	2	1	—	2	60	33	19	6	41	27	33	21	8	6
70—75	1	—	—	—	—	4	—	—	—	4	—	—	—	4
75—80	1	—	—	—	6	3	—	—	6	3	—	—	6	3
80 and upwards	—	—	—	—	2	—	—	—	2	—	—	—	2	—

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGH).—CAUSES
OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	All Causes.		I. 1-42 Epidemic, endemic, and Infectious Diseases.		1 Enteric fever.		1 (a) Typhoid fever.		1 (b) Paratyphoid fevers.		2, 3, 4*		6*		8 Scarlet fever.	
											5 Malaria.		7 Measles.			
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	76054	74492	11618	10885	129	123	126	120	3	3	55	2	311	252	190	207
0—1	13364	9745	1102	953	2	—	1	—	1	—	—	—	77	59	7	2
1—5	4358	3849	1498	1432	3	1	3	1	—	—	—	—	210	152	80	80
5—10	1699	1603	733	808	4	7	4	7	—	—	—	—	22	36	60	63
10—15	1076	1080	375	503	10	16	10	15	—	1	—	—	1	2	20	22
15—20	1619	1578	679	927	17	19	17	19	—	—	—	—	1	1	14	7
20—25	1675	1825	841	963	17	14	16	14	1	—	6	1	—	1	3	8
25—30	1656	1878	737	860	6	17	6	17	—	—	9	—	—	—	2	7
30—35	1844	1930	757	739	13	6	13	6	—	—	11	—	—	—	1	6
35—40	2312	2381	840	708	12	12	12	12	—	—	11	—	—	—	1	5
40—45	2762	2685	817	603	9	6	9	6	—	—	5	—	—	—	1	6
45—50	3458	3113	796	478	12	10	12	9	—	1	5	—	—	—	—	—
50—55	4102	3575	617	406	12	7	12	7	—	—	3	—	—	1	1	1
55—60	5068	4135	593	349	6	2	5	2	1	—	1	—	—	—	—	—
60—65	5923	4983	452	292	2	3	2	3	—	—	—	—	—	—	—	—
65—70	6772	6185	360	254	2	—	2	—	—	—	3	—	—	—	—	—
70—75	6773	7149	201	232	2	3	2	2	—	1	—	1	—	—	—	—
75—80	5784	7240	119	188	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	5809	9558	101	190	—	—	—	—	—	—	1	—	—	—	—	—

* 2. Typhus —; 3. Relapsing fever (*Spirillum obermeieri*) —; 4. Mediterranean fever —; 6. Small pox, 10, 45.

Causes of Death.	9 Whooping cough.		10 Diphtheria.		11 Influenza.		11 (a) With pulmonary complications.		11 (b) Without pulmonary complications.		12*		14*		16 Dysentery.	
											13 Mumps.		15 Cholera nostras.			
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	658	831	737	827	1655	1565	1050	920	605	645	5	5	2	3	40	48
0—1	362	423	25	18	98	60	53	37	45	23	2	2	1	2	2	6
1—5	281	379	301	311	96	67	64	36	32	31	1	1	—	—	4	3
5—10	12	21	313	362	36	27	15	7	21	20	1	2	—	—	6	2
10—15	—	3	72	85	36	30	18	11	18	19	—	—	—	—	—	—
15—20	2	1	15	21	63	48	40	33	23	15	—	—	—	—	—	1
20—25	—	1	1	7	58	53	40	28	18	25	1	—	—	—	1	1
25—30	—	—	3	4	68	67	48	45	20	22	—	—	—	—	6	1
30—35	—	—	—	4	78	83	62	50	16	33	—	—	—	—	5	—
35—40	—	—	—	5	87	92	68	57	19	35	—	—	—	—	4	3
40—45	—	—	3	1	98	69	62	43	36	26	—	—	—	—	3	1
45—50	—	1	1	3	104	67	71	37	33	30	—	—	—	—	—	3
50—55	—	—	—	1	109	99	75	58	34	41	—	—	—	—	2	5
55—60	—	—	1	2	136	103	87	57	49	46	—	—	—	—	1	6
60—65	—	—	1	1	140	120	88	73	52	47	—	—	—	—	2	4
65—70	—	—	—	2	164	135	109	90	55	45	—	—	1	1	—	3
70—75	1	1	1	—	116	136	65	80	51	56	—	—	—	—	3	4
75—80	—	1	—	—	81	151	44	94	37	57	—	—	—	—	1	5
80 and upwards	—	—	—	—	87	158	41	84	46	74	—	—	—	—	—	—

* 12. Miliary fever —; 14. Asiatic cholera —

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHs).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	16 (a) Amœbic.		16 (b) Bacillary.		16 (c) Other or unspecified		17, 18, 19, 20*		22 Acute poliomyelitis.		23 Encephalitis lethargica.		24 Meningococcal meningitis.		25 Other epidemic and endemic diseases.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1	—	3	4	36	44	110	122	29	25	119	159	69	46	20	10
0—1	—	—	—	1	2	5	14	15	8	5	3	4	18	15	5	4
1—5	—	—	—	—	4	3	2	5	10	6	19	17	14	7	10	3
5—10	—	—	—	—	6	2	2	2	6	7	7	15	12	4	—	1
10—15	—	—	—	—	—	—	—	4	1	3	14	14	8	10	—	1
15—20	—	—	—	—	—	1	1	1	2	1	12	11	6	4	—	—
20—25	—	—	—	—	1	1	2	3	—	1	5	10	2	1	—	—
25—30	—	—	—	—	6	1	2	5	—	1	8	9	2	—	2	—
30—35	—	—	—	—	5	—	1	5	—	—	3	6	—	1	1	—
35—40	1	—	1	—	2	3	4	6	1	—	6	10	4	1	1	—
40—45	—	—	1	—	2	1	5	8	—	—	8	14	1	2	1	1
45—50	—	—	—	1	—	2	14	7	—	—	14	12	1	1	—	—
50—55	—	—	—	1	2	4	8	10	—	—	6	19	1	—	—	—
55—60	—	—	—	—	1	6	23	7	—	1	7	7	—	—	—	—
60—65	—	—	—	—	2	4	12	6	—	—	3	4	—	—	—	—
65—70	—	—	—	1	—	2	8	7	—	—	4	4	—	—	—	—
70—75	—	—	1	—	2	4	3	14	—	—	—	3	—	—	—	—
75—80	—	—	—	—	1	5	5	6	1	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	4	11	—	—	—	—	—	—	—	—

* 17. Plague —; 18. Yellow fever —; 19. Spirochaetosis ictero-hæmorrhagica —; 20. Leprosy, 40.

Causes of Death.	26*		28*		30		Tuberculosis.									
Ages at Death.	27 Anthrax.		29 Tetanus.		Mycoses.		31–37 All forms.		31 Respiratory system.		32 Nervous system.		33 Intestines and peritoneum.		34 Vertebral column.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	6	—	32	20	21	13	6996	6330	5364	4885	609	510	380	395	118	110
0—1	—	—	3	4	12	9	255	172	17	25	115	70	91	58	—	1
1—5	—	—	2	—	—	3	444	385	59	43	222	189	97	91	4	3
5—10	—	—	3	2	—	—	240	249	44	77	107	95	33	31	10	8
10—15	—	—	4	5	—	1	199	304	65	188	58	48	30	24	9	4
15—20	—	—	2	—	1	—	535	804	365	656	54	38	37	46	12	11
20—25	—	—	5	—	—	—	737	854	640	772	18	20	10	23	17	7
25—30	2	—	2	—	—	—	618	743	549	668	10	9	14	25	12	13
30—35	1	—	—	2	1	—	623	621	567	556	3	10	17	19	10	13
35—40	—	—	1	2	—	—	685	559	634	499	7	14	7	15	7	3
40—45	1	—	1	1	2	—	656	484	600	423	6	6	12	26	8	6
45—50	—	—	4	1	2	—	621	358	581	324	4	4	5	9	10	7
50—55	—	—	—	—	—	—	458	254	422	212	3	3	8	12	6	9
55—60	—	—	—	—	1	—	396	205	355	175	1	1	6	6	5	7
60—65	1	—	2	—	—	—	275	144	252	123	—	1	7	3	3	8
65—70	1	—	1	2	—	—	157	92	135	72	1	2	5	3	5	2
70—75	—	—	2	1	1	—	63	62	52	45	—	—	1	4	—	3
75—80	—	—	—	—	1	—	25	21	20	15	—	—	—	—	—	4
80 and upwards	—	—	—	—	—	—	9	19	7	12	—	—	—	—	—	1

* 26. Glanders —; 28. Rabies —.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHs).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	Tuberculosis— <i>continued.</i>															
	35 Joints.		36 Other organs.		36 (a) Skin and subcutaneous tissue.		36 (b) Bones (vertebral column excepted).		36 (c) Lymphatic system (abdominal glands exceptd)		36 (d) Genito-urinary system.		36 (e) Others in 36.		37 Disseminated.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	60	36	101	99	15	13	15	16	28	26	38	37	5	7	364	295
0—1	—	—	11	2	—	1	2	—	8	—	—	—	1	1	21	16
1—5	2	2	5	4	—	—	—	—	4	2	1	—	—	2	55	53
5—10	1	—	3	3	—	—	1	—	2	3	—	—	—	—	42	35
10—15	5	3	3	4	—	1	—	—	—	2	3	1	—	—	29	33
15—20	12	4	6	8	—	—	3	—	1	4	1	4	1	—	49	41
20—25	7	2	8	8	1	1	1	—	2	2	3	5	1	—	37	22
25—30	2	4	6	7	—	—	2	—	1	—	3	6	—	1	25	17
30—35	3	1	8	6	3	—	1	—	—	3	4	3	—	—	15	16
35—40	4	3	6	7	1	1	1	1	—	—	3	5	1	—	20	18
40—45	1	3	6	11	1	—	—	2	1	2	4	6	—	1	23	9
45—50	3	2	7	4	1	1	—	1	—	—	6	2	—	—	11	8
50—55	1	2	5	5	—	1	1	1	2	1	2	1	—	1	13	11
55—60	8	1	3	10	—	3	—	3	1	1	1	2	1	1	18	5
60—65	4	1	7	5	1	3	1	1	1	—	4	1	—	—	2	3
65—70	2	4	7	4	3	—	2	1	2	3	—	—	—	—	2	5
70—75	4	2	5	7	1	—	—	3	1	3	3	1	—	—	1	1
75—80	1	2	3	—	1	—	—	—	2	—	—	—	—	—	1	—
80 and upwards	—	—	2	4	2	1	—	3	—	—	—	—	—	—	—	2

Causes of Death.	Tuberculosis— <i>continued.</i>															
	37 (a) Acute.		37 (b) Chronic or unstated.		38 Syphilis.		39* Gonococcal infection.		40 (a) Gonococcal infection (ophthalmia excepted).		40 (b) Gonorrhœal or purulent ophthalmia.		42* Purulent infection, septicæmia		II. 43-69 General diseases not included in I. 1-42.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	68	63	296	232	305	206	8	10	1	5	7	5	118	81	8849	11501
0—1	7	3	14	13	188	138	7	5	—	—	7	5	13	10	95	61
1—5	10	19	45	34	17	8	—	—	—	—	—	—	4	4	88	99
5—10	6	6	36	29	—	3	—	—	—	—	—	—	9	5	79	68
10—15	4	4	25	29	—	1	—	—	—	—	—	—	9	2	85	96
15—20	12	12	37	29	4	3	—	1	—	1	—	—	4	4	120	104
20—25	7	6	30	16	2	4	—	—	—	—	—	—	1	4	68	119
25—30	7	7	18	10	2	4	—	—	—	—	—	—	5	2	109	131
30—35	3	2	12	14	10	1	—	1	—	1	—	—	9	3	138	218
35—40	3	4	17	14	15	8	—	1	—	1	—	—	8	4	207	375
40—45	5	—	18	9	15	7	—	1	—	1	—	—	7	2	329	668
45—50	1	—	10	8	8	9	—	1	—	1	—	—	9	5	575	926
50—55	1	—	12	11	11	3	—	—	—	—	—	—	6	6	848	1153
55—60	1	—	17	5	16	9	—	—	—	—	—	—	5	7	1185	1358
60—65	—	—	2	3	5	3	—	—	—	—	—	—	9	7	1351	1488
65—70	1	—	1	5	7	3	—	—	—	—	—	—	12	5	1407	1596
70—75	—	—	1	1	3	1	1	—	1	—	—	—	5	6	1078	1316
75—80	—	—	1	—	2	1	—	—	—	—	—	—	3	3	714	1002
80 and upwards	—	—	—	2	—	—	—	—	—	—	—	—	—	2	373	723

* 39. Soft chancre —, 42. Other infectious diseases —.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHs).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	Cancer, Malignant Disease.															
	43-49 Total.		43 Buccal cavity.		44 Pharynx, œsophagus, stomach, liver and annexa.		45 Peritoneum, intestines and rectum.		46 Female genital organs.		47 Breast.		48 Skin.		49 Other or unspecified organs.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	6613	8576	744	118	2544	2347	1528	1721	—	1744	14	1633	234	138	1549	875
0—1	4	1	—	—	—	—	—	—	—	—	—	—	—	—	4	1
1—5	10	11	—	1	1	—	1	1	—	—	—	—	—	—	8	9
5—10	9	6	—	—	2	1	1	—	—	—	—	—	—	—	6	5
10—15	7	5	1	—	—	1	2	—	—	1	—	—	—	—	4	3
15—20	22	11	1	—	2	1	5	2	—	2	—	—	—	—	14	6
20—25	13	19	—	—	1	2	2	2	—	4	—	2	—	2	10	7
25—30	28	44	—	1	6	4	7	10	—	11	—	4	2	1	13	13
30—35	50	104	—	1	20	18	18	13	—	41	1	17	—	1	11	13
35—40	104	230	8	4	30	40	22	26	—	71	—	55	4	3	40	31
40—45	221	507	21	5	80	66	54	68	—	178	—	137	4	2	62	51
45—50	415	724	40	14	160	131	99	93	—	233	2	193	12	7	102	53
50—55	675	924	71	6	288	213	137	149	—	256	1	192	20	9	158	99
55—60	992	1052	124	13	421	275	205	187	—	231	—	229	19	14	223	103
60—65	1093	1220	128	13	473	388	239	250	—	224	2	203	27	12	224	130
65—70	1158	1261	149	20	448	411	256	310	—	199	2	176	37	12	266	133
70—75	905	1051	98	16	330	353	233	238	—	144	—	177	37	18	207	105
75—80	585	823	68	14	181	267	152	221	—	100	4	128	40	19	140	74
80 and upwards	322	583	35	10	101	176	95	151	—	49	2	120	32	38	57	39

Causes of Death.	50 Tumours not returned as malignant. (tumours of brain and female genital organs excepted).		51 Rheumatic fever.		52 Chronic rheumatism osteo-arthritis gout.		53 Scurvy.		54, 55* 56 Rickets.		57 Diabetes.		58 Anæmia chlorosis.		58 (a) Pernicious anæmia.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	Ages at Death.															
All Ages	105	106	294	335	250	514	8	7	80	71	702	736	405	620	358	545
0—1	1	1	1	—	—	—	4	3	38	23	—	—	6	5	—	—
1—5	1	—	5	12	—	—	2	3	41	45	3	3	5	5	2	4
5—10	—	1	35	32	—	—	—	—	—	1	10	12	3	4	1	1
10—15	2	1	43	56	—	—	—	—	—	1	14	10	2	8	2	3
15—20	1	—	38	46	—	1	1	1	—	—	30	16	1	9	—	5
20—25	1	1	25	32	—	1	—	—	—	—	11	29	5	12	3	10
25—30	3	1	20	18	—	2	—	—	—	—	34	22	8	22	6	17
30—35	3	1	18	22	2	3	—	—	—	—	29	27	19	25	14	21
35—40	3	5	18	21	4	5	—	—	—	1	41	32	10	50	9	41
40—45	5	2	12	22	4	10	—	—	1	—	32	33	29	51	26	45
45—50	11	11	21	16	6	14	1	—	—	—	52	43	39	57	36	52
50—55	14	9	18	12	9	33	—	—	—	—	56	54	47	68	46	63
55—60	5	9	12	12	21	65	—	—	—	—	70	82	54	89	50	86
60—65	16	9	10	11	51	57	—	—	—	—	88	79	67	72	63	64
65—70	15	12	9	7	55	75	—	—	—	—	98	125	52	75	47	69
70—75	10	10	6	9	40	102	—	—	—	—	69	92	35	35	33	35
75—80	9	15	3	3	38	67	—	—	—	—	44	49	19	31	16	28
80 and upwards	5	18	—	4	20	79	—	—	—	—	21	28	4	2	4	1

* 54. Pellagra —; 55. Beri-beri —.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHs).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	58 (b) Other anæmias and chlorosis.		59 *		60 (a) Exophthalmic goitre.		60 (b) Other diseases of the thyroid glands.		61 *		63 Diseases of the adrenals.		64 Diseases of the spleen.		65 Leukæmia lymphadenoma.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	47	75	38	265	16	173	22	92	25	24	24	53	5	4	150	103
0—1	6	5	3	2	—	—	3	2	14	10	—	—	—	—	2	—
1—5	3	1	4	4	—	—	4	4	5	5	—	—	1	—	4	3
5—10	2	3	1	1	—	—	1	1	2	5	—	—	—	—	10	3
10—15	—	5	1	4	—	2	1	2	2	2	—	—	—	—	7	6
15—20	1	4	4	13	1	8	3	5	1	—	—	2	—	—	17	4
20—25	2	2	—	13	—	10	—	3	—	—	1	2	—	—	9	4
25—30	2	5	1	11	1	9	—	2	—	—	1	—	—	—	9	4
30—35	5	4	2	17	2	15	—	2	1	1	—	3	—	—	11	13
35—40	1	9	3	12	—	11	3	1	—	—	4	6	—	1	6	9
40—45	3	6	5	27	5	22	—	5	—	—	1	9	1	—	11	4
45—50	3	5	1	37	1	28	—	9	—	1	2	6	—	2	10	9
50—55	1	5	4	23	3	17	1	6	—	—	4	10	1	—	6	13
55—60	4	3	2	30	1	21	1	9	—	—	4	7	—	1	15	6
60—65	4	8	3	25	1	13	2	12	—	—	4	4	1	—	11	6
65—70	5	6	1	24	—	14	1	10	—	—	—	2	—	—	9	11
70—75	2	—	—	11	—	3	—	8	—	—	3	—	—	—	7	3
75—80	3	3	3	6	1	—	2	6	—	—	—	2	1	—	6	3
80 and upwards	—	1	—	5	—	—	—	5	—	—	—	—	—	—	—	2

* 59. Diseases of the pituitary gland 80 1. 61. Diseases of the parathyroid glands —.

Causes of Death.	65 (a) Leukæmia.		65 (b) Lymphadenoma (Hodgkin's disease).		66 Alcoholism (acute or chronic).		67 Chronic poisoning by mineral substances.		68 *		III. 70—86 Diseases of the nervous system and sense organs.		70 Encephalitis.		71 Meningitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	75	61	75	42	45	17	19	—	84	68	8035	8592	51	43	449	386
0—1	2	—	—	—	—	—	—	—	22	16	1093	785	3	1	106	102
1—5	4	3	—	—	—	—	—	—	7	7	371	326	3	5	145	121
5—10	7	1	3	2	—	—	—	—	9	3	129	126	2	3	58	46
10—15	5	5	2	1	—	—	—	—	7	3	105	85	6	2	29	24
15—20	7	1	10	3	—	—	—	—	5	1	117	102	6	4	24	19
20—25	3	2	6	2	—	—	—	—	3	6	97	103	1	5	15	15
25—30	2	1	7	3	1	—	1	—	3	6	107	87	6	3	9	4
30—35	3	6	8	7	1	—	—	—	2	2	112	103	2	1	6	8
35—40	4	4	2	5	12	2	—	—	2	1	195	175	2	4	7	9
40—45	6	4	5	—	3	3	1	—	3	—	278	242	1	3	9	5
45—50	5	5	5	4	11	6	5	—	1	—	327	378	3	7	9	12
50—55	3	11	3	2	8	—	6	—	—	7	459	493	4	2	10	6
55—60	8	3	7	3	4	2	2	—	4	3	598	587	2	1	5	3
60—65	6	5	5	1	2	3	1	—	4	2	748	764	2	—	4	4
65—70	5	6	4	5	1	1	2	—	6	3	883	967	3	—	4	2
70—75	3	2	4	1	1	—	—	—	2	3	995	1150	3	1	5	1
75—80	2	2	4	1	1	—	1	—	4	3	814	1030	1	1	2	5
80 and upwards	—	—	—	2	—	—	—	—	—	2	607	1089	1	—	2	—

* 68. Chronic poisoning by organic substances 65, 25.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHs).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	72 Tabes dorsalis (locomotor ataxy).		73 Other diseases of the spinal cord.		74 Cerebral hæmorrhage, apoplexy.		74 (a) Cerebral hæmorrhage.		74 (b) Cerebral embolism and thrombosis		75 Paralysis of unstated origin.		75 (a) Hemi-plegia.		75 (b) Other forms of paralysis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	179	32	246	192	3851	5040	3437	4366	414	674	368	434	313	375	55	59
0—1	—	—	—	—	3	—	2	—	1	—	1	—	1	—	—	—
1—5	—	—	2	2	6	—	4	—	2	—	2	1	1	—	1	1
5—10	—	—	2	—	5	—	4	—	1	—	1	—	1	—	—	—
10—15	—	—	2	1	—	4	—	3	—	1	—	—	—	—	—	—
15—20	—	—	9	3	5	8	3	4	2	4	—	2	—	—	—	2
20—25	—	—	5	1	7	12	7	9	—	3	1	1	—	—	1	1
25—30	—	—	4	3	11	13	7	8	4	5	—	1	—	—	—	1
30—35	5	1	5	7	19	17	16	11	3	6	4	2	1	2	3	—
35—40	10	—	13	14	18	39	16	25	2	14	2	3	—	1	2	2
40—45	12	1	14	20	75	93	69	81	6	12	5	5	3	5	2	—
45—50	23	5	19	15	123	179	118	158	5	21	3	7	2	5	1	2
50—55	30	4	25	19	242	315	224	290	18	25	9	20	9	14	—	6
55—60	30	8	31	34	354	403	324	358	30	45	27	24	22	23	5	1
60—65	36	4	36	23	472	559	427	499	45	60	48	42	45	38	3	4
65—70	17	6	38	22	623	743	578	671	45	72	62	60	55	58	7	2
70—75	12	2	26	13	742	920	658	805	84	115	85	87	69	77	16	10
75—80	3	—	10	7	645	845	559	723	86	122	76	79	66	63	10	16
80 and upwards	1	1	5	8	501	890	421	721	80	169	42	100	38	89	4	11

Causes of Death.	76 General paralysis of the insane.		77 Other forms of insanity.		78 Epilepsy.		79 & 80 Convulsions (non-puerperal).		81 Chorea.		82 Hysteria and neuritis.		83 Cerebral softening.		84 Other diseases of the nervous system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	377	87	94	187	386	400	1104	805	5	24	39	55	137	165	520	548
0—1	—	—	—	—	9	10	926	641	—	—	—	—	—	—	12	14
1—5	—	—	—	—	14	13	163	145	—	—	—	—	—	—	15	15
5—10	—	—	—	—	11	11	13	10	1	7	—	1	—	—	12	9
10—15	—	—	—	—	23	16	1	2	1	6	—	—	—	—	18	7
15—20	1	—	2	2	31	26	—	2	—	6	—	1	—	—	13	10
20—25	1	1	3	5	34	39	—	—	—	2	1	1	1	1	12	10
25—30	6	4	2	1	31	26	—	—	—	1	—	2	—	—	18	16
30—35	22	6	2	7	21	30	1	—	—	—	—	2	1	—	17	17
35—40	61	11	7	13	31	33	—	1	—	1	—	5	—	3	34	32
40—45	90	14	8	25	18	26	—	1	1	—	4	2	3	2	31	36
45—50	60	17	7	30	29	42	—	—	—	—	1	5	2	8	43	46
50—55	49	8	11	21	22	29	—	—	2	—	2	7	5	11	39	46
55—60	37	13	18	20	21	17	—	—	—	1	9	4	10	13	44	43
60—65	27	6	13	22	24	28	—	—	—	—	9	7	14	12	54	54
65—70	15	5	12	24	23	13	—	—	—	—	5	8	23	18	56	61
70—75	7	1	5	11	21	20	—	2	—	—	4	3	26	34	55	54
75—80	1	1	2	2	19	9	—	—	—	—	3	3	28	24	24	48
80 and upwards	—	—	2	4	4	12	—	1	—	—	1	4	24	39	23	30

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHs).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.

(Civilian Population only).

Causes of Death.	85 Diseases of the eye and annexa.		86 Diseases of the ear and of the mastoid sinus.		IV. 87-96 Diseases of the circulatory system.		87-90 Heart disease (all forms).		87 Peri-carditis.		88 Acute endo-carditis and myocarditis.		89 Angina pectoris.		90 Other diseases of the heart.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	8	10	221	184	10767	11367	8107	9418	57	50	363	296	277	131	7410	8941
0—1	1	—	32	17	12	8	1	5	—	1	—	1	—	—	1	3
1—5	—	1	21	23	23	23	17	20	3	1	3	6	—	—	11	13
5—10	1	1	23	38	72	83	71	79	4	4	18	27	—	—	49	48
10—15	—	—	25	23	100	119	99	119	8	9	18	21	—	—	73	89
15—20	1	—	25	19	134	123	129	122	2	1	26	27	—	—	101	94
20—25	—	1	16	9	140	144	138	138	1	1	42	30	—	—	95	107
25—30	—	—	20	13	177	163	174	158	2	1	57	33	—	—	115	124
30—35	—	—	7	5	216	184	209	179	3	2	56	30	—	—	150	147
35—40	1	1	9	6	263	275	241	260	1	1	51	36	4	—	185	223
40—45	—	—	7	9	323	343	291	321	5	1	40	33	10	3	236	284
45—50	—	—	5	5	439	511	366	474	7	2	12	13	16	7	331	452
50—55	1	1	8	4	699	617	555	550	4	7	11	13	28	7	512	523
55—60	—	—	10	3	941	776	742	689	3	5	10	5	42	6	687	673
60—65	1	—	8	3	1310	1109	1004	960	8	1	6	10	33	19	957	930
65—70	—	2	2	3	1696	1518	1262	1286	3	6	6	4	50	25	1203	1251
70—75	2	—	2	1	1720	1800	1209	1492	1	4	4	5	55	21	1149	1462
75—80	—	3	—	3	1413	1704	944	1314	1	1	3	1	31	27	909	1285
80 and upwards	—	—	1	—	1089	1867	655	1252	1	2	—	1	8	16	646	1233

Causes of Death.	90 (1-4) Valvular disease.		90 (5-8) Other defined heart disease.		90 (9) Heart disease undefined.		91 Disease of the arteries.		91 (a) Aneurism.		91 (b) Arterio-sclerosis.		91 (b) 1 With record of cerebral vascular lesion.		91 (b) 2 Without record of cerebral vascular lesion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3643	4341	1958	2363	1809	2237	2527	1784	197	57	2301	1703	754	620	1547	1083
0—1	—	1	—	—	1	2	—	—	—	—	—	—	—	—	—	—
1—5	9	8	—	—	2	5	—	—	—	—	—	—	—	—	—	—
5—10	40	35	—	1	9	12	—	—	—	—	—	—	—	—	—	—
10—15	48	70	1	1	24	18	—	—	—	—	—	—	—	—	—	—
15—20	78	78	1	3	22	13	1	—	—	—	1	—	—	—	1	—
20—25	80	83	3	3	12	21	1	—	1	—	—	—	—	—	—	—
25—30	96	90	3	5	16	29	1	1	—	1	1	—	—	—	1	—
30—35	116	108	9	9	25	30	4	1	3	—	—	1	—	1	—	—
35—40	132	153	18	23	35	47	17	3	10	—	5	3	3	2	2	1
40—45	163	187	27	37	46	60	24	9	8	3	15	4	9	4	6	—
45—50	212	278	54	78	65	96	64	23	34	3	29	20	11	12	18	8
50—55	277	286	119	123	116	114	130	53	37	5	90	46	46	30	44	16
55—60	356	360	170	148	161	165	188	70	37	6	147	60	56	37	91	23
60—65	475	487	243	219	239	224	287	135	26	9	256	126	117	72	139	54
65—70	535	574	372	347	296	330	422	215	24	9	392	203	148	90	244	113
70—75	494	613	339	458	316	391	500	292	13	7	483	283	146	122	337	161
75—80	342	509	322	413	245	363	462	380	3	3	457	373	124	115	333	258
80 and upwards	190	421	277	495	179	317	426	602	1	11	425	584	94	135	331	449

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHs).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	91 (c) Other diseases of the arteries.		92 Embolism and thrombosis (not cerebral).		93 Diseases of the veins, (varices, hæmorrhoids, phlebitis, etc.).		94 Diseases of the lymphatic system (Lymphangitis, etc.).		96* 95 Hæmorrhage without stated cause.		V. 97-107 Diseases of the respiratory system.		97 Diseases of the nasal fossæ and annexa.		98 Diseases of the larynx.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	29	24	56	81	40	65	27	14	10	5	12473	10736	22	17	145	108
0—1	—	—	—	—	—	—	10	2	1	1	2445	1761	2	3	39	15
1—5	—	—	—	—	—	—	6	3	—	—	1497	1225	2	1	64	44
5—10	—	—	—	2	—	1	1	—	—	1	210	241	—	—	16	28
10—15	—	—	—	—	—	—	1	—	—	—	88	81	2	1	3	4
15—20	—	—	1	1	—	—	1	—	2	—	135	102	2	2	—	2
20—25	—	—	1	4	—	—	—	2	—	—	173	105	4	—	—	1
25—30	—	—	1	2	1	2	—	—	—	—	181	131	4	1	2	3
30—35	1	—	1	3	1	1	1	—	—	—	235	147	—	1	1	1
35—40	2	—	2	6	2	5	1	1	—	—	328	211	—	1	2	—
40—45	1	2	4	7	3	5	—	—	1	1	400	211	2	2	2	3
45—50	1	—	6	9	2	5	1	—	—	—	511	263	1	1	4	—
50—55	3	2	8	7	4	5	2	1	—	1	543	293	1	1	2	2
55—60	4	4	7	7	3	7	—	3	1	—	713	439	1	—	2	—
60—65	5	—	7	6	9	8	3	—	—	—	890	622	1	—	2	1
65—70	6	3	4	5	6	12	—	—	2	—	1089	876	—	—	—	2
70—75	4	2	8	9	2	7	—	—	1	—	1120	1158	—	2	1	1
75—80	2	4	3	4	4	5	—	1	—	—	968	1244	—	—	3	—
80 and upwards	—	7	3	9	3	2	—	1	2	1	947	1626	—	1	2	1

* 96. Other diseases of the circulatory system —.

Causes of Death.	99 Bronchitis.		99 (a) Acute.		99 (b) Chronic.		99 (c & d) Not stated whether acute or chronic.		100 & 101 Pneumonia (all forms).		100 Broncho-Pneumonia.		101 Pneumonia (lobar, and not otherwise defined).		101 (a) Pneumonia, lobar.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	5274	5344	1375	1588	1611	1371	2288	2385	6111	4544	2903	2421	3208	2123	1426	916
0—1	886	694	423	329	11	5	452	360	1480	1030	1244	865	236	165	52	42
1—5	282	237	138	132	3	6	141	99	1118	922	861	737	257	185	70	62
5—10	20	28	9	15	3	4	8	9	158	179	75	79	83	100	36	40
10—15	9	6	3	—	2	1	4	5	69	61	26	18	43	43	17	21
15—20	10	9	5	3	4	4	1	2	115	77	15	14	100	63	50	30
20—25	17	5	4	2	5	2	8	1	136	87	14	15	122	72	65	45
25—30	15	14	5	7	7	2	3	5	142	95	23	22	119	73	69	41
30—35	29	13	11	6	12	3	6	4	189	110	19	20	170	90	84	44
35—40	57	34	9	12	25	7	23	15	246	157	25	22	221	135	114	65
40—45	69	47	19	11	29	23	21	13	276	132	35	24	241	108	118	53
45—50	129	81	23	25	50	23	56	33	314	150	47	33	267	117	147	61
50—55	167	124	41	31	67	44	59	49	283	135	57	31	226	104	116	46
55—60	281	188	64	53	114	77	103	58	338	200	67	53	271	147	132	67
60—65	454	344	92	98	206	128	156	118	325	219	80	69	245	150	113	65
65—70	648	532	98	130	308	185	242	217	338	261	105	91	233	170	98	83
70—75	745	785	148	186	300	275	297	324	283	294	92	125	191	169	76	66
75—80	731	919	139	228	260	277	332	414	170	228	65	106	105	122	44	52
80 and upwards	725	1284	144	320	205	305	376	659	131	207	53	97	78	110	25	33

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHs).—CAUSES
OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	101 (b) Pneumonia, not otherwise defined.		102 Pleurisy.		103 Congestion and hæmorrhagic infarct of lung.		104 Gangrene of the lung.		105 Asthma.		106 Pulmonary emphy- sema.		107 Other diseases of the respiratory system.		107 (a) Chronic interstitial pneumonia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1782	1207	258	191	185	231	11	4	341	241	36	13	90	43	55	22
0—1	184	123	8	4	25	15	—	—	4	—	—	—	1	—	—	—
1—5	187	123	20	15	8	4	—	—	2	1	—	—	1	1	1	—
5—10	47	60	7	3	2	2	—	—	6	1	—	—	1	—	—	—
10—15	26	22	—	6	1	2	1	—	—	1	—	—	3	—	1	—
15—20	50	33	3	7	2	3	1	—	2	1	—	—	—	1	—	1
20—25	57	27	11	8	2	1	—	—	2	1	—	—	1	2	—	—
25—30	50	32	10	6	2	3	—	—	2	7	—	—	4	2	—	2
30—35	86	46	10	11	—	5	1	—	3	5	—	—	2	1	1	—
35—40	107	70	8	7	1	2	1	—	11	7	—	1	2	2	1	2
40—45	123	55	19	9	2	1	1	—	18	14	2	—	9	3	3	2
45—50	120	56	17	11	4	4	1	—	28	10	3	3	10	3	8	2
50—55	110	58	35	8	5	3	1	—	35	17	2	—	12	3	7	1
55—60	139	80	24	12	9	8	1	1	42	23	5	2	10	5	8	2
60—65	132	85	26	12	9	9	1	—	49	34	7	—	16	3	13	2
65—70	135	87	21	19	10	16	—	—	59	36	7	4	6	6	6	5
70—75	115	103	18	18	28	19	—	1	34	30	4	2	7	6	6	2
75—80	61	70	8	15	25	49	1	2	23	28	4	—	3	3	—	1
80 and upwards	53	77	13	20	50	85	1	—	21	25	2	1	2	2	—	—

Causes of Death.	107 (b) Diseases of the media- stinum.		107 (c) Other diseases included under 107.		VI. 108-127 Diseases of the digestive system.		108 Diseases of the buccal cavity and annexa.		108 (1) Diseases of the teeth and gums.		108 (2) Other diseases of the buccal cavity and annexa.		109 Diseases of the pharynx and tonsils.		110 Diseases of the œso- phagus.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3	—	32	21	6353	5294	91	81	69	53	22	28	115	104	12	6
0—1	—	—	1	—	2582	1680	8	8	6	5	2	3	11	7	—	—
1—5	—	—	—	1	511	462	11	6	6	4	5	2	22	30	—	—
5—10	—	—	1	—	200	140	6	1	4	1	2	—	28	15	1	—
10—15	—	—	2	—	111	95	1	3	1	1	—	2	5	7	—	—
15—20	—	—	—	—	142	86	1	1	1	—	—	1	6	4	—	—
20—25	—	—	1	2	95	82	—	3	—	2	—	1	8	2	—	—
25—30	2	—	2	—	84	104	2	1	2	1	—	—	5	8	—	—
30—35	—	—	1	1	97	116	5	4	3	2	2	2	4	6	—	1
35—40	—	—	1	—	153	140	2	4	1	3	1	1	2	5	—	—
40—45	—	—	6	1	169	187	3	—	3	—	—	—	—	4	1	—
45—50	—	—	2	1	246	213	9	9	9	8	—	1	6	3	1	—
50—55	—	—	5	2	298	261	11	10	10	8	1	2	2	3	1	1
55—60	—	—	2	3	316	246	8	6	6	6	2	—	2	—	3	1
60—65	1	—	2	1	357	273	11	3	10	1	1	2	3	2	2	3
65—70	—	—	—	1	330	326	4	8	2	5	2	3	4	2	1	—
70—75	—	—	1	4	262	308	3	2	1	1	2	1	3	1	1	—
75—80	—	—	3	2	195	273	3	4	2	2	1	2	2	2	—	—
80 and upwards	—	—	2	2	205	302	3	8	2	3	1	5	2	3	1	—

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHs).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	111 Ulcer of the stomach or duodenum.		111 (a) Ulcer of the stomach.		111 (b) Ulcer of the duodenum.		112 Other diseases of the stomach.		113 & 114 Diarrhoea and enteritis.		115* 116* Diseases due to other intestinal parasites.		117 Appendicitis and typhlitis.		118 Hernia, intestinal obstruction.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	495	288	308	249	187	39	531	511	3016	2358	3	4	520	426	730	709
0—1	1	1	—	—	1	1	224	165	2191	1436	—	—	4	—	125	46
1—5	—	—	—	—	—	—	33	32	385	351	—	3	18	12	30	10
5—10	1	2	—	1	1	1	14	12	41	39	—	1	77	52	25	8
10—15	—	1	—	1	—	—	8	4	13	10	—	—	65	58	12	9
15—20	9	6	8	6	1	—	3	5	15	7	—	—	79	49	19	5
20—25	14	9	7	9	7	—	2	5	4	7	—	—	52	33	9	11
25—30	19	11	13	9	6	2	5	4	11	15	—	—	23	35	13	9
30—35	28	20	14	17	14	3	7	6	5	21	—	—	26	24	6	15
35—40	64	29	44	25	20	4	9	4	14	23	—	—	21	27	17	27
40—45	53	43	31	37	22	6	15	8	12	27	1	—	25	28	14	36
45—50	60	34	42	31	18	3	10	26	24	24	—	—	34	29	26	35
50—55	57	37	31	32	26	5	24	20	25	28	—	—	31	16	47	56
55—60	55	16	32	15	23	1	24	19	16	33	—	—	22	12	44	58
60—65	60	28	42	23	18	5	28	29	36	41	—	—	16	13	71	70
65—70	42	21	25	16	17	5	36	31	48	58	—	—	13	17	69	83
70—75	13	18	9	16	4	2	30	45	59	73	—	—	9	10	77	80
75—80	15	7	8	7	7	—	26	50	49	73	2	—	3	6	63	76
80 and upwards	4	5	2	4	2	1	33	46	68	92	—	—	2	5	63	75

*115. Ankylostomiasis — ; 116 (a) Cestodes (hydatids of the liver excepted) 40, 75, 75 ; 116 (c) Nematodes 1, 5 ; 116 (f) Undefined parasites 1, 1.

Causes of Death.	118 (a) Hernia.		118 (b) Intestinal obstruction.		119 Other diseases of the intestines.		120 Acute yellow atrophy of the liver.		121 Hydatid tumour of the liver.		122 Cirrhosis of the liver.		122 (a) Returned as alcoholic.		122 (b) Not returned as alcoholic.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	266	289	464	420	77	71	13	10	3	4	453	220	31	17	422	203
0—1	23	5	102	41	6	7	1	—	—	—	2	—	—	—	2	—
1—5	3	—	27	10	2	1	1	—	—	—	1	3	—	—	1	3
5—10	2	1	23	7	—	—	1	2	1	—	1	1	—	—	1	1
10—15	—	1	12	8	—	1	—	—	—	—	—	1	—	—	—	1
15—20	1	—	18	5	1	1	1	1	—	—	2	2	—	—	2	2
20—25	1	—	8	11	1	4	1	3	—	—	—	1	—	—	—	1
25—30	2	2	11	7	—	4	1	2	—	—	—	1	—	—	—	1
30—35	2	3	4	12	2	1	2	1	—	1	5	5	—	1	5	4
35—40	4	5	13	22	1	1	1	1	1	2	8	5	1	—	7	5
40—45	6	14	8	22	4	7	—	—	—	1	28	19	3	2	25	17
45—50	10	17	16	18	8	4	1	—	—	—	46	24	4	4	42	20
50—55	18	35	29	21	5	6	1	—	—	—	67	38	8	2	59	36
55—60	19	29	25	29	12	3	1	—	—	—	83	21	7	2	76	19
60—65	27	31	44	39	9	4	—	—	—	—	88	30	6	4	82	26
65—70	37	43	32	40	9	2	—	—	—	1	67	29	1	1	66	28
70—75	38	38	39	42	8	11	1	—	—	—	33	24	—	1	33	23
75—80	36	38	27	38	4	5	—	—	—	—	12	11	—	—	12	11
80 and upwards	37	27	26	48	5	9	—	—	—	—	10	5	1	—	9	5

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHES).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.

(Civilian Population only).

Causes of Death.	123 Biliary calculi.		124 Other diseases of the liver.		125 Diseases of the pancreas.		127 * 126 Peritonitis of unstated origin.		VII. 128-142 Non-puerperal diseases of the genito-urinary system.		128 Acute nephritis (including unspecified under 10 years of age).		129 Chronic nephritis (including unspecified over 10 years of age).		130 * 131 Other diseases of the kidneys and annexa.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	103	239	106	170	36	27	49	66	3437	2489	261	239	1893	1665	90	88
0—1	—	—	2	4	2	—	5	6	33	15	12	10	—	—	2	2
1—5	—	—	5	3	—	—	3	11	30	25	27	22	2	2	1	—
5—10	—	—	3	1	—	—	1	6	35	26	26	19	7	5	—	—
10—15	—	—	—	—	1	—	6	1	29	28	9	13	17	10	1	2
15—20	—	—	—	2	1	1	5	2	28	28	11	8	14	13	1	2
20—25	—	—	—	1	—	1	4	2	33	58	10	15	21	25	—	1
25—30	—	2	4	6	1	2	—	4	52	71	9	13	32	27	2	4
30—35	1	2	4	2	—	2	1	6	75	90	10	9	53	39	5	7
35—40	2	2	6	6	2	1	3	3	84	127	13	18	54	60	7	6
40—45	2	5	5	5	6	1	—	3	129	187	21	22	88	100	8	7
45—50	6	10	5	7	5	3	5	5	194	220	17	23	137	117	7	12
50—55	12	23	8	15	4	5	3	3	267	234	19	10	207	174	9	10
55—60	22	48	17	24	5	3	2	2	337	228	25	13	240	168	9	8
60—65	18	26	9	20	4	2	2	2	407	239	15	18	276	186	7	5
65—70	16	39	14	26	4	4	3	5	504	273	13	6	287	231	6	5
70—75	11	31	11	11	1	—	2	2	465	264	16	9	206	215	9	3
75—80	7	21	6	15	—	2	3	1	384	225	5	8	138	181	6	9
80 and upwards	6	30	7	22	—	—	1	2	351	151	3	3	114	112	10	5

* 127. Other diseases of the digestive system —; 130. Chyluria —.

Causes of Death.	132 Calculi of the urinary passages.		133 Diseases of the bladder.		134 Diseases of the urethra, urinary abscess, etc.		134 (a) Stricture of the urethra.		134 (b) Other diseases of the urethra, etc.		135 Diseases of the prostate.		136 Non-venereal diseases of the male genital organs.		137 Cysts and other tumours of the ovary not returned as malignant.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	58	31	311	75	100	2	76	—	24	2	701	—	20	—	—	103
0—1	—	—	1	1	—	—	—	—	—	—	—	—	15	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
15—20	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	2
20—25	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	1
25—30	6	—	2	3	1	—	—	—	1	—	—	—	—	—	—	6
30—35	—	2	5	2	1	1	1	—	—	1	1	—	—	—	—	7
35—40	2	1	2	—	5	—	4	—	1	—	1	—	—	—	—	5
40—45	1	1	4	1	7	—	5	—	2	—	—	—	—	—	—	7
45—50	7	5	11	4	11	—	8	—	3	—	3	—	1	—	—	11
50—55	5	1	12	6	9	—	5	—	4	—	6	—	—	—	—	3
55—60	8	4	20	4	13	—	10	—	3	—	22	—	—	—	—	14
60—65	4	3	28	3	13	—	9	—	4	—	64	—	—	—	—	14
65—70	9	2	36	11	21	—	18	—	3	—	129	—	3	—	—	10
70—75	6	4	55	11	9	1	6	—	3	1	164	—	—	—	—	11
75—80	6	2	60	13	7	—	7	—	—	—	161	—	1	—	—	6
80 and upwards	—	1	71	14	3	—	3	—	—	—	150	—	—	—	—	6

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHs).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	138 Salpingitis and pelvic abscess.		139 Tumours of the uterus not returned as malignant.		140 Uterine hæmorrhage.		141 Other diseases of the female genital organs.		142 Non-puerperal diseases of the breast.		VIII. 143-150 The puerperal state.		143 Accidents of pregnancy.		143 (a) Abortion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	93	—	128	—	16	—	44	3	5	—	1146	—	114	—	38
0—1	—	—	—	—	—	—	—	—	3	2	—	—	—	—	—	—
1—5	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
15—20	—	1	—	—	—	—	—	—	—	—	—	26	—	1	—	1
20—25	—	12	—	—	—	1	—	1	—	—	—	171	—	12	—	3
25—30	—	11	—	4	—	1	—	2	—	—	—	262	—	23	—	6
30—35	—	15	—	3	—	1	—	4	—	—	—	267	—	28	—	6
35—40	—	18	—	8	—	3	—	6	—	2	—	263	—	37	—	16
40—45	—	13	—	26	—	3	—	7	—	—	—	140	—	10	—	6
45—50	—	9	—	31	—	5	—	3	—	—	—	16	—	2	—	—
50—55	—	5	—	19	—	2	—	4	—	—	—	1	—	1	—	—
55—60	—	5	—	8	—	—	—	4	—	—	—	—	—	—	—	—
60—65	—	2	—	5	—	—	—	3	—	—	—	—	—	—	—	—
65—70	—	1	—	4	—	—	—	2	—	1	—	—	—	—	—	—
70—75	—	—	—	7	—	—	—	3	—	—	—	—	—	—	—	—
75—80	—	—	—	5	—	—	—	1	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	8	—	—	—	2	—	—	—	—	—	—	—	—

Causes of Death.	143 (b) Ectopic gestation.		143 (c) Other accidents.		144 Puerperal hæmorrhage.		145 Other accidents of childbirth.		146 Puerperal sepsis.		147 Phlegmasia alba dolens puerperal embolism, etc.		148 Puerperal albuminuria and convulsions.		150* 149 Childbirth not assignable elsewhere (puerperal insanity).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	31	—	45	—	162	—	153	—	362	—	132	—	217	—	5
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	—	—	—	3	—	1	—	8	—	1	—	12	—	—
20—25	—	1	—	8	—	9	—	23	—	73	—	7	—	43	—	3
25—30	—	10	—	7	—	30	—	40	—	88	—	21	—	60	—	—
30—35	—	12	—	10	—	33	—	35	—	87	—	39	—	44	—	1
35—40	—	6	—	15	—	48	—	36	—	66	—	41	—	35	—	—
40—45	—	1	—	3	—	34	—	18	—	36	—	20	—	21	—	1
45—50	—	—	—	2	—	5	—	—	—	4	—	3	—	2	—	—
50—55	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* 150. Puerperal diseases of the breast 20.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHs).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	IX. 151-154 Diseases of the skin and cellular tissue.		151 Gangrene.		152 Furuncle.		153 Phlegmon acute abscess.		154 Other diseases of the skin and its annexa.		X. 155-158 Diseases of the bones and organs of locomotion.		155 Diseases of the bones.		156 Diseases of the joints.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	590	487	244	199	85	35	119	112	142	141	139	84	110	69	20	11
0—1	99	63	2	1	—	—	23	25	74	37	9	10	6	10	2	—
1—5	12	11	1	2	1	1	6	4	4	4	13	9	9	9	4	—
5—10	4	4	—	2	—	1	4	1	—	—	16	10	15	10	1	—
10—15	3	1	—	—	—	—	3	1	—	—	27	10	25	9	1	1
15—20	9	6	1	—	2	1	6	5	—	—	21	3	18	3	2	—
20—25	3	8	—	2	—	2	2	2	1	2	5	3	3	2	2	1
25—30	5	9	—	—	1	2	4	6	—	1	4	1	3	—	—	1
30—35	6	3	—	—	4	—	2	2	—	1	3	3	3	2	—	1
35—40	7	10	1	1	3	2	3	4	—	3	1	5	—	3	—	1
40—45	16	5	1	—	3	1	8	4	4	—	4	2	3	1	1	—
45—50	15	10	2	1	8	1	4	5	1	3	5	2	3	2	1	—
50—55	26	22	5	2	10	4	9	9	2	7	6	4	5	2	—	2
55—60	28	18	4	7	10	2	9	4	5	5	8	3	5	1	3	2
60—65	35	31	8	12	12	2	10	4	5	13	2	3	2	2	—	1
65—70	48	47	23	22	7	2	8	10	10	13	6	3	4	2	1	—
70—75	92	64	68	33	9	8	2	9	13	14	5	6	4	4	—	1
75—80	90	73	57	47	8	1	10	9	15	16	3	4	1	4	2	—
80 and upwards	92	102	71	67	7	5	6	8	8	22	1	3	1	3	—	—

Causes of Death.	157* 158 Other diseases of the organs of locomotion.		XI. 159 Malformations.		XII. 160-163 Diseases of early infancy.		160 Congenital debility.		161 Premature birth, injury at birth.		161 (1) Premature birth.		161 (2) Injury at birth.		162 Other diseases peculiar to early infancy.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	9	4	737	545	5082	3805	1378	976	3365	2548	3123	2394	242	154	294	234
0—1	1	—	667	479	5082	3805	1378	976	3365	2548	3123	2394	242	154	294	234
1—5	—	—	36	32	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	11	9	—	—	—	—	—	—	—	—	—	—	—	—
10—15	1	—	9	7	—	—	—	—	—	—	—	—	—	—	—	—
15—20	1	—	5	7	—	—	—	—	—	—	—	—	—	—	—	—
20—25	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—
25—30	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—35	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
35—40	1	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—
40—45	—	1	2	2	—	—	—	—	—	—	—	—	—	—	—	—
45—50	1	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
50—55	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
55—60	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* 157. Amputation —.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHs).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	163 Lack of care.		XIII. 164 Old age.		XIV. 165-203 External causes.		165-174 Total.		165 & 166 By solid or liquid poisons and corrosive substances.		167 By poisonous gas.		168 By hanging or strangulation.		169 By drowning.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	45	47	3778	5743	3789	1541	847	367	49	57	50	42	215	49	207	154
0-1	45	47	—	—	118	106	—	—	—	—	—	—	—	—	—	—
1-5	—	—	—	—	246	182	—	—	—	—	—	—	—	—	—	—
5-10	—	—	—	—	206	84	—	—	—	—	—	—	—	—	—	—
10-15	—	—	—	—	139	50	3	—	—	—	—	—	2	—	—	—
15-20	—	—	—	—	225	62	10	25	—	5	—	—	3	1	3	18
20-25	—	—	—	—	215	61	27	23	6	1	2	1	4	2	4	15
25-30	—	—	—	—	194	54	22	22	3	6	—	1	4	1	6	12
30-35	—	—	—	—	198	56	49	26	3	5	1	2	12	4	15	13
35-40	—	—	—	—	218	82	60	40	—	7	7	3	12	2	12	20
40-45	—	—	—	—	272	80	89	49	7	7	3	7	18	6	17	19
45-50	—	—	—	—	324	76	108	46	8	8	7	7	28	6	28	17
50-55	—	—	1	1	296	71	106	36	4	7	9	3	24	10	30	11
55-60	—	—	6	10	301	93	111	39	7	6	10	5	21	7	29	10
60-65	—	—	32	37	273	79	105	25	6	3	4	4	35	7	26	7
65-70	—	—	150	179	209	82	65	19	2	1	4	7	21	1	16	7
70-75	—	—	676	772	152	75	56	9	1	1	2	2	19	—	13	3
75-80	—	—	970	1392	108	100	28	7	2	—	1	—	8	2	7	2
80 and upwards	—	—	1943	3352	95	148	8	1	—	—	—	—	4	—	1	—

Causes of Death.	Suicide—contd.										175-196 201-203 Violent deaths, excluding suicide and homicide.		175 Food poisoning.		176 Poisoning by venomous animals.	
	170 By firearms.		171 By cutting or piercing instruments.		172 By jumping from high places.		173 By crushing.		174 By other means.							
	Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Ages	54	—	192	36	19	12	60	9	1	8	2916	1133	12	8	1	4
0—1	—	—	—	—	—	—	—	—	—	—	112	96	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	244	181	—	2	—	—
5—10	—	—	—	—	—	—	—	—	—	—	205	81	1	—	—	—
10—15	—	—	—	—	—	—	1	—	—	—	136	49	1	1	—	—
15—20	1	—	1	—	—	—	2	—	—	1	213	36	1	—	—	—
20—25	4	—	3	1	—	1	4	1	—	1	187	34	—	—	—	1
25—30	1	—	5	1	1	—	2	1	—	—	172	30	—	1	—	—
30—35	3	—	11	1	1	—	3	1	—	—	146	26	1	—	1	—
35—40	10	—	13	3	2	1	4	3	—	1	156	36	2	—	—	1
40—45	6	—	30	4	1	2	7	1	—	3	181	30	—	2	—	—
45—50	5	—	20	6	4	1	8	—	—	1	215	27	1	—	—	—
50—55	5	—	22	2	1	2	11	1	—	—	187	34	2	—	—	—
55—60	6	—	30	9	3	1	4	1	1	—	189	52	—	—	—	—
60—65	7	—	19	3	2	1	6	—	—	—	167	53	—	—	—	—
65—70	4	—	14	2	2	1	2	—	—	—	144	62	1	2	—	—
70—75	2	—	12	1	2	1	5	—	—	1	96	66	2	—	—	1
75—80	—	—	9	2	—	1	1	—	—	—	80	93	—	—	—	1
80 and upwards	—	—	3	1	—	—	—	—	—	—	86	147	—	—	—	—

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHs).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.

(Civilian Population only).

Causes of Death.	177 By acute accidental poisonings.		178 Conflagration.		179 Burns (conflagration excepted).		180 Accidental mechanical suffocation.		181 Accidental absorption of irrespirable or poisonous gas.		182 Accidental drowning.		183 Accidental injury by firearms.		184 Accidental injury by cutting or piercing instruments.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	23	12	10	8	227	287	107	89	30	11	528	106	14	—	5	1
0—1	—	—	—	—	16	9	74	72	1	—	5	6	—	—	—	—
1—5	2	3	1	4	114	93	6	6	—	—	37	11	—	—	—	—
5—10	2	—	3	—	15	34	1	—	—	—	59	5	—	—	—	—
10—15	1	—	—	—	6	24	3	—	—	—	46	7	1	—	1	—
15—20	—	1	1	—	9	13	4	1	2	1	59	7	6	—	1	1
20—25	—	1	—	—	2	9	2	2	3	—	44	11	3	—	—	—
25—30	1	—	—	—	2	10	2	—	3	—	25	8	—	—	1	—
30—35	3	1	—	—	1	3	1	1	—	2	23	7	—	—	—	—
35—40	1	1	1	1	4	4	2	2	1	—	30	7	—	—	—	—
40—45	1	—	1	1	7	9	2	1	4	—	20	3	—	—	—	—
45—50	5	1	—	—	7	5	1	—	3	—	38	4	1	—	1	—
50—55	—	—	—	—	3	7	4	1	1	1	42	4	—	—	—	—
55—60	3	1	1	—	4	5	—	—	5	1	33	8	1	—	—	—
60—65	2	1	—	—	9	4	1	1	4	2	29	9	—	—	—	—
65—70	—	—	1	—	5	13	1	—	—	—	20	5	2	—	—	—
70—75	2	—	—	1	9	12	1	—	1	2	6	1	—	—	1	—
75—80	—	1	1	1	7	16	1	1	2	2	6	1	—	—	—	—
80 and upwards	—	1	—	—	7	17	1	1	—	—	6	2	—	—	—	—

Causes of Death.	185 Accidental injury by fall.		186 Accidental injury in mines and quarries.		187 Accidental injury by machinery.		188 Accidental injury by other forms of crushing (vehicles, etc.).		189 Injury by animals (poisoning excepted).		190 Wounds of war.		191* 192 Hunger or thirst.		193 Excessive cold.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	459	324	354	—	51	1	893	213	13	3	35	—	2	7	11	2
0—1	6	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—
1—5	16	9	—	—	2	—	56	47	2	2	—	—	—	—	—	—
5—10	12	5	—	—	—	—	103	35	1	—	—	—	—	—	—	—
10—15	18	2	5	—	2	—	42	11	—	—	—	—	—	—	—	—
15—20	13	2	35	—	5	1	62	7	1	—	—	—	—	—	1	—
20—25	14	1	42	—	3	—	59	7	—	—	6	—	—	—	—	—
25—30	14	—	41	—	7	—	56	9	2	—	9	—	—	—	—	1
30—35	13	4	33	—	4	—	55	8	—	—	5	—	—	—	—	—
35—40	18	4	31	—	2	—	49	15	—	—	6	—	—	—	—	—
40—45	25	4	44	—	9	—	52	7	1	—	6	—	—	—	—	—
45—50	29	10	34	—	3	—	79	7	1	—	3	—	1	—	—	—
50—55	21	8	35	—	1	—	67	7	1	—	—	—	—	1	1	—
55—60	49	21	22	—	5	—	62	9	1	—	—	—	—	1	1	—
60—65	44	19	13	—	4	—	47	11	1	—	—	—	1	2	3	—
65—70	36	28	10	—	2	—	57	10	1	—	—	—	—	1	1	—
70—75	33	36	8	—	2	—	22	8	1	—	—	—	—	1	—	—
75—80	43	59	1	—	—	—	13	7	—	—	—	—	—	—	2	—
80 and upwards	55	112	—	—	—	—	11	6	—	1	—	—	—	1	2	1

* 191. Execution of civilians by belligerent armies — .

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHs).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	194 Excessive heat.		195*		Homicide.								201 Fracture (cause not specified).	
			196 Electricity (lightning excepted).		197-199 All forms.		197 By firearms.		198 By cutting or piercing instruments.		199 By other means.			
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	50	43	9	—	26	41	2	1	6	10	18	30	15	11
0—1	6	4	—	—	6	10	—	—	—	1	6	9	—	11
1—5	2	3	1	—	2	1	—	—	—	1	2	—	1	—
5—10	3	—	—	—	1	3	—	—	1	1	—	2	—	—
10—15	4	3	1	—	—	1	—	—	—	1	—	—	1	—
15—20	—	2	1	—	2	1	—	—	—	1	2	—	2	—
20—25	1	—	1	—	1	4	1	—	—	1	—	3	—	—
25—30	—	1	2	—	—	2	—	—	—	—	—	2	2	—
30—35	1	—	1	—	3	4	—	—	1	—	2	4	2	—
35—40	3	—	—	—	2	6	—	1	—	1	2	4	—	—
40—45	3	2	1	—	2	1	—	—	1	—	1	1	—	—
45—50	3	—	—	—	1	3	—	—	—	1	1	2	2	—
50—55	4	4	—	—	3	1	1	—	2	1	—	—	1	—
55—60	—	6	—	—	1	2	—	—	—	1	1	1	1	—
60—65	4	3	1	—	1	1	—	—	1	—	—	1	2	—
65—70	5	3	—	—	—	1	—	—	—	—	—	1	—	—
70—75	6	4	—	—	—	—	—	—	—	—	—	—	—	—
75—80	2	4	—	—	—	—	—	—	—	—	—	—	1	—
80 and upwards	3	4	—	—	1	—	—	—	—	—	1	—	—	—

* 195. Lightning —.

Causes of Death.	202 Other external violence.		203 Violent deaths of unknown causation.		XV. 204-205 Ill-defined diseases.		204 Sudden death.		205 Cause of death unstated or ill-defined.		205 (1) Heart failure, 1-70 years.		205 (2 & 3) Others.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	63	12	4	1	407	277	87	44	320	233	207	138	113	99
0—1	2	1	1	1	27	19	—	—	27	19	—	—	27	19
1—5	4	1	—	—	33	23	1	1	32	22	5	1	27	23
5—10	5	2	—	—	4	4	—	—	4	4	1	2	3	—
10—15	4	1	—	—	5	5	—	2	5	3	5	1	—	—
15—20	10	—	—	—	4	2	1	—	3	2	1	—	2	—
20—25	7	2	—	—	4	5	1	—	3	5	2	2	1	—
25—30	5	—	—	—	6	5	2	1	4	4	3	4	1	—
30—35	2	—	—	—	6	4	1	—	5	4	5	2	—	—
35—40	6	1	—	—	15	8	4	1	11	7	9	7	2	—
40—45	4	1	1	—	23	15	8	1	15	14	13	9	2	—
45—50	2	—	1	—	24	19	2	3	22	16	18	11	4	—
50—55	4	1	—	—	42	17	11	6	31	11	24	11	7	—
55—60	1	—	—	—	42	27	14	6	28	21	26	17	2	—
60—65	2	1	—	—	65	46	23	12	42	34	34	31	8	—
65—70	2	—	—	—	89	64	19	11	70	53	61	40	9	13
70—75	1	—	1	—	7	4	—	—	7	4	—	—	7	—
75—80	1	—	—	—	6	5	—	—	6	5	—	—	6	—
80 and upwards	1	1	—	—	5	5	—	—	5	5	—	—	5	—

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	All Causes.		I. 1-42 Epidemic, Endemic and Infectious Diseases.		1 Enteric fever.		1 (a) Typhoid fever.		1 (b) Paratyphoid fevers.		2, 3, 4*		6*		8 Scarlet fever.	
											5 Malaria.		7 Measles.			
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	45974	44289	5847	5795	54	58	54	57	—	1	18	—	114	112	77	94
0—1	6710	4899	520	474	—	—	—	—	—	—	—	—	31	29	1	4
1—5	1983	1750	637	584	—	1	—	1	—	—	—	—	70	60	21	29
5—10	862	779	364	380	5	3	5	3	—	—	—	—	10	18	36	26
10—15	590	601	209	275	4	2	4	2	—	—	—	—	2	2	9	10
15—20	884	844	334	479	6	9	6	9	—	—	—	—	—	—	4	6
20—25	987	1032	474	574	6	9	6	9	—	—	1	—	—	—	—	5
25—30	949	1085	434	504	3	8	3	8	—	—	8	—	—	—	1	5
30—35	984	1089	391	408	5	4	5	4	—	—	4	—	1	—	2	2
35—40	1135	1241	395	379	4	4	4	4	—	—	3	—	—	1	1	3
40—45	1391	1326	402	291	4	6	4	6	—	—	—	—	—	—	—	—
45—50	1652	1593	344	256	5	3	5	3	—	—	1	—	—	1	2	1
50—55	2061	1867	280	211	2	3	2	3	—	—	—	—	—	—	—	—
55—60	2737	2322	285	206	4	3	4	3	—	—	1	—	—	1	—	1
60—65	3322	2902	231	175	2	—	2	—	—	—	—	—	—	—	—	1
65—70	4209	3887	183	187	3	1	3	1	—	—	—	—	—	—	—	—
70—75	4705	4523	168	144	1	2	1	1	—	1	—	—	—	—	—	—
75—80	4891	4937	109	122	—	—	—	—	—	—	—	—	—	—	—	1
80 and upwards	5922	7612	87	146	—	—	—	—	—	—	—	—	—	—	—	—

*2. Typhus —; 3. Relapsing fever (*Spirillum obermeieri*) —; 4. Mediterranean fever —; 6. Smallpox, 10.

Causes of Death.	9 Whooping cough.		10 Diphtheria.		11 Influenza.		11 (a) With pulmonary complications.		11 (b) Without pulmonary complications.		12* 13 Mumps.		14* 15 Cholera nostras.		16 Dysentery.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	329	359	361	382	942	891	503	462	439	429	3	7	1	—	23	23
0—1	196	208	9	9	65	37	32	24	33	13	—	—	—	—	2	—
1—5	124	140	129	129	52	34	29	20	23	14	—	3	—	—	2	1
5—10	8	8	141	164	26	36	10	16	16	20	1	2	—	—	—	—
10—15	1	1	57	48	13	13	3	5	10	8	—	1	—	—	—	—
15—20	—	—	13	10	32	26	15	14	17	12	—	—	—	—	1	1
20—25	—	—	5	6	34	30	23	17	11	13	1	—	—	—	2	1
25—30	—	—	1	3	21	30	10	14	11	16	—	—	—	—	1	—
30—35	—	—	2	1	22	29	15	15	7	14	—	—	—	—	2	1
35—40	—	—	3	2	42	34	27	20	15	14	—	—	—	—	3	2
40—45	—	—	—	2	49	30	32	16	17	14	—	—	—	—	1	1
45—50	—	—	—	3	48	31	30	16	18	15	—	—	—	—	2	1
50—55	—	—	1	2	51	40	36	26	15	14	—	—	—	—	1	3
55—60	—	—	—	1	63	55	32	33	31	22	1	—	—	—	1	1
60—65	—	1	—	—	74	67	47	32	27	35	—	1	—	—	—	—
65—70	—	—	—	1	95	100	43	46	52	54	—	—	—	—	2	3
70—75	—	1	—	—	102	87	45	40	57	47	—	—	—	—	1	2
75—80	—	—	—	—	82	89	45	49	37	40	—	—	—	—	—	4
80 and upwards	—	—	—	1	71	123	29	59	42	64	—	—	1	—	2	2

*12. Miliary fever —; 14. Asiatic cholera —.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921
(Civilian Population only).

Causes of Death.	16 (a) Amœbic.		16 (b) Bacillary.		16 (c) Other or unspecified		17, 18, 19, 20*		22 Acute poliomyelitis.		23 Encephalitis lethargica.		24 Meningococcal meningitis.		25 Other epidemic and endemic diseases.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1	—	2	2	20	21	55	58	21	19	69	76	36	31	7	—
0—1	—	—	—	—	2	—	9	8	1	3	1	1	9	1	1	—
1—5	—	—	—	—	2	1	1	1	9	2	7	9	6	8	2	—
5—10	—	—	—	—	—	—	—	—	3	3	4	3	4	5	1	—
10—15	—	—	—	—	—	—	—	1	1	3	2	3	1	2	—	—
15—20	1	—	—	—	—	1	1	2	3	1	5	6	4	3	—	—
20—25	—	—	—	—	2	1	—	1	1	3	2	11	1	2	—	—
25—30	—	—	—	—	1	—	—	1	—	—	3	8	6	3	—	—
30—35	—	—	—	—	2	1	—	1	1	—	4	5	1	1	1	—
35—40	—	—	2	—	1	2	3	6	—	2	6	7	1	1	—	—
40—45	—	—	—	1	1	—	3	2	—	—	3	2	1	—	1	—
45—50	—	—	—	—	2	1	2	4	—	—	7	4	1	3	—	—
50—55	—	—	—	1	1	2	5	5	1	1	8	3	1	—	—	—
55—60	—	—	—	—	1	1	7	7	1	—	9	6	—	1	—	—
60—65	—	—	—	—	—	—	1	2	—	1	5	3	—	1	—	—
65—70	—	—	—	—	2	3	8	3	—	—	1	3	—	—	1	—
70—75	—	—	—	—	1	2	6	7	—	—	2	1	—	—	—	—
75—80	—	—	—	—	—	4	3	2	—	—	—	1	—	—	—	—
80 and upwards	—	—	—	—	2	2	6	5	—	—	—	—	—	—	—	—

*17. Plague — ; 18. Yellow Fever — ; 19. Spirochætosis ictero-hæmorrhagica — ; 20. Leprosy — .

Causes of Death.	26*		28*		30		Tuberculosis.								34	
Ages at Death.	M.	F.	M.	F.	M.	F.	31—37 All forms.		31 Respiratory system.		32 Nervous system.		33 Intestines and peritoneum.		M.	F.
All Ages	—	—	45	9	12	9	3492	3524	2673	2704	288	256	173	212	71	—
0—1	—	—	4	—	9	6	106	96	8	9	52	47	32	26	—	—
1—5	—	—	4	2	—	1	206	158	25	21	104	66	51	43	3	—
5—10	—	—	3	—	—	—	119	109	19	25	58	49	17	16	3	—
10—15	—	—	6	1	—	—	106	185	47	114	23	35	11	14	2	—
15—20	—	—	7	1	—	—	250	413	194	338	23	20	10	19	4	—
20—25	—	—	2	—	—	—	415	502	368	441	9	13	7	14	10	—
25—30	—	—	—	—	—	—	386	444	343	390	4	9	6	16	9	—
30—35	—	—	2	1	—	—	336	356	298	311	3	5	7	12	7	—
35—40	—	—	3	1	—	—	317	311	286	267	3	5	6	11	7	—
40—45	—	—	3	—	1	—	328	240	306	209	4	3	3	11	4	—
45—50	—	—	3	1	—	—	263	195	221	164	1	2	5	7	8	—
50—55	—	—	4	—	—	—	197	149	167	126	3	—	4	9	2	—
55—60	—	—	1	2	2	—	184	123	165	100	—	1	5	4	4	—
60—65	—	—	2	—	—	—	137	96	119	74	1	1	3	7	4	—
65—70	—	—	—	—	—	1	70	69	56	60	—	—	5	—	1	—
70—75	—	—	1	—	—	—	44	42	31	31	—	—	—	1	3	—
75—80	—	—	—	—	—	1	21	22	14	15	—	—	1	1	—	—
80 and upwards	—	—	—	—	—	—	7	14	6	9	—	—	—	1	—	—

*26. Glanders 35, 50. 28. Rabies — .

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	Tuberculosis— <i>contd.</i>															
	35 Joints.		36 Other organs.		36 (a) Skin and subcutaneous tissue.		36 (b) Bones (vertebral column excepted).		36 (c) Lymphatic system (abdominal glands excepted).		36 (d) Genito urinary system.		36 (e) Others in 36.		37 Disseminated.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	28	32	68	52	10	9	20	7	14	8	23	22	1	6	191	195
0—1	1	—	2	—	—	—	—	—	2	—	—	—	—	—	11	14
1—5	1	1	2	1	—	—	—	—	1	1	1	—	—	—	20	24
5—10	2	2	1	—	—	—	1	—	—	—	—	—	—	—	19	17
10—15	1	—	4	—	1	—	2	—	—	—	1	—	—	—	18	18
15—20	3	5	2	3	—	1	1	1	—	—	1	1	—	—	14	24
20—25	2	3	4	8	1	1	2	—	—	1	1	5	—	1	15	19
25—30	4	1	—	8	—	—	—	1	—	—	—	6	—	1	20	17
30—35	2	2	7	2	1	—	1	1	3	1	2	—	—	—	12	16
35—40	1	5	5	4	—	—	—	1	1	1	3	2	1	—	9	13
40—45	1	1	4	4	1	1	—	1	—	—	3	1	—	1	6	8
45—50	1	3	11	6	1	1	3	1	3	—	4	4	—	—	16	7
50—55	1	1	4	3	—	—	—	—	1	—	3	2	—	1	16	3
55—60	1	—	4	4	1	—	3	1	—	2	—	1	—	—	5	6
60—65	3	3	4	2	1	1	1	—	—	1	2	—	—	—	3	3
65—70	1	—	2	1	—	—	2	—	—	—	—	—	—	1	5	3
70—75	1	4	8	—	2	—	3	—	2	—	1	—	—	—	1	1
75—80	2	1	3	4	1	2	—	—	1	1	1	—	—	1	1	1
80 and upwards	—	—	1	2	—	2	1	—	—	—	—	—	—	—	—	1

Causes of Death.	Tuberculosis— <i>contd.</i>				38 Syphilis.		39* 40 Gonococcal infection.		40 (a) Gonococcal infection (ophthalmia excepted).		40 (b) Gonorrhœal or purulent ophthalmia.		42 41 Purulent infection, septicæmia.		II. 43—69 General diseases not included in I. 1—42.	
	37 (a) Acute.		37 (b) Chronic or unstated.		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	M.	F.	M.	F.												
All Ages	42	48	149	147	104	87	6	5	5	2	1	3	76	47	5922	7178
0—1	6	5	5	9	72	61	2	3	1	—	1	3	2	5	67	35
1—5	7	6	13	18	2	4	—	—	—	—	—	—	2	2	72	45
5—10	6	9	13	8	1	—	—	—	—	—	—	—	2	3	36	47
10—15	2	5	16	13	—	2	—	—	—	—	—	—	6	1	61	62
15—20	3	8	11	16	1	1	1	—	1	—	—	—	6	—	81	75
20—25	1	3	14	16	1	—	—	1	—	1	—	—	3	3	55	71
25—30	3	1	17	16	—	—	—	—	—	—	—	—	4	2	56	85
30—35	3	6	9	10	5	2	—	1	—	1	—	—	3	4	77	135
35—40	2	4	7	9	3	2	—	—	—	—	—	—	5	3	117	234
40—45	1	—	5	8	4	4	—	—	—	—	—	—	4	4	196	330
45—50	2	—	14	7	4	3	—	—	—	—	—	—	6	6	301	520
50—55	4	1	12	2	3	4	—	—	—	—	—	—	6	—	450	668
55—60	2	—	3	6	3	2	2	—	2	—	—	—	6	3	634	798
60—65	—	—	3	3	3	—	1	—	1	—	—	—	6	2	848	908
65—70	—	—	5	3	1	—	—	—	—	—	—	—	2	6	919	1013
70—75	—	—	1	1	1	2	—	—	—	—	—	—	10	—	888	887
75—80	—	—	1	1	—	—	—	—	—	—	—	—	3	2	649	714
80 and upwards	—	—	—	1	—	—	—	—	—	—	—	—	—	1	415	551

* 39. Soft chancre —; 42. Other infectious diseases —.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	Cancer, Malignant disease.															
	43-49 Total.		43 Buccal cavity.		44 Pharynx oesophagus stomach, liver and annæa.		45 Peritoneum, intestines and rectum.		46 Female genital organs.		47 Breast.		48 Skin.		49 Other or unspecific organs.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	4426	5254	498	81	1714	1633	1128	1030	—	925	7	955	192	91	887	55
0—1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
1—5	7	9	—	—	1	1	2	2	—	—	—	—	—	—	4	—
5—10	4	5	—	—	—	—	—	1	—	1	—	—	—	—	4	—
10—15	8	4	1	—	—	—	—	—	—	1	—	—	1	—	6	—
15—20	17	11	3	1	—	—	1	—	—	2	—	—	—	—	13	—
20—25	14	12	1	2	1	1	5	2	—	—	—	—	—	—	7	—
25—30	9	25	—	—	—	2	4	5	—	7	—	2	—	1	5	—
30—35	35	64	—	—	9	7	11	11	—	26	—	12	—	1	15	—
35—40	59	148	3	5	16	20	21	20	—	44	—	42	1	2	18	—
40—45	127	236	7	—	49	42	32	37	—	63	—	68	5	—	34	—
45—50	206	387	24	10	90	79	47	60	—	98	—	111	6	1	39	—
50—55	335	509	43	8	139	144	82	80	—	122	—	101	7	4	64	—
55—60	514	617	62	6	215	182	112	96	—	129	1	140	18	8	106	—
60—65	694	711	86	9	292	236	172	139	—	133	2	118	16	6	126	—
65—70	763	776	81	5	315	284	190	182	—	112	2	102	21	8	154	—
70—75	735	710	86	12	289	278	207	158	—	85	—	97	29	15	124	—
75—80	546	573	55	13	200	208	151	130	—	60	1	83	37	16	102	—
80 and upwards	351	457	46	10	98	149	91	107	—	42	1	79	51	29	64	—

Causes of Death.	50 Tumours not returned as malignant. (Tumours of brain and female genital organs excepted).		51 Rheumatic fever.		52 Chronic rheumatism, osteo-arthritis, gout.		53 Scurvy.		54 55* 56 Rickets.		57 Diabetes.		58. Anæmia, chlorosis.		58 (a) Pernicious anæmia.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	Ages at Death.															
All Ages	76	65	184	169	207	379	6	2	55	32	439	496	260	385	236	—
0—1	2	1	1	—	—	—	3	1	25	11	—	—	2	5	2	—
1—5	3	2	5	—	—	—	2	—	28	19	2	1	3	6	1	—
5—10	1	1	13	19	—	—	1	—	1	1	2	10	2	2	1	—
10—15	1	—	26	33	—	—	—	—	—	—	15	14	2	2	2	—
15—20	1	2	27	26	—	1	—	—	—	1	18	13	1	6	1	—
20—25	2	1	12	10	1	1	—	—	—	—	13	19	5	8	4	—
25—30	2	3	15	11	—	—	—	—	—	—	20	16	3	5	2	—
30—35	2	—	11	10	1	4	—	—	1	—	16	17	3	15	3	—
35—40	3	2	5	5	2	3	—	—	—	—	23	23	7	23	6	—
40—45	2	2	12	7	1	5	—	—	—	—	21	21	17	34	13	—
45—50	7	5	9	10	5	15	—	—	—	—	29	24	25	35	21	—
50—55	4	7	12	6	7	24	—	—	—	—	36	36	36	50	34	—
55—60	5	5	8	10	18	35	—	—	—	—	30	43	34	52	34	—
60—65	12	5	12	11	25	39	—	—	—	—	50	60	41	53	40	—
65—70	8	13	10	7	33	71	—	1	—	—	54	79	39	39	37	—
70—75	9	3	3	3	40	68	—	—	—	—	61	55	22	31	20	—
75—80	9	7	1	1	45	61	—	—	—	—	30	43	12	14	11	—
80 and upwards	3	6	2	—	29	52	—	—	—	—	19	22	6	5	4	—

* 54. Pellagra 20, 35, 55. Beri-beri 45;

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	58 (b) Other anæmias and chlorosis.		59* 60 Diseases of the thyroid glands.		60 (a) Exophthalmic goitre.		60 (b) Other diseases of the thyroid glands.		61* 62 Diseases of the thymus.		63 Diseases of the adrenals.		64 Diseases of the spleen.		65 Leukæmia, lymph-adenoma.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	24	43	29	230	8	157	21	73	24	9	22	28	7	5	113	71
0—1	—	5	2	1	—	—	2	1	16	4	—	—	—	1	1	2
1—5	2	4	5	4	—	—	5	4	5	1	—	—	1	—	1	2
5—10	1	2	—	1	—	—	—	1	2	1	—	—	1	—	7	3
10—15	—	1	—	6	—	3	—	3	—	1	1	—	1	—	5	1
15—20	—	1	5	11	2	9	3	2	1	1	—	—	—	—	8	3
20—25	1	1	—	9	—	9	—	—	—	—	—	2	—	—	8	6
25—30	1	—	—	20	—	14	—	6	—	—	1	—	—	—	4	3
30—35	—	3	2	14	1	12	1	2	—	1	2	2	1	—	2	6
35—40	1	3	—	15	—	10	—	5	—	—	1	5	—	1	10	7
40—45	4	1	3	17	3	15	—	2	—	—	3	1	—	—	5	6
45—50	4	3	1	24	—	23	1	1	—	—	3	7	—	—	10	8
50—55	2	3	1	23	—	19	1	4	—	—	3	4	—	—	9	5
55—60	—	4	2	28	2	18	—	10	—	—	1	1	—	1	14	3
60—65	1	2	3	14	—	9	3	5	—	—	—	2	1	2	6	7
65—70	2	3	—	13	—	7	—	6	—	—	2	3	1	—	6	5
70—75	2	2	2	14	—	6	2	8	—	—	3	1	—	—	10	1
75—80	1	4	2	11	—	3	2	8	—	—	2	—	—	—	1	3
80 and upwards	2	1	1	5	—	—	1	5	—	—	—	—	1	—	2	1

* 59. Diseases of the pituitary gland 55; 61. Diseases of the parathyroid glands —.

Causes of Death.	65 (a) Leukæmia.		65 (b) Lymph-adenoma. (Hodgkin's disease).		66 Alcoholism (acute or chronic).		67 Chronic poisoning by mineral substances.		68* 69 Other general diseases.		III. 70—86 Diseases of the Nervous system and sense organs.		70 Encephalitis.		71 Meningitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	57	51	56	20	19	9	4	—	48	42	5187	5314	39	23	259	207
0—1	1	1	—	1	—	—	—	—	13	9	680	397	1	1	73	30
1—5	6	1	1	—	—	—	—	—	4	2	197	160	3	4	74	58
5—10	3	2	2	1	—	—	—	—	4	4	71	66	1	1	29	31
10—15	1	1	4	—	—	—	—	—	2	1	49	66	3	5	14	21
15—20	4	3	4	—	—	—	—	—	3	—	71	59	1	1	11	14
20—25	2	2	6	4	—	—	—	—	—	2	63	59	2	1	10	10
25—30	1	2	3	1	1	1	—	—	1	1	51	57	3	3	8	8
30—35	1	4	1	2	1	—	—	—	—	2	76	64	—	1	7	2
35—40	2	4	8	3	2	—	1	—	3	1	97	99	2	3	6	8
40—45	3	5	2	1	1	—	1	—	3	1	119	124	2	1	6	7
45—50	5	8	5	—	1	3	1	—	3	2	150	179	4	—	4	4
50—55	8	3	1	2	6	—	—	—	1	3	237	221	4	2	5	2
55—60	8	3	6	—	2	1	1	—	4	3	334	303	3	—	5	1
60—65	5	6	1	1	1	2	—	—	3	2	404	433	2	—	4	3
65—70	3	2	3	3	3	2	—	—	—	4	585	630	3	—	2	2
70—75	3	1	7	—	1	—	—	—	2	1	700	725	2	—	—	4
75—80	—	2	1	1	—	—	—	—	1	1	653	769	—	—	—	1
80 and upwards	1	1	1	—	—	—	—	—	1	3	650	903	3	—	1	1

68. Chronic poisoning by organic substances 35.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	72 Tabes dorsalis (locomotor ataxy).		73 Other diseases of the spinal cord.		74 Cerebral hæmorrhage, apoplexy.		74 (a) Cerebral hæmorrhage.		74 (b) Cerebral embolism and thrombosis.		75 Paralysis of unstated origin.		75 (a) Hemiplegia.		75 (b) Other forms of paralysis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	68	18	150	141	2734	3269	2445	2891	289	378	256	267	218	232	38	
0—1	—	—	—	1	1	—	1	—	—	—	—	1	—	—	—	
1—5	—	—	—	—	—	2	—	2	—	—	—	1	—	—	—	
5—10	—	—	2	1	1	—	1	—	—	—	1	—	—	—	1	
10—15	—	—	2	—	1	1	—	1	1	—	—	1	—	—	—	
15—20	—	—	2	3	7	1	5	—	2	1	1	—	—	—	1	
20—25	—	—	4	2	4	2	3	—	1	2	—	1	—	1	—	
25—30	—	—	3	3	6	4	4	3	2	1	1	—	1	—	—	
30—35	4	1	3	5	14	11	11	6	3	5	—	—	—	—	—	
35—40	4	2	7	9	19	22	17	18	2	4	2	2	2	2	—	
40—45	1	1	7	4	27	35	24	26	3	9	5	2	4	2	1	
45—50	9	2	9	11	50	92	46	76	4	16	3	2	2	1	1	
50—55	6	2	15	10	121	136	115	122	6	14	10	8	9	6	1	
55—60	11	1	23	21	186	201	171	184	15	17	20	15	16	11	4	
60—65	9	2	21	22	249	315	233	291	16	24	22	22	18	19	4	
65—70	12	3	24	22	423	479	380	442	43	37	44	35	41	28	3	
70—75	9	2	15	15	562	578	503	514	59	64	39	44	33	40	6	
75—80	2	2	11	10	528	632	473	547	55	85	44	55	39	49	5	
80 and upwards	1	—	2	2	535	758	458	659	77	99	64	78	53	73	11	

Causes of Death.	76 General paralysis of the insane.		77 Other forms of insanity.		78 Epilepsy.		79 & 80 Convulsions (non-puerperal).		81 Chorea.		82 Hysteria and neuritis.		83 Cerebral softening.		84 Other diseases of the nervous system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	133	43	58	118	259	231	672	416	5	14	23	35	88	108	339	
0—1	—	—	—	—	4	4	579	338	—	—	—	—	—	—	8	
1—5	—	—	—	—	11	7	86	75	—	—	—	—	—	—	14	
5—10	—	—	—	—	12	5	4	1	—	5	—	2	—	—	9	
10—15	—	—	—	—	8	13	—	—	1	6	—	—	—	—	8	
15—20	—	—	1	—	26	16	—	1	2	2	—	—	—	—	13	
20—25	—	—	—	1	23	22	—	—	1	—	—	—	—	—	5	
25—30	1	—	—	3	17	12	—	—	—	1	—	—	—	—	6	
30—35	4	3	3	6	23	12	1	—	—	—	—	—	1	—	12	
35—40	18	3	5	8	18	18	—	—	—	—	1	1	—	1	10	
40—45	27	8	3	13	15	19	—	—	—	—	3	2	—	2	20	
45—50	28	8	5	18	10	15	1	1	—	—	4	6	—	—	21	
50—55	19	4	8	15	15	15	—	—	—	—	3	1	1	3	27	
55—60	13	4	4	12	19	15	—	—	1	—	2	3	7	6	36	
60—65	11	3	8	20	20	13	—	—	—	—	1	2	16	7	39	
65—70	6	5	9	9	13	15	—	—	—	—	3	5	6	18	40	
70—75	3	2	7	7	6	9	1	—	—	—	1	6	17	20	33	
75—80	2	1	3	4	13	12	—	—	—	—	2	3	20	20	27	
80 and upwards	1	2	2	2	6	9	—	—	—	—	3	4	20	31	11	

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of death.	85 Diseases of the eye and annexa.		86 Diseases of the ear and of the mastoid sinus.		IV. 87-96 Diseases of the circulatory system.		87-90 Heart disease (all forms).		87 Peri-carditis.		88 Acute endo-carditis and myocarditis		89 Angina pectoris.		90 Other diseases of the heart.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Ages	3	5	101	86	7363	7506	5582	6295	34	21	176	139	137	67	5235	6068
—1	—	1	14	12	4	2	1	2	1	—	—	1	—	—	—	1
—5	—	—	9	6	11	5	7	5	2	—	1	2	—	—	4	3
—10	—	1	12	13	24	28	22	26	—	—	4	10	—	—	18	16
—15	—	—	12	11	36	50	35	48	3	1	7	11	—	—	25	36
—20	—	1	7	10	45	60	45	59	1	2	2	15	—	—	42	42
—25	—	—	14	6	79	62	76	60	2	1	23	15	—	—	51	44
—30	—	—	6	4	124	82	121	80	5	—	34	16	—	—	82	64
—35	—	—	4	3	123	95	117	88	2	1	34	14	—	—	81	73
—40	1	1	4	3	132	110	123	105	2	1	26	11	2	1	93	92
—45	—	—	3	3	152	149	139	138	—	2	12	12	3	1	124	123
—50	—	—	2	4	226	221	196	208	3	—	3	6	5	3	185	199
—55	—	—	3	3	330	333	276	307	3	2	10	6	12	5	251	294
—60	—	—	4	2	537	462	441	409	3	2	8	4	12	8	418	395
—65	—	—	2	3	734	708	595	632	—	5	7	5	26	5	562	617
—70	—	1	—	1	1103	1080	868	946	3	—	4	6	37	18	824	922
—75	2	—	3	2	1173	1277	877	1075	1	3	—	3	18	13	858	1056
—80	—	—	1	—	1283	1277	895	1048	3	—	—	2	16	11	876	1035
and wards	—	—	1	—	1247	1505	748	1059	—	1	1	—	6	2	741	1056

Causes of death.	90 (1-4) Valvular disease.		90 (5-8) Other defined heart disease.		90 (9) Heart disease undefined.		91 Disease of the arteries.		91 (a) Aneurism.		91 (b) Arterio-sclerosis.		91 (b) 1 With record of cerebral vascular lesion.		91 (b) 2 Without record of cerebral vascular lesion.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Ages	2531	2834	1292	1474	1412	1760	1708	1105	110	26	1582	1069	464	389	1118	680
—1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
—5	3	3	—	—	1	—	—	—	—	—	—	—	—	—	—	—
—10	13	13	1	—	4	3	—	—	—	—	—	—	—	—	—	—
—15	19	28	1	1	5	7	—	—	—	—	—	—	—	—	—	—
—20	31	30	1	2	10	10	—	—	—	—	—	—	—	—	—	—
—25	43	39	3	1	5	4	1	—	1	—	—	—	—	—	—	—
—30	66	52	3	5	13	7	2	—	2	—	—	—	—	—	—	—
—35	55	49	8	8	18	16	4	2	4	2	—	—	—	—	—	—
—40	70	54	7	9	16	29	6	2	5	—	1	2	1	2	—	—
—45	84	74	13	20	27	29	11	2	6	—	4	2	1	2	3	—
—50	112	127	21	32	52	40	27	10	11	1	16	9	9	5	7	4
—55	146	165	44	52	61	77	47	18	13	1	33	17	16	12	17	5
—60	227	200	96	86	95	109	90	40	22	3	64	37	28	18	36	19
—65	266	303	121	127	175	187	131	63	19	2	111	60	35	41	76	19
—70	379	420	216	223	229	279	230	123	11	7	219	114	80	64	139	50
—75	397	466	228	268	233	322	287	191	10	4	276	185	82	79	194	106
—80	362	435	265	267	249	333	382	220	4	2	375	214	121	73	254	141
and wards	258	376	264	373	219	307	490	434	2	4	483	429	91	93	392	336

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	91 (c) Other diseases of the arteries.		92 Embolism and thrombosis (not cerebral).		93 Diseases of the veins, (varices, hæmorrhoids, phlebitis, etc.).		94 Diseases of the lymphatic system (Lymphangitis, etc.).		96* 95 Hæmorrhage without stated cause.		V. 97-107 Diseases of the respiratory system.		97 Diseases of the nasal fossæ and annexa.		98 Diseases of the larynx.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	16	10	24	38	29	52	7	9	13	7	6301	5326	9	10	80	71
0—1	—	—	1	—	—	—	1	—	1	—	1112	854	—	1	18	4
1—5	—	—	—	—	—	—	4	—	—	—	594	574	2	—	34	37
5—10	—	—	—	—	—	—	—	2	2	—	116	75	1	2	14	15
10—15	—	—	1	—	—	—	—	1	—	1	37	37	—	1	1	2
15—20	—	—	—	—	—	1	—	—	—	—	60	39	—	2	—	1
20—25	—	—	—	2	—	—	—	—	2	—	80	51	1	1	—	—
25—30	—	—	—	2	1	—	—	—	—	—	82	77	1	—	—	1
30—35	—	—	1	3	—	—	1	1	—	1	86	81	—	—	—	—
35—40	—	—	1	1	2	2	—	—	—	—	110	82	—	3	—	—
40—45	1	—	—	3	2	6	—	—	—	—	167	89	1	—	1	1
45—50	—	—	1	—	1	2	—	—	1	1	206	114	1	—	1	2
50—55	1	—	2	2	3	4	1	1	1	1	249	107	1	—	1	1
55—60	4	—	3	4	2	8	—	1	1	—	307	169	—	—	1	2
60—65	1	1	4	2	2	9	—	2	2	—	400	263	—	—	2	1
65—70	—	2	2	3	3	8	—	—	—	—	567	430	—	—	3	1
70—75	1	2	3	5	4	6	—	—	2	—	655	570	—	—	—	2
75—80	3	4	2	6	4	2	—	—	—	1	660	654	—	—	3	—
80 and upwards	5	1	3	5	5	4	—	1	1	2	813	1060	1	—	1	1

*96. Other diseases of the circulatory system — .

Causes of Death.	99 Bronchitis.		99 (a) Acute.		99 (b) Chronic.		99 (c & d) Not stated whether acute or chronic.		100 & 101 Pneumonia (all forms).		100 Broncho-pneumonia.		101 Pneumonia (lobar and not otherwise defined).		101 (a) Pneumonia lobar.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2803	2694	712	827	892	647	1199	1220	2803	2128	1196	1060	1607	1068	664	444
0—1	472	367	228	161	2	5	242	201	604	464	488	385	116	79	24	1
1—5	114	128	53	63	3	2	58	63	435	398	317	301	118	97	37	2
5—10	10	10	4	7	—	1	6	2	85	44	41	19	44	25	16	—
10—15	2	3	1	2	1	—	—	1	30	27	5	10	25	17	12	1
15—20	4	4	3	3	1	—	—	1	48	29	8	9	40	20	21	—
20—25	7	4	1	1	3	1	3	2	57	41	8	9	49	32	20	1
25—30	5	3	1	—	2	3	2	—	64	65	6	14	58	51	24	2
30—35	3	7	1	4	1	1	1	2	72	59	9	4	63	55	30	3
35—40	10	8	5	2	4	5	1	1	88	62	10	4	78	58	39	3
40—45	21	13	5	4	6	5	10	4	109	70	14	8	95	62	50	4
45—50	33	21	12	7	15	7	6	7	137	67	13	13	124	54	57	3
50—55	50	32	12	9	19	12	19	11	145	51	40	8	105	43	50	2
55—60	93	63	18	16	46	25	29	22	159	84	24	25	135	59	51	2
60—65	183	122	35	33	84	43	64	46	163	104	31	24	132	80	69	3
65—70	266	242	39	77	135	88	92	77	213	140	50	43	163	97	73	4
70—75	407	360	65	99	176	105	166	156	168	152	43	59	125	93	46	3
75—80	468	459	93	121	181	130	194	208	125	135	42	53	83	82	27	2
80 and upwards	655	848	136	218	213	214	306	416	101	136	47	72	54	64	18	1

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	101 (b) Pneumonia, not otherwise defined.		102 Pleurisy.		103 Congestion and hæmorrhagic infarct of lung.		104 Gangrene of the lung.		105 Asthma.		106 Pulmonary emphysema.		107 Other diseases of the respiratory system.		107 (a) Chronic interstitial pneumonia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	943	619	142	91	132	156	5	5	215	135	28	12	84	24	56	9
0—1	92	65	—	—	18	15	—	—	—	2	—	—	—	1	—	—
1—5	81	71	3	6	3	4	—	1	2	—	1	—	—	—	—	—
5—10	28	16	3	2	1	2	1	—	1	—	—	—	—	—	—	—
10—15	13	4	3	—	—	1	—	—	—	2	—	—	1	1	—	—
15—20	19	12	5	3	—	—	—	—	3	—	—	—	—	—	—	—
20—25	29	14	9	2	1	1	—	—	3	1	—	—	2	1	—	—
25—30	34	29	4	4	3	—	1	—	1	3	1	—	2	1	1	—
30—35	33	24	2	9	—	1	—	1	4	4	—	—	5	—	3	—
35—40	39	24	5	1	1	2	—	2	1	2	—	—	5	2	2	—
40—45	45	19	15	4	4	—	—	—	9	—	1	—	6	1	6	—
45—50	67	24	10	5	3	3	—	—	11	13	1	2	9	1	3	1
50—55	55	23	11	6	5	6	1	1	22	9	2	—	11	1	10	—
55—60	84	34	17	5	3	3	1	—	20	10	3	—	10	2	8	1
60—65	63	43	9	10	3	8	—	—	26	17	1	—	13	1	11	1
65—70	90	57	21	12	12	12	1	—	35	18	5	—	11	5	8	3
70—75	79	60	12	7	14	14	—	—	41	27	7	5	6	3	3	2
75—80	56	55	9	8	21	32	—	—	27	17	5	1	2	2	1	1
80 and upwards	36	45	4	7	40	52	—	—	9	10	1	4	1	2	—	—

Causes of Death.	107 (b) Diseases of the mediastinum.		107 (c) Other diseases included under 107.		VI. 108-127 Diseases of the digestive system.		108 Diseases of the buccal cavity and annæxa.		108 (1) Diseases of the teeth and gums.		108 (2) Other diseases of the buccal cavity and annæxa.		109 Diseases of the pharynx and tonsils.		110 Diseases of the œsophagus.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3	1	25	14	3193	2708	51	48	34	36	17	12	71	58	3	7
0—1	—	—	—	1	984	674	4	7	2	3	2	4	4	3	—	—
1—5	—	—	—	—	247	194	4	5	2	4	2	1	8	15	—	—
5—10	—	—	—	—	95	87	1	1	—	1	1	—	16	8	—	—
10—15	1	—	—	1	74	56	1	—	—	—	1	—	10	11	—	—
15—20	—	—	—	—	70	51	2	—	1	—	1	—	3	4	—	—
20—25	—	—	2	1	57	35	4	2	4	2	—	—	4	2	—	1
25—30	—	—	1	1	51	44	—	1	—	1	—	—	3	1	—	—
30—35	—	—	2	—	51	56	4	3	2	2	2	1	2	1	—	—
35—40	—	1	3	1	72	65	3	3	1	3	2	—	2	2	—	—
40—45	—	—	—	1	88	92	4	5	3	4	1	1	1	2	1	1
45—50	—	—	6	—	110	106	2	3	2	2	—	1	2	1	—	—
50—55	—	—	1	1	156	131	4	2	3	2	1	—	4	2	—	—
55—60	1	—	1	1	199	147	2	4	2	3	—	1	4	—	1	—
60—65	—	—	2	—	204	164	5	2	4	1	1	1	4	—	—	—
65—70	—	—	3	2	232	185	6	3	4	3	2	—	1	—	1	3
70—75	1	—	2	1	182	197	2	1	2	1	—	—	—	1	—	—
75—80	—	—	1	1	173	204	3	5	2	4	1	1	3	3	—	1
80 and upwards	—	—	1	2	148	220	—	1	—	—	—	1	—	2	—	1

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	111 Ulcer of the stomach or duodenum.		111 (a) Ulcer of the stomach.		111 (b) Ulcer of the duodenum.		112 Other diseases of the stomach.		113 & 114 Diarrhoea and enteritis.		115 * 116* Diseases due to other intes- tinal parasites.		117 Appen- dicitis and typhlitis.		118 Hernia, intestinal obstruction	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	276	188	173	158	103	30	316	299	1275	1005	—	6	303	229	446	383
0—1	—	—	—	—	—	—	108	87	787	537	—	1	2	1	63	22
1—5	1	—	1	—	—	—	20	14	171	134	—	5	15	11	19	—
5—10	—	—	—	—	—	—	8	7	28	21	—	—	28	29	9	—
10—15	—	1	—	1	—	—	2	4	10	8	—	—	40	21	7	—
15—20	3	6	2	5	1	1	2	—	7	7	—	—	37	26	10	—
20—25	6	5	6	5	—	—	3	2	2	4	—	—	26	13	7	—
25—30	13	8	8	7	5	1	—	2	5	6	—	—	20	17	7	—
30—35	13	13	8	13	5	—	—	1	5	10	—	—	15	12	6	—
35—40	18	14	8	9	10	5	2	2	5	8	—	—	19	14	12	—
40—45	28	17	14	13	14	4	5	4	5	11	—	—	13	15	10	11
45—50	19	19	14	16	5	3	8	2	12	9	—	—	14	17	20	22
50—55	35	22	19	20	16	2	13	10	13	20	—	—	16	17	24	22
55—60	41	23	30	18	11	5	19	14	19	10	—	—	19	8	32	33
60—65	39	18	28	16	11	2	19	15	26	20	—	—	11	8	44	33
65—70	29	19	16	17	13	2	25	19	30	26	—	—	19	5	52	44
70—75	14	10	10	9	4	1	29	41	36	46	—	—	5	7	48	33
75—80	11	6	6	4	5	2	32	34	52	57	—	—	2	5	37	55
80 and upwards	6	7	3	5	3	2	21	41	62	71	—	—	2	3	39	44

* 115. Ankylostomiasis — ; 116 (c) Nematodes *O. I. I. I.*; 116 (f) Undefined parasites *I. I.*

Causes of Death.	118 (a) Hernia.		118 (b) Intestinal obstruction.		119 Other diseases of the intestines.		120 Acute yellow atrophy of the liver.		121 Hydatid tumour of the liver.		122 Cirrhosis of the liver.		122 (a) Returned as alcoholic.		122 (b) Not returned as alcoholic.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	153	169	293	218	41	53	6	9	1	3	227	103	10	5	217	99
0—1	11	3	52	23	6	5	—	—	—	—	—	—	—	—	—	—
1—5	4	—	15	6	2	—	1	—	—	—	—	—	—	—	—	—
5—10	1	—	8	6	—	—	—	1	—	—	—	—	—	—	—	—
10—15	1	—	6	9	1	—	1	—	—	—	1	—	—	—	1	—
15—20	—	1	10	2	—	1	—	—	—	—	1	—	—	—	1	—
20—25	2	1	5	2	—	—	1	2	—	—	—	—	—	—	—	—
25—30	1	—	6	3	—	1	—	—	—	—	3	—	—	—	3	—
30—35	2	1	4	5	1	1	—	2	—	—	1	—	—	—	1	—
35—40	3	2	9	3	2	5	—	2	—	1	4	1	—	—	4	—
40—45	2	3	8	12	—	3	—	—	—	1	12	3	2	—	10	—
45—50	7	11	13	13	1	5	1	—	—	—	23	14	1	2	22	12
50—55	9	11	15	11	7	5	—	—	—	—	28	12	2	—	26	12
55—60	12	22	20	14	2	3	—	—	1	1	38	16	3	1	35	13
60—65	19	19	25	20	2	4	1	1	—	—	38	15	1	—	37	13
65—70	19	25	33	21	2	3	—	1	—	—	39	17	1	2	38	13
70—75	23	20	25	16	4	4	—	—	—	—	28	16	—	—	28	10
75—80	16	27	21	28	5	3	1	—	—	—	6	6	—	—	6	—
80 and upwards	21	23	18	24	6	10	—	—	—	—	5	3	—	—	5	—

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	123 Biliary calculi.		124 Other diseases of the liver.		125 Diseases of the pancreas.		127* Peritonitis of unstated origin.		VII. 128-142 Non puerperal diseases of the genito-urinary system.		128 Acute nephritis (including unspecified under 10 years of age).		129 Chronic nephritis (including unspecified over 10 years of age).		130* 131 Other diseases of the kidneys and annexa.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	46	139	70	109	17	19	44	46	2168	1449	143	127	1082	958	57	47
0—1	—	—	—	2	—	—	10	5	21	9	9	7	—	—	2	2
1—5	—	—	2	1	—	—	4	3	17	16	13	12	3	4	1	—
5—10	1	—	2	3	—	—	2	11	18	17	14	12	3	5	—	—
10—15	—	—	1	—	—	—	—	2	9	15	3	6	3	7	1	—
15—20	—	—	3	3	—	1	2	—	19	19	7	6	8	8	2	1
20—25	—	—	1	1	1	—	2	—	24	31	8	8	15	15	—	—
25—30	—	—	—	2	—	2	—	1	23	42	4	9	14	19	1	—
30—35	—	4	3	—	1	—	—	3	36	51	4	6	27	27	1	3
35—40	1	2	1	4	—	—	3	2	56	65	12	6	30	30	6	2
40—45	—	6	4	4	2	—	3	5	60	101	5	8	48	49	2	6
45—50	1	4	5	5	1	1	1	2	82	112	8	10	55	66	7	6
50—55	2	10	9	7	—	2	1	—	112	110	12	8	82	73	2	3
55—60	10	20	6	7	1	3	4	2	152	120	14	7	107	86	6	4
60—65	5	21	3	13	6	6	1	2	207	131	10	3	130	104	3	6
65—70	10	24	11	14	3	2	4	3	284	160	7	10	143	128	5	3
70—75	6	17	5	14	2	1	3	3	350	167	6	2	162	131	4	3
75—80	8	18	11	10	—	1	2	—	375	161	5	4	164	117	8	5
80 and upwards	2	13	3	19	—	—	2	2	323	122	2	3	88	89	6	3

* 127. Other diseases of the digestive system —; 130. Chyluria —.

Causes of Death.	132 Calculi of the urinary passages.		133 Diseases of the bladder.		134 Diseases of the urethra, urinary abscess, etc.		134 (a) Stricture of the urethra.		134 (b) Other diseases of the urethra, etc.		135 Diseases of the prostate.		136 Non-venereal diseases of the male genital organs.		137 Cysts and other tumours of the ovary not returned as malignant.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	37	28	228	50	48	1	42	—	6	1	557	—	16	—	—	77
0—1	—	—	1	—	—	—	—	—	—	—	—	—	9	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	1
15—20	—	1	1	1	1	—	1	—	—	—	—	—	—	—	—	1
20—25	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	2
25—30	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
30—35	1	—	1	—	2	—	1	—	1	—	—	—	—	—	—	4
35—40	2	2	3	—	2	—	2	—	—	—	1	—	—	—	—	2
40—45	1	1	1	—	1	—	1	—	—	—	1	—	1	—	—	5
45—50	1	5	4	2	6	—	6	—	—	—	1	—	—	—	—	4
50—55	3	2	5	5	4	—	3	—	1	—	4	—	—	—	—	5
55—60	3	1	3	1	5	—	4	—	1	—	14	—	—	—	—	9
60—65	3	1	20	1	7	—	7	—	—	—	33	—	1	—	—	10
65—70	4	3	30	8	8	—	7	—	1	—	85	—	2	—	—	3
70—75	4	4	41	7	6	1	5	—	1	1	126	—	1	—	—	9
75—80	4	4	51	9	4	—	4	—	—	—	139	—	—	—	—	16
80 and upwards	5	3	66	16	2	—	1	—	1	—	153	—	1	—	—	2

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	138 Salpingitis and pelvic abscess.		139 Tumours of the uterus not returned as malignant.		140 Uterine hæmorrhage.		141 Other diseases of the female genital organs.		142 Non-puerperal diseases of the breast.		VIII. 143-150 The puerperal state.		143 Accidents of pregnancy.		143 (a) Abortion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	40	—	69	—	10	—	40	—	2	—	705	—	65	—	24
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	1	—	—	—	—	—	—	—	—	—	21	—	3	—	2
20—25	—	3	—	—	—	2	—	1	—	—	—	112	—	6	—	1
25—30	—	4	—	—	—	—	—	6	—	—	—	151	—	14	—	3
30—35	—	6	—	3	—	—	—	2	—	—	—	155	—	11	—	5
35—40	—	9	—	4	—	2	—	8	—	—	—	164	—	21	—	7
40—45	—	7	—	18	—	2	—	5	—	—	—	85	—	9	—	5
45—50	—	3	—	9	—	2	—	4	—	1	—	17	—	1	—	1
50—55	—	3	—	8	—	1	—	2	—	—	—	—	—	—	—	—
55—60	—	1	—	8	—	—	—	3	—	—	—	—	—	—	—	—
60—65	—	1	—	3	—	—	—	2	—	—	—	—	—	—	—	—
65—70	—	1	—	3	—	—	—	1	—	—	—	—	—	—	—	—
70—75	—	1	—	8	—	—	—	1	—	—	—	—	—	—	—	—
75—80	—	—	—	2	—	1	—	3	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	3	—	—	—	2	—	1	—	—	—	—	—	—

Causes of Death.	143 (b) Ectopic gestation.		143 (c) Other accidents.		144 Puerperal hæmorrhage.		145 Other accidents of childbirth.		146 Puerperal sepsis.		147 Phlegmasia, alba dolens, puerperal embolism, etc.		148 Puerperal albuminuria and convulsions.		150* 149 Childbirth not assignable elsewhere (puerperal insanity).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	14	—	27	—	105	—	81	—	209	—	83	—	150	—	8
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	—	1	—	1	—	—	—	8	—	3	—	6	—	—
20—25	—	1	—	4	—	14	—	17	—	34	—	8	—	30	—	2
25—30	—	6	—	5	—	13	—	19	—	58	—	16	—	28	—	2
30—35	—	1	—	5	—	25	—	14	—	48	—	21	—	34	—	2
35—40	—	4	—	10	—	32	—	16	—	44	—	17	—	31	—	2
40—45	—	2	—	2	—	17	—	11	—	15	—	15	—	17	—	—
45—50	—	—	—	—	—	3	—	4	—	2	—	3	—	4	—	—
50—55	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* 150. Puerperal diseases of the breast, 20, 6, 35, 40.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	IX. 151-154 Diseases of the skin and cellular tissue.		151 Gangrene.		152 Furuncle.		153 Phlegmon acute abscess.		154 Other diseases of the skin and its annexa.		X. 155-158 Diseases of the bones and organs of locomotion.		155 Diseases of the bones.		156 Diseases of the joints.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	400	344	207	146	36	18	71	57	86	123	97	57	70	43	24	12
0—1	45	40	3	2	1	1	11	5	30	32	3	3	2	2	1	1
1—5	6	11	1	4	—	—	3	3	2	4	12	2	9	1	3	1
5—10	2	3	1	1	—	—	—	2	1	—	11	6	10	6	1	—
10—15	1	1	—	1	—	—	1	—	—	—	15	5	12	5	2	—
15—20	6	1	—	1	—	—	4	—	2	—	13	1	13	1	—	—
20—25	5	3	1	—	2	—	2	2	—	1	5	2	4	1	1	1
25—30	2	6	—	1	—	—	1	5	1	—	3	—	2	—	1	—
30—35	1	4	—	—	1	2	—	2	—	—	1	1	—	—	1	1
35—40	6	5	—	—	1	1	4	2	1	2	1	2	1	2	—	—
40—45	4	7	—	1	1	1	3	5	—	—	7	2	4	1	3	1
45—50	9	8	—	—	4	1	3	3	2	4	2	5	1	5	1	—
50—55	9	6	1	1	4	1	3	1	1	3	4	4	1	3	3	1
55—60	15	20	4	4	4	2	4	4	3	10	6	3	2	2	3	1
60—65	21	18	6	3	3	1	7	6	5	8	1	2	1	2	—	—
65—70	46	23	20	8	4	2	9	8	13	5	5	5	4	4	1	—
70—75	61	37	41	23	5	3	6	2	9	9	7	4	4	2	3	1
75—80	61	47	50	25	3	2	2	3	6	17	1	5	—	4	—	1
80 and upwards	100	104	79	71	3	1	8	4	10	28	—	5	—	2	—	3

Causes of Death.	157* 158 Other diseases of the organs of locomotion.		XI. 159 Mal-formations.		XII. 160-163 Diseases of Early infancy.		160 Congenital debility.		161 Premature birth, injury at birth.		161 (1) Premature birth.		161 (2) Injury at birth.		162 Other diseases peculiar to early infancy.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3	2	427	352	2826	2035	747	495	1876	1376	1726	1276	150	100	180	136
0—1	—	—	363	302	2826	2035	747	495	1876	1376	1726	1276	150	100	180	136
1—5	—	—	29	20	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	14	6	—	—	—	—	—	—	—	—	—	—	—	—
10—15	1	—	6	8	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	7	3	—	—	—	—	—	—	—	—	—	—	—	—
20—25	—	—	2	3	—	—	—	—	—	—	—	—	—	—	—	—
25—30	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—
30—35	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—
35—40	—	—	1	4	—	—	—	—	—	—	—	—	—	—	—	—
40—45	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
45—50	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
50—55	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—60	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* 157. Amputations —.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	163 Lack of care.		XIII. 164 Old age.		XIV. 165-203 External causes.		Suicide.		165-166 By solid or liquid poisons and corrosive substances.		167 By poisonous gas.		168 By hanging or strangulation.		169 By drowning.	
Ages at Death.	M.	F.	M.	F.	M.	F.	165-174 Total.		M.	F.	M.	F.	M.	F.	M.	F.
All Ages	23	28	3389	4319	2533	938	625	159	32	13	7	6	182	38	150	6
0—1	23	28	—	—	68	57	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	144	115	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	109	57	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	90	23	—	—	—	—	—	—	—	—	—	—
15—20	—	—	—	—	175	36	15	9	—	—	—	—	5	—	4	6
20—25	—	—	—	—	139	26	16	6	—	2	—	1	3	—	—	—
25—30	—	—	—	—	117	33	25	12	—	—	—	1	8	—	6	10
30—35	—	—	—	—	131	30	40	8	5	—	—	—	7	2	13	—
35—40	—	—	—	—	141	26	31	9	1	3	2	1	10	3	4	—
40—45	—	—	—	—	174	42	44	15	2	2	—	2	17	2	8	—
45—50	—	—	1	—	199	41	81	16	4	2	2	1	32	5	20	—
50—55	—	—	—	2	209	54	89	28	4	4	1	—	15	6	20	—
55—60	—	—	5	2	227	52	75	17	6	—	—	—	24	7	17	—
60—65	—	—	11	14	195	51	81	21	6	—	1	—	21	5	21	—
65—70	—	—	72	83	146	40	58	5	2	—	—	—	21	2	16	—
70—75	—	—	407	456	109	53	37	7	1	—	1	—	11	3	13	—
75—80	—	—	839	914	82	62	23	4	—	—	—	—	6	3	6	—
80 and upwards	—	—	2054	2848	78	140	10	2	1	—	—	—	2	—	2	—

Causes of Death.	Suicide— <i>contd.</i>										175-196 201-203 Violent deaths, excluding suicide and homicide.		175 Food poisoning.		176 Poisoning by venomous animals.	
Ages at Death.	170 By firearms.		171 By cutting or piercing instruments.		172 By jumping from high places.		173 By crushing.		174 By other means.		M.	F.	M.	F.	M.	F.
All Ages	91	7	124	23	5	4	32	6	2	1	1889	756	6	7	1	55
0—1	—	—	—	—	—	—	—	—	—	—	63	52	—	—	—	1
1—5	—	—	—	—	—	—	—	—	—	—	141	111	2	1	—	—
5—10	—	—	—	—	—	—	—	—	—	—	109	56	1	—	—	1
10—15	—	—	—	—	—	—	—	—	—	—	90	23	—	—	—	—
15—20	4	2	—	—	—	—	2	1	—	—	160	25	—	—	—	—
20—25	9	—	1	—	—	—	3	—	—	1	123	18	—	—	—	—
25—30	8	—	1	1	—	—	1	—	1	—	92	20	—	1	—	—
30—35	10	—	3	1	1	1	1	1	—	—	90	20	—	—	—	—
35—40	3	1	8	1	—	—	3	—	—	—	107	16	1	1	—	—
40—45	7	—	10	1	—	—	—	1	—	—	129	27	—	2	—	1
45—50	13	—	8	3	—	—	1	—	1	—	117	22	—	—	—	1
50—55	14	1	28	7	1	1	6	—	—	—	119	26	2	—	—	1
55—60	13	1	10	3	1	—	4	—	—	—	149	34	—	—	—	—
60—65	4	2	23	3	—	1	5	3	—	—	114	30	—	—	1	—
65—70	2	—	14	1	—	—	3	—	—	—	88	35	—	—	—	—
70—75	4	—	6	1	—	—	1	—	—	—	71	45	—	—	—	—
75—80	—	—	7	—	2	—	2	—	—	—	59	58	—	—	—	—
80 and upwards	—	—	5	1	—	—	—	—	—	—	68	138	—	2	—	—

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	177 Other acute accidental poisonings.		178 Conflagration.		179 Burns (conflagration excepted).		180 Accidental mechanical suffocation.		181 Accidental absorption of irrespirable or poisonous gas.		182 Accidental drowning.		183 Accidental injury by firearms.		184 Accidental injury by cutting or piercing instruments.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	11	6	4	3	118	196	69	44	11	1	351	83	44	3	6	—
0—1	—	—	—	—	7	8	45	35	—	—	3	4	—	—	—	—
1—5	4	1	—	—	71	66	3	2	1	—	28	12	—	—	1	—
5—10	—	—	—	—	7	24	—	2	—	—	29	4	2	1	3	—
10—15	—	—	—	—	5	9	2	1	—	—	36	3	1	1	—	—
15—20	1	—	—	—	1	9	2	—	1	—	38	5	8	1	—	—
20—25	—	—	—	—	1	6	3	1	1	—	25	3	4	—	—	—
25—30	—	—	1	—	2	1	—	—	—	—	11	4	3	—	—	—
30—35	1	—	—	—	1	5	—	1	—	—	13	6	5	—	—	—
35—40	2	1	—	—	1	5	3	—	1	—	17	2	4	—	—	—
40—45	1	1	—	1	—	2	1	—	—	—	28	9	5	—	—	—
45—50	2	1	1	—	—	5	—	—	1	—	24	4	6	—	1	—
50—55	—	—	—	—	2	5	1	1	1	—	26	3	1	—	1	—
55—60	—	2	1	—	2	8	1	—	1	1	23	5	2	—	—	—
60—65	—	—	—	—	2	3	2	—	1	—	22	6	1	—	—	—
65—70	—	—	—	—	3	5	3	1	1	—	11	5	2	—	—	—
70—75	—	—	—	—	3	8	1	—	1	—	9	4	—	—	—	—
75—80	—	—	—	—	4	10	1	—	—	—	6	1	—	—	—	—
80 and upwards	—	—	1	2	6	17	1	—	1	—	2	3	—	—	—	—

Causes of Death.	185 Accidental injury by fall.		186 Accidental injury in mines and quarries.		187 Accidental injury by machinery.		188 Accidental injury by other forms of crushing (vehicles, etc.).		189 Injury by animals (poisoning excepted).		190 Wounds of war.		191* Hunger or thirst.		193 Excessive cold.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	235	213	221	—	37	1	618	141	43	7	10	—	3	1	17	1
0—1	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
1—5	4	5	—	—	1	1	18	13	3	5	—	—	—	—	—	—
5—10	7	2	—	—	—	—	54	17	2	1	—	—	—	—	—	—
10—15	7	—	4	—	1	—	31	6	—	1	—	—	—	—	—	—
15—20	10	1	32	—	8	—	51	6	5	—	—	—	—	—	—	—
20—25	5	—	31	—	2	—	43	6	4	—	1	—	—	—	1	—
25—30	7	1	17	—	4	—	39	10	—	—	3	—	—	—	—	—
30—35	4	—	21	—	3	—	34	7	1	—	2	—	—	—	1	—
35—40	9	2	16	—	1	—	42	4	1	—	4	—	—	1	—	—
40—45	13	5	26	—	2	—	43	5	3	—	—	—	—	—	2	—
45—50	7	3	15	—	6	—	42	7	3	—	—	—	—	—	1	—
50—55	16	4	21	—	—	—	39	12	5	—	—	—	—	—	—	—
55—60	22	6	15	—	5	—	55	9	10	—	—	—	1	—	1	—
60—65	22	5	13	—	3	—	38	12	—	—	—	—	—	—	5	—
65—70	14	12	8	—	—	—	34	10	3	—	—	—	1	—	2	1
70—75	20	26	1	—	1	—	24	6	1	—	—	—	—	—	2	—
75—80	25	41	1	—	—	—	17	4	1	—	—	—	1	—	2	—
80 and upwards	42	100	—	—	—	—	12	7	1	—	—	—	—	—	—	—

* 191. Execution of civilians by belligerent armies —.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1921.
(Civilian Population only).

Causes of Death.	194 Excessive heat.		195 *		Homicide.								201 Fracture (cause not specified).	
			196 Electricity (lightning excepted).		197-199 All forms.		197 By firearms.		198 By cutting or piercing instruments.		199 By other means.			
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	38	31	3	—	19	23	2	2	1	5	16	16	3	2
0—1	4	2	—	—	5	5	—	—	—	—	5	5	—	—
1—5	3	4	—	—	3	4	—	—	1	1	2	3	—	—
5—10	1	4	—	—	—	1	—	—	—	1	—	—	—	—
10—15	—	1	—	—	—	—	—	—	—	—	—	—	—	1
15—20	—	2	—	—	—	2	—	—	—	—	—	2	—	—
20—25	1	—	—	—	—	2	—	—	—	1	—	1	—	—
25—30	—	1	1	—	—	1	—	—	—	—	—	1	—	—
30—35	—	1	—	—	1	2	1	—	—	1	—	1	—	—
35—40	2	—	—	—	3	1	—	—	—	1	3	—	—	—
40—45	3	—	1	—	1	—	1	—	—	—	—	—	—	—
45—50	4	—	—	—	1	3	—	1	—	—	1	2	1	—
50—55	2	—	—	—	1	—	—	—	—	—	1	—	1	—
55—60	6	2	1	—	3	1	—	1	—	—	3	—	—	—
60—65	1	3	—	—	—	—	—	—	—	—	—	—	—	—
65—70	2	1	—	—	—	—	—	—	—	—	—	—	—	—
70—75	7	1	—	—	1	1	—	—	—	—	1	1	—	—
75—80	1	2	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	1	7	—	—	—	—	—	—	—	—	—	—	1	—

* 195. Lightning 30, 35.

Causes of Death.	202 Other external violence.		203 Violent deaths of unknown causation.		XV. 204-205 Ill-defined diseases.		204 Sudden death		205 Cause of death unstated or ill-defined.		205 (1) Heart failure, 1-70 years.		205 (2 & 3) Others.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	36	11	2	—	321	263	43	34	278	229	178	145	100	88
0—1	1	2	—	—	17	17	—	—	17	17	—	—	17	1
1—5	2	1	—	—	17	24	—	—	17	24	2	1	15	2
5—10	3	—	—	—	2	7	—	1	2	6	—	3	2	—
10—15	3	—	—	—	3	3	—	—	3	3	3	—	—	—
15—20	3	1	—	—	3	—	1	—	2	—	—	—	2	—
20—25	1	2	—	—	4	3	—	—	4	3	4	2	—	—
25—30	4	2	—	—	5	2	—	—	5	2	3	1	2	—
30—35	3	—	—	—	9	7	3	2	6	5	4	4	2	—
35—40	2	—	—	—	7	6	1	1	6	5	5	5	1	—
40—45	1	1	—	—	21	14	2	4	19	10	13	9	6	—
45—50	3	—	—	—	21	13	2	—	19	13	16	11	3	—
50—55	1	—	—	—	25	20	5	3	20	17	18	16	2	—
55—60	1	1	2	—	36	40	7	8	29	32	22	29	7	—
60—65	3	1	—	—	66	34	11	6	55	28	41	24	14	—
65—70	4	—	—	—	67	51	11	7	56	44	47	40	9	—
70—75	1	—	—	—	5	6	—	1	5	5	—	—	5	—
75—80	—	—	—	—	6	8	—	1	6	7	—	—	6	—
80 and upwards	—	—	—	—	7	8	—	—	7	8	—	—	7	—

TABLE 17A.—ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS OF CHILDREN UNDER FIVE, 1921.

Inter- national List Number	Causes of Death.				Total under 5 years.	Under 1 month	1-3 m'ths	3-6 m'ths	6-12 m'ths	1 year.	2 years.	3 years.	4-5 years.
	ALL CAUSES	{ M. F.	54,294 42,347	17,398 12,534	7,285 5,313	6,911 4,986	8,787 7,036	8,356 7,280	2,627 2,367	1,614 1,563	1,316 1,268
7	Measles	{ M. F.	1,112 937	9 3	15 12	28 20	229 210	563 450	164 140	64 67	40 35
8	Scarlet fever	{ M. F.	292 254	1 2	3 2	2 2	22 11	78 64	69 54	65 58	52 61
9	Whooping cough	{ M. F.	1,997 2,446	27 36	230 292	261 270	576 595	650 860	139 220	77 113	37 60
10	Diphtheria	{ M. F.	1,085 1,080	7 4	8 9	15 5	86 65	281 230	172 229	257 256	259 282
11	Influenza	{ M. F.	540 375	19 19	56 35	66 35	130 79	145 106	60 48	32 31	32 22
13	Mumps	{ M. F.	5 9	— —	1 —	— 2	2 1	— 1	1 1	1 4	— —
21	Erysipelas	{ M. F.	64 64	8 10	36 18	10 12	5 14	3 5	— 2	2 2	— 1
22	Acute poliomyelitis, acute polioencephalitis.			{ M. F.	47 31	— —	2 —	5 3	9 10	12 10	10 3	8 3	1 2
23	Encephalitis lethargica	{ M. F.	54 51	— 1	1 2	— —	9 5	18 15	11 16	10 6	5 6
24	Meningococcal meningitis	{ M. F.	129 100	— —	6 5	20 24	47 31	34 23	9 3	8 7	5 7
25-1	German measles	{ M. F.	8 6	— 1	— 1	1 —	1 2	2 1	1 1	2 —	1 —
25-2	Varicella	{ M. F.	31 22	2 —	— 1	6 2	7 9	13 6	1 1	1 2	1 1
31-37	Tuberculosis, all forms	{ M. F.	2,149 1,747	11 6	78 46	200 166	452 352	713 562	325 252	187 194	183 169
31	Tuberculosis, respiratory system.			{ M. F.	266 224	1 1	1 3	15 20	44 41	103 85	55 31	23 26	24 17
32	Tuberculosis, nervous system			{ M. F.	995 813	6 2	25 8	88 70	220 176	340 240	146 127	89 104	81 86
33	Tuberculosis, intestines and peritoneum.			{ M. F.	535 421	2 1	43 22	64 57	118 79	160 138	75 52	35 32	38 40
34-36	Tuberculosis, other organs	{ M. F.	61 37	— —	2 1	7 2	13 4	14 19	10 1	8 5	7 5
37	Disseminated tuberculosis	{ M. F.	292 252	2 2	7 12	26 17	57 52	96 80	39 41	32 27	33 21
	(a) Disseminated tubercu- losis, acute.			{ M. F.	75 74	1 1	3 3	7 9	15 13	24 25	8 10	9 10	8 3
	(b) Disseminated tubercu- losis, chronic or un- stated.			{ M. F.	217 178	1 1	4 9	19 8	42 39	72 55	31 31	23 17	25 18
38	Syphilis	{ M. F.	726 550	263 193	241 185	128 96	62 46	24 17	6 9	1 2	1 2
41	Purulent infection, septicae- mia.			{ M. F.	44 45	11 8	11 6	5 11	4 8	7 4	4 6	— 1	2 1
	1. Vaccinia	{ M. F.	1 2	— —	— —	1 2	— —	— —	— —	— —	— —
	2. Other purulent infection			{ M. F.	43 43	11 8	11 6	4 9	4 8	7 4	4 6	— 1	2 1
43-49	Cancer	{ M. F.	53 46	— —	2 —	9 2	4 6	15 15	11 13	9 8	3 2
51	Rheumatic fever	{ M. F.	22 25	1 —	— —	— —	1 1	3 1	3 3	6 8	8 12

TABLE 17A.—ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS OF CHILDREN UNDER FIVE, 1921—*cont.*

Inter- national List Number	Causes of Death.	Total under 5 years.	Under 1 month	1-3 m'ths	3-6 m'ths	6-12 m'ths	1 year.	2 years.	3 years.	4-5 years.
56	Rickets { M. F.	268 204	2 —	8 6	21 16	91 52	106 87	27 21	8 12	5 10
62	Diseases of the thymus .. { M. F.	89 47	14 8	15 4	22 12	15 10	12 9	6 2	1 1	4 1
65a	Leukæmia { M. F.	26 12	— 1	2 —	1 —	2 1	8 2	7 —	4 3	2 5
69-1	Purpura { M. F.	43 38	19 9	5 6	1 7	9 8	2 5	4 1	3 —	— 2
69-2	Hæmophilia { M. F.	37 27	22 17	4 6	1 2	3 2	6 —	1 —	— —	— —
71	Meningitis { M. F.	713 605	19 11	42 35	108 68	155 153	221 195	79 68	50 41	39 34
78	Epilepsy { M. F.	68 55	7 4	3 4	5 4	8 10	14 14	10 10	10 2	11 7
79-80	Convulsions { M. F.	3,028 2,104	1,221 727	540 363	390 276	445 360	339 295	58 56	20 21	15 6
84-1	Idiocy { M. F.	41 47	2 2	1 3	4 5	9 13	12 13	4 5	8 2	1 4
86	Diseases of the ear and of the mastoid sinus. { M. F.	145 123	2 2	14 4	25 14	44 34	31 39	6 9	11 12	12 9
	1. Diseases of the mastoid sinus { M. F.	36 36	— —	2 2	5 2	10 9	11 10	1 5	4 3	3 5
	2. Other ear diseases .. { M. F.	109 87	2 2	12 2	20 12	34 25	20 29	5 4	7 9	9 4
87-90	Heart disease { M. F.	66 70	2 1	— 1	2 1	8 13	8 16	10 9	18 12	18 17
98-1	Laryngismus stridulus .. { M. F.	83 38	9 4	5 —	7 1	26 11	15 13	9 1	4 5	8 3
98-2	Laryngitis { M. F.	160 133	3 2	7 2	4 4	21 19	57 34	22 25	23 25	23 22
99	Bronchitis { M. F.	3,374 2,737	328 228	758 515	654 489	820 746	605 554	138 123	43 58	28 24
100-101	Pneumonia (all forms) .. { M. F.	8,269 6,507	289 199	805 607	1,136 785	2,400 1,780	2,510 2,081	674 604	276 279	179 172
100	Broncho pneumonia .. { M. F.	6,629 5,323	235 173	669 525	954 649	1,975 1,490	2,007 1,708	490 472	190 201	109 105
101	(a) Lobar { M. F.	497 360	20 7	32 17	43 35	118 83	164 118	58 41	27 33	35 26
	(b) Pneumonia not other- wise defined { M. F.	1,143 824	34 19	104 65	139 101	307 207	339 255	126 91	59 45	35 41
102	Pleurisy { M. F.	89 56	3 2	2 1	4 2	15 6	33 22	13 8	11 6	8 9
	1. Empyema { M. F.	75 48	— —	1 1	2 2	15 4	30 19	11 8	8 5	8 9
	2. Other pleurisy { M. F.	14 8	3 2	1 —	2 —	— 2	3 3	2 —	3 1	— —
103	Congestion and pulmonary infarct. { M. F.	100 81	25 25	16 10	18 12	19 13	11 11	6 6	2 1	3 3
97, 98-3 104-107	Other respiratory diseases .. { M. F.	36 23	2 3	3 3	9 4	7 3	4 1	3 2	3 3	5 4
108-1	Diseases of the teeth and gums { M. F.	31 29	4 3	5 2	2 2	4 6	10 11	4 2	1 3	1 —
109-1	Tonsillitis, etc., adenoid vegetations. { M. F.	62 60	1 1	1 1	5 1	9 5	15 10	11 14	10 14	10 14

TABLE 17A.—ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS OF CHILDREN UNDER FIVE, 1921—*cont.*

Inter- national List Number	Causes of Death.	Total under 5 years.	Under 1 month	1-3 m'ths	3-6 m'ths	6-12 m'ths	1 year.	2 years.	3 years.	4-5 years.
112-1	Gastritis { M. F.	686 531	125 74	193 136	160 131	111 103	58 55	23 14	9 15	7 3
113-114	Diarrhoea and enteritis .. { M. F.	8,240 5,965	658 356	1,688 1,142	2,446 1,669	2,119 1,627	1,006 918	185 135	85 69	53 49
117	Appendicitis, typhlitis .. { M. F.	64 49	— —	2 —	1 —	3 2	6 2	8 12	15 15	29 18
118	Hernia, intestinal obstruction { M. F.	466 204	45 22	47 15	134 48	150 75	54 22	18 5	9 8	9 9
	(a) Hernia { M. F.	95 19	19 8	19 2	25 3	18 2	11 2	1 1	1 1	1 —
	(b) Intestinal obstruction.. { M. F.	371 185	26 14	28 13	109 45	132 73	43 20	17 4	8 7	8 9
128	Acute nephritis { M. F.	125 86	6 4	13 6	10 6	14 19	33 20	14 9	18 12	17 10
129	Chronic nephritis { M. F.	9 14	— —	— —	— —	— —	2 5	1 4	3 3	3 2
153	Phlegmon, acute abscess .. { M. F.	91 78	15 15	25 21	14 15	14 13	8 12	10 2	4 —	1 —
	1. Phlegmon { M. F.	42 33	13 4	9 12	3 8	6 4	4 4	4 1	3 —	— —
	2. Acute abscess { M. F.	49 45	2 11	16 9	11 7	8 9	4 8	6 1	1 —	1 —
154-2	Eczema { M. F.	60 43	7 11	19 11	12 2	18 14	3 3	1 1	— 1	— —
154-3	Pemphigus { M. F.	68 36	61 23	6 8	1 —	— —	— 2	— —	— 1	— 2
151-152 154-1 154-4	Other skin diseases .. { M. F.	115 91	36 27	34 15	12 9	13 14	12 11	4 9	2 5	2 1
155-1	Infective osteomyelitis and periostitis. { M. F.	47 45	3 —	4 5	2 7	1 4	13 10	8 3	12 9	4 7
159	Malformations { M. F.	2,025 1,576	1,225 959	392 280	188 130	107 96	65 63	28 24	12 14	8 10
	1. Congenital hydrocephalus { M. F.	161 97	33 23	20 10	27 11	40 19	27 17	7 7	3 5	4 5
	2. Congenital malformation of heart. { M. F.	754 556	542 363	89 82	61 42	30 36	17 19	10 8	2 4	3 2
	3. Congenital, other malformations. { M. F.	1,110 923	650 573	283 188	100 77	37 41	21 27	11 9	7 5	1 3
160	Congenital debility, sclerema and icterus. { M. F.	4,062 2,802	2,344 1,563	943 640	533 394	242 205	— —	— —	— —	— —
	1. Congenital debility and sclerema. { M. F.	3,681 2,569	2,013 1,363	895 609	531 392	242 205	— —	— —	— —	— —
	2. Congenital icterus .. { M. F.	381 233	331 200	48 31	2 2	— —	— —	— —	— —	— —
161	Premature birth, injury at birth. { M. F.	9,982 7,608	9,111 6,847	764 662	94 85	13 14	— —	— —	— —	— —
	1. Premature birth .. { M. F.	9,265 7,146	8,410 6,394	753 653	90 85	12 14	— —	— —	— —	— —
	2. Injury at birth .. { M. F.	717 462	701 453	11 9	4 —	1 —	— —	— —	— —	— —
162-1	Diseases of the umbilicus .. { M. F.	69 74	57 66	12 8	— —	— —	— —	— —	— —	— —
162-2	Atelectasis { M. F.	783 586	759 567	24 19	— —	— —	— —	— —	— —	— —

TABLE 17A.—ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS OF CHILDREN UNDER FIVE, 1921—*cont.*

Inter- national List Number	Causes of Death.	Total under 5 years.	Under 1 month	1-3 m'ths	3-6 m'ths	6-12 m'ths	1 year.	2 years.	3 years.	4-5 years.
163	Lack of care { M. F.	148 129	146 128	2 1	— —	— —	— —	— —	— —	— —
175-203	Violent deaths { M. F.	1,203 899	206 155	84 80	57 70	84 58	304 215	183 120	162 101	123 100
179	Burns (conflagration excepted) { M. F.	445 345	5 1	4 —	5 5	40 27	192 133	108 69	61 54	30 56
	1. By Clothing { M. F.	41 64	— —	— —	1 2	2 —	12 12	16 12	7 11	3 27
	2. Otherwise (or not stated how) { M. F.	92 79	4 —	2 —	4 2	9 8	28 20	21 17	12 18	12 14
	3. Scalds { M. F.	312 202	1 1	2 —	— 1	29 19	152 101	71 40	42 25	15 15
180	Accidental mechanical suffocation. { M. F.	309 271	153 112	77 73	41 55	14 16	15 9	2 2	5 2	2 2
	1. In bed or not stated how { M. F.	272 239	146 107	70 70	36 47	13 13	6 2	1 —	— —	— —
	2. Otherwise than in 1 .. { M. F.	37 32	7 5	7 3	5 8	1 3	9 7	1 2	5 2	2 2
182	Accidental drowning.. .. { M. F.	106 45	9 9	— 1	1 1	4 1	18 14	32 13	22 5	20 1
188	Accidental, by certain forms of crushing (vehicles, railways, etc.). { M. F.	153 99	— —	— —	1 1	2 2	25 20	20 24	52 23	53 29
	1. Road Vehicles { M. F.	142 89	— —	— —	1 1	2 1	21 18	19 21	50 22	49 26
	2. Otherwise { M. F.	11 10	— —	— —	— —	— 1	4 2	1 3	2 1	4 3
	Other violence { M. F.	190 139	39 33	3 6	9 8	24 12	54 39	21 12	22 17	18 12
	Other causes { M. F.	965 747	261 185	107 77	72 64	142 103	212 160	66 62	47 48	58 48

In subsequent reports the corresponding table will relate to the twelve months October to September. Totals for any period made up from this table will differ from the corresponding figures shown in other tables which are tabulated according to the date of registration.

International List Number	Causes of Death.		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
I.	ALL CAUSES.. .. .	{ M. F.	21,077 20,176	21,775 21,065	22,964 22,299	20,042 19,148	19,075 18,028	16,274 15,172	16,905 15,644	17,627 16,283	16,854 15,717
	Epidemic, Endemic and Infectious Diseases.	{ M. F.	3,292 2,954	3,464 3,132	3,886 3,608	3,459 3,106	3,404 3,026	2,727 2,380	2,455 2,231	2,288 2,191	2,262 2,071
1	Enteric fever	{ M. F.	21 16	15 11	12 18	22 18	19 20	20 20	21 20	33 30	40 37
	(a) Typhoid fever .. .	{ M. F.	21 16	14 10	12 17	22 18	19 19	19 20	20 20	33 29	38 36
	(b) Paratyphoid fever ..	{ M. F.	— —	1 1	— 1	— —	— 1	1 —	1 —	— 1	2 1
4	Mediterranean fever ..	{ M. F.	— —	— —	— —	— —	1 1	— —	— —	— —	— —
5	Malaria	{ M. F.	12 —	18 2	9 1	8 —	16 —	16 —	12 —	8 —	11 1
6	Small-pox	{ M. F.	2 —	— —	— —	— —	— —	1 —	— —	— —	— —
7	Measles	{ M. F.	80 89	76 76	130 115	161 128	165 136	98 102	89 80	60 56	35 27
8	Scarlet fever	{ M. F.	67 74	47 67	59 66	52 42	36 61	46 43	45 28	29 36	37 38
9	Whooping cough	{ M. F.	118 150	203 225	189 228	196 223	210 267	206 198	162 224	150 201	140 178
10	Diphtheria	{ M. F.	285 276	225 248	225 248	189 224	156 182	129 134	120 116	113 150	151 153
11	Influenza	{ M. F.	417 366	527 544	715 801	453 494	447 373	174 151	101 83	81 67	118 87
	(a) { 1. With pneumonic complications.	{ M. F.	181 113	238 207	351 307	215 196	195 146	70 45	42 21	25 23	49 30
	{ 2. With other pulmonary complications.	{ M. F.	68 68	84 112	134 202	81 98	75 69	33 25	17 8	15 6	14 12
	(b) { 1. With non-pulmonary complications.	{ M. F.	105 114	107 121	135 160	97 107	97 79	42 47	27 35	30 23	32 26
	{ 2. Without stated complication.	{ M. F.	63 71	98 104	95 132	60 93	80 79	29 34	15 19	11 15	23 19
13	Mumps	{ M. F.	— —	1 1	— 2	3 3	1 1	1 3	1 2	— 3	— —
15	Cholera nostras	{ M. F.	— —	— —	1 —	— 1	— —	1 1	2 1	— —	1 1
16	Dysentery	{ M. F.	14 15	7 8	12 12	9 4	8 10	9 7	10 9	21 20	12 9
	(a) Amœbic	{ M. F.	1 —	— —	— —	4 —	1 1	1 —	1 —	— —	1 —
	(b) Bacillary	{ M. F.	1 1	2 1	2 —	— —	— —	— 1	— 1	2 —	1 2
	(c) Other or unspecified..	{ M. F.	12 14	5 7	19 12	5 4	7 9	8 6	9 8	19 20	10 7
20	Leprosy	{ M. F.	— —	— —	— —	— —	— —	— —	— —	— —	1 —
21	Erysipelas	{ M. F.	41 34	36 45	37 40	25 35	27 19	29 36	22 17	22 14	22 20
22	Acute poliomyelitis ..	{ M. F.	8 7	5 3	4 8	9 7	3 5	5 8	6 6	6 7	11 5
	1. Poliomyelitis	{ M. F.	4 6	4 2	3 8	8 7	1 2	3 5	3 6	4 3	10 5
	2. Polioencephalitis ..	{ M. F.	4 1	1 1	1 —	1 —	2 3	2 3	3 —	2 4	1 —

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1921—*cont.*

Inter- national List Number	Causes of Death.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
23	Encephalitis lethargica .. { M. F.	68 62	48 65	41 49	32 35	31 39	31 19	16 23	17 19	23 20
24	Meningococcal meningitis .. { M. F.	30 24	22 17	23 21	27 22	19 21	20 16	15 13	18 15	8 6
25	Other epidemic diseases .. { M. F.	6 6	9 5	8 —	3 1	7 3	6 —	3 7	2 4	4 1
	(1) German measles .. { M. F.	2 1	1 —	2 —	1 —	1 —	— —	— 1	— —	1 1
	(2) Varicella .. { M. F.	3 4	4 4	6 —	1 1	4 2	6 —	3 6	1 4	1 —
	(3) Other diseases included under 25. { M. F.	1 1	4 1	— —	1 —	2 1	— —	— —	1 —	2 —
27	Anthrax { M. F.	1 —	2 —	1 —	— —	— —	1 —	— —	1 —	2 —
29	Tetanus { M. F.	3 2	5 3	11 5	9 10	7 7	7 2	17 4	11 5	13 7
30	Mycoses { M. F.	5 2	5 4	3 4	3 2	3 5	12 —	5 4	6 4	5 6
	(1) Actinomycosis .. { M. F.	1 —	2 1	1 1	— —	1 1	5 —	1 2	1 1	2 2
	(2) Other mycoses .. { M. F.	4 2	3 3	2 3	3 2	2 4	7 —	4 2	5 3	3 4
31-37	Tuberculosis (all forms) .. { M. F.	1,968 1,742	2,094 1,716	2,274 1,907	2,133 1,746	2,130 1,795	1,805 1,570	1,687 1,505	1,617 1,482	1,527 1,400
31	„ Respiratory system { M. F.	1,551 1,332	1,655 1,348	1,809 1,496	1,690 1,335	1,685 1,373	1,392 1,151	1,303 1,156	1,242 1,176	1,187 1,090
32	„ Nervous system .. { M. F.	162 153	167 121	170 165	180 154	183 165	165 159	149 117	124 117	114 94
33	„ Intestines and peritoneum .. { M. F.	86 96	94 95	100 92	105 96	87 103	87 102	76 89	86 73	105 96
34	„ Vertebral column .. { M. F.	25 35	37 32	25 29	29 28	28 22	25 28	37 22	42 19	23 21
35	„ Joints { M. F.	17 9	11 10	16 10	15 2	11 14	14 17	12 9	11 13	10 6
36	„ Other organs .. { M. F.	30 40	20 27	37 31	23 31	28 25	26 25	21 22	25 19	19 25
	(a) { Skin and subcutaneous tissue. { M. F.	7 5	2 4	3 7	4 6	2 3	4 5	2 5	2 3	1 5
	(b) { Bones (Vertebral column excepted). { M. F.	6 4	4 11	11 4	6 9	6 3	5 2	1 3	7 4	2 6
	(c) { Lymphatic system (abdominal glands excepted). { M. F.	7 8	6 7	6 7	7 4	3 9	3 7	6 3	4 6	7 5
	(d) Genito-urinary system. { M. F.	9 19	7 5	16 12	6 7	16 9	13 11	11 9	8 5	9 8
	(e) Others in 36 .. { M. F.	1 4	1 —	1 1	— 5	1 1	1 —	1 2	4 1	— 1
37	Disseminated tuberculosis .. { M. F.	97 77	110 83	117 84	91 100	108 93	96 88	89 90	87 65	69 68
	(a) Acute { M. F.	24 18	23 17	26 25	25 18	17 30	24 19	18 19	15 12	13 20
	(b) Chronic or unstated .. { M. F.	73 59	87 66	91 59	66 82	91 63	72 69	71 71	72 53	56 48
38	Syphilis { M. F.	98 65	93 65	102 64	100 86	85 54	74 51	92 68	72 60	75 52
40	Gonococcal infection .. { M. F.	3 3	6 4	5 2	1 7	5 5	2 2	1 4	2 3	1 3
	(a) { Gonococcal infection (ophthalmia excepted). { M. F.	2 1	2 1	1 —	— 5	1 3	1 1	— 3	1 1	1 1

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1921—*cont.*

[illegible]

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1921—*cont.*

Inter- national List Number	Causes of Death.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
60	Diseases of the thyroid gland { M. F.	10 90	5 62	11 62	12 48	11 61	6 60	6 61	7 68	9 78
	(a) Exophthalmic goitre .. { M. F.	4 57	3 43	5 36	7 34	4 47	5 36	3 44	3 43	3 50
	(1) Myxœdema .. { M. F.	— 14	— 9	2 9	1 7	3 5	— 6	— 11	1 8	— 14
	(b) { (2) Cretinism.. .. { M. F.	5 6	1 4	2 4	3 1	3 3	— 2	— 1	2 2	2 3
	(3) Other diseases of the thyroid gland. { M. F.	1 13	1 6	2 13	1 6	1 6	1 16	3 5	1 15	4 11
62	Diseases of the thymus .. { M. F.	11 5	12 5	10 4	8 4	10 3	5 5	8 10	11 5	6 3
63	Diseases of the adrenals .. { M. F.	4 8	3 9	5 9	11 15	9 7	11 13	9 6	5 6	7 15
64	Diseases of the spleen .. { M. F.	— —	— —	2 2	— 2	1 1	1 1	1 —	2 —	4 1
65	Leukæmia, lymphadenoma .. { M. F.	40 29	39 35	43 26	42 26	43 20	33 19	39 27	44 23	41 23
	(a) Leukæmia { M. F.	21 11	23 22	26 15	24 18	24 16	16 9	13 16	26 13	20 18
	(b) Lymphadenoma (Hodg-kin's disease). { M. F.	19 18	16 13	17 11	18 8	19 4	17 10	26 11	18 10	21 5
66	Alcoholism (Acute or chronic) { M. F.	13 6	7 1	13 7	12 6	7 5	11 1	6 7	11 2	11 4
67	Chronic poisoning by mineral substances. { M. F.	9 1	7 —	3 —	8 —	3 —	1 —	5 —	2 —	3 —
	(1) Occupational lead poisoning. { M. F.	9 1	7 —	3 —	7 —	3 —	1 —	5 —	2 —	3 —
	(2) Others { M. F.	— —	— —	— —	1 —	— —	— —	— —	— —	— —
68	Chronic poisoning by organic substances. { M. F.	— 1	— —	— —	— 1	2 —	— —	— —	— —	1 —
69	Other general diseases .. { M. F.	19 19	23 20	23 19	20 20	18 18	22 13	20 21	18 21	22 7
	(1) Purpura { M. F.	13 9	15 14	15 10	10 12	8 14	9 8	9 13	8 13	11 5
	(2) Hæmophilia { M. F.	1 2	4 4	6 2	4 3	4 2	4 1	5 5	7 3	9 —
	(3) Other diseases included under 69. { M. F.	5 8	4 2	2 7	6 5	6 2	9 4	6 3	3 5	2 2
III	Diseases of the Nervous System and Sense Organs. { M. F.	2,121 2,227	2,133 2,144	2,188 2,284	2,111 2,088	1,964 2,018	1,778 1,850	1,744 1,905	1,808 1,801	1,718 1,757
70	Encephalitis { M. F.	22 12	13 13	13 11	14 9	19 14	12 13	22 13	13 9	12 9
	(1) Cerebral abscess .. { M. F.	11 5	7 6	12 7	5 5	14 9	8 6	15 8	11 8	8 6
	(2) Other diseases included under 70. { M. F.	11 7	6 7	1 4	9 4	5 5	4 7	7 5	2 1	4 3
71	Meningitis { M. F.	113 102	113 101	99 103	135 98	110 104	111 91	117 96	105 101	102 73
72	Tabes dorsalis (Locomotor-ataxy). { M. F.	41 6	45 11	52 12	49 9	40 7	40 11	44 8	52 8	44 8
73	Other diseases of the spinal cord. { M. F.	60 60	52 46	73 46	60 50	53 54	68 36	47 45	51 40	52 36
74	Cerebral hæmorrhage, apoplexy, etc. { M. F.	969 1,303	1,021 1,249	1,021 1,343	949 1,233	939 1,146	854 1,119	834 1,063	834 1,051	837 1,025
	(a) { (1) Cerebral hæmorrhage so returned. { M. F.	734 942	783 926	768 999	738 924	707 870	633 813	632 795	637 779	627 778
	(2) Apoplexy lesion unstated. { M. F.	145 192	136 161	140 176	114 163	131 146	140 142	114 133	113 132	112 126

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1921—*cont.*

Inter- national List Number	Causes of Death.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
74— <i>cont.</i>	Cerebral hæmorrhage— <i>cont.</i>									
	(1) Cerebral embolism { M. F.	20 42	25 53	26 48	14 38	29 36	16 53	23 37	23 36	29 31
	(b) { (2) Cerebral throm- bosis. { M. F.	70 127	77 109	87 120	83 108	72 94	65 111	65 98	61 104	69 90
75	Paralysis of unstated origin.. { M. F.	90 106	87 108	105 112	96 109	89 103	72 85	84 86	76 77	74 92
	(a) Hemiplegia { M. F.	76 93	73 100	86 104	83 91	75 81	63 76	76 77	62 67	61 79
	(b) Other forms of paralysis { M. F.	14 13	14 8	19 8	13 18	14 22	9 9	8 9	14 10	13 13
76	General paralysis of the insane { M. F.	112 23	116 19	116 21	136 35	95 19	102 25	85 25	91 14	73 12
77	Other forms of insanity .. { M. F.	23 45	29 45	25 47	27 41	26 43	19 39	27 57	29 42	21 43
78	Epilepsy { M. F.	94 103	99 87	112 98	108 97	87 92	98 86	78 92	81 89	78 66
79-80	Convulsions (non-puerperal) { M. F.	328 220	321 220	328 226	307 173	261 185	189 134	200 164	253 144	211 158
81	Chorea { M. F.	3 9	4 7	3 5	1 10	2 7	— 6	4 1	1 7	— —
82	Hysteria and neuritis .. { M. F.	12 11	9 14	6 14	7 13	15 15	6 20	4 15	10 13	9 13
83	Cerebral softening { M. F.	29 50	42 44	32 45	29 39	29 44	38 31	30 38	39 23	32 32
84	Other diseases of the nervous system. { M. F.	155 132	122 137	139 139	133 127	139 132	117 104	117 153	107 133	120 138
	(1) Idiocy, imbecility .. { M. F.	12 14	16 9	9 14	16 13	6 8	5 5	12 13	8 9	9 8
	(2) Cerebral tumour .. { M. F.	46 30	32 36	46 39	42 38	56 49	42 35	45 44	39 51	39 48
	(3) Disseminated sclerosis { M. F.	32 25	18 34	26 25	19 27	25 26	24 22	20 32	22 31	18 29
	(4) Paralysis agitans .. { M. F.	31 30	26 25	30 32	29 23	32 22	20 17	21 42	24 16	29 28
	(5) Other diseases included under 84. { M. F.	34 33	30 33	28 29	27 26	20 27	26 25	19 22	14 26	25 25
85	Diseases of the eye and an- nexa. { M. F.	3 2	2 1	2 1	— 5	3 3	4 5	4 1	2 3	3 1
86	Diseases of the ear and of the mastoid sinus. { M. F.	67 43	58 42	62 61	60 40	57 50	48 45	47 48	64 47	50 51
	(1) Diseases of the mastoid sinus. { M. F.	22 7	15 13	9 18	22 10	11 15	9 16	14 13	23 14	8 12
	(2) Diseases of the ear .. { M. F.	45 36	43 29	53 43	38 30	46 35	39 29	33 35	41 33	42 39
IV	Diseases of the circulatory system. { M. F.	2,891 3,059	2,971 3,107	2,966 3,274	2,863 3,019	2,848 2,810	2,434 2,415	2,458 2,493	2,371 2,351	2,334 2,347
87-90	Heart diseases { M. F.	2,116 2,514	2,219 2,607	2,253 2,701	2,146 2,474	2,128 2,324	1,888 2,039	1,797 2,036	1,804 1,942	1,755 1,954
87	Pericarditis { M. F.	21 10	17 19	18 10	17 17	22 18	11 10	11 15	18 9	11 10
88	Acute endocarditis and myo- carditis. { M. F.	107 92	94 67	107 82	87 94	98 83	89 72	79 76	106 54	80 80
	(1) Infective endocarditis { M. F.	65 43	63 27	65 44	51 39	55 44	61 37	54 42	76 28	51 43
	(2) Other acute endocardi- tis. { M. F.	32 35	24 31	27 26	26 37	27 30	25 30	19 26	23 21	24 21
	(3) Acute myocarditis .. { M. F.	10 14	7 9	15 12	10 18	16 9	3 5	6 8	7 5	5 16

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1921—*cont.*

Inter- national List Number	Causes of Death.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
89	Angina pectoris .. { M. F.	79 26	62 26	55 28	64 26	56 37	66 29	47 20	51 22	58 26
90	Other diseases of the heart .. { M. F.	1,909 2,386	2,046 2,495	2,073 2,581	1,978 2,337	1,952 2,186	1,722 1,928	1,660 1,925	1,629 1,857	1,606 1,838
	(1) Aortic valve disease .. { M. F.	126 63	170 71	189 77	166 76	182 72	144 67	155 51	127 63	137 64
	(2) Mitral valve disease .. { M. F.	290 468	272 499	309 503	286 460	241 435	253 382	249 345	226 366	204 355
	(3) Aortic and mitral valve disease. { M. F.	35 31	41 34	44 38	44 35	42 26	47 27	39 24	34 28	33 21
	(4) Other or unspecified valve disease. { M. F.	465 590	507 597	501 640	490 608	504 584	442 475	391 489	395 447	453 469
	(5) Fatty heart .. { M. F.	101 109	103 129	87 114	86 100	97 103	70 104	82 115	89 102	90 91
	(6) Cardiac dilatation(cause unspecified). { M. F.	43 55	37 58	50 44	38 45	35 28	35 41	47 45	40 29	44 42
	(7) Other or unspecified myocardial disease. { M. F.	366 412	394 463	379 499	345 435	346 411	326 353	295 362	335 361	298 345
	(8) Disordered action of the heart. { M. F.	20 22	15 24	8 21	26 19	19 19	15 17	23 20	17 29	17 18
	(9) Heart disease (undefined). { M. F.	463 636	507 620	506 645	497 559	486 508	390 462	379 474	366 432	330 433
91	Disease of the arteries .. { M. F.	736 500	723 456	671 525	689 517	690 448	531 342	631 424	536 384	555 369
	(a) Aneurism .. { M. F.	68 24	65 20	58 17	65 17	56 14	52 11	60 16	65 18	60 18
	(b) Arterio-sclerosis .. { M. F.	658 469	654 427	599 498	612 495	627 429	472 324	565 403	466 360	492 346
	(1) With record of cerebral vascular lesion { M. F.	182 153	204 158	162 166	183 168	199 142	151 114	164 144	131 151	162 131
	(2) Without record of cerebral vascular lesion. { M. F.	476 316	450 269	437 332	429 327	428 287	321 210	401 259	335 209	330 215
	(c) Other diseases of the arteries. { M. F.	10 7	4 9	14 10	12 5	7 5	7 7	6 5	5 6	3 5
92	Embolism and thrombosis (not cerebral). { M. F.	14 13	11 18	20 19	11 10	10 20	3 14	9 14	14 13	7 11
93	Diseases of the veins (varices, hæmorrhoids, phlebitis, etc.) { M. F.	15 25	7 18	12 23	7 15	11 14	7 14	14 16	8 10	12 8
94	Diseases of the lymphatic system (lymphangitis, etc.) { M. F.	5 4	4 5	8 6	7 1	6 2	3 3	4 2	4 2	3 4
95	Hæmorrhage without stated cause. { M. F.	5 3	7 3	2 —	3 2	3 2	2 3	3 1	5 —	2 1
V	Diseases of the respiratory system. { M. F.	4,286 3,586	5,221 4,569	5,252 4,673	3,550 3,117	3,223 2,579	2,105 1,489	1,822 1,355	1,596 1,159	1,822 1,379
97	Diseases of the nasal fossæ and annexa. { M. F.	8 2	6 4	5 2	3 10	5 7	3 3	8 4	6 4	3 3
	(1) Diseases of the nose .. { M. F.	6 1	4 1	3 1	— 2	3 3	2 2	4 2	2 —	— 1
	(2) Diseases of the accessory nasal sinuses. { M. F.	2 1	2 3	2 1	3 8	2 4	1 1	4 2	4 4	3 2
98	Diseases of the larynx .. { M. F.	47 33	42 40	47 39	44 23	33 20	16 13	18 13	5 14	16 16
	(1) Laryngismus stridulus { M. F.	16 10	9 6	13 5	11 4	8 7	2 1	5 2	3 2	3 1
	(2) Laryngitis .. { M. F.	30 21	33 34	33 33	31 17	25 13	13 12	12 10	2 12	12 14
	(3) Other diseases .. { M. F.	1 2	— —	1 1	2 2	— —	1 —	1 1	— —	1 1

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1921—*cont.*

Inter- national List Number	Causes of Death.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
99	Bronchitis { M. F.	1,835 1,801	2,294 2,388	2,194 2,416	1,488 1,550	1,297 1,186	790 676	708 539	652 488	734 617
	(a) Acute { M. F.	457 514	676 757	544 745	342 428	286 301	141 154	134 114	109 91	126 138
	(b) Chronic { M. F.	544 439	624 547	651 516	520 388	435 353	311 216	286 159	272 179	303 204
	(c & d) { Not stated whether acute or chronic. { M. F.	834 848	994 1,084	999 1,155	626 734	576 532	338 306	288 266	271 218	305 275
100-101	Pneumonia (all forms) .. { M. F.	2,154 1,543	2,568 1,900	2,691 1,980	1,771 1,340	1,665 1,200	1,115 685	910 654	768 537	893 635
100	Broncho-pneumonia { M. F.	1,108 914	1,451 1,173	1,320 1,110	806 702	658 581	434 345	343 323	333 272	387 335
101	Pneumonia (Lobar and not otherwise defined) { M. F.	1,046 629	1,117 727	1,371 870	965 638	1,007 619	681 340	567 331	435 265	506 300
	(a) Lobar { M. F.	516 274	511 313	607 392	454 302	494 285	334 169	301 157	217 121	263 140
	(b) Not otherwise defined.. { M. F.	530 355	606 414	764 478	511 336	513 334	347 171	266 174	218 144	243 160
102	Pleurisy { M. F.	66 34	65 61	78 49	81 41	75 48	66 30	64 44	64 36	62 33
	(1) Empyema { M. F.	24 9	28 18	34 7	37 9	34 20	23 9	27 17	28 10	20 9
	(2) Other pleurisy { M. F.	42 25	37 43	44 42	44 32	41 28	43 21	37 27	36 26	42 24
103	Congestion and hæmorrhage, infarct of lung. { M. F.	51 66	58 66	75 86	45 77	47 57	44 42	41 52	38 41	33 39
104	Gangrene of the lung .. { M. F.	4 3	2 3	3 4	3 2	3 1	3 —	2 3	1 —	2 1
105	Asthma { M. F.	90 83	134 88	106 80	78 55	65 52	43 25	41 35	43 28	49 25
106	Pulmonary emphysema .. { M. F.	8 4	19 10	16 6	5 3	11 1	5 1	8 1	4 —	8 1
107	Other diseases of the respira- tory system. { M. F.	23 17	33 9	37 11	32 16	22 7	20 14	22 10	15 11	22 9
	(a) Chronic interstitial pneumonia. { M. F.	12 4	24 5	22 5	19 6	11 1	8 5	16 7	7 4	8 4
	(b) Diseases of the mediasti- num. { M. F.	— —	— —	1 —	— 2	— 1	— —	— —	1 —	3 —
	(c) Other diseases included under 107. { M. F.	11 13	9 4	14 6	13 8	11 5	12 9	6 3	7 7	11 5
VI	Diseases of the Digestive System. { M. F.	1,394 1,178	1,191 1,005	1,266 1,049	1,147 918	1,097 948	1,081 949	1,713 1,448	3,042 2,395	2,502 2,068
108	Diseases of the buccal cavity and annexa. { M. F.	23 14	15 21	18 12	18 17	21 15	28 21	22 21	18 19	21 16
	(1) Disease of the teeth and gums. { M. F.	11 9	8 15	9 9	11 12	14 8	17 14	13 13	16 15	17 9
	(2) Ludwig's angina .. { M. F.	8 2	6 4	6 3	6 3	4 5	9 4	5 2	2 2	3 3
	(3) Other diseases included under 108. { M. F.	4 3	1 2	3 —	1 2	3 2	2 3	4 6	— 2	1 4
109	Diseases of the pharynx and tonsils. { M. F.	36 38	27 17	40 27	32 22	17 19	27 22	26 19	19 22	19 14
	(1) Tonsillitis, adenoid vegetations, etc. { M. F.	25 30	20 13	28 20	28 18	12 15	16 16	16 13	15 17	16 11
	(2) Other diseases included under 109. { M. F.	11 8	7 4	12 7	4 4	5 4	11 6	10 6	4 5	3 3
110	Diseases of the œsophagus.. { M. F.	1 2	4 1	1 —	5 4	5 2	3 2	3 2	3 3	2 1

TABLE 18.—ENGLAND AND WALES:—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1921—*cont.*

Inter- national List Number	Causes of Death.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
111	Ulcer of the stomach or duo- denum. { M. F.	135 90	120 66	128 67	132 63	146 56	129 63	126 58	127 58	122 77
	(a) Ulcer of the stomach .. { M. F.	86 83	74 57	93 52	82 53	95 51	82 56	78 50	72 54	83 62
	(b) Ulcer of the duodenum { M. F.	49 7	46 9	35 15	50 10	51 5	47 7	48 8	55 4	39 1
112	Other diseases of the stomach { M. F.	140 137	125 128	135 119	118 102	113 102	106 115	122 112	126 144	122 126
	(1) Imflammation of the stomach. { M. F.	115 127	112 113	109 101	104 89	99 89	95 100	103 102	106 133	103 106
	(2) Other { M. F.	25 10	13 15	26 18	14 13	14 13	11 15	19 10	20 11	19 20
113-114	Diarrhoea and enteritis .. { M. F.	536 406	452 323	445 348	350 264	312 288	323 258	884 707	2,199 1,681	1,714 1,352
	(1) Ulceration of the intes- tines. { M. F.	12 14	6 9	9 6	6 5	8 14	4 7	6 15	11 15	11 14
	(2) Colitis { M. F.	14 18	19 26	21 22	15 25	20 16	16 25	18 24	25 25	24 36
	(3) Other diseases included under 113-114. { M. F.	510 374	427 288	415 320	329 234	284 258	303 226	860 668	2,163 1,641	1,679 1,302
116	Diseases due to other intes- tinal parasites. { M. F.	1 —	1 1	— —	— 4	— —	1 1	— 1	— —	— —
	(a) Cestodes (hydatids of the liver excepted). { M. F.	— —	— —	— —	— 1	— —	1 —	— —	— —	— —
	(c) Nematodes (other than ankylostoma). { M. F.	1 —	1 —	— —	— 2	— —	— —	— 1	— —	— —
	(f) Undefined parasites .. { M. F.	— —	— 1	— —	— 1	— —	— 1	— —	— —	— —
117	Appendicitis, typhlitis .. { M. F.	139 104	89 82	135 109	104 85	122 98	123 89	139 124	155 126	122 103
118	Hernia, intestinal obstruc- tion. { M. F.	165 207	168 162	174 178	177 165	173 174	143 165	186 187	190 158	180 168
	(a) Hernia { M. F.	57 100	48 70	69 78	54 65	53 73	54 78	63 75	79 68	70 66
	(b) Intestinal obstruction { M. F.	108 107	120 92	105 100	123 100	120 101	89 87	123 112	111 90	110 102
119	Other diseases of the intes- tines. { M. F.	27 22	15 19	24 19	21 26	15 16	11 19	25 17	16 17	15 22
120	Acute yellow atrophy of the liver. { M. F.	3 6	3 5	3 2	2 4	1 1	2 2	1 —	4 5	2 5
121	Hydatid tumour of the liver. { M. F.	1 1	2 1	2 1	1 2	1 —	— 1	1 3	2 1	— —
122	Cirrhosis of the liver .. { M. F.	99 51	100 62	90 44	125 47	106 57	111 60	107 48	121 51	102 52
	(a) Returned as alcoholic .. { M. F.	8 1	9 6	11 4	12 4	10 6	7 3	7 6	7 6	4 6
	(b) Not returned as alcoholic { M. F.	91 50	91 56	79 40	113 43	96 51	104 57	100 42	114 45	98 46
123	Biliary calculi { M. F.	23 38	16 56	14 55	22 44	18 51	20 54	17 74	22 48	22 53
124	Other diseases of the liver .. { M. F.	42 28	26 33	29 37	17 47	25 42	28 48	37 47	20 46	33 46
125	Diseases of the pancreas .. { M. F.	4 9	13 7	10 8	8 5	12 4	11 8	4 7	4 6	10 8
126	Peritonitis of unstated origin { M. F.	19 25	15 21	18 23	15 17	10 23	15 21	13 21	16 10	16 25

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1921—*cont.*

Inter- national List Number	Causes of Death.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
VII	Non-puerperal diseases of the { genito-urinary system. F.	900 630	896 717	984 711	931 672	839 637	777 588	765 563	836 554	790 513
128	Acute nephritis(including un- { specified under 10 years of F. age).	79 72	79 59	76 74	64 67	64 72	62 57	45 52	55 41	54 38
129	Chronic nephritis (including { unspecified over 10 years of F. age).	482 400	503 501	559 490	532 456	463 420	446 389	429 365	440 366	389 347
131	Other diseases of the kidneys { and annexa. F.	26 20	25 29	29 18	26 18	29 27	16 18	20 16	22 26	21 31
132	Calculi of the urinary passages { F.	21 14	19 8	14 10	13 10	18 7	12 13	14 8	17 13	12 7
133	Diseases of the bladder { F.	79 26	70 23	85 19	83 16	72 20	50 17	67 20	73 17	77 16
	(1) Cystitis { F.	68 24	60 20	75 19	73 16	65 19	45 16	60 19	68 14	68 16
	(2) Other diseases { F.	11 2	10 3	10 —	10 —	7 1	5 1	7 1	5 3	9 —
134	Diseases of the urethra,urinary { abscess, etc. F.	34 1	34 —	38 —	31 —	30 —	30 —	31 —	32 2	35 —
	(a) Stricture of the urethra { F.	28 —	28 —	24 —	23 —	27 —	20 —	25 —	27 —	30 —
	(b) Other diseases { F.	6 1	6 —	14 —	8 —	3 —	10 —	6 —	5 2	5 —
135	Diseases of the prostate M.	170	161	174	177	158	154	155	192	194
136	Non-venereal diseases of the M. male genital organs.	9	4	8	5	5	6	4	5	6
137	Cysts and other tumours of the F. ovary not returned as malig- nant.	25	27	23	33	19	16	26	24	21
138	Salpingitis and pelvic abscess.. F.	22	23	23	16	20	24	19	16	16
	(1) Salpingitis F.	20	21	20	13	18	23	16	14	11
	(2) Pelvic abscess F.	2	2	3	3	2	1	3	2	5
139	Tumours of the uterus not F. returned as malignant.	33	27	37	35	29	26	40	34	26
140	Uterine hæmorrhage F.	1	4	1	5	9	5	1	3	3
141	Other diseases of the female F. genital organs.	15	15	16	15	12	19	14	10	7
	(1) Other diseases of the F. uterus.	13	12	12	14	9	17	7	8	5
	(2) Diseases of the other fe- F. male genital organs not included above.	2	3	4	1	3	2	7	2	2
142	Non-puerperal diseases of the { breast. F.	— 1	1 1	1 —	— 1	— 2	1 4	— 2	— 2	2 1
VIII	The Puerperal State F.	324	272	308	278	301	266	248	263	223
143	Accidents of pregnancy F.	32	22	27	32	28	23	27	36	20
	(a) Abortion F.	11	5	11	10	8	6	10	7	9
	(b) Ectopic gestation F.	8	7	7	5	6	5	7	10	5
	(c) Other accidents F.	13	10	9	17	14	12	10	19	6
144	Puerperal hæmorrhage F.	50	27	37	35	43	47	47	40	27
145	Other accidents of childbirth F.	47	41	48	27	24	26	21	20	30
146	Puerperal sepsis F.	102	99	117	95	121	83	87	89	66
147	Phlegmasia alba dolens puer- F. peral embolism, etc.	31	25	25	33	27	34	18	27	22
	(1) Phlegmasia alba dolens F. not returned as septic.	3	3	3	4	5	5	2	8	6
	(2) Embolism and sudden F. death.	28	22	22	29	22	29	16	19	16

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1921—*cont.*

Inter- national List Number	Causes of Death.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
148	Puerperal albuminuria and con- F. vulsions.	55	54	49	55	55	52	43	47	57
149	Childbirth not assignable above F. (puerperal insanity).	6	3	3	1	3	—	5	3	1
150	Puerperal diseases of the breast F.	1	1	2	—	—	1	—	1	—
IX	Diseases of the skin and cellu- { M. lar tissue. F.	166 136	169 123	187 115	155 138	134 145	143 100	153 118	125 105	97 120
151	Gangrene { M. F.	63 49	69 56	78 46	73 62	71 61	66 48	63 52	57 33	31 39
	(1) Senile gangrene .. { M. F.	57 46	62 49	69 40	66 60	61 57	59 43	61 45	51 27	27 34
	(2) Other gangrene .. { M. F.	6 3	7 7	9 6	7 2	10 4	7 5	2 7	6 6	4 5
152	Furuncle .. . { M. F.	21 13	18 3	24 11	15 11	12 11	13 6	15 6	17 5	16 9
153	Phlegmon, acute abscess .. { M. F.	42 29	39 24	46 25	21 30	30 33	28 20	30 28	19 30	25 30
	(1) Phlegmon .. . { M. F.	27 20	25 13	30 19	9 18	16 23	26 13	21 18	10 18	18 23
	(2) Acute abscess .. { M. F.	15 9	14 11	16 6	12 12	14 10	2 7	9 10	9 12	7 7
154	Other diseases of the skin and { M. its annexa. F.	40 45	43 40	39 33	46 35	21 40	36 26	45 32	32 37	25 42
	(1) Ulcer, bedsore .. { M. F.	13 24	12 19	5 15	14 15	5 19	10 12	9 17	7 15	11 16
	(2) Eczema .. . { M. F.	10 8	7 8	6 7	11 9	5 2	8 2	11 2	4 7	3 6
	(3) Pemphigus .. . { M. F.	7 1	10 4	11 3	10 5	3 7	10 4	7 4	9 4	5 5
	(4) Other diseases included { M. under 154. F.	10 12	14 9	17 8	11 6	8 12	8 8	18 9	12 11	6 15
X	Diseases of the bones and { M. organs of locomotion. F.	50 25	50 25	37 32	54 29	30 23	41 24	32 19	27 29	43 13
155	Diseases of the bones .. { M. F.	39 19	34 20	31 25	44 21	25 19	32 16	27 13	24 22	34 10
	(1) Infective osteomyelitis { M. and periostitis. F.	29 11	28 6	24 18	35 13	17 14	25 10	19 7	17 11	23 7
	(2) Other diseases of the { M. bones, F.	10 8	6 14	7 7	9 8	8 5	7 6	8 6	7 11	11 3
156	Diseases of the joints .. { M. F.	7 4	13 4	5 6	8 7	4 4	9 7	4 4	2 4	6 3
158	Other diseases of the organs of { M. locomotion. F.	4 2	3 1	1 1	2 1	1 —	— 1	1 2	1 3	3 —
XI										
159	Malformation .. . { M. F.	180 146	171 140	200 170	188 140	194 147	160 124	195 148	173 142	171 130
	(1) Congenital hydrocephalus. { M. F.	15 3	12 10	20 9	21 9	16 11	11 13	14 7	17 12	23 13
	(2) Congenital malforma- { M. tion of heart. F.	62 54	67 60	74 60	68 51	83 54	62 46	82 49	69 49	66 44
	(3) Other congenital mal- { M. formations. F.	103 89	92 70	106 101	99 80	95 82	87 65	99 92	87 81	82 73
XII										
160	Diseases of early infancy .. { M. F.	1,394 1,088	1,311 1,030	1,455 1,117	1,332 993	1,288 949	1,131 839	1,072 713	1,196 902	1,222 865
	Congenital debility, icterus { M. and sclerema. F.	385 312	382 238	387 264	347 235	290 223	278 179	285 174	318 241	356 229
	(1) Congenital debility and { M. sclerema. F.	348 296	348 220	350 246	321 210	248 201	249 158	256 160	288 217	323 205
	(2) Icterus .. . { M. F.	37 16	34 18	37 18	26 25	42 22	29 21	29 14	30 24	33 24

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1921—*cont.*

Inter- national List Number	Causes of Death.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
161	Premature birth, injury at birth.	M. 914 F. 701	842 709	965 768	878 669	883 655	754 580	704 473	783 595	779 570
	(1) Premature birth ..	M. 851 F. 661	798 682	892 723	812 629	807 610	700 541	644 442	741 553	719 525
	(2) Injury at birth ..	M. 63 F. 40	44 27	73 45	66 40	76 45	54 39	60 31	42 42	60 45
162	Other diseases peculiar to early infancy.	M. 83 F. 62	74 72	89 71	91 81	100 62	83 73	67 54	77 52	78 56
	(1) Diseases of the umbilicus.	M. 3 F. 10	3 4	6 7	8 9	10 4	11 11	5 4	4 3	10 4
	(2) Atelectasis ..	M. 73 F. 46	62 64	76 51	73 62	80 45	64 55	55 43	63 44	59 46
	(3) Other diseases included under 162.	M. 7 F. 6	9 4	7 13	10 10	10 13	8 7	7 7	10 5	9 6
163	Lack of care ..	M. 12 F. 13	13 11	14 14	16 8	15 9	16 7	16 12	18 14	9 10
XIII										
164	Old age ..	M. 1,040 F. 1,478	1,119 1,584	1,170 1,603	985 1,395	864 1,288	746 1,120	794 1,154	754 1,099	749 1,097
	(1) Senile dementia ..	M. 48 F. 81	60 80	55 83	46 68	44 75	29 51	48 62	40 59	34 61
	(2) Other forms of senile decay.	M. 992 F. 1,397	1,059 1,504	1,115 1,520	939 1,327	820 1,213	717 1,069	746 1,092	714 1,040	715 1,036
XIV	External causes ..	M. 991 F. 442	798 435	940 440	899 408	891 386	986 361	1,331 433	1,015 346	935 367
165-174	Suicide ..	M. 215 F. 75	176 82	245 100	259 89	241 97	256 105	269 87	229 70	238 79
165-166	By solid or liquid poisons and corrosive substances.	M. 15 F. 12	16 14	16 12	22 17	25 18	18 21	10 12	12 13	20 14
167	By poisonous gas ..	M. 18 F. 4	16 11	17 12	20 11	21 13	19 17	20 11	25 7	21 17
168	By hanging or strangulation.	M. 45 F. 11	37 16	73 14	62 16	52 21	61 17	79 12	60 15	67 13
169	By drowning ..	M. 37 F. 34	44 24	46 39	56 29	51 26	58 31	58 18	50 19	40 24
170	By firearms ..	M. 23 F. 1	14 1	28 2	30 2	18 1	25 —	17 —	16 —	24 —
171	By cutting or piercing instruments.	M. 51 F. 8	37 10	46 8	55 7	62 13	60 10	59 22	41 12	47 8
172	By jumping from high places	M. 8 F. 2	4 3	3 6	1 3	5 4	8 2	6 8	11 —	8 1
173	By crushing ..	M. 17 F. 2	8 3	16 6	11 2	7 —	7 2	20 2	14 —	11 1
174	By other means ..	M. 1 F. 1	— —	— 1	2 2	— 1	— 5	— 2	— 4	— 1
175-196 & 201-203	Violent deaths excluding suicide and homicide.	M. 764 F. 354	612 344	685 331	631 299	639 280	718 242	1,049 335	781 268	688 285
175	Food poisoning ..	M. 2 F. 3	1 —	1 2	1 1	2 2	— 2	2 2	6 3	6 9
176	Poisoning by venomous animals.	M. — F. —	— 1	— —	— 1	— —	2 —	— 3	1 1	2 4
177	Other acute accidental poisonings.	M. 8 F. 3	7 4	3 4	4 7	9 4	9 —	12 5	5 6	9 6
178	Conflagration ..	M. 3 F. 5	— 4	2 2	3 3	1 2	1 —	— —	3 3	4 1
179	Burns (conflagration excepted)	M. 80 F. 97	69 108	64 94	63 83	37 56	42 50	57 40	38 40	40 50

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1921—*cont.*

Inter- national List Number	Causes of Death.		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
180	Accidental mechanical suffocation.	{ M. F.	36 30	29 35	39 29	39 25	37 22	40 13	29 15	23 18	24 23
181	Accidental absorption of irrespirable or poisonous gas.	{ M. F.	4 8	8 1	15 4	13 8	8 10	7 4	6 2	4 2	6 3
182	Accidental drowning ..	{ M. F.	103 31	68 32	86 30	89 24	134 32	192 28	326 36	194 39	113 24
183	Accidental injury by firearms	{ M. F.	3 —	5 —	5 1	8 1	5 1	6 2	10 —	9 —	15 —
184	Accidental injury by cutting or piercing instruments.	{ M. F.	— 2	2 —	— 2	1 —	3 —	2 —	4 —	2 —	— —
185	Accidental injury by fall ..	{ M. F.	146 104	127 105	112 99	113 88	112 80	118 70	133 82	114 74	110 89
186	Accidental injury in mines and quarries.	{ M. F.	80 —	67 —	72 —	20 —	5 —	9 —	57 —	53 1	60 —
187	Accidental injury by machinery.	{ M. F.	22 —	17 —	17 1	24 —	12 —	14 —	8 —	8 2	12 1
188	Accidental injury by other forms of crushing (vehicles, railways, etc.).	{ M. F.	232 64	169 44	232 55	207 50	239 60	231 60	266 52	273 63	243 69
189	Injury by animals (poisoning excepted).	{ M. F.	1 —	5 1	6 1	10 1	6 —	9 1	7 1	8 2	8 1
190	Wounds of war	{ M. F.	16 —	12 —	9 —	10 —	7 —	4 —	12 —	6 —	7 —
192	Hunger or thirst	{ M. F.	— 1	1 2	— —	— —	1 2	— —	— —	3 —	1 1
193	Excessive cold	{ M. F.	7 —	5 —	2 —	1 —	— —	— —	— —	— —	— —
194	Excessive heat	{ M. F.	— —	— —	— —	— —	4 1	20 11	97 92	7 8	2 1
195	Lightning	{ M. F.	— —	— —	— —	1 —	— —	— —	— —	1 —	— —
196	Electricity (lightning excepted).	{ M. F.	4 —	— —	3 —	1 —	2 —	1 —	3 —	2 —	1 —
197-199	Homicide	{ M. F.	12 13	10 9	10 9	9 20	11 9	12 14	13 11	5 8	9 3
197	By firearms	{ M. F.	— 1	1 1	1 3	2 1	1 —	— —	— 1	1 2	1 1
198	By cutting or piercing instrument.	{ M. F.	1 4	1 1	1 1	2 3	2 4	1 2	2 7	— 1	1 —
199	By other means	{ M. F.	11 8	8 7	8 5	5 16	8 5	11 12	11 3	4 5	7 2
201	Fracture (cause not specified)	{ M. F.	2 —	3 —	— —	4 1	2 2	2 —	1 1	3 1	1 —
202	Other external violence ..	{ M. F.	11 5	16 7	15 7	19 5	13 5	9 1	17 4	18 5	22 3
203	Violent deaths of unknown causation.	{ M. F.	4 1	1 —	2 —	— 1	— 1	— —	2 —	— —	2 —
XV	Ill-defined diseases	{ M. F.	101 82	116 98	97 73	108 68	63 60	67 49	87 44	104 51	79 61
204	Sudden death.. ..	{ M. F.	23 13	24 17	17 10	11 8	8 7	8 5	18 6	22 4	14 8
205	Cause of death unstated or ill-defined.	{ M. F.	78 69	92 81	80 63	97 60	55 53	59 44	69 38	82 47	65 53
	(1) Heart failure (1-70 years).	{ M. F.	44 30	50 42	44 32	57 37	37 31	35 28	43 13	53 26	46 30
	(2) Other ill-defined causes	{ M. F.	31 38	36 34	33 28	34 20	16 18	20 15	26 18	23 20	19 22
	(3) Cause not specified ..	{ M. F.	3 1	6 5	3 3	6 3	2 4	4 1	— 7	6 1	— 1

TABLE 19.—ENGLAND AND WALES.—CAUSES OF DEATH OF NON-CIVILIANS AT
DIFFERENT AGE PERIODS, 1921.

Causes of Death.	All Ages.	15—	20—	25—	30—	35—	40—	45—	50—	55 years and up- wards
ALL CAUSES	751	103	137	118	118	133	77	32	20	13
Enteric fever	6	2	1	1	—	2	—	—	—	—
Mediterranean fever	1	—	—	—	—	1	—	—	—	—
Malaria	7	—	1	1	1	2	1	1	—	—
Scarlet fever	4	—	3	—	—	1	—	—	—	—
Diphtheria	1	1	—	—	—	—	—	—	—	—
Influenza	16	6	1	2	1	2	—	2	1	1
Dysentery	8	1	4	1	1	—	1	—	—	—
Encephalitis lethargica	5	2	—	—	1	2	—	—	—	—
Meningococcal meningitis	2	1	1	—	—	—	—	—	—	—
Tetanus	1	—	—	—	—	1	—	—	—	—
Tuberculosis of the respiratory system	107	11	18	22	18	22	10	6	—	—
Tuberculosis of nervous system	6	2	3	—	—	1	—	—	—	—
Other Tuberculosis	15	2	7	1	2	1	1	—	1	—
Syphilis	4	—	1	1	1	1	—	—	—	—
Purulent infection, Septicæmia	3	2	1	—	—	—	—	—	—	—
Cancer	34	2	4	1	2	4	8	6	3	4
Rheumatic fever	3	3	—	—	—	—	—	—	—	—
Diabetes	5	—	1	2	2	—	—	—	—	—
Anæmia, Chlorosis	2	—	—	—	2	—	—	—	—	—
Leukæmia	1	—	1	—	—	—	—	—	—	—
Lymphadenoma	3	1	1	—	1	—	—	—	—	—
Alcoholism	4	—	—	—	1	3	—	—	—	—
Purpura	1	—	—	—	1	—	—	—	—	—
Other general diseases	1	—	—	—	—	1	—	—	—	—
Meningitis	6	2	1	—	2	1	—	—	—	—
Diseases of the spinal cord	3	1	—	—	1	—	1	—	—	—
Cerebral hæmorrhage, Apoplexy	9	1	—	2	1	3	—	1	—	1
Cerebral Thrombosis and Embolism	3	—	—	2	1	—	—	—	—	—
General paralysis of the insane	59	—	—	3	10	20	17	5	4	—
Cerebral Tumour	6	—	1	2	2	1	—	—	—	—
Other diseases of the nervous system	4	—	1	1	—	2	—	—	—	—
Diseases of the ears	9	3	2	1	1	2	—	—	—	—
Infective endocarditis	8	1	1	—	5	1	—	—	—	—
Valvular disease	15	1	2	2	2	3	2	1	1	1
Aneurysm	9	—	—	1	—	1	4	1	1	1
Other diseases of the heart and circulatory system	21	3	—	2	1	4	6	—	4	1
Bronchitis	5	—	1	1	—	1	—	—	1	1
Broncho-pneumonia	8	4	—	2	—	1	1	—	—	—
Lobar pneumonia	30	9	5	5	6	1	3	—	—	1
Pneumonia (type not stated)	29	5	4	3	9	6	2	—	—	—
Other diseases of the respiratory system	5	1	—	1	1	2	—	—	—	—
Ulcer of the stomach	12	—	—	3	2	1	3	2	—	1
Ulcer of the duodenum	8	—	1	—	1	6	—	—	—	—
Appendicitis	13	4	4	2	—	3	—	—	—	—
Intestinal obstruction	8	—	2	4	—	—	—	2	—	—
Other diseases of the digestive system	17	1	3	2	4	3	2	1	1	—
Acute nephritis	3	—	1	1	—	—	1	—	—	—
Chronic nephritis	10	—	1	1	1	4	1	1	—	1
Other diseases of the genito-urinary system	8	1	3	1	—	—	—	1	2	—
Other diseases	7	3	1	2	1	—	—	—	—	—
Suicide	37	7	9	7	3	8	3	—	—	—
Homicide	4	—	1	—	1	1	1	—	—	—
Drowning	26	6	11	2	2	4	1	—	—	—
Accidental injury by fall	18	2	4	5	3	2	1	1	—	—
Injury by crushing (vehicles, railways, &c.)	77	6	23	20	17	5	6	—	—	—
Wounds of war	11	—	4	3	3	—	—	—	1	—
Other violence	22	6	3	5	4	3	1	—	—	—
Ill-defined causes	1	—	—	—	—	—	—	1	—	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1921.
ALL AREAS—ENGLAND AND WALES—(TOTAL DEATHS REGISTERED).

CAUSES OF DEATH.	Sex.	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	234,291	40,381	8,356	5,557	8,201	10,085	27,330	58,101	40,726	35,554
	F	224,338	29,869	7,280	5,198	8,064	10,296	26,433	47,805	39,769	49,624
1 Enteric fever ..	M	312	2	2	4	33	84	107	64	15	1
	F	301	—	1	2	40	83	115	49	11	—
2 Small-pox ..	M	5	—	—	1	2	—	—	2	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	1,188	281	563	268	72	2	2	—	—	—
	F	1,053	245	450	242	104	5	4	3	—	—
4 Scarlet fever ..	M	631	28	78	186	259	49	25	6	—	—
	F	674	17	64	173	303	52	54	9	1	1
5 Whooping cough ..	M	2,046	1,094	650	253	46	2	—	—	1	—
	F	2,530	1,193	860	393	75	3	—	2	3	1
6 Diphtheria ..	M	2,298	116	281	688	1,119	57	28	8	1	—
	F	2,474	83	230	767	1,255	68	39	25	5	2
7 Influenza ..	M	4,511	271	145	124	166	321	881	1,388	735	480
	F	4,484	168	106	101	190	297	796	1,122	841	863
8 Encephalitis lethargica ..	M	351	10	18	26	50	50	68	115	12	2
	F	378	8	15	28	50	63	105	93	14	2
9 Meningococcal meningitis ..	M	232	73	34	22	46	22	24	9	1	1
	F	184	60	23	17	36	24	13	11	—	—
10 Tuberculosis of respiratory system	M	18,121	61	103	102	365	3,202	7,879	5,674	651	84
	F	15,384	65	85	74	825	4,431	6,656	2,716	422	110
11 Other tuberculous diseases ..	M	4,778	680	610	593	992	712	642	425	104	20
	F	4,395	505	477	541	900	699	722	396	105	50
12 Cancer, malignant disease ..	M	20,649	15	15	23	55	128	1,288	9,942	6,416	2,767
	F	25,373	8	15	23	38	104	2,681	11,716	6,738	4,050
13 Rheumatic fever ..	M	868	2	3	17	250	167	205	169	44	11
	F	947	1	1	23	266	230	212	155	44	15
14 Diabetes ..	M	1,901	—	2	8	59	134	338	723	456	181
	F	2,191	—	—	7	76	128	353	793	587	247
15 Cerebral hæmorrhage, &c. ..	M	12,219	10	6	6	17	43	405	3,746	4,351	3,635
	F	15,384	3	4	5	11	39	472	4,378	5,024	5,448
16 Heart disease ..	M	24,956	12	8	46	468	817	2,943	8,173	7,355	5,134
	F	28,754	16	16	38	598	833	2,691	8,107	8,463	7,992
17 Arterio-sclerosis ..	M	7,202	—	—	—	—	2	81	1,617	2,597	2,905
	F	5,281	—	—	—	—	1	34	822	1,550	2,874
18 Bronchitis ..	M	16,791	2,560	605	209	81	81	633	3,645	4,363	4,614
	F	16,893	1,978	554	205	84	45	383	2,522	4,278	6,844
19 Pneumonia (all forms) ..	M	19,955	4,630	2,510	1,129	747	778	2,853	4,273	2,027	1,008
	F	14,753	3,371	2,081	1,055	661	489	1,630	2,306	1,754	1,406
20 Other respiratory diseases ..	M	3,229	205	120	143	125	101	423	1,067	605	440
	F	2,478	127	81	123	131	73	285	526	496	636
21 Ulcer of stomach or duodenum ..	M	1,587	2	1	—	1	63	528	757	181	54
	F	839	1	—	—	10	49	266	346	118	49
22 Diarrhœa, &c. ..	M	9,512	6,911	1,006	323	178	38	129	316	277	334
	F	7,574	4,794	918	253	158	40	210	349	368	484
23 Appendicitis and typhlitis ..	M	1,474	6	6	52	380	334	293	308	76	19
	F	1,237	2	2	45	320	214	301	242	81	30
24 Cirrhosis of liver ..	M	1,288	2	—	2	4	3	134	801	283	59
	F	639	2	3	1	6	4	81	355	144	43
25 Acute and chronic nephritis ..	M	6,473	43	35	56	156	185	881	2,716	1,530	871
	F	5,711	35	25	40	148	207	854	2,193	1,356	853
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	1,171	—	—	—	—	235	921	15	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	2,151	—	—	—	1	352	1,764	34	—	—
28 Congenital debility and malformation, premature birth ..	M	16,193	15,956	65	48	68	26	18	11	1	—
	F	12,091	11,875	63	48	49	27	19	10	—	—
29 Suicide ..	M	2,763	—	—	—	7	133	752	1,375	396	100
	F	996	—	—	—	—	107	341	447	76	25
30 Other deaths from violence ..	M	8,863	431	304	468	1,008	1,209	1,926	2,251	729	537
	F	3,878	363	215	321	427	222	429	619	471	811
31 Other defined diseases ..	M	42,807	6,912	1,100	737	1,424	1,319	3,714	8,049	7,287	12,265
	F	43,346	4,893	913	646	1,274	1,150	3,920	7,138	6,653	16,759
32 Causes ill-defined or unknown ..	M	1,088	68	86	23	23	23	130	471	232	32
	F	794	56	78	27	28	22	82	306	166	29

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1921.
(Civilian Population only).

CAUSES OF DEATH.	Sex.	ADMINISTRATIVE COUNTY OF LONDON.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	28,688	4,604	1,025	722	1,075	1,140	3,461	8,034	4,874	3,753
	F	27,571	3,473	938	638	1,057	1,238	3,255	6,195	4,834	5,943
1 Enteric fever ..	M	29	—	—	1	3	5	13	5	1	1
	F	31	—	—	—	4	5	15	6	1	—
2 Small-pox ..	M	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	133	33	63	33	4	—	—	—	—	—
	F	111	24	52	27	6	1	1	—	—	—
4 Scarlet fever ..	M	143	7	21	47	54	8	5	1	—	—
	F	149	7	24	37	63	9	6	2	1	—
5 Whooping cough ..	M	249	113	99	31	6	—	—	—	—	—
	F	297	121	120	43	12	1	—	—	—	—
6 Diphtheria ..	M	587	40	92	185	252	9	9	—	—	—
	F	563	26	73	189	251	12	7	4	1	—
7 Influenza ..	M	461	16	10	6	12	30	90	172	72	53
	F	563	10	11	8	15	43	90	160	125	101
8 Encephalitis lethargica ..	M	40	2	1	4	1	6	8	15	2	1
	F	34	—	1	—	3	6	12	10	1	1
9 Meningococcal meningitis ..	M	47	19	11	3	8	1	1	3	1	—
	F	33	18	7	—	1	5	1	1	—	—
10 Tuberculosis of respiratory system	M	2,737	9	11	12	39	412	1,073	1,028	134	19
	F	2,076	7	17	9	88	555	886	400	88	26
11 Other tuberculous diseases ..	M	488	71	54	74	113	71	54	31	18	2
	F	476	58	71	51	101	66	47	50	17	15
12 Cancer, malignant disease ..	M	2,812	3	4	5	6	10	177	1,433	862	312
	F	3,196	5	1	4	2	15	322	1,529	796	522
13 Rheumatic fever ..	M	88	—	—	1	35	14	21	11	3	3
	F	124	1	—	6	41	31	19	14	7	5
14 Diabetes ..	M	172	—	—	—	4	13	21	79	39	16
	F	250	—	—	—	8	9	46	89	66	32
15 Cerebral hæmorrhage, &c. ..	M	1,052	1	—	—	2	3	44	356	372	274
	F	1,473	1	1	1	1	2	43	463	464	497
16 Heart disease ..	M	3,243	3	—	7	68	121	396	1,055	931	662
	F	3,820	2	2	6	104	128	354	1,041	1,026	1,157
17 Arterio-sclerosis ..	M	844	—	—	—	—	—	11	231	277	325
	F	689	—	—	—	—	—	3	117	199	370
18 Bronchitis ..	M	2,160	166	31	16	1	14	108	609	596	619
	F	2,319	123	26	9	5	5	54	388	641	1,068
19 Pneumonia (all forms) ..	M	2,734	657	308	128	68	73	351	670	298	181
	F	2,167	495	265	118	85	59	239	395	286	225
20 Other respiratory diseases ..	M	376	25	16	9	11	15	58	134	68	40
	F	346	17	10	7	14	6	44	66	93	89
21 Ulcer of stomach or duodenum ..	M	245	1	—	—	—	4	84	128	24	4
	F	104	—	—	—	1	6	30	41	16	10
22 Diarrhœa, &c. ..	M	1,408	1,110	149	28	14	4	11	46	19	27
	F	1,086	750	143	20	13	4	29	31	40	56
23 Appendicitis and typhlitis ..	M	193	—	1	8	55	35	40	39	12	3
	F	171	—	1	12	38	31	34	41	9	5
24 Cirrhosis of liver ..	M	172	—	—	—	—	—	22	104	39	7
	F	106	1	1	—	1	1	13	64	21	4
25 Acute and chronic nephritis ..	M	802	3	2	5	12	14	102	346	203	115
	F	726	2	1	3	11	32	90	290	173	124
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	142	—	—	—	—	17	123	2	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	156	—	—	—	—	27	129	—	—	—
28 Congenital debility and malformation, premature birth..	M	1,678	1,646	10	7	5	6	1	3	—	—
	F	1,282	1,266	5	2	5	2	1	1	—	—
29 Suicide ..	M	373	—	—	—	2	17	117	175	52	10
	F	154	—	—	—	—	11	50	74	16	3
30 Other deaths from violence..	M	967	70	35	52	126	102	162	265	89	66
	F	502	51	18	27	42	24	66	86	78	110
31 Other defined diseases ..	M	4,426	606	96	60	174	153	480	1,086	758	1,013
	F	4,402	484	86	59	141	125	498	821	665	1,523
32 Causes ill-defined or unknown ..	M	28	3	11	—	—	—	2	8	4	—
	F	23	4	2	—	1	—	3	9	4	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1921.
(Civilian Population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF COUNTY BOROUGHES (ENGLAND AND WALES).									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	82,824	15,703	3,717	2,108	2,899	3,540	10,390	21,684	13,388	9,395
	F	77,986	11,752	3,276	2,027	2,944	3,779	9,563	17,120	13,191	14,334
1 Enteric fever ..	M	94	—	1	1	7	30	35	14	6	—
	F	89	—	—	1	8	27	37	12	4	—
2 Small-pox ..	M	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	630	140	308	147	33	1	1	—	—	—
	F	578	133	266	135	40	2	2	—	—	—
4 Scarlet fever ..	M	217	13	38	57	80	17	10	2	—	—
	F	224	4	19	48	119	17	14	3	—	—
5 Whooping cough ..	M	810	423	267	101	19	—	—	—	—	—
	F	1,043	441	404	167	30	—	—	—	1	—
6 Diphtheria ..	M	612	42	89	173	284	13	7	4	—	—
	F	702	30	79	216	345	12	10	8	1	1
7 Influenza ..	M	1,437	92	62	43	43	97	321	488	185	106
	F	1,465	61	41	46	69	97	272	380	258	241
8 Encephalitis lethargica ..	M	118	4	7	6	22	18	16	41	3	1
	F	109	3	5	11	12	19	32	25	2	—
9 Meningococcal meningitis ..	M	78	27	13	9	13	6	7	2	—	1
	F	74	26	8	10	14	9	3	4	—	—
10 Tuberculosis of respiratory system	M	7,240	27	51	47	151	1,194	3,151	2,358	243	18
	F	5,719	24	38	31	333	1,669	2,447	1,018	126	33
11 Other tuberculous diseases ..	M	1,818	273	277	232	390	257	216	144	26	3
	F	1,654	213	188	229	356	267	240	120	31	10
12 Cancer, malignant disease ..	M	6,764	6	5	7	21	46	463	3,572	1,993	651
	F	8,347	2	4	9	16	36	1,001	4,043	2,144	1,092
13 Rheumatic fever ..	M	299	—	1	8	98	48	73	56	13	2
	F	319	—	1	5	85	85	77	53	11	2
14 Diabetes ..	M	583	—	1	4	14	48	97	233	135	51
	F	709	—	—	3	22	42	116	283	170	73
15 Cerebral hæmorrhage, &c. ..	M	4,039	4	2	3	7	16	152	1,468	1,431	956
	F	4,995	2	1	4	5	13	183	1,598	1,637	1,552
16 Heart disease ..	M	7,988	7	6	17	173	301	1,110	2,938	2,206	1,230
	F	9,221	7	6	15	222	326	1,008	2,837	2,638	2,162
17 Arterio-sclerosis ..	M	2,471	—	—	—	—	1	41	639	950	840
	F	1,820	—	—	—	—	1	19	330	566	904
18 Bronchitis ..	M	6,549	1,036	280	91	39	28	314	1,645	1,700	1,416
	F	6,536	794	262	97	32	18	190	1,159	1,718	2,266
19 Pneumonia (all forms) ..	M	8,240	1,889	1,157	493	337	322	1,277	1,739	726	300
	F	5,914	1,382	972	461	265	196	641	901	621	475
20 Other respiratory diseases ..	M	1,065	65	57	39	46	31	167	368	174	118
	F	780	50	33	40	41	26	101	175	135	179
21 Ulcer of stomach or duodenum ..	M	551	—	—	—	—	26	192	260	59	14
	F	259	—	—	—	5	17	81	108	34	14
22 Diarrhœa, &c. ..	M	3,812	2,823	464	132	72	5	56	99	85	76
	F	3,125	2,071	429	94	67	11	60	133	125	135
23 Appendicitis and typhlitis ..	M	445	—	1	15	115	97	86	106	18	7
	F	411	1	1	10	122	62	95	81	33	6
24 Cirrhosis of liver ..	M	434	—	—	1	2	—	50	285	77	19
	F	210	1	—	—	3	—	34	121	37	14
25 Acute and chronic nephritis ..	M	2,279	19	18	21	62	75	346	1,014	487	237
	F	1,996	16	5	16	60	77	322	837	451	212
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	458	—	—	—	—	95	356	7	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	715	—	—	—	1	118	590	6	—	—
28 Congenital debility and malformation, premature birth ..	M	5,984	5,914	19	12	23	5	7	4	—	—
	F	4,517	4,433	28	24	14	9	6	3	—	—
29 Suicide ..	M	881	—	—	—	2	32	254	444	128	21
	F	316	—	—	—	—	33	110	145	20	8
30 Other deaths from violence ..	M	2,888	175	123	172	341	355	589	716	240	177
	F	1,423	149	87	107	171	76	141	244	183	265
31 Other defined diseases ..	M	14,166	2,703	430	268	496	463	1,316	2,904	2,443	3,143
	F	14,027	1,893	356	235	479	407	1,357	2,405	2,208	4,687
32 Causes ill-defined or unknown ..	M	331	21	40	8	9	8	36	141	60	8
	F	231	16	43	13	8	12	18	81	37	3

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1921.
(Civilian Population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS (ENGLAND AND WALES).									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65 —	75—
ALL CAUSES ..	M	76,054	13,364	2,530	1,828	2,775	3,294	8,574	18,551	13,545	11,593
	F	74,492	9,745	2,152	1,697	2,683	3,403	8,874	15,806	13,334	16,798
1 Enteric fever ..	M	129	2	1	2	14	34	40	32	4	—
	F	123	—	1	—	23	33	41	22	3	—
2 Small-pox ..	M	2	—	—	—	1	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	311	77	151	59	23	1	—	—	—	—
	F	252	59	97	55	38	2	—	1	—	—
4 Scarlet fever ..	M	190	7	17	63	80	17	5	1	—	—
	F	207	2	16	64	85	15	24	1	—	—
5 Whooping cough ..	M	658	362	211	70	12	2	—	—	1	—
	F	831	423	253	126	24	2	—	1	1	1
6 Diphtheria ..	M	737	25	73	228	385	16	6	3	1	—
	F	827	18	60	251	447	28	14	7	2	—
7 Influenza ..	M	1,655	98	46	50	72	121	331	489	280	168
	F	1,565	60	35	32	57	101	311	389	271	309
8 Encephalitis lethargica ..	M	119	3	8	11	21	17	25	30	4	—
	F	159	4	6	11	29	21	39	42	7	—
9 Meningococcal meningitis ..	M	69	18	10	4	20	8	7	2	—	—
	F	46	15	3	4	14	5	4	1	—	—
10 Tuberculosis of respiratory system	M	5,364	17	29	30	109	1,005	2,350	1,610	187	27
	F	4,885	25	22	21	265	1,428	2,146	834	117	27
11 Other tuberculous diseases ..	M	1,632	238	193	192	330	267	232	140	33	7
	F	1,445	147	154	188	288	230	261	127	37	13
12 Cancer, malignant disease ..	M	6,613	4	4	6	16	35	403	3,175	2,063	907
	F	8,576	1	6	5	11	30	885	3,920	2,312	1,406
13 Rheumatic fever ..	M	294	1	1	4	78	63	68	61	15	3
	F	335	—	—	12	88	78	83	51	16	7
14 Diabetes ..	M	702	—	—	3	24	41	136	266	167	65
	F	736	—	—	3	22	45	114	258	217	77
15 Cerebral hæmorrhage, &c. ..	M	4,164	4	4	3	6	12	127	1,269	1,489	1,250
	F	5,415	—	—	—	4	20	170	1,536	1,798	1,887
16 Heart disease ..	M	8,107	1	2	15	170	267	915	2,667	2,471	1,599
	F	9,418	5	8	12	198	260	918	2,673	2,778	2,566
17 Arterio-sclerosis ..	M	2,301	—	—	—	—	1	21	522	875	882
	F	1,703	—	—	—	—	—	8	252	486	957
18 Bronchitis ..	M	5,274	886	207	75	29	27	170	1,031	1,393	1,456
	F	5,344	694	173	64	34	14	108	737	1,317	2,203
19 Pneumonia (all forms) ..	M	6,111	1,480	757	361	227	251	853	1,260	621	301
	F	4,544	1,030	600	322	240	164	494	704	555	435
20 Other respiratory diseases ..	M	1,088	79	31	66	42	30	121	366	195	158
	F	848	37	27	39	48	29	98	176	162	232
21 Ulcer of stomach or duodenum ..	M	495	1	—	—	1	23	164	232	55	19
	F	288	1	—	—	3	15	103	115	39	12
22 Diarrhœa, &c. ..	M	3,016	2,191	277	108	54	19	42	101	107	117
	F	2,358	1,436	261	90	49	14	86	126	131	165
23 Appendicitis and typhlitis ..	M	520	4	4	14	142	131	95	103	22	5
	F	426	—	—	12	110	82	114	70	27	11
24 Cirrhosis of liver ..	M	453	2	—	1	1	2	41	284	100	22
	F	220	—	2	1	2	3	30	113	53	16
25 Acute and chronic nephritis ..	M	2,154	12	8	21	59	56	280	936	522	260
	F	1,904	10	12	12	47	61	288	709	461	304
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	362	—	—	—	—	81	277	4	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	784	—	—	—	—	116	655	13	—	—
28 Congenital debility and malformation, premature birth..	M	5,480	5,410	21	15	20	6	4	3	1	—
	F	4,069	4,003	16	16	16	10	4	4	—	—
29 Suicide ..	M	847	—	—	—	3	37	220	430	121	36
	F	367	—	—	—	—	48	137	146	28	8
30 Other deaths from violence..	M	2,942	118	90	156	342	403	662	764	240	167
	F	1,174	106	65	117	134	75	135	173	129	240
31 Other defined diseases ..	M	14,220	2,297	362	261	485	394	1,206	2,600	2,482	4,133
	F	15,004	1,650	319	233	398	386	1,295	2,492	2,319	5,912
32 Causes ill-defined or unknown ..	M	407	27	23	10	9	8	50	173	96	11
	F	277	19	16	7	9	7	32	109	68	10

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1921.
(Civilian Population only).

CAUSES OF DEATH.		Sex	AGGREGATE OF RURAL DISTRICTS (ENGLAND AND WALES).									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	{	M 45,974 F 44,289	6,710 4,899	1,084 914	899 836	1,452 1,380	1,871 1,876	4,459 4,741	9,772 8,684	8,914 8,410	10,813 12,549
1 Enteric fever	..	{	M 54 F 58	— —	— —	— 1	9 5	12 18	16 22	13 9	4 3	— —
2 Small-pox	{	M 1 F —	— —	— —	— —	1 —	— —	— —	— —	— —	— —
3 Measles	{	M 114 F 112	31 29	41 35	29 25	12 20	— —	1 1	— 2	— —	— —
4 Scarlet fever	..	{	M 77 F 94	1 4	2 5	19 24	45 36	4 11	4 10	2 3	— —	— 1
5 Whooping cough	..	{	M 329 F 359	196 208	73 83	51 57	9 9	— —	— —	— 1	— 1	— —
6 Diphtheria	..	{	M 361 F 382	9 9	27 18	102 111	198 212	18 16	6 8	1 6	— 1	— 1
7 Influenza	{	M 942 F 891	65 37	27 19	25 15	39 49	66 56	134 123	236 193	197 187	153 212
8 Encephalitis lethargica	..	{	M 69 F 76	1 1	2 3	5 6	6 6	7 17	16 22	29 16	3 4	— 1
9 Meningococcal meningitis	..	{	M 36 F 31	9 1	— 5	6 3	5 7	5 5	9 5	2 5	— —	— —
10 Tuberculosis of respiratory system	..	{	M 2,673 F 2,704	8 9	12 8	13 13	66 139	562 779	1,233 1,177	672 464	87 91	20 24
11 Other tuberculous diseases	{	M 819 F 820	98 87	86 64	95 73	159 155	103 136	134 174	109 99	27 20	8 12
12 Cancer, malignant disease	{	M 4,426 F 5,254	2 —	2 4	5 5	12 9	31 23	230 473	1,749 2,224	1,498 1,486	897 1,030
13 Rheumatic fever	{	M 184 F 169	1 —	1 —	4 —	39 52	39 36	43 33	41 37	13 10	3 1
14 Diabetes	{	M 439 F 496	— —	1 —	1 1	17 24	31 32	80 77	145 163	115 134	49 65
15 Cerebral hæmorrhage, &c.	..	{	M 2,952 F 3,501	1 —	— 2	— —	2 1	11 4	73 76	651 781	1,059 1,125	1,155 1,512
16 Heart disease	..	{	M 5,582 F 6,295	1 2	— —	7 5	57 74	121 119	500 411	1,508 1,556	1,745 2,021	1,643 2,107
17 Arterio-sclerosis	{	M 1,582 F 1,069	— —	— —	— —	— —	— —	5 4	224 123	495 299	858 643
18 Bronchitis	..	{	M 2,803 F 2,694	472 367	87 93	27 35	12 13	11 8	39 31	359 238	673 602	1,123 1,307
19 Pneumonia (all forms)	{	M 2,803 F 2,128	604 464	288 244	147 154	115 71	105 70	333 256	604 306	381 292	226 271
20 Other respiratory diseases	{	M 695 F 504	36 23	16 11	29 37	26 28	24 12	73 42	199 109	168 106	124 136
21 Ulcer of stomach or duodenum	..	{	M 276 F 188	— —	1 —	— —	— 1	9 11	72 52	134 82	43 29	17 13
22 Diarrhoea, &c.	..	{	M 1,275 F 1,005	787 537	116 85	55 49	38 29	9 11	20 35	70 59	66 72	114 128
23 Appendicitis and typhlitis..	..	{	M 303 F 229	2 1	— —	15 11	68 50	63 39	67 58	60 50	24 12	4 8
24 Cirrhosis of liver	{	M 227 F 103	— —	— —	— —	1 —	1 —	20 4	127 57	67 33	11 9
25 Acute and chronic nephritis	..	{	M 1,225 F 1,085	9 7	7 7	9 9	23 30	38 37	144 154	418 357	318 271	259 213
26 Puerperal sepsis	{	M — F 209	— —	— —	— —	— —	— 42	— 165	— 2	— —	— —
27 Other accidents and diseases of pregnancy and parturition.	..	{	M — F 496	— —	— —	— —	— —	— 91	— 390	— 15	— —	— —
28 Congenital debility and malformation, premature birth..	..	{	M 3,050 F 2,223	2,986 2,173	15 14	14 6	20 14	9 6	5 8	1 2	— —	— —
29 Suicide	{	M 625 F 159	— —	— —	— —	— —	31 15	140 44	326 82	95 12	33 6
30 Other deaths from violence..	..	{	M 1,908 F 779	68 57	56 45	88 70	199 80	283 47	423 87	504 116	160 81	127 196
31 Other defined diseases	{	M 9,823 F 9,913	1,306 866	212 152	148 119	269 256	271 232	597 770	1,440 1,420	1,604 1,461	3,976 4,637
32 Causes ill-defined or unknown	..	{	M 321 F 263	17 17	12 17	5 7	5 10	7 3	42 29	148 107	72 57	13 16

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1921.
(Civilian Population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF NORTHERN COUNTIES.*									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	86,206	16,931	4,110	2,430	3,170	3,715	10,312	21,637	14,190	9,711
	F	80,229	12,573	3,622	2,288	2,984	3,807	9,974	17,768	13,760	13,453
1 Enteric fever ..	M	170	1	2	2	20	50	57	32	6	—
	F	129	—	1	1	18	39	46	18	6	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	693	147	350	154	39	2	1	—	—	—
	F	623	141	281	138	57	3	2	1	—	—
4 Scarlet fever ..	M	239	4	24	74	102	22	8	5	—	—
	F	248	5	21	62	114	21	19	5	—	1
5 Whooping cough ..	M	1,068	563	347	138	19	1	—	—	—	—
	F	1,300	585	466	215	31	1	—	1	—	1
6 Diphtheria ..	M	583	34	83	172	274	12	3	4	1	—
	F	620	26	68	220	271	16	8	9	1	1
7 Influenza ..	M	1,767	108	71	48	77	136	366	568	254	139
	F	1,653	74	42	47	85	120	367	431	275	212
8 Encephalitis lethargica ..	M	109	3	8	8	19	16	19	35	1	—
	F	120	2	5	11	19	21	30	29	3	—
9 Meningococcal meningitis ..	M	71	19	12	10	14	5	7	3	—	1
	F	62	21	8	7	15	9	1	1	—	—
10 Tuberculosis of respiratory system	M	6,517	23	50	59	179	1,089	2,783	2,104	213	17
	F	5,359	29	34	43	390	1,545	2,300	881	116	21
11 Other tuberculous diseases ..	M	1,985	285	296	273	442	268	222	162	29	8
	F	1,742	185	214	255	391	263	261	133	32	8
12 Cancer, malignant disease ..	M	6,541	7	8	4	16	53	458	3,409	1,974	612
	F	8,034	1	1	6	12	35	965	3,986	2,041	987
13 Rheumatic fever ..	M	333	1	1	5	99	66	73	68	16	4
	F	363	—	1	6	94	89	84	73	13	3
14 Diabetes ..	M	647	—	1	5	15	59	114	260	147	46
	F	722	—	—	3	20	39	119	299	181	61
15 Cerebral hæmorrhage, &c. ..	M	4,389	7	2	4	9	18	165	1,560	1,620	1,004
	F	5,337	1	1	3	5	16	197	1,777	1,842	1,495
16 Heart disease ..	M	8,210	4	4	17	165	317	1,133	2,966	2,383	1,221
	F	9,380	8	10	11	204	327	1,091	3,036	2,765	1,928
17 Arterio-sclerosis ..	M	2,771	—	—	—	—	1	34	690	1,118	928
	F	1,877	—	—	—	—	1	15	344	628	889
18 Bronchitis ..	M	6,728	1,265	325	100	37	28	307	1,587	1,718	1,361
	F	6,551	992	288	104	40	21	176	1,221	1,689	2,020
19 Pneumonia (all forms) ..	M	8,655	2,017	1,273	572	363	382	1,266	1,732	762	288
	F	6,214	1,483	1,054	530	276	213	701	902	671	384
20 Other respiratory diseases ..	M	1,099	85	49	68	50	32	149	364	184	118
	F	811	53	37	53	56	28	100	189	133	162
21 Ulcer of stomach or duodenum ..	M	515	—	—	—	—	26	205	218	53	13
	F	271	1	—	—	2	24	90	110	35	9
22 Diarrhoea, &c. ..	M	3,823	2,745	480	136	78	13	62	112	104	93
	F	3,070	1,920	459	113	84	17	69	137	129	142
23 Appendicitis and typhlitis ..	M	459	1	2	15	135	103	98	89	14	2
	F	400	—	1	12	98	79	97	76	30	7
24 Cirrhosis of liver ..	M	413	2	—	—	1	2	44	264	79	21
	F	159	1	2	—	5	—	26	85	31	11
25 Acute and chronic nephritis ..	M	2,402	17	17	27	71	74	361	1,082	540	213
	F	2,168	20	15	15	60	74	370	937	459	218
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	479	—	—	—	—	94	381	4	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	884	—	—	—	1	155	713	15	—	—
28 Congenital debility and malformation, premature birth..	M	6,474	6,393	23	18	21	10	7	2	—	—
	F	4,851	4,764	32	21	17	9	5	3	—	—
29 Suicide ..	M	893	—	—	—	3	31	236	458	133	32
	F	342	—	—	—	—	39	124	152	20	7
30 Other deaths from violence..	M	3,259	144	136	183	383	415	736	825	273	164
	F	1,392	136	100	129	160	80	155	226	164	242
31 Other defined diseases ..	M	14,906	3,028	506	325	525	473	1,346	2,832	2,459	3,412
	F	14,751	2,108	439	267	448	419	1,429	2,565	2,440	4,636
32 Causes ill-defined or unknown ..	M	487	28	40	13	14	11	52	206	109	14
	F	317	17	42	16	13	10	33	122	56	8

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1921.
(Civilian Population only).

CAUSES OF DEATH.		Sex	AGGREGATE OF MIDLAND COUNTIES.*									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	M	69,123	11,486	2,077	1,439	2,300	2,903	7,741	16,304	12,507	12,366
		F	66,532	8,362	1,736	1,406	2,386	3,016	7,546	13,442	11,944	16,694
1 Enteric fever	..	M	64	—	—	—	5	13	21	19	6	—
		F	72	—	—	1	8	18	29	14	2	—
2 Small-pox	M	2	—	—	1	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
3 Measles	M	258	62	111	65	20	—	—	—	—	—
		F	244	57	89	61	34	1	—	2	—	—
4 Scarlet fever	..	M	141	9	22	32	62	10	6	—	—	—
		F	165	2	11	35	89	15	11	2	—	—
5 Whooping cough	..	M	442	266	113	46	16	1	—	—	—	—
		F	535	277	163	73	20	1	—	—	1	—
6 Diphtheria	..	M	648	26	72	190	330	19	9	2	—	—
		F	783	20	62	215	441	25	13	4	2	1
7 Influenza	M	1,349	99	51	49	37	94	279	387	211	142
		F	1,264	51	39	39	53	86	188	309	232	267
8 Encephalitis lethargica	..	M	124	5	3	6	19	17	24	46	4	—
		F	122	4	5	8	9	15	42	33	5	1
9 Meningococcal meningitis	..	M	71	26	9	5	11	7	12	1	—	—
		F	55	17	7	3	9	7	8	4	—	—
10 Tuberculosis of respiratory system	{	M	5,116	22	30	22	95	960	2,298	1,491	174	24
		F	4,481	20	21	13	188	1,331	1,979	789	107	33
11 Other tuberculous diseases ..	{	M	1,314	198	174	145	243	184	197	134	31	8
		F	1,213	169	116	148	218	190	206	125	30	11
12 Cancer, malignant disease ..	{	M	6,514	3	2	10	23	38	385	2,925	2,121	1,007
		F	8,011	—	5	9	13	35	808	3,558	2,169	1,414
13 Rheumatic fever ..	{	M	246	—	2	5	58	56	67	45	10	3
		F	253	—	—	7	76	65	58	34	12	1
14 Diabetes ..	{	M	627	—	—	1	19	40	122	239	144	62
		F	682	—	—	3	28	54	102	235	180	80
15 Cerebral hæmorrhage, &c.	{	M	3,783	2	2	1	3	14	101	996	1,329	1,335
		F	4,858	1	2	1	4	10	136	1,213	1,579	1,912
16 Heart disease	{	M	7,515	4	4	14	139	203	875	2,342	2,221	1,713
		F	8,534	2	2	13	159	239	751	2,232	2,552	2,584
17 Arterio-sclerosis ..	{	M	1,976	—	—	—	—	—	17	380	678	901
		F	1,427	—	—	—	—	—	10	191	378	848
18 Bronchitis	{	M	4,964	737	172	60	25	28	145	928	1,312	1,557
		F	4,865	531	151	55	27	8	115	585	1,228	2,165
19 Pneumonia (all forms) ..	{	M	5,383	1,252	618	287	205	198	793	1,181	567	282
		F	3,918	875	523	275	200	122	456	598	460	409
20 Other respiratory diseases ..	{	M	922	50	27	27	36	29	106	306	190	151
		F	713	35	19	28	32	19	77	148	154	201
21 Ulcer of stomach or duodenum	{	M	474	—	1	—	1	15	130	241	64	22
		F	254	—	—	—	5	12	88	100	35	14
22 Diarrhœa, &c.	{	M	2,565	1,838	237	86	52	10	36	96	93	117
		F	2,053	1,318	185	79	42	8	65	86	108	162
23 Appendicitis and typhlitis ..	{	M	483	3	2	17	116	119	89	104	26	7
		F	393	2	—	15	127	53	98	70	23	5
24 Cirrhosis of liver ..	{	M	403	—	—	1	2	1	39	238	104	18
		F	224	—	—	—	2	2	22	120	57	21
25 Acute and chronic nephritis	{	M	1,743	15	8	13	45	49	231	696	434	252
		F	1,467	9	6	10	49	62	211	519	362	239
26 Puerperal sepsis ..	{	M	—	—	—	—	—	—	—	—	—	—
		F	306	—	—	—	—	68	230	8	—	—
27 Other accidents and diseases of pregnancy and parturition.	{	M	—	—	—	—	—	—	—	—	—	—
		F	573	—	—	—	—	81	480	12	—	—
28 Congenital debility and malformation, premature birth ..	{	M	4,948	4,869	18	16	30	7	6	2	—	—
		F	3,636	3,576	13	16	13	10	6	2	—	—
29 Suicide ..	{	M	851	—	—	—	1	38	211	444	125	32
		F	294	—	—	—	—	30	99	124	30	11
30 Other deaths from violence ..	{	M	2,489	138	80	141	289	344	480	625	209	183
		F	1,161	105	53	100	129	71	112	180	154	257
31 Other defined diseases ..	{	M	13,342	1,841	295	196	410	401	1,019	2,264	2,376	4,540
		F	13,707	1,277	238	192	401	370	1,117	2,041	2,021	6,050
32 Causes ill-defined or unknown	{	M	366	21	24	3	7	8	43	172	78	10
		F	269	14	26	7	10	8	29	104	63	8

* See footnote to Table 13.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1921.
(Civilian Population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF SOUTHERN COUNTIES (INCLUDING LONDON).*									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	61,414	8,630	1,622	1,215	2,078	2,399	6,813	16,070	11,333	11,254
	F	62,336	6,474	1,450	1,087	2,027	2,591	6,938	13,482	11,665	16,622
1 Enteric fever ..	M	56	—	—	2	5	14	19	12	3	1
	F	75	—	—	—	8	15	34	15	3	—
2 Small-pox ..	M	3	—	—	—	1	—	—	2	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	203	57	92	44	10	—	—	—	—	—
	F	169	39	76	40	11	1	2	—	—	—
4 Scarlet fever ..	M	198	13	27	62	76	11	8	1	—	—
	F	191	8	27	45	82	12	14	2	1	—
5 Whooping cough ..	M	390	186	146	48	10	—	—	—	—	—
	F	502	227	178	74	19	1	—	1	2	—
6 Diphtheria ..	M	862	45	106	264	415	20	12	—	—	—
	F	856	31	80	259	442	21	13	8	2	—
7 Influenza ...	M	1,090	52	18	22	42	61	175	336	206	178
	F	1,339	36	24	12	35	75	196	335	283	343
8 Encephalitis lethargica ..	M	94	2	6	6	9	12	19	32	6	2
	F	113	2	5	7	16	24	26	26	6	1
9 Meningococcal meningitis ..	M	72	23	12	5	16	6	4	5	1	—
	F	57	20	7	5	9	8	4	4	—	—
10 Tuberculosis of respiratory system	M	5,105	11	19	14	68	854	2,169	1,707	225	38
	F	4,322	10	23	14	184	1,169	1,864	840	172	46
11 Other tuberculous diseases ..	M	1,118	157	118	136	226	178	167	92	40	4
	F	1,098	117	116	113	210	174	197	108	35	28
12 Cancer, malignant disease ..	M	6,362	5	5	8	14	28	345	2,983	1,969	1,005
	F	7,906	6	9	6	9	28	750	3,472	2,172	1,454
13 Rheumatic fever ..	M	189	1	—	3	65	27	45	28	16	4
	F	226	1	—	8	63	53	43	32	17	9
14 Diabetes ..	M	507	—	1	1	20	22	71	188	141	63
	F	662	—	—	1	22	31	108	208	195	97
15 Cerebral hæmorrhage, &c. ..	M	3,116	1	2	—	4	9	99	910	1,060	1,031
	F	4,116	1	1	1	2	6	106	1,063	1,255	1,681
16 Heart disease ..	M	7,470	4	—	9	120	219	725	2,242	2,244	1,907
	F	8,930	5	3	10	173	210	643	2,270	2,597	3,019
17 Arterio-sclerosis ..	M	2,096	—	—	—	—	1	21	466	667	941
	F	1,751	—	—	—	—	—	7	253	473	1,018
18 Bronchitis ..	M	3,927	334	71	30	11	18	149	875	1,025	1,414
	F	4,460	285	68	29	12	9	77	585	1,118	2,277
19 Pneumonia (all forms) ..	M	4,526	1,019	445	193	146	129	569	1,100	560	365
	F	3,756	768	390	179	141	115	399	690	538	536
20 Other respiratory diseases ..	M	882	44	29	23	24	28	122	294	179	139
	F	777	31	13	25	30	13	84	157	185	239
21 Ulcer of stomach or duodenum ..	M	495	2	—	—	—	17	149	253	57	17
	F	256	—	—	—	3	11	69	108	40	25
22 Diarrhœa, &c. ..	M	2,310	1,740	212	62	29	10	19	87	55	96
	F	1,823	1,166	205	35	22	8	59	83	101	144
23 Appendicitis and typhlitis ..	M	419	—	2	19	102	77	79	98	33	9
	F	366	—	1	17	74	63	82	88	25	16
24 Cirrhosis of liver ..	M	386	—	—	1	1	—	37	241	88	18
	F	229	1	1	1	1	2	30	132	51	10
25 Acute and chronic nephritis ..	M	1,805	7	9	9	28	37	214	724	443	334
	F	1,626	3	2	8	25	54	197	573	429	335
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	275	—	—	—	—	45	228	2	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	449	—	—	—	—	73	373	3	—	—
28 Congenital debility and malformation, premature birth ..	M	3,537	3,476	18	12	14	8	2	6	1	—
	F	2,700	2,655	9	7	14	6	5	4	—	—
29 Suicide ..	M	814	—	—	—	2	39	226	396	118	33
	F	295	—	—	—	—	24	99	142	24	6
30 Other deaths from violence ..	M	2,092	130	62	94	243	249	393	579	188	154
	F	1,069	98	42	58	99	56	135	179	129	273
31 Other defined diseases ..	M	11,131	1,305	203	144	376	323	953	2,355	1,973	3,499
	F	11,802	949	162	131	320	281	1,079	2,046	1,777	5,057
32 Causes ill-defined or unknown ..	M	159	16	19	4	1	2	22	58	35	2
	F	140	15	8	2	1	3	15	53	35	8

* See footnote to Table 13.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1921.
(Civilian Population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF WALES AND MONMOUTH.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	{	M	16,797	3,334	547	473	653	828	2,018	4,030	2,691	2,223
		F	15,241	2,460	472	417	667	882	1,975	3,113	2,400	2,855
1 Enteric fever ..	{	M	16	1	—	—	3	4	7	1	—	—
		F	25	—	—	—	6	11	6	2	—	—
2 Small-pox ..	{	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
3 Measles ..	{	M	34	15	10	5	3	—	1	—	—	—
		F	17	8	4	3	2	—	—	—	—	—
4 Scarlet fever ..	{	M	49	2	5	18	19	3	2	—	—	—
		F	70	2	5	31	18	4	10	—	—	—
5 Whooping cough ..	{	M	146	79	44	21	1	—	—	—	1	—
		F	193	104	53	31	5	—	—	—	—	—
6 Diphtheria ..	{	M	204	11	20	62	100	5	4	2	—	—
		F	215	6	20	73	101	6	5	4	—	—
7 Influenza ..	{	M	289	12	5	5	10	23	56	94	63	21
		F	228	7	1	3	17	16	45	47	51	41
8 Encephalitis lethargica ..	{	M	19	—	1	6	3	3	3	2	1	—
		F	23	—	—	2	6	3	7	5	—	—
9 Meningococcal meningitis ..	{	M	16	5	1	2	5	2	1	—	—	—
		F	10	2	1	2	3	—	—	2	—	—
10 Tuberculosis of respiratory system	{	M	1,276	5	4	7	23	270	557	366	39	5
		F	1,222	6	7	4	63	386	513	206	27	10
11 Other tuberculous diseases ..	{	M	340	40	22	39	81	68	50	36	4	—
		F	342	34	31	25	81	72	58	30	8	3
12 Cancer, malignant disease ..	{	M	1,198	—	—	1	2	3	85	612	352	143
		F	1,422	1	—	2	4	6	158	700	356	195
13 Rheumatic fever ..	{	M	97	—	—	4	28	15	20	28	2	—
		F	105	—	—	2	33	23	27	16	2	2
14 Diabetes ..	{	M	115	—	—	1	5	12	27	36	24	10
		F	125	—	—	—	6	4	24	51	31	9
15 Cerebral hæmorrhage, &c. ..	{	M	919	—	—	1	1	1	31	278	342	265
		F	1,073	—	—	—	—	7	33	325	348	360
16 Heart disease ..	{	M	1,725	—	—	6	44	71	188	618	505	293
		F	1,910	1	1	4	62	57	206	569	549	461
17 Arterio-sclerosis ..	{	M	355	—	—	—	—	—	6	80	134	135
		F	226	—	—	—	—	—	2	34	71	119
18 Bronchitis ..	{	M	1,167	224	37	19	8	6	30	254	307	282
		F	1,017	170	47	17	5	7	15	131	243	382
19 Pneumonia (all forms) ..	{	M	1,324	342	174	77	33	42	186	260	137	73
		F	865	245	114	71	44	39	74	116	85	77
20 Other respiratory diseases ..	{	M	321	26	15	25	15	11	42	103	52	32
		F	177	8	12	17	13	13	24	32	24	34
21 Ulcer of stomach or duodenum ..	{	M	83	—	—	—	—	4	28	42	7	2
		F	58	—	—	—	—	2	19	28	8	1
22 Diarrhœa, &c. ..	{	M	813	588	77	39	19	4	12	21	25	28
		F	628	390	69	26	10	7	17	43	30	36
23 Appendicitis and typhlitis ..	{	M	100	2	—	1	27	27	22	17	3	1
		F	78	—	—	1	21	19	24	8	3	2
24 Cirrhosis of liver ..	{	M	84	—	—	—	—	—	13	57	12	2
		F	27	—	—	—	—	—	3	18	5	1
25 Acute and chronic nephritis ..	{	M	510	4	1	7	12	23	66	212	113	72
		F	450	3	2	7	14	17	76	164	106	61
26 Puerperal sepsis ..	{	M	—	—	—	—	—	—	—	—	—	—
		F	111	—	—	—	—	28	82	1	—	—
27 Other accidents and diseases of pregnancy and parturition.	{	M	—	—	—	—	—	—	—	—	—	—
		F	245	—	—	—	—	43	198	4	—	—
28 Congenital debility and malformation, premature birth ..	{	M	1,233	1,218	6	2	3	1	2	1	—	—
		F	904	880	9	4	5	2	3	1	—	—
29 Suicide ..	{	M	168	—	—	—	1	9	58	77	20	3
		F	65	—	—	—	—	14	19	29	2	1
30 Other deaths from violence ..	{	M	865	19	26	50	93	135	227	220	59	36
		F	256	24	20	34	39	15	27	34	24	39
31 Other defined diseases ..	{	M	3,256	738	96	72	113	84	281	579	479	814
		F	3,086	559	74	56	105	80	295	486	415	1,016
32 Causes ill-defined or unknown ..	{	M	75	3	3	3	1	2	13	34	10	6
		F	68	10	2	2	4	1	5	27	12	5

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1921.
(Civilian population only).

CAUSES OF DEATH.	SEX.	AGGREGATE OF COUNTY BOROUGH (NORTH).*									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	47,589	9,355	2,494	1,359	1,692	2,030	6,118	12,617	7,428	4,496
	F	43,931	7,017	2,250	1,254	1,688	2,144	5,522	9,823	7,354	6,879
1 Enteric fever ..	M	66	—	1	1	6	21	23	10	4	—
	F	52	—	—	—	6	15	22	5	4	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	469	94	239	109	25	1	1	—	—	—
	F	421	95	201	98	25	1	1	—	—	—
4 Scarlet fever ..	M	133	3	19	43	48	12	6	2	—	—
	F	147	3	13	29	79	12	8	3	—	—
5 Whooping cough ..	M	573	296	191	75	11	—	—	—	—	—
	F	705	283	293	111	18	—	—	—	—	—
6 Diphtheria ..	M	288	26	48	85	115	9	3	2	—	—
	F	320	16	44	104	136	8	4	6	1	1
7 Influenza ..	M	892	62	41	24	30	61	188	317	114	55
	F	884	39	26	27	47	60	189	237	141	118
8 Encephalitis lethargica ..	M	62	1	4	4	13	11	9	19	1	—
	F	51	—	3	7	7	12	9	12	1	—
9 Meningococcal meningitis ..	M	48	12	8	7	9	4	5	2	—	1
	F	45	17	5	6	11	5	1	—	—	—
10 Tuberculosis of respiratory system	M	4,104	16	33	37	107	638	1,741	1,379	144	9
	F	3,132	15	25	24	227	935	1,334	495	61	16
11 Other tuberculous diseases ..	M	1,132	162	185	154	239	163	122	90	15	2
	F	1,001	111	122	146	231	162	135	70	18	6
12 Cancer, malignant disease ..	M	3,631	5	4	1	9	31	272	1,980	1,075	254
	F	4,366	1	1	5	10	18	567	2,213	1,074	477
13 Rheumatic fever ..	M	172	—	—	3	62	22	38	38	9	—
	F	196	—	1	4	49	48	48	38	7	1
14 Diabetes ..	M	308	—	1	2	6	31	51	133	60	24
	F	364	—	—	2	6	17	62	161	83	33
15 Cerebral hæmorrhage, &c. ..	M	2,218	2	2	2	7	10	92	886	772	445
	F	2,681	1	—	3	4	8	109	897	919	740
16 Heart disease ..	M	4,371	4	3	10	104	184	658	1,708	1,166	534
	F	4,968	5	3	8	121	188	593	1,650	1,423	977
17 Arterio-sclerosis ..	M	1,555	—	—	—	—	1	26	414	620	494
	F	1,078	—	—	—	—	1	12	206	354	505
18 Bronchitis ..	M	3,898	676	183	59	19	13	219	1,033	982	714
	F	3,906	534	172	64	20	13	119	803	1,008	1,173
19 Pneumonia (all forms) ..	M	5,182	1,165	778	337	223	218	815	1,057	441	148
	F	3,660	859	670	290	153	122	406	545	384	231
20 Other respiratory diseases ..	M	591	46	30	28	23	17	103	198	88	58
	F	404	30	20	23	26	13	51	100	67	74
21 Ulcer of stomach or duodenum ..	M	292	—	—	—	—	16	114	125	27	10
	F	139	—	—	—	1	12	48	58	15	5
22 Diarrhoea, &c. ..	M	2,246	1,626	312	83	44	3	39	58	50	31
	F	1,839	1,199	289	56	50	6	31	75	73	60
23 Appendicitis and typhlitis ..	M	232	—	1	9	64	48	48	53	9	—
	F	221	—	1	4	56	38	54	45	21	2
24 Cirrhosis of liver ..	M	230	—	—	—	1	—	26	154	38	11
	F	96	1	—	—	1	—	19	50	17	8
25 Acute and chronic nephritis ..	M	1,337	12	10	16	39	41	213	608	287	111
	F	1,168	10	5	12	33	40	187	530	247	104
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	289	—	—	—	—	48	237	4	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	424	—	—	—	1	67	351	5	—	—
28 Congenital debility and malformation, premature birth..	M	3,397	3,356	13	8	11	4	4	1	—	—
	F	2,573	2,524	20	13	8	4	3	1	—	—
29 Suicide ..	M	477	—	—	—	2	15	139	239	70	12
	F	168	—	—	—	—	15	58	77	14	4
30 Other deaths from violence..	M	1,666	90	77	97	200	182	366	413	149	92
	F	804	91	57	70	97	42	82	133	105	127
31 Other defined diseases ..	M	7,792	1,685	282	158	269	269	778	1,603	1,265	1,483
	F	7,675	1,174	253	137	260	228	772	1,348	1,288	2,215
32 Causes ill-defined or unknown ..	M	227	16	29	7	6	5	19	95	42	8
	F	154	9	26	11	5	6	10	56	29	2

* See footnote to Table 13.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1921.
(Civilian Population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF COUNTY BOROUGHES (MIDLAND).*									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	{	M	24,207	4,610	931	538	837	1,019	2,943	6,162	4,073	3,094
		F	22,631	3,404	796	578	862	1,090	2,736	4,825	3,801	4,539
1 Enteric fever ..	{	M	20	—	—	—	1	6	8	3	2	—
		F	24	—	—	1	2	6	10	5	—	—
2 Small-pox ..	{	M	1	—	—	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
3 Measles ..	{	M	131	34	57	33	7	—	—	—	—	—
		F	138	31	57	35	14	1	—	—	—	—
4 Scarlet fever ..	{	M	59	5	17	12	20	4	1	—	—	—
		F	57	1	4	11	34	4	3	—	—	—
5 Whooping cough ..	{	M	165	97	47	15	6	—	—	—	—	—
		F	242	108	85	39	9	—	—	—	1	—
6 Diphtheria ..	{	M	227	11	33	69	109	2	2	1	—	—
		F	274	11	29	81	144	4	4	1	—	—
7 Influenza ..	{	M	393	25	20	15	8	25	101	126	45	28
		F	367	18	14	18	16	25	56	94	74	52
8 Encephalitis lethargica ..	{	M	34	3	1	—	4	3	4	17	2	—
		F	40	3	1	3	—	4	20	9	—	—
9 Meningococcal meningitis ..	{	M	25	14	4	1	2	2	2	—	—	—
		F	21	8	2	1	3	4	2	1	—	—
10 Tuberculosis of respiratory system	{	M	2,134	10	15	9	32	365	950	678	70	5
		F	1,672	8	9	6	61	476	715	348	40	9
11 Other tuberculous diseases ..	{	M	458	79	74	48	101	56	55	39	6	—
		F	429	78	51	55	78	65	54	37	9	2
12 Cancer, malignant disease ..	{	M	2,122	1	1	5	8	10	146	1,082	646	223
		F	2,598	—	3	4	4	15	293	1,249	668	362
13 Rheumatic fever ..	{	M	83	—	1	3	20	19	24	13	2	1
		F	86	—	—	1	28	29	17	10	1	—
14 Diabetes ..	{	M	174	—	—	1	6	15	32	64	41	15
		F	224	—	—	—	12	20	37	79	55	21
15 Cerebral hæmorrhage, &c. ..	{	M	1,192	2	—	1	—	4	34	384	444	323
		F	1,493	1	1	1	1	4	52	487	457	489
16 Heart disease ..	{	M	2,354	3	3	6	48	79	315	823	674	403
		F	2,687	2	2	6	59	105	295	748	786	684
17 Arterio-sclerosis ..	{	M	598	—	—	—	—	—	6	165	225	202
		F	436	—	—	—	—	—	6	84	135	211
18 Bronchitis ..	{	M	1,956	288	72	20	16	13	75	468	525	479
		F	1,784	189	64	25	9	2	57	248	489	701
19 Pneumonia (all forms) ..	{	M	2,299	552	302	129	85	76	357	498	205	95
		F	1,641	387	252	136	85	50	175	251	161	144
20 Other respiratory diseases ..	{	M	306	13	16	6	18	7	41	110	54	41
		F	236	15	10	11	9	7	32	48	48	56
21 Ulcer of stomach or duodenum ..	{	M	175	—	—	—	—	6	53	89	24	3
		F	77	—	—	—	3	4	27	29	9	5
22 Diarrhoea, &c. ..	{	M	1,114	864	112	26	18	1	11	27	26	29
		F	914	624	101	29	11	3	23	37	34	52
23 Appendicitis and typhlitis ..	{	M	169	—	—	5	38	44	30	40	8	4
		F	142	1	—	4	54	12	31	28	11	1
24 Cirrhosis of liver ..	{	M	133	—	—	1	1	—	15	83	27	6
		F	72	—	—	—	2	—	9	41	14	6
25 Acute and chronic nephritis ..	{	M	604	6	5	4	14	23	91	268	133	60
		F	536	6	—	1	21	25	88	198	131	66
26 Puerperal sepsis ..	{	M	—	—	—	—	—	—	—	—	—	—
		F	122	—	—	—	—	32	87	—	3	—
27 Other accidents and diseases of pregnancy and parturition.	{	M	—	—	—	—	—	—	—	—	—	—
		F	189	—	—	—	—	34	154	1	—	—
28 Congenital debility and malformation, premature birth..	{	M	1,882	1,863	4	4	7	1	2	1	—	—
		F	1,403	1,380	7	7	3	4	1	1	—	—
29 Suicide ..	{	M	256	—	—	—	—	12	68	131	41	4
		F	96	—	—	—	—	11	41	38	4	2
30 Other deaths from violence..	{	M	790	62	33	54	97	106	139	193	52	54
		F	433	43	18	30	51	18	44	73	59	97
31 Other defined diseases ..	{	M	4,263	676	107	69	168	138	366	816	804	1,119
		F	4,141	488	71	71	146	123	397	657	609	1,579
32 Causes ill-defined or unknown ..	{	M	90	2	7	1	3	2	15	43	17	—
		F	57	2	15	2	3	3	6	20	6	—

* See footnote to Table 13.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1921.
(Civilian Population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF COUNTY BOROUGH (SOUTH).*									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	7,614	1,070	178	124	238	290	836	2,027	1,405	1,446
	F	8,496	859	132	120	253	345	889	1,819	1,608	2,471
1 Enteric fever ..	M	3	—	—	—	—	1	1	1	—	—
	F	8	—	—	—	—	3	4	1	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	28	11	12	4	1	—	—	—	—	—
	F	19	7	8	2	1	—	1	—	—	—
4 Scarlet fever ..	M	16	4	1	2	6	1	2	—	—	—
	F	11	—	2	5	3	1	—	—	—	—
5 Whooping cough ..	M	40	18	15	5	2	—	—	—	—	—
	F	52	27	15	10	—	—	—	—	—	—
6 Diphtheria ..	M	56	2	4	13	34	2	1	—	—	—
	F	68	1	2	18	44	—	2	1	—	—
7 Influenza ..	M	125	4	—	4	4	10	24	36	20	23
	F	194	4	1	1	4	12	26	42	38	66
8 Encephalitis lethargica ..	M	20	—	2	1	5	3	3	5	—	1
	F	16	—	1	1	4	2	3	4	1	—
9 Meningococcal meningitis ..	M	3	—	1	1	1	—	—	—	—	—
	F	5	1	—	3	—	—	—	1	—	—
10 Tuberculosis of respiratory system	M	656	—	2	—	7	118	299	203	23	4
	F	619	—	3	—	27	154	283	123	21	8
11 Other tuberculous diseases ..	M	162	27	16	17	33	21	28	14	5	1
	F	144	15	6	19	28	21	39	10	4	2
12 Cancer, malignant disease ..	M	781	—	—	1	3	5	28	385	212	147
	F	1,103	—	—	—	1	3	95	440	338	226
13 Rheumatic fever ..	M	27	—	—	1	11	4	6	2	2	1
	F	20	—	—	—	5	6	4	3	2	—
14 Diabetes ..	M	76	—	—	—	1	—	8	30	29	8
	F	95	—	—	1	3	4	11	32	26	18
15 Cerebral hæmorrhage, &c. ..	M	456	—	—	—	—	1	15	138	149	153
	F	638	—	—	—	—	1	16	153	201	267
16 Heart disease ..	M	913	—	—	1	14	17	82	276	275	248
	F	1,226	—	—	1	25	27	71	324	344	434
17 Arterio-sclerosis ..	M	253	—	—	—	—	—	5	44	81	123
	F	257	—	—	—	—	—	—	31	66	160
18 Bronchitis ..	M	441	41	16	5	2	1	15	80	121	160
	F	615	41	17	4	2	1	7	73	156	314
19 Pneumonia (all forms) ..	M	470	102	39	18	23	14	53	117	61	43
	F	432	81	29	20	17	17	47	78	56	87
20 Other respiratory diseases ..	M	112	3	8	1	1	4	15	40	22	18
	F	109	5	1	3	5	2	12	21	17	43
21 Ulcer of stomach or duodenum ..	M	62	—	—	—	—	3	19	33	7	—
	F	30	—	—	—	1	1	3	14	7	4
22 Diarrhoea, &c. ..	M	270	202	20	11	5	1	2	11	6	12
	F	239	162	17	6	4	1	4	17	10	18
23 Appendicitis and typhlitis..	M	30	—	—	1	7	3	6	10	1	2
	F	37	—	—	2	9	10	6	7	—	3
24 Cirrhosis of liver ..	M	52	—	—	—	—	—	6	34	10	2
	F	35	—	—	—	—	—	6	23	6	—
25 Acute and chronic nephritis ..	M	236	—	2	1	4	6	22	97	50	54
	F	202	—	—	—	5	5	31	67	56	38
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	29	—	—	—	—	9	20	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	62	—	—	—	—	11	51	—	—	—
28 Congenital debility and malformation, premature birth..	M	450	443	1	—	4	—	1	1	—	—
	F	381	372	1	2	2	1	2	1	—	—
29 Suicide ..	M	114	—	—	—	—	5	35	54	15	5
	F	37	—	—	—	—	3	10	22	1	1
30 Other deaths from violence..	M	263	18	7	10	27	36	46	66	27	26
	F	129	9	7	5	14	8	8	28	14	36
31 Other defined diseases ..	M	1,486	192	28	27	43	33	112	348	288	415
	F	1,669	130	20	17	49	40	125	301	242	745
32 Causes ill-defined or unknown ..	M	13	3	4	—	—	1	2	2	1	—
	F	15	4	2	—	—	2	2	2	2	1

* See footnote to Table 13.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1921.
(Civilian Population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF COUNTY BOROUGH (WALES AND MONMOUTH).									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	M	3,414	668	114	87	132	201	493	878	482	359
		F	2,928	472	98	75	141	200	416	653	428	445
1 Enteric fever	..	M	5	—	—	—	—	2	3	—	—	—
		F	5	—	—	—	—	3	1	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
3 Measles	M	2	1	—	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	..	M	9	1	1	—	6	—	1	—	—	—
		F	9	—	—	3	3	—	3	—	—	—
5 Whooping cough	M	32	12	14	6	—	—	—	—	—	—
		F	44	23	11	7	3	—	—	—	—	—
6 Diphtheria	..	M	41	3	4	6	26	—	1	1	—	—
		F	40	2	4	13	21	—	—	—	—	—
7 Influenza	M	27	1	1	—	1	1	8	9	6	—
		F	20	—	—	—	2	—	1	7	5	5
8 Encephalitis lethargica	..	M	2	—	—	1	—	1	—	—	—	—
		F	2	—	—	—	1	1	—	—	—	—
9 Meningococcal meningitis	..	M	2	1	—	—	1	—	—	—	—	—
		F	3	—	1	—	—	—	—	2	—	—
10 Tuberculosis of respiratory system	..	M	346	1	1	1	5	73	161	98	6	—
		F	296	1	1	1	18	104	115	52	4	—
11 Other tuberculous diseases	M	66	5	2	13	17	17	11	1	—	—
		F	80	9	9	9	19	19	12	3	—	—
12 Cancer, malignant disease	M	230	—	—	—	1	—	17	125	60	27
		F	280	1	—	—	1	—	46	141	64	27
13 Rheumatic fever	M	17	—	—	1	5	3	5	3	—	—
		F	17	—	—	—	3	2	8	2	1	1
14 Diabetes	M	25	—	—	1	1	2	6	6	5	4
		F	26	—	—	—	1	1	6	11	6	1
15 Cerebral hæmorrhage, &c.	..	M	173	—	—	—	—	1	11	60	66	35
		F	183	—	—	—	—	—	6	61	60	56
16 Heart disease	..	M	350	—	—	—	7	21	55	131	91	45
		F	340	—	1	—	17	6	49	115	85	67
17 Arterio-sclerosis	M	65	—	—	—	—	—	4	16	24	21
		F	49	—	—	—	—	—	1	9	11	28
18 Bronchitis	..	M	254	31	9	7	2	1	5	64	72	63
		F	231	30	9	4	1	2	7	35	65	78
19 Pneumonia (all forms)	M	289	70	38	9	6	14	52	67	19	14
		F	181	55	21	15	10	7	13	27	20	13
20 Other respiratory diseases	M	56	3	3	4	4	3	8	20	10	1
		F	31	—	2	3	1	4	6	6	3	6
21 Ulcer of stomach or duodenum	..	M	22	—	—	—	—	1	6	13	1	1
		F	13	—	—	—	—	—	3	7	3	—
22 Diarrhoea, &c.	..	M	182	131	20	12	5	—	4	3	3	4
		F	133	86	22	3	2	1	2	4	8	5
23 Appendicitis and typhlitis..	..	M	14	—	—	—	6	2	2	3	—	1
		F	11	—	—	—	3	2	4	1	1	—
24 Cirrhosis of liver	M	19	—	—	—	—	—	3	14	2	—
		F	7	—	—	—	—	—	—	7	—	—
25 Acute and chronic nephritis	..	M	102	1	1	—	5	5	20	41	17	12
		F	90	—	—	3	1	7	16	42	17	4
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—
		F	18	—	—	—	—	6	12	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	..	M	—	—	—	—	—	—	—	—	—	—
		F	40	—	—	—	—	6	34	—	—	—
28 Congenital debility and malformation, premature birth..	..	M	255	252	1	—	1	—	—	1	—	—
		F	160	157	—	2	1	—	—	—	—	—
29 Suicide	M	34	—	—	—	—	—	12	20	2	—
		F	15	—	—	—	—	4	1	8	1	1
30 Other deaths from violence..	..	M	169	5	6	11	17	31	38	44	12	5
		F	57	6	5	2	9	8	7	10	5	5
31 Other defined diseases	M	625	150	13	14	16	23	60	137	86	126
		F	542	101	12	10	24	16	63	99	69	148
32 Causes ill-defined or unknown	..	M	1	—	—	—	—	—	—	1	—	—
		F	5	1	—	—	—	1	—	3	—	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1921.
(Civilian Population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF URBAN DISTRICTS (NORTH).*									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M		27,732	5,424	1,192	765	1,078	1,216	3,123	6,796	4,839	3,299
	F		26,419	4,004	1,028	752	956	1,227	3,272	5,936	4,700	4,544
1 Enteric fever ..	M		84	1	1	1	10	22	29	19	1	—
	F		61	—	1	—	11	18	20	11	—	—
2 Small-pox ..	M		—	—	—	—	—	—	—	—	—	—
	F		—	—	—	—	—	—	—	—	—	—
3 Measles ..	M		187	43	95	36	12	1	—	—	—	—
	F		167	38	68	35	24	2	—	—	—	—
4 Scarlet fever ..	M		79	—	5	24	39	9	1	1	—	—
	F		67	—	6	21	25	5	9	1	—	—
5 Whooping cough ..	M		357	192	121	37	6	1	—	—	—	—
	F		454	229	130	81	11	1	—	1	—	1
6 Diphtheria ..	M		207	8	25	56	113	2	—	2	1	—
	F		219	6	18	86	98	5	4	2	—	—
7 Influenza ..	M		600	26	17	12	31	52	134	181	93	54
	F		541	25	8	15	22	39	131	146	93	62
8 Encephalitis lethargica ..	M		34	2	3	4	5	4	6	10	—	—
	F		53	2	2	3	12	6	14	12	2	—
9 Meningococcal meningitis ..	M		18	5	4	3	4	1	—	1	—	—
	F		11	4	1	—	3	3	—	—	—	—
10 Tuberculosis of respiratory system	M		1,852	6	12	18	55	336	775	584	60	6
	F		1,650	13	6	12	118	454	714	288	41	4
11 Other tuberculous diseases ..	M		652	96	80	94	152	85	77	54	12	2
	F		537	55	65	81	115	76	85	48	11	1
12 Cancer, malignant disease ..	M		2,041	—	3	1	5	14	132	1,043	628	215
	F		2,683	—	—	1	1	13	309	1,303	697	359
13 Rheumatic fever ..	M		116	1	1	2	31	28	26	22	4	1
	F		120	—	—	2	29	31	28	24	4	2
14 Diabetes ..	M		239	—	—	2	8	19	42	93	59	16
	F		252	—	—	1	7	14	41	96	73	20
15 Cerebral hæmorrhage, &c. ..	M		1,508	4	—	2	2	6	48	517	570	359
	F		1,930	—	—	—	1	8	73	661	680	507
16 Heart disease ..	M		2,731	—	1	4	47	101	363	953	853	409
	F		3,221	2	7	3	70	103	378	1,041	956	661
17 Arterio-sclerosis ..	M		896	—	—	—	—	—	6	228	378	284
	F		594	—	—	—	—	—	3	101	212	278
18 Bronchitis ..	M		2,090	386	101	31	14	11	73	460	567	447
	F		1,989	318	78	23	18	6	47	344	538	617
19 Pneumonia (all forms) ..	M		2,591	644	375	167	93	126	362	498	232	94
	F		1,900	470	297	174	100	70	203	280	215	91
20 Other respiratory diseases ..	M		351	27	16	29	18	12	27	122	63	37
	F		273	14	14	15	21	12	38	56	41	62
21 Ulcer of stomach or duodenum ..	M		172	—	—	—	—	7	69	73	21	2
	F		89	1	—	—	1	8	30	35	12	2
22 Diarrhoea, &c. ..	M		1,145	821	115	36	20	8	17	42	44	42
	F		909	523	133	41	20	8	33	49	48	54
23 Appendicitis and typhlitis ..	M		179	1	1	4	56	44	39	30	3	1
	F		135	—	—	7	36	33	31	19	6	3
24 Cirrhosis of liver ..	M		137	2	—	—	—	1	14	89	25	6
	F		51	—	2	—	2	—	7	26	12	2
25 Acute and chronic nephritis ..	M		799	3	4	9	27	22	112	368	187	67
	F		764	8	7	2	16	25	137	315	167	87
26 Puerperal sepsis ..	M		—	—	—	—	—	—	—	—	—	—
	F		131	—	—	—	—	34	97	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M		—	—	—	—	—	—	—	—	—	—
	F		325	—	—	—	—	60	260	5	—	—
28 Congenital debility and malformation, premature birth ..	M		2,189	2,163	7	7	6	2	3	1	—	—
	F		1,607	1,585	5	6	5	5	—	1	—	—
29 Suicide ..	M		293	—	—	—	1	10	71	155	44	12
	F		138	—	—	—	—	19	54	56	6	3
30 Other deaths from violence ..	M		1,079	37	39	63	134	151	246	274	86	49
	F		421	36	32	39	48	27	52	65	44	78
31 Other defined diseases ..	M		4,926	948	156	119	182	137	432	896	864	1,192
	F		5,016	668	139	100	135	139	456	910	822	1,647
32 Causes ill-defined or unknown ..	M		180	8	10	4	7	4	19	80	44	4
	F		111	7	9	4	7	3	18	40	20	3

* See footnote to Table 13.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1921.
(Civilian Population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS (MIDLAND).*									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	25,918	4,344	773	571	912	1,126	2,984	6,217	4,686	4,305
	F	25,532	3,119	615	538	943	1,137	2,945	5,218	4,637	6,380
1 Enteric fever ..	M	23	—	—	—	2	6	4	9	2	—
	F	28	—	—	—	6	6	9	6	1	—
2 Small-pox ..	M	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	83	18	39	18	8	—	—	—	—	—
	F	62	15	19	15	12	—	—	1	—	—
4 Scarlet fever ..	M	50	4	4	13	22	5	2	—	—	—
	F	75	—	4	21	38	6	6	—	—	—
5 Whooping cough ..	M	165	98	43	19	4	1	—	—	—	—
	F	189	100	58	23	7	1	—	—	—	—
6 Diphtheria ..	M	290	10	30	89	148	9	4	—	—	—
	F	353	7	25	101	196	16	5	2	1	—
7 Influenza ..	M	594	46	21	25	18	49	122	166	95	52
	F	555	18	16	14	17	39	101	134	89	127
8 Encephalitis lethargica ..	M	49	1	2	4	12	9	8	12	1	—
	F	51	1	2	2	7	4	14	18	3	—
9 Meningococcal meningitis ..	M	26	8	5	—	7	2	4	—	—	—
	F	20	9	2	2	3	1	2	1	—	—
10 Tuberculosis of respiratory system	M	1,932	7	9	8	34	368	872	558	64	12
	F	1,684	7	8	5	77	505	753	279	37	13
11 Other tuberculous diseases ..	M	520	84	69	52	94	83	78	44	11	5
	F	485	57	48	63	93	74	91	42	13	4
12 Cancer, malignant disease ..	M	2,425	2	1	3	9	13	140	1,125	790	342
	F	3,120	—	—	2	6	9	302	1,390	848	563
13 Rheumatic fever ..	M	86	—	—	—	23	20	23	13	5	2
	F	98	—	—	6	26	20	26	12	7	1
14 Diabetes ..	M	263	—	—	—	7	11	54	114	55	22
	F	245	—	—	2	7	19	34	86	70	27
15 Cerebral hæmorrhage, &c. ..	M	1,349	—	2	—	3	4	45	370	476	449
	F	1,866	—	—	—	2	5	56	448	641	714
16 Heart disease ..	M	2,829	1	1	5	70	79	333	909	842	589
	F	3,225	—	—	5	64	89	296	889	935	947
17 Arterio-sclerosis ..	M	726	—	—	—	—	—	10	133	272	311
	F	591	—	—	—	—	—	4	73	150	364
18 Bronchitis ..	M	1,847	287	67	30	4	9	58	321	504	567
	F	1,942	212	54	22	11	4	44	238	480	877
19 Pneumonia (all forms) ..	M	2,030	487	226	117	78	77	296	443	204	102
	F	1,465	312	184	90	82	45	176	232	185	159
20 Other respiratory diseases ..	M	350	24	7	12	9	10	45	121	66	56
	F	297	13	5	8	11	8	26	65	67	94
21 Ulcer of stomach or duodenum ..	M	179	—	—	—	1	8	49	91	21	9
	F	109	—	—	—	2	4	41	43	16	3
22 Diarrhœa, &c. ..	M	967	694	87	39	18	4	17	36	35	37
	F	748	483	60	29	17	2	28	32	45	52
23 Appendicitis and typhlitis ..	M	175	1	2	4	50	47	27	36	6	2
	F	154	—	—	4	48	23	44	22	11	2
24 Cirrhosis of liver ..	M	165	—	—	—	—	1	13	100	43	8
	F	94	—	—	—	—	2	10	46	26	10
25 Acute and chronic nephritis ..	M	666	5	2	5	22	13	83	278	171	87
	F	528	2	3	3	14	22	77	184	134	89
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	118	—	—	—	—	23	92	3	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	209	—	—	—	—	20	184	5	—	—
28 Congenital debility and malformation, premature birth ..	M	1,839	1,810	9	5	11	3	1	—	—	—
	F	1,369	1,353	3	6	2	2	2	1	—	—
29 Suicide ..	M	326	—	—	—	1	14	88	169	43	11
	F	126	—	—	—	—	11	44	50	16	5
30 Other deaths from violence ..	M	942	49	28	49	109	126	191	236	89	65
	F	395	35	17	44	45	31	36	59	55	73
31 Other defined diseases ..	M	4,900	698	112	73	145	152	405	876	866	1,573
	F	5,236	489	103	69	148	143	435	816	779	2,254
32 Causes ill-defined or unknown ..	M	121	10	7	1	2	3	12	57	25	4
	F	95	6	4	2	2	3	7	41	28	2

* See footnote to Table 13.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1921.
(Civilian Population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS (SOUTH).*									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	14,267	1,798	251	236	459	572	1,494	3,570	2,782	3,105
	F	15,445	1,276	250	195	452	618	1,703	3,264	2,965	4,722
1 Enteric fever ..	M	14	—	—	1	—	5	4	3	1	—
	F	22	—	—	—	1	5	10	4	2	—
2 Small-pox ..	M	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	23	8	8	5	2	—	—	—	—	—
	F	17	5	6	5	1	—	—	—	—	—
4 Scarlet fever ..	M	32	2	5	11	11	2	1	—	—	—
	F	20	—	1	—	10	1	8	—	—	—
5 Whooping cough ..	M	67	34	24	8	1	—	—	—	—	—
	F	93	46	33	9	4	—	—	—	1	—
6 Diphtheria ..	M	150	3	8	51	83	3	2	—	—	—
	F	159	3	5	34	109	4	3	—	1	—
7 Influenza ..	M	286	19	5	8	16	11	36	86	54	51
	F	351	11	10	1	8	14	53	83	64	107
8 Encephalitis lethargica ..	M	24	—	2	1	1	2	8	7	3	—
	F	41	1	2	4	7	11	7	7	2	—
9 Meningococcal meningitis ..	M	16	2	—	—	7	4	2	1	—	—
	F	10	—	—	1	6	1	2	—	—	—
10 Tuberculosis of respiratory system	M	1,046	1	5	—	9	195	471	313	45	7
	F	1,006	—	2	2	45	294	435	189	30	9
11 Other tuberculous diseases ..	M	291	36	32	30	48	59	53	26	7	—
	F	285	26	27	34	49	48	61	25	9	6
12 Cancer, malignant disease ..	M	1,607	2	—	1	1	6	88	714	499	296
	F	2,139	1	6	—	3	6	205	900	610	408
13 Rheumatic fever ..	M	36	—	—	1	10	6	8	6	5	—
	F	54	—	—	2	11	12	14	7	4	4
14 Diabetes ..	M	146	—	—	1	5	5	26	41	42	26
	F	183	—	—	—	5	11	29	52	59	27
15 Cerebral hæmorrhage, &c. ..	M	889	—	2	—	—	2	24	249	287	325
	F	1,148	—	—	—	1	2	26	275	324	520
16 Heart disease ..	M	1,767	—	—	1	23	55	133	504	550	501
	F	2,196	2	1	1	31	38	142	510	673	798
17 Arterio-sclerosis ..	M	528	—	—	—	—	1	4	120	164	239
	F	449	—	—	—	—	—	1	63	105	280
18 Bronchitis ..	M	749	72	15	6	7	3	20	114	181	331
	F	930	65	15	10	3	1	9	87	193	547
19 Pneumonia (all forms) ..	M	837	170	58	32	38	28	109	198	119	85
	F	740	114	60	25	30	24	73	138	126	150
20 Other respiratory diseases ..	M	222	11	1	9	8	5	28	67	44	49
	F	190	4	2	7	6	4	22	41	43	61
21 Ulcer of stomach or duodenum ..	M	109	1	—	—	—	6	31	53	10	8
	F	70	—	—	—	—	1	23	30	10	6
22 Diarrhoea, &c. ..	M	421	309	29	11	6	4	3	12	16	31
	F	338	190	30	6	4	1	18	19	26	44
23 Appendicitis and typhlitis..	M	110	—	1	5	22	25	16	28	11	2
	F	91	—	—	1	13	12	26	25	10	4
24 Cirrhosis of liver ..	M	103	—	—	1	1	—	6	62	27	6
	F	62	—	—	1	—	1	11	33	13	3
25 Acute and chronic nephritis ..	M	450	2	2	1	7	9	53	177	115	84
	F	429	—	1	3	8	8	44	144	114	107
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	54	—	—	—	—	10	44	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	131	—	—	—	—	21	108	2	—	—
28 Congenital debility and malformation, premature birth..	M	821	810	3	2	3	—	2	2	1	—
	F	592	577	3	2	5	2	2	1	—	—
29 Suicide ..	M	160	—	—	—	—	9	40	74	26	11
	F	66	—	—	—	—	9	26	26	5	—
30 Other deaths from violence..	M	472	25	11	16	52	59	105	135	37	32
	F	242	23	9	15	20	15	32	36	22	70
31 Other defined diseases ..	M	2,827	285	37	31	98	67	213	560	516	1,020
	F	3,296	206	36	32	72	61	264	551	506	1,568
32 Causes ill-defined or unknown ..	M	63	6	3	3	—	1	10	17	22	1
	F	41	2	1	—	—	1	5	16	13	3

* See footnote to Table 13

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1921.
(Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS (WALES AND MONMOUTH).									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	8,137	1,798	314	256	326	380	973	1,968	1,238	884
	F	7,096	1,346	259	212	332	421	954	1,388	1,032	1,152
1 Enteric fever ..	M	8	1	—	—	2	1	3	1	—	—
	F	12	—	—	—	5	4	2	1	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	18	8	9	—	1	—	—	—	—	—
	F	6	1	4	—	1	—	—	—	—	—
4 Scarlet fever ..	M	29	1	3	15	8	1	1	—	—	—
	F	45	2	5	22	12	3	1	—	—	—
5 Whooping cough ..	M	69	38	23	6	1	—	—	—	1	—
	F	95	48	32	13	2	—	—	—	—	—
6 Diphtheria ..	M	90	4	10	32	41	2	—	1	—	—
	F	96	2	12	30	44	3	2	3	—	—
7 Influenza ..	M	175	7	3	5	7	9	39	56	38	11
	F	118	6	1	2	10	9	26	26	25	13
8 Encephalitis lethargica ..	M	12	—	1	2	3	2	3	1	—	—
	F	14	—	—	2	3	—	4	5	—	—
9 Meningococcal meningitis ..	M	9	3	1	1	2	1	1	—	—	—
	F	5	2	—	1	2	—	—	—	—	—
10 Tuberculosis of respiratory system	M	534	3	3	4	11	106	232	155	18	2
	F	545	5	6	2	25	175	244	78	9	1
11 Other tuberculous diseases ..	M	169	22	12	16	36	40	24	16	3	—
	F	138	9	14	10	31	32	24	12	4	2
12 Cancer, malignant disease ..	M	540	—	—	1	1	2	43	293	146	54
	F	634	—	—	2	1	2	69	327	157	76
13 Rheumatic fever ..	M	56	—	—	1	14	9	11	20	1	—
	F	63	—	—	2	22	15	15	8	1	—
14 Diabetes ..	M	54	—	—	—	4	6	14	18	11	1
	F	56	—	—	—	3	1	10	24	15	3
15 Cerebral hæmorrhage, &c. ..	M	418	—	—	1	1	—	10	133	156	117
	F	471	—	—	—	—	5	15	152	153	146
16 Heart disease ..	M	780	—	—	5	30	32	86	301	226	100
	F	776	1	—	3	33	30	102	233	214	160
17 Arterio-sclerosis ..	M	151	—	—	—	—	—	1	41	61	48
	F	69	—	—	—	—	—	—	15	19	35
18 Bronchitis ..	M	588	141	24	8	4	4	19	136	141	111
	F	483	99	26	9	2	3	8	68	106	162
19 Pneumonia (all forms) ..	M	653	179	98	45	18	20	86	121	66	20
	F	439	134	59	33	28	25	42	54	29	35
20 Other respiratory diseases ..	M	165	17	7	16	7	3	21	56	22	16
	F	88	6	6	9	10	5	12	14	11	15
21 Ulcer of stomach or duodenum ..	M	35	—	—	—	—	2	15	15	3	—
	F	20	—	—	—	—	2	9	7	1	—
22 Diarrhœa, &c. ..	M	483	367	46	22	10	3	5	11	12	7
	F	363	240	38	14	8	3	7	26	12	15
23 Appendicitis and typhlitis ..	M	56	2	—	1	14	15	13	9	2	—
	F	46	—	—	—	13	14	13	4	—	2
24 Cirrhosis of liver ..	M	48	—	—	—	—	—	8	33	5	2
	F	13	—	—	—	—	—	2	8	2	1
25 Acute and chronic nephritis ..	M	239	2	—	6	3	12	32	113	49	22
	F	183	—	1	4	9	6	30	66	46	21
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	59	—	—	—	—	14	44	1	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	119	—	—	—	—	15	103	1	—	—
28 Congenital debility and malformation, premature birth ..	M	631	627	2	1	—	1	—	—	—	—
	F	501	488	5	2	4	1	—	1	—	—
29 Suicide ..	M	68	—	—	—	1	4	21	32	8	2
	F	37	—	—	—	—	9	13	14	1	—
30 Other deaths from violence ..	M	449	7	12	28	47	67	120	119	28	21
	F	116	12	7	19	21	2	15	13	8	19
31 Other defined diseases ..	M	1,567	366	57	38	60	38	156	268	236	348
	F	1,456	287	41	32	43	43	140	215	212	443
32 Causes ill-defined or unknown ..	M	43	3	3	2	—	—	9	19	5	2
	F	30	4	2	1	—	—	2	12	7	2

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1921.
(Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF RURAL DISTRICTS (NORTH).*									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	10,885	2,152	424	306	400	469	1,071	2,224	1,923	1,916
	F	9,879	1,552	344	282	340	436	1,180	2,009	1,706	2,030
1 Enteric fever ..	M	20	—	—	—	4	7	5	3	1	—
	F	16	—	—	1	1	6	4	2	2	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	37	10	16	9	2	—	—	—	—	—
	F	35	8	12	5	8	—	1	1	—	—
4 Scarlet fever ..	M	27	1	—	7	15	1	1	2	—	—
	F	34	2	2	12	10	4	2	1	—	1
5 Whooping cough ..	M	138	75	35	26	2	—	—	—	—	—
	F	141	73	43	23	2	—	—	—	—	—
6 Diphtheria ..	M	88	—	10	31	46	1	—	—	—	—
	F	81	4	6	30	37	3	—	1	—	—
7 Influenza ..	M	275	20	13	12	16	23	44	70	47	30
	F	228	10	8	5	16	21	47	48	41	32
8 Encephalitis lethargica ..	M	13	—	1	—	1	1	4	6	—	—
	F	16	—	—	1	—	3	7	5	—	—
9 Meningococcal meningitis ..	M	5	2	—	—	1	—	2	—	—	—
	F	6	—	2	1	1	1	—	1	—	—
10 Tuberculosis of respiratory system	M	561	1	5	4	17	115	267	141	9	2
	F	577	1	3	7	45	156	252	98	14	1
11 Other tuberculous diseases ..	M	201	27	31	25	51	20	23	18	2	4
	F	204	19	27	28	45	25	41	15	3	1
12 Cancer, malignant disease ..	M	869	2	1	2	2	8	54	386	271	143
	F	985	—	—	—	1	4	89	470	270	151
13 Rheumatic fever ..	M	45	—	—	—	6	16	9	8	3	3
	F	47	—	—	—	16	10	8	11	2	—
14 Diabetes ..	M	100	—	—	1	1	9	21	34	28	6
	F	106	—	—	—	7	8	16	42	25	8
15 Cerebral hæmorrhage, &c. ..	M	663	1	—	—	—	2	25	157	278	200
	F	726	—	1	—	—	—	15	219	243	248
16 Heart disease ..	M	1,108	—	—	3	14	32	112	305	364	278
	F	1,191	1	—	—	13	36	120	345	386	290
17 Arterio-sclerosis ..	M	320	—	—	—	—	—	2	48	120	150
	F	205	—	—	—	—	—	—	37	62	106
18 Bronchitis ..	M	740	203	41	10	4	4	15	94	169	200
	F	656	140	38	17	2	2	10	74	143	230
19 Pneumonia (all forms) ..	M	882	208	120	68	47	38	89	177	89	46
	F	654	154	87	66	23	21	92	77	72	62
20 Other respiratory diseases ..	M	157	12	3	11	9	3	19	44	33	23
	F	134	9	3	15	9	3	11	33	25	26
21 Ulcer of stomach or duodenum ..	M	51	—	—	—	—	3	22	20	5	1
	F	43	—	—	—	—	4	12	17	8	2
22 Diarrhœa, &c. ..	M	432	298	53	17	14	2	6	12	10	20
	F	322	198	37	16	14	3	5	13	8	28
23 Appendicitis and typhlitis ..	M	48	—	—	2	15	11	11	6	2	1
	F	44	—	—	1	6	8	12	12	3	2
24 Cirrhosis of liver ..	M	46	—	—	—	—	1	4	21	16	4
	F	12	—	—	—	—	—	—	9	2	1
25 Acute and chronic nephritis ..	M	266	2	3	2	5	11	36	106	66	35
	F	236	2	3	1	11	9	46	92	45	27
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	59	—	—	—	—	12	47	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	135	—	—	—	—	28	102	5	—	—
28 Congenital debility and malformation, premature birth ..	M	888	874	3	3	4	4	—	—	—	—
	F	671	655	7	2	4	—	2	1	—	—
29 Suicide ..	M	123	—	—	—	—	6	26	64	19	8
	F	36	—	—	—	—	5	12	19	—	—
30 Other deaths from violence ..	M	514	17	20	23	49	82	124	138	38	23
	F	167	9	11	20	15	11	21	28	15	37
31 Other defined diseases ..	M	2,188	395	68	48	74	67	136	333	330	737
	F	2,060	266	47	30	53	52	201	307	330	774
32 Causes ill-defined or unknown ..	M	80	4	1	2	1	2	14	31	23	2
	F	52	1	7	1	1	1	5	26	7	3

* See footnote to Table 13.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1921.
(Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF RURAL DISTRICTS (MIDLAND).*									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	18,998	2,532	373	330	551	758	1,814	3,925	3,748	4,967
	F	18,369	1,839	325	290	581	789	1,865	3,399	3,506	5,775
1 Enteric fever ..	M	21	—	—	—	2	1	9	7	2	—
	F	20	—	—	—	—	6	10	3	1	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	44	10	15	14	5	—	—	—	—	—
	F	44	11	13	11	8	—	—	1	—	—
4 Scarlet fever ..	M	32	—	1	7	20	1	3	—	—	—
	F	33	1	3	3	17	5	2	2	—	—
5 Whooping cough ..	M	112	71	23	12	6	—	—	—	—	—
	F	104	69	20	11	4	—	—	—	—	—
6 Diphtheria ..	M	131	5	9	32	73	8	3	1	—	—
	F	156	2	8	33	101	5	4	1	1	1
7 Influenza ..	M	362	28	10	9	11	20	56	95	71	62
	F	342	15	9	7	20	22	31	81	69	88
8 Encephalitis lethargica ..	M	41	1	—	2	3	5	12	17	1	—
	F	31	—	2	3	2	7	8	6	2	1
9 Meningococcal meningitis ..	M	20	4	—	4	2	3	6	1	—	—
	F	14	—	3	—	3	2	4	2	—	—
10 Tuberculosis of respiratory system	M	1,050	5	6	5	29	227	476	255	40	7
	F	1,125	5	4	2	50	350	511	162	30	11
11 Other tuberculous diseases ..	M	336	35	31	45	48	45	64	51	14	3
	F	299	34	17	30	47	51	61	46	8	5
12 Cancer, malignant disease ..	M	1,967	—	—	2	6	15	99	718	685	442
	F	2,293	—	2	3	3	11	213	919	653	489
13 Rheumatic fever ..	M	77	—	1	2	15	17	20	19	3	—
	F	69	—	—	—	22	16	15	12	4	—
14 Diabetes ..	M	190	—	—	—	6	14	36	61	48	25
	F	213	—	—	1	9	15	31	70	55	32
15 Cerebral hæmorrhage, &c. ..	M	1,242	—	—	—	—	6	22	242	409	563
	F	1,499	—	1	—	1	1	28	278	481	709
16 Heart disease ..	M	2,332	—	—	3	21	45	227	610	705	721
	F	2,622	—	—	2	36	45	160	595	831	953
17 Arterio-sclerosis ..	M	652	—	—	—	—	—	1	82	181	388
	F	400	—	—	—	—	—	—	34	93	273
18 Bronchitis ..	M	1,161	162	33	10	5	6	12	139	283	511
	F	1,139	130	33	8	7	2	14	99	259	587
19 Pneumonia (all forms) ..	M	1,054	213	90	41	42	45	140	240	158	85
	F	812	176	87	49	33	27	105	115	114	106
20 Other respiratory diseases ..	M	266	13	4	9	9	12	20	75	70	54
	F	180	7	4	9	12	4	19	35	39	51
21 Ulcer of stomach or duodenum ..	M	120	—	1	—	—	1	28	61	19	10
	F	68	—	—	—	—	4	20	28	10	6
22 Diarrhoea, &c. ..	M	484	280	38	21	16	5	8	33	32	51
	F	391	211	24	21	14	3	14	17	29	58
23 Appendicitis and typhlitis ..	M	139	2	—	8	28	28	32	28	12	1
	F	97	1	—	7	25	18	23	20	1	2
24 Cirrhosis of liver ..	M	105	—	—	—	1	—	11	55	34	4
	F	58	—	—	—	—	—	3	33	17	5
25 Acute and chronic nephritis ..	M	473	4	1	4	9	13	57	150	130	105
	F	403	1	3	6	14	15	46	137	97	84
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	66	—	—	—	—	13	51	2	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	175	—	—	—	—	27	142	6	—	—
28 Congenital debility and malformation, premature birth ..	M	1,227	1,196	5	7	12	3	3	1	—	—
	F	864	843	3	3	8	4	3	—	—	—
29 Suicide ..	M	269	—	—	—	—	12	55	144	41	17
	F	72	—	—	—	—	8	14	36	10	4
30 Other deaths from violence ..	M	757	27	19	38	83	112	150	196	68	64
	F	333	27	18	26	33	22	32	48	40	87
31 Other defined diseases ..	M	4,179	467	76	54	97	111	248	572	706	1,848
	F	4,330	300	64	52	107	104	285	568	633	2,217
32 Causes ill-defined or unknown ..	M	155	9	10	1	2	3	16	72	36	6
	F	117	6	7	3	5	2	16	43	29	6

* See footnote to Table 13.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1921.
(Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF RURAL DISTRICTS (SOUTH).*									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	10,845	1,158	168	133	306	397	1,022	2,439	2,272	2,950
	F	10,824	866	130	134	265	390	1,091	2,204	2,258	3,486
1 Enteric fever ..	M	10	—	—	—	2	3	1	3	1	—
	F	14	—	—	—	3	2	5	4	—	—
2 Small-pox ..	M	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	19	5	9	2	3	—	—	—	—	—
	F	22	3	10	6	3	—	—	—	—	—
4 Scarlet fever ..	M	7	—	—	2	5	—	—	—	—	—
	F	11	1	—	3	6	1	—	—	—	—
5 Whooping cough ..	M	34	21	8	4	1	—	—	—	—	—
	F	60	33	10	12	3	—	—	1	1	—
6 Diphtheria ..	M	69	—	2	15	46	6	—	—	—	—
	F	66	1	—	18	38	5	1	3	—	—
7 Influenza ..	M	218	13	3	4	10	10	25	42	60	51
	F	231	11	2	2	8	6	27	50	56	69
8 Encephalitis lethargica ..	M	10	—	1	—	2	1	—	5	1	—
	F	22	1	1	2	2	5	4	5	2	—
9 Meningococcal meningitis ..	M	6	2	—	1	—	1	1	1	—	—
	F	9	1	—	1	2	2	1	2	—	—
10 Tuberculosis of respiratory system	M	666	1	1	2	13	129	326	163	23	8
	F	621	3	1	3	24	166	260	128	33	3
11 Other tuberculous diseases ..	M	177	23	16	15	32	27	32	21	10	1
	F	193	18	12	9	32	39	50	23	5	5
12 Cancer, malignant disease ..	M	1,162	—	1	1	4	7	52	451	396	250
	F	1,468	—	2	2	3	4	128	603	428	298
13 Rheumatic fever ..	M	38	1	—	—	9	3	10	9	6	—
	F	28	—	—	—	6	4	6	8	4	—
14 Diabetes ..	M	113	—	1	—	10	4	16	38	31	13
	F	134	—	—	—	6	7	22	35	44	20
15 Cerebral hæmorrhage, &c. ..	M	719	—	—	—	2	3	16	167	252	279
	F	857	—	—	—	—	1	21	172	266	397
16 Heart disease ..	M	1,547	1	—	—	15	26	114	407	488	496
	F	1,688	1	—	2	13	17	76	395	554	630
17 Arterio-sclerosis ..	M	471	—	—	—	—	—	1	71	145	254
	F	356	—	—	—	—	—	3	42	103	208
18 Bronchitis ..	M	577	55	9	3	1	—	6	72	177	304
	F	596	56	10	6	2	2	7	37	128	348
19 Pneumonia (all forms) ..	M	485	90	40	15	17	14	56	115	82	56
	F	417	78	36	16	9	15	40	79	70	74
20 Other respiratory diseases ..	M	172	5	4	4	4	4	21	53	45	32
	F	132	5	—	8	5	1	6	29	32	46
21 Ulcer of stomach or duodenum ..	M	79	—	—	—	—	4	15	39	16	5
	F	52	—	—	—	1	3	13	23	7	5
22 Diarrhœa, &c. ..	M	211	119	14	12	4	1	3	18	14	26
	F	160	64	15	3	1	2	8	16	25	26
23 Appendicitis and typhlitis..	M	86	—	—	5	18	14	17	21	9	2
	F	67	—	—	2	14	10	16	15	6	4
24 Cirrhosis of liver ..	M	59	—	—	—	—	—	3	41	12	3
	F	26	—	—	—	—	—	—	12	11	3
25 Acute and chronic nephritis ..	M	317	2	3	2	5	8	37	104	75	81
	F	269	1	—	2	1	9	32	72	86	66
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	50	—	—	—	—	9	41	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	100	—	—	—	—	14	85	1	—	—
28 Congenital debility and malformation, premature birth..	M	588	577	4	3	2	2	—	—	—	—
	F	445	440	—	1	2	1	—	1	—	—
29 Suicide ..	M	167	—	—	—	—	8	34	93	25	7
	F	38	—	—	—	—	1	13	20	2	2
30 Other deaths from violence..	M	390	17	9	16	38	52	80	113	35	30
	F	196	15	8	11	23	9	29	29	15	57
31 Other defined diseases ..	M	2,392	222	42	26	61	70	148	361	411	1,051
	F	2,435	129	20	23	58	55	192	373	364	1,221
32 Causes ill-defined or unknown ..	M	55	4	1	1	1	—	8	31	8	1
	F	61	5	3	2	—	—	5	26	16	4

* See footnote to Table 13.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1921.
(Civilian population only)

CAUSES OF DEATH.	Sex.	AGGREGATE OF RURAL DISTRICTS (WALES AND MONMOUTH).									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	5,246	868	119	130	195	247	552	1,184	971	980
	F	5,217	642	115	130	194	261	605	1,072	940	1,258
1 Enteric fever ..	M	3	—	—	—	1	1	1	—	—	—
	F	8	—	—	—	1	4	3	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	14	6	1	4	2	—	1	—	—	—
	F	11	7	—	3	1	—	—	—	—	—
4 Scarlet fever ..	M	11	—	1	3	5	2	—	—	—	—
	F	16	—	—	6	3	1	6	—	—	—
5 Whooping cough ..	M	45	29	7	9	—	—	—	—	—	—
	F	54	33	10	11	—	—	—	—	—	—
6 Diphtheria ..	M	73	4	6	24	33	3	3	—	—	—
	F	79	2	4	30	36	3	3	1	—	—
7 Influenza ..	M	87	4	1	—	2	13	9	29	19	10
	F	90	1	—	1	5	7	18	14	21	23
8 Encephalitis lethargica ..	M	5	—	—	3	—	—	—	1	1	—
	F	7	—	—	—	2	2	3	—	—	—
9 Meningococcal meningitis ..	M	5	1	—	1	2	1	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	396	1	—	2	7	91	164	113	15	3
	F	381	—	—	1	20	107	154	76	14	9
11 Other tuberculous diseases ..	M	105	13	8	10	28	11	15	19	1	—
	F	124	16	8	6	31	21	22	15	4	1
12 Cancer, malignant disease ..	M	428	—	—	—	—	1	25	194	146	62
	F	508	—	—	—	2	4	43	232	135	92
13 Rheumatic fever ..	M	24	—	—	2	9	3	4	5	1	—
	F	25	—	—	—	8	6	4	6	—	1
14 Diabetes ..	M	36	—	—	—	—	4	7	12	8	5
	F	43	—	—	—	2	2	8	16	10	5
15 Cerebral hæmorrhage, &c. ..	M	328	—	—	—	—	—	10	85	120	113
	F	419	—	—	—	—	2	12	112	135	158
16 Heart disease ..	M	595	—	—	1	7	18	47	186	188	148
	F	794	—	—	1	12	21	55	221	250	234
17 Arterio-sclerosis ..	M	139	—	—	—	—	—	1	23	49	66
	F	108	—	—	—	—	—	1	10	41	56
18 Bronchitis ..	M	325	52	4	4	2	1	6	54	94	108
	F	303	41	12	4	2	2	—	28	72	142
19 Pneumonia (all forms) ..	M	382	93	38	23	9	8	48	72	52	39
	F	245	56	34	23	6	7	19	35	36	29
20 Other respiratory diseases ..	M	100	6	5	5	4	5	13	27	20	15
	F	58	2	4	5	2	4	6	12	10	13
21 Ulcer of stomach or duodenum ..	M	26	—	—	—	—	1	7	14	3	1
	F	25	—	—	—	—	—	7	14	4	—
22 Diarrhoea, &c. ..	M	148	90	11	5	4	1	3	7	10	17
	F	132	64	9	9	—	3	8	13	10	16
23 Appendicitis and typhlitis ..	M	30	—	—	—	7	10	7	5	1	—
	F	21	—	—	1	5	3	7	3	2	—
24 Cirrhosis of liver ..	M	17	—	—	—	—	—	2	10	5	—
	F	7	—	—	—	—	—	1	3	3	—
25 Acute and chronic nephritis ..	M	169	1	—	1	4	6	14	58	47	38
	F	177	3	1	—	4	4	30	56	43	36
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	34	—	—	—	—	8	26	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	86	—	—	—	—	22	61	3	—	—
28 Congenital debility and malformation, premature birth..	M	347	339	3	1	2	—	2	—	—	—
	F	243	235	4	—	—	1	3	—	—	—
29 Suicide ..	M	66	—	—	—	—	5	25	25	10	1
	F	13	—	—	—	—	1	5	7	—	—
30 Other deaths from violence..	M	247	7	8	11	29	37	69	57	19	10
	F	83	6	8	13	9	5	5	11	11	15
31 Other defined diseases ..	M	1,064	222	26	20	37	23	65	174	157	340
	F	1,088	171	21	14	38	21	92	172	134	425
32 Causes ill-defined or unknown ..	M	31	—	—	1	1	2	4	14	5	4
	F	33	5	—	1	4	—	3	12	5	3

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1921.
(Civilian population only).

CAUSES OF DEATH.		Sex.	GREATER LONDON.*									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	M	44,260	6,990	1,462	1,038	1,676	1,870	5,373	12,137	7,497	6,217
		F	43,106	5,163	1,314	930	1,724	1,951	5,167	9,521	7,512	9,824
1 Enteric fever	..	M	47	—	—	1	4	10	16	13	2	1
		F	53	—	—	—	9	9	22	10	3	—
2 Small-pox	M	1	—	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—
3 Measles	M	158	40	73	41	4	—	—	—	—	—
		F	138	33	65	29	8	1	1	1	—	—
4 Scarlet fever	..	M	184	11	26	58	69	11	8	1	—	—
		F	207	8	28	50	95	11	12	2	1	—
5 Whooping cough	..	M	366	173	134	48	10	1	—	—	—	—
		F	420	181	168	55	15	1	—	—	—	—
6 Diphtheria	..	M	831	48	114	259	382	18	10	—	—	—
		F	856	31	96	262	424	25	12	4	2	—
7 Influenza	M	804	30	21	17	29	57	160	285	118	87
		F	934	20	22	17	29	76	158	252	173	187
8 Encephalitis lethargica	..	M	60	2	3	4	4	9	12	21	4	1
		F	75	2	3	5	5	11	23	22	3	1
9 Meningococcal meningitis	..	M	71	30	15	4	12	4	2	3	1	—
		F	51	24	9	—	7	7	2	2	—	—
10 Tuberculosis of respiratory system	..	M	4,003	13	17	14	57	670	1,624	1,413	171	24
		F	3,127	7	22	9	139	838	1,360	607	112	33
11 Other tuberculous diseases	M	781	116	96	101	182	115	86	60	22	3
		F	733	87	95	89	158	104	92	69	24	15
12 Cancer, malignant disease	M	4,387	4	5	8	12	19	287	2,188	1,326	538
		F	5,227	5	4	7	6	25	550	2,450	1,307	873
13 Rheumatic fever	M	155	—	—	3	50	30	37	26	4	5
		F	202	1	—	11	64	49	34	26	12	5
14 Diabetes	M	340	—	—	—	8	21	60	138	80	33
		F	406	—	—	1	14	24	71	139	111	46
15 Cerebral hæmorrhage, &c.	M	1,822	1	2	—	3	7	67	575	613	554
		F	2,491	1	1	1	1	4	76	716	775	916
16 Heart disease	..	M	4,931	5	1	9	110	183	608	1,610	1,391	1,014
		F	5,808	3	3	7	153	196	544	1,586	1,566	1,750
17 Arterio-sclerosis	M	1,338	—	—	—	—	—	16	347	436	539
		F	1,144	—	—	—	—	—	5	176	312	651
18 Bronchitis	..	M	3,220	278	58	24	4	18	140	833	870	995
		F	3,521	212	45	17	7	7	78	533	933	1,689
19 Pneumonia (all forms)	M	4,051	934	441	180	117	124	552	1,020	436	247
		F	3,157	690	373	173	124	95	357	568	422	355
20 Other respiratory diseases	M	602	38	19	15	18	26	86	213	113	74
		F	550	20	15	12	19	11	60	110	142	161
21 Ulcer of stomach or duodenum	..	M	369	2	—	—	—	10	115	192	40	10
		F	183	—	—	—	2	7	59	76	25	14
22 Diarrhœa, &c.	M	2,024	1,575	201	45	23	5	22	73	35	45
		F	1,578	1,086	196	28	18	6	47	50	61	86
23 Appendicitis and typhlitis	M	303	—	3	11	84	60	61	63	16	5
		F	265	—	1	16	67	43	58	58	16	6
24 Cirrhosis of liver	M	272	—	—	—	—	—	32	166	62	12
		F	163	1	1	—	2	2	21	93	33	10
25 Acute and chronic nephritis	..	M	1,227	6	3	8	16	24	157	529	302	182
		F	1,093	3	2	4	27	45	143	418	260	191
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—
		F	216	—	—	—	—	28	185	3	—	—
27 Other accidents and diseases of pregnancy and parturition.	..	M	—	—	—	—	—	—	—	—	—	—
		F	265	—	—	—	—	41	223	1	—	—
28 Congenital debility and malformation, premature birth	M	2,632	2,586	15	9	10	6	2	3	1	—
		F	1,959	1,925	8	6	10	6	2	2	—	—
29 Suicide	M	565	—	—	—	2	22	179	273	74	15
		F	261	—	—	—	—	20	90	119	26	6
30 Other deaths from violence	M	1,545	111	55	74	193	176	281	417	138	100
		F	747	79	27	44	65	42	94	120	113	163
31 Other defined diseases	M	7,127	981	147	105	273	243	749	1,662	1,234	1,733
		F	7,245	738	126	87	255	217	784	1,298	1,074	2,666
32 Causes ill-defined or unknown	..	M	44	6	13	—	—	1	4	12	8	—
		F	31	6	4	—	1	—	4	10	6	—

* See footnote on second page of Table 13.

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.	Sex.	CITY OF LONDON.*										BATTERSEA.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	82	8	—	—	2	6	10	22	27	7	1012	162	31	25	53	41	140	271	164	125
	F	81	6	—	—	1	5	6	21	20	22	1048	114	39	25	47	54	102	216	203	248
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	4	1	—	1	1	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	17	12	4	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	13	4	6	2	1	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	—	1	—	—	—	—	—	31	2	1	10	18	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	32	1	7	11	12	1	—	—	—	—
7 Influenza ..	M	1	—	—	—	—	—	1	—	—	—	16	—	1	—	—	1	4	6	1	3
	F	1	—	—	—	—	1	—	—	—	—	29	—	1	—	2	2	3	12	5	4
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	9	—	—	—	—	2	2	5	—	—	97	—	1	—	1	12	48	32	3	—
	F	6	—	—	—	—	2	2	—	1	1	73	—	—	—	5	28	22	16	2	—
11 Other tuberculous diseases ..	M	—	—	—	—	—	—	—	—	—	—	22	2	2	1	8	4	3	1	1	—
	F	1	—	—	—	—	—	—	—	1	—	24	5	4	1	5	1	3	2	1	2
12 Cancer, malignant disease ..	M	5	—	—	—	—	—	2	—	2	1	75	—	1	1	—	—	4	40	24	5
	F	12	—	—	—	—	—	—	9	2	1	114	—	—	—	—	—	13	53	23	25
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	2	1	—	—
14 Diabetes ..	M	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	2	—	—
	F	1	—	—	—	—	1	—	—	—	—	8	—	—	—	—	—	2	3	2	1
15 Cerebral hæmorrhage, &c. ..	M	1	—	—	—	—	—	—	1	—	—	35	—	—	—	—	1	2	10	11	11
	F	1	—	—	—	—	—	—	1	—	—	52	—	—	—	—	—	3	15	23	11
16 Heart disease ..	M	18	—	—	—	—	2	2	6	7	1	143	—	—	2	4	4	13	44	45	31
	F	20	—	—	—	—	—	2	6	4	8	182	—	—	2	2	9	8	40	60	61
17 Arterio-sclerosis ..	M	4	—	—	—	—	—	—	—	4	—	19	—	—	—	—	—	—	6	9	4
	F	6	—	—	—	—	—	—	2	2	2	25	—	—	—	—	—	1	3	10	11
18 Bronchitis ..	M	3	—	—	—	—	—	—	—	2	1	58	6	—	—	—	—	2	24	13	13
	F	10	—	—	—	—	—	—	—	5	5	79	5	1	2	—	—	1	15	23	32
19 Pneumonia (all forms) ..	M	8	—	—	—	—	1	1	4	1	1	93	25	9	3	3	1	19	20	10	3
	F	2	1	—	—	—	1	—	—	—	—	63	17	9	3	4	4	4	6	8	8
20 Other respiratory diseases ..	M	1	—	—	—	—	—	—	—	1	—	22	2	3	2	—	1	2	8	2	2
	F	—	—	—	—	—	—	—	—	—	—	14	—	—	—	—	1	2	2	1	8
21 Ulcer of stomach or duodenum ..	M	—	—	—	—	—	—	—	—	—	—	10	—	—	—	—	—	5	3	2	—
	F	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	3	2	—
22 Diarrhoea, &c. ..	M	2	2	—	—	—	—	—	—	—	—	42	34	6	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	29	17	5	1	1	—	—	—	1	4
23 Appendicitis and typhlitis ..	M	—	—	—	—	—	—	—	—	—	—	7	—	—	—	4	1	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	8	—	—	—	—	1	3	3	—	1
24 Cirrhosis of liver ..	M	—	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	1	4	2	—
	F	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	1	3	2	—
25 Acute and chronic nephritis ..	M	3	—	—	—	—	—	—	1	2	—	30	—	—	—	—	1	8	10	7	4
	F	2	—	—	—	—	—	—	1	1	—	25	—	—	—	—	—	1	9	10	5
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	10	—	—	—	—	1	9	—	—	—
28 Congenital debility and malformation, premature birth..	M	3	3	—	—	—	—	—	—	—	—	58	56	—	1	—	1	—	—	—	—
	F	4	4	—	—	—	—	—	—	—	—	50	49	—	—	1	—	—	—	—	—
29 Suicide ...	M	2	—	—	—	—	—	1	—	1	—	5	—	—	—	—	—	3	1	1	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	1	—
30 Other deaths from violence..	M	5	1	—	—	—	1	—	1	1	1	36	3	2	—	3	4	9	9	4	2
	F	2	—	—	—	—	—	—	1	1	—	22	2	4	1	3	—	2	3	2	5
31 Other defined diseases ..	M	15	2	—	—	1	—	1	4	5	2	176	18	—	2	9	9	15	47	29	47
	F	11	1	—	—	1	—	1	—	3	5	170	13	2	1	9	4	18	26	27	70
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* For the Inner and Middle Temples see page 261.

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1921
(Civilian Population only).

CAUSES OF DEATH.		Sex.	BERMONDSEY.										BETHNAL GREEN.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {		M	880	178	38	35	43	46	101	232	124	83	810	168	47	26	37	29	113	219	95	76
		F	778	131	51	41	53	42	90	161	102	107	720	132	52	16	27	32	84	157	126	94
1 Enteric fever .. {		M	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—	2	—	—	—
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox .. {		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {		M	2	—	1	1	—	—	—	—	—	—	11	2	7	1	1	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	—	10	2	5	3	—	—	—	—	—	—
4 Scarlet fever .. {		M	5	1	1	3	—	—	—	—	—	—	6	—	2	2	2	—	—	—	—	—
		F	13	1	4	4	4	—	—	—	—	—	4	—	—	1	3	—	—	—	—	—
5 Whooping cough .. {		M	6	2	1	3	—	—	—	—	—	—	7	3	4	—	—	—	—	—	—	—
		F	8	2	5	1	—	—	—	—	—	—	11	2	8	—	1	—	—	—	—	—
6 Diphtheria .. {		M	35	3	5	12	15	—	—	—	—	—	20	2	4	11	3	—	—	—	—	—
		F	34	1	4	16	13	—	—	—	—	—	13	—	6	4	3	—	—	—	—	—
7 Influenza .. {		M	11	1	—	—	—	1	2	4	2	1	5	—	—	—	—	1	—	3	1	—
		F	10	1	1	—	—	—	1	4	1	2	5	—	—	—	—	2	1	1	1	—
8 Encephalitis lethargica .. {		M	3	—	1	—	—	1	—	1	—	—	1	—	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
9 Meningococcal meningitis .. {		M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	2	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system {		M	83	1	—	1	3	15	28	29	3	3	103	—	—	—	1	9	48	37	8	—
		F	72	—	2	1	7	17	31	9	4	1	54	—	2	—	2	16	20	9	4	1
11 Other tuberculous diseases .. {		M	11	1	1	2	3	1	1	1	1	—	16	3	2	1	5	1	3	1	—	—
		F	19	1	1	3	9	3	1	1	—	—	10	2	1	1	2	1	2	1	—	—
12 Cancer, malignant disease .. {		M	86	—	—	—	—	2	4	50	26	4	69	—	1	—	—	—	3	43	13	9
		F	69	—	—	—	—	—	7	37	14	11	55	—	—	—	—	—	5	29	14	7
13 Rheumatic fever .. {		M	3	—	—	—	1	1	—	—	1	—	5	—	—	—	2	1	2	—	—	—
		F	7	—	—	—	4	3	—	—	—	—	5	—	—	1	3	1	—	—	—	—
14 Diabetes .. {		M	6	—	—	—	—	—	1	4	—	1	7	—	—	—	—	1	—	5	1	—
		F	4	—	—	—	1	1	—	2	—	—	7	—	—	—	1	—	2	2	2	—
15 Cerebral hæmorrhage, &c. .. {		M	21	—	—	—	—	—	—	10	9	2	20	—	—	—	—	—	4	9	4	3
		F	31	—	—	—	—	—	1	7	11	12	31	—	—	—	—	—	3	8	11	9
16 Heart disease .. {		M	95	—	—	—	5	5	10	35	26	14	92	—	—	—	2	6	11	28	26	19
		F	95	—	—	—	3	6	20	29	23	14	126	—	—	1	3	2	16	35	39	30
17 Arterio-sclerosis .. {		M	39	—	—	—	—	—	—	5	9	25	11	—	—	—	—	—	1	5	2	3
		F	18	—	—	—	—	—	—	3	6	9	13	—	—	—	—	—	—	5	5	3
18 Bronchitis .. {		M	51	6	—	—	—	2	5	19	13	6	57	3	—	—	—	1	7	21	12	13
		F	59	7	3	1	1	—	3	11	13	20	59	4	1	—	—	—	1	15	18	20
19 Pneumonia (all forms) .. {		M	116	42	16	6	1	3	16	18	10	4	83	25	12	9	4	3	7	9	5	9
		F	84	23	13	10	3	2	6	15	6	6	82	26	14	1	3	2	4	17	11	4
20 Other respiratory diseases .. {		M	4	—	—	—	—	1	2	1	—	—	10	—	—	1	—	1	1	5	2	—
		F	6	—	2	—	—	—	1	1	1	1	11	—	2	—	—	—	1	3	4	1
21 Ulcer of stomach or duodenum .. {		M	5	—	—	—	—	—	1	4	—	—	4	—	—	—	—	—	2	2	—	—
		F	3	—	—	—	—	1	—	2	—	—	3	—	—	—	—	—	2	1	—	—
22 Diarrhœa, &c. .. {		M	46	35	6	4	—	—	—	1	—	—	72	59	9	1	—	—	—	2	1	—
		F	38	25	7	2	—	1	—	2	1	—	54	40	7	1	1	—	—	2	2	1
23 Appendicitis and typhlitis.. {		M	8	—	—	2	4	2	—	—	—	—	4	—	—	—	2	1	—	—	1	—
		F	4	—	—	—	2	1	1	—	—	—	2	—	—	1	—	1	—	—	—	—
24 Cirrhosis of liver .. {		M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—	—
25 Acute and chronic nephritis .. {		M	21	—	1	—	—	—	3	11	4	2	18	—	—	—	3	—	2	8	3	2
		F	21	—	—	—	—	1	3	9	5	3	16	1	1	—	1	3	2	5	3	—
26 Puerperal sepsis .. {		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	3	—	—	—	2	—	—	—	—	—	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition. {		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	2	4	—	—	—	5	—	—	—	—	1	4	—	—	—
28 Congenital debility and malformation, premature birth.. {		M	65	65	—	—	—	—	—	—	—	—	55	54	1	—	—	—	—	—	—	—
		F	47	46	1	—	—	—	—	—	—	—	38	38	—	—	—	—	—	—	—	—
29 Suicide .. {		M	10	—	—	—	—	—	5	5	—	—	17	—	—	—	—	—	5	10	1	1
		F	2	—	—	—	—	—	1	1	—	—	5	—	—	—	—	1	—	2	—	—
30 Other deaths from violence.. {		M	31	2	4	—	4	6	5	5	3	2	26	1	—	—	5	1	5	11	3	—
		F	19	5	1	2	3	1	2	1	3	1	6	1	1	—	—	—	2	—	2	—
31 Other defined diseases .. {		M	111	18	—	1	7	6	15	28	17	19	89	16	5	—	7	3	10	19	12	17
		F	99	17	5	1	3	3	5	25	13	27	87	16	3	2	4	2	15	19	8	18
32 Causes ill-defined or unknown .. {		M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHs—1921
(Civilian Population only).

CAUSES OF DEATH.	Sex.	DEPTFORD.										FINSBURY.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	695	120	23	21	20	38	84	201	112	76	612	99	34	25	35	36	77	176	75	55
	F	687	114	20	20	27	36	81	133	104	152	522	83	14	18	19	25	57	113	99	94
1. Enteric fever .. {	M	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Measles .. {	M	1	—	1	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
4. Scarlet fever .. {	M	6	—	2	1	2	—	1	—	—	—	3	—	—	2	1	—	—	—	—	—
	F	7	1	1	2	3	—	—	—	—	—	3	1	—	2	—	—	—	—	—	—
5. Whooping cough .. {	M	4	1	2	1	—	—	—	—	—	—	7	2	4	1	—	—	—	—	—	—
	F	10	6	1	3	—	—	—	—	—	—	6	4	1	1	—	—	—	—	—	—
6. Diphtheria .. {	M	6	—	1	2	3	—	—	—	—	—	23	1	5	7	9	1	—	—	—	—
	F	7	—	1	1	4	1	—	—	—	—	14	1	1	8	4	—	—	—	—	—
7. Influenza .. {	M	9	—	—	1	1	1	2	2	2	2	6	—	1	—	—	1	1	2	1	—
	F	16	—	—	1	1	2	2	4	3	3	5	—	—	2	1	—	1	1	—	—
8. Encephalitis lethargica .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9. Meningococcal meningitis .. {	M	3	2	1	—	—	—	—	—	—	—	2	1	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	2	—	—	1	—	—	—	—	—
10. Tuberculosis of respiratory system {	M	68	—	—	1	—	15	23	26	3	—	72	—	—	—	3	15	28	24	2	—
	F	53	—	1	—	1	17	21	12	—	1	45	—	—	—	3	15	13	14	—	—
11. Other tuberculous diseases .. {	M	20	2	2	3	7	4	1	1	—	—	7	—	2	—	2	1	1	1	—	—
	F	11	3	—	3	2	—	1	2	—	—	9	2	2	2	1	1	—	—	—	1
12. Cancer, malignant disease .. {	M	62	—	—	—	—	—	7	31	16	8	58	—	—	—	—	—	9	33	13	3
	F	83	—	—	—	—	—	11	36	20	16	48	—	—	—	—	—	8	20	11	9
13. Rheumatic fever .. {	M	2	—	—	—	—	—	1	1	—	—	2	—	—	—	—	1	—	—	—	1
	F	1	—	—	—	—	—	—	—	—	1	3	—	—	—	2	—	1	—	—	—
14. Diabetes .. {	M	5	—	—	—	—	1	1	3	—	—	1	—	—	—	—	—	1	—	—	—
	F	2	—	—	—	—	1	—	—	1	—	6	—	—	—	—	—	1	4	1	—
15. Cerebral hæmorrhage, &c. .. {	M	33	—	—	—	—	—	3	13	10	7	18	—	—	—	—	—	10	7	1	—
	F	30	—	—	—	—	—	—	8	8	14	18	—	—	—	—	—	11	2	5	—
16. Heart disease .. {	M	76	—	—	—	4	9	38	15	10	52	—	—	—	2	4	9	20	10	7	—
	F	79	—	—	1	10	4	18	25	21	68	—	—	—	2	1	13	24	16	12	—
17. Arterio-sclerosis .. {	M	10	—	—	—	—	—	5	1	4	21	—	—	—	—	—	—	4	5	12	—
	F	3	—	—	—	—	—	—	2	1	28	—	—	—	—	—	—	1	7	20	—
18. Bronchitis .. {	M	66	10	2	1	—	—	3	18	20	12	64	3	—	2	—	1	6	22	14	16
	F	61	5	1	—	1	—	—	7	11	36	72	3	—	—	—	5	11	30	23	—
19. Pneumonia (all forms) .. {	M	55	18	4	2	—	3	5	14	7	2	58	16	12	6	2	3	6	10	3	—
	F	64	16	8	4	2	—	11	12	8	3	28	14	2	—	—	5	3	3	1	—
20. Other respiratory diseases .. {	M	9	2	1	1	—	—	2	2	1	—	11	2	—	—	2	2	—	3	2	—
	F	5	—	—	—	—	1	1	1	1	1	8	1	1	1	—	—	—	5	—	—
21. Ulcer of stomach or duodenum .. {	M	4	—	—	—	—	—	2	2	—	—	2	—	—	—	—	1	1	—	—	—
	F	5	—	—	—	—	—	1	4	—	—	2	—	—	—	—	—	2	—	—	—
22. Diarrhœa, &c. .. {	M	34	29	2	1	—	—	—	—	—	2	26	17	3	2	—	1	1	—	—	2
	F	31	20	4	—	—	—	2	1	1	3	25	17	3	—	1	—	—	2	2	—
23. Appendicitis and typhlitis.. {	M	10	—	—	2	4	1	1	1	1	—	7	—	—	4	—	—	1	2	—	—
	F	7	—	—	—	5	—	—	2	—	—	2	—	—	2	—	—	—	—	—	—
24. Cirrhosis of liver .. {	M	1	—	—	—	—	—	—	—	1	—	6	—	—	—	—	—	5	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1	—
25. Acute and chronic nephritis .. {	M	16	—	—	2	—	—	2	6	4	2	13	—	—	1	—	—	8	4	—	—
	F	7	—	—	—	—	—	4	1	2	—	13	—	—	1	—	1	2	8	1	—
26. Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	1	—	—	—	—	1	—	—	—	—
27. Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	2	—	—	—	—	2	—	—	—	—
28. Congenital debility and malformation, premature birth.. {	M	41	41	—	—	—	—	—	—	—	—	44	42	—	1	1	—	—	—	—	—
	F	43	43	—	—	—	—	—	—	—	—	31	31	—	—	—	—	—	—	—	—
29. Suicide .. {	M	3	—	—	—	—	—	3	—	—	—	6	—	—	—	1	3	—	1	1	—
	F	2	—	—	—	—	—	—	2	—	—	3	—	—	—	—	1	2	—	—	—
30. Other deaths from violence.. {	M	21	1	1	2	1	3	5	6	2	—	30	5	—	1	6	1	2	9	2	4
	F	16	2	1	1	1	1	3	1	2	4	13	2	—	1	2	3	2	2	1	—
31. Other defined diseases .. {	M	128	14	4	2	2	5	13	32	29	27	71	9	6	3	2	5	9	21	9	7
	F	136	18	2	5	6	3	12	22	20	48	62	5	3	2	2	—	5	10	15	20
32. Causes ill-defined or unknown .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.		Sex.	FULHAM										GREENWICH.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..		M	921	170	33	23	34	47	116	253	133	112	666	107	27	20	34	36	85	180	97	80
		F	960	127	34	21	44	44	127	202	166	195	576	68	26	7	24	31	81	119	97	123
1 Enteric fever ..		M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
2 Small-pox ..		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..		M	1	—	—	1	—	—	—	—	—	—	5	3	—	2	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..		M	7	1	2	—	3	1	—	—	—	—	2	—	—	1	1	—	—	—	—	—
		F	8	—	1	1	5	1	—	—	—	—	4	—	2	1	1	—	—	—	—	—
5 Whooping cough ..		M	12	7	5	—	—	—	—	—	—	—	8	4	4	—	—	—	—	—	—	—
		F	17	4	8	5	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—
6 Diphtheria ..		M	23	1	3	5	14	—	—	—	—	—	17	—	4	6	6	1	—	—	—	—
		F	21	2	3	3	12	—	1	—	—	—	11	—	3	1	7	—	—	—	—	—
7 Influenza ..		M	16	1	—	—	—	1	2	8	1	3	14	—	1	2	1	1	3	5	1	—
		F	22	1	2	—	—	—	4	3	10	2	11	—	—	—	—	1	2	4	1	3
8 Encephalitis lethargica ..		M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..		M	2	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system		M	78	1	—	—	2	13	28	30	2	2	80	—	—	—	2	21	30	24	3	—
		F	77	—	—	—	3	22	32	9	9	2	41	—	—	1	1	10	23	6	—	—
11 Other tuberculous diseases ..		M	20	4	4	3	3	4	1	—	—	1	9	—	1	1	4	2	1	—	—	—
		F	15	—	—	2	4	4	2	2	1	—	10	1	1	1	3	3	—	—	—	1
12 Cancer, malignant disease ..		M	90	—	—	—	—	1	4	42	31	12	59	—	—	—	—	—	7	32	18	2
		F	126	—	—	—	—	2	18	57	27	22	66	—	—	—	—	1	5	28	20	12
13 Rheumatic fever ..		M	6	—	—	—	2	1	3	—	—	—	2	—	—	—	1	—	—	—	1	—
		F	3	—	—	1	2	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
14 Diabetes ..		M	6	—	—	—	—	—	1	4	—	1	5	—	—	—	—	1	1	1	2	—
		F	9	—	—	—	—	—	3	2	2	2	7	—	—	—	1	—	1	1	—	3
15 Cerebral hæmorrhage, &c. ..		M	39	—	—	—	—	—	1	16	13	9	29	—	—	—	—	—	1	7	10	11
		F	43	—	—	—	—	—	—	11	11	21	27	—	—	—	—	—	2	7	11	7
16 Heart disease ..		M	81	—	—	—	1	3	24	25	16	12	50	—	—	—	1	1	3	19	14	12
		F	119	—	1	1	3	3	12	35	29	35	80	—	—	—	3	2	8	20	27	20
17 Arterio-sclerosis ..		M	26	—	—	—	—	—	—	7	9	10	14	—	—	—	—	—	—	4	3	7
		F	39	—	—	—	—	—	—	6	9	24	15	—	—	—	—	—	—	4	5	6
18 Bronchitis ..		M	76	6	1	1	—	—	3	23	18	24	46	4	1	—	—	—	5	10	13	13
		F	67	5	—	—	—	—	1	9	22	30	40	3	1	—	—	—	1	2	5	28
19 Pneumonia (all forms) ..		M	78	26	7	2	1	1	17	16	4	4	57	15	11	3	3	2	7	12	2	2
		F	73	17	13	2	3	2	9	9	10	8	60	16	10	2	2	1	8	7	8	6
20 Other respiratory diseases ..		M	10	—	—	—	—	2	2	2	1	3	6	1	1	—	—	—	2	1	—	1
		F	8	1	—	—	1	—	1	1	2	2	7	—	1	—	—	1	1	—	—	3
21 Ulcer of stomach or duodenum ..		M	10	—	—	—	—	—	1	7	1	1	5	—	—	—	—	—	1	4	—	—
		F	5	—	—	—	—	1	2	—	—	2	2	—	—	—	—	—	1	—	1	—
22 Diarrhœa, &c. ..		M	47	34	9	2	—	1	—	1	—	—	22	18	1	—	1	—	1	—	—	—
		F	39	29	2	—	—	—	3	1	1	3	20	10	3	—	1	—	2	—	1	3
23 Appendicitis and typhlitis..		M	6	—	—	1	1	—	2	1	1	—	6	—	—	—	2	1	1	1	—	—
		F	8	—	—	—	3	1	1	2	1	—	4	—	—	—	—	1	3	—	—	—
24 Cirrhosis of liver ..		M	7	—	—	—	—	—	—	6	1	—	5	—	—	—	—	—	1	3	—	1
		F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
25 Acute and chronic nephritis ..		M	32	—	—	—	—	2	4	10	10	6	16	1	—	—	1	1	3	4	4	2
		F	34	—	—	—	1	—	3	11	14	5	20	—	—	—	—	3	2	11	3	1
26 Puerperal sepsis ..		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	1	5	—	—	—	3	—	—	—	—	1	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	1	7	—	—	—	5	—	—	—	—	—	5	—	—	—
28 Congenital debility and malformation, premature birth..		M	61	61	—	—	—	—	—	—	—	—	43	42	—	—	—	—	—	1	—	—
		F	49	49	—	—	—	—	—	—	—	—	20	20	—	—	—	—	—	—	—	—
29 Suicide ..		M	7	—	—	—	—	—	1	3	3	—	5	—	—	—	—	—	2	2	1	—
		F	8	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
30 Other deaths from violence..		M	40	3	—	5	4	9	6	8	3	2	27	1	1	4	5	3	4	7	2	—
		F	16	3	—	2	1	1	3	2	2	2	11	2	2	—	2	—	2	1	1	1
31 Other defined diseases ..		M	138	24	2	3	2	8	16	44	17	22	132	18	2	1	6	2	12	40	22	29
		F	137	15	4	3	6	4	17	37	16	35	106	16	1	1	3	6	13	25	12	29
32 Causes ill-defined or unknown		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.		Sex.	HACKNEY.										HAMMERSMITH.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..		M	1266	201	44	31	44	46	159	353	221	167	829	130	22	20	34	35	112	230	143	103
		F	1320	130	34	26	55	57	161	302	232	323	809	114	15	22	26	37	105	169	119	202
1	Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
		F	2	—	—	—	—	1	—	1	—	—	2	—	—	—	—	1	1	—	—	—
2	Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles ..	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Scarlet fever ..	M	7	—	2	3	2	—	—	—	—	11	1	—	2	6	2	—	—	—	—	—
		F	7	—	2	2	3	—	—	—	—	5	—	—	2	3	—	—	—	—	—	—
5	Whooping cough ..	M	7	3	3	1	—	—	—	—	—	4	1	3	—	—	—	—	—	—	—	—
		F	13	4	5	2	2	—	—	—	—	7	3	—	3	1	—	—	—	—	—	—
6	Diphtheria ..	M	26	1	6	10	8	1	—	—	—	12	1	—	4	6	—	1	—	—	—	—
		F	21	2	2	6	10	—	1	—	—	11	—	5	—	4	1	1	—	—	—	—
7	Influenza ..	M	21	—	1	—	3	—	4	8	4	13	1	1	—	1	1	2	4	1	2	
		F	15	—	—	—	—	1	1	5	3	21	—	—	1	—	4	5	2	3	6	
8	Encephalitis lethargica ..	M	2	—	—	1	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	
		F	2	—	—	—	2	—	—	—	—	1	—	—	—	—	—	—	1	—	—	
9	Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	2	1	—	—	—	1	—	—	—	—	
0	Tuberculosis of respiratory system	M	119	—	2	—	5	17	53	40	1	82	—	1	—	—	13	32	31	2	3	
		F	107	—	—	2	9	25	44	21	6	67	—	—	1	2	16	27	16	4	1	
1	Other tuberculous diseases ..	M	26	—	6	6	6	3	3	1	—	15	4	1	5	2	1	1	—	1	—	
		F	22	3	3	—	5	5	2	2	—	11	2	—	1	1	1	1	4	1	—	
2	Cancer, malignant disease ..	M	140	—	—	—	—	1	9	73	44	92	—	—	—	—	1	7	45	29	10	
		F	153	1	—	—	—	—	18	71	32	97	—	—	1	—	—	11	38	23	24	
3	Rheumatic fever ..	M	6	—	—	—	2	—	4	—	—	3	—	—	—	1	1	1	—	—	—	
		F	5	—	—	—	1	2	1	—	—	4	—	—	—	1	2	—	—	1	—	
4	Diabetes ..	M	9	—	—	—	—	—	2	5	1	4	—	—	—	—	2	—	1	1	—	
		F	13	—	—	—	—	1	3	4	2	5	—	—	—	—	—	2	2	1	—	
5	Cerebral hæmorrhage, &c. ..	M	50	—	—	—	—	—	1	17	15	16	—	—	—	—	—	1	8	3	4	
		F	80	—	—	—	—	—	—	25	22	35	—	—	—	—	—	1	12	8	14	
6	Heart disease ..	M	145	—	—	—	2	6	14	48	47	95	—	—	—	2	3	16	30	30	14	
		F	187	—	—	—	6	3	21	57	37	92	—	—	—	3	2	9	18	28	32	
7	Arterio-sclerosis ..	M	51	—	—	—	—	—	1	7	11	33	—	—	—	—	—	—	4	15	14	
		F	60	—	—	—	—	—	—	10	10	18	—	—	—	—	—	—	2	2	14	
8	Bronchitis ..	M	72	6	—	—	—	—	1	24	23	54	5	1	—	—	—	6	10	13	19	
		F	83	2	1	—	—	—	2	7	35	73	6	—	—	1	—	1	13	19	33	
9	Pneumonia (all forms) ..	M	135	24	13	7	1	3	19	35	22	66	16	8	5	4	2	9	14	6	2	
		F	95	21	10	5	1	3	6	22	18	69	11	5	7	4	1	10	14	6	11	
0	Other respiratory diseases ..	M	28	—	—	1	1	1	7	10	4	15	2	1	—	—	—	3	6	3	—	
		F	15	—	—	—	—	—	3	4	5	10	—	—	—	1	1	2	2	2	2	
1	Ulcer of stomach or duodenum ..	M	10	—	—	—	—	—	1	6	3	9	—	—	—	—	—	1	8	—	—	
		F	6	—	—	—	—	1	1	2	1	2	—	—	—	—	—	—	—	1	1	
2	Diarrhoea, &c. ..	M	72	61	6	—	1	—	1	2	—	37	30	4	—	—	—	—	2	1	—	
		F	44	31	5	—	—	1	2	1	3	39	29	4	2	—	—	1	1	—	2	
3	Appendicitis and typhlitis..	M	15	—	—	—	4	4	5	1	1	5	—	—	—	2	—	1	2	—	—	
		F	8	—	—	—	2	3	1	1	—	4	—	—	—	2	—	1	1	—	—	
4	Cirrhosis of liver ..	M	6	—	—	—	—	—	1	2	3	3	—	—	—	—	—	—	1	2	—	
		F	4	—	—	—	—	—	1	3	—	6	—	—	—	—	—	1	4	1	—	
5	Acute and chronic nephritis ..	M	40	—	—	1	—	1	4	17	11	35	—	—	—	—	1	6	12	9	7	
		F	40	—	—	—	1	1	3	18	11	30	—	—	—	1	3	5	8	6	7	
6	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	10	—	—	—	—	1	9	—	—	4	—	—	—	—	—	4	—	—	—	
Other accidents and diseases of pregnancy and parturition.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	9	—	—	—	—	1	8	—	—	7	—	—	—	—	—	7	—	—	—	
Congenital debility and malformation, premature birth..		M	77	77	—	—	—	—	—	—	—	49	48	—	—	—	1	—	—	—	—	
		F	44	42	—	1	—	1	—	—	—	42	42	—	—	—	—	—	—	—	—	
Suicide ..		M	18	—	—	—	1	1	4	8	4	14	—	—	—	—	—	6	7	—	1	
		F	10	—	—	—	—	—	2	7	1	5	—	—	—	—	—	3	1	1	—	
Other deaths from violence..		M	33	5	1	—	1	5	6	10	3	37	3	1	2	5	4	4	14	1	3	
		F	27	3	—	2	2	3	2	6	3	10	1	1	—	1	—	2	1	3	1	
Other defined diseases ..		M	150	24	3	1	7	3	19	38	23	122	18	1	2	4	3	14	31	25	24	
		F	233	19	4	6	10	4	30	35	40	129	18	—	4	1	5	10	28	9	54	
Causes ill-defined or unknown ..		M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	
		F	2	1	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.		Sex.	HAMPSTEAD.										HOLBORN.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	.. {	M	453	51	8	8	12	14	57	113	101	89	323	28	8	5	4	17	39	90	70	6
		F	520	37	12	10	18	18	64	126	96	139	233	23	3	6	5	7	29	63	47	5
1 Enteric fever	.. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Small-pox {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles {	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	3	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4 Scarlet fever	.. {	M	2	—	—	—	1	—	1	—	—	—	2	—	1	1	—	—	—	—	—	
		F	3	—	2	—	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—	
5 Whooping cough {	M	3	3	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
		F	3	1	1	1	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—	
6 Diphtheria	.. {	M	17	1	4	6	5	1	—	—	—	—	1	—	—	1	—	—	—	—	—	
		F	18	—	2	6	8	1	—	1	—	—	3	—	3	—	—	—	—	—	—	
7 Influenza {	M	15	1	—	—	—	1	—	8	3	2	2	—	—	—	—	—	2	—	—	
		F	15	—	—	2	1	1	1	3	5	2	6	—	—	—	—	1	3	2	—	
8 Encephalitis lethargica	.. {	M	3	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
9 Meningococcal meningitis	.. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
10 Tuberculosis of respiratory system	.. {	M	34	—	—	—	4	17	11	2	—	25	—	1	—	—	6	8	10	—	—	
		F	30	—	—	1	6	14	6	3	—	17	—	1	1	—	3	6	6	—	—	
11 Other tuberculous diseases {	M	1	—	—	1	—	—	—	—	—	5	—	1	1	—	2	—	1	—	—	
		F	6	1	—	—	1	—	3	1	—	1	—	—	—	—	—	1	—	—	—	
12 Cancer, malignant disease {	M	55	—	—	—	—	3	23	20	9	32	—	—	—	—	3	18	5	—	—	
		F	79	—	—	—	—	9	39	18	13	24	—	—	—	1	2	9	8	—	—	
13 Rheumatic fever {	M	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	
		F	2	—	—	1	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—	
14 Diabetes {	M	3	—	—	—	—	—	2	1	—	1	—	—	—	—	—	1	—	—	—	
		F	10	—	—	—	1	1	3	1	4	1	—	—	—	—	—	—	1	—	—	
15 Cerebral hæmorrhage, &c.	.. {	M	19	—	—	—	—	1	1	9	8	21	—	—	—	—	1	7	8	—	—	
		F	33	—	—	—	—	2	4	13	14	14	—	—	—	—	—	5	5	—	—	
16 Heart disease	.. {	M	62	—	—	—	—	5	15	26	16	42	—	—	—	2	8	10	14	—	—	
		F	72	—	—	—	1	3	16	21	31	27	—	—	1	—	3	8	7	—	—	
17 Arterio-sclerosis {	M	16	—	—	—	—	—	5	4	7	29	—	—	—	—	—	5	10	1	—	
		F	11	—	—	—	—	—	1	4	6	9	—	—	—	—	—	—	5	—	—	
18 Bronchitis	.. {	M	23	—	1	—	—	—	4	8	10	26	1	—	—	—	—	4	10	1	—	
		F	30	—	1	—	—	—	10	5	14	26	1	—	—	—	—	4	9	1	—	
19 Pneumonia (all forms) {	M	34	6	—	1	2	8	7	4	6	28	3	2	—	1	—	7	9	5	—	
		F	31	2	2	1	1	2	6	7	10	23	3	1	—	—	5	6	4	—	—	
20 Other respiratory diseases {	M	8	—	1	—	—	1	3	—	2	2	—	—	1	—	—	1	—	—	—	
		F	4	—	—	—	—	1	2	1	—	1	1	—	—	—	—	—	—	—	—	
21 Ulcer of stomach or duodenum	.. {	M	3	—	—	—	—	—	3	—	—	3	—	—	—	—	1	1	—	—	—	
		F	5	—	—	—	—	3	2	—	—	—	—	—	—	—	—	—	—	—	—	
22 Diarrhœa, &c.	.. {	M	13	9	—	—	—	1	1	—	2	6	5	1	—	—	—	—	—	—	—	
		F	11	6	1	—	—	—	1	—	3	4	2	—	—	—	—	1	1	—	—	
23 Appendicitis and typhlitis..	.. {	M	2	—	—	—	—	2	—	—	—	3	—	—	1	2	—	—	—	—	—	
		F	2	—	—	—	—	—	1	—	1	2	—	—	1	—	—	—	1	—	—	
24 Cirrhosis of liver {	M	1	—	—	—	—	—	—	1	—	5	—	—	—	—	1	2	—	—	—	
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—	
25 Acute and chronic nephritis	.. {	M	16	—	—	—	—	3	6	2	5	11	—	—	—	—	2	5	4	—	—	
		F	12	—	—	—	1	2	4	3	2	7	—	—	—	—	1	3	1	2	—	
26 Puerperal sepsis {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	3	—	—	—	—	3	—	—	—	1	—	—	—	—	1	—	—	—	—	
27 Other accidents and diseases of pregnancy and parturition.	.. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—	
28 Congenital debility and malformation, premature birth..	.. {	M	19	19	—	—	—	—	—	—	—	12	11	—	1	—	—	—	—	—	—	
		F	23	23	—	—	—	—	—	—	—	7	7	—	—	—	—	—	—	—	—	
29 Suicide {	M	4	—	—	—	—	—	2	2	—	2	—	—	—	—	—	1	1	—	—	
		F	7	—	—	—	1	4	2	—	—	2	—	—	—	—	1	1	—	—	—	
30 Other deaths from violence..	.. {	M	12	1	—	2	5	—	2	1	1	15	—	—	2	2	5	1	2	3	—	
		F	10	—	—	1	1	2	4	—	2	6	—	—	—	1	2	1	—	2	—	
31 Other defined diseases {	M	85	11	1	1	1	14	17	18	21	49	8	1	—	2	3	12	11	12	—	
		F	94	3	2	5	1	11	20	15	37	42	5	1	1	2	6	12	3	10	—	
32 Causes ill-defined or unknown	.. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1921
(Civilian Population only).

CAUSES OF DEATH.	Sex.	ISLINGTON.										KENSINGTON.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	2231	360	76	63	94	73	258	616	387	304	1083	200	41	18	24	37	107	289	185	182
	F	2178	283	69	57	81	99	221	474	420	474	1368	166	51	17	26	40	141	299	239	389
1 Enteric fever ..	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	17	3	9	5	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	12	2	9	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	11	—	1	1	8	1	—	—	—	—	3	—	1	1	1	—	—	—	—	—
	F	9	—	—	—	7	—	1	1	—	—	5	2	1	—	2	—	—	—	—	—
5 Whooping cough ..	M	23	11	9	3	—	—	—	—	—	—	8	3	4	—	1	—	—	—	—	—
	F	20	11	7	1	1	—	—	—	—	—	14	6	7	1	—	—	—	—	—	—
6 Diphtheria ..	M	61	1	4	20	35	—	1	—	—	—	12	1	4	3	3	—	1	—	—	—
	F	50	2	5	17	24	1	—	1	—	—	14	—	3	2	8	1	—	—	—	—
7 Influenza ..	M	44	—	2	1	—	3	14	16	4	4	18	2	1	—	—	—	3	6	3	3
	F	52	3	1	1	1	2	10	14	11	9	27	—	1	—	—	1	4	6	4	11
8 Encephalitis lethargica ..	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	1	2	—	—
9 Meningococcal meningitis ..	M	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	1	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—
10 Tuberculosis of respiratory system	M	196	1	1	1	2	20	78	85	7	1	81	—	—	—	2	9	31	37	2	—
	F	155	3	1	2	5	45	63	28	5	3	73	—	—	—	3	16	32	12	8	2
11 Other tuberculous diseases ..	M	25	5	—	3	5	4	5	1	2	—	13	3	3	2	1	1	—	2	1	—
	F	41	5	7	8	7	5	5	2	1	1	20	2	2	3	3	1	5	3	1	—
12 Cancer, malignant disease ..	M	231	—	—	1	1	—	15	119	70	25	107	—	—	1	—	1	9	47	37	12
	F	263	2	1	—	—	1	26	133	60	40	181	—	—	—	—	1	18	84	43	35
13 Rheumatic fever ..	M	6	—	—	—	3	—	3	—	—	—	4	—	—	—	—	1	1	2	—	—
	F	14	1	—	—	5	3	1	3	1	—	6	—	—	1	1	2	—	1	1	—
14 Diabetes ..	M	8	—	—	—	—	1	—	4	2	1	6	—	—	—	1	1	—	—	4	—
	F	16	—	—	—	—	—	3	7	6	—	19	—	—	—	—	—	2	5	6	6
15 Cerebral hamorrhage, &c. ..	M	94	—	—	—	1	—	4	37	34	18	25	—	—	—	—	—	1	7	11	6
	F	119	—	—	1	—	—	3	27	49	39	66	—	—	—	—	—	2	26	14	24
16 Heart disease ..	M	267	—	—	—	2	11	31	78	79	66	136	—	—	—	—	7	10	34	38	47
	F	284	—	—	—	6	10	25	82	92	69	219	—	—	—	4	2	9	50	60	94
17 Arterio-sclerosis ..	M	46	—	—	—	—	—	1	11	14	20	53	—	—	—	—	—	1	18	15	19
	F	35	—	—	—	—	—	—	3	17	15	53	—	—	—	—	—	—	5	15	33
18 Bronchitis ..	M	146	14	3	3	—	—	9	40	43	34	87	6	1	1	—	—	3	24	24	28
	F	194	12	5	—	1	1	3	23	48	101	119	9	—	—	—	—	1	12	33	64
19 Pneumonia (all forms) ..	M	215	58	30	13	7	6	17	44	28	12	136	44	12	6	2	6	12	31	12	11
	F	162	39	15	14	7	5	14	31	22	15	133	40	23	7	1	2	17	16	13	14
20 Other respiratory diseases ..	M	35	2	2	—	2	—	4	7	10	8	16	1	—	—	—	1	3	7	2	2
	F	47	5	1	1	2	1	2	4	12	19	12	—	—	—	—	—	2	2	3	5
21 Ulcer of stomach or duodenum ..	M	22	1	—	—	—	2	9	8	2	—	9	—	—	—	—	—	5	4	—	—
	F	8	—	—	—	—	—	—	3	3	2	3	—	—	—	—	—	2	1	—	—
22 Diarrhoea, &c. ..	M	108	84	10	2	3	—	1	3	1	4	59	49	6	1	—	—	—	1	—	2
	F	88	59	9	2	2	—	1	3	4	8	59	40	9	—	—	—	1	3	—	6
23 Appendicitis and typhlitis ..	M	17	—	1	1	4	5	—	5	—	1	6	—	—	—	2	1	1	2	—	—
	F	11	—	—	1	2	3	1	4	—	—	8	—	—	1	1	2	1	1	1	1
24 Cirrhosis of liver ..	M	10	—	—	—	—	—	2	6	1	1	6	—	—	—	—	—	1	4	1	—
	F	8	—	—	—	—	—	1	7	—	—	8	—	—	—	—	—	1	6	1	—
25 Acute and chronic nephritis ..	M	56	—	—	—	—	1	5	28	15	7	21	1	—	—	—	—	1	8	7	4
	F	64	—	—	—	1	2	7	25	19	10	24	—	—	—	—	—	2	10	7	5
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	12	—	—	—	—	1	11	—	—	—	5	—	—	—	—	2	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	2	3	—	—	—	9	—	—	—	—	1	8	—	—	—
28 Congenital debility and malformation, premature birth..	M	123	122	—	1	—	—	—	—	—	—	65	63	1	—	—	—	—	1	—	—
	F	100	99	—	1	—	—	—	—	—	—	55	54	1	—	—	—	—	—	—	—
29 Suicide ..	M	32	—	—	—	—	3	9	16	4	—	16	—	—	—	—	—	5	9	2	—
	F	8	—	—	—	—	—	2	2	3	1	10	—	—	—	—	2	3	5	—	—
30 Other deaths from violence..	M	61	9	—	5	7	6	8	14	7	5	33	5	1	1	4	2	9	3	3	5
	F	37	5	2	2	2	1	5	9	4	7	30	3	—	2	1	2	4	7	5	6
31 Other defined diseases ..	M	371	47	3	3	14	10	40	93	64	97	159	20	6	2	7	6	10	42	23	43
	F	361	34	5	5	8	15	34	62	63	135	186	9	3	—	2	4	20	41	24	83
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	1	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.	Sex.	PADDINGTON.										POPLAR.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	876	170	27	11	21	31	99	252	139	126	1104	208	70	42	47	40	118	284	175	120
	F	882	93	29	15	25	29	108	216	162	205	989	166	64	46	54	52	108	197	151	151
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	1	1	2	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	1	—	—	—	1	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	2	—	1	1	—	—	—	—	—	—	17	3	8	6	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	26	6	13	7	—	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	—	1	—	—	—	—	—	6	1	1	3	1	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	7	—	1	3	3	—	—	—	—	—
5 Whooping cough ..	M	10	1	7	2	—	—	—	—	—	—	15	5	9	1	—	—	—	—	—	—
	F	11	4	4	3	—	—	—	—	—	—	16	4	9	2	1	—	—	—	—	—
6 Diphtheria ..	M	4	2	1	—	1	—	—	—	—	—	31	2	9	9	10	1	—	—	—	—
	F	18	—	1	3	12	1	—	—	1	—	29	1	5	14	9	—	—	—	—	—
7 Influenza ..	M	16	1	—	1	—	1	3	6	1	3	9	—	—	—	1	2	1	5	—	—
	F	24	—	1	—	—	3	4	9	4	3	7	—	—	—	—	—	—	4	3	—
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	4	1	1	—	2	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	58	—	—	—	2	11	24	19	2	—	103	—	—	—	2	15	39	37	8	2
	F	44	—	—	—	—	14	18	9	2	1	69	2	1	—	5	15	31	14	1	—
11 Other tuberculous diseases ..	M	13	2	—	1	3	3	1	2	1	—	23	6	5	4	5	1	1	—	1	—
	F	11	—	3	—	1	2	3	2	—	—	26	1	5	6	7	3	2	1	—	1
12 Cancer, malignant disease ..	M	94	1	—	—	1	—	2	53	28	9	95	—	—	—	1	—	5	54	28	7
	F	135	—	—	—	—	—	13	74	27	21	90	—	—	—	—	—	5	43	30	12
13 Rheumatic fever ..	M	5	—	—	—	1	2	1	1	—	—	1	—	—	—	1	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	—	1	—	—	—	—	—	—	1	—	—
14 Diabetes ..	M	7	—	—	—	—	—	1	4	1	1	4	—	—	—	1	—	1	1	1	—
	F	7	—	—	—	—	—	—	3	2	2	9	—	—	—	—	1	1	3	3	1
15 Cerebral hæmorrhage, &c. ..	M	37	—	—	—	—	—	—	10	14	13	49	—	—	—	—	—	2	14	20	13
	F	57	—	—	—	—	—	4	22	13	18	45	—	—	—	—	—	3	18	18	6
16 Heart disease ..	M	106	1	—	—	3	1	13	33	30	25	98	—	—	1	6	5	10	34	28	14
	F	108	1	—	—	1	3	8	26	30	39	137	—	—	—	8	10	16	40	36	27
17 Arterio-sclerosis ..	M	28	—	—	—	—	—	2	9	9	8	18	—	—	—	—	—	—	5	6	7
	F	25	—	—	—	—	—	—	3	9	13	12	—	—	—	—	—	—	2	2	8
18 Bronchitis ..	M	70	9	2	—	—	1	2	22	16	18	123	7	5	2	—	—	5	30	36	38
	F	86	3	1	—	—	1	4	10	22	45	111	12	—	1	—	1	3	14	26	54
19 Pneumonia (all forms) ..	M	82	22	9	1	—	—	13	20	9	8	122	29	18	8	4	3	11	29	13	7
	F	56	11	6	2	4	—	8	10	8	7	91	20	15	5	7	4	9	21	8	2
20 Other respiratory diseases ..	M	9	—	—	—	—	2	1	3	1	2	11	1	1	1	—	1	4	3	—	—
	F	10	—	1	1	—	—	1	—	3	4	7	1	—	1	1	—	1	2	1	—
21 Ulcer of stomach or duodenum ..	M	8	—	—	—	—	—	3	4	1	—	2	—	—	—	—	—	—	1	1	—
	F	3	—	—	—	—	—	2	1	—	—	3	—	—	—	—	1	1	—	—	—
22 Diarrhœa, &c. ..	M	49	40	3	1	1	—	—	3	1	—	60	44	8	4	—	1	—	3	—	—
	F	43	29	7	1	—	—	3	—	2	1	56	33	13	3	—	—	2	1	3	1
23 Appendicitis and typhlitis ..	M	2	—	—	—	—	—	—	2	—	—	3	—	—	—	1	1	—	1	—	—
	F	5	—	—	1	1	—	2	1	—	—	8	—	—	—	3	3	1	1	—	—
24 Cirrhosis of liver ..	M	9	—	—	—	—	—	1	4	4	—	6	—	—	—	—	—	2	3	1	—
	F	6	—	—	—	—	—	—	3	3	—	2	—	—	—	—	—	—	2	—	—
25 Acute and chronic nephritis ..	M	22	—	—	—	—	—	3	11	3	5	25	—	1	—	—	1	7	11	5	—
	F	27	—	—	—	—	—	6	6	7	8	18	—	—	—	—	1	2	10	3	2
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	—	6	—	—	—	6	—	—	—	—	1	4	1	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	1	6	—	—	—	9	—	—	—	—	4	5	—	—	—
28 Congenital debility and malformation, premature birth..	M	67	64	1	1	—	—	—	1	—	—	76	76	—	—	—	—	—	—	—	—
	F	30	28	—	—	1	—	1	—	—	—	64	63	—	—	—	—	—	1	—	—
29 Suicide ..	M	16	—	—	—	—	1	5	8	1	1	15	—	—	—	—	1	5	8	1	—
	F	12	—	—	—	—	—	5	5	2	—	4	—	—	—	—	—	2	1	1	—
30 Other deaths from violence..	M	26	3	1	—	3	6	3	7	2	1	37	2	1	2	4	2	7	15	2	2
	F	20	1	1	1	—	1	—	6	6	4	24	5	—	2	4	—	2	1	1	9
31 Other defined diseases ..	M	134	24	2	3	5	3	21	29	15	32	146	31	3	1	7	5	15	30	24	30
	F	123	16	4	3	4	2	8	26	21	39	109	17	2	2	5	7	18	15	15	28
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.	Sex.	ST. MARYLEBONE.										ST. PANCRAS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	669	71	15	13	14	18	90	232	129	87	1465	211	40	33	64	49	170	434	264	200
	F	693	58	12	9	14	24	81	216	130	149	1313	151	38	25	52	53	157	317	238	283
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	3	—	—	—	—	1	1	1	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	15	6	5	3	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	8	1	4	2	—	1	—	—	—	—
4 Scarlet fever ..	M	3	—	—	2	1	—	—	—	—	—	4	—	—	2	2	—	—	—	—	—
	F	2	—	1	—	—	—	1	—	—	—	3	—	—	—	2	1	—	—	—	—
5 Whooping cough ..	M	4	3	1	—	—	—	—	—	—	—	14	8	6	—	—	—	—	—	—	—
	F	5	3	1	—	1	—	—	—	—	—	24	10	8	6	—	—	—	—	—	—
6 Diphtheria ..	M	11	—	2	4	5	—	—	—	—	—	28	1	4	8	15	—	—	—	—	—
	F	13	3	1	5	3	1	—	—	—	—	23	1	1	8	10	1	1	1	—	—
7 Influenza ..	M	10	—	—	—	—	—	2	5	1	2	19	—	—	—	—	3	3	5	6	—
	F	14	—	—	—	—	2	3	6	1	2	38	2	—	—	1	3	4	7	11	1
8 Encephalitis lethargica ..	M	1	—	—	—	—	—	1	—	—	—	3	—	—	1	—	—	1	1	—	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	64	—	—	1	—	5	25	27	6	—	150	1	—	—	2	17	52	66	12	—
	F	45	—	—	2	—	8	23	11	—	1	100	—	—	1	5	22	45	20	5	—
11 Other tuberculous diseases ..	M	7	—	1	1	1	—	—	2	2	—	23	2	4	3	7	2	3	2	—	—
	F	7	1	3	—	—	2	—	—	1	—	28	5	4	2	11	3	1	1	1	—
12 Cancer, malignant disease ..	M	73	—	—	—	—	—	2	33	26	12	145	—	—	1	—	—	8	81	39	1
	F	91	—	—	—	—	1	10	48	20	12	154	—	—	—	—	11	89	39	1	—
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	5	—	—	—	3	—	—	1	1	—
14 Diabetes ..	M	4	—	—	—	—	—	—	3	1	—	10	—	—	—	—	—	1	7	2	—
	F	8	—	—	—	—	—	1	6	1	—	9	—	—	—	—	—	5	2	1	—
15 Cerebral hæmorrhage, &c. ..	M	30	—	—	—	—	—	—	11	11	8	62	—	—	—	—	—	1	19	25	1
	F	35	—	—	—	—	—	1	17	5	12	69	—	—	—	1	—	2	18	23	2
16 Heart disease ..	M	80	—	—	—	1	4	11	33	19	12	202	—	—	—	5	6	28	54	66	4
	F	103	—	—	2	2	4	4	38	30	27	226	—	—	—	4	8	18	60	56	8
17 Arterio-sclerosis ..	M	15	—	—	—	—	—	—	5	4	6	42	—	—	—	—	—	1	18	13	1
	F	20	—	—	—	—	—	—	8	4	8	14	—	—	—	—	—	—	4	3	—
18 Bronchitis ..	M	43	3	—	—	—	—	3	8	13	16	153	9	2	1	—	1	8	47	40	4
	F	55	—	—	—	—	—	2	8	16	29	130	5	1	—	—	1	3	25	34	6
19 Pneumonia (all forms) ..	M	68	8	6	—	—	1	11	28	10	4	112	29	6	5	4	4	15	37	4	—
	F	67	11	3	1	2	2	6	18	15	9	83	18	10	5	5	1	7	13	12	1
20 Other respiratory diseases ..	M	16	—	—	—	—	1	2	9	3	1	10	1	—	—	1	—	2	4	1	—
	F	6	—	—	—	—	—	—	2	2	2	15	—	—	—	2	—	2	7	2	—
21 Ulcer of stomach or duodenum ..	M	11	—	—	—	—	—	3	6	2	—	7	—	—	—	—	—	4	2	1	—
	F	3	—	—	—	—	—	—	2	1	—	6	—	—	—	—	—	1	2	2	—
22 Diarrhœa, &c. ..	M	14	10	1	—	—	1	—	2	—	—	60	50	3	—	2	—	1	1	3	—
	F	17	10	2	—	1	—	2	2	—	—	41	26	5	1	1	—	1	1	3	—
23 Appendicitis and typhlitis ..	M	5	—	—	1	—	1	2	1	—	—	7	—	—	—	1	1	2	2	—	—
	F	9	—	—	1	1	—	—	5	2	—	11	—	1	—	1	2	3	2	1	—
24 Cirrhosis of liver ..	M	4	—	—	—	—	—	1	2	1	—	9	—	—	—	—	—	2	5	2	—
	F	1	—	—	—	—	—	—	1	—	—	13	1	1	—	—	—	—	6	4	—
25 Acute and chronic nephritis ..	M	26	—	—	1	1	—	2	11	11	—	32	—	—	—	—	—	4	13	10	—
	F	22	—	—	—	—	1	2	13	4	2	24	—	—	—	—	—	6	13	3	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	—	7	—	—	—	—	1	6	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	2	4	—	—	—	3	—	—	—	—	1	2	—	—	—
28 Congenital debility and malformation, premature birth ..	M	35	35	—	—	—	—	—	—	—	—	74	73	1	—	—	—	—	—	—	—
	F	18	18	—	—	—	—	—	—	—	—	60	60	—	—	—	—	—	—	—	—
29 Suicide ..	M	11	—	—	—	—	1	5	3	1	1	16	—	—	—	—	—	2	9	5	—
	F	6	—	—	—	—	—	2	4	—	—	10	—	—	—	—	—	3	7	—	—
30 Other deaths from violence ..	M	28	1	3	2	3	1	4	11	—	3	54	1	2	6	11	5	8	14	4	—
	F	9	—	—	—	—	—	—	5	1	3	18	1	—	—	1	1	4	4	5	—
31 Other defined diseases ..	M	106	11	1	1	2	3	16	32	18	22	210	29	6	3	11	10	24	47	31	—
	F	123	11	1	2	2	2	17	20	26	42	184	20	3	—	5	6	29	32	32	—
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS OF LIFE in METROPOLITAN BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.		Sex.	SHOREDITCH.										SOUTHWARK.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	M	819	191	51	24	33	27	99	224	107	63	1441	234	69	31	48	58	177	416	274	134
		F	673	148	43	24	25	30	86	147	98	72	1224	219	51	28	52	54	151	289	197	183
1 Enteric fever	..	M	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	13	7	4	1	1	—	—	—	—	—	4	—	2	2	—	—	—	—	—	—
		F	5	1	2	2	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
4 Scarlet fever	..	M	3	—	—	1	2	—	—	—	—	—	5	1	1	—	2	—	1	—	—	—
		F	4	—	1	1	1	1	—	—	—	—	8	—	—	3	4	—	1	—	—	—
5 Whooping cough	..	M	6	4	1	—	1	—	—	—	—	—	14	3	7	3	1	—	—	—	—	—
		F	14	5	8	1	—	—	—	—	—	—	14	6	7	1	—	—	—	—	—	—
6 Diphtheria	..	M	16	3	6	5	2	—	—	—	—	—	15	—	3	5	7	—	—	—	—	—
		F	24	1	2	11	10	—	—	—	—	—	15	1	2	4	8	—	—	—	—	—
7 Influenza	M	11	2	—	—	1	1	1	4	—	2	24	—	—	—	1	—	9	7	6	1
		F	16	—	1	—	1	—	2	7	5	—	26	1	—	1	1	5	5	7	4	2
8 Encephalitis lethargica	..	M	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	1	—	2	—	—
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—	—
9 Meningococcal meningitis	..	M	5	2	2	—	1	—	—	—	—	—	3	1	1	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	..	M	88	—	—	1	—	10	36	39	2	—	161	1	1	1	1	29	55	67	6	—
		F	59	—	2	—	2	12	29	10	2	2	105	1	—	—	6	24	49	24	1	—
11 Other tuberculous diseases	M	21	2	3	5	4	1	5	1	—	—	27	5	2	3	7	4	5	1	—	—
		F	9	1	1	1	3	2	—	—	1	—	18	2	3	5	2	5	1	—	—	—
12 Cancer, malignant disease	M	59	1	—	1	—	—	4	36	15	2	123	—	—	—	—	1	8	60	47	7
		F	53	—	—	—	—	1	6	28	15	3	105	1	—	—	1	1	13	51	29	9
13 Rheumatic fever	M	5	—	—	—	4	—	—	1	—	—	4	—	—	—	1	—	1	1	1	—
		F	2	—	—	—	1	—	1	—	—	—	3	—	—	—	—	—	3	—	—	—
14 Diabetes	M	7	—	—	—	—	1	3	3	—	—	6	—	—	—	—	—	1	2	2	1
		F	6	—	—	—	—	—	1	3	2	—	9	—	—	—	1	—	1	6	1	—
15 Cerebral hæmorrhage, &c.	M	22	—	—	—	—	—	3	7	9	3	50	1	—	—	—	—	3	10	24	12
		F	27	—	—	—	—	—	2	11	9	5	69	1	1	—	—	—	3	24	22	18
16 Heart disease	..	M	69	—	—	—	—	5	9	29	21	5	140	—	—	—	4	4	23	50	40	19
		F	69	—	—	—	1	5	14	24	14	11	148	1	—	1	6	9	15	46	37	33
17 Arterio-sclerosis	..	M	22	—	—	—	—	—	—	4	10	8	15	—	—	—	—	—	1	6	6	2
		F	16	—	—	—	—	—	1	2	7	6	10	—	—	—	—	—	—	4	1	5
18 Bronchitis	..	M	66	3	1	—	—	1	5	26	14	16	148	12	1	—	—	—	6	46	50	33
		F	58	4	—	1	—	—	—	18	15	20	119	4	2	1	1	—	5	32	38	36
19 Pneumonia (all forms)	M	92	29	13	5	4	4	7	17	11	2	152	35	27	7	6	2	13	41	14	7
		F	60	18	12	5	1	2	5	9	8	—	125	38	14	8	4	1	13	25	12	10
20 Other respiratory diseases	M	9	—	1	—	—	—	1	6	—	1	14	1	1	1	—	1	—	6	4	—
		F	7	2	—	—	—	—	2	2	1	—	15	2	2	—	1	—	3	4	2	1
21 Ulcer of stomach or duodenum	..	M	8	—	—	—	—	—	2	4	2	—	12	—	—	—	—	—	5	5	2	—
		F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	1
22 Diarrhœa, &c.	M	77	65	11	—	—	—	1	—	—	—	81	65	8	1	—	—	—	3	4	—
		F	46	34	8	—	—	—	—	2	1	1	66	44	13	1	—	—	—	2	4	2
23 Appendicitis and typhlitis	M	1	—	—	—	—	—	1	—	—	—	11	—	—	—	3	2	2	4	—	—
		F	2	—	—	—	2	—	—	—	—	—	3	—	—	—	2	—	1	—	—	—
24 Cirrhosis of liver	M	4	—	—	—	—	—	1	3	—	—	3	—	—	—	—	—	—	2	1	—
		F	3	—	—	—	—	—	—	3	—	—	5	—	—	—	—	—	2	3	—	—
25 Acute and chronic nephritis	..	M	28	—	—	—	1	1	3	11	5	7	43	—	—	—	—	—	7	21	9	6
		F	25	—	—	—	1	1	1	10	6	6	33	—	—	—	2	1	4	12	10	4
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	4	—	—	—	7	—	—	—	—	1	6	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	1	2	—	—	—	7	—	—	—	—	—	7	—	—	—
28 Congenital debility and malformation, premature birth	M	51	51	—	—	—	—	—	—	—	—	82	82	—	—	—	—	—	—	—	—
		F	58	57	1	—	—	—	—	—	—	—	83	82	—	—	—	1	—	—	—	—
29 Suicide	M	14	—	—	—	—	—	6	6	2	—	18	—	—	—	—	—	4	8	5	1
		F	4	—	—	—	—	1	1	2	—	—	6	—	—	—	—	—	1	4	1	—
30 Other deaths from violence	M	23	1	2	2	4	—	3	5	4	2	48	1	2	5	10	4	6	15	4	1
		F	19	3	1	1	1	—	2	1	6	4	16	1	1	1	2	2	2	3	2	2
31 Other defined diseases	M	95	21	6	2	7	3	8	21	12	15	232	26	10	3	4	10	27	59	49	44
		F	80	22	4	1	1	4	13	15	6	14	198	33	5	1	11	3	15	37	33	60
32 Causes ill-defined or unknown	..	M	1	—	1	—	—	—	—	—	—	—	3	—	3	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHs—1921
(Civilian Population only).

CAUSES OF DEATH.		Sex.	STEPNEY.										STOKE NEWINGTON.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..		M	1782	315	88	63	75	57	237	514	288	145	304	33	12	5	13	12	31	75	61	67
		F	1526	245	76	50	58	83	186	378	247	203	333	25	8	6	13	12	33	82	68	80
1 Enteric fever ..		M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
		F	2	—	—	—	—	—	1	1	—	—	1	—	—	—	1	—	—	—	—	
2 Small-pox ..		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles ..		M	22	4	13	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	22	7	7	4	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4 Scarlet fever ..		M	13	—	2	9	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	13	2	3	6	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
5 Whooping cough ..		M	13	3	6	3	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
		F	12	5	6	1	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	
6 Diphtheria ..		M	41	4	10	12	14	—	1	—	—	—	9	1	3	2	3	—	—	—	—	
		F	46	3	7	18	17	1	—	—	—	—	13	1	2	4	6	—	—	—	—	
7 Influenza ..		M	17	—	—	—	1	1	3	7	3	2	5	—	—	—	—	2	—	2	—	
		F	31	—	—	—	2	3	2	7	10	7	4	—	—	1	—	1	—	—	—	
8 Encephalitis lethargica ..		M	4	1	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	
		F	2	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—	—	—	—	
9 Meningococcal meningitis ..		M	5	2	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10 Tuberculosis of respiratory system		M	193	1	—	—	3	22	75	79	12	1	19	—	—	—	1	7	6	4	1	
		F	118	—	—	—	3	31	53	27	3	1	23	—	—	—	1	3	10	7	1	
11 Other tuberculous diseases ..		M	26	3	1	5	4	6	3	2	2	—	4	1	1	1	1	—	—	—	—	
		F	30	4	7	3	8	3	2	2	1	—	4	—	1	—	—	1	—	2	—	
12 Cancer, malignant disease ..		M	146	—	—	—	—	—	17	74	37	18	30	—	—	—	—	1	14	13	—	
		F	123	—	—	1	—	—	13	69	32	8	64	—	—	—	1	6	25	16	1	
13 Rheumatic fever ..		M	3	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	10	—	—	1	2	4	2	1	—	—	1	—	—	—	—	—	1	—	—	
14 Diabetes ..		M	9	—	—	—	—	1	1	5	—	2	3	—	—	—	—	—	1	1	—	
		F	16	—	—	—	1	—	1	9	4	1	6	—	—	—	—	—	1	4	—	
15 Cerebral hæmorrhage, &c. ..		M	57	—	—	—	—	—	5	27	14	11	11	—	—	—	—	1	—	4	—	
		F	99	—	—	—	—	—	2	37	28	32	29	—	—	—	—	—	11	9	—	
16 Heart disease ..		M	189	—	—	—	5	6	26	74	54	24	43	—	—	—	1	—	2	18	13	
		F	211	—	—	—	7	12	23	70	56	43	41	—	—	—	1	2	3	8	9	
17 Arterio-sclerosis ..		M	33	—	—	—	—	—	—	18	9	6	9	—	—	—	—	—	1	3	—	
		F	20	—	—	—	—	—	—	8	7	5	7	—	—	—	—	—	1	3	—	
18 Bronchitis ..		M	151	10	—	—	—	—	7	47	53	34	19	1	—	—	—	—	6	6	—	
		F	117	5	2	—	—	—	3	31	41	35	27	2	—	—	—	—	5	9	—	
19 Pneumonia (all forms) ..		M	202	34	27	15	3	4	28	54	29	8	24	5	2	—	—	4	6	3	—	
		F	169	41	24	12	6	10	23	32	13	8	16	1	2	1	—	1	3	4	—	
20 Other respiratory diseases ..		M	19	3	—	—	2	1	3	6	2	2	7	1	1	—	—	—	5	—	—	
		F	14	2	—	—	—	—	1	5	2	4	2	—	—	1	—	—	1	—	—	
21 Ulcer of stomach or duodenum ..		M	17	—	—	—	—	—	9	7	1	—	2	—	—	—	—	1	1	—	—	
		F	5	—	—	—	—	1	2	—	2	—	—	—	—	—	—	—	—	—	—	
22 Diarrhoea, &c. ..		M	122	99	13	3	—	—	—	6	—	1	10	6	2	—	1	—	1	—	—	
		F	74	53	15	1	—	—	1	—	1	3	6	5	—	—	—	—	—	1	—	
23 Appendicitis and typhlitis..		M	15	—	—	—	6	1	4	1	3	—	6	—	—	1	2	1	—	—	—	
		F	10	—	—	1	1	4	1	3	—	—	2	—	—	—	—	1	1	—	—	
24 Cirrhosis of liver ..		M	10	—	—	—	—	—	1	3	5	1	2	—	—	—	—	—	2	—	—	
		F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	2	—	—	
25 Acute and chronic nephritis ..		M	42	1	—	—	1	1	3	26	7	3	14	—	—	—	—	2	2	6	—	
		F	41	1	—	1	—	3	4	21	6	5	9	—	—	—	—	—	4	5	—	
26 Puerperal sepsis ..		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	8	—	—	—	—	2	5	1	—	—	—	—	—	—	—	—	—	—	—	
27 Other accidents and diseases of pregnancy and parturition.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	5	—	—	—	—	—	5	—	—	—	1	—	—	—	—	1	—	—	—	
28 Congenital debility and malformation, premature birth..		M	96	93	2	—	1	—	—	—	—	—	12	12	—	—	—	—	—	—	—	
		F	82	81	—	—	1	—	—	—	—	—	10	10	—	—	—	—	—	—	—	
29 Suicide ..		M	20	—	—	—	—	1	6	9	4	—	4	—	—	—	—	1	2	—	—	
		F	8	—	—	—	—	—	3	3	1	1	1	—	—	—	—	1	—	—	—	
30 Other deaths from violence..		M	66	7	1	5	13	3	9	20	5	3	12	—	1	—	3	4	2	—	—	
		F	32	4	1	—	1	—	5	5	8	8	13	—	—	—	4	2	2	3	—	
31 Other defined diseases ..		M	249	50	10	6	15	8	36	48	48	28	57	6	2	—	4	1	4	10	9	
		F	201	34	4	1	4	9	30	45	32	42	48	6	—	—	—	2	7	8	4	
32 Causes ill-defined or unknown ..		M	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.	Sex.	WANDSWORTH.										WESTMINSTER.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	1716	249	34	31	71	89	219	476	261	286	900	91	17	16	22	27	91	311	194	131
	F	1841	166	37	28	74	85	238	378	313	522	730	65	12	14	15	26	100	208	116	174
1 Enteric fever ..	M	4	—	—	—	1	1	1	1	—	—	2	—	—	—	—	—	—	1	—	1
	F	3	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	3	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	7	—	—	2	5	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	13	—	1	3	5	3	—	1	—	—	4	—	—	1	3	—	—	—	—	—
5 Whooping cough ..	M	15	8	3	4	—	—	—	—	—	—	4	2	1	1	—	—	—	—	—	—
	F	13	7	6	—	—	—	—	—	—	—	5	1	4	—	—	—	—	—	—	—
6 Diphtheria ..	M	32	2	2	6	19	2	1	—	—	—	14	1	1	5	7	—	—	—	—	—
	F	32	2	—	10	17	1	2	—	—	—	14	1	—	6	7	—	—	—	—	—
7 Influenza ..	M	40	3	1	2	—	2	11	9	8	4	13	—	—	—	—	1	1	5	1	5
	F	40	—	1	—	1	1	5	15	10	7	20	1	—	—	—	—	3	10	2	4
8 Encephalitis lethargica ..	M	2	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	1	—	—
	F	5	—	—	—	1	—	2	1	—	1	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	1	2	—	1	—	—	—	—	—	2	—	1	—	—	1	—	—	—	—
10 Tuberculosis of respiratory system	M	176	2	—	—	1	31	82	54	6	—	78	—	—	2	—	11	27	28	10	—
	F	160	—	1	—	3	47	77	25	5	2	43	—	—	—	—	7	23	10	3	—
11 Other tuberculous diseases ..	M	29	3	1	6	6	7	3	2	1	—	10	2	—	2	—	2	1	1	2	—
	F	28	2	3	4	8	4	4	1	—	2	9	1	1	—	2	1	—	3	—	1
12 Cancer, malignant disease ..	M	182	—	—	—	1	1	9	97	50	24	108	—	—	—	1	—	4	49	34	20
	F	231	1	—	—	—	—	27	97	61	45	99	—	—	1	—	—	11	51	21	15
13 Rheumatic fever ..	M	5	—	—	—	3	2	—	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	11	—	—	1	5	1	3	—	1	—	1	—	—	—	1	—	—	—	—	—
14 Diabetes ..	M	15	—	—	—	—	—	3	3	6	3	6	—	—	—	—	—	—	6	—	—
	F	13	—	—	—	1	—	6	4	2	—	4	—	—	—	—	1	—	1	2	—
15 Cerebral hæmorrhage, &c. ..	M	66	—	—	—	—	2	1	20	20	23	29	—	—	—	—	—	3	16	6	4
	F	110	—	—	—	—	—	2	24	37	47	52	—	—	—	—	—	—	25	9	18
16 Heart disease ..	M	219	—	—	—	3	8	29	66	60	53	120	1	—	1	1	1	7	40	34	35
	F	272	—	1	—	3	7	22	53	56	130	105	—	—	—	2	1	9	37	28	28
17 Arterio-sclerosis ..	M	52	—	—	—	—	—	—	14	15	23	40	—	—	—	—	—	1	14	14	11
	F	41	—	—	—	—	—	—	12	5	24	23	—	—	—	—	—	—	5	9	9
18 Bronchitis ..	M	108	12	3	1	—	2	5	18	20	47	81	2	2	1	1	—	—	25	28	22
	F	138	8	1	—	—	—	—	18	38	73	77	3	—	—	—	—	1	14	13	46
19 Pneumonia (all forms) ..	M	137	39	7	6	3	7	18	36	12	9	74	13	7	—	—	1	8	32	9	4
	F	104	14	11	2	8	5	14	19	13	18	45	5	3	3	—	4	8	9	9	4
20 Other respiratory diseases ..	M	25	1	—	—	1	—	3	8	7	5	7	—	—	—	—	—	1	3	2	1
	F	26	—	—	—	1	1	4	4	11	5	9	—	—	—	—	—	2	2	3	2
21 Ulcer of stomach or duodenum ..	M	18	—	—	—	—	1	7	8	2	—	8	—	—	—	—	—	1	5	1	1
	F	9	—	—	—	—	—	4	4	—	1	4	—	—	—	—	1	1	2	—	—
22 Diarrhoea, &c. ..	M	64	44	9	—	1	—	—	3	2	5	25	19	1	1	1	—	—	3	—	—
	F	49	35	3	2	1	—	3	1	1	3	19	15	1	—	—	—	2	—	—	1
23 Appendicitis and typhlitis ..	M	15	—	—	—	5	3	4	2	1	—	6	—	—	—	—	—	3	2	1	—
	F	7	—	—	—	1	1	2	3	—	—	3	—	—	1	—	1	—	—	—	1
24 Cirrhosis of liver ..	M	10	—	—	—	—	—	2	6	2	—	8	—	—	—	—	—	—	6	2	—
	F	8	—	—	—	—	—	1	6	1	—	1	—	—	—	—	—	1	—	—	—
25 Acute and chronic nephritis ..	M	48	—	—	—	1	—	5	24	9	9	29	—	—	—	—	—	5	9	14	1
	F	47	—	—	—	1	2	5	17	9	13	23	—	—	—	—	2	4	8	3	6
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	2	—	—	—	—	—	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	1	8	—	—	—	7	—	—	—	—	2	5	—	—	—
28 Congenital debility and malformation, premature birth ..	M	100	96	1	1	2	—	—	—	—	—	40	38	—	—	1	1	—	—	—	—
	F	69	67	1	—	1	—	—	—	—	—	24	24	—	—	—	—	—	—	—	—
29 Suicide ..	M	21	—	—	—	1	1	3	12	2	2	26	—	—	—	—	—	10	13	2	1
	F	11	—	—	—	—	3	3	4	1	—	6	—	—	—	—	1	1	2	2	—
30 Other deaths from violence ..	M	57	1	—	1	6	6	9	26	3	5	28	2	3	1	4	2	2	10	2	2
	F	30	3	1	1	4	2	2	5	2	10	15	1	—	1	—	—	4	5	1	3
31 Other defined diseases ..	M	262	37	4	1	12	13	22	65	34	74	138	10	2	1	4	8	17	41	32	23
	F	351	25	5	5	12	6	35	64	58	141	114	13	2	1	—	4	23	24	11	36
32 Causes ill-defined or unknown ..	M	2	—	—	—	—	—	—	2	—	—	2	1	—	—	—	—	—	1	—	—
	F	2	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.	Sex.	BARNSELY.										BARROW-IN-FURNESS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	457	104	23	17	30	19	51	109	63	41	476	89	26	14	18	25	51	118	73	62
	F	408	84	31	19	23	23	55	79	51	49	391	63	19	16	13	17	56	84	63	60
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	16	2	10	4	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	13	3	3	7	—	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	4	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	2	4	3	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	2	—	—	—	2	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	3	—	—	2	1	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
7 Influenza ..	M	29	2	2	4	2	1	4	8	5	1	6	—	—	—	—	—	4	1	1	—
	F	31	1	3	1	3	2	8	7	4	2	6	—	—	—	—	—	3	2	—	1
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
10 Tuberculosis of respiratory system	M	31	—	1	—	1	6	14	8	1	—	39	—	—	—	—	11	15	12	1	—
	F	21	—	—	—	4	6	11	—	—	—	28	1	1	—	1	7	11	6	1	—
11 Other tuberculous diseases ..	M	14	1	2	2	7	—	—	2	—	—	16	3	4	4	2	2	1	—	—	—
	F	16	—	1	3	3	5	2	2	—	—	13	3	3	2	4	1	—	—	—	—
12 Cancer, malignant disease ..	M	22	—	—	—	—	—	1	12	7	2	40	—	—	—	—	1	3	22	9	5
	F	36	—	—	1	1	1	3	18	10	2	52	—	—	—	—	—	13	22	11	6
13 Rheumatic fever ..	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	1	—	—	1	—	—
	F	7	—	—	—	2	2	3	—	—	—	2	—	—	—	—	1	—	1	—	—
14 Diabetes ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	1	1	1
	F	5	—	—	—	—	—	1	4	—	—	4	—	—	—	—	—	2	1	—	1
15 Cerebral hæmorrhage, &c. ..	M	19	—	—	—	1	1	1	9	6	1	20	—	—	—	—	—	2	10	6	2
	F	19	1	—	1	—	—	—	5	7	5	15	—	—	—	—	—	—	2	8	5
16 Heart disease ..	M	43	—	—	—	1	2	4	23	9	4	48	—	—	—	2	—	5	19	18	4
	F	31	—	—	—	3	1	4	12	7	4	47	—	—	—	1	2	9	17	11	7
17 Arterio-sclerosis ..	M	9	—	—	—	—	—	—	3	4	2	29	—	—	—	—	—	—	3	11	15
	F	7	—	—	—	—	—	—	1	5	1	18	—	—	—	—	—	—	2	5	11
18 Bronchitis ..	M	47	11	4	—	—	1	1	11	13	6	43	14	1	—	—	—	—	12	7	9
	F	51	17	11	—	—	—	4	5	6	8	37	10	1	—	—	—	1	9	8	8
19 Pneumonia (all forms) ..	M	49	13	5	6	6	1	7	8	1	2	31	8	4	1	2	3	3	5	5	—
	F	32	10	4	3	1	1	5	5	2	1	24	5	7	—	2	1	3	1	3	2
20 Other respiratory diseases ..	M	3	1	1	—	—	—	—	1	—	—	6	—	—	—	—	—	4	1	—	1
	F	3	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—
21 Ulcer of stomach or duodenum ..	M	2	—	—	—	—	—	2	—	—	—	4	—	—	—	—	1	1	2	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
22 Diarrhœa, &c. ..	M	22	19	3	—	—	—	—	—	—	—	12	6	1	1	2	—	1	—	1	—
	F	19	12	5	1	—	—	—	—	—	1	15	5	2	3	1	—	—	3	1	—
23 Appendicitis and typhilitis ..	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	1	2	—	1	—	—
	F	2	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—	—	1	—
24 Cirrhosis of liver ..	M	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	20	—	1	1	—	—	3	6	8	1	6	—	—	1	—	—	—	3	2	—
	F	8	—	1	—	—	1	1	2	3	—	2	—	—	—	—	1	—	1	—	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	2	4	—	—	—	8	—	—	—	—	1	7	—	—	—
28 Congenital debility and malformation, premature birth..	M	36	36	—	—	—	—	—	—	—	—	39	37	—	—	1	—	—	1	—	—
	F	34	34	—	—	—	—	—	—	—	—	25	25	—	—	—	—	—	—	—	—
29 Suicide ..	M	5	—	—	—	1	—	2	—	1	1	6	—	—	—	—	—	1	5	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
30 Other deaths from violence..	M	16	1	—	—	2	3	7	2	1	—	13	1	2	1	2	2	3	2	—	—
	F	4	—	—	1	1	—	—	1	—	1	6	—	—	2	1	1	—	1	—	1
31 Other defined diseases ..	M	77	19	1	2	6	4	5	12	7	21	74	15	3	—	3	1	7	14	8	23
	F	58	7	1	2	4	1	4	16	6	17	61	7	2	—	3	1	5	13	12	18
32 Causes ill-defined or unknown ..	M	3	—	2	—	—	—	—	1	—	—	12	3	—	—	—	1	1	2	3	2
	F	—	—	—	—	—	—	—	—	—	—	6	2	—	1	—	—	—	2	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.		Sex.	BIRMINGHAM.										BLACKBURN.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	M	5540	1067	253	138	188	201	710	1491	890	602	822	160	19	11	25	25	102	222	158	100
		F	4853	779	212	128	186	203	597	1049	799	900	837	120	21	16	33	28	98	230	161	130
1 Enteric fever	..	M	3	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	78	16	37	21	4	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
		F	78	20	29	21	7	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—
4 Scarlet fever	..	M	21	2	9	4	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	19	—	1	6	11	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough	M	42	21	11	7	3	—	—	—	—	—	8	4	1	3	—	—	—	—	—	—
		F	51	29	15	5	2	—	—	—	—	—	12	5	4	3	—	—	—	—	—	—
6 Diphtheria	..	M	62	1	7	18	35	1	—	—	—	—	4	1	3	—	—	—	—	—	—	—
		F	59	1	11	16	29	1	1	—	—	—	1	—	—	—	—	—	1	—	—	—
7 Influenza	M	77	5	1	3	—	3	23	26	10	6	15	—	—	—	1	3	2	6	2	1
		F	58	3	2	1	2	2	10	16	14	8	8	—	—	—	—	1	2	3	2	2
8 Encephalitis lethargica	..	M	9	2	1	—	—	1	3	2	—	—	1	—	—	—	—	1	—	—	—	—
		F	4	—	—	1	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	..	M	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	{	M	542	3	3	2	5	83	244	183	19	—	46	—	—	—	2	4	19	18	3	—
		F	337	2	2	2	16	80	149	75	10	1	35	—	—	—	6	12	8	8	1	—
11 Other tuberculous diseases	M	97	15	15	14	22	13	8	9	1	—	12	2	—	—	1	2	5	2	—	—
		F	68	9	8	11	10	9	9	7	4	1	16	1	—	1	3	2	4	4	—	1
12 Cancer, malignant disease	M	474	—	1	—	1	5	33	262	123	49	75	—	—	—	—	—	4	42	19	10
		F	557	—	—	—	—	2	63	262	157	73	98	—	—	—	—	—	9	58	23	8
13 Rheumatic fever ..	{	M	19	—	1	—	4	5	6	2	1	—	4	—	—	—	—	—	2	2	—	—
		F	16	—	—	—	4	9	1	1	1	—	7	—	—	—	2	2	1	2	—	—
14 Diabetes	M	40	—	—	1	1	1	13	16	6	2	4	—	—	—	—	—	—	2	1	1
		F	55	—	—	—	2	3	11	20	14	5	11	—	—	—	—	—	1	3	6	1
15 Cerebral hæmorrhage, &c. ..	{	M	284	1	—	1	—	1	9	112	99	61	58	—	—	—	—	—	—	16	24	18
		F	324	—	1	1	—	—	9	107	103	103	49	—	—	—	—	1	1	16	19	12
16 Heart disease	..	M	531	—	—	—	13	10	71	205	149	83	89	—	—	—	1	2	13	26	27	20
		F	577	—	—	1	12	27	70	172	153	142	129	—	—	—	3	4	14	46	37	25
17 Arterio-sclerosis ..	{	M	118	—	—	—	—	—	1	41	44	32	23	—	—	—	—	—	—	5	11	7
		F	87	—	—	—	—	—	3	24	21	39	28	—	—	—	—	—	1	6	4	17
18 Bronchitis	..	M	435	62	9	4	1	—	13	112	126	108	68	16	—	—	—	—	5	13	23	11
		F	375	46	13	5	2	—	15	67	95	132	77	11	2	3	—	—	4	19	19	19
19 Pneumonia (all forms)	M	592	143	81	23	20	15	102	139	51	18	91	26	9	1	6	6	17	14	10	2
		F	412	96	79	23	26	13	37	63	45	30	49	13	8	3	—	1	4	9	9	2
20 Other respiratory diseases ..	{	M	66	3	5	1	3	1	3	31	13	6	8	1	1	—	—	—	1	3	1	1
		F	40	—	4	2	—	1	5	7	13	8	12	—	—	1	1	—	3	5	1	1
21 Ulcer of stomach or duodenum	..	M	51	—	—	—	—	2	18	23	7	1	4	—	—	—	—	—	2	1	—	1
		F	22	—	—	—	2	—	11	5	2	2	3	—	—	—	—	1	1	1	—	—
22 Diarrhœa, &c. ..	{	M	236	178	33	7	—	—	2	4	7	5	25	17	1	2	2	—	1	1	—	1
		F	196	130	25	7	2	—	6	11	5	10	28	17	3	—	1	—	1	2	2	2
23 Appendicitis and typhlitis..	..	M	42	—	—	—	11	9	8	11	—	3	3	—	—	—	1	1	—	1	—	—
		F	37	—	—	1	10	4	11	7	3	1	6	—	—	—	1	1	2	1	1	—
24 Cirrhosis of liver ..	{	M	23	—	—	—	—	—	4	13	5	1	6	—	—	—	—	—	3	3	—	—
		F	12	—	—	—	1	—	1	9	—	1	5	—	—	—	—	—	1	2	1	1
25 Acute and chronic nephritis	..	M	120	—	1	1	2	3	19	62	25	7	29	—	—	—	1	—	6	12	7	3
		F	100	1	—	—	3	6	15	44	20	11	26	—	—	—	—	1	5	12	7	1
26 Puerperal sepsis ..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	27	—	—	—	—	6	21	—	—	—	7	—	—	—	—	—	7	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	36	—	—	—	—	7	28	1	—	—	5	—	—	—	—	—	5	—	—	—
28 Congenital debility and malformation, premature birth..	..	M	438	435	1	—	1	—	1	—	—	—	56	56	—	—	—	—	—	—	—	—
		F	332	327	2	2	—	1	—	—	—	—	46	46	—	—	—	—	—	—	—	—
29 Suicide	M	55	—	—	—	—	2	17	22	11	3	14	—	—	—	—	1	3	7	2	1
		F	20	—	—	—	—	2	7	10	—	1	4	—	—	—	—	—	1	2	—	1
30 Other deaths from violence..	..	M	154	17	4	16	17	16	31	36	7	10	26	—	1	4	3	2	7	9	—	—
		F	101	10	2	5	12	6	12	21	18	15	14	1	—	1	6	—	—	3	2	1
31 Other defined diseases	M	887	160	29	14	38	28	72	161	178	207	141	35	3	1	7	4	11	30	27	23
		F	828	104	13	18	32	22	91	111	120	317	159	25	4	4	9	3	24	28	26	36
32 Causes ill-defined or unknown	..	M	41	1	3	1	2	1	6	19	8	—	10	—	—	—	—	—	—	9	1	—
		F	20	—	4	—	1	1	5	8	1	—	—	—	—	—	—	—	—	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.		Sex.	BLACKPOOL.										BOLTON.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
				396	42	4	6	9	13	44	123	95		60	1155	215	40	24	46	42	126	303
ALL CAUSES ..		F	521	34	8	8	12	19	61	135	133	111	1195	156	42	27	51	53	156	302	216	19
1 Enteric fever ..		M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—	—
		F	1	—	—	—	—	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—
2 Small-pox ..		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..		M	—	—	—	—	—	—	—	—	—	—	3	1	—	—	2	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
4 Scarlet fever ..		M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	6	—	—	—	5	—	—	1	—	—
5 Whooping cough ..		M	3	3	—	—	—	—	—	—	—	—	13	8	2	3	—	—	—	—	—	—
		F	3	2	—	1	—	—	—	—	—	—	12	5	3	2	2	—	—	—	—	—
6 Diphtheria ..		M	2	—	—	1	—	1	—	—	—	—	7	—	2	—	4	—	1	—	—	—
		F	2	—	—	1	1	—	—	—	—	—	14	—	3	6	4	1	—	—	—	—
7 Influenza ..		M	4	—	—	1	—	1	—	1	—	—	17	2	2	—	—	1	6	5	1	—
		F	6	—	—	—	—	—	2	2	1	1	29	3	1	—	2	3	5	8	5	—
8 Encephalitis lethargica ..		M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	2	—	—	1	—	—
		F	3	—	—	1	1	1	—	—	—	—	2	—	—	1	1	—	—	—	—	—
9 Meningococcal meningitis ..		M	1	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
10 Tuberculosis of respiratory system		M	29	—	—	—	—	2	12	14	1	—	78	—	1	—	3	10	29	32	3	—
		F	30	—	—	—	1	8	11	8	2	—	81	1	1	1	4	23	33	15	2	—
11 Other tuberculous diseases ..		M	9	2	1	2	2	2	—	—	—	—	19	3	2	4	4	2	2	1	1	—
		F	16	—	2	2	2	2	6	2	—	—	20	3	1	4	4	5	1	2	—	—
12 Cancer, malignant disease ..		M	49	—	—	—	—	—	3	22	17	7	87	—	1	—	2	—	2	52	24	—
		F	81	—	—	—	—	1	7	37	27	9	129	—	1	—	—	—	17	69	37	—
13 Rheumatic fever ..		M	2	—	—	—	—	1	—	1	—	—	3	—	—	—	—	—	3	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	12	—	—	—	2	2	5	3	—	—
14 Diabetes ..		M	3	—	—	—	—	—	1	—	2	—	10	—	—	1	—	3	3	2	1	—
		F	6	—	—	—	—	—	1	3	1	1	11	—	—	—	—	1	1	3	6	—
15 Cerebral hæmorrhage, &c. ..		M	24	—	—	—	—	—	1	6	5	12	67	—	—	—	—	1	1	29	26	—
		F	39	—	—	—	—	—	1	8	20	10	66	—	—	—	—	—	2	23	24	1
16 Heart disease ..		M	48	—	—	1	1	—	5	19	18	4	105	1	—	1	3	7	15	31	38	—
		F	71	—	—	—	3	1	4	18	25	20	127	—	—	—	1	2	20	48	36	1
17 Arterio-sclerosis ..		M	18	—	—	—	—	—	—	7	5	6	59	—	—	—	—	—	—	7	33	1
		F	18	—	—	—	—	—	—	5	4	9	52	—	—	—	—	—	—	3	16	3
18 Bronchitis ..		M	27	2	1	—	—	—	—	4	11	9	109	10	2	1	1	—	8	24	46	1
		F	37	2	1	1	—	—	1	6	9	17	123	13	3	—	—	1	6	33	32	3
19 Pneumonia (all forms) ..		M	28	7	—	—	2	1	3	9	5	1	125	30	13	6	5	8	15	26	16	—
		F	23	3	2	—	1	—	3	4	6	4	92	15	17	5	3	3	12	22	10	—
20 Other respiratory diseases ..		M	4	—	—	—	1	1	—	—	2	—	9	1	—	—	—	—	1	6	—	—
		F	5	1	—	—	—	—	—	2	1	1	7	1	—	—	1	—	1	1	1	—
21 Ulcer of stomach or duodenum ..		M	2	—	—	—	—	—	—	2	—	—	4	—	—	—	—	—	2	2	—	—
		F	3	—	—	—	—	—	2	1	—	—	4	—	—	—	—	—	1	3	—	—
22 Diarrhoea, &c. ..		M	2	2	—	—	—	—	—	—	—	—	36	28	2	—	—	1	—	1	3	—
		F	4	—	1	—	1	—	2	—	—	—	38	20	1	1	1	—	2	7	3	—
23 Appendicitis and typhlitis..		M	3	—	—	—	—	1	—	2	—	—	11	—	—	1	4	3	1	1	—	—
		F	1	—	—	—	—	1	—	—	—	—	9	—	—	—	3	—	2	3	1	—
24 Cirrhosis of liver ..		M	2	—	—	—	—	—	—	2	—	—	6	—	—	—	—	—	—	5	—	—
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	—
25 Acute and chronic nephritis ..		M	24	—	—	—	—	—	3	12	8	1	33	—	—	—	—	—	6	13	11	—
		F	20	—	—	—	—	1	2	9	6	2	35	1	—	1	—	1	9	14	6	—
26 Puerperal sepsis ..		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	—	7	—	—	—	—	1	6	—	—	—
27 Other accidents and diseases of pregnancy and parturition.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	1	2	—	—	—	12	—	—	—	—	2	10	—	—	—
28 Congenital debility and malformation, premature birth..		M	16	16	—	—	—	—	—	—	—	—	83	83	—	—	—	—	—	—	—	—
		F	13	13	—	—	—	—	—	—	—	—	69	67	1	—	1	—	—	—	—	—
29 Suicide ..		M	4	—	—	—	—	—	—	4	—	—	13	—	—	—	—	—	5	5	3	—
		F	2	—	—	—	—	—	—	1	1	—	9	—	—	—	—	2	3	3	1	—
30 Other deaths from violence..		M	14	—	1	—	2	1	5	4	1	—	44	1	2	3	7	3	7	17	3	—
		F	14	2	1	—	1	—	1	3	4	2	15	2	1	2	2	—	1	2	1	—
31 Other defined diseases ..		M	73	10	1	1	1	2	8	11	19	20	204	47	9	3	9	2	19	41	36	3
		F	115	10	1	2	1	3	14	25	24	35	207	24	8	2	13	6	18	38	34	6
32 Causes ill-defined or unknown ..		M	5	—	—	—	—	—	2	3	—	—	3	—	1	—	—	—	—	1	1	—
		F	2	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	1	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHs—1921
(Civilian Population only).

CAUSES OF DEATH.		Sex.	BOOTLE.										BOURNEMOUTH.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..		M	549	106	37	35	26	27	80	134	70	34	475	57	5	2	5	14	43	124	107	118
		F	460	91	38	14	31	29	55	90	51	61	609	37	9	1	14	22	52	132	132	210
1	Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
2	Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles ..	M	10	—	5	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	5	—	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	Scarlet fever ..	M	4	—	—	3	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
		F	4	—	4	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	Whooping cough ..	M	5	2	2	1	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	
		F	11	5	2	2	2	—	—	—	—	—	3	2	1	—	—	—	—	—	—	
6	Diphtheria ..	M	8	—	2	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	6	1	2	—	3	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
7	Influenza ..	M	7	1	—	—	1	1	1	1	2	—	5	1	—	—	—	—	2	1	1	
		F	4	—	—	—	1	—	—	2	1	—	18	—	—	—	2	—	5	4	7	
8	Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	3	—	1	—	—	—	2	—	—	
		F	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	1	3	1	—	
9	Meningococcal meningitis ..	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	4	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10	Tuberculosis of respiratory system	M	61	—	—	—	—	9	30	20	2	—	45	—	—	—	5	15	20	4	1	
		F	58	—	—	1	4	15	29	8	—	1	39	—	1	—	9	22	5	1	1	
11	Other tuberculous diseases ..	M	15	2	3	1	2	4	1	2	—	—	7	2	—	—	3	—	1	—	—	
		F	11	1	3	1	2	2	—	2	—	—	6	—	—	1	3	1	—	—	—	
12	Cancer, malignant disease ..	M	34	—	—	—	—	—	—	22	12	—	34	—	—	—	—	1	12	9	12	
		F	35	—	—	1	—	1	4	18	6	5	79	—	—	—	—	5	32	23	19	
13	Rheumatic fever ..	M	3	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
		F	2	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	1	—	
14	Diabetes ..	M	2	—	—	—	—	1	—	1	—	—	9	—	—	—	—	—	3	5	1	
		F	4	—	—	—	—	—	2	1	1	—	8	—	—	—	—	—	1	4	3	
15	Cerebral hæmorrhage, &c. ..	M	28	—	—	—	—	—	2	9	11	6	40	—	—	—	—	2	5	16	1	
		F	24	—	—	—	1	—	1	11	4	7	69	—	—	—	—	—	10	23	36	
16	Heart disease ..	M	49	—	—	—	2	2	4	20	11	10	73	—	—	—	1	3	24	20	25	
		F	31	—	—	—	3	2	4	9	7	6	98	—	—	—	4	2	3	23	42	
17	Arterio-sclerosis ..	M	13	—	—	—	—	—	—	3	7	3	20	—	—	—	—	1	5	10	4	
		F	8	—	—	—	—	—	—	2	3	3	29	—	—	—	—	—	2	12	15	
18	Bronchitis ..	M	23	7	1	1	—	—	2	4	4	4	26	1	—	—	—	1	5	6	13	
		F	34	6	1	—	2	—	—	7	9	9	27	—	1	—	—	—	2	4	20	
19	Pneumonia (all forms) ..	M	61	8	9	9	4	3	8	11	9	—	25	6	1	—	—	3	7	4	4	
		F	41	14	10	3	2	1	4	2	4	1	21	3	2	—	—	1	5	5	5	
20	Other respiratory diseases ..	M	16	3	3	2	1	—	3	2	1	1	11	—	1	—	—	2	5	2	1	
		F	8	—	1	1	—	—	1	1	2	2	8	—	—	—	1	—	4	1	2	
21	Ulcer of stomach or duodenum ..	M	3	—	—	—	—	—	3	—	—	—	6	—	—	—	1	1	—	4	—	
		F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	1	—	1	
22	Diarrhœa, &c. ..	M	35	21	7	5	—	—	—	—	1	1	3	2	—	1	—	—	—	—	—	
		F	33	23	6	1	1	—	—	1	—	1	10	4	1	—	—	—	2	1	2	
23	Appendicitis and typhlitis..	M	2	—	—	—	—	—	1	—	1	—	3	—	—	—	1	1	—	—	—	
		F	1	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	—	—	1	
24	Cirrhosis of liver ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	2	—	—	
		F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	4	—	—	—	
25	Acute and chronic nephritis ..	M	14	—	1	—	—	1	3	8	1	—	13	—	—	—	1	1	3	3	5	
		F	8	—	—	—	—	—	1	3	3	1	16	—	—	—	—	3	3	5	4	
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	2	—	—	—	—	—	1	1	—	—	4	—	—	—	1	3	—	—	—	
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	3	—	—	—	—	2	1	—	—	—	3	—	—	—	1	2	—	—	—	
28	Congenital debility and malformation, premature birth..	M	41	41	—	—	—	—	—	—	—	—	39	38	—	—	1	—	—	—	—	
		F	28	28	—	—	—	—	—	—	—	—	22	21	—	—	—	—	1	—	—	
29	Suicide ..	M	5	—	—	—	—	—	1	4	—	—	5	—	—	—	—	1	2	1	1	
		F	6	—	—	—	—	2	1	3	—	—	4	—	—	—	—	1	2	1	—	
30	Other deaths from violence..	M	19	—	—	2	3	2	5	6	1	—	18	2	—	1	—	5	2	3	2	
		F	6	1	—	—	—	1	1	1	—	2	14	1	1	—	—	1	5	1	4	
31	Other defined diseases ..	M	86	20	4	1	7	4	15	19	7	9	81	2	1	—	—	1	5	22	31	
		F	77	9	8	1	4	2	4	16	11	22	115	6	2	—	4	3	9	22	48	
32	Causes ill-defined or unknown ..	M	4	1	—	1	—	—	1	1	—	—	3	2	—	—	—	—	—	—	—	
		F	5	1	1	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.	Sex.	BRISTOL.										BURNLEY.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	2105	322	63	39	89	96	258	544	362	332	754	171	27	24	22	21	75	209	137	68
	F	2125	226	45	53	84	112	249	466	358	532	691	108	28	21	22	33	87	176	123	93
1 Enteric fever ..	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	3	—	—	—	1	2	—	—	—	—
2 Small-pox ..	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	14	2	5	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	12	2	6	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	4	—	2	—	1	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	3	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	20	13	5	1	1	—	—	—	—	—	13	7	5	—	1	—	—	—	—	—
	F	23	12	9	1	1	—	—	—	—	—	20	7	11	2	—	—	—	—	—	—
6 Diphtheria ..	M	48	2	8	11	26	—	—	1	—	—	7	1	3	—	3	—	—	—	—	—
	F	55	2	2	16	31	2	2	—	—	—	3	—	—	1	2	—	—	—	—	—
7 Influenza ..	M	22	—	—	—	—	1	2	11	2	6	13	—	1	1	2	1	2	5	—	1
	F	28	2	—	—	1	—	3	7	8	7	9	—	—	—	1	—	3	3	2	—
8 Encephalitis lethargica ..	M	11	—	—	—	2	—	—	9	—	—	—	—	—	—	—	—	—	—	—	—
	F	12	1	1	—	—	—	8	2	—	—	1	—	—	—	1	—	—	—	—	—
9 Meningococcal meningitis ..	M	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	194	1	1	—	1	34	85	66	5	1	36	—	—	—	—	8	11	15	2	—
	F	163	2	2	—	8	47	69	32	3	—	37	—	—	—	2	14	15	6	—	—
11 Other tuberculous diseases ..	M	32	9	7	1	4	2	5	3	1	—	15	4	4	2	2	2	1	—	—	—
	F	31	6	2	2	5	7	4	5	—	—	16	4	2	4	3	1	2	—	—	—
12 Cancer, malignant disease ..	M	212	—	—	1	2	—	11	97	73	28	79	1	—	—	—	—	4	45	23	6
	F	270	—	—	1	1	2	28	125	63	50	73	—	—	—	—	—	8	32	17	16
13 Rheumatic fever ..	M	4	—	—	1	2	1	—	—	—	—	3	—	—	—	—	—	—	1	2	—
	F	8	—	—	—	3	2	1	2	—	—	3	—	—	1	2	—	—	—	—	—
14 Diabetes ..	M	16	—	—	—	1	—	2	3	6	4	3	—	—	—	1	—	1	1	—	—
	F	26	—	—	—	1	2	4	6	8	5	12	—	—	1	—	—	2	5	4	—
15 Cerebral hæmorrhage, &c. ..	M	108	—	—	—	—	—	1	27	42	38	42	—	—	1	—	—	2	23	10	6
	F	140	1	—	—	—	—	3	39	44	53	50	—	—	—	—	1	3	24	15	7
16 Heart disease ..	M	206	—	—	—	7	7	23	64	60	45	88	—	—	—	4	3	12	35	22	12
	F	318	—	—	1	6	13	30	73	94	101	103	—	1	—	2	3	12	36	31	18
17 Arterio-sclerosis ..	M	73	—	—	—	—	—	2	16	29	26	25	—	—	—	—	—	1	1	15	8
	F	49	—	—	—	—	—	1	6	10	32	14	—	—	—	—	—	—	2	6	6
18 Bronchitis ..	M	107	11	4	—	—	2	4	25	30	31	84	17	3	5	—	—	7	16	24	12
	F	133	9	1	4	1	—	4	16	29	69	55	5	3	—	—	—	1	18	15	13
19 Pneumonia (all forms) ..	M	178	45	16	7	3	9	30	40	16	12	70	20	7	8	2	—	4	15	9	5
	F	127	26	14	10	4	3	14	23	14	19	52	14	6	7	3	2	4	7	4	5
20 Other respiratory diseases ..	M	29	1	1	—	2	—	7	7	5	6	8	1	—	1	—	1	1	3	1	—
	F	32	1	1	—	—	1	6	8	8	7	6	—	—	—	1	—	—	2	1	2
21 Ulcer of stomach or duodenum ..	M	12	—	—	—	—	—	3	7	2	—	8	—	—	—	—	—	3	5	—	—
	F	8	—	—	—	—	1	2	4	1	—	2	—	—	—	—	—	1	—	1	—
22 Diarrhoea, &c. ..	M	65	51	5	—	2	—	—	1	3	3	28	22	—	2	1	—	1	1	1	—
	F	54	28	2	2	2	—	1	3	5	11	30	25	2	—	—	1	1	1	—	—
23 Appendicitis and typhlitis ..	M	20	—	—	1	4	6	3	4	2	—	3	—	—	—	1	1	1	—	—	—
	F	9	—	—	—	1	—	1	5	2	—	6	—	—	—	—	1	1	3	1	—
24 Cirrhosis of liver ..	M	14	—	—	—	1	—	2	8	1	2	4	—	—	—	—	—	—	4	—	—
	F	8	—	—	—	—	—	1	6	—	1	1	—	—	—	—	—	1	—	—	—
25 Acute and chronic nephritis ..	M	76	—	—	—	2	2	10	29	19	14	15	2	—	—	1	—	2	9	1	—
	F	64	1	—	—	—	5	10	25	17	6	14	—	—	—	—	—	5	6	3	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	4	—	—	—	6	—	—	—	—	3	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	19	—	—	—	—	6	13	—	—	—	9	—	—	—	—	2	7	—	—	—
28 Congenital debility and malformation, premature birth..	M	120	119	—	1	—	—	—	—	—	—	65	65	—	—	—	—	—	—	—	—
	F	91	91	—	—	—	—	—	—	—	—	31	29	1	1	—	—	—	—	—	—
29 Suicide ..	M	22	—	—	—	—	2	7	9	4	—	9	—	—	—	—	—	2	5	2	—
	F	9	—	—	—	—	2	3	4	—	—	3	—	—	—	—	—	2	—	1	—
30 Other deaths from violence..	M	90	8	2	6	13	12	16	17	7	9	21	—	—	2	2	1	5	9	1	1
	F	40	1	2	4	3	3	3	2	7	15	17	1	1	1	3	—	3	5	1	2
31 Other defined diseases ..	M	402	59	7	2	14	16	44	99	54	107	111	31	3	2	2	3	15	15	23	17
	F	386	41	3	8	14	14	33	72	45	156	114	23	1	3	1	3	12	26	21	24
32 Causes ill-defined or unknown ..	M	3	—	—	—	—	—	1	1	1	—	2	—	—	—	—	1	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.	Sex.	BURTON-UPON-TRENT											BURY.										
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—		
ALL CAUSES ..	M	306	48	10	4	15	11	38	72	65	43	380	47	10	5	13	16	46	125	78	40		
	F	291	42	12	5	7	15	33	67	51	59	388	49	7	7	12	12	52	106	78	65		
1 Enteric fever ..	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	3	—	2	1	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	5	2	1	1	1	—	—	—	—	—		
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—		
5 Whooping cough ..	M	4	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	1	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6 Diphtheria ..	M	1	—	—	1	—	—	—	—	—	—	5	—	—	—	4	1	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—		
7 Influenza ..	M	4	1	—	—	—	—	2	1	—	—	2	—	—	—	—	—	—	2	—	—		
	F	6	1	—	—	1	1	—	2	1	—	8	—	—	—	1	—	1	4	2	—		
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—		
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
10 Tuberculosis of respiratory system	M	29	—	—	—	—	4	14	11	—	—	29	—	—	—	1	3	8	15	2	—		
	F	16	1	—	—	—	5	5	4	—	1	22	—	—	—	—	5	12	3	1	—		
11 Other tuberculous diseases ..	M	12	—	2	—	3	1	5	1	—	—	8	3	—	1	—	1	2	1	—	—		
	F	7	3	2	—	1	—	—	1	—	—	8	—	1	1	4	—	1	1	—	—		
12 Cancer, malignant disease ..	M	26	1	—	—	—	—	—	13	9	3	38	—	—	—	—	—	2	18	15	—		
	F	41	—	—	—	—	—	3	21	13	4	41	—	—	—	—	10	22	8	—	—		
13 Rheumatic fever ..	M	4	—	—	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
14 Diabetes ..	M	4	—	—	—	1	—	—	3	—	—	4	—	—	—	1	—	1	2	—	—		
	F	3	—	—	—	—	1	2	—	—	—	4	—	—	—	—	2	1	1	—	—		
15 Cerebral hæmorrhage, &c. ..	M	9	—	—	—	—	1	1	1	3	3	19	—	—	—	—	—	1	7	8	—		
	F	18	—	—	—	—	—	2	5	5	6	21	—	—	—	—	—	—	7	7	—		
16 Heart disease ..	M	36	—	—	—	1	—	3	14	11	7	49	—	—	—	2	1	5	17	17	—		
	F	40	—	—	—	—	2	3	14	11	10	76	—	—	—	1	3	5	23	26	1		
17 Arterio-sclerosis ..	M	7	—	—	—	—	—	—	1	3	3	9	—	—	—	—	—	—	2	6	—		
	F	5	—	—	—	—	—	—	—	1	4	10	—	—	—	—	—	—	2	4	—		
18 Bronchitis ..	M	21	6	—	—	—	—	—	3	6	6	35	2	—	—	—	1	2	11	10	—		
	F	23	1	3	—	—	—	—	3	7	9	33	—	—	—	—	—	3	8	11	—		
19 Pneumonia (all forms) ..	M	20	2	6	2	1	—	2	2	4	1	34	7	4	1	—	1	10	6	4	—		
	F	19	5	3	2	1	1	2	3	—	2	18	7	3	3	—	—	—	4	—	—		
20 Other respiratory diseases ..	M	3	—	—	—	—	—	—	3	—	—	5	—	—	—	1	—	1	1	—	—		
	F	4	—	—	—	—	—	2	1	1	—	4	1	—	—	1	—	—	—	—	—		
21 Ulcer of stomach or duodenum ..	M	2	—	—	—	—	—	1	—	1	—	4	—	—	—	—	—	2	2	—	—		
	F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—		
22 Diarrhœa, &c. ..	M	9	6	—	—	2	—	—	—	—	1	14	10	1	—	—	—	—	2	1	—		
	F	7	4	—	—	—	—	1	1	1	—	10	4	1	—	—	—	—	4	1	—		
23 Appendicitis and typhlitis..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—		
24 Cirrhosis of liver ..	M	3	—	—	—	—	—	—	2	1	—	2	—	—	—	—	—	—	2	—	—		
	F	4	—	—	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—		
25 Acute and chronic nephritis ..	M	13	—	—	—	—	1	2	4	4	2	8	—	—	—	—	2	2	5	1	—		
	F	6	—	—	—	—	1	—	3	2	—	8	—	—	—	2	—	4	1	—	—		
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	1	1	—	—	—	2	—	—	—	—	2	—	—	—	—		
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	—	7	—	—	—	1	—	—	—	—	1	—	—	—	—		
28 Congenital debility and malformation, premature birth..	M	23	23	—	—	—	—	—	—	—	—	16	16	—	—	—	—	—	—	—	—		
	F	19	19	—	—	—	—	—	—	—	—	21	20	—	—	—	1	—	—	—	—		
29 Suicide ..	M	2	—	—	—	—	—	—	2	—	—	9	—	—	—	—	—	—	8	1	—		
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—		
30 Other deaths from violence..	M	10	—	—	1	1	1	3	1	1	2	15	—	1	1	1	1	2	5	1	—		
	F	7	1	—	—	3	—	—	1	—	2	6	—	—	—	1	—	2	3	—	—		
31 Other defined diseases ..	M	61	6	1	—	5	2	3	8	21	15	70	9	2	1	3	7	8	19	10	—		
	F	48	6	1	1	—	2	5	7	5	21	82	15	1	1	1	1	11	18	15	—		
32 Causes ill-defined or unknown ..	M	2	—	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	—	2	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHs—1921
(Civilian Population only).

CAUSES OF DEATH.	Sex.	CANTERBURY.										CARLISLE.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	129	15	—	—	1	3	8	27	37	38	385	80	14	10	17	13	37	94	74	46
	F	160	9	1	—	3	5	19	37	35	51	382	61	10	9	12	15	44	80	71	80
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	1	3	—	—	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	—	1	—	—	—	—	—	6	—	—	3	3	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	4	1	—	1	2	—	—	—	—	—
7 Influenza ..	M	4	—	—	—	—	1	1	1	—	1	6	2	—	—	—	—	—	2	2	—
	F	4	—	—	—	—	1	—	2	1	—	12	—	—	1	—	—	3	3	3	2
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	4	—	—	—	—	1	2	—	1	—	26	1	—	—	2	3	7	12	—	1
	F	11	—	—	—	—	1	4	6	—	—	20	1	1	—	1	3	10	4	—	—
11 Other tuberculous diseases ..	M	—	—	—	—	—	—	—	—	—	—	15	5	2	2	3	2	1	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	12	3	1	—	3	3	1	—	1	—
12 Cancer, malignant disease ..	M	12	—	—	—	—	—	—	3	5	4	29	—	—	—	—	2	1	15	11	—
	F	25	—	—	—	—	—	—	10	8	7	33	—	—	—	—	—	3	14	11	5
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	1	—	—	1	—	—	—
14 Diabetes ..	M	1	—	—	—	—	—	—	1	—	—	5	—	—	—	—	—	1	3	1	—
	F	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	1	—	—
15 Cerebral hæmorrhage, &c. ..	M	12	—	—	—	—	—	—	4	5	3	19	—	—	—	—	—	—	8	6	5
	F	9	—	—	—	—	—	—	1	5	3	27	—	—	—	—	—	2	12	4	9
16 Heart disease ..	M	17	—	—	—	—	—	3	4	8	2	36	1	—	—	—	—	2	12	14	7
	F	26	—	—	—	—	—	2	10	6	8	60	1	—	1	1	1	1	16	20	19
17 Arterio-sclerosis ..	M	4	—	—	—	—	—	—	1	2	1	18	—	—	—	—	—	1	3	6	8
	F	1	—	—	—	—	—	—	—	—	1	28	—	—	—	—	—	—	5	9	14
18 Bronchitis ..	M	12	2	—	—	—	—	—	1	3	6	21	1	—	—	—	—	—	7	8	5
	F	14	1	—	—	—	—	—	—	5	8	19	1	2	—	—	—	1	3	3	9
19 Pneumonia (all forms) ..	M	3	—	—	—	—	—	—	2	—	1	36	8	4	1	1	2	5	7	5	3
	F	9	3	—	—	—	—	1	2	1	2	15	9	1	—	—	—	1	—	3	1
20 Other respiratory diseases ..	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	2	—	—	—
	F	2	—	—	—	—	—	1	—	—	1	5	2	—	—	—	—	—	1	2	—
21 Ulcer of stomach or duodenum ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	3	—	—
22 Diarrhoea, &c. ..	M	4	4	—	—	—	—	—	—	—	—	23	18	2	—	—	—	—	1	2	—
	F	1	1	—	—	—	—	—	—	—	—	17	13	—	2	2	—	—	—	—	—
23 Appendicitis and typhlitis..	M	1	—	—	—	—	—	—	—	1	—	3	—	1	—	—	—	1	1	—	—
	F	1	—	—	—	1	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
24 Cirrhosis of liver ..	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	3	—	1
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
25 Acute and chronic nephritis ..	M	4	—	—	—	—	—	1	—	2	1	11	—	—	—	—	1	1	3	5	1
	F	2	—	—	—	—	—	—	1	1	—	14	—	—	—	—	—	5	4	3	2
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	2	—	—	—	—	—	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	2	—	—	—
28 Congenital debility and malformation, premature birth..	M	9	9	—	—	—	—	—	—	—	—	28	28	—	—	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—	23	21	1	1	—	—	—	—	—	—
29 Suicide ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
30 Other deaths from violence..	M	3	—	—	—	—	1	1	1	—	—	12	—	—	1	3	1	3	3	1	—
	F	1	—	—	—	—	—	—	—	1	—	3	—	1	—	—	—	—	1	—	1
31 Other defined diseases ..	M	36	—	—	—	—	—	—	7	10	19	76	13	2	3	5	2	10	13	13	15
	F	39	2	1	—	—	2	3	3	7	21	69	7	—	2	—	8	11	12	11	18
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.		Sex.	CHESTER.										COVENTRY.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..		M	314	47	12	15	12	10	42	89	42	45	663	124	15	8	23	38	95	184	99	77
		F	274	32	11	5	3	14	44	53	52	60	648	103	11	16	28	44	90	149	93	114
1	Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	
2	Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles ..	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	Scarlet fever ..	M	1	—	—	—	1	—	—	—	—	—	3	—	—	1	1	—	1	—	—	
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
5	Whooping cough ..	M	7	3	3	—	1	—	—	—	—	—	2	2	—	—	—	—	—	—	—	
		F	8	4	3	1	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	
6	Diphtheria ..	M	2	1	—	—	—	—	—	1	—	—	2	—	1	—	1	—	—	—	—	
		F	2	—	1	1	—	—	—	—	—	—	6	—	1	—	5	—	—	—	—	
7	Influenza ..	M	5	—	—	—	—	—	—	3	1	1	8	—	—	—	—	2	3	2	1	
		F	2	—	—	—	—	—	1	1	—	—	4	—	—	—	1	—	1	—	2	
8	Encephalitis lethargica ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	1	1	—	—	
9	Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
10	Tuberculosis of respiratory system	M	30	—	—	1	—	6	17	6	—	—	68	—	—	—	—	13	36	16	3	
		F	20	—	—	—	—	7	8	4	—	1	48	—	—	—	—	18	19	11	—	
11	Other tuberculous diseases ..	M	8	1	—	4	1	1	—	1	—	—	17	3	2	—	5	3	4	—	—	
		F	4	1	—	—	1	—	—	—	—	—	13	1	2	1	4	4	—	1	—	
12	Cancer, malignant disease ..	M	36	—	—	—	—	—	1	22	9	4	71	—	—	—	—	2	44	20	5	
		F	33	—	—	—	—	—	3	12	11	7	79	—	—	—	—	1	8	44	10	
13	Rheumatic fever ..	M	2	—	—	—	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	
		F	2	—	—	—	—	1	—	1	—	—	1	—	—	—	1	—	—	—	—	
14	Diabetes ..	M	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	2	2	—	—	
		F	2	—	—	—	—	—	—	1	1	—	10	—	—	—	3	2	3	2	—	
15	Cerebral hæmorrhage, &c. ..	M	15	—	—	—	—	—	1	7	4	3	34	—	—	—	—	—	1	17	7	
		F	25	—	—	—	—	—	—	4	9	12	31	—	—	—	—	1	11	4	15	
16	Heart disease ..	M	34	—	—	—	1	—	5	15	8	5	61	—	—	—	1	2	15	25	12	
		F	25	—	—	—	—	3	5	7	4	6	74	—	—	—	1	2	12	26	21	
17	Arterio-sclerosis ..	M	14	—	—	—	—	—	—	4	6	4	17	—	—	—	—	—	—	5	5	
		F	10	—	—	—	—	—	—	3	3	4	9	—	—	—	—	—	2	2	5	
18	Bronchitis ..	M	14	1	1	—	—	—	—	1	6	5	38	4	1	—	2	—	—	6	13	
		F	18	—	2	—	—	—	—	2	5	9	41	4	—	1	—	—	1	4	21	
19	Pneumonia (all forms) ..	M	24	7	3	1	1	—	5	6	—	1	64	14	3	2	1	6	10	18	5	
		F	16	4	2	—	1	—	4	3	1	1	49	6	3	4	3	1	8	8	7	
20	Other respiratory diseases ..	M	7	—	1	1	—	—	1	2	1	1	11	—	1	—	1	—	2	4	1	
		F	2	—	—	—	—	—	—	—	2	—	5	—	—	—	1	1	—	1	1	
21	Ulcer of stomach or duodenum ..	M	4	—	—	—	—	—	—	4	—	—	2	—	—	—	—	—	—	1	1	
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	
22	Diarrhœa, &c. ..	M	14	8	2	1	1	—	—	2	—	—	27	22	1	1	1	—	—	2	—	
		F	8	5	1	1	—	—	1	—	—	—	24	16	2	2	1	—	1	1	—	
23	Appendicitis and typhlitis ..	M	2	—	—	2	—	—	—	—	—	—	9	—	—	—	1	4	1	2	1	
		F	1	—	—	—	—	—	1	—	—	—	7	1	—	1	2	1	—	1	—	
24	Cirrhosis of liver ..	M	3	—	—	—	—	—	—	3	—	—	4	—	—	—	—	—	—	2	2	
		F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	2	—	—	
25	Acute and chronic nephritis ..	M	4	—	—	—	1	1	—	—	1	1	16	—	—	—	2	1	—	8	3	
		F	9	—	—	—	1	—	2	3	3	—	13	—	—	—	1	4	6	1	1	
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	1	—	—	—	5	—	—	—	2	3	—	—	—	
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	2	—	—	—	—	—	2	—	—	—	11	—	—	—	2	9	—	—	—	
28	Congenital debility and malformation, premature birth..	M	20	20	—	—	—	—	—	—	—	—	59	58	—	—	1	—	—	—	—	
		F	13	13	—	—	—	—	—	—	—	—	57	57	—	—	—	—	—	—	—	
29	Suicide ..	M	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	1	3	—	—	
		F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	
30	Other deaths from violence..	M	19	1	2	3	2	1	3	5	1	1	25	2	2	2	2	3	7	3	2	
		F	4	—	—	1	—	—	2	—	—	1	20	2	1	4	4	—	1	3	3	
31	Other defined diseases ..	M	46	5	—	2	1	1	9	4	5	19	114	19	3	2	3	4	9	24	24	
		F	66	5	2	1	—	3	11	12	13	19	126	13	2	2	6	5	16	23	37	
32	Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.		Sex.	CROYDON.										DARLINGTON.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..		M	971	150	23	18	44	52	100	247	152	185	452	90	13	13	8	26	57	104	79	62
		F	1070	115	13	16	37	46	113	221	194	315	365	65	9	5	6	21	48	72	67	72
1	Enteric fever ..	M	1	—	—	—	—	1	—	—	—	—	2	—	—	—	—	1	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles ..	M	3	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	3	2	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
4	Scarlet fever ..	M	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	Whooping cough ..	M	12	7	3	2	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	
		F	11	7	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6	Diphtheria ..	M	12	—	1	4	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	10	—	2	3	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7	Influenza ..	M	20	—	—	2	1	2	2	5	3	5	12	—	—	—	—	1	5	3	2	
		F	21	3	—	—	1	1	3	3	3	7	7	—	—	—	—	2	1	3	1	
8	Encephalitis lethargica ..	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9	Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
10	Tuberculosis of respiratory system	M	80	—	—	—	3	31	31	15	—	—	33	—	—	1	—	2	14	15	1	
		F	84	—	—	—	5	18	39	19	3	—	31	—	—	3	7	15	6	—	—	
11	Other tuberculous diseases ..	M	17	6	3	—	5	2	—	1	—	—	14	3	2	4	2	2	—	1	—	
		F	14	2	—	1	4	3	3	—	1	—	4	—	1	1	1	—	1	—	—	
12	Cancer, malignant disease ..	M	90	—	—	—	1	—	5	47	20	17	31	—	—	—	—	—	2	14	13	
		F	137	—	—	—	—	1	9	49	41	37	29	—	—	—	—	—	15	10	4	
13	Rheumatic fever ..	M	6	—	—	1	2	1	—	1	—	1	1	—	—	—	1	—	—	—	—	
		F	5	—	—	—	1	1	1	2	—	—	1	—	—	—	—	1	—	—	—	
14	Diabetes ..	M	10	—	—	—	—	—	—	4	5	1	2	—	—	—	1	—	1	—	—	
		F	14	—	—	1	—	2	2	6	3	—	4	—	—	—	1	—	—	1	2	
15	Cerebral hæmorrhage, &c. ..	M	51	—	—	—	—	—	2	8	15	26	25	1	—	—	—	1	7	8	8	
		F	86	—	—	—	—	1	3	15	25	42	21	—	—	—	—	—	9	2	10	
16	Heart disease ..	M	117	—	—	—	3	3	15	30	26	40	41	—	—	—	1	1	7	11	11	
		F	140	—	—	—	3	3	7	44	35	48	45	—	—	1	1	2	3	13	7	
17	Arterio-sclerosis ..	M	54	—	—	—	—	—	—	5	21	28	21	—	—	—	—	1	6	8	6	
		F	80	—	—	—	—	—	—	5	17	58	6	—	—	—	—	—	—	4	2	
18	Bronchitis ..	M	54	5	1	—	—	—	—	12	13	23	15	4	1	—	—	1	4	2	3	
		F	68	8	1	1	1	—	1	3	16	37	27	1	—	1	—	1	6	7	11	
19	Pneumonia (all forms) ..	M	75	22	4	2	3	2	8	22	9	3	50	11	3	1	3	6	9	8	1	
		F	68	15	5	4	4	2	7	12	6	13	34	13	4	1	—	3	3	3	4	
20	Other respiratory diseases ..	M	14	—	1	—	—	2	1	6	1	3	2	—	—	—	—	—	1	1	—	
		F	16	—	—	—	—	—	3	4	4	5	5	—	—	—	1	1	1	—	2	
21	Ulcer of stomach or duodenum ..	M	6	—	—	—	—	—	3	3	—	—	3	—	—	—	—	2	1	—	—	
		F	5	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	1	—	—	
22	Diarrhoea, &c. ..	M	33	24	2	1	—	—	—	2	1	3	19	17	1	1	—	—	—	—	—	
		F	27	21	—	—	—	—	—	2	2	2	14	11	1	—	—	—	—	1	1	
23	Appendicitis and typhlitis..	M	5	—	—	—	2	—	1	2	—	—	1	—	—	—	—	1	—	—	—	
		F	6	—	—	2	2	2	—	—	—	—	3	—	—	—	1	2	—	—	—	
24	Cirrhosis of liver ..	M	6	—	—	—	—	—	—	5	1	—	2	—	—	—	—	—	2	—	—	
		F	4	—	—	—	—	—	2	1	1	—	3	—	—	—	—	—	2	1	—	
25	Acute and chronic nephritis ..	M	31	—	1	—	—	1	4	11	5	9	14	—	—	1	—	1	4	5	2	
		F	28	—	—	—	—	—	4	12	6	6	4	—	—	—	—	1	2	1	—	
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	4	—	—	—	—	1	3	—	—	—	5	—	—	—	1	4	—	—	—	
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	10	—	—	—	—	2	8	—	—	—	5	—	—	—	1	4	—	—	—	
28	Congenital debility and malformation, premature birth..	M	49	48	1	—	—	—	—	—	—	—	34	34	—	—	—	—	—	—	—	
		F	39	39	—	—	—	—	—	—	—	—	32	32	—	—	—	—	—	—	—	
29	Suicide ..	M	23	—	—	—	—	—	9	13	1	—	6	—	—	—	—	1	4	1	—	
		F	8	—	—	—	—	2	2	4	—	—	—	—	—	—	—	—	—	—	—	
30	Other deaths from violence..	M	22	1	1	1	5	2	5	4	2	1	15	3	—	2	1	2	3	2	2	
		F	8	—	—	—	1	—	—	2	2	3	5	—	—	1	—	—	2	—	2	
31	Other defined diseases ..	M	176	36	3	5	12	3	14	50	28	25	103	16	5	3	1	8	8	17	18	
		F	168	16	2	2	8	7	16	34	27	56	77	8	2	—	—	5	10	11	26	
32	Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	—	1	—	3	—	—	—	—	—	2	1	—	
		F	3	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.		Sex.	DERBY.										DEWSBURY.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES		M	770	127	26	8	19	24	99	214	142	111	424	93	15	9	14	11	49	118	69	46
		F	725	81	24	22	24	36	68	140	165	165	390	55	10	12	8	16	56	90	82	61
1	Enteric fever	M	4	—	—	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	
		F	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	
2	Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles ..	M	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
4	Scarlet fever	M	4	1	1	1	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—	
		F	6	—	1	1	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	
5	Whooping cough	M	7	6	1	—	—	—	—	—	—	—	4	3	1	—	—	—	—	—	—	
		F	11	6	3	1	—	—	—	—	1	—	2	—	1	1	—	—	—	—	—	
6	Diphtheria	M	4	2	—	1	1	—	—	—	—	—	3	—	—	2	—	1	—	—	—	
		F	5	1	—	1	3	—	—	—	—	—	5	—	1	1	3	—	—	—	—	
7	Influenza ..	M	15	—	4	1	—	—	5	4	1	—	9	—	1	—	—	1	2	1	3	
		F	15	—	—	—	2	—	4	3	3	3	12	—	1	1	1	1	4	3	1	
8	Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9	Meningococcal meningitis	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10	Tuberculosis of respiratory system	M	62	—	1	—	—	8	26	22	5	—	23	—	—	—	3	10	8	2	—	
		F	38	—	1	—	2	13	14	6	1	1	13	—	—	1	4	7	1	—	—	
11	Other tuberculous diseases ..	M	12	—	6	—	1	1	2	2	—	—	5	—	2	—	1	1	1	—	—	
		F	13	3	1	1	3	3	1	1	—	—	4	—	—	1	1	2	—	—	—	
12	Cancer, malignant disease ..	M	74	—	—	—	—	—	7	31	28	8	19	—	—	—	—	—	7	9	3	
		F	99	—	—	—	—	1	7	44	36	11	53	—	—	—	—	5	25	17	6	
13	Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	
		F	3	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
14	Diabetes ..	M	7	—	—	—	—	1	2	2	2	—	5	—	—	—	—	2	3	—	—	
		F	7	—	—	—	—	2	1	2	2	—	3	—	—	—	—	—	1	2	—	
15	Cerebral hæmorrhage, &c.	M	42	—	—	—	—	—	1	15	13	13	27	—	—	—	—	1	14	5	7	
		F	51	—	—	—	—	1	1	13	20	16	47	—	—	—	—	4	15	13	15	
16	Heart disease	M	87	—	—	1	2	1	10	35	25	13	36	—	—	—	1	5	17	10	3	
		F	97	—	—	—	4	2	9	22	29	31	53	—	—	2	1	4	22	19	5	
17	Arterio-sclerosis ..	M	11	—	—	—	—	—	1	5	3	2	12	—	—	—	—	—	1	7	4	
		F	8	—	—	—	—	—	—	1	4	3	7	—	—	—	—	—	—	2	5	
18	Bronchitis	M	70	10	2	—	1	—	—	12	22	23	42	8	1	2	—	1	13	10	7	
		F	72	3	2	3	—	—	2	7	28	27	46	9	3	2	—	1	6	11	14	
19	Pneumonia (all forms) ..	M	58	12	6	1	2	2	12	15	5	3	43	16	1	3	5	4	11	2	1	
		F	45	4	12	5	1	1	8	6	6	2	18	3	3	2	—	3	3	1	2	
20	Other respiratory diseases ..	M	12	—	—	—	1	—	4	4	1	2	5	—	1	—	2	—	1	—	—	
		F	10	1	—	—	—	1	2	1	2	3	4	—	—	1	—	—	—	1	2	
21	Ulcer of stomach or duodenum	M	8	—	—	—	—	—	2	6	—	—	4	—	—	—	—	2	2	—	—	
		F	7	—	—	—	—	1	2	2	2	—	—	—	—	—	—	—	—	—	—	
22	Diarrhœa, &c.	M	24	21	1	—	—	—	—	1	1	—	16	11	2	—	—	1	—	1	1	
		F	15	7	2	2	—	—	—	2	—	2	10	3	1	1	—	1	1	2	1	
23	Appendicitis and typhlitis..	M	4	—	—	—	1	—	1	2	—	—	4	—	—	—	1	2	1	—	—	
		F	1	—	—	—	1	—	—	—	—	—	3	—	—	—	1	—	2	—	—	
24	Cirrhosis of liver ..	M	3	—	—	—	—	—	—	3	—	—	3	—	—	—	—	1	2	—	—	
		F	3	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	
25	Acute and chronic nephritis	M	22	—	—	—	—	2	5	8	5	2	22	—	—	—	2	3	10	5	2	
		F	19	—	—	—	—	3	1	4	8	3	7	—	—	—	—	1	3	3	—	
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	—	—	—	
		F	4	—	—	—	—	—	4	—	—	—	8	—	—	—	—	—	—	—	—	
28	Congenital debility and malformation, premature birth..	M	52	52	—	—	—	—	—	—	—	—	47	46	1	—	—	—	—	—	—	
		F	43	43	—	—	—	—	—	—	—	—	28	28	—	—	—	—	—	—	—	
29	Suicide ..	M	5	—	—	—	—	—	2	2	1	—	5	—	—	—	—	—	3	1	1	
		F	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—	1	—	1	—	
30	Other deaths from violence..	M	28	—	—	2	4	—	6	11	1	4	16	—	1	1	1	4	6	1	1	
		F	14	—	1	4	—	—	1	1	3	4	4	—	—	—	—	2	1	—	—	
31	Other defined diseases ..	M	149	21	4	1	4	7	12	30	29	41	70	9	4	—	1	3	17	15	13	
		F	129	11	1	3	6	4	5	21	19	59	60	12	—	2	1	6	7	9	10	
32	Causes ill-defined or unknown	M	3	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	
		F	4	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHs—1921
(Civilian Population only).

CAUSES OF DEATH.		SEX.	DUDLEY.										EASTBOURNE.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..		M	375	93	15	15	18	16	41	83	59	35	302	38	2	5	8	8	29	88	56	68
		F	291	50	20	17	17	9	33	48	43	54	337	22	4	2	7	10	35	102	56	99
1	Enteric fever ..	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
2	Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles ..	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	4	1	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	Scarlet fever ..	M	4	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
		F	5	—	1	3	1	—	—	—	—	—	3	1	2	—	—	—	—	—	—	
6	Diphtheria ..	M	3	—	—	—	3	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
		F	1	—	—	—	1	—	—	—	—	—	3	—	—	2	—	1	—	—	—	
7	Influenza ..	M	5	—	—	—	—	—	3	2	—	—	9	—	—	1	—	2	4	1	1	
		F	2	—	—	—	—	—	—	1	1	—	13	—	—	—	—	1	2	2	8	
8	Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9	Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10	Tuberculosis of respiratory system	M	27	1	—	—	2	5	8	11	—	—	30	—	—	—	4	10	9	5	2	
		F	19	—	—	1	2	7	7	2	—	—	23	—	—	1	4	11	7	—	—	
11	Other tuberculous diseases ..	M	4	—	1	—	—	1	2	—	—	—	8	—	—	2	1	4	—	—	—	
		F	5	1	1	3	—	—	—	—	—	—	4	—	—	1	2	—	1	—	—	
12	Cancer, malignant disease ..	M	21	—	—	—	—	—	3	14	4	—	48	—	—	—	—	—	25	9	14	
		F	23	—	—	—	—	—	5	10	5	3	56	—	—	—	1	3	24	16	12	
13	Rheumatic fever ..	M	4	—	—	—	1	—	1	2	—	—	1	—	—	—	—	—	—	1	—	
		F	2	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	1	—	
14	Diabetes ..	M	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	2	2	2	
		F	3	—	—	—	—	—	1	2	—	—	7	—	—	—	—	1	1	1	4	
15	Cerebral hæmorrhage, &c. ..	M	24	—	—	—	—	—	—	10	12	2	15	—	—	—	—	—	2	8	5	
		F	20	—	—	—	—	1	1	6	8	4	31	—	—	—	—	1	8	8	14	
16	Heart disease ..	M	26	—	—	—	—	1	6	9	9	1	34	—	—	—	—	3	9	5	17	
		F	18	—	—	—	1	—	2	8	5	2	57	—	—	—	—	2	16	15	24	
17	Arterio-sclerosis ..	M	4	—	—	—	—	—	—	—	2	2	8	—	—	—	—	—	1	2	5	
		F	2	—	—	—	—	—	—	—	1	1	7	—	—	—	—	—	4	1	2	
18	Bronchitis ..	M	43	11	2	1	—	—	2	10	9	8	14	1	—	—	—	1	7	1	4	
		F	36	6	2	1	—	—	2	6	12	7	15	1	—	—	—	—	2	4	8	
19	Pneumonia (all forms) ..	M	40	13	3	6	2	1	4	6	4	1	15	—	1	—	—	3	7	2	2	
		F	31	7	7	3	3	—	2	5	3	1	12	1	—	—	1	3	1	2	4	
20	Other respiratory diseases ..	M	5	—	—	1	1	—	1	2	—	—	6	—	—	—	—	1	3	1	1	
		F	6	—	—	2	2	—	—	1	—	1	1	—	—	—	—	—	1	—	—	
21	Ulcer of stomach or duodenum ..	M	3	—	—	—	—	—	2	1	—	—	5	—	—	—	—	1	3	1	—	
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
22	Diarrhœa, &c. ..	M	29	18	5	3	1	—	—	—	—	2	7	5	—	1	—	—	—	—	1	
		F	24	12	8	—	2	—	—	—	2	—	5	3	1	—	—	1	—	—	—	
23	Appendicitis and typhlitis..	M	3	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	1	—	—	—	—	—	3	—	—	2	—	—	1	—	—	
24	Cirrhosis of liver ..	M	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	2	1	—	
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	
25	Acute and chronic nephritis ..	M	6	—	—	—	—	—	1	4	1	—	4	—	—	—	—	—	2	1	1	
		F	4	—	—	—	1	—	—	—	1	2	8	—	—	—	—	3	4	1	—	
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	1	—	—	—	
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	3	—	—	—	—	—	3	—	—	—	1	—	—	—	—	1	—	—	—	
28	Congenital debility and malformation, premature birth..	M	38	37	—	1	—	—	—	—	—	—	19	19	—	—	—	—	—	—	—	
		F	18	18	—	—	—	—	—	—	—	—	13	12	1	—	—	—	—	—	—	
29	Suicide ..	M	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	1	—	1	
		F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	
30	Other deaths from violence..	M	14	1	—	1	3	2	3	2	2	—	7	1	—	1	—	2	3	—	—	
		F	4	1	—	—	—	—	1	2	—	—	4	1	—	—	—	—	2	—	—	
31	Other defined diseases ..	M	68	12	3	1	2	4	2	9	16	10	59	12	1	2	3	1	11	16	12	
		F	55	4	1	1	1	1	4	5	5	33	64	3	1	—	2	2	5	25	5	
32	Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.	Sex.	EAST HAM.										EXETER.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	737	101	27	13	20	45	97	209	113	112	334	63	8	7	21	13	29	76	61	56
	F	743	99	16	18	37	49	101	159	101	163	431	45	8	9	16	18	37	87	83	128
1 Enteric fever ..	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	1	—	1	—	—	—	—	—	—	—	5	1	2	2	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—	4	—	3	1	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	3	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	6	—	2	2	1	1	—	—	—	—	5	—	—	—	4	1	—	—	—	—
	F	18	—	4	4	10	—	—	—	—	—	8	—	—	4	4	—	—	—	—	—
7 Influenza ..	M	13	—	3	—	—	2	2	5	—	1	1	—	—	—	—	1	—	—	—	—
	F	22	1	—	2	2	8	2	2	2	3	4	—	—	—	—	—	1	—	—	3
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	3	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	63	—	—	—	1	15	26	21	—	—	14	—	—	—	—	1	7	6	—	—
	F	61	—	—	—	1	17	28	14	1	—	31	—	—	—	—	8	15	7	—	1
11 Other tuberculous diseases ..	M	14	1	3	1	5	3	—	1	—	—	7	—	—	—	3	1	3	—	—	—
	F	15	2	—	2	5	3	2	1	—	—	5	—	—	1	—	1	2	1	—	—
12 Cancer, malignant disease ..	M	77	—	—	1	—	—	6	41	20	9	20	—	—	1	—	—	1	11	5	2
	F	78	—	—	—	—	2	12	35	18	11	52	—	—	—	—	—	3	20	23	6
13 Rheumatic fever ..	M	5	—	—	—	1	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes ..	M	10	—	—	—	1	1	1	5	2	—	3	—	—	—	1	—	—	—	2	—
	F	6	—	—	—	2	—	1	3	—	—	5	—	—	—	—	—	1	—	2	2
15 Cerebral hæmorrhage, &c. ..	M	30	—	—	—	—	—	1	8	13	8	24	—	—	—	—	—	—	11	8	5
	F	43	—	—	—	—	—	3	18	12	10	31	—	—	—	—	—	1	4	12	14
16 Heart disease ..	M	87	—	—	—	—	5	12	30	21	19	35	—	—	—	2	1	3	13	9	7
	F	87	—	—	—	2	2	12	33	15	23	57	—	—	—	3	—	5	20	16	13
17 Arterio-sclerosis ..	M	15	—	—	—	—	—	—	6	8	1	14	—	—	—	—	—	—	4	3	7
	F	7	—	—	—	—	—	—	2	—	5	12	—	—	—	—	—	—	—	3	9
18 Bronchitis ..	M	53	10	2	1	—	1	2	14	7	16	23	3	1	—	1	—	3	1	7	7
	F	65	7	—	2	—	—	1	8	10	37	36	4	1	1	—	1	—	4	7	18
19 Pneumonia (all forms) ..	M	67	10	8	3	3	5	11	14	5	8	29	10	2	—	1	4	3	3	4	2
	F	56	11	6	4	1	1	6	10	10	7	16	—	—	—	—	—	—	4	5	7
20 Other respiratory diseases ..	M	12	1	—	—	—	—	—	10	1	—	7	—	—	—	—	1	—	2	3	1
	F	9	—	1	—	—	3	1	—	—	4	3	—	—	—	—	1	—	2	—	—
21 Ulcer of stomach or duodenum ..	M	9	—	—	—	—	—	2	4	3	—	1	—	—	—	—	—	—	1	—	—
	F	2	—	—	—	—	—	1	—	1	—	3	—	—	—	—	1	—	2	—	—
22 Diarrhoea, &c. ..	M	26	19	2	1	—	—	—	3	—	—	11	11	—	—	—	—	—	—	—	—
	F	21	16	1	1	1	—	—	—	—	2	19	16	—	1	1	—	—	—	—	1
23 Appendicitis and typhlitis..	M	5	—	—	—	1	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	3	2	1	3	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver ..	M	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	2	—	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	19	—	—	—	—	—	2	8	6	3	10	—	—	—	1	1	—	4	4	—
	F	16	1	—	—	1	—	3	3	6	2	13	—	—	—	—	1	2	3	3	4
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	5	—	—	—	—	2	3	—	—	—
28 Congenital debility and malformation, premature birth..	M	38	38	—	—	—	—	—	—	—	—	24	24	—	—	—	—	—	—	—	—
	F	41	39	1	1	—	—	—	—	—	—	17	17	—	—	—	—	—	—	—	—
29 Suicide ..	M	12	—	—	—	—	—	3	6	3	—	6	—	—	—	—	—	1	4	1	—
	F	7	—	—	—	—	2	3	2	—	—	1	—	—	—	—	—	—	1	—	—
30 Other deaths from violence..	M	23	1	2	—	1	6	7	5	—	1	16	1	1	2	4	1	2	2	2	1
	F	8	—	—	1	—	1	—	2	1	3	10	—	2	—	1	1	—	3	—	3
31 Other defined diseases ..	M	147	20	4	4	6	3	17	25	23	45	76	13	1	2	3	1	6	13	13	24
	F	147	15	2	1	5	5	18	20	25	56	94	7	2	1	7	1	3	14	12	47
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	1	—	—	2	—	1	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.	Sex.	GATESHEAD.										GLOUCESTER.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	961	235	58	40	48	42	108	212	125	93	291	48	8	4	7	17	35	76	43	53
	F	870	167	62	41	42	40	102	188	115	113	337	55	9	5	15	14	44	54	62	79
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles ..	M	23	5	13	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	15	1	10	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4 Scarlet fever ..	M	1	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
	F	8	—	2	1	5	—	—	—	—	—	2	—	—	2	—	—	—	—	—	
5 Whooping cough ..	M	14	5	2	7	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
	F	17	4	8	5	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	
6 Diphtheria ..	M	4	—	1	1	2	—	—	—	—	—	3	—	—	1	2	—	—	—	—	
	F	8	—	—	6	2	—	—	—	—	—	5	—	—	1	4	—	—	—	—	
7 Influenza ..	M	8	1	—	1	—	1	2	3	—	—	9	1	1	1	1	—	2	2	—	
	F	11	—	—	1	—	1	5	2	2	—	9	3	—	1	—	1	2	1	1	
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10 Tuberculosis of respiratory system	M	84	—	2	—	3	14	34	28	3	—	33	—	—	—	7	19	7	—	—	
	F	57	1	—	1	8	14	24	8	1	—	28	—	—	—	8	15	5	—	—	
11 Other tuberculous diseases ..	M	38	10	3	3	10	4	5	3	—	—	7	1	3	—	1	—	2	—	—	
	F	32	4	3	4	8	5	6	2	—	—	10	3	—	2	2	3	—	—	—	
12 Cancer, malignant disease ..	M	43	—	—	—	—	1	6	19	17	—	28	—	—	—	—	2	15	5	6	
	F	84	—	—	—	1	—	5	50	22	6	32	—	2	—	—	3	9	8	10	
13 Rheumatic fever ..	M	6	—	—	—	2	—	2	2	—	—	—	—	—	—	—	—	—	—	—	
	F	2	—	—	—	—	2	—	—	—	—	1	—	—	1	—	—	—	—	—	
14 Diabetes ..	M	5	—	—	—	1	1	2	—	1	—	2	—	—	—	—	1	—	—	1	
	F	10	—	—	—	—	—	4	4	2	—	1	—	—	—	—	—	1	—	—	
15 Cerebral hæmorrhage, &c. ..	M	49	—	—	—	—	—	3	15	22	9	18	—	—	—	—	—	4	9	5	
	F	59	—	—	—	—	—	2	27	16	14	30	—	—	—	—	—	7	12	11	
16 Heart disease ..	M	69	—	—	—	1	1	6	33	17	11	37	—	—	—	1	4	10	15	7	
	F	56	—	—	—	3	2	8	21	13	9	33	—	—	3	—	2	7	13	8	
17 Arterio-sclerosis ..	M	16	—	—	—	—	—	1	1	7	7	11	—	—	—	—	—	4	2	5	
	F	4	—	—	—	—	—	—	1	2	1	10	—	—	—	—	—	3	1	6	
18 Bronchitis ..	M	62	11	3	—	1	—	2	13	13	19	23	1	—	—	—	2	5	3	12	
	F	67	12	3	—	—	—	3	14	16	19	31	1	—	—	—	—	2	11	17	
19 Pneumonia (all forms) ..	M	109	30	15	10	7	7	13	22	2	3	16	2	1	1	—	2	6	—	2	
	F	92	21	18	10	4	2	10	19	4	4	12	3	3	1	—	1	3	—	1	
20 Other respiratory diseases ..	M	16	2	—	—	—	—	1	8	4	1	3	—	1	1	—	—	1	—	—	
	F	5	—	—	—	—	—	1	3	—	1	4	—	—	1	—	—	—	1	2	
21 Ulcer of stomach or duodenum ..	M	11	—	—	—	—	1	2	4	2	2	1	—	—	—	—	—	1	—	—	
	F	3	—	—	—	—	2	1	—	—	—	1	—	—	—	—	1	—	—	—	
22 Diarrhœa, &c. ..	M	60	39	11	2	2	—	—	2	1	3	12	9	2	—	1	—	—	—	—	
	F	47	30	9	1	1	—	1	1	2	2	11	8	—	1	—	—	1	—	1	
23 Appendicitis and typhlitis ..	M	2	—	—	1	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	
	F	4	—	—	—	—	—	2	1	1	—	3	—	—	1	—	2	—	—	—	
24 Cirrhosis of liver ..	M	4	—	—	—	—	—	1	2	—	1	1	—	—	—	—	—	1	—	—	
	F	4	—	—	—	—	—	—	3	1	—	1	—	—	—	—	—	—	1	—	
25 Acute and chronic nephritis ..	M	29	—	—	—	—	—	2	15	7	5	2	—	—	—	—	—	1	1	—	
	F	27	1	—	1	—	1	—	12	6	6	11	—	—	—	—	3	2	4	2	
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	5	—	—	—	—	1	4	—	—	—	4	—	—	—	2	2	—	—	—	
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	11	—	—	—	—	5	6	—	—	—	3	—	—	—	—	3	—	—	—	
28 Congenital debility and malformation, premature birth ..	M	83	83	—	—	—	—	—	—	—	—	26	26	—	—	—	—	—	—	—	
	F	61	60	—	1	—	—	—	—	—	—	28	28	—	—	—	—	—	—	—	
29 Suicide ..	M	9	—	—	—	—	1	5	3	—	—	1	—	—	—	—	—	1	—	—	
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	1	1	—	
30 Other deaths from violence ..	M	34	1	1	2	9	3	5	8	4	1	6	1	—	—	2	—	1	1	1	
	F	15	1	—	1	—	1	2	3	4	3	6	—	2	—	—	1	2	1	—	
31 Other defined diseases ..	M	174	48	5	10	8	8	14	28	22	31	46	6	—	3	2	3	13	5	14	
	F	160	32	9	5	9	4	16	14	23	48	55	9	1	1	1	6	9	8	20	
32 Causes ill-defined or unknown ..	M	8	—	1	—	—	—	1	3	3	—	1	—	—	—	—	—	1	—	—	
	F	6	—	—	—	1	—	2	3	—	—	—	—	—	—	—	—	—	—	—	

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.	Sex.	GREAT YARMOUTH										GRIMSBY.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	M	359	48	12	5	7	16	40	76	65	90	521	117	21	20	18	30	63	120	77	55
	F	370	39	12	10	12	17	40	77	66	97	458	104	16	15	10	18	60	96	62	77
1 Enteric fever	M	1	—	—	—	—	1	—	—	—	—	3	—	—	—	—	1	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	2	—	2	—	—	—	—	—	—	—	8	4	2	2	—	—	—	—	—	—
	F	3	1	2	—	—	—	—	—	—	—	13	8	3	2	—	—	—	—	—	—
6 Diphtheria	M	4	—	1	2	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	4	—	—	2	2	—	—	—	—	—
7 Influenza	M	5	1	—	—	—	—	3	1	—	—	7	—	—	—	—	1	2	3	1	—
	F	8	—	—	—	1	—	—	2	4	1	3	—	—	—	—	1	1	1	1	—
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	23	—	—	1	—	6	11	5	—	—	52	2	1	2	2	9	24	9	3	—
	F	36	—	—	—	2	7	14	11	2	—	35	1	—	—	1	6	21	6	—	—
11 Other tuberculous diseases	M	6	—	1	1	1	—	2	1	—	—	19	7	—	2	5	1	1	3	—	—
	F	17	2	3	3	1	4	3	1	—	—	14	4	2	2	1	4	1	—	—	—
12 Cancer, malignant disease	M	30	—	—	—	—	—	2	11	12	5	47	—	—	—	1	—	2	23	14	—
	F	40	—	—	—	—	1	4	17	13	5	60	—	—	—	—	—	9	32	11	—
13 Rheumatic fever	M	3	—	—	—	—	1	2	—	—	—	2	—	—	—	1	1	—	—	—	—
	F	2	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	1	—	—	—	—	—	—	1	—	—	6	—	—	—	—	—	1	3	1	—
	F	2	—	—	—	—	—	—	—	1	1	2	—	—	—	—	—	—	—	1	—
15 Cerebral hæmorrhage, &c.	M	15	—	—	—	—	—	1	1	8	5	20	—	—	—	—	—	1	5	6	—
	F	34	—	—	—	—	—	—	15	7	12	22	—	—	—	—	—	1	6	9	—
16 Heart disease	M	28	—	—	—	—	1	3	4	10	10	45	—	—	1	1	—	6	16	13	—
	F	30	—	—	—	—	1	1	6	11	11	53	—	—	—	—	4	4	15	15	—
17 Arterio-sclerosis	M	22	—	—	—	—	—	—	4	3	15	11	—	—	—	—	—	—	3	6	—
	F	13	—	—	—	—	—	—	2	4	7	2	—	—	—	—	—	—	1	—	—
18 Bronchitis	M	26	3	1	—	—	—	2	6	4	10	30	4	1	—	—	—	2	7	7	—
	F	30	4	2	—	—	—	1	2	6	15	29	2	1	—	—	—	3	4	9	—
19 Pneumonia (all forms)	M	13	5	2	—	—	—	2	3	—	1	41	18	9	4	4	—	3	—	2	—
	F	13	5	—	2	1	1	3	1	—	—	31	15	4	5	2	—	2	1	2	—
20 Other respiratory diseases	M	16	—	—	—	1	—	1	2	4	8	6	—	—	1	1	1	1	2	—	—
	F	9	1	—	—	—	—	—	1	—	7	9	3	—	1	—	—	3	1	1	—
21 Ulcer of stomach or duodenum	M	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—
22 Diarrhoea, &c.	M	15	10	2	—	1	—	—	—	1	1	30	23	2	2	1	—	—	1	1	—
	F	12	8	1	2	—	—	—	—	1	—	23	18	3	2	—	—	—	—	—	—
23 Appendicitis and typhlitis	M	2	—	—	—	1	—	—	1	—	—	4	—	—	1	—	1	1	—	1	—
	F	4	—	—	1	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver	M	3	—	—	—	—	—	—	1	2	—	2	—	—	—	—	—	1	1	—	—
	F	2	—	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	2	—	—
25 Acute and chronic nephritis	M	11	—	—	1	—	—	2	6	1	1	15	—	—	—	—	1	1	8	3	—
	F	8	—	—	—	—	—	3	—	4	1	13	—	—	—	1	—	1	5	2	—
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	1	—	—	—	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	5	—	—	—	—	1	4	—	—	—
28 Congenital debility and malformation, premature birth.	M	22	22	—	—	—	—	—	—	—	—	33	32	1	—	—	—	—	—	—	—
	F	12	11	—	—	1	—	—	—	—	—	32	32	—	—	—	—	—	—	—	—
29 Suicide	M	4	—	—	—	—	—	—	4	—	—	8	—	—	—	—	1	2	4	1	—
	F	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	1	—	—
30 Other deaths from violence.	M	18	1	2	—	—	4	2	7	1	1	27	2	1	1	—	5	4	12	1	—
	F	8	—	1	1	1	—	—	1	2	2	6	1	1	1	—	—	—	—	2	—
31 Other defined diseases	M	87	6	1	—	2	3	6	17	19	33	103	25	4	3	2	8	10	18	17	—
	F	77	7	3	1	1	1	6	13	10	35	95	20	1	—	2	2	10	20	9	—
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.	Sex.	HALIFAX.										HASTINGS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES. ..	M	637	95	18	13	20	21	68	186	136	80	388	29	2	7	6	7	49	98	100	90
	F	730	80	10	11	18	22	77	187	162	163	469	16	3	3	8	11	45	95	91	197
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
5 Whooping cough ..	M	1	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	3	2	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	4	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
7 Influenza ..	M	3	—	—	—	—	—	—	2	—	1	5	—	—	—	—	1	—	—	2	2
	F	6	—	—	1	—	—	2	1	—	2	25	—	—	—	1	—	1	5	4	14
8 Encephalitis lethargica ..	M	3	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	1	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	36	—	—	1	1	4	19	9	2	—	41	—	—	—	—	5	26	10	—	—
	F	30	—	—	—	4	7	15	3	—	1	31	—	1	—	3	4	14	4	5	—
11 Other tuberculous diseases ..	M	15	1	1	1	2	3	4	2	1	—	7	1	—	2	—	—	3	1	—	—
	F	12	—	2	3	2	3	—	1	1	—	9	—	—	—	1	1	4	2	—	1
12 Cancer, malignant disease ..	M	48	—	—	—	—	—	2	30	12	4	54	—	—	—	—	—	—	25	17	12
	F	90	—	—	—	—	—	9	41	31	9	74	—	—	—	—	—	5	26	21	22
13 Rheumatic fever ..	M	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes ..	M	8	—	—	—	—	—	1	2	2	3	5	—	—	—	—	—	—	1	4	—
	F	14	—	—	—	1	—	5	2	2	4	5	—	—	—	—	—	—	3	—	2
15 Cerebral hæmorrhage, &c. ..	M	41	—	—	—	—	—	1	21	13	6	19	—	—	—	—	—	—	4	8	7
	F	50	—	—	—	—	—	—	18	13	19	34	—	—	—	—	1	9	7	17	17
16 Heart disease ..	M	95	—	—	—	2	3	9	31	39	11	64	—	—	—	1	—	5	13	24	21
	F	109	—	—	—	2	1	11	38	35	22	95	—	—	—	—	3	4	13	25	50
17 Arterio-sclerosis ..	M	28	—	—	—	—	—	—	9	14	5	10	—	—	—	—	—	—	1	4	5
	F	22	—	—	—	—	—	—	4	8	10	6	—	—	—	—	—	—	2	1	3
18 Bronchitis ..	M	47	8	2	—	1	—	2	9	15	10	13	1	—	—	—	—	—	1	5	6
	F	72	6	1	2	—	—	1	15	18	29	20	2	—	—	—	—	—	1	7	10
19 Pneumonia (all forms) ..	M	55	13	7	4	2	2	7	10	5	5	28	2	1	2	1	1	3	4	8	6
	F	50	20	1	—	1	2	4	11	6	5	18	2	—	—	—	—	—	3	5	8
20 Other respiratory diseases ..	M	7	—	2	—	—	—	—	3	1	1	10	—	—	—	1	—	2	2	2	3
	F	5	—	—	—	—	—	1	3	1	—	5	—	—	—	—	—	1	—	1	3
21 Ulcer of stomach or duodenum ..	M	2	—	—	—	—	—	1	—	1	—	2	—	—	—	—	—	1	1	—	—
	F	4	—	—	—	—	—	3	1	—	—	3	—	—	—	—	—	1	1	1	—
22 Diarrhœa, &c. ..	M	9	8	1	—	—	—	—	—	—	—	6	4	1	—	—	—	—	—	—	1
	F	21	7	2	3	1	1	—	1	4	2	5	4	—	—	—	—	—	1	—	—
23 Appendicitis and typhlitis ..	M	7	—	—	—	2	1	—	3	1	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	4	—	—	—	1	—	—	2	—	1
24 Cirrhosis of liver ..	M	4	—	—	—	—	—	—	2	1	1	1	—	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	23	—	—	—	1	—	5	9	6	2	20	—	—	—	—	—	3	5	5	7
	F	24	—	—	—	—	—	3	14	7	—	8	—	—	—	—	—	1	2	—	5
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	4	—	—	—	1	—	—	—	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	1	6	—	—	—	6	—	—	—	—	—	6	—	—	—
28 Congenital debility and malformation, premature birth..	M	36	36	—	—	—	—	—	—	—	—	12	12	—	—	—	—	—	—	—	—
	F	29	29	—	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—	—
29 Suicide ..	M	11	—	—	—	—	1	1	6	3	—	5	—	—	—	—	—	1	3	1	—
	F	8	—	—	—	—	2	1	3	2	—	2	—	—	—	—	—	1	—	—	1
30 Other deaths from violence..	M	26	3	—	1	3	4	5	6	1	3	11	—	—	2	1	—	1	3	—	4
	F	12	3	1	—	2	1	—	2	2	1	9	—	—	—	—	—	1	1	—	7
31 Other defined diseases ..	M	126	25	3	5	3	2	10	32	18	28	73	8	—	—	2	—	4	24	19	16
	F	145	13	2	1	—	1	10	27	32	59	101	4	1	2	1	1	6	21	12	53
32 Causes ill-defined or unknown	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—

CAUSES OF DEATH.		Sex	HUDDERSFIELD										IPSWICH.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..		M	743	96	19	7	23	36	88	261	136	77	431	68	5	13	19	14	47	107	80	78
		F	745	84	12	21	16	31	95	196	135	155	460	60	7	9	20	24	42	85	84	129
1 Enteric fever ..		M	2	—	—	—	—	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	—	—	—	—	—	1	—	—	—	—	—
2 Small-pox ..		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..		M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..		M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..		M	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	1	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria ..		M	6	—	—	2	2	2	—	—	—	—	6	—	—	1	5	—	—	—	—	—
		F	6	—	—	2	3	1	—	—	—	—	9	—	2	3	4	—	—	—	—	—
7 Influenza ..		M	12	—	—	—	—	1	3	7	1	—	7	—	—	—	—	—	2	2	1	2
		F	7	—	—	—	—	1	1	3	1	1	7	1	—	—	—	—	—	4	1	1
8 Encephalitis lethargica ..		F	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..		M	1	—	—	—	—	1	—	—	—	—	2	2	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—
10 Tuberculosis of respiratory system		M	54	1	1	—	2	11	17	19	3	—	39	—	—	—	7	16	14	1	1	1
		F	37	—	—	—	1	16	11	9	—	—	43	—	—	1	2	14	14	8	2	2
11 Other tuberculous diseases ..		M	17	2	3	—	3	4	2	2	1	—	3	1	—	—	1	—	1	—	—	—
		F	4	—	—	1	2	—	1	—	—	—	6	1	—	—	1	1	2	1	—	—
12 Cancer, malignant disease ..		M	65	—	—	—	—	—	4	42	17	2	41	—	—	—	—	—	1	19	14	7
		F	92	—	—	—	—	—	13	53	17	9	56	—	—	—	—	—	5	24	14	13
13 Rheumatic fever ..		M	2	—	—	1	1	—	—	—	—	—	2	—	—	—	—	2	—	—	—	—
		F	2	—	—	—	1	1	—	—	—	—	2	—	—	—	1	—	—	1	—	—
14 Diabetes ..		M	11	—	—	—	—	—	1	8	2	—	3	—	—	—	2	—	—	1	—	—
		F	8	—	—	—	—	—	2	2	2	2	5	—	—	—	—	—	—	1	3	1
15 Cerebral hæmorrhage, &c. ..		M	33	—	—	—	—	1	—	10	17	5	38	—	—	—	—	—	1	8	17	12
		F	60	—	—	—	—	—	2	22	27	9	29	—	—	—	—	—	7	9	13	13
16 Heart disease ..		M	106	—	—	—	2	3	19	45	22	15	40	—	—	—	1	—	2	12	14	11
		F	107	—	—	—	1	2	7	36	28	33	56	—	—	—	2	1	3	11	18	21
17 Arterio-sclerosis ..		M	45	—	—	—	—	—	—	14	18	13	7	—	—	—	—	—	—	1	3	3
		F	23	—	—	—	—	—	—	7	6	10	5	—	—	—	—	—	—	2	3	—
18 Bronchitis ..		M	65	11	4	—	—	—	4	21	13	12	24	6	—	—	—	—	1	4	5	8
		F	71	6	1	1	1	1	5	8	15	33	27	2	1	—	—	—	1	—	9	14
19 Pneumonia (all forms) ..		M	53	6	6	1	2	2	9	22	4	1	32	3	4	5	1	—	8	6	2	3
		F	57	18	3	10	1	1	7	4	9	4	30	7	1	2	1	1	4	6	4	4
20 Other respiratory diseases ..		M	10	1	—	—	—	—	2	5	—	2	5	—	—	—	—	—	—	1	1	3
		F	10	—	1	—	—	—	—	6	—	3	3	—	—	—	—	—	—	2	1	1
21 Ulcer of stomach or duodenum ..		M	7	—	—	—	—	—	2	5	—	—	4	—	—	—	—	—	2	1	—	1
		F	2	—	—	—	—	—	1	1	—	—	2	—	—	—	—	—	2	—	—	—
22 Diarrhoea, &c. ..		M	12	8	—	1	—	—	1	1	1	—	15	9	—	2	1	—	—	2	1	—
		F	13	9	—	—	—	—	—	1	2	1	13	12	—	—	—	—	—	—	—	1
23 Appendicitis and typhlitis..		M	7	—	—	—	2	1	2	1	1	—	2	—	—	1	—	—	1	—	—	—
		F	4	—	—	—	1	1	—	1	1	—	4	—	—	2	2	—	—	—	—	—
24 Cirrhosis of liver ..		M	4	—	—	—	—	—	—	2	2	—	2	—	—	—	—	—	—	2	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
25 Acute and chronic nephritis ..		M	25	—	—	—	—	1	3	12	6	3	10	—	—	—	1	1	—	7	1	—
		F	23	—	—	—	—	—	4	11	7	1	8	—	—	—	1	1	1	1	4	1
26 Puerperal sepsis ..		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	2	4	—	—	—	3	—	—	—	1	1	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	14	—	—	—	—	—	14	—	—	—	1	—	—	—	—	—	1	—	—	—
28 Congenital debility and malformation, premature birth..		M	47	46	—	—	1	—	—	—	—	—	28	28	—	—	—	—	—	—	—	—
		F	42	39	1	1	1	—	—	—	—	—	25	25	—	—	—	—	—	—	—	—
29 Suicide ..		M	13	—	—	—	—	—	5	6	2	—	2	—	—	—	—	—	1	1	—	—
		F	3	—	—	—	—	—	1	1	—	1	1	—	—	—	—	—	—	1	—	—
30 Other deaths from violence..		M	19	—	1	—	4	2	2	6	2	2	21	4	—	2	3	—	2	8	2	—
		F	7	1	—	—	—	1	1	1	—	3	14	1	1	—	2	—	1	2	1	6
31 Other defined diseases ..		M	120	18	3	2	3	4	12	32	24	22	94	15	1	2	6	4	6	16	17	27
		F	137	10	4	4	3	2	19	30	20	45	107	11	2	3	5	2	6	13	14	51
32 Causes ill-defined or unknown ..		M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	2	1	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.	Sex	KINGSTON-UPON-HULL.										LEEDS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	1998	420	69	40	84	90	274	475	314	232	3273	558	135	64	84	134	409	908	609	372
	F	1820	291	58	51	88	108	243	380	262	339	3014	439	144	66	118	163	356	655	570	503
1 Enteric fever ..	M	4	—	—	—	—	1	3	—	—	—	2	—	—	—	—	—	1	1	—	—
	F	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	1	2	—	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	—	1	—	—	—	—	—	6	—	1	2	1	2	—	—	—	—
	F	2	—	—	1	—	1	—	—	—	—	8	—	—	1	5	1	1	—	—	—
5 Whooping cough ..	M	15	7	7	1	—	—	—	—	—	—	26	11	9	6	—	—	—	—	—	—
	F	15	9	5	1	—	—	—	—	—	—	46	10	30	6	—	—	—	—	—	—
6 Diphtheria ..	M	14	2	1	4	6	1	—	—	—	—	18	3	2	5	8	—	—	—	—	—
	F	20	—	1	5	11	—	—	1	1	1	20	1	1	5	9	3	—	1	—	—
7 Influenza ..	M	23	1	—	—	—	—	5	11	3	3	90	5	4	1	1	4	17	37	16	5
	F	28	—	—	1	4	1	6	9	4	3	74	2	4	5	1	4	12	22	13	11
8 Encephalitis lethargica ..	M	2	—	—	—	1	1	—	—	—	—	5	—	—	—	1	1	1	2	—	—
	F	4	—	1	—	1	—	1	1	—	—	5	—	—	1	—	—	3	1	—	—
9 Meningococcal meningitis ..	M	2	1	—	—	1	—	—	—	—	—	3	1	—	2	—	—	—	—	—	—
	F	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	163	1	—	1	4	30	83	42	2	—	274	1	3	—	3	40	126	84	15	2
	F	154	—	—	1	16	57	60	17	2	1	234	1	3	1	15	86	97	27	4	—
11 Other tuberculous diseases ..	M	48	12	2	7	16	3	2	6	—	—	61	12	10	6	8	11	4	6	3	1
	F	56	7	5	7	20	11	4	1	1	—	75	8	14	11	18	9	6	6	2	1
12 Cancer, malignant disease ..	M	162	—	1	—	—	1	15	81	48	16	262	—	1	—	2	1	22	133	81	22
	F	192	—	—	—	—	1	27	100	43	21	292	—	—	1	2	1	35	139	83	31
13 Rheumatic fever ..	M	10	—	—	—	4	3	1	1	1	—	14	—	—	—	9	1	1	2	1	—
	F	3	—	—	—	1	1	1	—	—	—	15	—	—	—	9	1	3	1	1	—
14 Diabetes ..	M	9	—	—	—	1	1	2	2	2	1	23	—	—	—	—	2	6	13	2	—
	F	10	—	—	—	—	1	3	3	2	1	20	—	—	—	1	2	2	8	4	3
15 Cerebral hæmorrhage, &c. ..	M	86	—	—	1	—	—	3	30	29	23	166	—	1	—	1	1	5	54	72	32
	F	99	—	—	—	—	—	5	35	23	36	200	—	—	—	—	—	8	53	68	71
16 Heart disease ..	M	212	1	—	2	7	6	36	65	65	30	360	—	—	—	5	19	47	134	101	54
	F	183	1	—	1	4	7	22	53	55	40	368	—	—	—	9	18	32	113	116	80
17 Arterio-sclerosis ..	M	26	—	—	—	—	—	2	8	9	7	119	—	—	—	—	—	3	30	49	37
	F	19	—	—	—	—	—	—	5	7	7	84	—	—	—	—	—	3	17	28	36
18 Bronchitis ..	M	162	29	11	2	—	1	11	37	45	26	259	39	9	4	—	1	17	72	62	55
	F	166	24	7	7	1	—	4	23	39	61	246	36	7	—	2	1	6	52	64	78
19 Pneumonia (all forms) ..	M	168	40	21	11	11	5	20	39	15	6	363	65	49	20	10	12	65	90	39	13
	F	118	31	12	10	5	4	13	21	8	14	242	42	50	18	3	8	38	40	27	16
20 Other respiratory diseases ..	M	51	10	1	1	1	1	8	22	3	4	43	3	3	1	1	1	12	15	6	1
	F	22	3	—	—	2	2	3	5	3	4	31	—	4	3	2	3	5	6	5	3
21 Ulcer of stomach or duodenum ..	M	9	—	—	—	—	1	3	4	1	—	21	—	—	—	—	3	7	7	3	1
	F	14	—	—	—	—	1	4	7	2	—	7	—	—	—	—	1	—	3	3	—
22 Diarrhœa, &c. ..	M	144	121	9	—	4	—	2	2	3	3	117	82	17	3	1	1	2	6	4	1
	F	93	69	10	2	—	—	—	4	2	6	104	76	10	1	3	—	1	3	4	6
23 Appendicitis and typhlitis ..	M	16	—	—	—	2	7	4	2	1	—	14	—	—	—	4	1	2	6	1	—
	F	13	—	—	—	3	1	6	2	1	—	13	—	1	—	5	—	3	3	1	—
24 Cirrhosis of liver ..	M	12	—	—	—	—	—	1	5	6	—	11	—	—	—	—	—	1	5	3	2
	F	3	—	—	—	1	—	—	1	1	—	8	—	—	—	—	—	3	4	1	—
25 Acute and chronic nephritis ..	M	46	1	1	—	—	—	8	17	9	6	115	—	—	1	—	2	9	56	32	15
	F	39	—	—	—	2	—	6	22	9	—	113	2	—	1	4	4	12	44	26	20
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	17	—	—	—	—	—	17	—	—	—	13	—	—	—	—	—	13	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	22	—	—	—	—	2	20	—	—	—	25	—	—	—	—	6	19	—	—	—
28 Congenital debility and malformation, premature birth ..	M	116	114	1	1	—	—	—	—	—	—	209	208	—	—	—	—	1	—	—	—
	F	117	116	1	—	—	—	—	—	—	—	167	165	1	—	1	—	—	—	—	—
29 Suicide ..	M	18	—	—	—	—	—	7	8	3	—	27	—	—	—	—	—	10	12	4	1
	F	10	—	—	—	—	—	5	5	—	—	11	—	—	—	—	1	2	6	2	—
30 Other deaths from violence ..	M	85	4	4	5	11	8	20	20	9	4	122	10	5	4	16	14	22	22	18	11
	F	32	2	2	6	4	4	6	2	2	4	63	6	4	4	7	2	6	8	15	11
31 Other defined diseases ..	M	390	75	8	4	14	16	37	73	60	103	537	118	19	7	13	17	27	120	97	119
	F	359	27	13	7	13	13	30	59	57	140	526	90	13	6	22	12	46	98	103	136
32 Causes ill-defined or unknown ..	M	4	1	2	—	—	—	1	—	—	—	4	—	1	1	—	—	1	1	—	—
	F	6	1	1	1	—	—	—	3	—	—	1	—	1	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.	Sex.	LEICESTER.										LINCOLN.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	1444	249	47	23	51	58	165	368	278	205	386	75	17	9	2	13	40	93	69	68
	F	1430	183	34	29	41	88	205	311	265	274	370	55	4	11	12	11	49	64	67	97
1 Enteric fever .. {	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles .. {	M	6	5	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4 Scarlet fever .. {	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5 Whooping cough .. {	M	14	9	5	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	
	F	20	7	9	3	1	—	—	—	—	—	7	4	1	2	—	—	—	—	—	
6 Diphtheria .. {	M	14	1	1	5	7	—	—	—	—	—	3	—	1	2	—	—	—	—	—	
	F	15	1	1	3	9	—	—	1	—	—	6	—	—	3	3	—	—	—	—	
7 Influenza .. {	M	28	1	3	—	—	2	5	10	5	2	9	—	2	1	—	—	3	2	1	
	F	32	2	1	1	1	3	4	9	5	6	4	—	—	—	1	1	—	1	1	
8 Encephalitis lethargica .. {	M	4	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	—	1	—	—	3	1	—	—	—	2	—	—	—	
9 Meningococcal meningitis .. {	M	2	1	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
	F	3	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	
10 Tuberculosis of respiratory system {	M	135	1	2	—	1	22	57	46	5	1	29	—	1	—	4	12	12	—	—	
	F	146	—	1	—	2	53	67	20	2	1	25	—	—	1	4	14	4	2	—	
11 Other tuberculous diseases .. {	M	34	3	5	5	7	7	5	2	—	—	4	3	—	—	1	—	—	—	—	
	F	34	4	4	7	4	5	6	2	1	1	9	3	—	2	1	3	—	—	—	
12 Cancer, malignant disease .. {	M	128	—	—	—	—	1	8	61	44	14	39	—	—	—	—	—	22	13	4	
	F	189	—	—	—	—	1	25	85	54	24	43	—	—	—	—	4	22	13	4	
13 Rheumatic fever .. {	M	3	—	—	—	—	1	1	1	—	—	2	—	—	—	1	1	—	—	—	
	F	6	—	—	—	1	1	4	—	—	—	1	—	—	—	1	—	—	—	—	
14 Diabetes .. {	M	12	—	—	—	—	—	2	4	5	1	3	—	—	—	1	—	2	—	—	
	F	15	—	—	—	1	1	2	4	6	1	4	—	—	—	1	—	—	1	2	
15 Cerebral hæmorrhage, &c. .. {	M	82	—	—	—	—	—	2	25	24	31	28	—	—	—	1	1	1	9	16	
	F	105	—	—	—	—	1	2	31	35	36	30	—	—	—	—	2	8	7	13	
16 Heart disease .. {	M	151	1	1	—	4	9	23	58	38	17	34	—	—	—	2	3	15	5	9	
	F	176	—	—	—	7	9	26	50	51	33	44	—	—	—	—	5	10	15	14	
17 Arterio-sclerosis .. {	M	43	—	—	—	—	—	—	11	12	20	18	—	—	—	—	—	5	8	5	
	F	28	—	—	—	—	—	—	8	10	10	12	—	—	—	—	—	1	5	6	
18 Bronchitis .. {	M	107	15	2	2	—	—	4	11	39	34	38	6	3	1	—	1	3	10	13	
	F	96	7	3	—	1	—	—	7	27	51	33	7	—	1	—	—	1	6	18	
19 Pneumonia (all forms) .. {	M	119	25	13	3	8	2	16	28	16	8	11	5	1	—	—	1	2	1	1	
	F	98	22	7	5	2	4	14	22	14	8	23	4	2	1	1	2	2	3	8	
20 Other respiratory diseases .. {	M	12	—	1	—	—	1	1	6	1	2	12	—	3	1	1	2	3	1	1	
	F	14	1	1	—	—	—	2	4	3	3	5	—	—	—	1	1	2	1	—	
21 Ulcer of stomach or duodenum .. {	M	9	—	—	—	—	—	3	5	1	—	4	—	—	—	—	—	3	1	—	
	F	3	—	—	—	—	—	—	2	—	1	3	—	—	—	1	1	1	—	—	
22 Diarrhœa, &c. .. {	M	57	44	5	—	1	—	1	3	2	1	14	9	1	1	—	1	—	1	1	
	F	44	30	3	2	—	—	1	2	2	4	11	9	—	—	1	—	—	—	1	
23 Appendicitis and typhlitis.. {	M	12	—	—	1	2	3	2	4	—	—	1	—	—	—	—	1	—	—	—	
	F	6	—	—	—	2	—	1	2	1	—	—	—	—	—	—	—	—	—	—	
24 Cirrhosis of liver .. {	M	9	—	—	1	—	—	1	5	2	—	2	—	—	—	—	—	—	2	—	
	F	5	—	—	—	—	—	1	1	3	—	—	—	—	—	—	—	—	—	—	
25 Acute and chronic nephritis .. {	M	40	—	1	—	—	2	5	19	8	5	5	—	—	1	—	1	1	1	1	
	F	25	—	—	—	2	—	3	11	5	4	7	1	—	—	—	1	2	2	1	
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	8	—	—	—	—	1	7	—	—	—	2	—	—	—	1	1	—	—	—	
27 Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	9	—	—	—	—	2	7	—	—	—	4	—	—	—	—	4	—	—	—	
28 Congenital debility and malformation, premature birth.. {	M	104	102	—	—	2	—	—	—	—	—	39	39	—	—	—	—	—	—	—	
	F	70	70	—	—	—	—	—	—	—	—	20	19	—	—	1	—	—	—	—	
29 Suicide .. {	M	19	—	—	—	—	—	5	9	5	—	5	—	—	—	—	2	2	1	—	
	F	4	—	—	—	—	1	2	1	—	—	1	—	—	—	—	—	1	—	—	
30 Other deaths from violence.. {	M	35	5	2	1	7	1	5	9	1	4	9	2	—	—	1	1	4	1	—	
	F	24	4	—	2	2	1	3	4	2	6	2	—	—	—	—	—	—	—	—	
31 Other defined diseases .. {	M	256	36	5	5	9	5	18	45	68	65	72	9	3	2	1	9	16	14	17	
	F	249	34	4	5	6	4	28	40	43	85	71	7	1	1	3	8	10	11	20	
32 Causes ill-defined or unknown .. {	M	7	—	1	—	—	1	1	4	—	—	1	—	—	—	—	1	—	—	—	
	F	3	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.	Sex.	LIVERPOOL.											MANCHESTER.										
		All	0—	1—	2—	5—	15—	25—	45—	65—	75—	All	0—	1—	2—	5—	15—	25—	45—	65—	75—		
		ages.										ages.											
ALL CAUSES ..	M	6076	1311	534	258	230	252	779	1520	749	443	5382	1008	247	140	191	226	774	1558	813	425		
	F	5631	1043	492	214	248	275	671	1146	791	751	4729	705	228	111	180	294	649	1140	759	663		
1 Enteric fever ..	M	5	—	—	—	—	2	3	—	—	—	6	—	—	—	—	3	3	—	—	—		
	F	3	—	—	—	—	3	—	—	—	—	6	—	—	—	—	2	3	1	—	—		
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ..	M	175	31	92	45	7	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—		
	F	152	34	79	33	6	—	—	—	—	—	3	1	1	—	1	—	—	—	—	—		
4 Scarlet fever ..	M	22	1	3	9	8	1	—	—	—	—	28	2	4	8	8	3	2	1	—	—		
	F	23	1	3	4	13	2	—	—	—	—	31	—	5	8	10	5	2	1	—	—		
5 Whooping cough ..	M	101	40	42	16	3	—	—	—	—	—	78	49	22	6	1	—	—	—	—	—		
	F	109	29	53	23	4	—	—	—	—	—	92	43	36	11	2	—	—	—	—	—		
6 Diphtheria ..	M	47	8	11	15	10	1	1	1	—	—	46	—	8	13	23	2	—	—	—	—		
	F	50	4	14	11	21	—	—	—	—	—	44	3	3	17	18	1	1	1	—	—		
7 Influenza ..	M	51	5	3	1	1	1	10	27	3	—	102	5	3	—	5	6	25	43	12	3		
	F	54	1	1	3	3	4	11	14	6	11	102	8	2	—	6	13	18	25	12	18		
8 Encephalitis lethargica ..	M	2	—	—	—	—	—	—	2	—	—	6	—	1	—	1	—	2	2	—	—		
	F	3	—	—	—	—	2	—	—	1	—	8	—	—	1	2	1	2	2	—	—		
9 Meningococcal meningitis ..	M	10	2	2	—	3	1	2	—	—	—	3	1	—	1	1	—	—	—	—	—		
	F	14	6	3	2	2	—	1	—	—	—	5	2	1	—	1	1	—	—	—	—		
10 Tuberculosis of respiratory system	M	594	2	7	8	17	100	246	194	19	1	581	3	4	5	9	85	233	223	18	1		
	F	442	2	2	3	28	128	196	71	9	3	400	2	3	2	18	130	165	63	16	1		
11 Other tuberculous diseases ..	M	186	30	37	28	31	29	18	10	2	1	132	13	20	14	37	18	21	8	1	—		
	F	147	22	21	23	30	20	17	9	4	1	117	8	16	11	28	31	16	7	—	—		
12 Cancer, malignant disease ..	M	434	2	1	—	—	3	37	252	108	31	463	—	—	—	1	3	37	275	122	25		
	F	468	—	—	—	1	2	73	245	89	58	490	1	—	—	1	1	71	258	108	50		
13 Rheumatic fever ..	M	19	—	—	1	4	4	5	5	—	—	12	—	—	1	3	—	5	2	1	—		
	F	19	—	1	—	6	5	4	2	1	—	19	—	—	—	6	5	6	2	—	—		
14 Diabetes ..	M	28	—	—	—	1	2	5	12	7	1	33	—	1	—	—	1	1	18	8	4		
	F	36	—	—	1	2	2	9	12	7	3	29	—	—	—	—	1	1	16	10	1		
15 Cerebral hæmorrhage, &c. ..	M	250	—	1	—	—	—	15	122	64	48	205	—	—	—	—	2	10	84	72	37		
	F	274	—	—	—	—	1	13	99	93	68	228	—	—	—	—	1	11	77	77	62		
16 Heart disease ..	M	450	1	2	2	18	22	72	176	102	55	452	—	—	1	15	22	80	180	106	48		
	F	537	1	—	—	19	27	63	188	139	100	550	—	—	—	11	26	96	187	134	96		
17 Arterio-sclerosis ..	M	175	—	—	—	—	1	7	56	63	48	130	—	—	—	—	—	1	47	48	34		
	F	71	—	—	—	—	—	1	21	24	25	77	—	—	—	—	—	1	18	34	24		
18 Bronchitis ..	M	435	65	20	9	1	4	25	139	98	74	534	90	20	9	5	2	41	137	136	94		
	F	485	58	23	11	3	1	15	114	121	139	504	58	14	7	5	3	20	126	136	135		
19 Pneumonia (all forms) ..	M	783	194	149	54	35	20	117	138	59	17	599	111	87	38	18	21	113	132	60	19		
	F	615	142	145	45	26	24	52	88	62	31	396	78	82	19	23	17	54	74	38	11		
20 Other respiratory diseases ..	M	67	5	6	5	4	3	10	18	10	6	52	2	1	1	2	—	7	20	10	9		
	F	57	4	2	7	3	2	8	16	9	6	31	3	—	2	1	—	3	10	4	8		
21 Ulcer of stomach or duodenum ..	M	38	—	—	—	—	1	20	14	1	2	26	—	—	—	—	2	11	9	3	1		
	F	14	—	—	—	—	1	2	8	2	1	14	—	—	—	1	—	3	9	1	—		
22 Diarrhœa, &c. ..	M	427	279	103	23	4	—	3	6	8	1	251	197	28	8	1	1	5	7	2	2		
	F	379	242	75	9	13	—	5	13	13	9	172	121	29	6	3	—	6	5	5	2		
23 Appendicitis and typhlitis ..	M	21	—	—	—	10	3	3	3	2	—	27	—	—	2	9	4	6	6	—	—		
	F	24	—	—	—	6	4	6	6	1	1	25	—	—	—	5	6	5	6	3	—		
24 Cirrhosis of liver ..	M	22	—	—	—	—	—	3	15	4	—	35	—	—	—	—	—	3	23	6	3		
	F	11	—	—	—	—	—	2	6	1	2	9	—	—	—	—	—	1	6	1	1		
25 Acute and chronic nephritis ..	M	159	2	2	1	7	4	25	75	27	16	144	—	1	1	4	4	28	61	36	9		
	F	132	4	1	2	5	2	19	61	26	12	114	—	—	1	4	4	19	55	25	6		
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	40	—	—	—	—	5	34	1	—	—	34	—	—	—	—	6	27	1	—	—		
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	44	—	—	—	—	6	37	1	—	—	30	—	—	—	—	9	21	—	—	—		
28 Congenital debility and malformation, premature birth ..	M	450	447	2	—	1	—	—	—	—	—	348	342	1	3	1	—	1	—	—	—		
	F	322	317	3	—	1	—	1	—	—	—	233	223	4	5	—	—	1	—	—	—		
29 Suicide ..	M	50	—	—	—	—	2	11	28	9	—	46	—	—	—	—	3	10	24	7	2		
	F	9	—	—	—	—	2	4	3	—	—	17	—	—	—	—	—	10	5	2	—		
30 Other deaths from violence ..	M	196	8	10	15	26	18	39	53	18	9	181	18	10	11	17	18	36	43	20	8		
	F	140	11	8	16	18	7	13	19	24	24	101	21	6	8	12	5	12	16	11	10		
31 Other defined diseases ..	M	864	189	36	24	38	30	101	169	144	133	854	174	34	17	30	26	93	211	143	126		
	F	932	165	48	16	37	25	85	146	153	257	838	133	24	13	22	25	79	163	141	238		
32 Causes ill-defined or unknown ..	M	15	—	5	2	1	—	1	5	1	—	7	—	2	1	—	—	—	2	2	—		
	F	25	—	10	5	1	—	—	3	6	—	10	—	2	—	—	1	1	5	1	—		

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.		Sex.	MIDDLESBROUGH.										NEWCASTLE-ON-TYNE.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..		M	1070	287	81	42	39	46	137	234	122	82	2106	398	150	81	80	96	287	529	304	181
		F	840	219	69	37	25	46	107	151	111	75	1846	307	109	71	87	92	212	401	285	282
1	Enteric fever ..	M	1	—	—	—	—	—	—	—	1	—	2	—	—	—	1	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	2	—	—	1	
2	Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles ..	M	20	5	9	5	1	—	—	—	—	—	50	5	31	10	3	—	1	—	—	
		F	28	10	13	5	—	—	—	—	—	—	49	17	19	12	1	—	—	—	—	
4	Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	6	—	2	4	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	5	—	—	3	2	—	—	—	—	
5	Whooping cough ..	M	6	2	3	1	—	—	—	—	—	—	26	13	9	4	—	—	—	—	—	
		F	8	4	1	3	—	—	—	—	—	—	32	13	10	6	3	—	—	—	—	
6	Diphtheria ..	M	5	—	—	4	1	—	—	—	—	—	9	—	2	2	5	—	—	—	—	
		F	5	—	1	3	1	—	—	—	—	—	13	1	1	5	6	—	—	—	—	
7	Influenza ..	M	11	—	—	—	—	1	2	7	1	—	43	5	2	1	1	2	14	12	6	
		F	14	2	—	—	—	—	5	2	2	3	27	—	2	1	2	2	1	9	6	
8	Encephalitis lethargica ..	M	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	1	—	2	—	
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	
9	Meningococcal meningitis ..	M	1	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
		F	2	—	1	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
10	Tuberculosis of respiratory system	M	75	—	1	1	5	12	27	28	—	1	194	2	3	4	6	36	78	61	3	
		F	61	1	1	—	6	20	22	10	1	—	153	—	3	2	14	37	66	28	2	
11	Other tuberculous diseases ..	M	21	2	3	2	5	3	6	—	—	—	51	2	9	7	21	6	3	3	—	
		F	10	1	1	1	4	1	1	1	—	—	57	7	3	11	20	8	6	1	—	
12	Cancer, malignant disease ..	M	49	—	—	—	—	1	6	27	15	—	152	1	—	—	1	2	16	82	44	
		F	65	—	—	—	—	3	11	32	16	3	154	—	—	—	—	—	17	77	39	
13	Rheumatic fever ..	M	1	—	—	—	—	—	1	—	—	—	4	—	—	—	2	—	—	2	—	
		F	3	—	—	—	1	—	1	1	—	—	9	—	—	—	1	2	3	2	1	
14	Diabetes ..	M	6	—	—	—	—	2	1	2	1	—	14	—	—	—	—	2	2	4	5	
		F	5	—	—	—	1	—	1	1	1	1	15	—	—	—	—	2	1	6	5	
15	Cerebral hæmorrhage, &c. ..	M	44	—	—	—	1	—	5	14	17	7	93	—	—	—	1	—	3	39	31	
		F	42	—	—	—	—	1	2	22	13	4	119	—	—	—	1	1	3	37	47	
16	Heart disease ..	M	88	—	—	—	2	5	17	33	22	9	175	—	—	—	5	4	23	76	52	
		F	80	—	—	—	1	4	13	23	23	16	183	—	—	—	3	3	18	61	58	
17	Arterio-sclerosis ..	M	14	—	—	—	—	—	—	6	3	5	105	—	—	—	—	—	—	30	46	
		F	9	—	—	—	—	—	—	2	4	3	63	—	—	—	—	—	1	14	14	
18	Bronchitis ..	M	85	21	4	3	—	—	4	16	19	18	124	22	6	2	3	1	16	25	22	
		F	80	20	3	1	—	2	4	13	20	17	128	17	11	1	—	—	1	26	34	
19	Pneumonia (all forms) ..	M	184	31	40	16	5	9	33	32	12	6	276	50	54	26	10	21	42	46	19	
		F	117	35	26	15	2	5	14	10	6	4	174	46	26	16	10	10	16	23	12	
20	Other respiratory diseases ..	M	15	1	—	2	1	—	3	7	1	—	24	—	3	3	—	—	4	7	4	
		F	14	3	1	2	1	—	1	—	3	3	13	—	1	1	1	—	—	8	—	
21	Ulcer of stomach or duodenum ..	M	2	—	—	—	—	—	1	1	—	—	18	—	—	—	—	1	5	10	2	
		F	—	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	2	3	1	
22	Diarrhoea, &c. ..	M	72	60	7	—	2	—	1	1	1	—	87	60	10	5	1	—	5	2	—	
		F	52	37	9	1	1	—	—	2	1	1	59	31	16	4	2	1	1	1	2	
23	Appendicitis and typhlitis..	M	5	—	—	—	2	2	—	1	—	—	5	—	—	1	—	2	—	2	—	
		F	3	—	—	—	—	1	2	—	—	—	11	—	—	1	4	—	3	1	1	
24	Cirrhosis of liver ..	M	3	—	—	—	—	—	—	1	2	—	10	—	—	—	—	—	1	8	1	
		F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—	
25	Acute and chronic nephritis ..	M	20	1	—	2	—	1	5	10	—	1	58	—	—	1	3	—	6	30	11	
		F	15	—	—	—	—	1	4	7	3	—	68	—	1	—	2	2	8	35	10	
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	4	—	—	—	—	1	3	—	—	—	9	—	—	—	—	4	5	—	—	
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	13	—	—	—	—	1	12	—	—	—	18	—	—	—	—	2	16	—	—	
28	Congenital debility and malformation, premature birth..	M	92	90	—	—	1	1	—	—	—	—	156	155	—	—	—	—	1	—	—	
		F	69	69	—	—	—	—	—	—	—	—	113	111	—	—	2	—	—	—	—	
29	Suicide ..	M	16	—	—	—	—	—	3	9	4	—	20	—	—	—	—	2	10	5	2	
		F	4	—	—	—	—	1	2	1	—	—	7	—	—	—	—	1	3	2	1	
30	Other deaths from violence..	M	48	4	6	2	6	7	9	12	1	1	74	2	2	4	6	9	19	21	7	
		F	10	3	1	3	1	—	—	2	—	—	22	1	1	2	1	3	4	3	4	
31	Other defined diseases ..	M	179	70	6	4	7	2	12	23	21	34	320	81	15	7	10	7	37	59	48	
		F	124	34	9	3	5	5	9	22	17	20	326	63	14	5	11	14	33	60	46	
32	Causes ill-defined or unknown ..	M	6	—	1	—	—	—	1	3	1	—	6	—	2	—	—	—	1	2	1	
		F	3	—	2	—	—	—	—	—	1	—	3	—	1	1	—	—	—	1	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.		Sex	NORTHAMPTON.										NORWICH.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {		M	497	68	13	12	15	25	78	122	89	75	686	115	18	11	18	31	60	177	136	120
		F	473	58	2	7	18	26	58	92	89	123	692	85	8	8	30	43	66	149	123	180
1	Enteric fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	1	—	—	—	—	2	—	—	—	—	1	—	1	—	
2	Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles .. {	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	Scarlet fever .. {	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
5	Whooping cough .. {	M	5	3	1	—	1	—	—	—	—	—	5	5	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	8	4	4	—	—	—	—	—	—	
6	Diphtheria .. {	M	5	1	1	2	1	—	—	—	—	—	6	1	—	3	2	—	—	—	—	
		F	4	—	—	1	3	—	—	—	—	—	16	1	1	3	11	—	—	—	—	
7	Influenza .. {	M	3	—	—	—	—	—	1	2	—	—	3	—	—	—	—	—	1	1	—	
		F	3	—	—	—	—	—	1	1	1	—	2	—	—	1	—	—	—	—	1	
8	Encephalitis lethargica .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
9	Meningococcal meningitis .. {	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
10	Tuberculosis of respiratory system {	M	60	—	—	1	—	7	32	19	1	—	80	—	—	1	2	16	34	23	4	
		F	38	—	—	—	1	13	20	3	1	—	69	1	—	—	2	28	22	14	2	
11	Other tuberculous diseases .. {	M	11	1	—	1	3	3	2	—	1	—	13	3	3	1	2	2	—	1	1	
		F	5	—	—	1	3	—	—	—	1	—	15	3	—	2	2	1	4	3	—	
12	Cancer, malignant disease .. {	M	48	—	—	1	—	—	5	25	16	1	55	—	—	—	—	1	1	22	24	
		F	57	—	—	—	—	—	7	25	14	11	91	—	—	1	—	3	51	22	14	
13	Rheumatic fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	3	—	—	—	1	1	1	—	—	—	2	—	—	—	1	—	1	—	—	
14	Diabetes .. {	M	6	—	—	—	—	—	1	1	3	1	7	—	—	—	—	—	1	1	3	
		F	6	—	—	—	1	—	1	3	1	—	4	—	—	—	1	—	1	2	—	
15	Cerebral hæmorrhage, &c. .. {	M	34	—	—	—	—	—	1	6	16	11	47	—	—	—	—	—	16	18	13	
		F	48	—	—	—	—	—	1	12	16	19	48	—	—	—	1	—	1	13	19	
16	Heart disease .. {	M	62	—	—	—	2	4	8	22	17	9	90	—	—	1	1	4	6	27	27	
		F	59	—	—	3	1	4	7	9	26	9	84	—	—	—	3	4	10	14	24	
17	Arterio-sclerosis .. {	M	4	—	—	—	—	—	—	2	—	2	24	—	—	—	—	—	—	7	11	
		F	3	—	—	—	—	—	—	1	—	2	25	—	—	—	—	—	—	1	12	
18	Bronchitis .. {	M	44	8	2	—	—	—	4	9	9	12	38	6	—	—	—	1	—	7	9	
		F	45	3	1	—	1	—	—	6	12	22	39	5	—	—	—	—	—	3	9	
19	Pneumonia (all forms) .. {	M	38	8	5	3	1	2	8	8	3	—	44	12	10	—	4	—	—	8	7	
		F	23	5	—	2	1	—	2	8	3	2	27	11	—	—	—	—	1	5	8	
20	Other respiratory diseases .. {	M	4	—	—	—	—	—	1	2	—	1	9	—	1	—	1	1	—	3	2	
		F	3	—	—	—	—	—	—	1	1	1	5	—	—	—	—	—	1	2	1	
21	Ulcer of stomach or duodenum .. {	M	3	—	—	—	—	1	—	2	—	—	2	—	—	—	—	—	1	—	—	
		F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	
22	Diarrhœa, &c. .. {	M	6	6	—	—	—	—	—	—	—	—	17	14	1	1	—	—	—	—	1	
		F	13	10	1	—	—	—	—	1	—	1	16	13	—	—	—	—	—	1	2	
23	Appendicitis and typhlitis.. {	M	3	—	—	—	—	1	—	2	—	—	2	—	—	—	—	—	—	1	—	
		F	1	—	—	—	—	—	1	—	—	—	4	—	—	—	3	1	—	—	—	
24	Cirrhosis of liver .. {	M	4	—	—	—	—	—	1	3	—	—	5	—	—	—	—	—	1	1	2	
		F	4	—	—	—	—	—	—	2	2	—	5	—	—	—	—	—	—	3	1	
25	Acute and chronic nephritis .. {	M	7	—	—	—	1	—	1	3	2	—	9	—	—	—	—	—	1	3	4	
		F	13	—	—	—	—	—	5	3	2	3	16	—	—	1	1	4	8	1	1	
26	Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	3	—	—	—	—	1	2	—	—	—	2	—	—	—	—	1	1	—	—	
27	Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	4	—	—	—	—	1	3	—	—	—	6	—	—	—	—	1	5	—	—	
28	Congenital debility and malformation, premature birth.. {	M	33	31	1	—	1	—	—	—	—	—	58	58	—	—	—	—	—	—	—	
		F	28	28	—	—	—	—	—	—	—	—	36	35	—	—	—	—	—	1	—	
29	Suicide .. {	M	8	—	—	—	—	—	3	2	3	—	17	—	—	—	—	2	1	13	1	
		F	3	—	—	—	—	—	1	1	—	1	5	—	—	—	—	2	1	1	—	
30	Other deaths from violence.. {	M	13	2	1	—	2	5	1	1	1	—	17	—	—	4	1	2	2	8	—	
		F	5	2	—	—	—	—	—	—	1	2	10	—	—	—	1	—	2	2	3	
31	Other defined diseases .. {	M	91	8	1	3	2	2	8	12	17	38	138	16	3	—	5	2	11	35	19	
		F	99	10	—	—	6	4	6	15	8	50	152	12	3	—	4	3	9	22	21	
32	Causes ill-defined or unknown .. {	M	2	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.		Sex.	NOTTINGHAM											OLDHAM.										
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—		
				1762	376	66	37	51	60	217	411	346		198	1093	202	45	18	24	35	156	361	166	86
ALL CAUSES ..		M	1747	256	55	49	48	66	218	394	305	356	1071	131	38	14	37	51	128	283	238	151		
1 Enteric fever ..		M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—		
		F	2	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—		
2 Small-pox ..		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ..		M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—		
4 Scarlet fever ..		M	—	—	—	—	—	—	—	—	—	—	6	—	1	3	1	—	—	—	—	—		
		F	1	—	—	—	1	—	—	—	—	—	3	—	—	—	3	—	—	—	—	—		
5 Whooping cough ..		M	20	10	8	1	1	—	—	—	—	—	18	9	5	4	—	—	—	—	—	—		
		F	22	10	5	5	2	—	—	—	—	—	17	6	8	2	1	—	—	—	—	—		
6 Diphtheria ..		M	9	—	1	1	7	—	—	—	—	—	3	—	1	1	1	—	—	—	—	—		
		F	17	1	1	8	7	—	—	—	—	—	4	—	—	1	2	—	1	—	—	—		
7 Influenza ..		M	34	4	2	1	2	—	8	10	5	2	22	—	1	1	—	—	7	7	4	2		
		F	43	1	1	5	1	2	8	10	6	9	23	1	—	—	—	4	5	10	2	1		
8 Encephalitis lethargica ..		M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—		
		F	2	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Meningococcal meningitis ..		M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	2	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
10 Tuberculosis of respiratory system ..		M	126	—	3	—	5	15	54	40	9	—	87	—	—	—	—	5	44	36	2	—		
		F	114	—	—	—	2	27	53	28	3	1	39	—	—	—	3	10	17	8	—	1		
11 Other tuberculous diseases ..		M	39	4	9	6	8	7	4	1	—	—	10	2	1	1	3	1	1	1	—	—		
		F	28	6	3	7	1	3	4	3	1	—	18	3	1	—	4	6	2	2	—	—		
12 Cancer, malignant disease ..		M	160	—	—	—	—	—	16	78	53	13	62	—	—	—	—	—	6	39	13	4		
		F	221	—	—	—	1	2	31	112	49	26	92	—	—	—	—	1	14	33	31	13		
13 Rheumatic fever ..		M	7	—	—	—	4	1	—	1	—	1	5	—	—	—	2	1	1	1	—	—		
		F	5	—	—	—	1	1	1	2	—	—	12	—	—	—	2	3	3	4	—	—		
14 Diabetes ..		M	14	—	—	—	—	3	1	6	3	1	3	—	—	—	—	—	—	2	1	—		
		F	18	—	—	—	2	1	2	6	4	3	11	—	—	—	—	1	—	6	2	2		
15 Cerebral hæmorrhage, &c. ..		M	71	—	—	—	—	—	5	22	33	11	58	—	—	—	—	1	3	25	22	7		
		F	105	—	—	—	—	—	7	32	33	33	61	—	—	—	—	1	4	22	21	13		
16 Heart disease ..		M	168	—	—	—	3	3	38	48	47	29	130	—	—	—	2	9	19	56	33	11		
		F	208	1	—	—	2	7	18	65	53	62	178	—	—	—	4	6	14	77	53	24		
17 Arterio-sclerosis ..		M	46	—	—	—	—	—	1	11	22	12	20	—	—	—	—	—	—	5	8	7		
		F	43	—	—	—	—	—	2	7	19	15	15	—	—	—	—	—	—	1	7	7		
18 Bronchitis ..		M	170	18	5	1	1	2	13	45	49	36	101	10	4	—	1	—	4	48	19	15		
		F	159	11	6	1	1	—	8	24	53	55	117	11	4	1	1	—	3	26	44	27		
19 Pneumonia (all forms) ..		M	205	65	25	16	3	8	28	31	23	6	107	22	17	1	2	6	22	27	8	2		
		F	155	51	21	14	7	3	18	15	14	12	64	8	10	4	2	1	7	14	14	4		
20 Other respiratory diseases ..		M	14	—	1	—	—	—	1	5	7	—	9	—	2	1	—	1	—	4	1	—		
		F	15	2	—	—	1	—	1	4	3	4	10	1	1	—	—	—	3	—	2	—		
21 Ulcer of stomach or duodenum ..		M	11	—	—	—	—	—	4	6	1	—	6	—	—	—	—	—	—	6	—	—		
		F	5	—	—	—	—	1	2	2	—	—	2	—	—	—	—	—	—	1	1	—		
22 Diarrhœa, &c. ..		M	79	65	5	2	—	—	1	—	2	4	32	22	3	1	1	—	4	—	—	—		
		F	48	32	5	1	—	—	1	2	4	3	29	15	3	1	3	1	—	1	4	—		
23 Appendicitis and typhlitis..		M	4	—	—	—	1	2	—	1	—	—	3	—	—	—	1	2	—	—	—	—		
		F	13	—	—	—	7	1	2	2	1	—	4	—	—	—	1	—	1	1	1	—		
24 Cirrhosis of liver ..		M	8	—	—	—	—	—	—	5	2	1	9	—	—	—	—	—	—	8	1	—		
		F	3	—	—	—	—	—	2	—	—	—	3	—	—	—	—	—	—	1	2	—		
25 Acute and chronic nephritis ..		M	45	—	—	1	—	4	7	21	10	2	41	—	—	—	1	1	8	22	8	—		
		F	33	—	—	—	1	2	5	9	13	3	42	—	—	—	1	3	7	19	12	—		
26 Puerperal sepsis ..		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	8	—	—	—	—	1	7	—	—	—	7	—	—	—	—	1	6	—	—	—		
27 Other accidents and diseases of pregnancy and parturition.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	9	—	—	—	—	1	8	—	—	—	13	—	—	—	—	1	12	—	—	—		
28 Congenital debility and malformation, premature birth..		M	139	138	1	—	—	—	—	—	—	—	82	80	—	1	—	1	—	—	—	—		
		F	103	101	—	1	1	—	—	—	—	—	61	60	1	—	—	—	—	—	—	—		
29 Suicide ..		M	18	—	—	—	—	—	4	12	2	—	14	—	—	—	—	—	3	10	1	—		
		F	7	—	—	—	—	1	3	2	1	—	8	—	—	—	—	1	1	6	—	—		
30 Other deaths from violence..		M	57	2	2	3	3	10	7	18	9	3	30	2	1	2	5	3	6	6	3	—		
		F	24	2	1	—	3	2	1	6	3	6	19	1	1	2	3	2	1	4	1	—		
31 Other defined diseases ..		M	311	70	4	5	12	4	24	47	68	77	208	51	6	1	3	3	25	47	39	—		
		F	326	37	7	4	6	10	32	62	45	123	195	22	6	3	7	6	27	36	37	—		
32 Causes ill-defined or unknown ..		M	4	—	—	—	—	—	1	2	1	—	24	4	2	1	—	—	2	11	3	—		
		F	8	—	5	2	—	—	—	1	—	—	22	3	2	—	—	2	—	11	4	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.		Sex.	OXFORD.										PLYMOUTH.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	M	267	23	5	3	5	20	31	59	73	48	1224	189	30	18	40	54	126	353	203	211
		F	331	11	4	4	10	11	23	79	66	123	1243	164	26	24	33	75	153	251	214	303
1 Enteric fever	..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
4 Scarlet fever	..	M	—	—	—	—	—	—	—	—	—	—	4	1	1	—	2	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough	..	M	—	—	—	—	—	—	—	—	—	—	5	3	1	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	6	4	2	—	—	—	—	—	—	—
6 Diphtheria	..	M	1	—	—	—	1	—	—	—	—	—	5	1	—	—	4	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—	8	1	—	4	3	—	—	—	—	—
7 Influenza	M	6	—	—	—	—	2	—	1	2	1	13	—	—	1	—	1	2	6	—	3
		F	4	—	—	—	—	—	—	2	1	1	8	—	—	—	—	1	2	3	2	—
8 Encephalitis lethargica	..	M	2	—	—	—	—	—	1	1	—	—	2	—	—	—	—	1	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	4	—	1	—	1	1	—	—	—	—
9 Meningococcal meningitis	..	M	1	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	..	M	23	—	—	—	—	5	10	6	2	—	95	—	—	—	1	20	40	29	4	1
		F	19	—	—	—	1	6	6	5	1	—	115	—	1	—	2	42	57	10	2	1
11 Other tuberculous diseases	M	4	1	—	1	—	—	1	—	1	—	21	4	1	2	5	3	4	2	—	—
		F	6	—	2	—	3	1	—	—	—	—	29	2	4	7	6	4	4	2	—	—
12 Cancer, malignant disease	M	36	—	—	—	—	—	2	14	16	4	127	—	—	—	—	2	6	70	36	13
		F	58	—	—	—	—	—	2	29	13	14	142	—	—	—	—	—	20	66	33	23
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	1	—	2	1	—	—
		F	1	—	—	1	—	—	—	—	—	—	4	—	—	—	3	1	—	—	—	—
14 Diabetes	M	2	—	—	—	—	—	1	—	1	—	8	—	—	—	—	—	2	4	2	—
		F	2	—	—	—	—	1	—	—	—	—	18	—	—	—	—	1	3	6	6	2
15 Cerebral hæmorrhage, &c.	..	M	10	—	—	—	—	—	—	1	5	4	95	—	—	—	—	—	4	38	25	28
		F	27	—	—	—	—	—	—	6	7	14	87	—	—	—	—	—	—	21	31	35
16 Heart disease	..	M	32	—	—	—	—	2	2	5	12	11	137	—	—	—	3	4	14	45	41	30
		F	42	—	—	—	1	1	—	5	11	24	156	—	—	—	1	5	10	47	48	45
17 Arterio-sclerosis	M	15	—	—	—	—	—	—	5	4	6	32	—	—	—	—	—	2	6	6	18
		F	10	—	—	—	—	—	—	4	1	5	27	—	—	—	—	—	—	3	9	15
18 Bronchitis	..	M	16	—	—	—	—	1	—	3	8	4	80	9	3	1	1	—	4	15	23	24
		F	25	—	—	—	—	—	1	3	5	16	98	9	2	—	1	—	2	17	27	40
19 Pneumonia (all forms)	M	23	3	1	1	1	1	4	8	2	2	74	20	9	4	4	2	5	14	10	6
		F	15	2	—	1	1	—	1	2	1	7	64	11	10	2	2	1	7	13	7	11
20 Other respiratory diseases	M	3	—	—	—	—	—	—	1	1	1	20	1	5	—	—	—	1	7	3	3
		F	4	1	—	—	—	—	1	1	—	1	18	5	—	1	3	—	1	2	1	5
21 Ulcer of stomach or duodenum	..	M	2	—	—	—	—	—	1	1	—	—	8	—	—	—	—	1	2	5	—	—
		F	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	—	1	1
22 Diarrhœa, &c.	..	M	3	2	—	—	—	—	—	—	—	1	67	50	6	3	2	—	—	4	1	1
		F	3	1	—	—	—	—	—	—	2	—	50	36	3	2	1	—	—	5	1	2
23 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	8	—	—	—	3	1	—	3	—	1
		F	6	—	—	—	3	—	1	—	2	—	3	—	—	—	—	2	—	1	—	—
24 Cirrhosis of liver	M	2	—	—	—	—	—	1	1	—	—	10	—	—	—	—	—	2	7	1	—
		F	3	—	—	—	—	—	—	1	1	1	4	—	—	—	—	—	—	2	2	—
25 Acute and chronic nephritis	..	M	5	—	—	—	1	—	—	2	2	—	38	—	1	—	2	—	2	22	5	6
		F	10	—	—	—	—	—	—	2	3	5	29	—	—	—	—	3	6	9	8	3
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	—	4	—	—	—	—	—	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	1	2	—	—	—	14	—	—	—	—	4	10	—	—	—
28 Congenital debility and malformation, premature birth	M	14	13	—	—	—	—	—	1	—	—	65	65	—	—	—	—	—	—	—	—
		F	3	3	—	—	—	—	—	—	—	—	66	64	—	1	1	—	—	—	—	—
29 Suicide	M	3	—	—	—	—	2	1	—	—	—	12	—	—	—	—	1	5	4	2	—
		F	2	—	—	—	—	—	1	1	—	—	2	—	—	—	—	—	1	1	—	—
30 Other deaths from violence	M	7	1	2	—	1	3	—	—	—	—	44	—	—	—	5	9	10	12	6	2
		F	4	—	—	—	—	—	—	1	1	2	15	1	1	—	2	1	1	3	2	4
31 Other defined diseases	M	57	3	1	1	1	4	7	9	17	14	247	34	3	6	6	9	17	59	38	75
		F	78	4	1	1	1	1	6	14	17	33	264	29	1	6	7	8	23	40	34	116
32 Causes ill-defined or unknown	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.	Sex.	PORTSMOUTH.										PRESTON.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	1274	193	54	39	46	40	146	342	202	212	783	183	32	12	30	31	81	203	129	82
	F	1387	165	36	33	56	55	160	285	259	338	812	133	36	11	24	28	86	210	160	124
1 Enteric fever ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	—	1	—	—	1	—	—	—	—	1	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	15	5	8	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	4	4	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	6	1	—	2	3	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	7	—	2	4	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	11	4	6	1	—	—	—	—	—	—	7	6	1	—	—	—	—	—	—	—
	F	10	2	4	4	—	—	—	—	—	—	22	13	8	1	—	—	—	—	—	—
6 Diphtheria ..	M	16	—	—	6	10	—	—	—	—	—	6	1	2	1	2	—	—	—	—	—
	F	14	—	—	3	10	—	1	—	—	—	7	1	1	3	2	—	—	—	—	—
7 Influenza ..	M	33	1	—	1	1	3	10	6	8	3	17	1	1	—	2	—	2	5	3	—
	F	46	1	1	—	1	4	10	9	7	13	15	—	—	—	—	2	4	4	5	—
8 Encephalitis lethargica ..	M	6	—	—	—	2	1	1	1	—	1	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—
9 Meningococcal meningitis ..	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	105	—	—	—	2	15	53	32	3	—	42	—	—	—	2	8	15	16	1	—
	F	107	—	—	—	9	20	49	27	1	1	42	—	—	—	1	7	16	13	4	—
11 Other tuberculous diseases ..	M	35	3	5	5	6	5	6	4	1	—	15	3	2	1	3	1	1	3	1	—
	F	28	6	1	4	6	2	7	1	1	—	15	4	1	1	5	1	2	1	—	—
12 Cancer, malignant disease ..	M	118	—	—	—	1	1	5	65	24	22	61	—	—	—	—	1	6	30	19	—
	F	164	—	—	—	—	—	19	63	51	31	79	—	—	—	1	—	12	38	20	—
13 Rheumatic fever ..	M	6	—	—	—	4	1	1	—	—	—	6	—	—	—	1	—	1	2	2	—
	F	3	—	—	—	1	2	—	—	—	—	7	—	—	—	1	—	3	2	1	—
14 Diabetes ..	M	7	—	—	—	—	—	—	2	3	2	3	—	—	—	—	—	—	3	—	—
	F	10	—	—	—	1	—	2	—	7	—	11	—	—	—	—	—	—	10	—	—
15 Cerebral hæmorrhage, &c. ..	M	60	—	—	—	—	—	2	27	16	15	43	—	—	—	—	—	—	17	21	—
	F	74	—	—	—	—	—	—	25	25	24	75	—	—	—	—	—	—	26	26	—
16 Heart disease ..	M	153	—	—	—	2	1	8	63	47	32	73	—	—	—	3	2	10	29	19	—
	F	203	—	—	1	2	6	16	60	66	52	86	1	1	—	1	4	7	35	24	—
17 Arterio-sclerosis ..	M	19	—	—	—	—	—	2	2	6	9	23	—	—	—	—	—	—	9	6	—
	F	21	—	—	—	—	—	—	5	7	9	11	—	—	—	—	—	—	3	4	—
18 Bronchitis ..	M	82	7	6	2	—	1	3	15	22	26	58	15	4	1	2	—	1	13	13	—
	F	112	6	7	—	—	—	3	13	27	56	60	6	5	—	—	—	—	9	24	—
19 Pneumonia (all forms) ..	M	72	13	13	5	5	—	6	18	5	7	71	24	10	3	2	2	11	13	6	—
	F	65	17	5	5	5	6	6	7	7	7	68	15	12	5	3	1	7	9	13	—
20 Other respiratory diseases ..	M	11	1	—	—	—	—	2	3	2	3	8	1	1	—	—	1	1	3	1	—
	F	14	—	—	1	1	—	1	4	5	2	7	—	—	—	1	—	1	3	2	—
21 Ulcer of stomach or duodenum ..	M	10	—	—	—	—	—	5	5	—	—	4	—	—	—	—	1	1	1	1	—
	F	6	—	—	—	—	—	2	3	1	—	2	—	—	—	—	1	1	—	—	—
22 Diarrhœa, &c. ..	M	53	40	6	2	2	—	—	2	—	1	40	29	4	1	2	—	—	1	1	—
	F	45	35	5	2	1	—	1	—	—	1	30	21	2	—	1	1	1	3	1	—
23 Appendicitis and typhlitis ..	M	3	—	—	1	—	—	1	—	—	1	2	—	—	—	—	1	—	1	—	—
	F	7	—	—	—	1	1	2	2	—	1	2	—	—	—	1	1	—	—	—	—
24 Cirrhosis of liver ..	M	9	—	—	—	—	—	1	6	1	1	5	—	—	—	—	—	1	2	2	—
	F	7	—	—	—	—	—	2	3	2	—	1	—	—	—	—	—	1	—	—	—
25 Acute and chronic nephritis ..	M	40	—	—	1	1	3	4	16	8	7	21	1	—	—	1	2	4	7	4	—
	F	29	—	—	—	2	—	2	11	8	6	15	—	—	—	—	1	4	6	3	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	2	4	—	—	—	7	—	—	—	—	2	5	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	—	—	—	—	2	8	—	—	—	8	—	—	—	1	—	7	—	—	—
28 Congenital debility and malformation, premature birth..	M	88	85	—	—	1	—	1	1	—	—	73	73	—	—	—	—	—	—	—	—
	F	73	72	—	—	1	—	—	—	—	—	49	49	—	—	—	—	—	—	—	—
29 Suicide ..	M	26	—	—	—	—	3	5	12	5	1	6	—	—	—	—	1	2	2	1	—
	F	6	—	—	—	—	—	1	5	—	—	5	—	—	—	—	—	—	5	—	—
30 Other deaths from violence..	M	44	6	1	2	3	4	6	12	4	6	25	1	1	2	4	5	4	6	2	—
	F	20	3	1	3	1	1	1	4	3	3	14	1	—	1	2	3	—	5	—	—
31 Other defined diseases ..	M	243	27	7	9	3	2	24	49	47	75	150	25	6	3	4	4	17	32	25	—
	F	285	19	6	4	11	7	23	42	41	132	151	20	3	—	3	1	12	29	32	—
32 Causes ill-defined or unknown ..	M	1	—	1	—	—	—	—	—	—	—	22	3	—	—	—	2	4	8	1	—
	F	—	—	—	—	—	—	—	—	—	—	20	2	3	—	—	2	3	8	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.	Sex.	READING.										ROCHDALE.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	488	61	10	2	16	23	58	119	96	103	607	84	13	7	22	37	71	208	113	52
	F	507	53	6	7	22	17	55	94	113	140	626	75	6	7	27	22	94	170	124	101
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	2	1	—	—	1	—	—	—	—	—	6	3	1	—	2	—	—	—	—	—
	F	2	1	—	1	—	—	—	—	—	—	5	2	1	2	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	3	—	—	—	—	—
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	4	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	4	1	—	—	3	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	3	—	—	—	3	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
7 Influenza ..	M	6	1	—	—	—	—	—	3	1	1	12	—	—	—	1	3	—	6	2	—
	F	7	—	—	—	—	—	—	3	3	1	10	—	—	—	1	—	2	5	1	1
8 Encephalitis lethargica ..	M	1	—	—	—	1	—	—	—	—	—	2	—	—	—	1	1	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	44	—	1	—	—	10	16	16	1	—	48	—	—	—	1	5	23	18	1	—
	F	34	—	—	—	4	10	9	8	1	2	37	—	—	—	5	13	15	4	—	—
11 Other tuberculous diseases ..	M	10	1	1	1	4	1	—	1	1	—	15	—	2	3	—	6	3	—	1	—
	F	14	2	1	1	5	1	4	—	—	—	9	—	2	—	4	—	2	—	1	—
12 Cancer, malignant disease ..	M	50	—	—	—	—	2	21	16	11	—	52	—	—	—	—	3	32	14	3	—
	F	72	—	—	—	1	1	5	21	28	16	77	—	—	—	—	5	44	22	6	—
13 Rheumatic fever ..	M	3	—	—	—	1	2	—	—	—	—	4	—	—	—	2	—	1	—	1	—
	F	3	—	—	—	—	—	2	1	—	—	2	—	—	—	—	1	1	—	—	—
14 Diabetes ..	M	7	—	—	—	—	—	3	1	2	1	2	—	—	—	—	1	—	—	1	—
	F	2	—	—	—	—	—	—	—	1	1	7	—	—	—	—	1	3	3	—	—
15 Cerebral hæmorrhage, &c. ..	M	27	—	—	—	—	—	3	6	11	7	47	—	—	—	—	—	—	22	15	10
	F	38	—	—	—	—	—	2	10	14	12	64	—	—	—	—	5	22	28	9	—
16 Heart disease ..	M	58	—	—	—	1	—	2	13	25	17	62	—	—	—	2	3	7	37	12	1
	F	69	—	—	—	5	—	5	12	20	27	84	—	—	—	—	4	13	25	25	17
17 Arterio-sclerosis ..	M	32	—	—	—	—	—	—	7	10	15	13	—	—	—	—	—	1	4	5	3
	F	30	—	—	—	—	—	—	2	6	22	9	—	—	—	—	—	—	4	1	4
18 Bronchitis ..	M	25	4	2	—	—	—	2	1	5	11	48	5	2	1	—	—	—	18	16	6
	F	40	4	1	—	—	—	—	6	11	18	36	3	—	1	—	—	4	8	12	8
19 Pneumonia (all forms) ..	M	29	6	2	1	1	1	4	9	3	2	51	14	3	1	7	7	5	11	2	1
	F	33	7	3	2	1	1	6	5	1	7	34	11	1	3	—	2	4	6	4	3
20 Other respiratory diseases ..	M	5	—	1	—	—	—	2	2	—	—	5	1	—	—	1	—	—	2	1	—
	F	5	—	—	1	—	—	2	—	1	1	3	—	—	1	—	—	—	—	—	2
21 Ulcer of stomach or duodenum ..	M	4	—	—	—	—	—	1	2	1	—	3	—	—	—	—	2	—	1	—	—
	F	2	—	—	—	—	—	—	1	1	—	4	—	—	—	—	—	1	2	1	—
22 Diarrhœa, &c. ..	M	15	14	—	—	—	—	—	—	1	—	18	10	1	—	1	—	1	3	2	—
	F	12	4	—	1	—	—	—	1	2	4	11	4	1	—	1	—	1	3	—	1
23 Appendicitis and typhlitis ..	M	2	—	—	—	—	—	1	1	—	—	3	—	—	—	—	—	2	1	—	—
	F	2	—	—	—	—	1	1	—	—	—	4	—	—	—	3	—	1	—	—	—
24 Cirrhosis of liver ..	M	3	—	—	—	—	—	—	3	—	—	4	—	—	—	—	—	1	2	—	1
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
25 Acute and chronic nephritis ..	M	11	—	—	—	—	—	3	3	2	3	23	—	—	—	—	1	4	10	6	2
	F	9	—	—	—	—	1	3	1	2	2	18	—	—	—	2	—	5	8	2	1
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	11	—	—	—	—	2	9	—	—	—
28 Congenital debility and malformation, premature birth..	M	24	24	—	—	—	—	—	—	—	—	41	39	1	—	1	—	—	—	—	—
	F	25	24	—	—	—	—	1	—	—	—	41	41	—	—	—	—	—	—	—	—
29 Suicide ..	M	10	—	—	—	—	—	3	6	—	1	8	—	—	—	—	1	2	4	1	—
	F	1	—	—	—	—	—	1	—	—	—	6	—	—	—	—	—	3	3	—	—
30 Other deaths from violence..	M	24	1	—	—	1	3	5	7	4	3	21	—	1	1	1	4	3	7	2	2
	F	7	—	—	—	2	—	2	—	2	1	12	—	—	—	2	—	3	1	2	3
31 Other defined diseases ..	M	91	7	3	—	3	6	11	17	13	31	112	11	1	1	2	4	13	27	30	23
	F	89	8	—	—	1	2	11	22	20	25	135	14	—	—	5	1	17	30	22	46
32 Causes ill-defined or unknown ..	M	1	1	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	4	—	—
	F	2	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.	Sex.	ROTHERHAM.										ST. HELENS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	482	90	31	23	16	23	67	116	61	55	707	177	49	17	33	31	80	173	91	56
	F	429	76	27	16	26	22	56	91	60	55	621	140	55	27	21	29	96	114	74	65
1 Enteric fever ..	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	1	—	—	1	—	—	—	—	—	—	5	—	2	1	2	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	5	—	—	1	3	—	1	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	11	6	2	2	1	—	—	—	—	—	8	5	3	—	—	—	—	—	—	—
	F	10	3	3	2	2	—	—	—	—	—	16	3	10	3	—	—	—	—	—	—
6 Diphtheria ..	M	1	—	1	—	—	—	—	—	—	—	4	—	—	3	1	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
7 Influenza ..	M	31	5	4	2	1	—	7	10	2	—	14	—	1	1	—	2	3	5	2	—
	F	34	3	5	3	1	—	5	9	4	4	9	1	—	—	1	1	2	1	2	1
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	38	—	1	1	1	9	14	11	1	—	50	—	1	1	4	5	23	14	2	—
	F	32	—	—	—	4	9	14	5	—	—	52	—	1	—	3	14	27	7	—	—
11 Other tuberculous diseases ..	M	13	—	4	3	3	1	1	1	—	—	18	3	7	—	3	2	2	1	—	—
	F	9	—	1	—	6	1	1	—	—	—	14	1	6	5	1	—	1	—	—	—
12 Cancer, malignant disease ..	M	32	—	—	—	—	—	6	20	4	2	57	—	—	—	1	—	6	30	20	—
	F	41	—	—	—	—	1	3	26	8	3	41	—	—	—	—	1	6	20	11	—
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	6	—	—	—	1	2	—	3	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1	—
14 Diabetes ..	M	6	—	—	1	—	—	—	4	1	—	2	—	—	—	—	—	—	1	1	—
	F	4	—	—	—	—	—	1	3	—	—	5	—	—	—	—	—	1	3	1	—
15 Cerebral hæmorrhage, &c. ..	M	18	—	—	—	—	—	2	6	9	1	19	—	—	—	—	—	1	6	5	—
	F	23	—	—	—	—	—	—	9	10	4	37	—	—	2	—	—	5	11	11	—
16 Heart disease ..	M	32	—	—	—	1	1	4	12	9	5	65	—	—	—	—	4	8	32	15	—
	F	31	—	—	—	—	3	6	6	10	6	58	1	1	—	3	4	12	20	9	—
17 Arterio-sclerosis ..	M	20	—	—	—	—	—	—	3	8	9	27	—	—	—	—	—	1	11	10	—
	F	10	—	—	—	—	—	—	3	1	6	14	—	—	—	—	—	1	3	5	—
18 Bronchitis ..	M	43	6	5	1	—	—	1	13	4	13	63	12	3	1	—	—	—	17	15	1
	F	32	7	1	—	—	—	—	6	7	11	59	18	3	1	—	—	3	10	7	1
19 Pneumonia (all forms) ..	M	78	23	10	6	5	4	11	13	5	1	76	25	15	5	4	4	11	6	4	—
	F	46	14	9	6	4	1	2	6	3	1	69	20	15	5	6	2	10	6	4	—
20 Other respiratory diseases ..	M	2	—	—	1	—	—	—	1	—	—	13	5	2	—	—	—	—	3	3	—
	F	4	—	—	1	2	—	1	—	—	—	9	2	2	—	—	—	1	3	1	—
21 Ulcer of stomach or duodenum ..	M	5	—	—	—	—	—	1	3	1	—	5	—	—	—	—	—	1	3	1	—
	F	5	—	—	—	—	2	3	—	—	—	2	—	—	—	—	1	1	—	—	—
22 Diarrhoea, &c. ..	M	16	13	1	1	—	—	—	—	1	—	34	23	5	1	—	—	2	1	1	—
	F	14	13	1	—	—	—	—	—	—	—	29	14	5	1	1	—	2	2	4	—
23 Appendicitis and typhlitis ..	M	4	—	—	1	1	1	1	—	—	—	3	—	—	—	3	—	—	—	—	—
	F	3	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver ..	M	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	6	—	—	—	—	—	3	2	—	1	16	1	—	—	1	3	1	6	2	—
	F	12	—	—	—	—	2	1	6	3	—	21	—	—	1	2	1	2	8	5	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	6	—	—	—	—	2	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	—	5	—	—	—	9	—	—	—	—	1	8	—	—	—
28 Congenital debility and malformation, premature birth..	M	33	31	—	1	—	—	1	—	—	—	70	70	—	—	—	—	—	—	—	—
	F	28	27	—	1	—	—	—	—	—	—	53	52	—	—	—	1	—	—	—	—
29 Suicide ..	M	5	—	—	—	—	—	4	—	1	—	1	—	—	—	—	—	—	1	—	—
	F	3	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence..	M	13	—	—	—	2	2	4	3	1	1	27	—	—	—	1	4	12	7	2	—
	F	9	1	3	1	1	—	—	—	2	1	10	2	—	1	2	—	—	2	2	—
31 Other defined diseases ..	M	69	6	2	2	1	5	6	13	13	21	108	31	8	3	9	4	7	22	7	1
	F	69	8	4	1	5	3	7	10	12	19	99	25	11	4	2	1	9	17	11	1
32 Causes ill-defined or unknown ..	M	2	—	—	—	—	—	—	—	1	1	6	—	1	—	—	—	1	3	1	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	1	1	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.		Sex.	SALFORD										SHEFFIELD.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	M	1780	369	78	48	66	82	281	509	248	99	3364	673	160	99	99	130	445	888	568	302
		F	1552	270	72	37	64	88	224	330	257	210	2923	500	144	79	114	126	364	622	466	508
1 Enteric fever	..	M	10	—	—	—	1	3	5	1	—	—	4	—	—	—	—	2	1	1	—	—
		F	8	—	—	—	1	1	5	—	1	—	2	—	—	—	—	—	2	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	2	1	—	—	—	1	—	—	—	—	25	9	11	5	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	16	4	7	2	3	—	—	—	—	—
4 Scarlet fever	..	M	10	—	2	5	3	—	—	—	—	—	3	—	—	—	2	1	—	—	—	—
		F	10	1	1	3	4	—	—	1	—	—	12	—	—	1	10	—	1	—	—	—
5 Whooping cough	M	22	14	7	1	—	—	—	—	—	—	48	27	15	5	1	—	—	—	—	—
		F	20	11	8	1	—	—	—	—	—	—	57	28	20	8	1	—	—	—	—	—
6 Diphtheria	..	M	13	1	2	4	6	—	—	—	—	—	9	3	—	3	3	—	—	—	—	—
		F	11	2	1	2	6	—	—	—	—	—	9	1	—	5	3	—	—	—	—	—
7 Influenza	M	28	—	—	2	1	4	7	10	3	1	122	10	9	4	2	14	22	38	12	11
		F	40	4	1	—	2	2	10	8	9	4	115	4	3	2	7	4	25	31	18	21
8 Encephalitis lethargica	..	M	3	—	—	1	1	1	—	—	—	—	5	—	—	1	2	—	1	1	—	—
		F	1	—	—	—	—	—	—	1	—	—	5	—	—	1	—	2	1	1	—	—
9 Meningococcal meningitis	..	M	3	1	—	—	1	—	—	—	—	1	4	—	2	1	—	1	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
10 Tuberculosis of respiratory system	{	M	197	1	1	1	6	25	99	54	10	—	300	3	1	3	7	30	131	110	14	1
		F	127	1	1	2	14	38	56	14	1	—	188	3	2	1	15	53	75	32	5	2
11 Other tuberculous diseases	M	42	7	8	6	8	3	3	6	1	—	68	11	12	9	9	14	7	6	—	—
		F	27	3	3	3	1	8	6	1	2	—	59	8	9	8	16	7	6	3	—	2
12 Cancer, malignant disease	M	124	—	—	—	—	1	11	66	37	9	282	—	—	—	—	2	20	157	90	13
		F	131	—	—	—	—	—	21	62	29	19	302	—	—	1	1	—	38	161	67	34
13 Rheumatic fever ..	{	M	6	—	—	—	3	—	1	2	—	—	16	—	—	—	7	3	3	2	1	—
		F	11	—	—	—	3	4	3	1	—	—	11	—	—	—	1	5	1	4	—	—
14 Diabetes	M	9	—	—	—	—	1	2	4	2	—	26	—	—	—	—	2	5	12	5	2
		F	10	—	—	—	—	1	2	6	—	1	23	—	—	—	—	3	4	15	1	—
15 Cerebral hæmorrhage, &c.	{	M	46	—	—	—	—	—	4	22	13	7	158	—	—	—	—	—	4	68	54	32
		F	86	—	—	—	—	—	7	28	24	27	191	—	—	—	—	—	13	55	69	54
16 Heart disease	..	M	155	—	—	1	1	10	28	70	40	5	245	—	—	—	6	16	52	87	57	27
		F	171	—	—	2	4	6	27	64	47	21	281	—	—	1	16	10	32	96	65	61
17 Arterio-sclerosis	..	M	42	—	—	—	—	—	—	12	22	8	196	—	—	—	—	—	—	51	71	74
		F	27	—	—	—	—	—	—	7	8	12	162	—	—	—	—	—	1	22	54	85
18 Bronchitis	..	M	180	31	3	1	—	—	19	63	41	22	297	46	12	4	2	—	14	76	87	56
		F	169	20	8	1	1	1	5	41	56	36	259	35	6	4	—	1	7	43	68	95
19 Pneumonia (all forms)	..	M	228	48	37	11	5	9	35	61	17	5	388	88	54	30	18	12	60	75	41	10
		F	152	41	24	12	7	8	21	19	15	5	306	77	57	28	12	7	35	36	29	25
20 Other respiratory diseases	M	22	1	—	1	—	1	6	10	—	3	36	3	—	4	2	1	10	9	5	2
		F	14	1	1	—	—	—	1	2	4	5	25	4	3	—	2	2	2	3	3	6
21 Ulcer of stomach or duodenum	..	M	9	—	—	—	—	—	5	1	2	1	14	—	—	—	—	—	7	4	2	1
		F	4	—	—	—	—	—	2	—	1	1	4	—	—	—	—	—	4	—	—	—
22 Diarrhœa, &c.	..	M	105	89	7	2	—	—	2	4	1	—	171	127	19	10	7	—	—	2	4	2
		F	81	54	15	4	2	—	—	3	1	2	107	73	18	5	2	—	—	3	4	2
23 Appendicitis and typhlitis..	{	M	14	—	—	—	2	4	4	3	1	—	15	—	—	1	1	3	4	6	—	—
		F	7	—	—	—	1	3	—	2	1	—	16	—	—	1	4	4	5	2	—	—
24 Cirrhosis of liver ..	{	M	5	—	—	—	—	—	1	4	—	—	16	—	—	—	1	—	2	9	3	1
		F	5	—	—	—	—	—	1	3	1	—	8	—	—	—	—	—	8	—	—	—
25 Acute and chronic nephritis	..	M	31	1	—	1	3	3	4	16	3	—	90	—	1	1	4	3	12	47	21	1
		F	33	—	—	—	1	3	8	15	5	1	76	1	1	—	—	1	19	35	12	7
26 Puerperal sepsis ..	{	M	—	—	—	—	—	—	—	—	—	—	20	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	2	6	—	—	—	—	—	—	—	—	1	19	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	12	—	—	—	—	1	10	1	—	—	25	—	—	—	—	2	23	—	—	—
28 Congenital debility and malformation, premature birth..	..	M	104	100	2	1	—	1	—	—	—	—	235	227	4	—	4	—	—	—	—	—
		F	90	88	1	—	—	1	—	—	—	—	185	180	2	2	1	—	—	—	—	—
29 Suicide	M	17	—	—	—	—	—	4	11	2	—	38	—	—	—	—	—	12	18	8	—
		F	5	—	—	—	—	—	—	4	1	—	4	—	—	—	—	—	1	3	—	—
30 Other deaths from violence..	{	M	67	4	3	5	14	6	11	16	4	4	110	9	5	6	13	12	22	21	14	8
		F	34	5	3	1	5	—	2	8	5	5	39	6	6	2	3	3	3	3	5	8
31 Other defined diseases	M	279	68	5	5	10	9	30	71	48	33	442	110	14	12	8	14	56	88	79	61
		F	253	38	4	6	12	8	31	39	44	71	411	76	10	5	15	21	47	66	65	106
32 Causes ill-defined or unknown	..	M	7	2	1	—	1	—	—	2	1	—	1	—	1	—	—	—	—	—	—	—
		F	4	—	1	—	—	1	—	—	2	—	3	—	—	2	—	—	—	—	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.	Sex.	SMETHWICK.										SOUTHAMPTON.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	447	109	12	14	22	18	62	100	58	52	892	122	25	11	22	40	124	240	178	130
	F	413	67	16	20	17	23	46	96	73	55	869	108	10	10	28	46	87	203	140	237
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	2	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	1	—	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	12	2	6	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	3	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	1	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	4	2	1	1	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
6 Diphtheria ..	M	6	—	—	4	2	—	—	—	—	—	9	—	3	2	4	—	—	—	—	—
	F	3	1	—	2	—	—	—	—	—	—	10	—	—	1	9	—	—	—	—	—
7 Influenza ..	M	11	—	—	1	1	—	2	5	2	—	17	—	—	—	1	1	6	4	2	—
	F	3	—	—	—	—	—	—	2	1	—	16	—	—	1	—	2	2	4	2	—
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	4	—	1	—	1	1	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	1	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	28	—	—	—	1	5	11	10	1	—	103	—	1	—	1	15	51	33	2	—
	F	21	—	—	—	—	6	13	2	—	—	74	—	—	—	2	21	31	15	4	—
11 Other tuberculous diseases ..	M	10	—	—	2	3	1	—	4	—	—	12	1	1	2	3	2	1	—	2	—
	F	11	1	1	4	1	1	1	2	—	—	12	2	—	1	—	2	5	2	—	—
12 Cancer, malignant disease ..	M	34	—	—	1	—	—	2	21	5	5	98	—	—	—	—	1	4	45	32	1
	F	33	—	—	—	—	—	2	19	10	2	104	—	—	—	—	—	8	43	33	2
13 Rheumatic fever ..	M	5	—	—	1	1	1	2	—	—	—	2	—	—	—	1	—	1	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes ..	M	5	—	—	—	1	2	—	1	—	1	7	—	—	—	—	—	2	4	1	—
	F	10	—	—	—	—	2	1	3	4	—	11	—	—	—	2	—	—	7	—	—
15 Cerebral hæmorrhage, &c. ..	M	18	1	—	—	—	—	1	3	7	6	39	—	—	—	—	—	—	14	12	—
	F	38	—	—	—	—	—	2	11	10	15	52	—	—	—	—	—	1	24	12	1
16 Heart disease ..	M	47	—	—	—	—	1	11	15	14	6	86	—	—	1	1	3	10	23	32	1
	F	56	—	—	—	—	2	5	15	24	10	122	—	—	—	5	2	7	32	32	4
17 Arterio-sclerosis ..	M	5	—	—	—	—	—	—	1	2	2	29	—	—	—	—	—	—	5	9	1
	F	7	—	—	—	—	—	—	3	—	4	18	—	—	—	—	—	—	3	4	1
18 Bronchitis ..	M	39	7	2	1	2	—	3	10	8	6	53	3	2	1	—	—	1	9	18	1
	F	16	—	—	—	1	—	—	4	7	4	77	3	1	2	—	—	—	11	21	3
19 Pneumonia (all forms) ..	M	63	22	6	1	3	2	11	10	6	2	53	9	3	2	4	2	9	13	9	—
	F	34	11	2	6	3	2	1	4	2	3	45	8	2	2	1	4	9	11	2	—
20 Other respiratory diseases ..	M	8	2	—	—	1	—	2	1	2	—	12	—	—	—	—	—	2	5	4	—
	F	6	—	2	—	1	—	—	2	1	—	13	—	1	—	—	—	1	—	1	1
21 Ulcer of stomach or duodenum ..	M	1	—	—	—	—	—	—	1	—	—	9	—	—	—	—	—	3	5	1	—
	F	2	—	—	—	—	—	1	1	—	—	1	—	—	—	1	—	—	—	—	—
22 Diarrhœa, &c. ..	M	16	11	—	—	1	—	1	1	—	2	40	24	4	2	—	1	1	3	2	—
	F	15	11	2	1	1	—	—	—	—	—	37	23	2	—	1	1	1	3	3	—
23 Appendicitis and typhlitis ..	M	2	—	—	—	1	—	1	—	—	—	5	—	—	—	—	2	—	3	—	—
	F	3	—	—	1	1	—	1	—	—	—	2	—	—	—	—	2	—	—	—	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	1	1	—	—
	F	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	—	2	—	—
25 Acute and chronic nephritis ..	M	13	—	—	—	—	—	5	5	—	3	30	—	—	—	—	—	3	15	6	—
	F	17	1	—	—	1	—	3	7	4	1	20	—	—	—	—	—	1	8	7	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	3	3	—	—	—	4	—	—	—	—	1	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	—	2	—	—	—	—	—	2	—	—	—
28 Congenital debility and malformation, premature birth ..	M	60	59	—	—	1	—	—	—	—	—	59	59	—	—	—	—	—	—	—	—
	F	30	30	—	—	—	—	—	—	—	—	57	56	—	—	—	—	1	—	—	—
29 Suicide ..	M	2	—	—	—	—	—	1	1	—	—	9	—	—	—	—	—	6	2	1	—
	F	2	—	—	—	—	—	1	1	—	—	8	—	—	—	—	1	2	5	—	—
30 Other deaths from violence ..	M	14	1	2	—	2	3	3	1	—	2	33	6	3	—	2	5	5	9	3	—
	F	6	—	—	—	—	2	2	1	1	—	15	—	2	1	3	3	—	3	—	—
31 Other defined diseases ..	M	56	5	2	2	2	3	6	8	11	17	174	19	5	1	4	6	16	47	41	—
	F	65	8	1	2	2	2	7	18	9	16	156	15	1	1	3	5	9	29	19	—
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	1	—	—	3	—	1	—	—	1	1	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	3	—	—	—	—	1	1	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.	Sex.	SOUTHEND-ON-SEA.										SOUTHPORT.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	482	55	9	5	11	15	58	137	101	91	420	46	6	6	6	16	46	118	90	86
	F	504	39	4	7	20	13	75	113	97	136	501	31	8	11	4	19	41	115	120	152
1 Enteric fever ..	M	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	1	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	2	2	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	1	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	3	1	1	1	—	—	—	—	—	—	4	2	2	—	—	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	1	—	—	—	—	—	—	3	—	—	2	1	—	—	—	—	—
	F	2	—	—	—	1	1	—	—	—	—	2	—	1	1	—	—	—	—	—	—
7 Influenza ..	M	5	—	—	—	—	—	3	2	—	—	3	—	—	—	—	—	1	1	—	1
	F	7	—	—	—	—	—	3	2	—	2	7	—	—	—	—	—	3	1	3	—
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	33	—	—	—	1	5	19	6	2	—	24	—	—	—	1	5	8	9	1	—
	F	37	—	—	—	1	6	21	8	1	—	19	—	—	—	—	5	9	3	2	—
11 Other tuberculous diseases ..	M	10	1	3	1	2	—	2	1	—	—	6	—	1	1	1	—	2	1	—	—
	F	12	1	1	—	4	—	2	3	1	—	11	1	—	3	1	—	2	4	—	—
12 Cancer, malignant disease ..	M	59	—	—	—	—	1	3	25	16	14	41	—	—	—	—	—	18	19	4	—
	F	67	—	—	—	1	—	4	29	21	12	63	—	—	—	—	5	27	18	13	—
13 Rheumatic fever ..	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—
14 Diabetes ..	M	2	—	—	—	—	—	—	1	1	—	7	—	—	—	—	2	1	3	—	1
	F	8	—	—	—	1	1	1	3	2	—	5	—	—	—	—	1	2	—	—	2
15 Cerebral hæmorrhage, &c. ..	M	28	—	—	—	—	—	1	9	15	3	30	—	—	—	—	—	2	8	12	8
	F	32	—	—	—	—	—	3	10	9	10	50	—	—	—	—	1	8	17	24	—
16 Heart disease ..	M	60	—	1	—	—	—	5	25	19	10	49	—	1	1	—	2	6	13	16	10
	F	64	—	—	—	—	—	10	18	16	20	79	—	—	1	—	2	3	20	30	23
17 Arterio-sclerosis ..	M	18	—	—	—	—	—	—	6	7	5	23	—	—	—	—	—	1	3	11	8
	F	12	—	—	—	—	—	—	2	4	6	12	—	—	—	—	1	3	2	6	—
18 Bronchitis ..	M	32	4	2	—	—	—	—	6	9	11	27	7	—	—	—	—	1	4	6	9
	F	41	3	—	—	—	—	2	3	13	20	45	1	1	—	—	—	2	7	12	22
19 Pneumonia (all forms) ..	M	29	3	—	—	—	2	6	9	6	3	25	5	2	—	—	3	3	8	1	3
	F	25	4	1	2	2	—	4	5	2	5	37	4	—	—	—	2	2	9	12	8
20 Other respiratory diseases ..	M	8	—	—	—	—	—	3	3	1	1	13	—	—	—	—	1	2	5	1	4
	F	3	—	—	—	1	—	1	—	—	1	4	—	—	—	—	—	—	2	2	—
21 Ulcer of stomach or duodenum ..	M	1	—	—	—	—	—	—	1	—	—	5	—	—	—	—	—	1	2	1	1
	F	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	2	—	1	—
22 Diarrhoea, &c. ..	M	20	17	1	—	—	—	—	—	—	2	8	5	—	1	—	—	—	1	1	—
	F	8	6	—	—	—	—	1	—	1	—	7	3	1	1	—	—	1	—	1	—
23 Appendicitis and typhlitis ..	M	9	—	—	—	2	3	1	1	1	1	3	—	—	—	1	—	1	—	—	—
	F	4	—	—	—	2	—	—	2	—	—	1	—	—	—	—	1	—	—	—	—
24 Cirrhosis of liver ..	M	5	—	—	—	—	—	—	4	1	—	3	—	—	—	—	—	3	—	—	—
	F	3	—	—	—	—	—	1	2	—	—	3	—	—	—	—	—	1	1	—	—
25 Acute and chronic nephritis ..	M	20	2	—	—	—	—	1	6	9	2	18	—	—	—	—	—	2	9	4	3
	F	26	—	—	—	1	—	1	8	9	7	12	—	—	—	—	—	2	7	2	1
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	2	—	—	—	—	—	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	—	3	—	—	—	—	1	2	—	—	—
28 Congenital debility and malformation, premature birth..	M	21	21	—	—	—	—	—	—	—	—	18	18	—	—	—	—	—	—	—	—
	F	15	15	—	—	—	—	—	—	—	—	15	14	—	—	—	1	—	—	—	—
29 Suicide ..	M	3	—	—	—	—	—	1	2	—	—	4	—	—	—	—	—	—	4	—	—
	F	6	—	—	—	—	—	4	2	—	—	1	—	—	—	—	—	1	—	—	—
30 Other deaths from violence..	M	14	—	—	1	2	2	2	6	—	1	11	2	—	—	1	—	4	1	1	2
	F	9	1	—	1	4	1	—	1	—	1	8	—	1	—	—	—	1	4	—	2
31 Other defined diseases ..	M	93	3	2	2	4	2	10	21	11	38	91	8	2	—	1	2	9	23	14	32
	F	110	8	1	3	2	3	13	12	16	52	98	6	1	5	2	5	4	12	16	47
32 Causes ill-defined or unknown ..	M	6	1	—	—	—	—	—	2	3	—	3	—	—	—	—	—	—	1	2	—
	F	3	—	—	—	—	—	—	1	2	—	5	—	—	—	—	—	—	3	2	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.		Sex.	SOUTH SHIELDS.										STOCKPORT.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..		M	981	184	68	31	45	50	145	225	150	83	754	137	18	18	32	33	88	233	124	71
		F	831	152	64	37	45	46	113	160	109	105	771	97	18	18	21	28	84	195	156	154
1	Enteric fever ..	M	1	—	—	1	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	—
		F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
2	Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles ..	M	20	2	11	7	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
		F	24	3	10	6	4	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	5	—	1	1	3	—	—	—	—	—
		F	3	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ..	M	9	2	5	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	18	6	10	2	—	—	—	—	—	—	10	7	3	—	—	—	—	—	—	—
6	Diphtheria ..	M	6	—	1	2	3	—	—	—	—	—	5	—	1	1	3	—	—	—	—	—
		F	6	—	2	2	1	—	1	—	—	—	14	—	3	4	6	1	—	—	—	—
7	Influenza ..	M	33	—	—	—	4	2	7	12	5	3	10	—	—	—	—	—	2	3	3	2
		F	27	2	—	1	2	3	6	6	3	4	12	—	—	1	—	1	2	3	3	2
8	Encephalitis lethargica ..	M	3	—	1	—	—	—	1	1	—	—	2	—	—	—	—	—	1	1	—	—
		F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	96	—	2	2	7	19	47	16	3	—	69	—	—	2	4	9	31	20	3	—
		F	72	—	—	4	10	20	31	7	—	—	49	—	—	3	9	26	10	1	—	—
11	Other tuberculous diseases ..	M	25	3	2	4	11	2	3	—	—	—	6	1	1	2	1	—	1	—	—	—
		F	22	1	3	4	4	5	5	—	—	—	10	1	—	2	1	1	3	1	1	—
12	Cancer, malignant disease ..	M	68	—	—	—	—	—	9	32	25	2	69	—	—	—	—	2	2	38	24	3
		F	60	—	—	—	—	1	14	35	9	1	104	—	—	—	—	1	10	56	24	13
13	Rheumatic fever ..	M	7	—	—	—	3	1	1	2	—	—	3	—	—	—	1	1	—	—	—	—
		F	5	—	—	1	2	1	—	1	—	—	7	—	—	1	1	4	—	—	1	—
14	Diabetes ..	M	7	—	—	—	—	1	2	—	—	2	5	—	—	—	—	2	—	2	—	—
		F	4	—	—	—	—	—	3	—	—	—	9	—	—	—	—	—	—	7	—	—
15	Cerebral hæmorrhage, &c. ..	M	45	—	—	—	—	1	3	15	17	9	24	—	—	—	—	—	1	11	8	1
		F	50	—	—	—	—	—	1	21	15	13	36	—	—	—	—	—	1	14	11	—
16	Heart disease ..	M	91	—	—	—	2	5	15	32	28	9	101	—	—	—	3	3	10	40	24	2
		F	83	—	—	—	1	2	14	24	32	10	119	—	—	—	1	4	10	35	41	2
17	Arterio-sclerosis ..	M	24	—	—	—	—	—	—	6	12	6	30	—	—	—	—	—	1	10	14	1
		F	15	—	—	—	—	—	1	3	4	7	35	—	—	—	—	—	1	6	12	—
18	Bronchitis ..	M	78	12	12	2	—	—	2	19	19	12	58	12	3	—	—	—	—	13	17	1
		F	61	12	8	2	—	—	—	15	13	11	87	12	3	1	—	—	—	12	28	3
19	Pneumonia (all forms) ..	M	74	16	10	6	4	3	16	15	4	—	71	10	8	4	3	2	14	25	3	—
		F	41	8	12	4	2	1	6	5	3	—	37	4	5	3	1	—	3	10	6	—
20	Other respiratory diseases ..	M	8	—	—	—	1	1	2	4	—	—	14	—	—	1	1	1	2	6	2	—
		F	7	1	1	—	1	1	1	1	1	—	7	—	—	1	—	—	1	2	2	—
21	Ulcer of stomach or duodenum ..	M	5	—	—	—	—	1	1	3	—	—	1	—	—	—	—	1	—	1	—	—
		F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
22	Diarrhœa, &c. ..	M	46	32	9	2	1	—	1	—	—	1	24	19	1	2	1	—	1	—	—	—
		F	43	27	8	1	3	—	—	2	1	1	22	15	2	—	—	—	1	—	1	—
23	Appendicitis and typhlitis ..	M	4	—	—	—	1	1	1	1	—	—	5	—	—	—	4	—	—	1	—	—
		F	7	—	—	—	2	1	—	4	—	—	2	—	—	—	1	—	1	—	—	—
24	Cirrhosis of liver ..	M	5	—	—	—	—	—	2	1	2	—	7	—	—	—	—	—	2	5	—	—
		F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	—	1	—
25	Acute and chronic nephritis ..	M	28	—	1	1	1	2	4	14	4	1	26	—	—	1	1	1	5	12	6	—
		F	12	—	—	—	2	—	2	7	1	—	27	—	—	1	—	1	5	11	6	—
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	1	2	—	—	—	5	—	—	—	—	1	4	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	9	—	—	—	—	3	6	—	—	—	9	—	—	—	—	1	7	1	—	—
28	Congenital debility and malformation, premature birth..	M	71	71	—	—	—	—	—	—	—	—	62	62	—	—	—	—	—	—	—	—
		F	60	59	—	—	—	1	—	—	—	—	36	36	—	—	—	—	—	—	—	—
29	Suicide ..	M	5	—	—	—	—	—	3	1	1	—	9	—	—	—	—	—	3	5	1	—
		F	4	—	—	—	—	1	1	2	—	—	5	—	—	—	—	1	1	2	1	—
30	Other deaths from violence..	M	37	1	1	1	1	6	15	8	3	1	25	3	—	2	3	3	2	7	4	—
		F	19	1	1	2	4	3	1	4	—	3	7	—	1	—	2	1	1	1	—	—
31	Other defined diseases ..	M	172	45	13	1	5	4	9	36	22	37	117	27	2	2	4	8	9	33	14	—
		F	171	32	9	6	5	2	16	21	25	55	116	21	1	3	5	2	6	22	17	—
32	Causes ill-defined or unknown ..	M	13	—	—	—	1	1	1	7	3	—	1	—	1	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.	Sex.	STOKE-ON-TRENT.										SUNDERLAND.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	1975	555	93	60	79	85	221	477	262	143	1298	303	115	53	57	75	142	258	178	117
	F	1683	408	84	51	68	92	219	363	214	184	1177	246	104	50	45	44	134	227	173	154
1 Enteric fever ..	M	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	—
	F	6	—	—	1	1	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	1	—	—	1	—	—	—	—	—	—	46	13	21	9	3	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	41	8	24	6	3	—	—	—	—	—
4 Scarlet fever ..	M	8	—	1	4	1	2	—	—	—	—	3	—	1	—	2	—	—	—	—	—
	F	8	—	1	—	6	1	—	—	—	—	2	—	—	1	1	—	—	—	—	—
5 Whooping cough ..	M	9	5	3	1	—	—	—	—	—	—	20	10	6	4	—	—	—	—	—	—
	F	13	4	5	3	1	—	—	—	—	—	33	17	12	4	—	—	—	—	—	—
6 Diphtheria ..	M	11	—	3	4	3	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	9	2	2	3	2	—	—	—	—	—	7	—	1	3	3	—	—	—	—	—
7 Influenza ..	M	47	9	—	2	2	5	15	7	5	2	15	—	2	1	1	2	3	4	2	—
	F	47	1	6	2	2	2	12	11	10	1	14	—	—	1	1	1	3	5	3	—
8 Encephalitis lethargica ..	M	1	—	—	—	1	—	—	—	—	—	3	—	—	—	2	1	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	4	3	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	158	1	1	1	4	27	67	52	4	1	89	—	2	—	3	26	37	19	2	—
	F	136	—	1	—	5	42	52	33	2	1	74	—	3	1	8	22	27	13	—	—
11 Other tuberculous diseases ..	M	34	11	3	3	8	2	4	2	1	—	47	7	7	9	14	8	1	1	—	—
	F	44	12	6	3	10	7	3	3	—	—	27	3	5	5	6	3	1	3	—	1
12 Cancer, malignant disease ..	M	127	—	—	—	2	1	9	72	40	3	73	1	—	—	1	1	7	39	20	4
	F	138	—	1	—	1	1	19	71	30	15	90	—	—	—	1	—	13	53	15	8
13 Rheumatic fever ..	M	3	—	—	—	—	1	—	2	—	—	6	—	—	—	2	2	2	—	—	—
	F	6	—	—	—	3	1	2	—	—	—	4	—	—	—	—	—	4	—	—	—
14 Diabetes ..	M	11	—	—	—	—	1	2	5	3	—	12	—	—	—	—	2	4	5	—	1
	F	9	—	—	—	1	—	1	5	—	2	5	—	—	—	—	—	1	3	1	—
15 Cerebral hæmorrhage, &c. ..	M	73	—	—	—	—	—	4	35	18	16	56	—	—	—	1	—	1	19	25	10
	F	106	—	—	—	—	1	5	51	31	18	81	—	—	—	—	—	2	22	37	20
16 Heart disease ..	M	187	1	—	2	2	9	22	73	53	25	113	—	—	—	—	3	22	41	27	20
	F	168	—	—	1	4	5	25	59	42	32	100	—	—	—	—	1	13	35	37	14
17 Arterio-sclerosis ..	M	54	—	—	—	—	—	—	10	23	21	34	—	—	—	—	—	—	10	15	9
	F	31	—	—	—	—	—	—	3	10	18	30	—	—	—	—	—	1	2	13	14
18 Bronchitis ..	M	223	38	13	7	3	2	9	68	52	31	143	39	18	6	—	1	6	28	29	16
	F	137	26	11	4	—	1	1	24	42	28	145	48	13	9	—	1	5	24	20	25
19 Pneumonia (all forms) ..	M	168	47	31	17	15	7	22	22	5	2	135	38	26	12	8	7	14	19	11	—
	F	112	24	20	15	3	6	20	16	3	5	92	17	23	9	6	1	11	13	7	5
20 Other respiratory diseases ..	M	22	3	2	1	3	—	4	3	3	3	5	1	—	—	—	1	—	2	—	1
	F	12	2	1	3	1	—	1	2	1	1	8	—	—	1	1	—	2	1	1	2
21 Ulcer of stomach or duodenum ..	M	12	—	—	—	—	1	4	4	2	1	7	—	—	—	—	1	2	2	—	—
	F	2	—	—	—	—	—	—	2	—	—	3	—	—	—	—	1	1	1	—	—
22 Diarrhoea, &c. ..	M	200	171	16	2	1	—	4	3	2	1	74	47	13	3	5	—	—	4	2	—
	F	158	125	15	4	—	1	4	3	3	3	59	35	14	2	2	—	1	4	—	1
23 Appendicitis and typhlitis ..	M	15	—	—	1	2	5	1	4	2	—	5	—	—	—	1	1	2	1	—	—
	F	10	—	—	—	5	—	3	2	—	—	4	—	—	—	2	—	2	—	—	—
24 Cirrhosis of liver ..	M	15	—	—	—	—	—	—	13	2	—	5	—	—	—	—	—	3	2	—	—
	F	3	—	—	—	—	—	—	2	—	1	5	—	—	—	—	—	1	2	1	1
25 Acute and chronic nephritis ..	M	45	3	1	—	2	2	6	19	12	—	36	—	1	1	2	—	7	17	5	3
	F	46	1	—	—	4	2	9	21	8	1	30	—	—	2	1	2	3	17	3	2
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	14	—	—	—	—	5	8	1	—	—	5	—	—	—	—	2	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	20	—	—	—	—	4	16	—	—	—	20	—	—	—	—	2	18	—	—	—
28 Congenital debility and malformation, premature birth ..	M	184	181	—	1	1	1	—	—	—	—	105	104	—	—	1	—	—	—	—	—
	F	155	152	1	1	—	1	—	—	—	—	86	84	—	—	—	—	—	1	—	—
29 Suicide ..	M	19	—	—	—	—	2	6	8	2	1	9	—	—	—	—	2	3	4	—	—
	F	6	—	—	—	—	—	4	2	—	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence ..	M	65	2	3	7	13	8	15	13	4	—	44	2	4	2	3	6	8	15	3	1
	F	29	4	1	4	4	—	3	7	—	6	19	4	4	1	1	1	1	3	1	3
31 Other defined diseases ..	M	274	80	13	6	15	9	26	61	28	36	210	41	14	6	6	10	23	25	33	52
	F	250	55	11	7	14	9	28	42	32	52	193	30	5	4	9	7	21	25	34	58
32 Causes ill-defined or unknown ..	M	4	—	3	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—
	F	6	—	2	—	1	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.		Sex.	WALLASEY.										WALSALL.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	M	443	50	7	13	14	26	57	140	75	61	682	177	30	21	26	24	82	156	87	79
		F	523	15	8	19	22	71	122	101	115	638	136	34	21	23	22	63	123	102	114	
1 Enteric fever	..	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles	M	—	—	—	—	—	—	—	—	—	4	—	3	1	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	4	—	3	—	1	—	—	—	—	—	
4 Scarlet fever	..	M	2	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	2	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	
5 Whooping cough	M	5	3	2	—	—	—	—	—	—	5	4	1	—	—	—	—	—	—	—	
		F	5	3	1	1	—	—	—	—	—	13	5	3	5	—	—	—	—	—	—	
6 Diphtheria	..	M	4	—	—	1	3	—	—	—	—	9	1	1	4	3	—	—	—	—	—	
		F	8	—	1	1	6	—	—	—	—	8	—	1	3	4	—	—	—	—	—	
7 Influenza	M	10	1	—	—	2	4	1	2	—	12	—	—	1	1	3	2	3	1	1	
		F	3	1	—	—	—	2	—	—	—	6	1	1	—	—	—	2	2	1	1	
8 Encephalitis lethargica	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
9 Meningococcal meningitis	..	M	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	
10 Tuberculosis of respiratory system		M	42	—	—	—	4	18	18	1	1	53	—	—	—	1	7	27	18	—	—	
		F	41	—	1	3	13	16	8	—	—	39	—	—	1	3	11	16	8	—	—	
11 Other tuberculous diseases	M	9	1	2	3	—	1	—	1	—	9	2	1	2	1	—	2	—	—	—	
		F	11	3	—	2	—	1	3	2	—	14	5	3	1	1	2	1	1	—	—	
12 Cancer, malignant disease	M	49	—	—	—	1	—	30	13	5	38	—	—	—	—	1	4	23	9	1	
		F	78	—	—	—	1	8	36	24	9	52	—	—	—	—	5	24	17	6	6	
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	
14 Diabetes	M	4	—	—	—	—	—	1	1	2	3	—	—	—	—	1	1	—	—	—	
		F	7	—	—	—	—	—	3	4	—	4	—	—	—	—	2	2	—	—	—	
15 Cerebral hæmorrhage, &c.	..	M	31	—	—	—	—	—	11	13	7	23	—	—	—	—	1	1	5	10	6	
		F	34	—	—	—	—	1	12	10	11	52	—	—	—	—	2	15	16	19	19	
16 Heart disease	..	M	46	—	—	—	4	3	19	11	9	47	—	—	—	—	1	10	17	9	10	
		F	88	—	—	1	1	11	15	26	34	52	—	—	—	3	6	14	20	9	9	
17 Arterio-sclerosis	M	25	—	—	—	—	—	8	8	9	15	—	—	—	—	—	—	2	6	7	
		F	19	—	—	—	—	—	4	5	10	12	—	—	—	—	—	3	5	4	4	
18 Bronchitis	..	M	14	2	1	1	—	—	1	1	8	56	8	3	1	1	—	2	14	20	7	
		F	23	1	1	—	—	—	5	7	9	39	10	1	1	—	2	4	9	12	12	
19 Pneumonia (all forms)	M	40	1	1	6	5	9	10	7	1	75	15	10	7	4	1	15	19	3	1	
		F	31	2	4	2	—	6	8	5	4	48	11	14	4	4	—	1	6	4	4	
20 Other respiratory diseases	M	3	—	—	—	—	3	—	—	—	10	1	—	—	—	1	3	3	1	1	
		F	4	—	—	—	—	3	1	—	—	7	2	—	—	—	2	1	—	2	2	
21 Ulcer of stomach or duodenum	..	M	5	—	—	—	—	2	3	—	—	3	—	—	—	—	1	2	—	—	—	
		F	3	—	—	—	—	2	1	—	—	1	—	—	—	—	—	—	1	—	—	
22 Diarrhœa, &c.	..	M	8	5	—	1	—	—	1	1	—	46	36	7	—	2	—	—	1	—	—	
		F	11	8	2	—	—	—	—	1	—	44	31	4	—	1	—	2	1	4	1	
23 Appendicitis and typhlitis..	..	M	5	—	—	1	2	1	1	—	—	4	—	—	—	2	—	—	2	—	—	
		F	7	—	1	3	—	3	—	—	—	3	—	—	1	—	1	1	—	—	—	
24 Cirrhosis of liver	M	4	—	—	—	—	1	2	1	—	2	—	—	—	—	—	2	—	—	—	
		F	3	—	—	—	—	—	2	1	—	3	—	—	—	—	1	1	1	—	—	
25 Acute and chronic nephritis	..	M	13	—	—	—	1	3	6	2	1	15	—	—	1	—	5	7	1	1	1	
		F	12	—	1	—	—	2	5	2	2	13	—	—	1	1	1	8	2	—	—	
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	4	—	—	—	2	2	—	—	—	4	—	—	—	1	3	—	—	—	—	
27 Other accidents and diseases of pregnancy and parturition.	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	4	—	—	—	1	3	—	—	—	3	—	—	—	1	2	—	—	—	—	
28 Congenital debility and malformation, premature birth..	..	M	20	20	—	—	—	—	—	—	—	85	85	—	—	—	—	—	—	—	—	
		F	20	20	—	—	—	—	—	—	—	47	46	1	—	—	—	—	—	—	—	
29 Suicide	M	7	—	—	1	—	—	5	1	—	7	—	—	—	—	1	5	1	—	—	
		F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—	
30 Other deaths from violence..	..	M	15	1	—	1	2	4	5	2	—	29	1	2	2	4	4	7	1	4	4	
		F	7	3	1	—	—	—	1	—	2	24	—	—	1	3	—	5	4	2	9	
31 Other defined diseases	M	78	14	1	1	5	2	6	19	12	131	24	2	3	5	4	5	23	25	40	
		F	95	9	3	2	4	2	7	18	14	141	23	3	4	4	2	10	28	20	47	
32 Causes ill-defined or unknown	..	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.	Sex.	WARRINGTON.										WEST BROMWICH.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	525	114	24	19	21	24	70	135	76	42	520	126	25	14	20	18	70	124	68	55
	F	440	83	26	21	16	22	55	103	62	52	434	83	36	21	18	24	39	86	65	62
1 Enteric fever ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	2	—	—	2	—	—	—	—	—	—	16	6	7	2	1	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	16	3	7	5	1	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	1	—	2	—	—	—	—	—
5 Whooping cough ..	M	13	6	5	1	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	18	5	7	5	1	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
6 Diphtheria ..	M	3	2	—	1	—	—	—	—	—	—	8	—	3	—	4	—	1	—	—	—
	F	2	—	—	2	—	—	—	—	—	—	6	—	2	3	1	—	—	—	—	—
7 Influenza ..	M	11	—	—	—	1	1	1	6	2	—	11	2	—	—	—	—	3	5	1	—
	F	16	—	—	2	—	2	2	5	2	3	3	—	—	—	—	1	1	1	—	—
8 Encephalitis lethargica ..	M	3	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	1	1	1	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	53	—	—	1	4	9	22	17	—	—	29	—	—	—	2	4	17	6	—	—
	F	25	—	—	—	1	5	14	4	1	—	18	1	—	—	—	7	7	3	—	—
11 Other tuberculous diseases ..	M	13	4	2	—	3	2	2	—	—	—	7	4	—	1	2	—	—	—	—	—
	F	11	—	—	1	3	4	1	2	—	—	6	1	1	—	3	—	1	—	—	—
12 Cancer, malignant disease ..	M	44	—	—	—	—	1	—	29	13	1	27	—	—	—	—	—	4	16	4	3
	F	46	—	—	—	1	—	4	23	11	7	39	—	—	—	—	—	4	24	10	1
13 Rheumatic fever ..	M	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes ..	M	3	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	—	2	—	—	3	—	—	—	—	1	—	2	—	—
15 Cerebral hæmorrhage, &c. ..	M	26	—	—	—	1	—	1	9	13	2	19	—	—	—	—	—	—	7	8	4
	F	14	—	—	—	—	—	—	5	7	2	17	—	—	—	—	—	1	4	8	4
16 Heart disease ..	M	34	—	—	—	1	3	4	16	8	2	40	—	—	—	2	2	6	14	10	6
	F	53	—	—	—	3	3	7	20	11	9	36	1	—	—	3	1	3	14	8	6
17 Arterio-sclerosis ..	M	3	—	—	—	—	—	—	1	1	1	12	—	—	—	—	—	1	3	5	3
	F	3	—	—	—	—	—	—	1	1	1	8	—	—	—	—	—	—	—	5	3
18 Bronchitis ..	M	49	12	2	—	—	—	—	13	9	13	48	8	2	—	1	1	4	18	6	8
	F	39	7	4	3	2	—	—	4	10	9	39	3	5	—	1	—	1	8	7	14
19 Pneumonia (all forms) ..	M	66	14	9	8	—	1	10	15	8	1	61	13	9	5	—	4	8	15	6	1
	F	36	10	5	3	—	1	7	5	3	2	42	9	12	6	3	2	2	3	2	3
20 Other respiratory diseases ..	M	5	—	—	—	—	1	1	2	—	1	4	—	—	—	—	1	2	—	1	—
	F	5	—	—	—	—	1	2	2	—	—	4	—	—	1	—	—	—	1	—	—
21 Ulcer of stomach or duodenum ..	M	3	—	—	—	—	—	3	—	—	—	3	—	—	—	—	—	2	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
22 Diarrhoea, &c. ..	M	29	24	3	1	—	—	1	—	—	—	27	18	2	2	—	—	—	—	2	—
	F	22	11	4	1	—	—	—	1	3	2	24	18	4	1	—	—	—	1	—	—
23 Appendicitis and typhlitis ..	M	1	—	—	—	1	—	—	—	—	—	4	—	—	—	—	1	2	1	—	—
	F	2	—	—	—	1	—	—	—	1	—	2	—	—	—	—	1	1	—	—	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	1	2	—	—
	F	2	—	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	9	—	—	—	—	—	4	5	—	—	15	—	1	—	—	1	5	5	3	—
	F	11	—	—	—	—	1	1	7	1	1	14	—	—	1	—	1	4	5	1	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	—	4	—	—	—	—	2	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	—	6	—	—	—	4	—	—	—	—	2	2	—	—	—
28 Congenital debility and malformation, premature birth ..	M	37	37	—	—	—	—	—	—	—	—	59	58	—	1	—	—	—	—	—	—
	F	38	37	1	—	—	—	—	—	—	—	35	34	—	1	—	—	—	—	—	—
29 Suicide ..	M	4	—	—	—	—	—	4	—	—	—	6	—	—	—	—	—	1	4	1	—
	F	2	—	—	—	—	—	1	1	—	—	4	—	—	—	—	—	2	2	—	—
30 Other deaths from violence ..	M	18	—	1	3	4	—	6	1	1	2	13	1	—	—	3	2	2	4	—	—
	F	8	2	—	1	—	—	—	2	—	3	8	—	—	—	1	—	2	2	1	—
31 Other defined diseases ..	M	84	15	1	1	4	5	8	11	20	19	103	15	—	3	5	2	8	23	21	20
	F	70	11	4	3	3	3	6	17	11	12	88	13	3	2	2	5	4	12	22	20
32 Causes ill-defined or unknown ..	M	8	—	1	—	1	—	—	5	1	—	3	—	—	—	—	—	3	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	4	—	—	—	1	—	—	2	1	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.	Sex.	WEST HAM.										WEST HARTLEPOOL.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	2020	358	101	48	77	109	250	513	335	229	542	115	40	14	21	20	75	128	81	48
	F	1692	257	102	34	90	103	210	370	270	256	439	78	22	18	22	13	64	87	62	73
1 Enteric fever ..	M	1	—	—	—	—	—	—	—	1	—	4	—	—	—	—	2	—	1	1	—
	F	1	—	—	—	—	1	—	—	—	—	2	—	—	—	—	—	1	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	3	1	1	1	—	—	—	—	—	—	7	1	5	1	—	—	—	—	—	—
	F	7	—	6	—	1	—	—	—	—	—	5	1	1	3	—	—	—	—	—	—
4 Scarlet fever ..	M	6	1	2	—	3	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	5	1	—	1	2	—	1	—	—	—	2	—	—	—	1	—	1	—	—	—
5 Whooping cough ..	M	11	5	4	2	—	—	—	—	—	—	3	1	2	—	—	—	—	—	—	—
	F	26	9	14	2	1	—	—	—	—	—	5	1	4	—	—	—	—	—	—	—
6 Diphtheria ..	M	13	2	2	5	4	—	—	—	—	—	3	—	1	1	1	—	—	—	—	—
	F	19	1	—	5	12	—	1	—	—	—	4	—	2	1	1	—	—	—	—	—
7 Influenza ..	M	34	—	3	3	—	1	7	15	2	3	16	4	1	—	—	2	4	3	1	1
	F	42	2	3	5	3	4	5	10	8	2	12	2	—	—	2	—	1	5	2	—
8 Encephalitis lethargica ..	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	5	3	1	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	185	1	2	1	3	48	76	51	2	1	42	—	1	2	—	5	22	11	1	—
	F	126	—	1	—	6	38	45	32	4	—	37	—	—	2	3	8	17	7	—	—
11 Other tuberculous diseases ..	M	48	7	9	5	13	5	5	4	—	—	9	2	3	1	2	—	—	1	—	—
	F	32	4	6	2	12	5	2	1	—	—	13	—	1	5	2	1	3	—	1	—
12 Cancer, malignant disease ..	M	177	—	—	1	2	—	17	84	55	18	30	—	—	1	—	—	—	19	9	1
	F	172	—	—	2	—	1	26	92	37	14	49	—	—	—	—	1	10	22	13	3
13 Rheumatic fever ..	M	13	—	—	1	2	3	4	2	1	—	3	—	—	—	1	—	—	2	—	—
	F	20	—	—	—	8	7	4	1	—	—	1	—	—	—	—	—	—	1	—	—
14 Diabetes ..	M	10	—	—	—	—	1	1	4	3	1	5	—	—	—	—	—	—	4	1	—
	F	14	—	—	—	—	1	3	7	3	—	3	—	—	—	—	—	—	2	—	1
15 Cerebral hæmorrhage, &c. ..	M	84	—	—	—	—	—	1	32	29	22	26	—	—	—	—	—	—	9	11	6
	F	87	—	—	—	—	—	2	36	24	25	23	—	—	—	—	1	8	6	—	8
16 Heart disease ..	M	156	1	1	1	7	11	17	53	48	17	40	—	—	—	—	—	6	16	14	4
	F	180	—	1	—	5	13	24	53	58	26	58	—	—	—	—	2	7	17	17	15
17 Arterio-sclerosis ..	M	32	—	—	—	—	—	—	12	11	9	7	—	—	—	—	—	1	1	3	2
	F	29	—	—	—	—	—	—	3	11	15	6	—	—	—	—	—	—	1	4	1
18 Bronchitis ..	M	182	18	8	1	2	1	6	51	57	38	44	14	2	—	1	—	1	7	12	7
	F	160	12	7	1	—	—	8	29	54	49	39	14	4	1	1	—	—	3	3	13
19 Pneumonia (all forms) ..	M	240	50	42	14	5	5	38	56	24	6	77	19	12	3	5	2	17	12	4	3
	F	158	36	35	11	10	10	17	26	5	8	26	2	5	3	5	—	1	2	5	3
20 Other respiratory diseases ..	M	25	2	—	—	2	1	3	10	6	1	19	—	—	1	1	—	3	5	5	4
	F	20	1	—	1	—	—	1	5	6	6	4	1	—	—	—	—	—	2	—	1
21 Ulcer of stomach or duodenum ..	M	18	—	—	—	—	1	4	10	3	—	2	—	—	—	—	—	1	1	—	—
	F	5	—	—	—	—	—	2	2	—	1	1	—	—	—	—	—	1	—	—	—
22 Diarrhœa, &c. ..	M	95	70	15	2	1	—	1	4	1	1	20	16	4	—	—	—	—	—	—	—
	F	95	59	18	1	—	2	4	5	3	3	20	15	2	—	—	—	1	—	—	2
23 Appendicitis and typhlitis ..	M	15	—	—	—	7	5	2	1	—	—	2	—	—	—	1	—	1	—	—	—
	F	11	—	—	—	7	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver ..	M	15	—	—	—	—	—	2	8	4	1	2	—	—	—	—	—	—	2	—	—
	F	2	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	46	—	—	—	—	1	8	20	8	9	11	—	—	—	2	—	2	5	1	1
	F	40	—	—	—	3	—	7	17	9	4	9	—	—	—	1	—	3	2	1	2
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	3	—	—	—	—	1	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	12	—	—	—	—	3	9	—	—	—	5	—	—	—	—	—	5	—	—	—
28 Congenital debility and malformation, premature birth..	M	156	155	—	—	—	—	1	—	—	—	39	38	1	—	—	—	—	—	—	—
	F	105	99	2	1	1	1	1	—	—	—	32	32	—	—	—	—	—	—	—	—
29 Suicide ..	M	25	—	—	—	—	1	7	12	5	—	2	—	—	—	—	—	—	1	1	—
	F	8	—	—	—	—	—	4	3	1	—	3	—	—	—	—	—	1	2	—	—
30 Other deaths from violence..	M	76	7	4	4	9	10	13	19	7	3	19	1	—	—	1	2	8	4	—	3
	F	41	12	4	1	4	2	5	4	4	5	8	—	—	1	1	—	1	2	1	2
31 Other defined diseases ..	M	348	35	7	6	17	14	37	65	68	99	104	19	8	3	5	6	8	23	16	16
	F	267	21	3	1	14	15	32	40	43	98	66	9	3	2	3	—	8	10	9	22
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	1	1	—
	F	1	—	1	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.	Sex.	WIGAN.										WOLVERHAMPTON.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	663	164	47	14	36	30	84	148	89	51	634	124	36	10	31	24	56	167	105	81
	F	614	123	36	18	27	40	89	122	91	68	624	105	25	14	21	19	77	125	126	112
1 Enteric fever ..	M	3	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	2	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	4	—	—	1	2	1	—	—	—	—	6	1	2	—	3	—	—	—	—	—
	F	4	—	—	1	1	2	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough ..	M	18	9	6	2	1	—	—	—	—	—	3	2	—	1	—	—	—	—	—	—
	F	15	8	7	—	—	—	—	—	—	—	4	1	3	—	—	—	—	—	—	—
6 Diphtheria ..	M	2	—	—	1	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	3	—	—	2	—	—	1	—	—	—	2	—	1	1	—	—	—	—	—	—
7 Influenza ..	M	13	1	1	1	—	2	2	2	4	—	13	1	1	—	1	1	3	3	2	1
	F	12	—	1	—	2	—	1	5	2	1	7	—	—	—	—	—	—	2	4	1
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	2	1	—	—	—	1	—	—	—	—
9 Meningococcal meningitis ..	M	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	57	—	—	—	4	9	17	26	1	—	42	—	—	—	1	8	15	17	1	—
	F	42	—	—	—	2	14	22	4	—	—	38	—	1	—	2	8	16	10	1	—
11 Other tuberculous diseases ..	M	8	—	2	—	2	1	2	1	—	—	7	1	—	1	4	1	—	—	—	—
	F	9	—	1	—	5	1	1	1	—	—	9	3	1	1	—	3	—	—	1	—
12 Cancer, malignant disease ..	M	21	—	—	—	—	1	1	12	4	3	58	—	—	—	—	—	4	30	18	6
	F	39	—	—	—	—	—	8	17	13	1	64	—	—	—	—	1	6	28	18	11
13 Rheumatic fever ..	M	4	—	—	—	3	1	—	—	—	—	2	—	—	—	1	1	—	—	—	—
	F	3	—	—	—	1	—	—	2	—	—	1	—	—	—	1	—	—	—	—	—
14 Diabetes ..	M	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	1	—	1	—	—
	F	5	—	—	—	—	1	2	2	—	—	5	—	—	—	—	—	—	2	3	—
15 Cerebral hæmorrhage, &c. ..	M	36	—	—	—	—	—	4	18	9	5	28	—	—	—	—	—	—	7	13	8
	F	27	—	—	—	—	1	—	12	10	4	33	—	—	—	—	—	2	17	8	6
16 Heart disease ..	M	40	—	—	—	4	1	11	15	7	2	51	—	—	—	1	3	5	14	17	11
	F	61	—	—	—	3	5	13	22	15	3	66	—	1	—	2	1	6	19	27	10
17 Arterio-sclerosis ..	M	10	—	—	—	—	—	—	2	5	3	13	—	—	—	—	—	—	2	6	5
	F	2	—	—	—	—	—	—	—	2	—	15	—	—	—	—	—	—	5	4	6
18 Bronchitis ..	M	72	7	3	2	—	—	4	23	28	5	78	23	7	—	2	—	1	18	16	11
	F	65	8	1	2	—	—	4	18	18	14	69	16	5	1	1	1	4	10	14	17
19 Pneumonia (all forms) ..	M	61	16	13	2	8	1	12	5	4	—	78	10	10	6	4	2	13	26	5	2
	F	43	8	6	5	2	3	3	8	5	3	41	7	4	7	5	—	5	5	5	3
20 Other respiratory diseases ..	M	5	2	—	1	—	—	2	—	—	—	3	—	—	—	—	—	—	1	1	1
	F	6	1	1	—	1	—	—	2	—	1	4	—	—	1	—	—	—	1	2	—
21 Ulcer of stomach or duodenum ..	M	6	—	—	—	—	—	4	2	—	—	8	—	—	—	—	—	2	6	—	—
	F	2	—	—	—	—	1	1	—	—	—	2	—	—	—	—	1	—	—	—	—
22 Diarrhœa, &c. ..	M	47	31	10	1	—	—	2	2	1	—	36	29	6	—	—	—	—	1	—	—
	F	48	30	10	1	1	—	4	—	1	1	32	20	5	—	—	—	1	1	—	5
23 Appendicitis and typhlitis ..	M	3	—	—	—	—	1	2	—	—	—	5	—	—	—	2	1	1	1	—	—
	F	2	—	—	—	—	—	2	—	—	—	4	—	—	—	—	—	1	2	1	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	2	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	1	—	1	—
25 Acute and chronic nephritis ..	M	14	—	—	1	2	2	2	3	2	2	18	—	1	—	2	2	3	5	3	2
	F	17	—	—	1	2	1	5	4	2	2	10	—	—	—	1	1	4	2	2	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	—	4	1	—	—	6	—	—	—	—	—	6	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	3	1	—	—	11	—	—	—	—	—	11	—	—	—
28 Congenital debility and malformation, premature birth ..	M	75	75	—	—	—	—	—	—	—	—	38	38	—	—	—	—	—	—	—	—
	F	49	49	—	—	—	—	—	—	—	—	45	45	—	—	—	—	—	—	—	—
29 Suicide ..	M	8	—	—	—	—	—	1	4	1	2	6	—	—	—	—	—	—	6	—	—
	F	3	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence ..	M	28	1	2	—	3	5	8	8	—	1	13	—	2	1	5	2	2	—	—	1
	F	18	—	1	3	2	2	2	4	—	4	12	1	1	1	—	—	1	2	4	2
31 Other defined diseases ..	M	114	21	8	2	3	4	9	18	21	28	115	18	6	1	5	2	6	24	20	33
	F	119	19	7	3	2	5	10	17	22	34	136	11	3	2	8	2	12	17	31	50
32 Causes ill-defined or unknown ..	M	10	1	2	—	—	—	—	5	2	—	6	—	—	—	—	—	1	3	2	—
	F	3	—	1	—	1	—	—	—	1	—	3	—	—	—	—	1	—	2	—	—

(Civilian Population only).

CAUSES OF DEATH.	Sex.	WORCESTER.										YORK.									
		All Ages.	Ages.									All Ages.	Ages.								
			0—	1—	2—	5—	15—	25—	45—	65—	75—		0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	307	37	4	4	6	11	30	82	71	62	526	110	25	13	12	27	63	124	65	87
	F	299	23	4	4	6	8	31	70	55	98	507	61	22	10	15	29	52	106	86	126
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	6	—	5	1	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough ..	M	1	—	1	—	—	—	—	—	—	—	12	7	3	2	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	3	1	—	—	—	—	—	—	—
6 Diphtheria ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	2	—	—	—	—	—	—	3	—	—	1	1	—	—	1	—	—
7 Influenza ..	M	5	—	—	1	—	1	1	1	1	—	18	2	2	—	1	1	2	3	3	4
	F	2	—	—	—	—	—	—	1	—	1	17	1	2	—	—	2	3	4	3	2
8 Encephalitis lethargica ..	M	3	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	21	—	—	—	—	1	10	7	3	—	47	—	—	1	1	14	17	12	2	—
	F	22	—	—	2	—	5	8	4	2	1	44	—	1	—	1	15	17	10	—	—
11 Other tuberculous diseases ..	M	5	1	1	—	1	—	2	—	—	—	21	1	5	5	2	4	1	2	1	—
	F	5	—	2	—	—	—	2	1	—	—	8	—	1	—	1	1	2	3	—	—
12 Cancer, malignant disease ..	M	35	—	—	—	—	—	2	19	11	3	36	—	—	—	—	1	4	19	8	4
	F	39	—	—	—	—	—	8	15	6	10	58	—	—	1	—	—	5	25	14	13
13 Rheumatic fever ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	2	2	1	—	—
14 Diabetes ..	M	3	—	—	—	—	1	—	1	1	—	5	—	—	—	1	—	2	1	1	—
	F	2	—	—	—	—	—	1	1	—	—	5	—	—	—	—	1	1	2	—	1
15 Cerebral hæmorrhage, &c. ..	M	25	—	—	—	—	—	—	7	10	8	28	1	—	—	—	—	1	11	4	11
	F	23	—	—	—	—	—	1	7	6	9	31	—	—	—	—	—	1	8	9	13
16 Heart disease ..	M	45	—	—	—	—	—	4	13	19	9	53	—	—	—	1	2	7	21	11	11
	F	69	—	—	—	—	1	2	16	21	29	74	—	—	—	—	4	7	16	22	25
17 Arterio-sclerosis ..	M	3	—	—	—	—	—	—	2	—	1	9	—	—	—	—	—	1	2	2	4
	F	4	—	—	—	—	—	—	—	2	2	2	—	—	—	—	—	—	1	1	—
18 Bronchitis ..	M	15	1	1	—	—	1	—	1	1	10	34	10	1	—	—	—	1	8	6	8
	F	24	1	—	—	—	—	—	3	5	15	24	2	2	—	—	—	—	4	6	10
19 Pneumonia (all forms) ..	M	24	7	—	2	—	—	1	7	4	3	41	14	9	1	1	—	5	8	3	—
	F	15	5	2	1	—	—	1	3	2	1	29	6	5	3	4	1	2	—	4	4
20 Other respiratory diseases ..	M	4	—	—	—	—	—	—	2	1	1	7	1	—	—	—	—	3	1	—	2
	F	3	—	—	—	—	—	1	2	—	—	7	—	—	1	1	—	—	3	2	—
21 Ulcer of stomach or duodenum ..	M	3	—	—	—	—	1	—	1	1	—	3	—	—	—	—	—	1	1	1	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
22 Diarrhœa, &c. ..	M	10	6	—	—	3	—	—	—	1	—	17	15	1	1	—	—	—	—	—	—
	F	3	—	—	—	—	—	—	1	—	2	21	18	—	—	—	—	2	1	—	—
23 Appendicitis and typhlitis..	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	1	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	5	—	—	1	1	1	—	1	1	—
24 Cirrhosis of liver ..	M	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	2	—	—	—	—
25 Acute and chronic nephritis ..	M	11	1	—	—	—	—	1	7	1	1	13	—	—	—	—	2	—	4	4	3
	F	4	—	—	—	—	—	—	2	1	1	14	—	—	—	1	1	—	9	2	1
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—	2	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	2	—	—	—	—	1	1	—	—	—
28 Congenital debility and malformation, premature birth..	M	15	15	—	—	—	—	—	—	—	—	36	36	—	—	—	—	—	—	—	—
	F	13	13	—	—	—	—	—	—	—	—	22	21	—	1	—	—	—	—	—	—
29 Suicide ..	M	2	—	—	—	—	—	1	1	—	—	9	—	—	—	—	5	2	1	1	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
30 Other deaths from violence..	M	12	1	—	—	1	2	1	—	3	4	15	—	—	2	2	1	3	5	1	1
	F	7	—	—	3	—	—	—	2	1	1	10	1	2	—	1	—	1	1	2	2
31 Other defined diseases ..	M	60	5	1	1	—	3	7	7	14	22	114	23	2	1	2	4	7	21	16	38
	F	56	4	—	1	1	2	2	11	9	26	108	9	3	2	1	1	4	15	18	55
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.	Sex.	CARDIFF.										MERTHYR TYDFIL.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	1371	274	44	27	42	90	204	356	193	141	557	131	13	16	29	25	81	148	70	44
	F	1091	190	38	24	47	74	155	245	152	166	486	77	15	14	38	31	63	117	67	64
1 Enteric fever ..	M	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	2	—	—	—	—	1	—	1	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	4	—	—	—	3	—	1	—	—	—	1	1	—	—	—	—	2	—	—	—
	F	5	—	—	3	1	—	1	—	—	—	3	—	—	1	—	—	—	—	—	—
5 Whooping cough ..	M	10	4	5	1	—	—	—	—	—	—	6	3	3	—	—	—	—	—	—	—
	F	4	1	1	1	1	—	—	—	—	—	5	3	1	1	—	—	—	—	—	—
6 Diphtheria ..	M	12	—	1	3	7	—	—	1	—	—	10	1	1	1	7	—	—	—	—	—
	F	16	2	2	3	9	—	—	—	—	—	13	—	1	3	9	—	—	—	—	—
7 Influenza ..	M	8	—	—	—	1	—	5	—	2	—	4	—	—	—	—	—	—	3	1	—
	F	11	—	—	—	2	—	1	2	3	3	2	—	—	—	—	—	—	2	—	—
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
9 Meningococcal meningitis ..	M	1	1	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	139	1	1	—	3	31	66	36	1	—	44	—	—	—	—	5	25	13	1	—
	F	112	—	—	—	6	49	35	21	1	—	38	—	—	—	3	11	17	7	—	—
11 Other tuberculous diseases ..	M	26	5	1	5	4	7	4	—	—	—	11	—	—	3	4	2	2	—	—	—
	F	34	6	4	7	5	3	7	2	—	—	11	—	—	—	6	5	—	—	—	—
12 Cancer, malignant disease ..	M	105	—	—	—	1	—	6	52	33	13	25	—	—	—	—	—	2	20	3	—
	F	103	1	—	—	—	—	24	42	25	11	34	—	—	—	—	—	4	18	11	—
13 Rheumatic fever ..	M	6	—	—	—	1	1	4	—	—	—	6	—	—	—	—	2	1	3	—	—
	F	5	—	—	—	—	1	3	—	—	1	1	—	—	—	—	—	1	—	—	—
14 Diabetes ..	M	5	—	—	—	—	—	2	1	1	1	5	—	—	1	1	1	—	1	—	—
	F	11	—	—	—	—	—	2	5	3	1	4	—	—	—	1	—	—	3	—	—
15 Cerebral hæmorrhage, &c. ..	M	61	—	—	—	—	—	5	26	22	8	36	—	—	—	—	—	1	12	15	1
	F	52	—	—	—	—	—	2	17	14	19	38	—	—	—	—	—	—	12	15	—
16 Heart disease ..	M	149	—	—	—	3	12	16	57	40	21	53	—	—	—	3	7	11	18	10	—
	F	141	—	1	—	3	—	22	46	34	35	54	—	—	—	4	1	8	24	11	—
17 Arterio-sclerosis ..	M	33	—	—	—	—	—	3	11	8	11	5	—	—	—	—	—	—	2	1	—
	F	16	—	—	—	—	—	—	4	4	8	6	—	—	—	—	—	—	1	3	—
18 Bronchitis ..	M	95	14	3	2	1	—	1	27	22	25	42	4	—	1	—	—	1	13	15	—
	F	82	12	1	1	—	1	2	14	23	28	38	3	2	1	1	1	1	8	10	—
19 Pneumonia (all forms) ..	M	117	32	14	5	2	9	19	25	6	5	51	9	3	—	2	2	15	15	3	—
	F	70	25	10	3	3	2	5	11	5	6	38	6	3	5	3	2	7	6	4	—
20 Other respiratory diseases ..	M	20	—	2	2	1	1	2	6	6	—	9	—	1	—	—	1	1	5	1	—
	F	10	—	—	—	—	1	3	2	3	1	4	—	1	1	—	—	—	1	—	—
21 Ulcer of stomach or duodenum ..	M	7	—	—	—	—	—	1	5	—	1	3	—	—	—	—	—	2	1	—	—
	F	4	—	—	—	—	—	1	2	1	—	1	—	—	—	—	—	—	1	—	—
22 Diarrhœa, &c. ..	M	91	67	9	5	3	—	3	1	1	2	27	19	3	3	1	—	—	—	—	—
	F	70	42	13	1	2	—	—	3	5	4	19	14	4	—	—	—	—	1	—	—
23 Appendicitis and typhlitis ..	M	3	—	—	—	—	1	1	1	—	—	2	—	—	—	2	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	1	—	—	—
24 Cirrhosis of liver ..	M	8	—	—	—	—	—	1	6	1	—	3	—	—	—	—	—	—	3	—	—
	F	4	—	—	—	—	—	—	4	—	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	52	—	1	—	3	1	11	19	9	8	12	1	—	—	2	1	2	4	2	—
	F	39	—	—	1	—	3	5	20	8	2	14	—	—	—	1	1	5	5	2	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	5	4	—	—	—	3	—	—	—	—	—	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	13	—	—	—	—	—	13	—	—	—	2	—	—	—	—	—	2	—	—	—
28 Congenital debility and malformation, premature birth ..	M	92	91	—	—	—	—	—	1	—	—	60	60	—	—	—	—	—	—	—	—
	F	65	64	—	1	—	—	—	—	—	—	27	26	—	—	1	—	—	—	—	—
29 Suicide ..	M	20	—	—	—	—	—	8	11	1	—	3	—	—	—	—	—	1	2	—	—
	F	7	—	—	—	—	—	1	5	1	—	3	—	—	—	—	2	—	1	—	—
30 Other deaths from violence ..	M	72	1	3	3	5	15	19	20	6	—	31	1	1	2	5	3	6	10	2	—
	F	22	2	2	—	3	4	3	5	2	1	13	3	1	1	3	1	—	2	1	—
31 Other defined diseases ..	M	232	57	4	1	4	10	26	50	34	46	107	32	1	5	1	1	11	23	16	—
	F	181	35	4	3	12	4	19	38	20	46	109	22	2	2	5	4	12	23	10	—
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1921
(Civilian Population only).

CAUSES OF DEATH.	Sex.	NEWPORT.										SWANSEA.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	M	542	105	23	12	20	29	81	124	78	70	944	158	34	32	41	57	127	250	141	104
	F	488	90	16	17	25	40	72	92	70	66	863	115	29	20	31	55	126	199	139	149
1 Enteric fever	M	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	2	—	—	—	
	F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4 Scarlet fever	M	3	—	1	—	2	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
5 Whooping cough ..	M	6	1	4	1	—	—	—	—	—	—	10	4	2	4	—	—	—	—	—	
	F	14	7	3	2	2	—	—	—	—	—	21	12	6	3	—	—	—	—	—	
6 Diphtheria	M	8	—	1	1	5	—	1	—	—	—	11	2	1	1	7	—	—	—	—	
	F	4	—	1	2	1	—	—	—	—	—	7	—	—	5	2	—	—	—	—	
7 Influenza ..	M	5	1	—	—	—	1	1	2	—	—	10	—	1	—	—	2	4	3	—	
	F	3	—	—	—	—	—	—	1	—	2	4	—	—	—	—	—	2	2	—	
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	1	—	—	—	
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	1	—	—	
10 Tuberculosis of respiratory system	M	49	—	—	—	1	11	24	12	1	—	114	—	—	1	1	26	46	37	3	
	F	51	1	1	—	4	16	23	5	1	—	95	—	—	1	5	28	40	19	2	
11 Other tuberculous diseases ..	M	7	—	1	—	2	2	2	—	—	—	22	—	—	5	7	6	3	1	—	
	F	19	2	3	2	4	6	2	—	—	—	16	1	2	—	4	5	3	1	—	
12 Cancer, malignant disease ..	M	38	—	—	—	—	—	4	20	9	5	62	—	—	—	—	5	33	15	9	
	F	44	—	—	—	—	—	4	27	9	4	99	—	—	—	1	14	54	19	11	
13 Rheumatic fever ..	M	1	—	—	—	1	—	—	—	—	—	4	—	—	1	3	—	—	—	—	
	F	3	—	—	—	—	—	2	1	—	—	8	—	—	—	3	1	2	1	—	
14 Diabetes ..	M	6	—	—	—	—	1	2	2	—	1	9	—	—	—	—	2	2	4	1	
	F	5	—	—	—	—	1	2	2	—	—	6	—	—	—	—	2	1	3	—	
15 Cerebral hæmorrhage, &c. ..	M	28	—	—	—	—	—	1	8	10	9	48	—	—	—	—	1	4	14	19	
	F	23	—	—	—	—	—	—	7	9	7	70	—	—	—	—	4	25	22	19	
16 Heart disease	M	59	—	—	—	—	—	8	24	18	9	89	—	—	—	1	2	20	32	23	
	F	60	—	—	—	4	4	8	19	16	9	85	—	—	—	6	1	11	26	24	
17 Arterio-sclerosis ..	M	13	—	—	—	—	—	—	1	7	5	14	—	—	—	—	1	2	8	3	
	F	7	—	—	—	—	—	—	—	1	6	20	—	—	—	—	1	4	3	12	
18 Bronchitis	M	37	4	3	1	—	—	—	6	12	11	80	9	3	3	1	1	3	18	23	
	F	31	7	2	1	—	—	2	1	12	6	80	8	4	1	—	2	12	20	33	
19 Pneumonia (all forms) ..	M	45	15	7	2	—	1	9	7	1	3	76	14	14	2	2	2	9	20	9	
	F	24	8	3	2	2	1	—	2	3	3	49	16	5	5	2	2	1	8	8	
20 Other respiratory diseases ..	M	16	3	—	1	1	1	2	4	3	1	11	—	—	1	2	—	3	5	—	
	F	8	—	1	2	1	2	1	—	—	1	9	—	—	—	—	1	2	3	3	
21 Ulcer of stomach or duodenum ..	M	5	—	—	—	—	1	1	3	—	—	7	—	—	—	—	2	4	1	—	
	F	3	—	—	—	—	—	1	1	1	—	5	—	—	—	—	1	3	1	—	
22 Diarrhœa, &c. ..	M	21	14	2	1	1	—	1	—	1	1	43	31	6	3	—	—	2	1	—	
	F	21	15	1	—	—	—	1	—	3	1	23	15	4	2	—	1	1	—	—	
23 Appendicitis and typhlitis..	M	7	—	—	—	3	1	1	2	—	—	2	—	—	—	1	—	—	—	1	
	F	5	—	—	—	2	1	1	—	1	—	3	—	—	—	1	—	1	—	—	
24 Cirrhosis of liver ..	M	3	—	—	—	—	—	1	2	—	—	5	—	—	—	—	1	3	1	—	
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	
25 Acute and chronic nephritis	M	12	—	—	—	—	1	3	4	2	2	26	—	—	—	—	2	4	14	4	
	F	17	—	—	—	—	1	4	8	3	1	20	—	—	2	—	2	2	9	4	
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	1	—	—	—	5	—	—	—	—	1	4	—	—	
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	7	—	—	—	—	—	7	—	—	—	18	—	—	—	—	6	12	—	—	
28 Congenital debility and malformation, premature birth..	M	39	39	—	—	—	—	—	—	—	—	64	62	1	—	1	—	—	—	—	
	F	31	30	—	1	—	—	—	—	—	—	37	37	—	—	—	—	—	—	—	
29 Suicide ..	M	8	—	—	—	—	—	3	5	—	—	3	—	—	—	—	—	2	1	—	
	F	2	—	—	—	—	2	—	—	—	—	3	—	—	—	—	—	2	—	1	
30 Other deaths from violence..	M	24	2	—	2	—	7	3	7	1	2	42	1	2	4	7	6	10	7	3	
	F	7	1	—	1	—	2	1	—	1	1	15	—	2	—	3	1	3	3	1	
31 Other defined diseases ..	M	101	26	4	3	4	2	13	15	13	21	185	35	4	5	7	10	49	23	42	
	F	93	18	1	4	4	3	11	17	10	25	159	26	5	1	3	5	21	21	29	
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	
	F	1	1	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
BERKS—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	370	47	6	6	9	13	33	97	82	77	718	79	11	12	17	25	69	170	144	191
	F	409	26	11	6	6	21	32	84	88	135	656	38	12	8	16	14	71	144	157	196
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	1	1	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	2	—	1	1	—	—	—	—	—	—	3	2	—	—	1	—	—	—	—	—
	F	3	—	2	1	—	—	—	—	—	—	3	—	3	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	2	—	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	4	2	1	1	—	—	—	—	—	—	5	1	2	2	—	—	—	—	—	—
6 Diphtheria ..	M	2	—	—	1	1	—	—	—	—	—	9	—	—	4	5	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	4	—	—	—	3	1	—	—	—	—
7 Influenza ..	M	11	1	—	—	1	—	2	4	1	2	11	1	—	1	—	1	—	3	2	3
	F	14	—	—	—	—	1	—	3	7	3	14	—	—	1	1	—	2	1	5	4
8 Encephalitis lethargica ..	M	2	—	—	—	—	—	1	1	—	—	2	—	—	—	—	—	—	1	1	—
	F	3	—	—	—	—	1	1	1	—	—	3	—	—	—	—	—	1	1	1	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	1	—	—	2	—	—	—	—	—
10 Tuberculosis of respiratory system	M	25	—	—	—	—	5	10	7	3	—	40	—	—	—	—	9	22	8	—	1
	F	23	—	—	—	—	8	9	5	1	—	27	1	—	—	—	7	8	7	4	—
11 Other tuberculous diseases ..	M	5	—	1	—	3	—	1	—	—	—	10	2	—	1	—	1	3	3	—	—
	F	5	—	—	1	—	2	—	1	1	—	11	—	1	—	2	—	7	1	—	—
12 Cancer, malignant disease ..	M	50	—	—	—	—	—	2	26	14	8	88	—	—	—	—	—	5	42	25	16
	F	55	—	—	—	—	—	2	25	18	10	107	—	1	—	—	—	11	38	39	18
13 Rheumatic fever ..	M	3	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	1	1	—	—	—
14 Diabetes ..	M	1	—	—	—	—	—	—	1	—	—	5	—	—	—	—	—	1	1	3	—
	F	5	—	—	—	—	—	—	1	3	1	6	—	—	—	1	—	1	2	1	1
15 Cerebral hæmorrhage, &c. ..	M	24	—	—	—	—	—	—	7	11	6	46	—	—	—	—	—	—	8	19	19
	F	45	—	—	—	—	—	2	10	15	18	57	—	—	—	—	—	1	11	18	27
16 Heart disease ..	M	39	—	—	—	1	3	3	8	14	10	101	—	—	—	1	1	12	24	33	30
	F	51	—	—	—	—	2	4	9	14	22	116	—	—	—	—	2	5	26	34	49
17 Arterio-sclerosis ..	M	14	—	—	—	—	—	—	1	6	7	32	—	—	—	—	—	—	5	12	15
	F	18	—	—	—	—	—	—	1	4	13	14	—	—	—	—	—	—	3	4	7
18 Bronchitis ..	M	23	1	—	—	—	1	2	3	3	13	32	3	1	—	—	—	—	5	3	20
	F	26	3	2	—	—	—	—	3	7	11	35	1	1	—	—	—	—	3	11	19
19 Pneumonia (all forms) ..	M	24	4	1	3	—	1	3	6	1	5	23	5	2	1	1	1	3	2	4	4
	F	16	2	4	2	1	1	—	2	1	3	26	2	1	2	—	—	4	10	2	5
20 Other respiratory diseases ..	M	1	—	—	—	—	—	—	—	—	1	10	—	—	—	—	1	1	4	1	3
	F	2	—	—	—	—	—	1	—	—	1	5	—	—	1	—	—	—	1	1	3
21 Ulcer of stomach or duodenum ..	M	6	—	—	—	—	—	2	2	2	—	8	—	—	—	—	—	—	6	1	1
	F	3	—	—	—	—	—	1	1	1	—	5	—	—	—	—	—	1	3	—	1
22 Diarrhoea, &c. ..	M	11	9	—	—	—	—	—	1	1	—	12	6	—	1	1	—	1	1	—	2
	F	5	—	1	—	—	—	1	—	—	3	8	4	1	—	—	—	—	—	1	2
23 Appendicitis and typhlitis ..	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	1	2	2	—	1	—	4	—	—	1	1	1	—	2	1	1
24 Cirrhosis of liver ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	—	1	2	—
25 Acute and chronic nephritis ..	M	11	—	—	—	—	—	—	6	2	3	35	—	—	—	—	—	3	14	7	11
	F	9	—	—	—	—	—	1	4	3	1	18	—	—	—	—	—	1	6	4	7
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	6	—	—	—	—	—	6	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	7	—	—	—	—	1	6	—	—	—
28 Congenital debility and malformation, premature birth ..	M	21	21	—	—	—	—	—	—	—	—	38	38	—	—	—	—	—	—	—	—
	F	15	14	—	—	—	—	1	—	—	—	20	20	—	—	—	—	—	—	—	—
29 Suicide ..	M	4	—	—	—	—	—	—	2	2	—	12	—	—	—	—	1	2	5	4	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence ..	M	18	1	—	—	2	2	1	7	4	1	33	1	1	2	5	4	5	8	3	4
	F	9	1	1	1	1	—	2	2	—	1	13	—	1	1	1	1	1	4	—	4
31 Other defined diseases ..	M	65	10	1	1	—	1	4	12	15	21	153	19	7	1	3	5	10	21	25	62
	F	84	4	—	—	2	2	3	13	12	48	126	7	1	—	4	—	14	24	28	48
32 Causes ill-defined or unknown ..	M	5	—	—	—	—	—	1	2	2	—	8	—	—	1	—	—	1	6	—	—
	F	1	—	—	—	—	—	—	1	—	—	3	1	—	—	—	—	1	1	—	—

CAUSES OF DEATH at DIFFERENT PERIODS OF LIFE in the ADMINISTRATIVE COUNTY of
BUCKINGHAM—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICT.										AGGREGATE OF RURAL DISTRICT.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	472	55	7	9	14	19	38	122	91	117	751	81	11	10	21	28	71	160	156	213
	F	531	45	11	3	19	21	56	97	113	166	721	70	5	7	16	29	66	139	159	230
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	1	—	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	3	2	—	1	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	4	—	1	2	1	—	—	—	—	—	6	—	—	2	4	—	—	—	—	—
	F	9	—	3	1	4	1	—	—	—	—	4	—	—	3	1	—	—	—	—	—
7 Influenza ..	M	9	—	—	1	—	—	2	1	3	2	12	—	—	—	—	1	3	5	2	1
	F	8	—	—	—	1	—	1	1	1	4	9	—	—	—	—	1	1	—	2	5
8 Encephalitis lethargica ..	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—	1	1	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	29	—	—	—	1	10	10	5	1	2	36	—	—	—	2	12	12	8	2	2
	F	37	—	—	—	2	13	14	5	1	2	48	—	—	—	1	11	24	9	3	—
11 Other tuberculous diseases ..	M	9	—	—	—	4	1	2	2	—	—	10	1	—	2	1	2	2	1	1	—
	F	4	1	—	1	1	1	—	—	—	—	6	1	—	—	2	2	—	—	1	—
12 Cancer, malignant disease ..	M	45	—	—	—	—	—	4	24	12	5	99	—	—	—	1	—	3	37	38	20
	F	65	—	—	—	—	—	7	18	24	16	93	—	—	—	—	1	5	35	34	18
13 Rheumatic fever ..	M	1	—	—	—	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	2	—	—	—	1	1	—	—	—	—	2	—	—	—	2	—	—	—	—	—
14 Diabetes ..	M	6	—	—	—	—	—	—	3	2	1	4	—	—	—	—	1	—	3	—	—
	F	9	—	—	—	—	—	—	4	3	2	7	—	—	—	—	—	1	2	1	—
15 Cerebral hæmorrhage, &c. ..	M	24	—	—	—	—	—	—	6	8	10	46	—	—	—	—	—	—	11	13	22
	F	43	—	—	—	—	—	—	4	14	25	62	—	—	—	—	—	—	9	18	35
16 Heart disease ..	M	60	—	—	—	1	2	3	19	17	18	97	—	—	—	1	2	12	21	31	30
	F	64	—	—	—	—	2	6	18	20	18	104	—	—	—	1	1	5	33	36	28
17 Arterio-sclerosis ..	M	10	—	—	—	—	—	—	3	3	4	24	—	—	—	—	—	—	7	5	12
	F	12	—	—	—	—	—	—	—	3	9	7	—	—	—	—	—	—	2	—	5
18 Bronchitis ..	M	35	5	1	—	—	—	—	4	10	15	59	5	1	—	—	—	—	4	22	27
	F	46	5	—	1	—	—	—	3	14	23	57	5	1	—	—	—	2	4	19	20
19 Pneumonia (all forms) ..	M	29	6	4	1	—	—	6	9	2	1	44	8	3	—	2	1	6	9	7	8
	F	21	3	4	—	4	—	1	4	2	3	20	2	2	2	2	—	2	5	2	3
20 Other respiratory diseases ..	M	8	—	—	—	—	—	—	4	3	1	8	2	—	—	—	1	—	2	1	2
	F	10	—	—	—	1	—	1	1	5	2	9	—	—	—	1	—	—	2	2	4
21 Ulcer of stomach or duodenum ..	M	3	—	—	—	—	—	—	1	—	2	4	—	—	—	—	—	—	3	—	1
	F	3	—	—	—	—	—	2	1	—	—	3	—	—	—	—	—	1	1	1	—
22 Diarrhoea, &c. ..	M	12	8	1	—	—	1	—	—	2	—	9	3	1	1	—	1	—	1	1	1
	F	10	4	1	—	1	—	—	—	2	2	12	8	1	1	—	—	—	—	—	—
23 Appendicitis and typhlitis ..	M	6	—	—	1	—	1	2	2	—	—	1	—	—	—	—	—	—	1	—	—
	F	3	—	—	—	1	1	—	1	—	—	1	—	—	—	—	1	—	—	—	—
24 Cirrhosis of liver ..	M	3	—	—	—	—	1	—	—	2	—	6	—	—	—	—	—	3	2	1	—
	F	3	—	—	—	—	—	—	2	1	—	4	—	—	—	—	—	—	3	1	—
25 Acute and chronic nephritis ..	M	17	—	—	—	—	—	1	9	4	3	26	—	—	—	1	—	4	5	8	8
	F	11	—	—	—	1	—	—	7	2	1	25	—	—	—	—	—	4	8	7	6
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	2	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	3	—	—	—	—	—	3	—	—	—
28 Congenital debility and malformation, premature birth ..	M	22	22	—	—	—	—	—	—	—	—	40	39	1	—	—	—	—	—	—	—
	F	23	23	—	—	—	—	—	—	—	—	41	41	—	—	—	—	—	—	—	—
29 Suicide ..	M	5	—	—	—	—	—	1	3	1	—	10	—	—	—	—	1	2	6	—	1
	F	7	—	—	—	—	—	3	3	1	—	5	—	—	—	—	—	1	4	—	—
30 Other deaths from violence ..	M	9	—	—	1	2	—	3	3	—	—	28	—	—	—	3	4	9	6	1	5
	F	5	—	—	—	—	—	—	3	1	1	10	1	1	1	1	2	1	3	—	—
31 Other defined diseases ..	M	117	12	—	1	3	3	4	22	19	53	167	21	4	1	4	2	15	25	21	74
	F	126	8	3	—	2	2	14	20	19	58	174	11	—	—	4	8	10	16	30	95
32 Causes ill-defined or unknown ..	M	4	—	—	—	—	—	—	2	2	—	6	—	1	—	—	—	—	2	2	1
	F	2	—	—	—	—	—	1	1	—	—	5	—	—	—	—	—	1	2	2	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
CAMBRIDGE—1921 (Civilian population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.										
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	
ALL CAUSES		.. {	M	315	33	6	3	5	16	34	81	77	60	427	42	6	2	8	20	33	86	81	149
			F	327	21	2	2	7	17	34	68	66	110	428	25	2	4	5	15	31	90	84	172
1	Enteric fever	.. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
2	Small-pox {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	Scarlet fever	.. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	1	—	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—	
5	Whooping cough {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
6	Diphtheria	.. {	M	1	—	1	—	—	—	—	—	—	—	2	—	—	1	—	1	—	—	—	
			F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7	Influenza {	M	5	—	—	—	—	—	1	1	2	1	3	1	—	—	—	—	—	—	2	
			F	3	—	—	—	—	—	—	1	1	1	1	—	—	—	—	1	—	—	—	
8	Encephalitis lethargica	.. {	M	1	—	—	—	—	—	—	1	—	—	5	—	—	—	1	—	3	—	—	
			F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
9	Meningococcal meningitis	.. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10	Tuberculosis of respiratory system	{	M	21	—	—	—	1	5	5	6	2	2	26	—	—	—	—	7	11	7	1	—
			F	25	—	—	—	—	6	13	4	1	1	19	—	—	—	—	6	9	2	—	2
11	Other tuberculous diseases {	M	5	1	1	1	—	1	1	—	—	—	12	1	1	1	3	2	3	1	—	—
			F	4	—	—	—	—	2	1	—	1	—	12	—	—	—	—	2	3	7	—	—
12	Cancer, malignant disease {	M	38	—	—	—	—	—	4	18	10	6	50	—	—	—	—	—	4	14	15	17
			F	52	—	—	—	—	—	4	22	17	9	66	—	—	—	—	—	3	23	18	22
13	Rheumatic fever {	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	2	—	—	—
			F	5	—	—	—	1	—	2	1	1	—	1	—	—	—	—	—	—	1	—	—
14	Diabetes {	M	2	—	—	—	—	—	1	—	—	1	5	—	—	—	—	—	1	—	2	1
			F	3	—	—	—	—	1	—	—	—	—	4	—	—	—	—	1	—	1	—	2
15	Cerebral hæmorrhage, &c.	.. {	M	21	—	—	—	—	—	1	6	8	6	36	—	—	—	—	—	1	3	10	22
			F	19	—	—	—	—	1	—	8	7	3	46	—	—	—	—	—	—	8	13	25
16	Heart disease	.. {	M	40	—	—	—	—	—	1	14	18	7	48	—	—	—	—	—	3	13	11	21
			F	41	—	—	—	—	1	1	8	10	21	58	—	—	—	—	—	1	17	16	24
17	Arterio-sclerosis {	M	7	—	—	—	—	—	—	2	3	2	11	—	—	—	—	—	—	1	—	10
			F	4	—	—	—	—	—	—	1	1	2	9	—	—	—	—	—	—	—	—	9
18	Bronchitis	.. {	M	15	—	1	—	—	—	—	2	6	6	25	2	—	—	—	—	—	4	5	14
			F	21	2	—	—	1	—	—	2	5	11	25	1	—	—	—	1	—	—	9	14
19	Pneumonia (all forms) {	M	24	5	2	1	1	1	4	3	6	1	16	5	3	—	—	—	1	5	1	1
			F	18	3	1	1	1	—	1	4	2	5	20	2	—	2	1	1	1	2	8	3
20	Other respiratory diseases {	M	5	—	—	—	—	—	—	3	1	1	4	—	—	—	—	—	—	2	1	1
			F	4	—	—	—	—	1	—	1	2	—	1	—	—	—	—	—	—	—	1	—
21	Ulcer of stomach or duodenum	.. {	M	3	—	—	—	—	—	1	1	1	—	6	—	—	—	—	—	1	2	3	—
			F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	1	1	—	—	
22	Diarrhœa, &c.	.. {	M	3	2	—	—	—	—	—	—	—	1	5	2	—	—	—	—	—	—	2	1
			F	6	4	—	—	1	—	—	—	1	—	9	2	1	—	—	1	—	—	2	3
23	Appendicitis and typhlitis..	.. {	M	2	—	—	—	—	1	—	1	—	—	3	—	—	—	—	1	1	—	1	—
			F	3	—	—	—	—	1	1	1	—	—	4	—	—	—	—	2	2	—	—	—
24	Cirrhosis of liver {	M	2	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	1	—	—
			F	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	2	—	—
25	Acute and chronic nephritis	.. {	M	11	—	—	—	—	—	2	5	3	1	15	1	—	—	—	—	2	7	—	5
			F	5	—	—	—	—	—	—	1	1	3	9	—	—	—	—	—	—	3	2	4
26	Puerperal sepsis {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	2	—	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	2	—	—	—	—	—	2	—	—	—	4	—	—	—	—	—	3	1	—	—
28	Congenital debility and malformation, premature birth..	.. {	M	19	19	—	—	—	—	—	—	—	—	17	17	—	—	—	—	—	—	—	—
			F	9	8	—	—	—	—	1	—	—	—	17	17	—	—	—	—	—	—	—	—
29	Suicide {	M	3	—	—	—	—	1	—	2	—	—	5	—	—	—	—	1	1	3	—	—
			F	3	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	1	—	—	—
30	Other deaths from violence..	.. {	M	17	—	1	—	3	5	2	3	2	1	12	2	1	—	—	1	—	4	1	3
			F	2	—	—	—	—	—	—	1	1	—	6	—	1	—	—	—	2	2	—	1
31	Other defined diseases {	M	67	6	—	1	—	2	9	11	14	24	111	11	1	—	2	5	2	13	26	51
			F	93	4	1	1	2	3	7	9	13	53	102	2	—	2	3	2	3	17	10	63
32	Causes ill-defined or unknown	.. {	M	3	—	—	—	—	—	1	2	—	—	5	—	—	—	—	—	4	1	—	—
			F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	2	1	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
CHESTER—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	2621	453	73	50	95	107	329	668	464	382	1057	137	23	19	34	40	124	242	208	230
	F	2577	313	48	47	74	110	343	637	480	525	942	88	16	16	24	44	89	220	193	252
1 Enteric fever ..	M	5	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	10	—	—	4	3	3	—	—	—	—	4	—	—	—	4	—	—	—	—	—
	F	9	—	—	4	4	1	—	—	—	—	3	—	—	2	—	1	—	—	—	—
5 Whooping cough ..	M	31	20	5	4	1	1	—	—	—	—	3	1	2	—	—	—	—	—	—	—
	F	32	21	4	5	2	—	—	—	—	—	11	7	4	—	—	—	—	—	—	—
6 Diphtheria ..	M	19	1	1	3	14	—	—	—	—	—	8	—	—	1	6	1	—	—	—	—
	F	13	—	2	4	6	1	—	—	—	—	7	—	—	1	6	—	—	—	—	—
7 Influenza ..	M	49	2	1	1	2	7	15	16	4	1	23	—	—	2	—	2	6	7	3	3
	F	54	—	—	2	1	4	20	15	10	2	12	2	—	—	—	1	2	2	2	3
8 Encephalitis lethargica ..	M	2	—	—	1	—	—	—	1	—	—	4	—	—	—	—	—	2	2	—	—
	F	5	—	—	—	—	—	4	1	—	—	2	—	—	—	—	1	1	—	—	—
9 Meningococcal meningitis ..	M	2	2	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	170	—	—	2	1	19	78	63	7	—	45	—	—	—	—	6	23	16	—	—
	F	130	—	—	—	3	30	58	32	5	2	43	—	—	—	1	11	17	12	2	—
11 Other tuberculous diseases ..	M	59	10	6	8	15	5	10	2	2	1	23	4	5	3	3	2	3	2	—	1
	F	48	10	2	4	6	7	8	8	3	—	9	1	1	2	2	2	—	1	—	—
12 Cancer, malignant disease ..	M	238	—	—	—	2	—	19	129	57	31	100	—	—	—	—	1	8	36	38	17
	F	292	—	—	—	—	—	30	160	67	35	121	—	—	—	—	—	12	58	27	24
13 Rheumatic fever ..	M	7	—	—	—	2	1	1	3	—	—	2	—	—	—	—	—	—	1	1	—
	F	18	—	—	—	2	6	5	4	—	1	5	—	—	—	—	2	1	2	—	—
14 Diabetes ..	M	22	—	—	—	—	—	4	8	7	3	16	—	—	—	—	2	2	8	3	1
	F	33	—	—	1	1	2	4	12	11	2	9	—	—	—	1	—	1	3	2	2
15 Cerebral hæmorrhage, &c. ..	M	138	—	—	—	—	1	2	51	43	41	69	—	—	—	—	—	—	15	23	31
	F	207	—	—	—	—	1	13	59	79	55	83	—	—	—	—	—	1	26	24	32
16 Heart disease ..	M	272	—	—	—	4	16	42	86	84	40	126	—	—	1	1	2	13	36	42	31
	F	368	—	—	—	7	12	41	117	102	89	141	—	—	—	3	5	11	34	49	39
17 Arterio-sclerosis ..	M	89	—	—	—	—	—	—	27	37	25	38	—	—	—	—	—	—	10	8	20
	F	60	—	—	—	—	—	2	7	16	35	28	—	—	—	—	—	—	2	9	17
18 Bronchitis ..	M	179	18	6	2	2	1	12	34	60	44	59	7	1	—	—	—	2	7	14	28
	F	183	27	3	3	2	—	7	30	44	67	51	7	2	1	—	—	—	7	15	19
19 Pneumonia (all forms) ..	M	238	50	34	7	4	12	41	46	25	19	79	16	3	3	1	8	10	17	15	6
	F	171	36	16	11	9	7	28	31	21	12	54	9	5	4	1	4	6	6	11	8
20 Other respiratory diseases ..	M	34	2	2	1	1	1	3	16	5	3	14	—	—	1	—	—	4	2	5	2
	F	41	3	2	1	1	2	7	11	7	7	6	—	—	—	1	1	1	2	1	—
21 Ulcer of stomach or duodenum ..	M	20	—	—	—	—	—	9	10	1	—	3	—	—	—	—	1	1	—	—	1
	F	8	—	—	—	—	1	1	4	2	—	9	—	—	—	—	1	2	4	2	—
22 Diarrhœa, &c. ..	M	91	64	5	3	1	2	2	2	6	6	22	13	3	—	2	1	2	—	1	—
	F	67	39	6	3	2	—	8	4	1	4	11	5	—	—	—	—	—	1	3	2
23 Appendicitis and typhlitis ..	M	19	—	—	—	8	3	5	3	—	—	7	—	—	1	1	—	3	2	—	—
	F	8	—	—	—	3	—	1	2	2	—	7	—	—	1	—	3	1	1	—	1
24 Cirrhosis of liver ..	M	15	—	—	—	—	—	1	8	6	—	6	—	—	—	—	—	1	4	—	1
	F	8	—	—	—	—	—	3	4	—	1	3	—	—	—	—	—	—	3	—	—
25 Acute and chronic nephritis ..	M	84	1	—	—	3	4	19	32	15	10	27	—	—	—	—	—	3	16	6	2
	F	76	—	—	—	3	3	15	37	11	7	26	—	—	—	1	—	1	14	7	3
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	15	—	—	—	—	5	10	—	—	—	3	—	—	—	—	—	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	22	—	—	—	—	4	18	—	—	—	12	—	—	—	—	3	9	—	—	—
28 Congenital debility and malformation, premature birth ..	M	204	199	1	1	1	1	—	1	—	—	66	63	—	1	1	—	—	—	—	—
	F	145	142	—	—	2	1	—	—	—	—	48	46	—	—	2	—	—	—	—	—
29 Suicide ..	M	31	—	—	—	—	—	9	14	5	3	12	—	—	—	—	—	3	5	3	1
	F	17	—	—	—	—	2	7	7	—	1	2	—	—	—	—	—	—	2	—	—
30 Other deaths from violence ..	M	98	5	3	7	13	15	16	27	8	4	53	2	2	3	5	5	15	16	3	2
	F	42	4	1	2	6	3	8	8	1	9	20	2	1	2	1	1	2	6	3	2
31 Other defined diseases ..	M	490	77	7	6	18	15	36	88	92	151	238	31	7	3	9	7	20	39	39	83
	F	497	31	10	6	12	18	45	81	98	196	212	9	3	3	3	8	18	33	36	99
32 Causes ill-defined or unknown ..	M	2	—	1	—	—	—	—	1	—	—	9	—	—	—	—	1	3	1	4	—
	F	3	—	1	1	—	—	—	1	—	—	3	—	—	—	1	—	1	—	—	1

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
CORNWALL—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	891	120	22	16	35	35	103	218	163	179	1065	145	25	18	29	35	106	235	216	256
	F	1002	83	18	9	23	47	104	208	183	327	1187	102	21	11	23	40	98	237	283	372
1 Enteric fever ..	M	2	—	—	—	—	—	1	—	1	—	2	—	—	—	1	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	5	3	2	—	—	—	—	—	—	—	5	—	4	1	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—	6	3	2	—	1	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	1	1	—	—	—	—	—	—	—	—	5	2	2	1	—	—	—	—	—	—
	F	4	2	2	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	11	—	2	2	7	—	—	—	—	—	9	—	—	2	7	—	—	—	—	—
	F	6	—	1	5	—	—	—	—	—	—	3	—	—	2	1	—	—	—	—	—
7 Influenza ..	M	11	—	—	1	—	—	4	4	1	1	7	—	—	—	—	1	—	2	2	2
	F	6	1	—	—	—	—	1	1	1	2	8	—	—	—	—	—	2	1	2	3
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	3	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	67	—	—	—	10	34	21	2	—	—	78	—	—	1	—	11	35	27	3	1
	F	84	—	—	1	26	37	18	2	—	—	60	—	—	—	2	20	25	11	2	—
11 Other tuberculous diseases ..	M	29	3	4	4	5	5	3	4	1	—	19	4	2	2	3	2	2	4	—	—
	F	30	3	3	1	5	9	6	3	—	—	34	2	1	1	6	7	13	3	1	—
12 Cancer, malignant disease ..	M	96	1	—	—	—	1	7	34	33	20	104	—	—	—	—	2	4	38	41	19
	F	138	—	—	—	—	—	12	59	39	28	177	—	1	1	1	—	5	73	59	37
13 Rheumatic fever ..	M	1	—	—	—	1	—	—	—	—	—	5	—	—	—	—	1	3	1	—	—
	F	4	—	—	—	1	1	2	—	—	—	2	—	—	—	1	—	1	—	—	—
14 Diabetes ..	M	10	—	—	—	—	2	5	1	2	—	15	—	—	—	1	—	2	7	2	3
	F	14	—	—	—	—	1	2	3	7	1	18	—	—	—	—	—	3	7	6	2
15 Cerebral hæmorrhage, &c. ..	M	52	—	—	—	—	—	15	17	20	63	—	—	—	—	1	—	—	17	20	25
	F	74	—	—	—	—	2	15	20	37	96	—	—	—	—	—	5	21	34	36	36
16 Heart disease ..	M	99	—	—	—	1	2	9	26	38	23	145	—	—	—	2	2	8	38	57	38
	F	141	—	—	—	3	1	10	32	46	49	200	—	—	—	1	—	6	46	77	70
17 Arterio-sclerosis ..	M	25	—	—	—	—	—	7	8	10	30	—	—	—	—	—	—	—	5	7	18
	F	21	—	—	—	—	—	9	6	6	40	—	—	—	—	—	—	—	4	14	22
18 Bronchitis ..	M	51	5	2	2	—	—	1	13	10	18	74	8	1	1	—	—	—	14	19	31
	F	56	4	—	2	—	—	—	4	8	38	66	7	4	2	—	—	—	4	17	32
19 Pneumonia (all forms) ..	M	39	12	3	2	4	2	1	8	5	2	41	10	5	2	2	2	6	5	5	4
	F	46	8	6	2	1	2	1	6	8	12	30	6	7	1	—	1	1	6	8	—
20 Other respiratory diseases ..	M	21	2	—	—	—	2	9	3	5	26	—	—	—	—	1	1	8	9	5	2
	F	17	1	1	1	—	—	7	2	4	20	—	1	—	—	—	—	5	7	6	6
21 Ulcer of stomach or duodenum ..	M	4	—	—	—	—	1	3	—	—	6	—	—	—	—	—	1	—	3	2	—
	F	2	—	—	—	—	1	1	—	—	4	—	—	—	—	—	—	—	2	—	2
22 Diarrhoea, &c. ..	M	31	21	4	—	1	1	—	1	2	1	17	11	1	1	—	—	—	2	1	1
	F	20	11	1	—	—	1	1	2	—	4	16	7	1	—	—	—	1	3	3	1
23 Appendicitis and typhlitis ..	M	8	—	—	1	3	1	2	1	—	9	—	—	—	1	2	1	1	3	1	—
	F	6	—	—	—	2	—	2	1	1	—	7	—	—	—	—	1	2	—	—	1
24 Cirrhosis of liver ..	M	6	—	—	—	—	—	5	1	—	4	—	—	—	—	—	—	—	2	2	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	33	—	—	—	—	5	13	9	6	24	—	—	—	—	1	—	2	8	11	2
	F	19	—	—	—	—	2	8	5	4	19	—	—	—	—	—	1	1	4	6	7
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	1	5	—	—	—	12	—	—	—	—	3	9	—	—	—
28 Congenital debility and malformation, premature birth..	M	58	57	—	—	1	—	—	—	—	—	89	89	—	—	—	—	—	—	—	—
	F	39	39	—	—	—	—	—	—	—	—	51	51	—	—	—	—	—	—	—	—
29 Suicide ..	M	7	—	—	—	—	—	6	1	—	13	—	—	—	—	—	—	4	5	3	1
	F	2	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	1	—	—	—
30 Other deaths from violence..	M	36	—	—	—	2	6	16	9	2	1	42	3	2	1	2	5	13	12	1	3
	F	8	1	1	—	—	2	—	3	—	1	15	—	—	—	1	—	3	4	2	4
31 Other defined diseases ..	M	181	15	5	3	10	4	14	33	27	70	225	17	8	5	5	5	18	28	33	106
	F	248	11	4	2	4	2	16	33	35	141	287	22	3	2	8	7	20	34	43	148
32 Causes ill-defined or unknown ..	M	4	—	—	1	—	1	—	1	1	—	6	1	—	—	—	—	—	5	—	—
	F	4	—	—	—	—	—	—	1	3	—	12	—	2	1	—	—	—	6	2	1

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of CUMBERLAND—1921 (Civilian population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {		M	754	157	25	16	31	36	81	155	142	111	576	98	14	17	8	22	58	118	118	123
		F	812	124	29	29	29	47	90	169	137	158	561	58	16	8	13	27	61	127	98	153
1 Enteric fever .. {		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
2 Small-pox .. {		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles .. {		M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4 Scarlet fever .. {		M	2	—	—	—	2	—	—	—	—	—	2	—	—	1	—	1	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	
5 Whooping cough .. {		M	3	2	1	—	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	
		F	16	7	3	6	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
6 Diphtheria .. {		M	12	—	1	4	6	1	—	—	—	—	7	—	3	2	2	—	—	1	—	
		F	13	—	1	7	5	—	—	—	—	—	6	—	1	3	1	—	—	—	—	
7 Influenza .. {		M	13	—	—	—	—	—	5	3	2	3	15	1	2	—	1	—	3	5	2	
		F	14	1	—	—	1	1	2	3	4	2	14	1	—	—	—	1	1	5	6	
8 Encephalitis lethargica .. {		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9 Meningococcal meningitis .. {		M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10 Tuberculosis of respiratory system {		M	41	—	—	—	—	11	18	10	2	—	23	—	—	—	2	13	6	2	—	
		F	58	—	1	—	1	18	29	8	1	—	46	—	—	1	11	23	8	1	—	
11 Other tuberculous diseases .. {		M	15	2	2	2	5	3	1	—	—	—	6	—	—	1	1	3	—	—	—	
		F	17	2	1	2	6	4	1	1	—	—	10	1	1	2	1	3	—	—	—	
12 Cancer, malignant disease .. {		M	50	—	—	—	—	2	4	17	18	9	50	—	—	1	—	3	22	16	—	
		F	79	—	—	—	—	—	8	38	20	13	68	—	—	—	—	2	37	20	—	
13 Rheumatic fever .. {		M	6	—	—	1	1	4	—	—	—	—	2	—	—	—	1	1	—	—	—	
		F	8	—	—	—	1	2	3	2	—	—	—	—	—	—	—	—	—	—	—	
14 Diabetes .. {		M	7	—	—	—	1	2	—	3	1	—	3	—	—	—	—	1	2	—	—	
		F	8	—	—	—	—	—	2	4	2	—	3	—	—	—	—	—	1	2	—	
15 Cerebral hæmorrhage, &c. .. {		M	48	—	—	—	—	—	1	20	15	12	32	—	—	—	—	4	6	9	11	
		F	68	—	—	—	—	—	—	19	27	22	50	—	1	—	—	1	16	12	22	
16 Heart disease .. {		M	71	—	—	—	2	2	7	17	26	17	78	—	—	—	—	5	17	27	22	
		F	93	—	1	—	1	5	7	34	26	19	72	—	—	—	3	3	18	26	22	
17 Arterio-sclerosis .. {		M	13	—	—	—	—	—	—	5	6	2	21	—	—	—	—	—	2	9	11	
		F	6	—	—	—	—	—	—	1	3	2	10	—	—	—	—	—	3	3	—	
18 Bronchitis .. {		M	52	13	4	1	1	—	1	5	15	12	30	6	2	1	—	1	1	8	11	
		F	49	11	1	—	—	—	—	9	13	15	29	12	2	1	1	—	1	—	11	
19 Pneumonia (all forms) .. {		M	69	20	6	4	—	3	10	17	5	4	29	8	2	3	—	4	1	5	4	
		F	43	11	6	6	4	—	4	5	3	4	27	7	3	—	2	4	5	2	—	
20 Other respiratory diseases .. {		M	17	2	—	—	—	—	1	10	3	1	8	—	—	—	—	—	6	1	—	
		F	5	—	—	—	1	—	—	1	1	2	10	—	—	—	—	1	4	3	—	
21 Ulcer of stomach or duodenum .. {		M	5	—	—	—	—	—	2	2	—	1	2	—	—	—	—	1	—	1	—	
		F	2	—	—	—	—	2	—	—	—	—	3	—	—	—	—	2	1	—	—	
22 Diarrhoea, &c. .. {		M	33	20	6	1	—	—	1	—	1	4	23	17	—	3	—	1	2	—	—	
		F	31	20	7	—	—	—	—	2	1	1	15	5	4	—	—	—	3	—	—	
23 Appendicitis and typhlitis.. {		M	6	—	—	—	2	1	2	1	—	—	3	—	—	—	2	—	—	1	—	
		F	7	—	—	1	2	1	2	—	1	—	3	—	—	—	1	1	1	—	—	
24 Cirrhosis of liver .. {		M	4	—	—	—	—	—	—	3	1	—	3	—	—	—	—	—	1	2	—	
		F	2	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
25 Acute and chronic nephritis .. {		M	21	1	—	—	1	—	3	7	9	—	9	—	1	—	1	1	6	—	—	
		F	17	—	—	—	—	—	3	6	7	1	10	—	—	—	1	2	3	2	—	
26 Puerperal sepsis .. {		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	
		F	3	—	—	—	—	2	1	—	—	—	2	—	—	—	—	—	—	—	—	
27 Other accidents and diseases of pregnancy and parturition. {		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	13	—	—	—	—	4	9	—	—	—	6	—	—	—	2	4	—	—	—	
28 Congenital debility and malformation, premature birth.. {		M	62	62	—	—	—	—	—	—	—	—	47	47	—	—	—	—	—	—	—	
		F	47	47	—	—	—	—	—	—	—	—	22	22	—	—	—	—	—	—	—	
29 Suicide .. {		M	7	—	—	—	—	—	1	5	1	—	15	—	—	—	—	3	8	4	—	
		F	4	—	—	—	—	—	3	—	—	1	1	—	—	—	—	1	—	—	—	
30 Other deaths from violence.. {		M	34	1	—	1	5	2	14	6	2	3	30	—	2	—	2	5	6	9	3	
		F	16	—	1	2	3	2	1	4	1	2	13	—	—	—	—	3	3	4	—	
31 Other defined diseases .. {		M	150	34	3	2	5	5	10	20	28	43	127	17	1	4	2	4	11	17	26	
		F	186	25	5	4	4	6	14	27	27	74	135	9	4	—	5	3	9	17	21	
32 Causes ill-defined or unknown .. {		M	12	—	1	—	—	—	—	4	7	—	7	—	—	—	1	—	3	3	—	
		F	4	—	1	—	—	—	—	3	—	—	3	—	—	—	—	—	2	1	—	

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of DERBY—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	1770	320	90	52	60	90	183	423	327	225	1625	304	55	36	60	81	178	334	295	282
	F	1682	260	48	49	62	79	209	359	313	303	1495	227	53	36	60	66	173	287	268	325
1 Enteric fever ..	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—	—
	F	4	—	—	—	—	1	3	—	—	—	1	—	—	—	—	—	1	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	8	—	5	2	1	—	—	—	—	—	5	1	3	1	—	—	—	—	—	—
	F	3	1	1	1	—	—	—	—	—	—	6	2	2	1	1	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	—	1	—	—	—	—	—	4	—	—	1	2	—	1	—	—	—
	F	5	—	—	2	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	15	7	8	—	—	—	—	—	—	—	16	11	3	—	2	—	—	—	—	—
	F	14	7	3	4	—	—	—	—	—	—	15	10	3	1	1	—	—	—	—	—
6 Diphtheria ..	M	11	—	2	4	2	2	1	—	—	—	9	—	1	3	4	1	—	—	—	—
	F	15	1	1	7	5	—	1	—	—	—	9	—	—	1	7	—	1	—	—	—
7 Influenza ..	M	53	4	3	3	4	4	11	9	11	4	42	6	3	2	4	5	6	9	5	2
	F	46	3	2	—	1	2	13	7	13	5	33	1	2	1	5	3	3	9	7	2
8 Encephalitis lethargica ..	M	3	—	—	1	1	1	—	—	—	—	2	—	—	—	—	—	1	1	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
9 Meningococcal meningitis ..	M	2	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	96	1	1	1	5	14	44	25	4	1	67	—	2	—	3	13	27	16	6	—
	F	106	—	2	1	2	40	47	8	6	—	75	2	1	1	2	23	37	9	—	—
11 Other tuberculous diseases ..	M	32	3	7	1	5	3	7	4	1	1	30	2	4	2	4	4	9	3	2	—
	F	31	3	3	4	6	7	6	2	—	—	27	2	2	3	4	6	7	2	—	1
12 Cancer, malignant disease ..	M	129	—	—	—	—	1	7	62	46	13	132	—	—	—	1	2	17	41	44	27
	F	176	—	—	—	—	—	16	85	47	28	149	—	—	1	—	—	16	67	40	25
13 Rheumatic fever ..	M	2	—	—	—	1	1	—	—	—	—	5	—	—	1	1	—	2	1	—	—
	F	4	—	—	—	2	2	—	—	—	—	8	—	—	—	1	2	4	1	—	—
14 Diabetes ..	M	24	—	—	—	—	1	7	10	6	—	9	—	—	—	1	—	1	3	2	2
	F	18	—	—	1	1	1	1	11	3	—	14	—	—	—	—	1	4	4	4	1
15 Cerebral hæmorrhage, &c. ..	M	84	—	1	—	—	—	4	26	29	24	88	—	—	—	—	—	4	24	33	27
	F	89	—	—	—	1	—	2	28	36	22	101	—	—	—	—	—	4	21	36	40
16 Heart disease ..	M	180	—	1	1	7	9	22	67	47	26	152	—	—	—	1	6	29	48	45	23
	F	191	—	—	1	7	4	21	71	52	35	187	—	—	—	6	7	19	58	56	41
17 Arterio-sclerosis ..	M	41	—	—	—	—	—	—	10	19	12	57	—	—	—	—	—	—	6	25	26
	F	34	—	—	—	—	—	—	7	7	20	37	—	—	—	—	—	—	2	11	24
18 Bronchitis ..	M	160	23	10	5	2	3	6	30	60	21	121	27	5	—	—	1	3	26	26	33
	F	178	23	3	5	—	—	9	26	55	57	109	22	9	2	2	—	1	11	29	33
19 Pneumonia (all forms) ..	M	150	43	25	13	6	4	13	25	18	3	134	39	13	9	3	10	18	24	8	10
	F	117	31	19	8	13	6	13	13	8	6	104	30	19	9	5	2	13	13	8	5
20 Other respiratory diseases ..	M	29	2	—	3	—	2	5	12	1	4	21	—	1	2	1	1	1	8	5	2
	F	14	—	—	1	1	—	1	6	2	3	9	1	—	1	—	1	1	1	2	2
21 Ulcer of stomach or duodenum ..	M	17	—	—	—	—	1	5	10	1	—	7	—	—	—	—	—	2	2	1	2
	F	5	—	—	—	—	—	1	3	1	—	6	—	—	—	—	—	3	2	1	—
22 Diarrhoea, &c. ..	M	55	38	6	3	—	2	1	2	2	1	60	39	7	2	3	1	2	2	1	3
	F	37	23	3	2	2	—	3	—	3	1	51	30	6	2	3	—	2	3	3	2
23 Appendicitis and typhlitis ..	M	19	—	—	1	5	8	2	3	—	—	11	—	—	—	4	4	—	3	—	—
	F	7	—	—	1	2	1	2	—	1	—	7	—	—	—	3	—	3	1	—	—
24 Cirrhosis of liver ..	M	11	—	—	—	—	—	2	7	1	1	12	—	—	—	—	—	1	7	4	—
	F	11	—	—	—	—	—	—	5	5	1	8	—	—	—	—	—	1	4	1	2
25 Acute and chronic nephritis ..	M	48	—	—	—	1	2	6	23	11	5	42	—	—	1	1	1	7	14	13	5
	F	40	2	1	—	1	1	8	14	11	2	29	—	—	2	—	1	3	16	4	3
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	2	2	—	—	—	8	—	—	—	—	2	5	1	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	16	—	—	—	—	1	15	—	—	—	17	—	—	—	—	1	16	—	—	—
28 Congenital debility and malformation, premature birth ..	M	135	133	1	—	1	—	—	—	—	—	127	122	1	—	3	1	—	—	—	—
	F	111	109	—	2	—	—	—	—	—	—	86	84	—	—	1	1	—	—	—	—
29 Suicide ..	M	29	—	—	—	—	2	4	18	5	—	18	—	—	—	—	2	2	11	1	2
	F	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	—	—	4	—	—
30 Other deaths from violence ..	M	71	1	4	6	6	13	16	18	5	2	85	1	3	5	14	17	15	21	7	2
	F	19	2	1	3	4	—	3	2	—	4	20	2	—	4	2	3	2	3	2	2
31 Other defined diseases ..	M	345	65	14	7	10	16	18	52	56	107	349	55	9	7	8	12	26	53	63	116
	F	362	54	9	6	13	10	37	57	57	119	363	41	8	7	16	12	26	51	60	142
32 Causes ill-defined or unknown ..	M	19	—	1	1	2	1	1	9	4	—	18	1	—	—	—	—	3	10	4	—
	F	20	—	—	—	—	—	1	13	6	—	11	—	1	—	1	—	1	4	4	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of DEVON—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	1333	130	18	16	40	59	130	304	272	364	1246	137	9	12	36	61	106	291	253	341
	F	1541	108	16	12	43	66	142	310	299	545	1276	103	10	12	30	51	136	271	253	410
1 Enteric fever ..	M	4	—	—	—	—	3	1	—	—	—	2	—	—	—	—	—	1	1	—	—
	F	2	—	—	—	—	2	—	—	—	—	2	—	—	—	—	—	1	1	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	3	—	1	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	7	4	2	1	—	—	—	—	—	—	4	3	—	—	1	—	—	—	—	—
	F	9	6	1	1	1	—	—	—	—	—	7	4	2	1	—	—	—	—	—	—
6 Diphtheria ..	M	6	—	—	2	4	—	—	—	—	—	4	—	—	—	3	1	—	—	—	—
	F	14	1	—	2	10	—	1	—	—	—	5	—	—	—	4	1	—	—	—	—
7 Influenza ..	M	19	2	—	1	2	1	1	5	2	5	14	1	—	—	2	1	1	1	5	3
	F	29	2	—	—	2	1	5	11	1	7	29	7	—	—	1	2	4	6	5	4
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	3	—	—	—	1	—	—	2	—	—	4	—	—	1	—	1	1	1	—	—
9 Meningococcal meningitis ..	M	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	97	—	—	—	2	18	50	22	5	—	86	—	—	—	3	22	36	20	4	1
	F	105	—	—	—	5	35	38	24	3	—	84	1	—	—	3	20	34	20	6	—
11 Other tuberculous diseases ..	M	32	2	1	3	2	13	8	3	—	—	28	2	—	1	5	8	8	3	1	—
	F	27	1	2	1	4	7	8	3	1	—	24	1	—	1	6	6	5	2	2	—
12 Cancer, malignant disease ..	M	133	—	—	—	—	1	4	53	47	28	127	—	—	—	—	—	—	51	45	3
	F	198	—	1	—	—	—	18	77	65	37	146	—	—	—	—	2	17	59	37	3
13 Rheumatic fever ..	M	2	—	—	—	1	—	—	—	1	—	5	—	—	—	1	1	1	1	1	—
	F	6	—	—	—	1	2	2	—	1	—	1	—	—	—	—	—	1	—	—	—
14 Diabetes ..	M	22	—	—	—	1	1	2	6	6	6	14	—	—	—	—	1	3	3	2	—
	F	25	—	—	—	1	1	3	3	8	9	15	—	—	—	—	1	1	6	7	—
15 Cerebral hæmorrhage, &c. ..	M	113	—	—	—	—	—	3	27	36	47	80	—	—	—	1	1	3	19	24	3
	F	124	—	—	—	—	—	1	27	38	58	117	—	—	—	—	—	4	30	32	5
16 Heart disease ..	M	177	—	—	—	2	3	14	45	53	60	162	—	—	—	1	3	10	54	47	4
	F	229	—	—	—	3	3	12	42	69	100	190	—	—	—	—	1	11	46	65	6
17 Arterio-sclerosis ..	M	67	—	—	—	—	—	—	12	20	35	59	—	—	—	—	—	—	12	21	2
	F	66	—	—	—	—	—	—	8	11	47	39	—	—	—	—	—	—	8	9	2
18 Bronchitis ..	M	58	9	1	—	1	1	1	7	8	30	56	6	1	—	—	—	—	8	11	3
	F	79	6	2	1	1	1	—	7	10	51	78	10	—	1	—	1	1	4	12	4
19 Pneumonia (all forms) ..	M	62	16	7	2	2	—	5	13	10	7	68	12	1	1	2	2	9	17	13	1
	F	50	3	3	1	2	—	2	11	8	20	50	11	1	1	1	—	6	9	13	—
20 Other respiratory diseases ..	M	19	—	—	1	—	—	4	4	6	4	26	1	—	—	—	—	1	11	7	—
	F	21	—	—	—	2	2	—	6	4	7	20	—	—	—	1	—	1	4	7	—
21 Ulcer of stomach or duodenum ..	M	12	—	—	—	—	2	3	4	2	1	10	—	—	—	—	1	2	4	2	—
	F	11	—	—	—	—	—	3	3	3	2	6	—	—	—	—	2	—	2	2	—
22 Diarrhœa, &c. ..	M	25	14	2	—	1	—	1	2	1	4	20	14	2	1	—	—	—	3	—	—
	F	31	15	1	1	1	—	2	1	5	5	13	5	2	—	—	—	1	4	—	—
23 Appendicitis and typhlitis ..	M	3	—	—	1	1	—	1	—	—	—	9	—	—	—	1	3	2	2	1	—
	F	11	—	—	—	—	2	5	2	—	2	8	—	—	—	4	1	1	1	1	—
24 Cirrhosis of liver ..	M	10	—	—	—	—	—	—	6	3	1	4	—	—	—	—	—	—	3	1	—
	F	4	—	—	—	—	—	1	3	—	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	48	—	1	—	2	1	3	22	15	4	38	1	1	—	—	2	2	11	9	—
	F	41	—	—	1	2	—	2	10	14	12	29	—	—	—	—	3	2	11	6	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	7	—	—	—	—	2	5	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	—	1	10	—	—	—	12	—	—	—	—	1	11	—	—	—
28 Congenital debility and malformation, premature birth ..	M	58	56	1	1	—	—	—	—	—	—	63	63	—	—	—	—	—	—	—	—
	F	48	47	1	—	—	—	—	—	—	—	45	45	—	—	—	—	—	—	—	—
29 Suicide ..	M	13	—	—	—	—	—	4	8	—	1	17	—	—	—	—	1	5	9	2	—
	F	9	—	—	—	—	1	6	2	—	—	5	—	—	—	—	—	2	3	—	—
30 Other deaths from violence ..	M	39	1	1	3	6	6	7	7	3	5	43	2	—	3	5	3	8	17	4	—
	F	19	4	1	2	1	—	1	—	3	7	22	2	1	—	2	1	3	2	4	—
31 Other defined diseases ..	M	298	26	2	1	10	9	18	55	51	126	298	32	3	4	9	11	12	40	53	1
	F	366	23	4	1	6	7	22	67	55	181	304	16	3	6	8	6	23	45	43	1
32 Causes ill-defined or unknown ..	M	6	—	—	—	—	—	—	3	3	—	4	—	—	—	—	—	2	1	—	—
	F	1	—	—	—	—	—	—	1	—	—	11	1	—	—	—	—	1	6	2	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
DORSET—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	618	86	8	6	18	23	65	148	128	136	581	46	7	5	14	12	47	124	126	200
	F	677	52	7	8	20	34	79	152	124	201	613	48	4	6	10	22	47	142	122	212
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	3	3	—	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—	—
	F	5	2	3	—	—	—	—	—	—	—	5	1	1	1	1	—	—	—	1	—
6 Diphtheria ..	M	3	—	1	1	—	—	1	—	—	—	3	—	—	1	1	1	—	—	—	—
	F	4	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza ..	M	14	2	—	—	2	—	1	6	—	3	20	1	—	—	—	—	3	6	5	5
	F	19	1	1	—	1	1	4	2	7	2	19	1	—	—	—	—	—	8	5	5
8 Encephalitis lethargica ..	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	1	2	—	—
10 Tuberculosis of respiratory system	M	41	—	—	—	—	8	22	10	1	—	29	—	—	1	2	2	15	7	1	1
	F	50	—	—	—	5	15	19	9	—	2	22	—	1	—	1	8	8	4	—	—
11 Other tuberculous diseases ..	M	6	1	—	1	—	2	1	1	—	—	9	—	2	—	3	1	—	2	1	—
	F	10	—	—	—	1	3	4	—	2	—	14	—	1	1	2	4	5	1	—	—
12 Cancer, malignant disease ..	M	66	—	—	—	—	—	1	27	20	18	64	—	—	—	1	—	3	28	18	14
	F	89	—	—	—	—	—	12	44	19	14	89	—	—	—	—	—	10	42	19	18
13 Rheumatic fever ..	M	2	—	—	—	—	1	1	—	—	—	3	—	—	—	2	—	—	1	—	—
	F	2	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	1	—	—	—
14 Diabetes ..	M	6	—	—	—	—	—	—	2	4	—	6	—	—	—	—	1	1	2	1	1
	F	8	—	—	—	—	—	3	2	2	1	7	—	—	—	—	—	1	5	1	—
15 Cerebral hæmorrhage, &c. ..	M	56	—	—	—	—	—	2	17	14	23	50	—	—	—	—	—	1	12	18	19
	F	50	—	—	—	—	1	1	14	13	21	55	—	—	—	—	—	1	12	13	29
16 Heart disease ..	M	69	—	—	—	2	3	2	21	20	21	77	—	—	—	—	1	4	11	34	27
	F	93	—	—	—	4	2	3	25	30	29	82	—	—	—	1	3	3	17	27	31
17 Arterio-sclerosis ..	M	19	—	—	—	—	—	—	4	12	3	37	—	—	—	—	—	—	3	10	24
	F	15	—	—	—	—	—	—	3	3	9	40	—	—	—	—	—	2	4	12	22
18 Bronchitis ..	M	32	4	2	—	—	—	—	5	10	11	28	4	—	—	—	—	—	2	2	20
	F	34	5	—	—	—	—	—	4	5	20	32	4	—	—	—	—	—	—	9	19
19 Pneumonia (all forms) ..	M	26	5	1	1	2	1	5	6	3	2	20	3	2	—	—	—	1	6	6	2
	F	24	3	2	1	2	—	5	6	2	3	19	3	—	1	1	—	1	6	2	5
20 Other respiratory diseases ..	M	8	1	—	—	—	—	2	2	3	—	8	—	1	1	—	—	1	3	1	1
	F	6	1	—	—	—	1	1	2	—	1	6	2	—	1	—	—	—	1	—	2
21 Ulcer of stomach or duodenum ..	M	6	—	—	—	—	—	1	4	1	—	3	—	—	—	—	—	1	1	1	—
	F	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	1	1	—	—
22 Diarrhoea, &c. ..	M	11	7	1	2	—	—	—	—	—	1	5	3	—	—	—	—	—	—	—	2
	F	16	8	1	—	—	—	1	2	1	3	13	2	—	—	—	—	—	2	4	5
23 Appendicitis and typhlitis ..	M	6	—	—	—	1	1	1	3	—	—	5	—	—	—	—	—	3	1	1	—
	F	5	—	—	—	—	1	1	2	—	1	3	—	—	—	1	1	1	—	—	—
24 Cirrhosis of liver ..	M	5	—	—	—	1	—	1	2	1	—	1	—	—	—	—	—	—	1	—	—
	F	5	—	—	—	—	1	3	1	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	18	—	—	—	—	1	2	7	6	2	18	—	—	—	—	—	2	9	2	5
	F	21	—	—	—	—	1	3	6	7	4	10	—	—	—	—	—	2	2	2	4
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	—	3	—	—	—	—	—	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	1	—	—	—
28 Congenital debility and malformation, premature birth..	M	45	45	—	—	—	—	—	—	—	—	22	22	—	—	—	—	—	—	—	—
	F	26	25	—	—	—	1	—	—	—	—	26	25	—	—	—	—	—	1	—	—
29 Suicide ..	M	7	—	—	—	—	1	3	2	—	1	9	—	—	—	—	—	2	6	1	—
	F	3	—	—	—	—	1	1	—	1	—	1	—	—	—	—	—	—	1	—	—
30 Other deaths from violence..	M	25	4	1	1	2	3	7	4	2	1	23	2	—	1	4	3	3	7	2	1
	F	12	1	—	1	1	1	4	—	—	4	7	—	—	1	2	—	—	1	1	2
31 Other defined diseases ..	M	139	14	2	—	7	2	10	25	30	49	134	8	2	1	1	2	7	13	22	78
	F	163	6	—	3	3	2	6	27	29	87	147	9	1	1	1	4	6	29	26	70
32 Causes ill-defined or unknown ..	M	3	—	—	—	—	—	1	—	1	1	3	—	—	—	—	—	—	3	—	—
	F	4	—	—	—	—	—	—	1	3	—	4	1	—	—	—	—	—	3	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
DURHAM—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	3780	932	267	144	166	190	396	739	571	375	2975	837	205	108	133	152	265	558	393	324
	F	3227	711	233	124	164	191	398	574	417	415	2680	638	158	125	140	142	322	490	354	311
1 Enteric fever ..	M	4	—	—	—	1	—	1	2	—	—	4	—	—	—	—	2	2	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	6	—	—	—	—	3	1	—	1	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	69	18	32	15	4	—	—	—	—	—	28	6	13	8	1	—	—	—	—	—
	F	69	18	36	10	5	—	—	—	—	—	22	6	7	4	5	—	—	—	—	—
4 Scarlet fever ..	M	18	—	2	3	11	2	—	—	—	—	9	1	—	2	5	—	1	—	—	—
	F	11	—	—	5	4	1	1	—	—	—	16	—	—	8	5	2	1	—	—	—
5 Whooping cough ..	M	41	17	16	6	2	—	—	—	—	—	66	32	20	12	2	—	—	—	—	—
	F	71	35	22	13	1	—	—	—	—	—	66	33	22	10	1	—	—	—	—	—
6 Diphtheria ..	M	28	1	1	6	20	—	—	—	—	—	27	—	2	14	11	—	—	—	—	—
	F	31	—	2	11	16	1	1	—	—	—	34	3	3	12	15	1	—	—	—	—
7 Influenza ..	M	76	1	3	2	3	12	20	19	10	6	59	3	2	3	7	5	9	18	7	5
	F	62	4	1	3	2	4	19	15	7	7	60	4	—	1	7	6	14	17	8	3
8 Encephalitis lethargica ..	M	4	1	1	—	1	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	5	—	—	—	2	—	2	1	—	—	4	—	—	—	—	1	2	1	—	—
9 Meningococcal meningitis ..	M	2	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
10 Tuberculosis of respiratory system	M	304	1	3	9	11	78	116	76	8	2	159	1	2	4	12	38	62	39	1	—
	F	269	1	2	3	27	94	106	31	4	1	177	—	—	2	21	62	73	17	2	—
11 Other tuberculous diseases ..	M	101	16	14	17	23	16	6	9	—	—	71	11	15	9	19	4	7	5	1	—
	F	79	10	16	11	15	10	12	3	2	—	69	4	12	9	22	7	13	—	1	1
12 Cancer, malignant disease ..	M	199	—	—	—	—	1	11	94	76	17	153	1	—	—	—	1	12	90	32	17
	F	235	—	—	—	—	3	33	109	62	28	190	—	—	—	1	—	25	107	42	15
13 Rheumatic fever ..	M	13	1	—	—	6	1	3	1	—	1	17	—	—	—	3	6	2	6	—	—
	F	13	—	—	—	7	2	2	2	—	—	17	—	—	—	10	2	2	3	—	—
14 Diabetes ..	M	17	—	—	1	—	1	4	8	3	—	15	—	—	—	—	1	2	6	5	1
	F	16	—	—	—	—	—	1	9	6	—	20	—	—	—	1	2	2	9	6	—
15 Cerebral hæmorrhage, &c. ..	M	193	—	—	—	—	—	9	59	75	50	148	—	—	—	—	1	9	40	67	31
	F	189	—	—	—	—	3	8	62	60	56	160	—	—	—	—	—	7	65	56	32
16 Heart disease ..	M	287	—	—	1	6	11	37	103	89	40	215	—	—	1	7	8	27	72	62	38
	F	294	—	1	—	11	15	42	100	77	48	240	—	—	—	3	10	37	81	75	34
17 Arterio-sclerosis ..	M	107	—	—	—	—	—	1	21	43	42	68	—	—	—	—	—	—	7	32	29
	F	68	—	—	—	—	—	—	12	14	42	36	—	—	—	—	—	—	13	8	15
18 Bronchitis ..	M	305	72	25	8	3	2	8	56	80	51	233	79	24	1	1	1	7	36	45	39
	F	252	69	18	7	1	2	5	38	52	60	206	59	16	9	1	—	1	29	47	44
19 Pneumonia (all forms) ..	M	388	84	78	31	20	14	49	64	40	8	275	67	54	24	20	11	24	48	23	4
	F	294	79	54	29	21	7	26	47	23	8	202	48	34	31	11	8	27	23	11	9
20 Other respiratory diseases ..	M	69	5	4	3	7	3	5	27	7	8	46	6	2	2	3	2	6	12	7	6
	F	30	1	3	1	4	2	3	9	5	2	46	4	2	8	3	2	2	13	7	5
21 Ulcer of stomach or duodenum ..	M	26	—	—	—	—	4	7	9	6	—	13	—	—	—	—	2	8	2	1	—
	F	10	—	—	—	—	1	6	2	1	—	14	—	—	—	—	—	4	9	1	—
22 Diarrhoea, &c. ..	M	220	165	34	7	3	1	1	2	2	5	190	136	28	7	4	—	1	6	5	3
	F	174	102	36	8	4	1	4	4	10	5	153	97	24	13	8	1	1	4	—	5
23 Appendicitis and typhlitis ..	M	8	—	—	—	1	—	2	4	1	—	12	—	—	—	4	6	1	1	—	—
	F	16	—	—	1	6	5	3	1	—	—	4	—	—	—	1	1	—	2	—	—
24 Cirrhosis of liver ..	M	15	—	—	—	—	—	1	10	3	1	10	—	—	—	—	—	1	6	3	—
	F	5	—	1	—	—	—	—	3	1	—	2	—	—	—	—	—	—	1	1	—
25 Acute and chronic nephritis ..	M	64	—	1	2	4	1	8	27	16	5	56	1	2	—	—	3	7	24	13	6
	F	84	1	—	1	5	3	13	38	16	7	63	—	2	—	7	3	15	18	10	8
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	21	—	—	—	—	5	16	—	—	—	18	—	—	—	—	6	12	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	41	—	—	—	—	8	33	—	—	—	39	—	—	—	—	7	30	2	—	—
28 Congenital debility and malformation, premature birth ..	M	386	382	1	3	—	—	—	—	—	—	333	330	1	—	1	1	—	—	—	—
	F	265	263	1	1	—	—	—	—	—	—	260	256	4	—	—	—	—	—	—	—
29 Suicide ..	M	23	—	—	—	—	1	9	9	4	—	18	—	—	—	—	—	3	12	3	—
	F	11	—	—	—	—	3	5	2	—	1	7	—	—	—	—	1	1	5	—	—
30 Other deaths from violence ..	M	148	3	5	7	21	23	44	27	10	8	164	4	7	5	15	43	36	43	8	3
	F	53	7	5	3	8	3	4	6	9	8	43	3	5	6	4	2	3	4	5	11
31 Other defined diseases ..	M	639	164	46	21	19	17	49	100	92	131	562	158	32	15	18	17	33	79	69	141
	F	540	119	34	17	23	17	48	74	66	142	489	121	23	10	14	14	47	59	72	129
32 Causes ill-defined or unknown ..	M	26	—	—	2	—	2	4	12	6	—	22	1	1	1	—	—	4	5	9	1
	F	17	1	1	—	2	1	4	6	2	—	16	—	4	1	—	—	2	8	1	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of ELY, ISLE OF—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	230	33	6	4	6	9	18	40	54	60	213	34	6	3	4	8	23	34	43	58
	F	241	34	5	3	6	8	20	41	49	75	210	30	5	4	10	9	16	32	34	70
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	—	1	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
7 Influenza ..	M	3	—	—	—	—	—	—	—	—	3	6	1	—	—	—	—	—	2	1	2
	F	4	—	—	—	—	—	1	1	1	1	4	—	1	—	—	—	—	1	1	1
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	19	—	—	—	1	5	9	3	1	—	14	—	—	—	1	5	7	1	—	—
	F	15	—	—	—	1	3	9	1	1	—	11	—	—	—	—	6	4	—	1	—
11 Other tuberculous diseases ..	M	3	—	1	—	2	—	—	—	—	—	5	1	—	2	—	—	2	—	—	—
	F	8	2	1	2	2	—	—	—	1	—	3	1	—	—	1	—	1	—	—	—
12 Cancer, malignant disease ..	M	32	—	—	—	—	—	3	7	18	4	26	—	—	—	—	—	1	8	9	8
	F	29	—	—	—	—	—	4	12	9	4	16	—	—	—	—	—	7	7	7	2
13 Rheumatic fever ..	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	1	—	—	—	1	—	—	—	—	—
14 Diabetes ..	M	6	—	—	—	1	1	—	2	2	—	1	—	—	—	—	—	1	—	—	—
	F	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	1
15 Cerebral hæmorrhage, &c. ..	M	19	—	—	—	—	—	1	4	6	8	10	—	—	—	—	—	1	2	4	3
	F	32	—	—	—	—	—	—	4	8	20	15	—	—	—	—	—	—	3	2	10
16 Heart disease ..	M	22	—	—	—	1	—	1	7	8	5	15	—	—	—	—	1	—	4	6	4
	F	18	—	—	—	—	1	—	6	8	3	26	—	—	—	—	1	2	1	7	15
17 Arterio-sclerosis ..	M	3	—	—	—	—	—	—	1	1	1	5	—	—	—	—	—	—	—	—	5
	F	9	—	—	—	—	—	—	—	2	7	5	—	—	—	—	—	—	2	1	2
18 Bronchitis ..	M	10	2	—	—	—	—	—	1	3	4	14	1	1	—	—	—	—	—	3	9
	F	17	1	—	—	—	—	—	1	4	11	12	2	—	—	—	—	—	1	3	6
19 Pneumonia (all forms) ..	M	16	5	2	1	1	—	1	1	2	3	13	3	3	—	—	1	1	2	2	1
	F	11	3	2	—	1	—	—	—	4	1	16	2	2	—	1	—	3	—	4	4
20 Other respiratory diseases ..	M	2	—	—	—	—	—	—	1	1	—	3	—	—	—	—	—	—	—	2	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21 Ulcer of stomach or duodenum ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	1	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c. ..	M	6	4	1	—	—	—	—	1	—	—	9	6	1	—	—	—	—	—	1	—
	F	14	11	1	—	—	—	—	—	1	1	9	7	—	1	—	—	—	—	1	—
23 Appendicitis and typhilitis ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	2	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	4	—	—	—	—	—	1	2	1	—	8	—	—	—	—	—	2	1	3	2
	F	5	—	—	—	—	1	—	2	2	—	7	—	—	—	1	—	—	5	1	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	3	—	—	—	—	—	3	—	—	—
28 Congenital debility and malformation, premature birth ..	M	18	18	—	—	—	—	—	—	—	—	18	18	—	—	—	—	—	—	—	—
	F	11	11	—	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—	—
29 Suicide ..	M	4	—	—	—	—	—	—	3	1	—	2	—	—	—	—	—	—	1	1	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence ..	M	7	1	1	—	—	—	—	2	1	2	6	—	—	—	—	—	1	4	1	—
	F	1	—	—	—	—	—	—	1	—	—	7	—	—	2	2	1	—	1	—	1
31 Other defined diseases ..	M	51	2	1	3	1	1	1	4	8	30	48	4	—	—	1	1	4	7	10	21
	F	50	5	—	—	—	1	3	9	6	26	55	3	1	1	2	—	3	11	6	28
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
	F	2	—	—	—	—	—	—	2	—	—	2	1	1	—	—	—	—	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of ESSEX—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	3181	449	66	62	108	152	394	824	589	537	1539	174	18	30	35	51	134	325	317	455
	F	3204	348	67	67	140	132	397	687	588	778	1401	118	15	24	40	46	131	268	263	496
1 Enteric fever ..	M	6	—	—	—	—	1	—	4	1	—	1	—	—	—	—	—	1	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	2	—	—	—	—	—	2	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	10	3	3	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	2	2	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	10	1	2	1	6	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	13	—	1	6	6	—	—	—	—	—	3	—	—	—	2	1	—	—	—	—
5 Whooping cough ..	M	14	9	4	—	1	—	—	—	—	—	7	5	—	2	—	—	—	—	—	—
	F	18	6	10	1	1	—	—	—	—	—	10	6	2	2	—	—	—	—	—	—
6 Diphtheria ..	M	42	1	4	12	23	2	—	—	—	—	9	1	—	1	5	2	—	—	—	—
	F	65	2	5	16	42	—	—	—	—	—	12	—	1	2	8	—	—	1	—	—
7 Influenza ..	M	63	3	1	4	3	6	12	20	10	4	31	2	—	—	1	1	5	11	6	5
	F	62	—	2	1	3	7	14	16	6	13	19	—	1	—	—	1	3	5	2	7
8 Encephalitis lethargica ..	M	2	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	1	1	—	—	1	1	—	—	1	—	—	—	—	—	—	—	1	—
9 Meningococcal meningitis ..	M	1	—	—	—	1	—	—	—	—	—	2	—	—	1	—	—	1	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	287	2	1	1	3	49	128	91	11	1	86	—	—	—	1	12	51	18	4	—
	F	217	1	1	—	12	59	96	41	6	1	74	2	1	—	4	23	30	10	3	1
11 Other tuberculous diseases ..	M	63	9	10	6	10	14	8	4	2	—	20	2	2	6	4	1	2	3	—	—
	F	56	7	4	15	8	7	8	4	3	—	24	1	1	4	6	6	3	3	—	—
12 Cancer, malignant disease ..	M	310	1	1	—	2	2	17	141	106	40	181	—	—	—	—	3	3	66	60	49
	F	426	—	—	—	2	—	36	204	120	64	184	—	—	—	1	1	15	75	46	46
13 Rheumatic fever ..	M	9	—	—	—	2	2	3	2	—	—	4	—	—	—	1	1	1	1	—	—
	F	9	—	—	2	2	1	3	1	—	—	4	—	—	—	1	2	1	—	—	—
14 Diabetes ..	M	31	—	—	—	1	3	5	13	8	1	12	—	—	—	—	—	—	8	3	1
	F	30	—	—	—	—	3	7	11	7	2	19	—	—	—	—	1	2	9	3	4
15 Cerebral hæmorrhage, &c. ..	M	185	—	—	—	1	2	7	62	51	62	105	—	—	—	—	—	1	20	38	46
	F	231	—	—	—	—	—	8	71	63	89	128	—	—	—	—	—	2	33	39	54
16 Heart disease ..	M	364	1	—	—	12	8	41	120	118	64	172	—	—	—	—	4	16	48	50	54
	F	414	—	—	—	11	19	49	109	127	99	212	—	—	1	2	3	11	49	59	87
17 Arterio-sclerosis ..	M	88	—	—	—	—	—	2	24	26	36	71	—	—	—	—	—	—	5	27	39
	F	67	—	—	—	—	—	1	9	17	40	31	—	—	—	—	—	—	3	6	22
18 Bronchitis ..	M	214	22	3	1	—	1	7	41	59	80	97	7	—	3	1	2	—	10	23	51
	F	220	17	1	1	—	—	4	25	65	107	80	7	—	—	1	—	1	9	17	45
19 Pneumonia (all forms) ..	M	202	38	17	7	10	7	37	47	29	10	69	8	4	2	2	1	10	19	17	6
	F	164	32	14	10	5	3	23	30	23	24	56	14	2	6	—	—	13	1	11	9
20 Other respiratory diseases ..	M	43	1	1	1	1	3	5	19	7	5	25	—	—	2	—	—	1	10	6	6
	F	51	1	1	1	5	1	4	11	11	16	15	—	—	1	1	1	1	3	3	5
21 Ulcer of stomach or duodenum ..	M	26	—	—	—	—	1	7	14	3	1	3	—	—	—	—	—	1	1	1	—
	F	16	—	—	—	—	—	5	9	2	—	7	—	—	—	—	1	2	2	—	2
22 Diarrhoea, &c. ..	M	108	77	3	4	4	—	4	5	7	4	41	22	2	2	1	1	1	3	2	7
	F	107	74	11	3	1	—	3	4	6	5	19	8	—	1	—	—	2	1	4	3
23 Appendicitis and typhlitis ..	M	16	—	—	—	3	8	2	2	—	1	9	—	—	—	3	—	3	2	1	—
	F	19	—	—	1	4	3	7	4	—	—	11	1	—	1	4	2	2	1	—	—
24 Cirrhosis of liver ..	M	25	—	—	—	—	—	2	15	6	2	10	—	—	—	—	—	—	7	3	—
	F	17	—	—	—	—	1	1	9	4	2	7	—	—	—	—	—	1	4	2	—
25 Acute and chronic nephritis ..	M	80	—	—	—	1	4	9	34	20	12	36	—	—	—	—	2	5	11	5	13
	F	76	—	1	—	6	2	12	27	18	10	33	—	—	—	—	2	7	12	7	5
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	19	—	—	—	—	2	17	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	28	—	—	—	—	4	23	1	—	—	5	—	—	—	—	1	4	—	—	—
28 Congenital debility and malformation, premature birth ..	M	210	208	1	—	1	—	—	—	—	—	98	95	—	—	1	—	1	1	—	—
	F	140	138	1	1	—	—	—	—	—	—	60	59	1	—	—	—	—	—	—	—
29 Suicide ..	M	39	—	—	—	—	1	11	19	7	1	24	—	—	—	—	1	4	14	4	1
	F	21	—	—	—	—	1	7	10	3	—	10	—	—	—	—	—	1	4	5	—
30 Other deaths from violence ..	M	131	11	4	8	6	18	37	21	11	15	57	1	2	4	5	11	10	15	6	3
	F	56	5	1	3	9	4	4	5	10	15	22	2	1	—	3	1	3	2	3	7
31 Other defined diseases ..	M	591	62	9	14	16	20	46	122	104	198	357	31	8	7	9	8	17	45	58	174
	F	647	63	10	4	21	15	62	84	97	291	349	18	3	6	7	—	24	40	52	199
32 Causes ill-defined or unknown ..	M	11	—	1	—	—	—	4	3	3	—	11	—	—	—	—	1	—	7	3	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	1	1	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
GLOUCESTER—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	598	63	9	6	20	22	68	121	141	148	1320	140	22	18	37	66	154	296	241	346
	F	692	54	7	6	13	22	71	133	139	247	1339	137	14	17	29	60	131	261	251	439
1 Enteric fever ..	M	2	—	—	—	—	—	—	1	1	—	3	—	—	—	1	—	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	—	1	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough ..	M	3	2	1	—	—	—	—	—	—	—	7	5	1	—	1	—	—	—	—	—
	F	6	4	2	—	—	—	—	—	—	—	6	5	—	1	—	—	—	—	—	—
6 Diphtheria ..	M	12	—	2	3	7	—	—	—	—	—	8	—	1	3	2	2	—	—	—	—
	F	6	—	—	4	2	—	—	—	—	—	14	—	1	2	10	1	—	—	—	—
7 Influenza ..	M	9	2	—	1	1	1	2	—	2	—	28	2	—	—	—	—	8	10	3	5
	F	20	—	—	—	1	2	2	4	5	6	22	1	—	—	1	2	2	4	4	8
8 Encephalitis lethargica ..	M	2	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—
10 Tuberculosis of respiratory system	M	39	—	—	1	—	7	17	13	1	—	65	—	—	—	2	11	34	17	—	1
	F	38	—	—	—	3	10	19	6	—	—	77	—	—	—	1	24	42	8	2	—
11 Other tuberculous diseases ..	M	11	2	1	1	—	2	3	1	1	—	16	1	2	—	3	3	2	4	1	—
	F	12	1	—	—	2	2	3	2	1	1	19	—	1	2	4	4	5	3	—	—
12 Cancer, malignant disease ..	M	58	—	—	—	—	—	1	23	25	9	135	—	—	1	—	2	5	52	50	25
	F	79	—	—	—	—	—	9	35	22	13	192	—	—	—	—	—	25	74	50	43
13 Rheumatic fever ..	M	1	—	—	—	1	—	—	—	—	—	14	—	—	—	1	7	4	2	—	—
	F	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	1	1	—	1	—
14 Diabetes ..	M	4	—	—	—	—	—	—	4	—	—	14	—	—	—	1	—	3	5	5	—
	F	2	—	—	—	—	—	—	—	2	—	16	—	—	—	1	—	2	6	3	4
15 Cerebral hæmorrhage, &c. ..	M	29	—	—	—	—	—	1	8	14	6	85	—	—	—	—	2	4	14	22	43
	F	60	—	—	—	—	—	2	14	21	23	97	—	—	—	—	—	1	20	27	49
16 Heart disease ..	M	79	—	—	—	1	2	12	17	22	25	204	—	—	—	4	5	20	56	53	66
	F	114	—	—	—	1	3	10	17	34	49	221	—	—	—	3	4	6	55	71	82
17 Arterio-sclerosis ..	M	26	—	—	—	—	—	—	1	12	13	49	—	—	—	—	—	1	10	11	27
	F	27	—	—	—	—	—	—	1	2	24	41	—	—	—	—	—	—	3	9	29
18 Bronchitis ..	M	46	2	—	—	—	—	2	7	12	23	78	10	2	—	—	2	1	9	19	35
	F	31	1	—	—	—	—	—	6	11	13	68	7	—	—	—	—	—	8	19	34
19 Pneumonia (all forms) ..	M	29	5	2	—	—	1	6	7	3	5	55	6	6	2	2	3	11	17	7	1
	F	32	4	2	1	—	1	5	4	8	7	49	12	2	3	—	3	7	6	10	6
20 Other respiratory diseases ..	M	16	1	—	—	—	1	—	5	7	2	23	1	—	—	—	—	4	10	4	4
	F	13	1	1	—	—	—	1	1	1	8	14	1	—	—	1	—	1	3	3	5
21 Ulcer of stomach or duodenum ..	M	4	—	—	—	—	—	1	3	—	—	10	—	—	—	—	—	3	6	—	1
	F	2	—	—	—	—	—	—	2	—	—	7	—	—	—	—	1	2	4	—	—
22 Diarrhœa, &c. ..	M	17	12	2	—	—	—	—	1	1	1	29	18	2	1	1	—	1	1	1	4
	F	11	6	1	1	1	—	—	2	—	—	27	12	3	2	—	—	—	3	2	5
23 Appendicitis and typhlitis ..	M	2	—	—	—	1	1	—	—	—	—	15	—	—	—	4	4	5	1	1	—
	F	3	—	—	—	—	—	1	1	1	—	4	—	—	—	2	2	—	—	—	—
24 Cirrhosis of liver ..	M	3	—	—	—	—	—	—	1	2	—	10	—	—	—	—	—	1	3	5	1
	F	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	—	—	2	1	1
25 Acute and chronic nephritis ..	M	16	—	—	—	—	—	1	6	5	4	44	—	1	—	1	1	5	22	6	8
	F	13	—	—	—	—	—	1	7	3	2	26	1	—	1	—	2	3	8	5	6
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	—	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	—	8	—	—	—	11	—	—	—	—	3	8	—	—	—
28 Congenital debility and malformation, premature birth ..	M	31	31	—	—	—	—	—	—	—	—	68	63	1	1	3	—	—	—	—	—
	F	31	31	—	—	—	—	—	—	—	—	77	76	—	—	1	—	—	—	—	—
29 Suicide ..	M	8	—	—	—	—	—	5	1	1	1	14	—	—	—	—	1	5	5	3	—
	F	1	—	—	—	—	1	—	—	—	—	4	—	—	—	—	1	2	—	1	—
30 Other deaths from violence ..	M	15	—	—	—	1	3	4	2	5	—	48	3	—	3	1	10	15	10	4	2
	F	5	—	—	—	—	2	—	—	—	3	24	2	3	2	—	2	—	8	2	5
31 Other defined diseases ..	M	132	6	1	—	5	3	13	19	26	59	284	30	5	6	8	13	19	36	44	123
	F	163	6	—	—	1	1	9	23	25	98	298	18	4	3	5	9	17	42	39	161
32 Causes ill-defined or unknown ..	M	2	—	—	—	—	—	—	1	1	—	8	1	—	—	—	—	1	4	2	—
	F	9	—	1	—	—	—	—	5	3	—	8	1	—	—	—	—	1	3	2	1

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
HEREFORD—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	251	40	2	2	5	9	22	72	42	57	499	51	9	7	15	17	39	102	106	153
	F	270	30	3	4	10	12	28	43	47	93	394	32	9	5	9	18	33	69	77	142
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	1	—	—	—	—	—	—	3	—	1	—	2	—	—	—	—	—
	F	6	1	—	1	4	—	—	—	—	—	3	—	—	1	2	—	—	—	—	—
7 Influenza ..	M	3	1	—	—	—	—	—	2	—	—	9	2	—	—	—	—	1	1	1	4
	F	3	—	—	1	—	—	—	1	—	1	9	—	—	—	1	1	1	—	2	4
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	—	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	14	—	—	—	—	3	4	7	—	—	37	—	1	—	2	5	14	11	2	2
	F	19	—	—	—	—	6	10	2	1	—	34	—	—	—	1	10	13	8	2	—
11 Other tuberculous diseases ..	M	6	1	1	—	1	1	1	1	—	—	14	—	—	3	—	5	2	2	2	—
	F	5	1	—	—	1	1	1	1	—	—	7	1	1	—	—	2	1	1	1	—
12 Cancer, malignant disease ..	M	15	—	—	—	—	—	—	9	5	1	43	—	—	—	—	—	3	18	12	10
	F	37	—	—	—	—	—	4	15	9	9	59	—	—	—	—	—	5	24	18	11
13 Rheumatic fever ..	M	2	—	—	—	—	—	1	—	1	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
14 Diabetes ..	M	4	—	—	—	—	—	—	2	1	1	2	—	—	—	—	—	—	1	1	—
	F	2	—	—	—	—	—	—	1	—	1	7	—	—	—	1	—	—	4	2	—
15 Cerebral hæmorrhage, &c. ..	M	20	—	—	—	—	—	2	10	6	2	34	—	—	—	—	—	—	8	10	1
	F	28	—	—	—	—	—	—	4	11	13	30	—	—	—	—	—	—	2	12	1
16 Heart disease ..	M	39	—	—	—	2	—	1	11	12	13	78	—	—	—	—	—	2	19	28	2
	F	46	—	—	—	1	—	4	7	6	28	75	—	—	—	—	—	3	11	22	3
17 Arterio-sclerosis ..	M	16	—	—	—	—	—	1	1	7	7	32	—	—	—	—	—	—	2	8	2
	F	7	—	—	—	—	—	—	—	2	5	12	—	—	—	—	—	—	1	2	—
18 Bronchitis ..	M	18	1	—	—	—	—	—	4	1	12	22	2	—	—	—	—	1	4	6	—
	F	7	1	—	—	—	—	—	2	1	3	25	2	1	—	—	—	1	—	3	1
19 Pneumonia (all forms) ..	M	12	5	—	—	—	—	2	3	1	1	15	—	3	—	2	—	2	3	5	—
	F	14	3	3	—	1	1	1	1	1	3	10	2	2	1	2	—	—	1	1	—
20 Other respiratory diseases ..	M	3	1	—	—	—	—	—	1	1	—	10	—	—	1	—	—	—	1	3	—
	F	2	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—
21 Ulcer of stomach or duodenum ..	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	1	1	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	1	—	—
22 Diarrhœa, &c. ..	M	7	7	—	—	—	—	—	—	—	—	12	5	1	—	1	—	—	1	1	—
	F	5	4	—	—	—	—	—	—	1	—	6	4	—	—	—	—	1	—	—	—
23 Appendicitis and typhlitis ..	M	3	—	—	—	—	1	1	1	—	—	4	—	—	1	—	—	1	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	1	1	—	—
24 Cirrhosis of liver ..	M	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	1	—	1	—
	F	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	—	—	3	—	—
25 Acute and chronic nephritis ..	M	7	—	—	—	—	—	3	2	1	1	15	1	—	—	—	—	1	4	7	—
	F	6	—	—	—	1	—	1	3	—	1	3	—	—	—	—	—	—	1	—	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	3	—	—	—	—	1	2	—	—	—
28 Congenital debility and malformation, premature birth ..	M	17	16	—	—	—	1	—	—	—	—	31	30	—	—	1	—	—	—	—	—
	F	13	13	—	—	—	—	—	—	—	—	20	20	—	—	—	—	—	—	—	—
29 Suicide ..	M	4	—	—	—	—	—	—	3	—	1	7	—	—	—	—	1	—	4	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence ..	M	10	1	—	—	1	1	5	2	—	—	19	—	2	—	1	1	6	3	2	—
	F	4	—	—	—	—	—	1	—	3	—	8	—	1	2	—	1	—	1	1	—
31 Other defined diseases ..	M	45	7	1	1	1	2	1	8	6	18	94	10	1	2	4	4	5	11	13	—
	F	59	5	—	2	2	3	3	4	11	29	62	3	2	1	1	1	4	8	7	—
32 Causes ill-defined or unknown ..	M	2	—	—	—	—	—	—	2	—	—	9	1	—	—	—	—	—	4	3	—
	F	—	—	—	—	—	—	—	—	—	—	7	—	1	—	—	—	—	2	3	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
HERTFORD—1921 (Civilian population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {		M	1151	132	23	14	35	44	134	309	229	231	527	63	10	6	12	17	49	115	104	151
		F	1092	85	11	15	25	42	124	219	244	327	511	29	7	11	16	20	71	102	103	152
1	Enteric fever .. {	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	
		F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	
2	Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	Scarlet fever .. {	M	1	—	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
		F	2	—	—	1	—	1	—	—	—	—	2	—	2	—	—	—	—	—	—	
5	Whooping cough .. {	M	5	3	—	2	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—	
		F	6	2	2	1	—	1	—	—	—	—	3	3	—	—	—	—	—	—	—	
6	Diphtheria .. {	M	4	—	—	1	3	—	—	—	—	—	4	—	—	1	2	1	—	—	—	
		F	9	1	—	2	5	—	—	—	1	—	7	—	—	2	5	—	—	—	—	
7	Influenza .. {	M	17	2	—	—	1	2	3	4	4	1	6	—	—	—	1	—	1	4	—	
		F	23	—	1	1	—	3	2	7	5	4	7	—	—	—	1	2	—	3	1	
8	Encephalitis lethargica .. {	M	2	—	—	—	—	1	1	—	—	—	2	—	—	—	1	—	1	—	—	
		F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9	Meningococcal meningitis .. {	M	2	—	—	—	1	—	1	—	—	—	1	—	—	—	1	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
0	Tuberculosis of respiratory system {	M	99	—	—	—	—	17	43	34	5	—	37	—	—	—	8	14	12	3	—	
		F	67	—	—	1	3	20	31	10	1	1	35	—	—	1	9	19	5	1	—	
1	Other tuberculous diseases .. {	M	24	5	7	2	3	2	3	1	1	—	7	1	2	2	1	—	1	—	—	
		F	18	1	2	3	3	2	4	2	1	—	5	—	—	1	1	2	1	—	—	
2	Cancer, malignant disease .. {	M	114	—	—	—	—	2	1	43	46	22	59	—	—	—	1	—	4	25	15	14
		F	162	—	—	—	—	—	14	70	45	33	76	—	—	—	—	11	26	20	19	
3	Rheumatic fever .. {	M	2	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	1	—	—	
		F	8	—	—	—	3	2	1	2	—	—	1	—	—	1	—	—	—	—	—	
4	Diabetes .. {	M	7	—	—	—	—	—	1	2	3	1	5	—	—	—	—	2	3	—	—	
		F	12	—	—	—	1	—	3	3	4	1	3	—	—	1	—	—	1	1	—	
5	Cerebral hæmorrhage, &c. .. {	M	62	—	1	—	—	—	2	17	15	27	43	—	—	—	—	1	4	11	27	
		F	88	—	—	—	1	—	2	14	34	37	53	—	—	—	—	5	11	12	25	
6	Heart disease .. {	M	169	—	—	—	1	5	25	40	49	49	66	—	—	—	2	2	18	17	27	
		F	172	—	—	—	—	1	11	35	63	62	87	—	—	1	2	5	18	35	25	
7	Arterio-sclerosis .. {	M	45	—	—	—	—	—	—	8	21	16	18	—	—	—	—	—	2	4	12	
		F	38	—	—	—	—	—	—	4	11	23	10	—	—	—	—	—	2	2	6	
8	Bronchitis .. {	M	67	9	4	1	—	—	1	7	16	29	40	3	3	—	—	—	2	7	25	
		F	74	2	—	—	2	—	2	5	16	47	26	2	—	—	—	—	3	2	19	
9	Pneumonia (all forms) .. {	M	64	5	5	2	—	2	9	31	8	2	29	7	2	1	2	—	5	8	2	
		F	40	6	1	2	—	2	4	6	9	10	12	2	—	—	1	—	6	1	2	
0	Other respiratory diseases .. {	M	16	—	—	—	—	—	—	12	2	2	9	—	—	—	—	—	2	2	5	
		F	7	—	—	—	—	—	—	2	1	4	6	—	—	—	—	—	2	3	1	
1	Ulcer of stomach or duodenum .. {	M	9	—	—	—	—	—	3	2	2	2	7	—	—	—	—	2	3	2	—	
		F	6	—	—	—	—	—	2	2	1	1	3	—	—	—	—	2	1	—	—	
2	Diarrhoea, &c. .. {	M	36	21	3	—	2	—	1	2	2	5	16	10	2	—	1	—	—	—	3	
		F	15	7	1	1	—	—	1	2	1	2	10	4	2	—	—	—	1	1	2	
3	Appendicitis and typhlitis.. {	M	11	—	—	—	4	3	3	1	—	—	6	—	—	—	—	3	1	2	—	
		F	4	—	—	—	1	—	1	1	1	—	3	—	1	—	1	1	—	—	—	
4	Cirrhosis of liver .. {	M	11	—	—	—	—	—	1	8	1	1	2	—	—	—	—	—	2	—	—	
		F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—	
5	Acute and chronic nephritis .. {	M	31	1	—	—	1	—	4	11	10	4	14	—	—	—	—	2	5	5	2	
		F	29	—	—	—	—	1	3	8	7	10	7	—	—	—	—	2	5	—	—	
6	Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	4	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	
7	Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	11	—	—	—	—	1	10	—	—	—	8	—	—	—	1	6	1	—	—	
8	Congenital debility and malformation, premature birth.. {	M	66	65	—	—	1	—	—	—	—	—	30	29	—	1	—	—	—	—	—	
		F	51	49	1	1	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—	
9	Suicide .. {	M	19	—	—	—	—	—	5	11	2	1	12	—	—	—	—	4	6	1	1	
		F	6	—	—	—	—	—	2	2	2	—	4	—	—	—	—	2	1	—	1	
0	Other deaths from violence.. {	M	50	2	1	1	11	5	3	17	6	4	18	2	—	—	3	—	4	7	1	
		F	18	—	—	1	—	—	3	4	4	6	13	1	1	1	1	—	4	—	3	
1	Other defined diseases .. {	M	213	18	2	4	7	5	23	55	34	65	87	8	1	1	—	4	8	11	22	32
		F	211	15	2	1	6	5	24	36	36	86	110	3	4	2	5	5	10	15	18	48
2	Causes ill-defined or unknown .. {	M	4	1	—	—	—	—	—	3	—	—	3	—	—	—	—	—	3	—	—	
		F	8	2	—	—	—	2	—	3	1	—	3	—	—	—	—	—	2	1	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
KENT—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	4190	581	89	102	158	181	451	1022	771	835	1850	206	34	23	64	78	160	423	357	505
	F	4462	435	102	79	151	183	509	963	792	1248	1662	159	29	32	51	63	177	332	328	491
1 Enteric fever ..	M	2	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	—	—	—	—	3	5	1	1	—	7	—	—	—	3	1	2	1	—	—
2 Small-pox ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	3	—	1	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	12	1	1	6	2	1	1	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	7	—	—	—	2	—	5	—	—	—	3	—	—	—	2	1	—	—	—	—
5 Whooping cough ..	M	16	8	6	2	—	—	—	—	—	—	4	2	2	—	—	—	—	—	—	—
	F	42	18	19	4	1	—	—	—	—	—	11	7	2	2	—	—	—	—	—	—
6 Diphtheria ..	M	73	2	4	25	41	1	—	—	—	—	19	—	1	4	13	1	—	—	—	—
	F	74	2	4	18	49	1	—	—	—	—	20	1	—	6	12	—	1	—	—	—
7 Influenza ..	M	81	1	1	3	3	6	9	25	21	12	44	3	—	—	2	3	4	7	8	17
	F	101	1	2	—	2	4	20	28	13	31	35	1	1	1	1	—	2	5	7	17
8 Encephalitis lethargica ..	M	6	—	1	—	—	—	—	4	1	—	2	—	—	—	—	—	—	2	—	—
	F	11	1	2	2	1	—	3	1	1	—	4	—	—	—	2	—	—	2	—	—
9 Meningococcal meningitis ..	M	4	1	—	—	2	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	4	—	—	—	3	1	—	—	—	—	2	—	—	1	—	1	—	—	—	—
10 Tuberculosis of respiratory system	M	323	1	2	—	4	71	141	91	11	2	145	—	1	—	3	29	66	40	4	2
	F	297	—	—	2	14	84	141	48	7	1	111	—	—	—	5	29	49	23	5	—
11 Other tuberculous diseases ..	M	85	11	12	11	18	11	16	6	—	—	38	8	4	5	7	5	3	3	3	—
	F	85	11	9	10	14	14	13	8	1	5	27	5	3	2	4	3	3	5	1	1
12 Cancer, malignant disease ..	M	448	—	—	1	—	2	22	211	135	77	189	—	—	—	—	1	9	82	58	39
	F	581	1	2	—	1	4	59	247	150	117	211	—	—	—	—	—	26	88	58	39
13 Rheumatic fever ..	M	10	—	—	—	2	2	2	2	2	—	5	—	—	—	—	1	2	1	1	—
	F	16	—	—	1	3	3	3	3	1	2	5	—	—	—	2	—	—	2	1	—
14 Diabetes ..	M	39	—	—	—	1	2	9	12	11	4	19	—	—	—	1	1	2	5	9	1
	F	50	—	—	—	1	2	10	18	11	8	17	—	—	—	2	2	3	2	7	1
15 Cerebral hæmorrhage, &c. ..	M	240	—	1	—	—	1	7	67	75	89	118	—	—	—	—	—	3	27	33	55
	F	346	—	—	—	—	—	7	92	94	153	140	—	—	—	—	—	2	26	54	58
16 Heart disease ..	M	507	—	—	—	9	15	43	148	154	138	253	1	—	—	2	6	16	73	70	85
	F	617	—	—	1	10	14	47	153	178	214	235	—	—	1	2	1	15	55	75	86
17 Arterio-sclerosis ..	M	130	—	—	—	—	1	3	31	36	59	58	—	—	—	—	—	—	8	15	35
	F	103	—	—	—	—	—	—	13	30	60	46	—	—	—	—	—	—	3	10	33
18 Bronchitis ..	M	239	26	5	4	2	1	7	35	59	100	109	10	2	—	1	—	1	14	23	58
	F	306	27	8	7	2	—	5	25	68	164	101	13	3	2	—	—	2	8	16	57
19 Pneumonia (all forms) ..	M	293	56	22	13	12	9	43	74	37	27	93	14	8	3	5	3	4	18	22	16
	F	232	42	22	8	12	9	17	50	30	42	74	13	10	6	2	5	3	9	10	16
20 Other respiratory diseases ..	M	64	4	1	5	3	2	8	16	10	15	31	2	—	1	2	1	3	7	11	4
	F	48	1	1	2	—	—	9	7	16	12	14	1	—	2	—	—	—	4	4	3
21 Ulcer of stomach or duodenum ..	M	32	—	—	—	—	2	12	16	2	—	11	—	—	—	—	—	3	6	1	1
	F	14	—	—	—	—	1	7	6	—	—	6	—	—	—	—	—	1	4	—	1
22 Diarrhoea, &c. ..	M	168	126	11	5	3	1	2	4	7	9	46	25	3	3	1	—	—	2	4	8
	F	119	70	16	4	1	—	4	6	8	10	30	15	4	1	—	—	1	2	5	2
23 Appendicitis and typhlitis ..	M	31	—	—	2	7	9	3	6	3	1	13	—	—	1	5	2	1	2	1	1
	F	19	—	—	—	3	4	2	7	2	1	9	—	—	—	—	1	4	3	—	1
24 Cirrhosis of liver ..	M	26	—	—	—	—	—	1	17	6	2	6	—	—	—	—	—	—	6	—	—
	F	22	—	—	—	—	—	3	14	4	1	5	—	—	—	—	—	—	3	2	—
25 Acute and chronic nephritis ..	M	104	—	—	1	2	3	11	34	35	18	42	—	1	—	1	1	2	16	9	12
	F	123	—	—	1	2	3	15	39	31	32	43	—	—	—	—	3	6	13	16	5
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	—	—	—	—	1	9	—	—	—	10	—	—	—	—	2	8	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	40	—	—	—	—	7	32	1	—	—	13	—	—	—	—	3	10	—	—	—
28 Congenital debility and malformation, premature birth ..	M	239	237	1	1	—	—	—	—	—	—	95	95	—	—	—	—	—	—	—	—
	F	182	178	1	1	2	—	—	—	—	—	71	71	—	—	—	—	—	—	—	—
29 Suicide ..	M	65	—	—	—	—	5	12	28	14	6	28	—	—	—	—	2	4	16	5	1
	F	23	—	—	—	—	3	6	12	2	—	9	—	—	—	—	1	2	6	—	—
30 Other deaths from violence ..	M	132	9	3	5	17	14	25	40	13	6	60	2	3	1	7	10	9	18	4	6
	F	75	8	5	8	5	3	8	15	5	18	35	5	2	2	5	3	3	6	3	6
31 Other defined diseases ..	M	794	98	16	16	29	21	67	146	131	270	409	40	9	5	13	12	26	66	74	164
	F	885	73	11	10	23	22	75	162	133	376	361	27	3	6	9	7	34	59	51	165
32 Causes ill-defined or unknown ..	M	23	—	1	—	—	—	6	8	8	—	10	2	—	—	—	—	2	4	2	—
	F	19	1	—	—	—	—	4	7	6	1	7	—	1	—	—	—	—	3	3	—

CAUSES OF DEATH at DIFFERENT PERIODS OF LIFE in the ADMINISTRATIVE COUNTY of
LANCASTER—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	9401	1630	356	223	389	386	1096	2654	1633	1034	1473	201	29	23	50	62	173	342	300	29
	F	9266	1259	276	232	304	402	1226	2286	1763	1518	1442	151	28	19	40	49	188	350	295	32
1 Enteric fever ..	M	19	—	—	—	1	7	8	2	1	—	5	—	—	—	—	1	3	—	1	—
	F	14	—	—	—	3	3	4	4	—	—	4	—	—	—	1	1	—	1	1	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	41	10	24	6	1	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—
	F	32	10	11	7	3	1	—	—	—	—	2	—	1	—	1	—	—	—	—	—
4 Scarlet fever ..	M	31	—	2	10	15	2	1	1	—	—	3	—	—	2	1	—	—	—	—	—
	F	26	—	3	6	10	2	5	—	—	—	1	—	1	—	—	—	—	—	—	—
5 Whooping cough ..	M	121	68	36	16	1	—	—	—	—	—	10	7	3	—	—	—	—	—	—	—
	F	118	59	39	16	2	1	—	—	—	1	19	13	4	1	1	—	—	—	—	—
6 Diphtheria ..	M	67	4	9	15	37	—	—	1	1	—	10	—	2	3	5	—	—	—	—	—
	F	80	5	5	34	33	1	2	—	—	—	9	—	—	3	5	1	—	—	—	—
7 Influenza ..	M	204	4	3	3	10	10	40	82	35	17	29	2	—	—	3	2	3	10	5	—
	F	157	4	1	4	4	14	40	45	27	18	22	—	1	—	2	5	3	4	3	—
8 Encephalitis lethargica ..	M	20	1	2	1	2	3	4	7	—	—	2	—	—	—	—	1	1	—	—	—
	F	24	2	1	1	5	3	4	7	1	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	5	—	2	1	1	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	605	2	—	3	15	91	257	218	17	2	77	—	—	—	—	13	45	18	1	—
	F	551	2	—	2	32	142	265	95	13	—	68	—	1	—	2	14	33	15	2	—
11 Other tuberculous diseases ..	M	184	18	22	22	46	31	26	15	4	—	22	1	3	2	7	5	3	1	—	—
	F	144	15	9	23	41	21	20	12	3	—	26	—	1	1	4	6	7	5	2	—
12 Cancer, malignant disease ..	M	714	—	2	1	3	6	53	406	184	59	137	—	—	1	1	2	12	47	52	—
	F	981	—	—	1	—	3	116	499	246	116	149	—	—	—	—	16	67	43	2	—
13 Rheumatic fever ..	M	44	—	—	1	15	9	9	8	2	—	6	—	—	—	1	4	—	—	—	—
	F	45	—	—	1	9	11	12	9	2	1	2	—	—	—	1	—	—	1	—	—
14 Diabetes ..	M	64	—	—	—	2	4	16	19	17	6	17	—	—	—	—	2	2	7	5	—
	F	87	—	—	—	1	6	14	40	22	4	13	—	—	—	—	1	2	6	4	—
15 Cerebral hæmorrhage, &c. ..	M	504	2	—	1	—	2	16	193	179	111	121	1	—	—	—	—	3	34	48	—
	F	691	—	—	—	1	3	23	264	249	151	114	—	—	—	—	—	3	38	43	—
16 Heart disease ..	M	964	—	1	1	16	40	139	356	289	122	155	—	—	—	—	7	19	42	57	—
	F	1175	1	3	3	27	40	152	386	367	196	185	—	—	—	—	8	23	61	47	—
17 Arterio-sclerosis ..	M	314	—	—	—	—	—	2	107	122	83	47	—	—	—	—	—	2	10	14	—
	F	239	—	—	—	—	—	—	51	100	88	34	—	—	—	—	—	—	3	14	—
18 Bronchitis ..	M	773	113	42	6	5	6	30	216	215	140	88	15	3	—	—	1	3	13	25	—
	F	768	103	20	6	8	3	24	156	222	226	116	13	3	1	—	1	5	10	34	—
19 Pneumonia (all forms) ..	M	825	190	98	51	40	36	129	185	72	24	112	20	6	7	4	6	12	32	13	—
	F	610	138	83	49	33	26	69	103	75	34	92	17	8	4	1	1	14	16	16	—
20 Other respiratory diseases ..	M	117	10	5	9	4	4	12	40	21	12	22	2	—	1	—	1	—	8	4	—
	F	111	5	4	7	5	5	19	23	11	32	29	3	—	1	4	—	3	8	5	—
21 Ulcer of stomach or duodenum ..	M	49	—	—	—	—	—	26	18	5	—	8	—	—	—	—	—	3	4	1	—
	F	33	1	—	—	—	3	10	13	4	2	6	—	—	—	—	1	1	2	1	—
22 Diarrhoea, &c. ..	M	358	235	36	10	13	1	7	26	18	12	30	18	3	—	2	—	2	1	1	—
	F	263	139	35	19	6	2	13	14	15	20	39	22	1	1	3	1	—	3	2	—
23 Appendicitis and typhlitis ..	M	78	1	1	1	20	28	11	16	—	—	9	—	—	1	4	—	2	2	—	—
	F	54	—	—	1	18	9	11	12	—	3	10	—	—	—	1	1	3	5	—	—
24 Cirrhosis of liver ..	M	46	—	—	—	—	—	7	34	5	—	6	—	—	—	—	—	2	1	2	—
	F	16	—	—	—	1	—	1	10	4	—	6	—	—	—	—	—	—	4	1	—
25 Acute and chronic nephritis ..	M	295	1	2	1	6	6	45	149	68	17	47	1	—	—	—	1	16	16	7	—
	F	267	7	5	1	1	8	55	102	61	27	47	1	1	—	—	2	8	21	12	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	54	—	—	—	—	12	42	—	—	—	4	—	—	—	—	—	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	111	—	—	—	—	19	91	1	—	—	17	—	—	—	—	2	14	1	—	—
28 Congenital debility and malformation, premature birth ..	M	669	660	3	1	3	1	1	—	—	—	92	90	—	—	1	1	—	—	—	—
	F	528	523	2	2	—	1	—	—	—	—	62	60	1	—	1	—	—	—	—	—
29 Suicide ..	M	102	—	—	—	—	4	22	59	14	3	15	—	—	—	—	1	4	6	3	—
	F	52	—	—	—	—	6	23	20	3	—	8	—	—	—	—	2	3	3	—	—
30 Other deaths from violence ..	M	368	11	17	22	52	47	74	105	26	14	62	2	2	2	10	8	15	16	6	—
	F	156	15	7	17	16	8	19	26	16	32	24	1	2	2	4	—	4	6	2	—
31 Other defined diseases ..	M	1735	298	44	39	77	45	150	351	322	409	322	41	7	4	9	6	20	62	52	11
	F	1832	225	45	30	43	48	186	376	315	564	322	20	3	5	9	2	41	64	60	11
32 Causes ill-defined or unknown ..	M	85	2	5	2	4	2	11	40	16	3	16	—	—	—	1	—	—	12	3	—
	F	46	4	3	2	2	1	6	18	7	3	12	1	—	—	—	—	1	6	3	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of LEICESTER—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	630	122	20	12	23	31	78	147	106	91	825	108	21	17	38	30	78	160	162	211
	F	610	80	19	7	22	38	83	112	101	148	903	96	11	14	45	37	100	163	181	256
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	1	—	1	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	7	3	—	—	4	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	3	—	1	—	2	—	—	—	—	—
5 Whooping cough ..	M	2	1	1	—	—	—	—	—	—	—	9	3	4	1	1	—	—	—	—	—
	F	4	2	1	1	—	—	—	—	—	—	8	6	1	1	—	—	—	—	—	—
6 Diphtheria ..	M	4	—	—	2	2	—	—	—	—	—	11	1	1	1	8	—	—	—	—	—
	F	5	—	—	1	3	—	—	1	—	—	8	—	1	4	2	1	—	—	—	—
7 Influenza ..	M	16	3	3	—	—	2	2	2	3	1	25	1	1	2	1	1	5	5	5	4
	F	16	1	2	—	—	2	3	3	2	3	35	3	—	—	2	1	3	13	6	7
8 Encephalitis lethargica ..	M	3	—	—	—	—	1	—	2	—	—	1	—	—	—	—	—	—	1	—	—
	F	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	1	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	41	—	—	—	1	15	19	5	1	—	46	—	—	—	2	6	20	16	2	—
	F	53	—	—	—	1	17	25	10	—	—	61	—	—	—	5	14	31	11	—	—
11 Other tuberculous diseases ..	M	18	1	—	—	8	2	3	2	1	1	13	2	2	1	2	1	1	2	1	1
	F	17	1	3	1	4	4	3	—	—	1	18	3	3	2	4	3	—	2	1	—
12 Cancer, malignant disease ..	M	57	—	—	—	—	1	4	31	19	2	87	—	—	—	—	—	6	29	34	18
	F	70	—	—	—	—	1	8	31	15	15	97	—	—	1	—	—	10	31	30	25
13 Rheumatic fever ..	M	3	—	—	—	—	1	—	2	—	—	9	—	—	—	1	1	2	5	—	—
	F	2	—	—	—	—	1	1	—	—	—	6	—	—	—	3	1	—	1	—	—
14 Diabetes ..	M	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	1	—
	F	4	—	—	—	—	1	—	1	2	—	9	—	—	—	1	—	2	2	4	—
15 Cerebral hæmorrhage, &c. ..	M	34	—	—	—	—	—	1	12	10	11	51	—	—	—	—	—	1	14	21	15
	F	42	—	—	—	—	—	2	7	20	13	71	—	—	—	—	—	3	16	23	29
16 Heart disease ..	M	68	—	—	—	1	1	4	31	17	14	99	—	—	—	2	2	19	18	27	31
	F	69	—	—	—	1	2	11	19	19	17	117	—	—	—	2	1	9	27	40	38
17 Arterio-sclerosis ..	M	15	—	—	—	—	—	—	—	7	8	41	—	—	—	—	—	—	3	10	28
	F	9	—	—	—	—	—	—	1	2	6	28	—	—	—	—	—	—	3	2	23
18 Bronchitis ..	M	40	13	1	2	—	—	2	5	11	6	37	6	1	2	1	—	—	2	10	15
	F	51	11	4	—	1	—	—	6	7	22	48	6	1	—	—	1	—	6	13	21
19 Pneumonia (all forms) ..	M	49	6	6	2	4	—	11	15	5	—	55	8	5	3	4	1	7	13	11	3
	F	37	8	3	1	4	2	5	6	6	2	40	9	1	1	2	2	4	8	8	5
20 Other respiratory diseases ..	M	8	—	—	1	—	—	—	2	2	3	10	—	—	—	2	—	1	2	2	3
	F	7	2	—	—	—	—	1	—	3	1	8	—	—	2	1	—	2	1	1	1
21 Ulcer of stomach or duodenum ..	M	3	—	—	—	—	1	2	—	—	—	5	—	—	—	—	1	—	1	2	1
	F	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	1	—
22 Diarrhoea, &c. ..	M	17	16	—	—	1	—	—	—	—	—	29	15	5	2	3	—	—	1	—	3
	F	18	11	1	—	1	—	—	2	—	3	21	12	—	1	—	—	1	—	2	5
23 Appendicitis and typhlitis ..	M	3	—	—	1	—	1	—	1	—	—	8	1	—	—	3	1	1	2	—	—
	F	3	—	—	—	2	—	1	—	—	—	8	—	—	1	2	3	1	1	—	—
24 Cirrhosis of liver ..	M	8	—	—	—	—	—	1	4	2	1	6	—	—	—	—	—	2	3	1	—
	F	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	1	—	2	—
25 Acute and chronic nephritis ..	M	12	—	—	—	1	1	3	4	2	1	20	—	—	1	1	2	2	5	8	1
	F	7	—	—	—	—	—	1	3	2	1	19	—	—	—	—	—	3	5	6	5
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	—	4	—	—	—	—	1	2	1	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	—	7	—	—	—	12	—	—	—	—	3	9	—	—	—
28 Congenital debility and malformation, premature birth..	M	56	54	1	—	—	1	—	—	—	—	54	53	—	—	—	1	—	—	—	—
	F	28	28	—	—	—	—	—	—	—	—	36	35	—	—	1	—	—	—	—	—
29 Suicide ..	M	10	—	—	—	—	1	6	2	1	—	10	—	—	—	—	—	1	5	4	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	1	1	—
30 Other deaths from violence..	M	27	2	—	3	2	1	6	7	—	6	26	—	—	1	4	3	5	10	1	2
	F	13	5	—	1	—	2	1	1	2	1	24	2	1	—	4	—	3	3	5	6
31 Other defined diseases ..	M	131	26	7	1	3	2	12	19	24	37	164	17	2	1	3	9	4	22	20	86
	F	134	10	4	2	3	5	9	18	20	63	198	17	2	1	9	5	14	28	31	91
32 Causes ill-defined or unknown ..	M	2	—	—	—	—	—	—	1	1	—	4	—	—	—	—	—	1	2	1	—
	F	2	1	—	—	—	—	—	—	1	—	9	—	—	—	1	—	2	2	4	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
LINCOLN (PARTS OF HOLLAND)—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	244	51	4	4	4	8	22	34	58	59	279	51	4	4	9	9	32	42	59	69
	F	209	20	10	3	4	6	21	32	45	68	255	38	4	3	13	9	24	48	39	77
1 Enteric fever ..	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	2	2	—	—	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
6 Diphtheria ..	M	2	—	1	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	3	—	—	3	—	—	—	—	—	—
7 Influenza ..	M	3	1	—	—	—	—	—	—	1	1	2	1	—	—	—	—	—	—	—	—
	F	3	1	—	—	—	—	—	1	1	—	4	—	—	—	1	—	—	—	2	—
8 Encephalitis lethargica ..	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	2	—	—	1	—	1	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	19	1	—	1	—	4	9	3	1	—	14	—	—	—	3	9	2	—	—	—
	F	16	—	—	—	1	4	9	2	—	—	21	1	—	2	7	7	4	—	—	—
11 Other tuberculous diseases ..	M	5	1	—	1	—	1	1	1	—	—	9	1	1	1	2	—	3	1	—	—
	F	5	—	1	—	1	1	2	—	—	—	6	1	1	—	—	1	2	1	—	—
12 Cancer, malignant disease ..	M	25	—	—	—	—	—	—	11	6	8	35	—	—	—	—	1	12	16	—	—
	F	35	—	—	—	—	—	—	10	14	11	28	—	—	—	—	7	11	6	—	—
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
14 Diabetes ..	M	2	—	—	—	—	—	1	—	—	1	2	—	—	—	—	1	1	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	1	—	—
15 Cerebral hæmorrhage, &c. ..	M	12	—	—	—	—	—	—	1	7	4	10	—	—	—	—	—	—	5	—	—
	F	31	—	—	—	—	—	—	4	7	20	17	—	—	—	—	—	5	6	—	—
16 Heart disease ..	M	28	—	—	—	—	1	2	2	16	7	28	—	—	—	—	2	6	10	10	—
	F	20	—	—	—	—	—	3	8	7	2	35	—	—	1	—	2	11	10	1	—
17 Arterio-sclerosis ..	M	7	—	—	—	—	—	—	—	3	4	5	—	—	—	—	—	1	2	—	—
	F	4	—	—	—	—	—	—	1	3	—	5	—	—	—	—	—	—	2	—	—
18 Bronchitis ..	M	15	4	1	—	—	—	—	—	3	7	6	1	—	—	—	—	1	1	—	—
	F	11	1	2	—	—	—	—	—	3	5	7	1	—	—	—	—	1	2	—	—
19 Pneumonia (all forms) ..	M	13	3	1	—	—	1	3	1	3	1	7	4	—	—	1	—	1	—	—	—
	F	7	2	2	—	1	—	1	—	1	—	12	8	—	1	2	1	—	—	—	—
20 Other respiratory diseases ..	M	2	—	—	—	—	—	—	—	2	—	3	1	—	1	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	1	4	2	—	1	—	—	—	—	—	—
21 Ulcer of stomach or duodenum ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
22 Diarrhœa, &c. ..	M	12	6	1	1	—	—	—	—	1	3	9	6	—	1	—	—	1	1	—	—
	F	9	6	1	—	—	—	—	—	2	—	9	5	1	—	1	—	—	2	—	—
23 Appendicitis and typhlitis...	M	1	—	—	—	—	—	1	—	—	—	4	1	—	—	—	—	1	2	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver ..	M	3	—	—	—	—	—	—	1	2	—	3	—	—	—	—	1	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	7	—	—	—	—	—	1	2	4	—	6	—	—	1	1	1	1	2	—	—
	F	2	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
28 Congenital debility and malformation, premature birth..	M	27	26	—	—	1	—	—	—	—	—	24	24	—	—	—	—	—	—	—	—
	F	8	8	—	—	—	—	—	—	—	—	15	15	—	—	—	—	—	—	—	—
29 Suicide ..	M	2	—	—	—	—	—	—	—	2	—	6	—	—	—	—	3	2	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
30 Other deaths from violence..	M	4	—	—	—	—	1	—	1	—	2	12	1	—	—	2	3	4	1	—	—
	F	1	—	—	1	—	—	—	—	—	—	3	1	—	—	—	—	1	—	—	—
31 Other defined diseases ..	M	50	6	—	1	2	—	3	10	7	21	86	9	—	1	1	7	9	18	40	—
	F	47	2	3	1	—	—	4	3	8	26	75	4	—	1	3	4	10	7	4	—
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of LINCOLN (PARTS OF KESTEVEN)—1921 (Civilian population only).

CAUSES OF DEATH.	SEX.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	269	41	6	6	2	15	36	61	51	51	405	49	8	7	12	19	30	90	83	107
	F	269	32	10	4	14	8	27	49	58	67	416	50	4	10	12	14	40	73	75	138
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	1	1	—	—	—	—	—	—	—	—	4	3	1	—	—	—	—	—	—	—
	F	2	1	1	—	—	—	—	—	—	—	4	3	1	—	—	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	1	—	—	—	—	—	—	5	—	2	1	2	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
7 Influenza ..	M	7	—	—	—	—	1	3	2	1	—	10	1	—	—	2	1	—	2	1	3
	F	5	—	—	1	—	—	1	—	3	—	5	—	—	1	—	—	2	—	2	—
8 Encephalitis lethargica ..	M	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	2	—	—	—	1	—	—	—	1	—	2	—	—	—	—	—	1	—	—	1
9 Meningococcal meningitis ..	M	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system ..	M	19	—	—	—	—	6	13	—	—	—	17	—	1	—	1	7	7	1	—	—
	F	18	—	—	—	3	5	7	3	—	—	26	—	—	—	2	7	11	4	2	—
11 Other tuberculous diseases ..	M	7	2	1	—	—	3	1	—	—	—	8	1	—	1	—	3	1	2	—	—
	F	10	1	—	2	4	1	1	1	—	—	9	1	—	1	1	—	3	3	—	—
12 Cancer, malignant disease ..	M	26	—	—	1	—	—	2	14	7	2	37	—	—	—	—	—	4	16	10	7
	F	29	—	—	—	1	—	4	11	10	3	46	—	—	—	—	—	4	22	11	9
13 Rheumatic fever ..	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	3	—	—	—	1	—	—	1	1	—	1	—	—	—	1	—	—	—	—	—
14 Diabetes ..	M	5	—	—	—	—	—	1	3	—	1	2	—	—	—	1	—	—	1	—	—
	F	3	—	—	—	—	—	—	—	1	2	2	—	—	—	—	—	—	2	—	—
15 Cerebral hæmorrhage, &c. ..	M	18	—	—	—	—	—	1	4	9	4	34	—	—	—	—	—	—	6	13	15
	F	30	—	—	—	—	—	—	6	15	9	33	—	—	—	—	—	—	5	14	14
16 Heart disease ..	M	35	—	—	—	—	—	4	12	12	7	53	—	—	—	—	1	3	19	13	17
	F	33	—	—	—	1	1	4	10	8	9	62	—	—	—	—	1	1	13	17	30
17 Arterio-sclerosis ..	M	8	—	—	—	—	—	—	1	4	3	10	—	—	—	—	—	—	2	3	5
	F	3	—	—	—	—	—	—	—	—	3	4	—	—	—	—	—	—	—	—	4
18 Bronchitis ..	M	17	2	—	1	—	—	1	2	4	7	31	7	—	—	—	—	—	6	4	14
	F	19	1	2	—	—	—	—	2	6	8	28	6	—	1	—	—	—	3	3	15
19 Pneumonia (all forms) ..	M	16	7	2	1	—	1	1	3	1	—	13	—	1	1	—	2	1	3	1	4
	F	14	3	2	—	—	—	1	3	3	2	13	2	2	—	—	1	1	3	2	2
20 Other respiratory diseases ..	M	1	—	—	—	—	—	—	1	—	—	8	1	1	—	—	—	—	1	2	3
	F	—	—	—	—	—	—	—	—	—	—	7	—	—	1	1	—	2	—	3	—
21 Ulcer of stomach or duodenum ..	M	2	—	—	—	—	—	1	1	—	—	2	—	—	—	—	—	—	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
22 Diarrhœa, &c. ..	M	15	12	1	—	—	—	—	2	—	—	10	6	—	—	—	1	—	2	—	1
	F	6	5	—	—	—	—	1	—	—	—	7	5	—	1	—	—	—	—	1	—
23 Appendicitis and typhlitis ..	M	1	—	—	—	—	1	—	—	—	—	2	—	—	1	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
24 Cirrhosis of liver ..	M	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	5	—	—	—	—	—	—	1	3	1	9	—	—	1	—	—	—	2	2	4
	F	6	—	—	—	—	—	1	2	—	3	9	—	—	—	1	—	1	4	2	1
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	5	—	—	—	—	2	3	—	—	—
28 Congenital debility and malformation, premature birth..	M	4	4	—	—	—	—	—	—	—	—	20	19	—	—	1	—	—	—	—	—
	F	14	14	—	—	—	—	—	—	—	—	23	23	—	—	—	—	—	—	—	—
29 Suicide ..	M	2	—	—	—	—	—	—	2	—	—	10	—	—	—	—	—	3	5	1	1
	F	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence..	M	6	—	1	1	—	—	—	2	1	1	9	—	—	2	1	—	2	2	1	1
	F	4	—	2	—	1	—	—	—	1	—	8	—	—	3	1	1	—	—	—	3
31 Other defined diseases ..	M	65	13	1	—	1	1	8	8	8	25	99	11	1	—	3	3	6	14	29	32
	F	62	7	3	1	2	—	4	9	8	28	112	10	1	2	2	2	6	12	18	59
32 Causes ill-defined or unknown ..	M	2	—	—	—	—	—	—	2	—	—	7	—	1	—	—	—	1	3	2	—
	F	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of LINCOLN (PARTS OF LINDSEY)—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
		886	126	15	18	23	33	73	168	101	129	841	137	11	17	20	29	80	135	166	246
ALL CAUSES ..	M	667	94	10	10	36	31	83	131	110	162	787	76	9	8	19	40	89	146	138	262
	F	667	94	10	10	36	31	83	131	110	162	787	76	9	8	19	40	89	146	138	262
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	2	2	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
5 Whooping cough ..	M	3	3	—	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—	—
	F	3	2	1	—	—	—	—	—	—	—	4	4	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	8	1	—	4	3	—	—	—	—	—	4	—	1	2	—	—	1	—	—	—
	F	7	—	—	—	6	—	—	1	—	—	7	—	1	1	4	—	1	—	—	—
7 Influenza ..	M	20	1	—	2	—	3	4	4	4	2	16	1	—	—	1	4	3	2	2	—
	F	25	—	—	—	1	—	7	3	6	8	23	1	—	1	1	3	1	4	7	—
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	1	1	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
10 Tuberculosis of respiratory system	M	59	—	—	—	—	12	28	18	1	—	41	—	—	1	2	6	22	7	3	—
	F	43	—	—	—	1	15	20	5	1	1	65	—	—	—	3	25	25	9	1	—
11 Other tuberculous diseases ..	M	20	8	1	4	4	2	—	1	—	—	14	—	—	1	2	3	4	4	—	—
	F	14	1	1	3	5	1	3	—	—	—	8	1	—	2	2	—	3	—	—	—
12 Cancer, malignant disease ..	M	55	—	—	—	1	1	3	26	18	6	78	—	—	—	—	—	3	27	26	22
	F	74	—	—	—	—	—	7	39	17	11	93	—	—	—	—	—	7	40	26	22
13 Rheumatic fever ..	M	2	—	—	—	1	1	—	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—
14 Diabetes ..	M	3	—	—	—	—	—	—	3	—	—	9	—	—	—	—	2	2	1	1	—
	F	2	—	—	—	—	—	1	1	—	—	15	—	—	—	—	2	3	4	5	—
15 Cerebral hæmorrhage, &c. ..	M	36	—	—	—	—	—	1	9	16	10	59	—	—	—	—	—	—	11	23	22
	F	44	—	—	—	—	—	2	12	16	14	69	—	—	—	—	—	2	6	21	44
16 Heart disease ..	M	67	—	—	—	1	3	9	26	18	10	123	—	—	—	1	1	9	29	47	3
	F	76	—	—	—	—	7	8	22	20	19	107	—	—	—	—	—	6	30	30	44
17 Arterio-sclerosis ..	M	18	—	—	—	—	—	1	6	3	8	13	—	—	—	—	—	—	2	5	—
	F	11	—	—	—	—	—	—	2	3	6	4	—	—	—	—	—	—	—	—	—
18 Bronchitis ..	M	42	5	2	1	—	1	1	7	8	17	43	9	2	—	—	—	—	1	7	—
	F	46	5	1	1	—	—	—	7	15	16	34	9	—	—	—	—	1	2	3	—
19 Pneumonia (all forms) ..	M	48	12	4	3	2	3	5	13	3	3	46	9	3	2	1	2	10	10	4	—
	F	31	7	3	3	6	2	3	2	3	2	31	8	4	—	—	—	4	4	5	—
20 Other respiratory diseases ..	M	9	—	—	—	1	1	1	2	3	1	13	1	—	1	1	—	2	4	3	—
	F	7	2	—	—	—	—	1	—	1	3	8	—	—	—	—	—	1	2	1	—
21 Ulcer of stomach or duodenum ..	M	2	—	—	—	—	—	1	1	—	—	4	—	—	—	—	—	—	2	1	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c. ..	M	27	22	3	1	—	—	—	—	—	1	19	14	—	—	—	—	—	1	—	—
	F	17	12	1	1	—	—	—	1	1	1	13	4	—	1	—	—	1	—	1	—
23 Appendicitis and typhlitis ..	M	6	—	—	1	2	1	—	2	—	—	4	—	—	1	—	1	2	—	—	—
	F	6	—	—	—	3	1	2	—	—	—	3	—	—	—	—	2	—	1	—	—
24 Cirrhosis of liver ..	M	7	—	—	—	—	—	—	5	1	1	2	—	—	—	—	—	—	1	1	—
	F	4	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	14	—	—	—	—	—	1	5	4	4	15	—	—	—	—	—	2	3	8	—
	F	17	—	—	—	1	1	2	6	3	4	17	—	—	1	1	2	3	4	5	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	—	5	—	—	—	4	—	—	—	—	1	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	—	6	—	—	—	9	—	—	—	—	1	8	—	—	—
28 Congenital debility and malformation, premature birth..	M	39	39	—	—	—	—	—	—	—	—	60	58	—	1	1	—	—	—	—	—
	F	42	42	—	—	—	—	—	—	—	—	34	32	—	—	1	1	—	—	—	—
29 Suicide ..	M	6	—	—	—	—	1	—	2	3	—	12	—	—	—	—	2	4	5	1	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence..	M	19	1	—	1	1	3	4	3	1	5	30	1	1	5	4	6	5	4	—	—
	F	9	1	—	1	2	2	—	—	1	2	14	1	2	1	1	—	—	4	3	—
31 Other defined diseases ..	M	172	32	5	1	6	1	14	34	18	61	224	41	4	2	4	2	9	19	33	1
	F	171	21	3	1	9	1	13	27	21	75	214	16	2	1	4	1	20	33	27	1
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	1	1	1	—
	F	2	1	—	—	—	1	—	—	—	—	4	—	—	—	1	—	—	1	2	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of MIDDLESEX*—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	6037	948	162	131	263	265	787	1561	1035	885	300	38	6	6	8	14	38	78	51	61
	F	6148	662	127	120	262	271	750	1358	1039	1559	278	33	7	5	9	11	27	57	53	76
1 Enteric fever ..	M	8	—	—	—	1	2	2	3	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	—	—	—	4	2	3	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	8	2	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	3	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	16	1	—	6	5	2	2	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	25	—	2	4	15	1	3	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	58	29	19	7	2	1	—	—	—	—	2	1	—	—	1	—	—	—	—	—
	F	48	30	13	4	1	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
6 Diphtheria ..	M	136	3	12	41	76	3	1	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	156	1	13	39	87	12	4	—	—	—	1	—	—	—	1	—	—	—	—	—
7 Influenza ..	M	134	9	2	2	3	11	33	46	17	11	4	1	—	—	—	—	—	1	1	1
	F	135	2	3	1	3	8	26	40	18	34	9	—	—	—	—	—	—	2	2	5
8 Encephalitis lethargica ..	M	10	—	—	—	3	2	2	2	1	—	—	—	—	—	—	—	—	—	—	—
	F	17	1	—	1	2	—	5	7	1	—	1	—	—	—	—	—	1	—	—	—
9 Meningococcal meningitis ..	M	13	7	3	—	1	1	1	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	5	4	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	503	1	—	1	8	84	238	148	21	2	23	—	—	—	—	5	12	6	—	—
	F	401	—	2	—	15	110	192	74	6	2	17	—	1	—	1	3	8	4	—	—
11 Other tuberculous diseases ..	M	117	16	12	12	26	20	16	12	2	1	4	1	—	1	2	—	—	—	—	—
	F	110	12	11	16	20	19	20	10	2	—	5	3	—	—	1	—	1	—	—	—
12 Cancer, malignant disease ..	M	606	—	—	1	1	4	48	287	174	91	27	—	—	—	—	1	1	15	10	—
	F	823	—	—	1	2	5	89	385	188	153	41	—	—	—	—	—	5	20	10	6
13 Rheumatic fever ..	M	23	—	—	—	5	6	4	7	—	1	1	—	—	—	1	—	—	—	—	—
	F	27	—	—	3	8	3	5	4	4	—	1	—	—	—	1	—	—	—	—	—
14 Diabetes ..	M	73	—	—	—	2	3	23	27	11	7	2	—	—	—	—	—	2	—	—	—
	F	72	—	—	—	3	6	9	20	25	9	3	—	—	—	—	—	—	1	1	1
15 Cerebral hæmorrhage, &c. ..	M	281	—	—	—	—	1	11	69	93	107	24	—	—	—	—	—	—	8	10	6
	F	385	—	—	—	—	—	13	83	124	165	18	—	—	—	—	—	—	3	9	6
16 Heart disease ..	M	680	—	—	1	20	24	93	224	181	137	41	—	—	—	—	—	4	13	12	12
	F	819	—	—	1	22	21	65	236	215	259	27	—	—	—	—	3	3	4	7	10
17 Arterio-sclerosis ..	M	192	—	—	—	—	—	4	36	69	83	11	—	—	—	—	—	—	3	2	6
	F	165	—	—	—	—	—	1	30	41	93	7	—	—	—	—	—	—	—	3	4
18 Bronchitis ..	M	398	54	12	5	1	—	12	81	105	128	13	1	—	—	—	—	—	2	3	7
	F	488	34	8	1	1	2	9	59	111	262	17	1	1	—	—	—	—	3	5	7
19 Pneumonia (all forms) ..	M	510	110	48	20	18	23	76	141	51	23	19	6	3	1	1	—	2	6	—	—
	F	365	70	34	17	15	11	49	69	55	45	16	4	1	2	—	1	3	2	2	1
20 Other respiratory diseases ..	M	81	4	2	2	2	3	14	24	19	11	4	—	—	1	—	—	—	1	—	1
	F	80	—	1	1	1	2	9	21	18	27	4	—	1	—	—	—	—	—	1	2
21 Ulcer of stomach or duodenum ..	M	44	—	—	—	—	2	12	21	7	2	4	—	—	—	—	—	1	3	—	—
	F	39	—	—	—	1	1	14	18	4	1	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c. ..	M	234	178	20	11	4	—	5	8	6	2	7	7	—	—	—	—	—	—	—	—
	F	173	123	16	3	2	—	6	5	8	10	13	9	1	1	—	—	—	1	—	1
23 Appendicitis and typhlitis ..	M	37	—	1	—	9	6	9	10	2	—	3	—	—	—	—	—	2	1	—	—
	F	33	—	—	1	9	3	9	6	4	1	3	—	—	—	—	1	1	—	—	—
24 Cirrhosis of liver ..	M	36	—	—	—	—	—	2	24	8	2	1	—	—	—	—	—	—	—	1	—
	F	27	—	—	—	—	—	2	14	8	3	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	176	2	—	3	3	3	22	84	42	17	13	—	—	—	—	—	2	4	4	3
	F	130	—	—	1	2	8	20	44	32	23	11	—	—	—	1	2	—	2	4	2
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	33	—	—	—	—	6	26	1	—	—	1	—	—	—	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	42	—	—	—	—	3	39	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Congenital debility and malformation, premature birth ..	M	369	361	3	1	4	—	—	—	—	—	15	14	—	1	—	—	—	—	—	—
	F	272	267	—	—	2	2	—	1	—	—	11	11	—	—	—	—	—	—	—	—
29 Suicide ..	M	64	—	—	—	—	1	19	34	7	3	1	—	—	—	—	—	—	1	—	—
	F	46	—	—	—	—	2	16	18	7	3	3	—	—	—	—	—	—	3	—	—
30 Other deaths from violence ..	M	219	17	4	6	33	27	36	63	23	10	15	—	1	—	1	2	4	5	2	—
	F	80	6	2	8	7	8	9	18	10	12	2	—	—	1	—	—	—	—	—	1
31 Other defined diseases ..	M	1008	153	19	11	36	35	102	210	195	247	62	7	2	2	—	4	7	9	6	25
	F	1135	109	20	18	39	36	107	193	157	456	63	5	1	—	3	—	6	9	9	30
32 Causes ill-defined or unknown ..	M	3	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
NORFOLK—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	332	47	7	5	11	8	39	82	56	77	1496	168	16	15	35	61	124	287	313	477
	F	344	42	3	3	7	13	32	73	64	107	1557	121	23	18	27	60	151	243	334	580
1 Enteric fever ..	M	1	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	1	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	2	—	1	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
5 Whooping cough ..	M	2	1	—	1	—	—	—	—	—	—	5	3	1	1	—	—	—	—	—	—
	F	3	2	1	—	—	—	—	—	—	—	6	5	—	1	—	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	1	—	—	—	—	—	—	6	—	—	4	2	—	—	—	—	—
	F	2	—	—	—	2	—	—	—	—	—	14	1	1	3	6	—	1	—	1	1
7 Influenza ..	M	7	1	—	—	1	—	2	1	1	1	13	—	—	—	—	—	2	5	5	1
	F	5	—	—	—	—	—	2	—	1	2	14	—	1	—	—	—	1	1	3	8
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	19	—	—	—	—	5	6	8	—	—	104	3	—	1	1	30	39	27	2	1
	F	27	—	—	—	—	6	10	9	1	1	101	—	1	—	4	32	49	10	5	—
11 Other tuberculous diseases ..	M	5	—	1	1	—	—	2	1	—	—	31	3	2	2	5	7	5	5	1	1
	F	6	—	1	—	2	—	2	—	—	1	26	6	1	3	1	4	6	2	2	1
12 Cancer, malignant disease ..	M	39	—	—	—	—	1	4	17	8	9	176	—	—	—	1	—	7	48	76	44
	F	48	—	—	—	—	—	7	18	11	12	203	—	—	—	—	1	28	76	58	40
13 Rheumatic fever ..	M	1	—	—	—	—	—	1	—	—	—	9	—	—	—	1	2	2	2	2	—
	F	1	—	—	—	—	—	—	1	—	—	9	—	—	—	—	3	1	3	2	—
14 Diabetes ..	M	1	—	—	—	—	—	—	—	1	—	25	—	—	—	1	1	5	8	5	4
	F	2	—	—	—	—	—	—	—	—	1	16	—	—	—	—	2	2	5	5	—
15 Cerebral hæmorrhage, &c. ..	M	13	—	—	—	—	—	—	3	3	7	92	—	—	—	—	—	—	14	33	43
	F	26	—	—	—	—	—	—	4	10	12	132	—	1	—	—	—	2	21	45	63
16 Heart disease ..	M	48	—	—	—	1	—	3	13	16	15	201	—	—	—	1	2	12	50	52	83
	F	50	—	—	—	—	1	2	12	10	25	234	—	—	—	1	—	11	31	81	110
17 Arterio-sclerosis ..	M	15	—	—	—	—	—	—	2	5	8	75	—	—	—	—	—	—	3	16	55
	F	20	—	—	—	—	—	—	3	4	13	57	—	—	—	—	—	—	1	16	44
18 Bronchitis ..	M	18	3	2	—	—	—	—	2	2	9	72	11	2	—	—	—	—	5	15	33
	F	19	4	—	—	—	1	—	1	3	10	102	8	4	—	—	—	1	4	19	66
19 Pneumonia (all forms) ..	M	24	5	—	—	2	—	3	6	5	3	51	10	5	1	3	—	7	12	9	—
	F	18	7	1	—	—	—	1	1	4	4	48	8	6	3	3	1	2	8	10	—
20 Other respiratory diseases ..	M	5	—	—	—	1	—	—	3	—	1	27	2	—	—	1	1	4	8	5	—
	F	5	—	—	1	—	—	—	—	1	3	21	—	—	1	—	1	2	4	7	—
21 Ulcer of stomach or duodenum ..	M	2	—	—	—	—	—	1	1	—	—	9	—	—	—	—	—	2	4	2	—
	F	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	1	—	—
22 Diarrhoea, &c. ..	M	12	9	1	—	—	—	1	—	1	—	30	18	—	2	1	—	—	2	5	—
	F	9	5	—	—	—	—	1	1	—	2	28	14	—	2	3	—	1	1	2	—
23 Appendicitis and typhlitis ..	M	1	—	—	—	1	—	—	—	—	—	8	—	—	—	1	1	2	2	1	—
	F	3	—	—	—	1	1	1	—	—	—	5	—	—	—	1	2	1	1	—	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	1	—	—	—	7	—	—	—	1	—	—	3	3	—
	F	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—	5	1	—
25 Acute and chronic nephritis ..	M	8	—	—	—	—	—	2	3	2	1	39	—	—	—	1	—	3	10	15	1
	F	9	—	—	—	—	—	—	2	3	4	34	—	—	—	3	1	2	10	7	1
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	8	—	—	—	—	—	8	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	9	—	—	—	—	3	6	—	—	—
28 Congenital debility and malformation, premature birth ..	M	18	18	—	—	—	—	—	—	—	—	88	86	—	—	—	1	1	—	—	—
	F	18	18	—	—	—	—	—	—	—	—	58	55	1	1	1	—	—	—	—	—
29 Suicide ..	M	6	—	—	—	1	—	2	3	—	—	20	—	—	—	—	—	7	9	3	—
	F	1	—	—	—	—	—	—	1	—	—	5	—	—	—	—	1	1	3	—	—
30 Other deaths from violence ..	M	15	—	1	1	2	1	3	6	—	1	49	2	1	2	7	5	7	13	6	—
	F	3	1	—	—	—	—	—	1	1	—	33	2	1	2	2	2	2	2	4	1
31 Other defined diseases ..	M	68	10	2	1	1	1	8	12	11	22	342	29	4	2	5	10	16	54	53	16
	F	62	5	—	1	2	4	3	16	14	17	374	19	5	2	2	7	24	48	64	20
32 Causes ill-defined or unknown ..	M	2	—	—	—	—	—	—	1	1	—	9	1	1	—	—	—	—	3	3	—
	F	2	—	—	—	—	—	—	2	—	—	9	2	1	—	—	—	—	4	2	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
NORTHAMPTON—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	540	89	9	11	17	27	73	125	95	94	726	89	5	9	22	24	64	137	171	205
	F	550	69	8	11	15	31	80	110	105	121	698	58	6	7	27	32	73	148	120	232
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	4	—	—	—	—	1	3	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	1	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	6	4	1	1	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—
	F	4	2	—	2	—	—	—	—	—	—	3	1	2	—	—	—	—	—	—	—
6 Diphtheria ..	M	3	1	—	1	1	—	—	—	—	—	7	—	—	4	3	—	—	—	—	—
	F	5	—	1	3	1	—	—	—	—	—	13	—	—	1	11	—	1	—	—	—
7 Influenza ..	M	11	—	—	—	—	1	6	2	—	2	11	1	—	—	—	1	4	1	1	3
	F	11	—	—	—	—	4	2	1	3	1	7	2	—	—	—	—	—	3	2	—
8 Encephalitis lethargica ..	M	3	—	—	—	1	—	1	1	—	—	3	1	—	1	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	45	—	—	1	—	10	18	16	—	—	32	—	—	—	2	10	12	7	1	—
	F	51	—	—	—	1	17	24	8	1	—	44	—	—	—	3	12	20	9	—	—
11 Other tuberculous diseases ..	M	10	1	1	1	1	3	3	—	—	—	12	1	2	—	2	1	3	1	2	—
	F	14	1	3	—	5	1	2	2	—	—	10	—	1	1	1	3	2	2	—	—
12 Cancer, malignant disease ..	M	62	—	—	—	—	—	3	27	22	10	91	—	—	—	1	—	3	39	31	17
	F	55	—	—	—	—	1	2	19	20	13	100	—	—	—	1	2	7	37	26	27
13 Rheumatic fever ..	M	2	—	—	—	—	—	2	—	—	—	3	—	—	—	1	—	—	1	1	—
	F	2	—	—	—	—	—	2	—	—	—	3	—	—	—	—	1	1	—	—	—
14 Diabetes ..	M	6	—	—	—	—	1	1	3	—	1	16	—	—	—	—	2	—	5	4	5
	F	4	—	—	—	—	—	—	2	2	—	8	—	—	—	—	1	—	4	2	—
15 Cerebral hæmorrhage, &c. ..	M	26	—	—	—	—	—	1	4	12	9	47	—	—	—	—	1	1	6	20	19
	F	44	—	—	—	—	1	2	11	14	16	62	—	—	—	1	1	—	12	21	27
16 Heart disease ..	M	46	—	—	—	1	2	7	14	12	10	93	—	—	—	3	—	13	17	34	26
	F	77	—	—	—	2	2	8	19	19	27	91	—	—	—	2	2	7	30	26	24
17 Arterio-sclerosis ..	M	17	—	—	—	—	—	1	2	7	7	26	—	—	—	—	—	—	2	8	16
	F	13	—	—	—	—	—	1	2	5	5	18	—	—	—	—	—	—	2	3	13
18 Bronchitis ..	M	36	5	—	1	1	—	1	5	5	18	40	6	—	1	—	—	—	2	12	19
	F	28	3	1	—	—	—	2	6	4	12	32	4	1	—	—	—	—	5	6	16
19 Pneumonia (all forms) ..	M	35	11	2	—	1	2	6	9	4	—	41	7	1	—	2	2	5	9	11	4
	F	19	3	1	—	1	1	4	6	2	1	29	7	—	1	1	2	7	6	3	2
20 Other respiratory diseases ..	M	4	—	—	—	—	—	1	1	1	1	14	2	—	—	1	1	—	3	5	2
	F	4	—	—	—	—	—	1	1	2	—	12	—	—	—	—	—	2	1	4	5
21 Ulcer of stomach or duodenum ..	M	5	—	—	—	—	—	2	3	—	—	4	—	—	—	—	—	1	3	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhoea, &c. ..	M	16	8	1	3	—	—	1	—	1	2	16	8	1	1	1	—	1	—	1	3
	F	14	4	2	2	—	—	1	2	—	3	9	3	—	—	—	1	1	1	—	2
23 Appendicitis and typhlitis ..	M	4	—	—	—	3	—	1	—	—	—	5	—	—	1	2	1	—	—	1	—
	F	4	—	—	—	1	1	1	1	—	—	1	—	—	—	—	—	—	1	—	—
24 Cirrhosis of liver ..	M	2	—	—	—	—	—	1	1	—	—	6	—	—	—	—	—	—	3	3	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	13	—	—	—	—	—	3	6	4	—	13	—	—	—	—	—	1	7	3	2
	F	15	—	—	—	—	1	4	5	3	2	20	—	—	—	2	—	—	9	6	3
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	2	—	—	—	—	1	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	1	3	2	—	—	6	—	—	—	—	—	6	—	—	—
28 Congenital debility and malformation, premature birth..	M	48	48	—	—	—	—	—	—	—	—	48	48	—	—	—	—	—	—	—	—
	F	44	43	—	—	—	—	1	—	—	—	24	23	—	1	—	—	—	—	—	—
29 Suicide ..	M	5	—	—	—	—	—	2	3	—	—	12	—	—	—	—	—	3	6	3	—
	F	3	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—	—	1	—	—
30 Other deaths from violence..	M	18	2	1	1	2	3	4	3	2	—	19	2	—	—	2	1	4	3	4	3
	F	12	—	—	1	—	—	2	3	1	5	10	2	2	—	1	1	—	1	1	2
31 Other defined diseases ..	M	107	9	2	2	6	5	7	20	22	34	157	10	—	—	2	3	13	17	26	86
	F	108	12	—	2	2	1	12	17	26	36	181	10	—	—	2	4	12	22	20	111
32 Causes ill-defined or unknown ..	M	9	—	—	—	—	—	1	5	3	—	5	—	—	—	—	1	—	4	—	—
	F	7	1	—	—	1	—	—	2	3	—	3	—	—	1	—	—	1	1	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of NORTHUMBERLAND—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
		1980 1803	476 340	117 126	75 66	74 94	86 85	195 212	426 345	316 251	215 284	603 558	94 59	14 7	8 11	14 13	34 29	57 69	145 107	126 108	111 155
ALL CAUSES ..	M F	2 10	— —	— 1	— —	3 3	2 1	— 3	— 2	— —	2 —	— —	— —	— —	— —	2 —	— —	— —	— —	— —	
1 Enteric fever ..	M F	— 10	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
2 Small-pox ..	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
3 Measles ..	M F	39 33	7 2	21 14	7 7	4 10	— —	— —	— —	— —	— —	2 2	— —	1 —	— —	— —	— —	— —	1 —	— —	
4 Scarlet fever ..	M F	6 4	— —	— 1	4 2	1 —	1 —	— 1	— —	— —	— —	2 4	— —	— —	1 1	— 1	— —	— 1	— —	— 1	
5 Whooping cough ..	M F	36 60	16 33	15 20	4 7	1 —	— —	— —	— —	— —	— —	4 2	3 1	1 —	— 1	— —	— —	— —	— —	— —	
6 Diphtheria ..	M F	16 15	— 1	4 3	7 4	5 6	— —	— 1	— —	— —	— —	2 1	— —	— 1	1 —	— —	— —	— —	— —	— —	
7 Influenza ..	M F	43 30	1 4	1 1	— —	— 2	3 2	8 6	18 10	6 2	6 3	17 13	1 —	1 —	— —	— —	2 2	3 1	— —	5 6	
8 Encephalitis lethargica ..	M F	1 2	— —	— —	— —	— —	— 1	1 1	— —	— —	— —	— 4	— —	— —	— —	— 1	— 1	— 2	— —	— —	
9 Meningococcal meningitis ..	M F	3 2	— 1	1 1	— —	1 —	— —	— —	1 —	— —	— —	— 1	— —	1 —	— —	— —	— —	— —	— —	— —	
10 Tuberculosis of respiratory system	M F	128 134	— —	3 2	1 4	9 12	18 33	53 51	41 29	3 3	— —	49 36	— —	— —	— 2	18 3	20 14	8 4	2 2	1 —	
11 Other tuberculous diseases ..	M F	76 61	15 4	14 8	13 12	12 17	7 6	9 8	5 6	1 —	— —	5 9	1 —	2 —	1 2	1 2	— —	5 —	— —	— —	
12 Cancer, malignant disease ..	M F	138 168	— —	1 —	— —	— —	1 1	5 19	79 83	43 42	9 23	64 51	— —	— —	— —	— —	3 6	36 18	18 16	7 11	
13 Rheumatic fever ..	M F	5 8	— —	1 —	— —	3 2	1 2	— 1	— 2	— 1	— —	3 4	— —	— —	— 1	— 1	3 2	— —	— —	— —	
14 Diabetes ..	M F	11 6	— —	— —	— —	— 1	2 —	— 1	4 1	4 2	1 1	7 10	— —	— —	1 —	1 2	1 —	1 4	2 3	1 —	
15 Cerebral hæmorrhage, &c. ..	M F	111 127	1 —	— —	— —	— —	— 1	5 4	29 43	52 42	24 37	35 40	— —	— —	— —	— —	1 —	7 10	17 11	10 19	
16 Heart disease ..	M F	170 149	— 1	— 1	— —	3 6	5 4	25 17	55 49	55 43	27 28	60 80	— 1	— —	— —	1 3	3 7	17 20	22 22	17 27	
17 Arterio-sclerosis ..	M F	61 21	— —	— —	— —	— —	— —	— —	9 2	26 6	26 13	20 9	— —	— —	— —	— —	— —	4 2	10 2	6 5	
18 Bronchitis ..	M F	121 109	34 24	6 9	2 1	— 1	1 —	5 4	27 13	18 22	28 35	28 27	14 4	1 3	— —	— —	— —	2 6	4 3	7 11	
19 Pneumonia (all forms) ..	M F	193 127	64 36	24 27	10 12	6 9	12 4	25 8	34 11	13 13	5 7	43 27	11 9	6 1	1 1	2 2	4 3	10 3	6 5	1 3	
20 Other respiratory diseases ..	M F	25 18	— —	— 2	4 1	1 1	1 —	1 —	3 4	10 3	5 6	11 6	— —	— —	— 1	— —	— —	4 1	4 3	2 1	
21 Ulcer of stomach or duodenum ..	M F	13 8	— —	— —	— —	— —	— 1	4 3	7 4	2 —	— —	6 3	— —	— —	— —	— —	2 1	4 1	— —	1 —	
22 Diarrhœa, &c. ..	M F	92 74	71 51	8 11	1 3	— —	2 2	2 —	2 1	3 1	3 5	18 8	12 7	3 —	1 1	— —	— —	1 —	1 —	— —	
23 Appendicitis and typhlitis ..	M F	12 6	— —	— —	— —	6 1	3 2	2 2	1 —	— 1	— —	3 3	— —	— —	— 1	— —	— 1	1 —	— —	1 —	
24 Cirrhosis of liver ..	M F	5 5	— —	— —	— —	— —	— —	— —	4 2	1 3	— —	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	
25 Acute and chronic nephritis ..	M F	61 59	— —	— 2	3 —	4 3	3 —	11 11	22 20	11 14	7 9	14 15	— 1	— —	— 1	— 2	1 2	6 4	5 4	1 1	
26 Puerperal sepsis ..	M F	— 9	— —	— —	— —	— —	— 2	— 7	— —	— —	— —	— 5	— —	— —	— —	— 1	— 4	— —	— —	— —	
27 Other accidents and diseases of pregnancy and parturition.	M F	— 24	— —	— —	— —	— —	— 4	— 20	— —	— —	— —	— 8	— —	— —	— —	— 3	— 5	— —	— —	— —	
28 Congenital debility and malformation, premature birth ..	M F	182 120	179 118	1 —	1 —	— 2	— —	1 —	— —	— —	— —	34 26	33 26	— —	— 1	— —	— —	— —	— —	— —	
29 Suicide ..	M F	15 6	— —	— —	— —	— —	— 1	4 1	7 3	4 1	— —	13 2	— —	— —	— —	2 —	2 —	8 2	1 —	— —	
30 Other deaths from violence ..	M F	74 22	4 1	1 7	6 1	7 1	12 2	14 2	19 2	7 —	4 6	21 5	1 —	— 1	2 —	— —	2 1	9 1	1 1	4 1	
31 Other defined diseases ..	M F	321 367	80 62	16 16	12 12	10 15	12 15	19 37	51 52	52 47	69 111	136 148	18 10	— —	1 2	3 1	5 1	11 14	20 22	26 30	
32 Causes ill-defined or unknown ..	M F	20 19	4 2	— —	— —	1 2	— —	1 4	8 6	5 5	1 —	5 9	— —	— —	— —	— 1	1 2	2 5	2 —	— —	

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of NOTTINGHAM—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	1421	336	55	48	51	63	171	279	226	192	841	141	26	24	25	36	66	185	162	176
	F	1372	233	65	59	45	67	172	285	210	236	779	86	27	14	33	41	91	138	144	205
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	1	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	3	—	—	1	2	—	—	—	—	—	2	—	1	—	—	1	—	—	—	—
5 Whooping cough ..	M	12	9	3	—	—	—	—	—	—	—	5	4	—	1	—	—	—	—	—	—
	F	25	7	10	5	3	—	—	—	—	—	5	3	2	—	—	—	—	—	—	—
6 Diphtheria ..	M	5	—	—	2	2	1	—	—	—	—	4	—	1	—	3	—	—	—	—	—
	F	6	—	1	5	—	—	—	—	—	—	5	—	—	1	4	—	—	—	—	—
7 Influenza ..	M	62	11	4	7	1	5	8	16	5	5	36	5	2	2	—	2	2	11	5	7
	F	67	5	4	6	2	7	9	16	5	13	31	2	1	2	2	1	3	6	5	9
8 Encephalitis lethargica ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—	1	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	3	—	—	—	1	1	1	—	—	—
10 Tuberculosis of respiratory system	M	85	—	1	—	3	15	43	22	1	—	36	—	1	—	—	5	17	12	1	—
	F	88	—	2	—	7	28	38	12	1	—	53	—	—	—	4	22	21	4	—	2
11 Other tuberculous diseases ..	M	38	9	6	2	6	6	5	3	—	1	17	1	2	4	4	2	2	2	—	—
	F	38	7	5	4	5	6	5	5	1	—	15	—	1	2	4	2	2	2	—	2
12 Cancer, malignant disease ..	M	92	—	—	—	2	—	4	49	25	12	87	—	—	—	—	1	5	36	23	22
	F	139	—	—	—	—	—	18	75	28	18	90	—	—	1	—	—	8	42	22	17
13 Rheumatic fever ..	M	9	—	—	—	2	4	2	—	1	—	4	—	—	—	1	1	—	2	—	—
	F	7	—	—	—	—	3	3	—	1	—	2	—	—	—	1	—	1	—	—	—
14 Diabetes ..	M	13	—	—	—	—	—	4	5	3	1	9	—	—	—	—	1	—	5	2	1
	F	7	—	—	—	—	1	4	1	1	—	11	—	—	—	1	—	3	5	1	1
15 Cerebral hæmorrhage, &c. ..	M	74	—	—	—	—	1	3	24	21	25	41	—	—	—	—	—	1	8	16	16
	F	100	—	—	—	—	1	7	39	29	24	59	—	—	—	—	—	2	15	22	20
16 Heart disease ..	M	124	—	—	1	6	2	20	36	45	14	69	—	—	—	1	4	7	24	19	14
	F	144	—	—	2	4	3	18	44	47	26	87	—	—	—	5	3	9	18	30	22
17 Arterio-sclerosis ..	M	26	—	—	—	—	—	—	6	9	11	17	—	—	—	—	—	—	4	10	3
	F	9	—	—	—	—	—	—	—	5	4	15	—	—	—	—	—	—	4	5	6
18 Bronchitis ..	M	143	24	6	7	—	—	5	14	52	35	69	9	1	1	—	—	—	9	22	27
	F	121	19	7	6	—	—	1	19	29	40	47	6	3	1	1	—	1	1	12	22
19 Pneumonia (all forms) ..	M	140	50	22	14	6	5	14	17	9	3	79	22	9	5	3	2	8	15	9	6
	F	120	32	23	15	8	1	11	12	11	7	63	11	13	4	4	3	10	6	8	4
20 Other respiratory diseases ..	M	12	3	—	1	—	—	3	4	1	—	14	1	—	—	—	1	1	2	5	4
	F	10	1	—	1	—	—	—	4	—	4	4	—	—	—	—	1	—	3	—	—
21 Ulcer of stomach or duodenum ..	M	8	—	—	—	—	1	2	4	—	1	3	—	—	—	—	—	—	1	2	—
	F	4	—	—	—	—	—	2	1	1	—	2	—	—	—	—	—	1	—	1	—
22 Diarrhoea, &c. ..	M	56	45	3	3	1	—	1	1	1	1	25	15	1	—	—	1	—	3	2	3
	F	48	31	3	2	3	—	3	1	3	2	20	12	1	—	—	—	—	—	2	5
23 Appendicitis and typhlitis ..	M	7	—	—	—	3	1	3	—	—	—	8	—	—	—	1	2	4	—	1	—
	F	8	—	—	—	2	3	2	1	—	—	1	—	—	—	—	—	—	—	—	1
24 Cirrhosis of liver ..	M	5	—	—	—	—	—	1	1	3	—	2	—	—	—	—	—	—	—	1	1
	F	8	—	—	—	—	—	2	2	4	—	2	—	—	—	—	—	—	—	2	—
25 Acute and chronic nephritis ..	M	23	—	1	—	2	—	3	6	8	3	19	—	—	—	1	—	4	4	5	5
	F	21	—	1	1	1	1	3	9	3	2	22	—	—	—	2	1	—	5	6	8
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	12	—	—	—	—	3	9	—	—	—	3	—	—	—	—	—	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	2	7	—	—	—	16	—	—	—	—	2	13	1	—	—
28 Congenital debility and malformation, premature birth..	M	130	124	1	2	2	—	1	—	—	—	60	59	—	—	1	—	—	—	—	—
	F	97	96	—	1	—	—	—	—	—	—	36	36	—	—	—	—	—	—	—	—
29 Suicide ..	M	21	—	—	—	—	2	6	10	3	—	13	—	—	—	—	—	1	11	1	—
	F	6	—	—	—	—	2	2	1	—	1	4	—	—	—	—	—	1	3	—	—
30 Other deaths from violence..	M	55	3	2	4	9	10	11	10	3	3	47	2	1	2	4	11	7	13	3	4
	F	19	2	1	4	2	3	2	2	2	1	17	1	1	—	2	—	3	3	4	3
31 Other defined diseases ..	M	266	56	6	4	6	10	31	45	33	75	164	23	6	6	4	3	5	20	34	63
	F	243	31	6	6	6	3	22	39	36	94	155	14	4	3	2	4	6	17	23	82
32 Causes ill-defined or unknown ..	M	13	2	—	—	—	—	1	5	3	2	9	—	2	1	1	—	1	3	1	—
	F	6	1	1	—	—	—	1	—	3	—	6	—	—	—	—	—	2	2	1	1

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of OXFORD—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	209	22	1	4	4	4	21	51	43	59	569	65	11	12	8	15	60	108	127	163
	F	244	18	7	3	1	7	17	59	56	76	555	41	4	5	19	16	56	105	107	202
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	1	—	—	1	—	—	—	—	—	—	3	—	2	1	—	—	—	—	—	—
	F	3	1	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	1	2	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	6	—	—	1	5	—	—	—	—	—
7 Influenza ..	M	1	—	—	—	—	—	—	—	—	1	6	1	—	—	—	—	1	1	3	—
	F	1	1	—	—	—	—	—	—	—	—	8	—	—	—	1	—	—	2	2	3
8 Encephalitis lethargica ..	M	4	—	—	—	—	1	2	1	—	—	2	—	—	—	—	—	—	1	1	—
	F	2	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	15	—	—	—	1	1	4	6	2	1	37	—	—	1	—	7	22	6	1	—
	F	15	—	—	—	—	4	5	5	1	—	32	—	—	—	1	8	17	5	—	1
11 Other tuberculous diseases ..	M	5	—	—	—	1	—	3	—	—	1	8	1	1	1	1	—	2	2	—	—
	F	5	—	1	—	—	1	2	1	—	—	4	—	—	1	1	—	1	1	—	—
12 Cancer, malignant disease ..	M	24	—	—	—	—	—	1	9	8	6	72	—	—	—	—	—	4	25	23	20
	F	28	—	—	—	—	—	1	11	7	9	73	—	—	—	—	1	7	25	20	20
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—
14 Diabetes ..	M	2	—	—	—	—	—	—	2	—	—	5	—	—	—	—	1	2	1	—	1
	F	3	—	—	—	—	—	—	1	1	1	7	—	—	—	1	1	—	3	—	2
15 Cerebral hæmorrhage, &c. ..	M	15	—	—	—	—	—	—	3	4	8	45	—	—	—	—	2	1	8	12	22
	F	24	—	—	—	—	—	—	5	10	9	57	—	—	—	—	—	—	7	20	30
16 Heart disease ..	M	18	—	—	—	1	—	1	7	3	6	77	—	—	—	—	1	3	17	34	22
	F	32	—	—	—	—	—	—	10	11	11	89	—	—	—	2	3	10	13	29	32
17 Arterio-sclerosis ..	M	6	—	—	—	—	—	—	—	4	2	19	—	—	—	—	—	—	3	4	12
	F	2	—	—	—	—	—	—	—	1	1	8	—	—	—	—	—	—	1	4	3
18 Bronchitis ..	M	15	3	—	—	—	—	1	1	4	6	24	3	—	—	—	—	—	1	6	14
	F	21	1	—	—	—	—	—	1	7	12	41	4	2	—	1	—	1	4	4	25
19 Pneumonia (all forms) ..	M	13	2	—	2	—	1	3	1	3	1	27	3	2	1	1	—	4	5	7	4
	F	7	—	—	1	—	—	2	2	—	2	22	3	—	1	1	1	1	7	2	6
20 Other respiratory diseases ..	M	4	—	—	—	—	—	1	1	2	—	5	—	—	1	1	—	1	—	2	—
	F	8	—	2	—	—	—	1	2	2	1	7	1	1	—	—	—	—	3	1	1
21 Ulcer of stomach or duodenum ..	M	3	—	—	—	—	—	—	3	—	—	7	—	—	—	—	—	2	5	—	—
	F	3	—	—	—	—	—	1	2	—	—	1	—	—	—	—	—	1	—	—	—
22 Diarrhoea, &c. ..	M	7	5	—	—	1	—	—	—	—	1	12	5	3	—	—	—	—	2	2	—
	F	3	1	1	—	—	—	—	1	—	—	8	2	—	—	1	—	—	—	—	5
23 Appendicitis and typhlitis ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	1	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
24 Cirrhosis of liver ..	M	3	—	—	—	—	—	—	1	2	—	4	—	—	—	—	—	—	3	1	—
	F	3	—	—	—	—	—	—	1	1	1	2	—	—	—	—	—	—	2	—	—
25 Acute and chronic nephritis ..	M	12	—	—	—	—	—	—	5	3	4	15	—	—	1	—	—	1	5	3	5
	F	5	—	—	—	—	—	—	1	2	2	17	—	—	—	—	—	2	6	6	3
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	4	—	—	—	—	1	2	1	—	—
28 Congenital debility and malformation, premature birth ..	M	11	11	—	—	—	—	—	—	—	—	37	37	—	—	—	—	—	—	—	—
	F	12	12	—	—	—	—	—	—	—	—	19	18	—	—	—	—	1	—	—	—
29 Suicide ..	M	7	—	—	—	—	—	3	3	1	—	4	—	—	—	—	—	—	1	1	2
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	1	1	—
30 Other deaths from violence ..	M	8	—	—	—	—	—	1	4	3	—	12	1	—	—	1	—	4	4	1	1
	F	6	—	—	—	—	1	1	—	3	1	4	1	—	—	—	—	1	—	1	1
31 Other defined diseases ..	M	34	1	1	1	—	1	—	4	4	22	131	11	1	4	1	3	11	16	25	59
	F	55	2	1	1	—	—	2	16	8	25	132	10	1	—	4	1	9	20	17	70
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	1	—	—	—	7	2	1	—	1	—	1	—	1	1
	F	2	—	—	—	—	—	—	—	1	1	4	1	—	1	—	—	2	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
PETERBOROUGH, SOKE of—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	186	29	2	—	8	10	26	37	43	31	68	11	—	2	4	1	9	14	10	17
	F	215	29	3	5	4	9	20	45	42	58	50	2	1	2	1	2	6	9	10	17
1 Enteric fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4 Scarlet fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5 Whooping cough .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6 Diphtheria .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7 Influenza .. {	M	2	—	—	—	—	—	1	—	1	—	3	—	—	—	—	1	1	1	—	
	F	4	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	
8 Encephalitis lethargica .. {	M	2	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
9 Meningococcal meningitis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10 Tuberculosis of respiratory system {	M	26	—	—	—	—	8	14	4	—	—	4	—	—	1	—	3	—	—	—	
	F	13	—	—	—	1	3	8	1	—	—	2	—	—	—	—	2	—	—	—	
11 Other tuberculous diseases .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
	F	3	—	1	—	1	1	—	—	—	—	2	—	—	—	1	—	1	—	—	
12 Cancer, malignant disease .. {	M	24	—	—	—	—	—	1	12	8	3	10	—	—	—	—	1	4	2	3	
	F	30	—	—	1	—	—	4	11	11	3	6	—	—	—	—	—	3	3	—	
13 Rheumatic fever .. {	M	2	—	—	—	1	—	1	—	—	—	2	—	—	—	1	—	—	—	—	
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
14 Diabetes .. {	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	
	F	5	—	—	—	—	1	—	—	2	2	2	—	—	—	—	—	—	2	—	
15 Cerebral hæmorrhage, &c. .. {	M	10	—	—	—	—	—	—	4	3	3	1	—	—	—	—	—	—	—	1	
	F	12	—	—	—	—	—	—	2	3	7	4	—	—	—	—	1	1	—	2	
16 Heart disease .. {	M	23	—	—	—	1	1	2	8	7	4	7	—	—	—	1	—	1	1	4	
	F	23	—	—	—	—	—	2	2	7	12	4	—	—	—	—	1	2	—	1	
17 Arterio-sclerosis .. {	M	6	—	—	—	—	—	—	—	5	1	1	—	—	—	—	—	1	—	—	
	F	11	—	—	—	—	—	—	3	4	4	4	—	—	—	—	—	—	2	2	
18 Bronchitis .. {	M	10	2	—	—	—	—	1	—	2	5	1	—	—	—	—	—	—	—	1	
	F	16	1	1	—	—	—	—	2	3	9	5	—	1	—	—	—	—	1	3	
19 Pneumonia (all forms) .. {	M	6	2	1	—	—	—	1	—	1	1	3	1	—	—	—	1	—	1	—	
	F	10	2	1	—	—	1	1	2	2	1	3	—	—	1	—	—	—	—	2	
20 Other respiratory diseases .. {	M	2	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—	
	F	5	—	—	—	—	—	—	1	3	1	—	—	—	—	—	—	—	—	—	
21 Ulcer of stomach or duodenum .. {	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
22 Diarrhœa, &c. .. {	M	7	5	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	
	F	10	7	—	—	—	—	1	—	—	2	2	1	—	1	—	—	—	—	—	
23 Appendicitis and typhlitis.. {	M	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
24 Cirrhosis of liver .. {	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
25 Acute and chronic nephritis .. {	M	3	—	—	—	1	—	1	1	—	—	1	—	—	—	—	—	1	—	—	
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
27 Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	3	—	—	—	—	1	2	—	—	—	2	—	—	—	—	2	—	—	—	
28 Congenital debility and malformation, premature birth.. {	M	15	15	—	—	—	—	—	—	—	—	6	5	—	1	—	—	—	—	—	
	F	14	14	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
29 Suicide .. {	M	2	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	1	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
30 Other deaths from violence.. {	M	5	—	1	—	1	1	—	1	1	—	3	—	—	—	1	—	—	2	—	
	F	7	—	—	3	—	—	1	2	—	1	—	—	—	—	—	—	—	—	—	
31 Other defined diseases .. {	M	35	4	—	—	1	—	3	4	12	11	20	4	—	—	—	2	4	2	8	
	F	41	4	—	—	—	1	1	13	5	17	11	—	—	1	—	—	1	2	7	
32 Causes ill-defined or unknown .. {	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
RUTLAND—1921 (Civilian population only).

[illegible]

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SALOP—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	742	111	26	17	21	34	61	173	150	149	794	90	16	10	22	32	72	203	153	196
	F	687	75	17	13	21	18	55	127	149	212	777	78	14	14	23	34	82	133	173	226
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	6	—	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	2	2	—	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—
4 Scarlet fever ..	M	2	—	—	1	—	1	—	—	—	—	3	—	—	—	2	1	—	—	—	—
	F	2	—	—	—	2	—	—	—	—	—	3	—	—	—	3	—	—	—	—	—
5 Whooping cough ..	M	5	3	1	1	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—
	F	8	3	2	2	1	—	—	—	—	—	5	4	—	1	—	—	—	—	—	—
6 Diphtheria ..	M	7	—	1	2	3	1	—	—	—	—	5	—	—	1	4	—	—	—	—	—
	F	10	—	—	2	7	1	—	—	—	—	8	1	1	2	4	—	—	—	—	—
7 Influenza ..	M	21	4	—	—	—	—	3	5	4	5	28	—	—	2	—	—	2	7	12	5
	F	19	1	—	—	1	—	1	6	2	8	14	—	—	1	1	1	1	5	2	3
8 Encephalitis lethargica ..	M	2	—	—	—	1	1	—	—	—	—	5	—	—	—	1	—	2	2	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	1	—	1	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	40	—	—	—	—	6	12	22	—	—	39	—	1	1	—	9	20	8	—	—
	F	34	—	1	—	2	7	14	9	1	—	37	—	—	—	—	12	19	5	1	—
11 Other tuberculous diseases ..	M	17	2	1	1	4	4	3	1	1	—	11	2	2	1	1	—	3	2	—	—
	F	9	—	2	1	2	—	3	1	—	—	10	2	—	1	—	2	2	3	—	—
12 Cancer, malignant disease ..	M	77	—	—	—	—	—	9	33	25	10	69	—	—	—	—	—	32	20	17	—
	F	72	—	—	—	1	—	3	33	24	11	75	—	—	—	—	1	5	30	24	15
13 Rheumatic fever ..	M	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	3	—	—	—	1	1	—	1	—	—
14 Diabetes ..	M	6	—	—	—	—	1	—	1	3	1	14	—	—	—	1	2	3	5	2	1
	F	6	—	—	—	—	—	1	3	2	—	12	—	—	—	1	1	—	5	4	1
15 Cerebral hæmorrhage, &c. ..	M	38	—	—	—	—	—	2	7	17	12	64	—	—	—	—	—	1	15	14	34
	F	63	—	—	—	—	—	—	12	26	25	61	—	—	—	—	—	—	10	20	31
16 Heart disease ..	M	94	—	—	—	—	1	5	19	36	33	94	—	—	—	1	1	9	22	27	34
	F	87	—	—	—	1	3	5	20	25	33	132	—	—	—	—	3	7	23	46	53
17 Arterio-sclerosis ..	M	20	—	—	—	—	—	—	4	5	11	29	—	—	—	—	—	—	7	3	19
	F	21	—	—	—	—	—	—	2	6	13	16	—	—	—	—	—	—	1	7	8
18 Bronchitis ..	M	44	8	1	—	—	3	—	14	8	10	49	6	4	1	—	—	2	4	12	20
	F	49	2	1	1	—	—	—	5	13	27	47	8	2	—	—	—	—	2	14	21
19 Pneumonia (all forms) ..	M	52	11	5	3	5	2	8	7	4	7	46	4	5	—	—	4	4	15	13	1
	F	39	10	5	3	—	—	5	6	5	5	27	3	4	1	—	1	7	4	2	5
20 Other respiratory diseases ..	M	9	5	—	—	—	—	—	1	1	2	7	—	—	—	—	—	—	2	4	1
	F	3	1	—	—	—	—	—	—	—	2	5	—	1	—	2	—	1	—	—	1
21 Ulcer of stomach or duodenum ..	M	3	—	—	—	—	1	1	1	—	—	5	—	—	—	—	—	1	3	—	1
	F	3	—	—	—	—	—	1	—	1	1	2	—	—	—	—	—	1	—	1	—
22 Diarrhoea, &c. ..	M	26	9	6	—	—	—	1	2	4	4	18	5	—	2	1	—	1	5	4	—
	F	18	7	—	—	—	1	1	1	5	3	16	7	—	2	—	—	2	2	2	1
23 Appendicitis and typhlitis ..	M	7	1	—	—	—	2	1	2	1	—	7	—	—	—	2	1	2	2	—	—
	F	4	—	—	—	—	1	2	—	—	1	7	—	—	—	3	—	4	—	—	—
24 Cirrhosis of liver ..	M	8	—	—	—	—	—	—	5	3	—	5	—	—	—	—	—	—	5	—	—
	F	3	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	20	—	—	—	2	1	—	7	8	2	27	1	—	—	—	—	2	9	9	6
	F	17	—	—	—	—	1	2	2	7	5	18	—	—	1	—	—	3	6	7	1
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	16	—	—	—	—	2	14	—	—	—
28 Congenital debility and malformation, premature birth ..	M	51	50	1	—	—	—	—	—	—	—	48	48	—	—	—	—	—	—	—	—
	F	36	36	—	—	—	—	—	—	—	—	34	34	—	—	—	—	—	—	—	—
29 Suicide ..	M	13	—	—	—	—	1	1	9	1	1	17	—	—	—	—	—	5	10	2	—
	F	6	—	—	—	—	—	4	1	1	—	2	—	—	—	—	—	—	2	—	—
30 Other deaths from violence ..	M	34	2	3	4	3	5	6	5	3	3	39	—	—	1	4	6	8	14	5	1
	F	13	2	—	1	—	1	—	3	2	4	25	2	2	2	3	4	2	2	3	5
31 Other defined diseases ..	M	133	15	2	4	3	4	8	24	26	47	150	22	2	1	5	6	6	29	24	55
	F	148	11	4	2	4	3	7	21	23	73	186	16	3	2	5	4	11	26	38	81
32 Causes ill-defined or unknown ..	M	6	1	—	—	—	—	1	4	—	—	11	—	1	—	—	1	1	5	2	1
	F	5	—	—	—	—	—	—	1	4	—	10	—	—	—	—	1	2	5	2	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SOMERSET—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	896	93	9	5	22	30	100	245	185	207	1262	140	21	16	25	42	121	292	279	326
	F	1010	75	13	8	22	36	112	226	233	285	1332	112	15	13	20	50	131	276	256	459
1 Enteric fever ..	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	1	1	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	4	3	—	1	—	—	—	—	—	—	8	5	2	1	—	—	—	—	—	—
	F	3	1	2	—	—	—	—	—	—	—	9	5	2	1	1	—	—	—	—	—
6 Diphtheria ..	M	4	—	—	—	2	1	1	—	—	—	6	—	1	1	2	2	—	—	—	—
	F	3	—	—	—	2	1	—	—	—	—	3	—	—	—	—	2	—	1	—	—
7 Influenza ..	M	8	1	—	1	—	—	2	1	2	1	17	2	—	—	—	1	4	2	4	4
	F	9	—	—	—	—	—	1	4	2	2	20	—	—	—	2	1	1	6	5	5
8 Encephalitis lethargica ..	M	6	—	—	—	—	2	2	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	4	—	1	—	—	—	2	1	—	—
9 Meningococcal meningitis ..	M	2	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	53	—	—	—	—	8	29	14	1	1	66	1	—	—	2	14	32	14	3	—
	F	70	—	1	—	—	23	29	13	4	—	76	—	—	1	2	14	39	14	6	—
11 Other tuberculous diseases ..	M	26	5	1	—	4	5	8	1	2	—	14	2	3	1	3	—	2	2	—	—
	F	22	2	1	2	6	4	4	3	—	—	23	3	1	—	3	7	5	4	—	—
12 Cancer, malignant disease ..	M	101	—	—	—	—	—	10	50	21	20	123	—	1	1	—	—	8	37	43	3
	F	135	—	—	—	1	1	6	52	48	27	161	—	—	—	—	—	11	80	43	2
13 Rheumatic fever ..	M	1	—	—	—	—	—	—	—	1	—	6	—	—	—	2	—	2	1	1	—
	F	3	—	—	—	2	—	—	—	1	—	5	—	—	—	1	—	—	4	—	—
14 Diabetes ..	M	12	—	—	1	—	—	4	2	4	1	5	—	—	—	1	—	1	2	—	—
	F	13	—	—	—	1	—	1	4	5	2	10	—	—	—	—	1	1	2	6	—
15 Cerebral hæmorrhage, &c. ..	M	56	—	—	—	—	—	1	15	20	20	108	—	—	—	—	—	3	29	40	3
	F	73	—	—	—	—	—	4	25	19	25	114	—	—	—	—	—	4	23	30	5
16 Heart disease ..	M	144	—	—	—	—	5	12	37	45	45	179	—	—	—	2	1	13	47	69	4
	F	161	—	—	—	4	1	11	36	55	54	201	1	—	—	3	4	11	45	69	6
17 Arterio-sclerosis ..	M	27	—	—	—	—	—	—	7	12	8	32	—	—	—	—	—	—	5	12	1
	F	18	—	—	—	—	—	—	5	4	9	28	—	—	—	—	—	1	4	7	1
18 Bronchitis ..	M	43	3	2	—	1	—	—	10	8	19	71	8	1	—	—	—	2	8	19	3
	F	62	5	1	—	—	—	—	9	11	36	75	5	2	1	1	—	—	7	18	4
19 Pneumonia (all forms) ..	M	52	10	6	—	3	3	4	12	7	7	54	10	6	2	—	—	9	17	6	—
	F	46	6	2	2	1	—	8	13	9	5	56	9	5	2	—	2	7	10	9	1
20 Other respiratory diseases ..	M	16	—	—	—	1	—	1	5	4	5	24	1	1	—	—	1	4	8	4	—
	F	13	—	—	—	—	1	2	3	3	4	16	—	—	1	—	—	1	4	3	—
21 Ulcer of stomach or duodenum ..	M	7	—	—	—	—	—	2	5	—	—	9	—	—	—	—	—	—	5	4	—
	F	5	—	—	—	—	—	1	2	2	—	8	—	—	—	—	—	4	2	2	—
22 Diarrhoea, &c. ..	M	18	14	—	1	—	—	—	2	1	—	25	11	1	2	—	—	1	3	4	—
	F	22	12	3	—	—	—	—	1	2	4	18	7	3	—	—	1	1	1	3	—
23 Appendicitis and typhlitis ..	M	4	—	—	—	1	—	2	—	1	—	16	—	—	—	4	4	2	2	3	—
	F	3	—	—	—	—	—	1	1	1	—	11	—	—	1	1	2	3	2	2	—
24 Cirrhosis of liver ..	M	9	—	—	—	—	—	—	6	3	—	12	—	—	—	—	—	1	10	1	—
	F	3	—	—	—	—	—	1	1	1	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	36	1	—	—	—	2	3	15	9	6	42	—	—	—	—	2	8	13	12	—
	F	33	—	—	—	1	—	7	6	14	5	33	1	—	1	—	1	5	6	8	1
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	3	—	—	—	—	1	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	1	6	—	—	—	15	—	—	—	—	4	11	—	—	—
28 Congenital debility and malformation, premature birth..	M	43	41	—	—	2	—	—	—	—	—	68	65	1	1	—	1	—	—	—	—
	M	42	42	—	—	—	—	—	—	—	—	66	65	—	—	1	—	—	—	—	—
29 Suicide ..	M	8	—	—	—	—	—	3	4	1	—	25	—	—	—	—	—	4	18	1	—
	F	2	—	—	—	—	—	1	1	—	—	4	—	—	—	—	—	1	2	—	—
30 Other deaths from violence..	M	30	1	—	—	3	3	7	12	2	2	52	—	1	4	4	5	13	15	5	—
	F	14	1	—	—	1	2	2	3	1	4	25	2	—	2	1	1	4	1	3	1
31 Other defined diseases ..	M	182	13	—	1	5	1	7	44	39	72	295	35	3	3	5	10	11	51	48	12
	F	241	6	3	4	2	2	23	44	50	107	338	13	1	2	4	9	15	52	42	20
32 Causes ill-defined or unknown ..	M	3	—	—	—	—	—	—	1	2	—	3	—	—	—	—	—	—	3	—	—
	F	1	—	—	—	—	—	—	—	—	—	6	1	—	—	—	—	1	3	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SOUTHAMPTON—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	950	134	22	18	25	36	105	230	197	183	1202	136	21	12	32	43	121	266	256	315
	F	910	92	16	14	36	41	101	191	170	249	1161	98	19	20	28	41	126	214	232	383
1 Enteric fever ..	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	4	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	6	—	3	2	1	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	7	3	3	1	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—	—
	F	9	5	2	—	1	—	—	—	1	—	10	4	1	4	1	—	—	—	—	—
6 Diphtheria ..	M	10	—	—	2	8	—	—	—	—	—	5	—	—	1	3	1	—	—	—	—
	F	11	—	—	1	9	1	—	—	—	—	4	—	—	1	3	—	—	—	—	—
7 Influenza ..	M	20	3	—	1	—	—	3	7	3	3	27	2	2	—	—	—	2	4	14	3
	F	24	1	—	—	1	2	5	3	4	8	25	1	—	—	1	1	3	4	7	8
8 Encephalitis lethargica ..	M	2	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	2	2	—	—	—	—	3	—	—	—	—	2	—	—	1	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	72	—	1	—	—	16	34	15	6	—	64	—	—	—	—	11	36	13	3	1
	F	59	—	—	—	3	16	28	10	2	—	71	1	—	1	4	16	32	14	2	1
11 Other tuberculous diseases ..	M	14	2	3	2	1	2	3	1	—	—	26	1	3	1	3	6	7	—	5	—
	F	20	5	4	5	2	—	2	2	—	—	16	3	2	2	1	2	5	1	—	—
12 Cancer, malignant disease ..	M	113	—	—	—	—	—	10	48	36	19	130	—	—	—	—	2	4	54	40	30
	F	135	—	1	—	—	—	11	66	30	27	155	—	—	—	—	1	11	60	42	41
13 Rheumatic fever ..	M	3	—	—	—	1	—	—	2	—	—	5	1	—	—	2	—	—	—	2	—
	F	2	—	—	—	—	1	1	—	—	—	1	—	—	—	—	1	—	—	—	—
14 Diabetes ..	M	8	—	—	—	—	2	1	2	1	2	13	—	—	—	2	1	1	5	4	—
	F	11	—	—	—	—	1	1	5	4	—	16	—	—	—	—	1	3	3	3	6
15 Cerebral hæmorrhage, &c. ..	M	65	—	—	—	—	—	3	21	29	12	71	—	—	—	—	2	1	12	29	27
	F	47	—	—	—	1	—	1	10	19	16	79	—	—	—	—	—	1	16	24	38
16 Heart disease ..	M	111	—	—	1	3	3	5	37	32	30	174	—	—	—	5	4	17	51	45	52
	F	123	—	—	—	2	3	6	32	36	44	167	—	—	1	2	2	7	35	51	69
17 Arterio-sclerosis ..	M	27	—	—	—	—	—	1	6	7	13	61	—	—	—	—	—	1	15	11	34
	F	14	—	—	—	—	—	1	2	3	8	49	—	—	—	—	—	—	6	14	29
18 Bronchitis ..	M	38	9	1	—	—	—	—	3	10	15	62	6	1	1	—	—	1	9	11	33
	F	47	2	1	—	—	—	1	6	15	22	58	9	—	—	—	—	1	2	9	37
19 Pneumonia (all forms) ..	M	57	14	5	2	—	1	9	11	8	7	50	11	5	4	1	2	8	8	8	3
	F	42	8	3	1	2	1	4	8	11	4	48	10	5	1	4	1	3	10	7	7
20 Other respiratory diseases ..	M	12	—	—	1	—	—	3	4	3	1	16	1	1	—	1	—	1	3	6	3
	F	11	—	—	1	1	—	3	1	—	5	13	—	—	1	1	1	—	2	2	6
21 Ulcer of stomach or duodenum ..	M	6	—	—	—	—	—	1	1	2	2	6	—	—	—	—	1	—	3	2	—
	F	3	—	—	—	—	—	1	2	—	—	6	—	—	—	—	—	2	4	—	—
22 Diarrhoea, &c. ..	M	23	15	2	2	—	—	—	—	—	4	35	20	4	1	—	—	—	4	3	3
	F	27	17	2	1	—	—	—	3	2	2	25	7	2	2	—	—	2	3	5	4
23 Appendicitis and typhlitis ..	M	8	—	—	—	2	1	1	3	—	1	10	—	—	1	1	1	3	3	1	—
	F	10	—	—	—	2	1	4	1	2	—	1	—	—	—	—	—	—	—	1	—
24 Cirrhosis of liver ..	M	9	—	—	—	—	—	1	5	3	—	9	—	—	—	—	—	—	4	4	1
	F	1	—	—	—	—	—	—	—	1	—	5	—	—	—	—	—	—	2	2	1
25 Acute and chronic nephritis ..	M	30	—	1	—	1	—	5	12	5	6	57	—	—	1	1	1	11	16	11	16
	F	31	—	1	—	—	—	1	8	11	10	43	—	—	1	—	—	7	9	20	6
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	2	6	—	—	—	3	—	—	—	—	2	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	—	3	8	—	—	—	17	—	—	—	—	1	16	—	—	—
28 Congenital debility and malformation, premature birth ..	M	72	70	1	—	—	—	—	1	—	—	66	63	1	—	1	1	—	—	—	—
	F	42	40	—	—	2	—	—	—	—	—	52	50	—	—	1	1	—	—	—	—
29 Suicide ..	M	10	—	—	—	—	1	2	3	4	—	12	—	—	—	—	—	1	9	2	—
	F	2	—	—	—	—	1	—	1	—	—	7	—	—	—	—	—	2	3	1	1
30 Other deaths from violence ..	M	31	2	1	2	3	4	7	10	2	—	30	4	—	1	5	4	8	4	3	1
	F	10	—	—	1	2	1	2	1	1	2	19	1	3	2	3	—	6	2	—	2
31 Other defined diseases ..	M	192	14	2	3	5	5	14	38	43	68	264	24	4	1	6	5	18	47	51	108
	F	199	13	2	4	4	6	14	28	27	101	253	11	3	2	5	9	24	36	37	126
32 Causes ill-defined or unknown ..	M	5	—	1	—	—	—	1	—	3	—	4	—	—	—	—	—	1	2	1	—
	F	3	—	—	—	—	—	2	1	—	—	8	1	—	—	—	—	2	2	4	1

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
STAFFORD—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
		3339 2800	784 524	177 111	105 102	117 113	123 148	347 313	728 526	569 454	389 509	1206 1185	199 153	39 27	28 29	37 41	49 65	115 133	281 230	222 213	236 294
ALL CAUSES ..	M	3339	784	177	105	117	123	347	728	569	389	1206	199	39	28	37	49	115	281	222	236
	F	2800	524	111	102	113	148	313	526	454	509	1185	153	27	29	41	65	133	230	213	294
1 Enteric fever ..	M	2	—	—	—	—	2	—	—	—	—	3	—	—	—	—	—	2	1	—	—
	F	2	—	—	—	—	1	—	1	—	—	2	—	—	—	—	1	1	—	—	—
2 Small-pox ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	30	8	15	6	1	—	—	—	—	—	11	4	2	4	1	—	—	—	—	—
	F	29	4	7	12	6	—	—	—	—	—	5	1	2	2	—	—	—	—	—	—
4 Scarlet fever ..	M	9	—	2	1	5	1	—	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	6	—	—	2	3	1	—	—	—	—	4	—	—	—	2	2	—	—	—	—
5 Whooping cough ..	M	16	8	4	4	—	—	—	—	—	—	8	3	1	4	—	—	—	—	—	—
	F	22	15	4	3	—	—	—	—	—	—	7	3	1	1	2	—	—	—	—	—
6 Diphtheria ..	M	18	2	3	5	7	—	1	—	—	—	12	2	—	2	8	—	—	—	—	—
	F	14	1	—	6	6	1	—	—	—	—	11	—	2	2	6	1	—	—	—	—
7 Influenza ..	M	95	3	7	4	3	4	22	33	15	4	27	—	3	—	1	1	8	4	5	5
	F	63	2	1	2	3	4	15	13	11	12	22	1	1	—	1	3	2	6	6	2
8 Encephalitis lethargica ..	M	4	—	—	1	—	1	1	1	—	—	2	—	—	—	—	—	2	—	—	—
	F	5	—	—	—	2	2	—	1	—	—	2	—	—	1	—	—	1	—	—	—
9 Meningococcal meningitis ..	M	4	—	1	—	2	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	4	2	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	228	1	6	2	8	39	102	65	5	—	58	—	—	—	1	12	26	14	5	—
	F	177	2	—	3	11	62	73	24	2	—	58	—	—	—	1	18	28	10	1	—
11 Other tuberculous diseases ..	M	61	12	10	10	14	4	6	5	—	—	26	5	4	5	3	3	4	1	1	—
	F	55	13	6	8	10	5	8	3	2	—	21	2	3	3	2	3	7	1	—	—
12 Cancer, malignant disease ..	M	258	—	—	—	1	1	7	132	86	31	96	—	—	—	—	1	8	43	29	15
	F	231	—	—	—	—	1	22	99	76	33	142	—	—	—	1	1	12	62	42	24
13 Rheumatic fever ..	M	12	—	—	—	6	2	3	1	—	—	2	—	—	—	—	1	1	—	—	—
	F	10	—	—	1	5	1	3	—	—	—	5	—	—	—	3	1	1	—	—	—
14 Diabetes ..	M	20	—	—	—	1	1	2	9	6	1	16	—	—	—	—	1	2	3	7	3
	F	27	—	—	—	1	2	4	13	6	1	11	—	—	—	—	2	3	1	3	2
15 Cerebral hæmorrhage, &c. ..	M	160	—	—	—	1	—	4	46	72	37	57	—	—	—	—	—	1	14	19	23
	F	189	—	—	—	—	2	10	58	74	45	82	—	—	—	—	—	1	14	27	40
16 Heart disease ..	M	265	—	—	1	5	8	37	102	80	32	146	—	—	1	1	3	15	47	45	34
	F	291	—	—	—	8	11	27	105	82	58	160	—	—	—	3	4	15	41	48	49
17 Arterio-sclerosis ..	M	62	—	—	—	—	—	—	13	25	24	40	—	—	—	—	—	—	9	13	18
	F	34	—	—	—	—	—	—	4	11	19	23	—	—	—	—	—	—	5	8	10
18 Bronchitis ..	M	287	61	16	4	—	—	9	60	79	58	89	14	7	1	—	—	1	24	20	22
	F	225	41	13	2	3	1	8	35	62	60	94	9	1	1	1	—	3	9	21	49
19 Pneumonia (all forms) ..	M	370	99	59	33	16	19	51	55	25	13	86	20	7	1	2	5	13	22	12	4
	F	226	59	41	21	10	8	28	31	20	8	63	13	8	6	1	3	8	10	9	5
20 Other respiratory diseases ..	M	49	4	3	4	3	—	11	10	7	7	16	1	1	—	—	1	1	5	5	2
	F	32	3	—	3	3	2	2	9	2	8	8	1	1	—	1	—	2	1	—	2
21 Ulcer of stomach or duodenum ..	M	16	—	—	—	—	—	3	9	3	1	8	—	—	—	—	—	—	6	2	—
	F	10	—	—	—	1	1	5	2	1	—	14	—	—	—	—	1	2	9	2	—
22 Diarrhoea, &c. ..	M	180	131	27	10	1	—	1	3	3	4	32	23	2	—	—	—	—	2	4	1
	F	128	85	14	10	4	—	2	4	2	7	29	21	—	3	1	—	2	1	1	—
23 Appendicitis and typhlitis ..	M	20	—	—	—	6	7	—	4	3	—	9	—	—	2	1	2	1	3	—	—
	F	15	—	—	1	5	4	5	—	—	—	8	—	—	1	4	—	2	1	—	—
24 Cirrhosis of liver ..	M	12	—	—	—	—	—	—	9	3	—	5	—	—	—	—	—	—	3	2	—
	F	5	—	—	—	—	1	3	1	—	—	4	—	—	—	—	—	—	3	1	—
25 Acute and chronic nephritis ..	M	65	2	1	2	3	1	7	28	17	4	22	1	—	—	1	3	2	8	5	2
	F	46	—	—	—	—	3	9	19	11	4	16	—	—	1	1	1	1	5	3	4
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	18	—	—	—	—	5	11	2	—	—	6	—	—	—	—	2	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	31	—	—	—	—	3	26	2	—	—	13	—	—	—	—	3	9	1	—	—
28 Congenital debility and malformation, premature birth..	M	328	324	1	2	1	—	—	—	—	—	88	86	1	1	—	—	—	—	—	—
	F	235	235	—	—	—	—	—	—	—	—	75	72	—	—	1	2	—	—	—	—
29 Suicide ..	M	37	—	—	—	—	2	10	18	4	3	16	—	—	—	—	1	2	9	2	2
	F	9	—	—	—	—	3	3	3	—	—	4	—	—	—	—	2	—	2	—	—
30 Other deaths from violence..	M	120	4	1	6	17	15	29	32	13	3	53	3	—	5	5	7	9	18	3	3
	F	56	7	5	11	11	3	3	6	3	7	19	1	1	—	1	—	3	5	3	5
31 Other defined diseases ..	M	594	123	16	10	15	16	40	87	120	167	271	36	11	2	11	8	18	40	43	102
	F	596	55	18	14	20	21	46	87	89	246	271	29	6	8	9	15	24	41	38	101
32 Causes ill-defined or unknown ..	M	16	2	5	—	—	—	—	6	3	—	4	—	—	—	—	—	1	3	—	—
	F	9	—	2	2	1	—	—	3	—	1	6	—	1	—	—	—	2	2	—	1

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
SUFFOLK, EAST—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	472	70	7	4	15	14	54	107	93	108	704	93	12	9	21	25	66	117	147	214
	F	441	51	6	8	26	30	42	77	80	121	655	64	7	8	28	30	63	125	112	218
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	7	3	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	3	—	—	2	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	8	—	1	1	5	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	4	3	1	—	—	—	—	—	—	—
	F	2	1	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	3	—	—	—	2	—	1	—	—	—	3	—	—	—	2	—	1	—	—	—
	F	10	—	—	5	5	—	—	—	—	—	7	—	—	1	5	1	—	—	—	—
7 Influenza ..	M	6	—	—	—	—	—	—	2	4	—	3	—	—	—	—	—	1	1	1	—
	F	4	—	—	—	—	—	—	3	1	—	12	3	1	—	—	1	2	1	2	2
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	1	—	1	—	1	—	—	—
10 Tuberculosis of respiratory system	M	26	—	—	—	—	4	15	5	1	1	44	—	—	—	4	9	20	7	2	2
	F	35	—	—	—	4	13	11	5	2	—	39	—	—	—	1	15	14	5	3	1
11 Other tuberculous diseases ..	M	12	4	1	1	—	2	3	1	—	—	14	—	—	—	3	2	3	4	1	1
	F	7	1	—	—	1	2	1	1	1	—	12	—	—	2	3	—	4	2	—	1
12 Cancer, malignant disease ..	M	45	—	—	—	1	—	2	19	16	7	67	—	—	—	—	—	5	20	26	16
	F	55	—	—	—	—	—	8	20	15	12	83	—	—	—	—	—	10	40	20	13
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	2	2	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
14 Diabetes ..	M	10	—	—	—	—	—	1	6	2	1	9	—	—	—	—	1	4	2	1	1
	F	3	—	—	—	1	—	—	—	1	1	8	—	—	—	—	—	1	2	3	2
15 Cerebral hæmorrhage, &c. ..	M	25	—	—	—	1	—	—	6	10	8	38	—	—	—	—	—	—	6	9	23
	F	35	—	—	—	—	—	1	6	15	13	50	—	—	—	—	—	—	11	12	27
16 Heart disease ..	M	60	—	—	—	—	—	6	20	18	16	104	—	—	1	1	—	6	22	39	35
	F	65	—	—	—	2	5	6	14	22	16	87	—	—	—	1	2	3	19	24	38
17 Arterio-sclerosis ..	M	14	—	—	—	—	—	—	3	4	7	18	—	—	—	—	—	—	3	4	11
	F	8	—	—	—	—	—	—	—	1	7	6	—	—	—	—	—	—	—	2	4
18 Bronchitis ..	M	28	5	1	—	—	—	3	1	10	8	50	7	—	1	—	—	1	3	13	25
	F	26	1	1	—	—	—	1	2	7	14	38	2	1	—	1	—	—	3	9	22
19 Pneumonia (all forms) ..	M	15	2	1	—	—	—	6	2	1	3	27	7	1	2	1	—	2	8	2	4
	F	18	3	1	1	—	2	3	3	2	3	25	6	—	2	2	—	—	4	3	8
20 Other respiratory diseases ..	M	8	1	—	—	—	—	1	1	1	4	13	—	1	—	—	2	1	1	5	3
	F	1	—	—	—	—	—	1	—	—	—	8	—	—	—	1	—	2	2	1	2
21 Ulcer of stomach or duodenum ..	M	4	—	—	—	—	1	1	2	—	—	3	—	1	—	—	—	—	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	—
22 Diarrhœa, &c. ..	M	7	4	2	—	—	—	—	1	—	—	14	7	2	1	—	—	1	—	1	2
	F	7	6	—	—	—	—	—	—	—	1	12	4	2	—	1	—	—	1	1	3
23 Appendicitis and typhlitis ..	M	3	—	—	—	1	1	—	—	—	1	7	—	—	—	1	3	2	1	—	—
	F	7	—	—	—	4	—	—	2	1	—	4	—	—	—	1	—	3	—	—	—
24 Cirrhosis of liver ..	M	4	—	—	—	—	—	—	3	1	—	3	—	—	—	—	—	—	1	2	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	—	1
25 Acute and chronic nephritis ..	M	24	—	—	—	2	—	4	6	3	9	12	—	—	—	—	—	—	4	3	5
	F	6	—	—	—	—	—	1	3	1	1	15	—	—	—	—	2	2	6	3	2
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	2	1	—	—	—	3	—	—	—	—	1	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	3	—	—	—	—	—	3	—	—	—
28 Congenital debility and malformation, premature birth ..	M	38	38	—	—	—	—	—	—	—	—	60	58	—	1	—	—	1	—	—	—
	F	31	31	—	—	—	—	—	—	—	—	38	37	—	—	—	—	1	—	—	—
29 Suicide ..	M	8	—	—	—	—	1	3	4	—	—	8	—	—	—	—	—	2	4	1	1
	F	1	—	—	—	—	—	—	1	—	—	7	—	—	—	—	1	2	2	—	2
30 Other deaths from violence ..	M	16	—	—	—	4	2	2	7	1	—	24	—	2	1	4	3	3	5	3	3
	F	5	—	—	—	1	1	—	1	1	1	15	3	—	1	3	—	—	1	—	7
31 Other defined diseases ..	M	103	13	—	—	2	3	6	17	20	42	165	10	4	2	4	3	9	21	30	82
	F	97	8	1	—	2	4	5	16	9	52	165	8	2	2	5	6	12	22	26	82
32 Causes ill-defined or unknown ..	M	3	—	—	—	—	—	—	1	1	1	7	—	—	—	—	—	1	2	4	—
	F	1	—	—	—	—	—	—	—	1	—	6	—	—	—	—	1	1	2	1	1

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SUFFOLK, WEST—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	266	35	6	1	9	9	22	55	49	80	409	51	4	5	8	16	44	90	76	115
	F	258	19	—	7	9	11	36	53	37	86	428	23	8	5	14	10	38	81	91	158
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	1	1	—	—	—	—	—	—	—	—	6	5	1	—	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—
6 Diphtheria ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
7 Influenza ..	M	3	—	—	—	—	—	—	2	—	1	4	—	—	—	—	—	—	2	—	2
	F	1	—	—	1	—	—	—	—	—	—	5	—	—	—	1	—	—	2	1	1
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	19	—	—	—	—	4	8	6	1	—	34	—	—	—	1	8	17	7	1	—
	F	29	—	—	—	1	4	14	10	—	—	36	—	—	1	2	8	14	11	—	—
11 Other tuberculous diseases ..	M	6	1	3	1	—	1	—	—	—	—	11	2	—	—	1	—	2	5	1	—
	F	6	—	—	1	1	2	1	1	—	—	9	—	1	—	4	1	2	1	—	—
12 Cancer, malignant disease ..	M	31	—	—	—	—	—	2	13	13	3	51	—	—	—	—	—	3	20	14	14
	F	40	—	—	—	—	—	7	13	11	9	48	—	—	—	—	—	1	20	20	7
13 Rheumatic fever ..	M	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes ..	M	6	—	—	—	1	—	1	2	2	—	2	—	—	—	—	—	1	—	1	—
	F	4	—	—	—	—	—	1	2	—	1	7	—	—	—	—	—	3	1	1	2
15 Cerebral hæmorrhage, &c. ..	M	16	—	—	—	—	—	—	4	2	10	27	—	—	—	—	—	—	4	5	18
	F	14	—	—	—	—	—	—	2	6	6	35	—	—	—	—	—	1	10	12	12
16 Heart disease ..	M	22	—	—	—	—	2	1	5	7	7	51	—	—	—	1	2	4	11	17	16
	F	34	—	—	—	—	—	4	10	9	11	86	—	—	—	—	—	4	14	29	39
17 Arterio-sclerosis ..	M	13	—	—	—	—	—	—	1	5	7	13	—	—	—	—	—	—	—	1	12
	F	14	—	—	—	—	—	—	1	1	12	10	—	—	—	—	—	—	—	2	8
18 Bronchitis ..	M	23	3	1	—	—	—	1	2	5	11	22	3	—	—	—	—	—	3	4	12
	F	17	2	—	1	—	—	—	1	3	10	30	3	—	—	—	—	—	3	6	18
19 Pneumonia (all forms) ..	M	10	7	—	—	—	—	—	—	—	3	17	4	—	1	—	1	—	4	4	2
	F	12	2	—	3	2	2	1	2	—	—	5	—	2	—	—	—	1	—	1	1
20 Other respiratory diseases ..	M	1	—	—	—	—	—	—	—	—	1	5	—	—	—	—	1	—	2	2	—
	F	3	—	—	—	—	—	—	1	1	1	2	—	—	—	—	—	—	—	1	1
21 Ulcer of stomach or duodenum ..	M	3	—	—	—	—	—	—	2	1	—	4	—	—	—	—	—	3	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1	—
22 Diarrhoea, &c. ..	M	6	2	1	—	1	—	—	—	—	2	11	7	—	1	1	—	—	2	—	—
	F	5	3	—	1	—	—	1	—	—	—	3	2	—	1	—	—	—	—	—	—
23 Appendicitis and typhlitis ..	M	5	—	—	—	4	—	—	1	—	—	2	—	—	1	—	1	—	—	—	—
	F	2	—	—	—	1	—	—	1	—	—	6	—	—	—	1	—	—	4	—	1
24 Cirrhosis of liver ..	M	2	—	—	—	—	—	—	2	—	—	4	—	—	—	—	—	—	2	2	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	9	—	—	—	—	—	1	3	4	1	3	—	—	—	—	—	1	1	1	—
	F	4	—	—	—	—	—	2	1	—	1	6	—	—	—	—	—	—	—	3	3
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—	2	—	—	—
28 Congenital debility and malformation, premature birth ..	M	17	17	—	—	—	—	—	—	—	—	25	25	—	—	—	—	—	—	—	—
	F	7	7	—	—	—	—	—	—	—	—	14	12	1	—	1	—	—	—	—	—
29 Suicide ..	M	4	—	—	—	—	—	2	2	—	—	10	—	—	—	—	—	2	8	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—
30 Other deaths from violence ..	M	5	—	—	—	1	—	1	1	—	2	8	1	—	1	1	1	2	—	1	1
	F	2	—	—	—	1	—	—	—	1	—	2	—	—	—	1	—	—	—	—	1
31 Other defined diseases ..	M	61	3	1	—	2	2	3	9	9	32	87	4	2	1	1	1	5	16	20	37
	F	57	3	—	—	2	3	3	6	5	35	101	4	1	1	2	1	6	10	12	64
32 Causes ill-defined or unknown ..	M	1	1	—	—	—	—	—	—	—	—	8	—	1	—	—	—	2	2	2	1
	F	—	—	—	—	—	—	—	—	—	—	10	—	2	—	1	—	1	5	1	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SURREY—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	2776	368	54	36	96	111	282	744	496	589	690	61	10	7	19	29	74	169	155	166
	F	2916	221	42	33	93	117	368	615	540	887	746	55	7	11	17	28	87	172	153	216
1 Enteric fever ..	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—
	F	5	—	—	—	1	—	1	2	1	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	4	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	1	1	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
4 Scarlet fever ..	M	12	1	3	4	4	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—
	F	8	—	1	—	5	1	1	—	—	—	3	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	19	10	6	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	3	3	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	32	1	1	11	18	1	—	—	—	—	3	—	—	1	2	—	—	—	—	—
	F	29	—	1	6	21	—	—	—	1	—	7	—	—	4	1	1	—	1	—	—
7 Influenza ..	M	62	2	3	—	5	3	10	19	11	9	20	—	—	—	2	2	1	5	6	4
	F	78	1	4	1	2	3	13	24	11	19	28	1	1	—	1	2	3	6	4	10
8 Encephalitis lethargica ..	M	5	—	1	—	1	—	2	—	1	—	2	—	—	—	—	—	—	2	—	—
	F	11	—	—	2	2	4	2	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	3	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system ..	M	190	—	2	—	2	31	65	79	9	2	45	—	—	—	—	9	29	6	1	—
	F	167	—	—	—	9	50	74	24	7	3	47	—	—	1	1	12	19	12	1	1
11 Other tuberculous diseases ..	M	49	6	8	4	11	6	6	6	2	—	10	1	2	2	2	2	1	—	—	—
	F	43	—	3	8	7	3	15	3	4	—	7	2	2	—	—	1	—	1	—	1
12 Cancer, malignant disease ..	M	324	1	—	—	1	2	20	150	92	58	78	—	—	—	—	1	6	28	30	13
	F	452	—	2	—	—	1	57	176	136	80	121	—	—	—	—	—	14	52	39	16
13 Rheumatic fever ..	M	9	—	—	—	3	3	2	1	—	—	2	—	—	—	—	—	1	1	—	—
	F	8	—	—	1	2	2	2	1	—	—	2	—	—	—	—	—	1	1	1	—
14 Diabetes ..	M	26	—	—	—	—	—	4	7	7	8	7	—	—	—	2	—	1	3	1	—
	F	29	—	—	—	1	4	6	6	11	1	11	—	—	—	—	1	4	2	3	1
15 Cerebral hæmorrhage, &c. ..	M	155	—	1	—	—	1	5	39	43	66	34	—	—	—	—	—	1	6	15	12
	F	194	—	—	—	—	1	4	40	54	95	46	—	—	—	—	1	—	9	13	23
16 Heart disease ..	M	321	—	—	—	4	10	25	105	101	76	103	—	—	—	1	2	7	31	30	32
	F	393	1	1	—	4	9	26	95	107	150	106	—	—	—	3	1	3	35	32	32
17 Arterio-sclerosis ..	M	135	—	—	—	—	—	—	33	36	66	55	—	—	—	—	—	—	3	25	27
	F	123	—	—	—	—	—	—	12	27	84	26	—	—	—	—	—	—	3	11	12
18 Bronchitis ..	M	163	8	1	—	1	—	5	26	42	80	39	2	1	—	—	—	1	3	11	21
	F	180	8	—	—	—	—	2	18	42	110	37	1	—	—	—	1	—	1	6	28
19 Pneumonia (all forms) ..	M	176	33	7	5	10	8	29	46	26	12	42	7	4	—	4	1	5	15	5	1
	F	171	27	12	5	4	10	23	23	30	37	36	2	2	1	—	—	4	6	9	12
20 Other respiratory diseases ..	M	50	3	—	1	3	2	5	17	8	11	10	—	1	—	—	—	1	2	5	1
	F	36	1	—	2	2	—	1	8	11	11	11	1	—	—	—	—	—	4	2	4
21 Ulcer of stomach or duodenum ..	M	21	1	—	—	—	2	5	10	—	3	9	—	—	—	—	—	1	6	1	1
	F	20	—	—	—	—	—	7	11	1	1	4	—	—	—	—	1	2	1	—	—
22 Diarrhœa, &c. ..	M	92	74	9	—	1	1	—	1	1	5	12	8	—	1	—	—	1	—	—	2
	F	58	37	5	—	1	—	6	1	1	7	13	8	—	—	—	—	—	—	1	4
23 Appendicitis and typhlitis ..	M	32	—	1	1	6	8	4	9	3	—	3	—	—	1	—	—	—	2	—	—
	F	24	—	—	1	5	—	7	10	1	—	3	—	—	—	2	—	—	1	—	—
24 Cirrhosis of liver ..	M	18	—	—	—	—	—	2	12	3	1	5	—	—	—	—	—	—	5	—	—
	F	12	—	—	—	—	—	2	6	3	1	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	82	1	—	—	1	1	11	34	14	20	16	—	—	—	—	—	2	4	4	6
	F	75	—	—	—	2	3	8	32	11	19	17	—	—	—	1	—	1	4	7	4
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	15	—	—	—	—	3	12	—	—	—	7	—	—	—	—	1	6	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	26	—	—	—	—	3	22	1	—	—	7	—	—	—	—	—	7	—	—	—
28 Congenital debility and malformation, premature birth ..	M	159	158	—	—	—	—	—	—	1	—	32	31	—	1	—	—	—	—	—	—
	F	104	101	1	—	1	1	—	—	—	—	32	32	—	—	—	—	—	—	—	—
29 Suicide ..	M	22	—	—	—	—	1	7	12	1	1	10	—	—	—	—	—	2	8	—	—
	F	16	—	—	—	—	1	10	5	—	—	6	—	—	—	—	—	4	2	—	—
30 Other deaths from violence ..	M	96	4	4	3	9	15	25	28	3	5	29	1	—	1	1	7	4	12	3	—
	F	61	4	1	1	7	5	8	10	6	19	21	2	—	1	4	3	3	4	1	3
31 Other defined diseases ..	M	513	61	6	2	14	15	49	108	92	166	122	10	2	—	5	4	10	27	18	46
	F	562	37	6	4	15	13	57	105	75	250	143	5	1	—	4	3	16	26	23	65
32 Causes ill-defined or unknown ..	M	5	3	—	—	—	—	1	1	—	—	1	1	—	—	—	—	—	—	—	—
	F	4	1	1	—	—	—	1	1	—	—	2	—	—	1	—	—	1	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SUSSEX, EAST—1921 (Civilian population only).

CAUSES OF DEATH.		SEX.	AGGREGATE OF URBAN DISTRICTS.											AGGREGATE OF RURAL DISTRICTS.										
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—		
ALL CAUSES	..	M	672	64	6	9	12	28	60	175	155	163	697	55	8	5	24	27	79	151	155	193		
		F	833	49	5	5	18	16	73	187	195	285	669	44	2	5	25	19	70	137	140	227		
1	Enteric fever	..	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	M	1	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4	Scarlet fever	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	1	—	—	—	—	—	1	—	—	—	2	1	—	1	—	—	—	—	—	—		
5	Whooping cough	M	3	—	3	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—		
		F	3	1	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—		
6	Diphtheria	..	M	3	—	—	3	—	—	—	—	—	6	—	—	—	6	—	—	—	—	—		
		F	8	—	—	2	5	—	1	—	—	—	10	—	—	1	9	—	—	—	—	—		
7	Influenza	M	17	2	—	—	—	1	—	7	3	4	24	1	1	—	3	—	6	5	5		
		F	37	1	1	—	—	1	—	4	11	19	19	—	—	—	—	—	2	5	7	3		
8	Encephalitis lethargica	..	M	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—		
		F	3	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—		
9	Meningococcal meningitis	..	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
10	Tuberculosis of respiratory system	..	M	41	—	—	—	—	10	17	11	2	1	31	—	—	—	2	5	16	7	1		
		F	36	—	—	—	2	5	14	11	3	1	40	—	—	—	—	10	14	14	2	—		
11	Other tuberculous diseases	M	17	1	—	3	1	4	5	3	—	—	7	—	—	1	2	—	1	3	—		
		F	10	1	3	—	—	3	2	1	—	—	12	1	—	2	1	2	1	3	1	1		
12	Cancer, malignant disease	M	79	—	—	—	—	—	1	35	28	15	88	—	—	—	—	1	6	32	30		
		F	149	—	—	—	1	—	13	64	45	26	92	—	—	—	—	—	6	36	30	19		
13	Rheumatic fever	M	2	—	—	1	—	—	1	—	—	—	2	—	—	—	—	1	—	1	—		
		F	3	—	—	—	1	—	1	—	—	1	—	2	—	—	1	—	1	—	—	—		
14	Diabetes	M	7	—	—	—	1	—	2	1	3	—	11	—	—	—	—	2	4	3	1		
		F	12	—	—	—	1	—	—	—	5	4	2	13	—	—	—	—	3	1	5	4		
15	Cerebral hæmorrhage, &c.	..	M	32	—	—	—	—	—	1	9	11	11	37	—	—	—	—	3	8	13	1		
		F	58	—	—	—	—	—	1	9	13	35	52	—	—	—	—	—	2	9	10	33		
16	Heart disease	..	M	100	—	—	—	—	4	5	23	34	34	110	—	—	—	1	3	13	20	31		
		F	137	—	—	—	1	1	8	29	44	54	115	—	—	—	1	2	6	24	41	42		
17	Arterio-sclerosis	M	28	—	—	—	—	—	—	10	6	12	37	—	—	—	—	—	7	10	20		
		F	21	—	—	—	—	—	—	—	4	7	10	22	—	—	—	—	—	4	5	13		
18	Bronchitis	..	M	28	—	—	—	—	—	2	3	11	12	32	2	—	—	—	—	2	10	18		
		F	40	3	—	—	—	—	—	—	5	9	23	38	2	—	—	1	—	2	11	23		
19	Pneumonia (all forms)	M	39	6	2	—	1	2	3	8	9	8	32	3	2	—	—	3	6	9	4		
		F	42	6	1	—	1	—	2	2	7	14	11	25	7	1	—	—	1	4	5	2		
20	Other respiratory diseases	M	10	1	—	—	—	1	2	2	—	4	5	—	—	—	—	—	2	1	1		
		F	8	—	—	—	—	—	—	2	—	2	4	7	—	—	1	1	—	1	1	—		
21	Ulcer of stomach or duodenum	..	M	6	—	—	—	—	—	2	2	1	1	5	—	—	—	1	2	—	2	—		
		F	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	1	—			
22	Diarrhœa, &c.	..	M	6	4	—	—	—	—	—	—	—	2	11	6	—	—	1	—	—	1	—		
		F	9	5	—	—	—	—	—	1	1	—	2	4	1	—	—	—	2	—	—	—		
23	Appendicitis and typhlitis..	..	M	7	—	—	—	1	2	—	2	2	—	3	—	—	—	—	1	1	1	—		
		F	—	—	—	—	—	—	—	—	—	—	—	5	—	—	4	—	1	—	—			
24	Cirrhosis of liver	M	10	—	—	—	—	—	1	3	5	1	3	—	—	—	—	—	1	1	—		
		F	5	—	—	—	—	—	—	—	3	2	—	—	—	—	—	—	—	—	—	—		
25	Acute and chronic nephritis	..	M	27	—	—	—	1	—	3	11	7	5	10	—	—	—	—	1	—	3	2		
		F	27	—	—	—	—	—	—	1	14	6	6	18	—	—	—	—	—	3	5	4		
26	Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	3	—	—	—	—	—	—	3	—	—	—	4	—	—	—	—	4	—	—	—		
27	Other accidents and diseases of pregnancy and parturition.	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	7	—	—	—	—	—	4	3	—	—	—	3	—	—	—	—	2	1	—	—		
28	Congenital debility and malformation, premature birth..	..	M	37	37	—	—	—	—	—	—	—	—	30	30	—	—	—	—	—	—	—		
		F	18	17	—	1	—	—	—	—	—	—	—	24	24	—	—	—	—	—	—	—		
29	Suicide	M	15	—	—	—	—	1	5	7	1	1	19	—	—	—	—	2	3	7	5		
		F	4	—	—	—	—	—	1	1	3	—	—	1	—	—	—	—	1	—	—	—		
30	Other deaths from violence..	..	M	20	1	—	1	2	1	2	7	3	3	32	—	2	1	2	4	7	11	3		
		F	12	—	—	—	—	—	—	3	2	4	3	11	2	1	1	—	—	1	2	—		
31	Other defined diseases	M	134	10	—	1	5	1	8	31	29	49	155	12	2	2	6	6	12	25	32		
		F	180	15	—	1	5	1	15	24	30	30	89	146	5	—	—	5	4	15	23	21		
32	Causes ill-defined or unknown	..	M	2	1	1	—	—	—	—	—	—	—	3	—	—	—	—	—	2	1	—		
		F	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SUSSEX, WEST—1921 (Civilian population only).

CAUSES OF DEATH.	SEX.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	563	59	8	9	19	15	60	135	121	137	512	36	6	10	21	11	44	112	109	163
	F	580	35	3	6	12	9	67	114	127	207	530	28	3	7	16	16	55	116	124	165
1 Enteric fever .. {	M	2	—	—	—	—	—	—	2	—	—	2	—	—	—	1	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever .. {	M	3	—	1	—	1	1	—	—	—	—	3	—	—	1	2	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough .. {	M	2	—	2	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
6 Diphtheria .. {	M	3	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	—	5	—	—	2	3	—	—	—	—	—
7 Influenza .. {	M	18	3	1	1	2	—	—	3	3	5	11	1	—	—	—	1	—	3	1	5
	F	12	1	1	—	—	1	2	2	2	3	17	—	—	—	—	—	5	3	4	5
8 Encephalitis lethargica .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
9 Meningococcal meningitis .. {	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system {	M	56	—	—	—	1	5	24	21	4	1	28	—	—	—	1	3	13	10	1	—
	F	30	—	—	—	2	4	12	11	—	1	25	—	—	—	3	9	11	1	1	—
11 Other tuberculous diseases .. {	M	11	2	1	2	—	4	—	—	2	—	9	—	—	1	4	1	2	1	—	—
	F	7	—	—	1	2	—	3	—	—	1	8	—	—	—	3	2	1	1	—	1
12 Cancer, malignant disease .. {	M	78	—	—	—	—	—	5	35	23	15	68	—	—	—	2	—	3	21	28	14
	F	91	—	—	—	—	—	8	33	31	19	82	—	—	—	1	1	6	34	26	14
13 Rheumatic fever .. {	M	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	1	—	—	1	4	—	—	—	—	—	1	1	2	—
14 Diabetes .. {	M	8	—	—	—	1	—	—	2	2	3	9	—	—	—	1	—	1	4	2	1
	F	3	—	—	—	—	1	—	—	1	1	6	—	—	—	—	—	1	3	1	1
15 Cerebral hæmorrhage, &c. {	M	35	—	—	—	—	—	—	12	9	14	39	—	—	—	—	—	—	11	10	18
	F	49	—	—	—	—	—	1	14	12	22	42	—	—	—	—	—	—	8	18	16
16 Heart disease .. {	M	78	—	—	—	1	—	6	18	28	25	81	—	—	—	—	1	8	17	24	31
	F	84	—	—	—	—	—	6	18	29	31	104	—	—	—	—	1	2	23	30	48
17 Arterio-sclerosis .. {	M	20	—	—	—	—	—	—	4	9	7	22	—	—	—	—	—	—	4	7	11
	F	19	—	—	—	—	—	—	3	5	11	15	—	—	—	—	—	—	2	5	8
18 Bronchitis .. {	M	26	5	1	—	—	—	1	2	9	8	26	—	1	1	—	—	—	2	10	12
	F	28	—	—	—	—	—	1	1	3	23	25	—	—	—	—	—	1	5	6	13
19 Pneumonia (all forms) .. {	M	25	5	2	1	2	1	—	5	5	4	20	3	2	—	1	—	2	6	3	3
	F	36	5	1	1	2	—	9	3	7	8	15	3	1	—	1	1	2	4	2	1
20 Other respiratory diseases .. {	M	8	—	—	—	1	—	—	3	3	1	3	—	—	1	—	—	—	2	—	—
	F	13	—	—	—	—	—	—	5	3	5	10	—	—	—	1	—	1	2	—	3
21 Ulcer of stomach or duodenum .. {	M	1	—	—	—	—	—	1	—	—	—	6	—	—	—	—	—	3	3	—	—
	F	5	—	—	—	—	—	1	1	1	2	4	—	—	—	—	—	2	1	1	—
22 Diarrhœa, &c. .. {	M	10	5	—	1	—	—	—	—	—	4	6	2	—	2	—	—	—	1	—	1
	F	10	5	—	—	—	—	—	2	2	1	8	3	1	—	1	—	—	—	1	2
23 Appendicitis and typhlitis.. {	M	3	—	—	—	—	1	1	1	—	—	4	—	—	—	2	—	—	—	—	—
	F	2	—	—	—	—	—	1	—	1	—	4	—	—	—	—	1	2	—	—	—
24 Cirrhosis of liver .. {	M	2	—	—	—	—	—	—	—	1	1	2	—	—	—	—	—	—	2	—	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis .. {	M	13	—	—	—	—	—	4	5	1	3	13	—	1	1	1	—	2	5	1	2
	F	16	—	—	1	—	—	1	2	5	7	17	—	—	—	—	—	—	6	7	4
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	—	8	—	—	—	5	—	—	—	—	—	5	—	—	—
28 Congenital debility and malformation, premature birth.. {	M	27	27	—	—	—	—	—	—	—	—	25	24	—	1	—	—	—	—	—	—
	F	17	15	—	—	—	—	1	1	—	—	17	16	—	—	—	—	—	—	—	—
29 Suicide .. {	M	7	—	—	—	—	—	3	2	1	1	5	—	—	—	—	—	1	3	1	—
	F	3	—	—	—	—	1	—	—	2	—	1	—	—	—	—	—	—	1	—	—
30 Other deaths from violence.. {	M	15	2	—	—	2	1	5	2	—	3	15	—	—	—	3	2	1	4	2	3
	F	7	2	—	—	—	1	—	—	—	4	9	—	—	—	—	—	1	2	—	6
31 Other defined diseases .. {	M	107	9	—	1	6	2	9	18	20	42	112	6	—	2	3	3	6	12	18	62
	F	130	6	1	2	4	—	11	16	23	67	100	5	1	1	3	1	12	18	17	42
32 Causes ill-defined or unknown .. {	M	2	1	—	—	—	—	—	—	1	—	2	—	1	—	—	—	—	—	1	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of WARWICK—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	764	118	29	13	20	37	77	161	157	152	1070	159	23	21	35	55	119	222	198	238
	F	834	88	24	11	27	23	92	168	156	245	1013	135	34	17	33	52	106	175	186	275
1 Enteric fever ..	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	4	1	1	2	—	—	—	—	—	—	3	1	—	—	2	—	—	—	—	—
	F	2	1	—	—	1	—	—	—	—	—	6	—	2	3	1	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	—	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	6	5	—	1	—	—	—	—	—	—	7	5	2	—	—	—	—	—	—	—
	F	5	2	2	—	1	—	—	—	—	—	10	7	3	—	—	—	—	—	—	—
6 Diphtheria ..	M	2	—	1	1	—	—	—	—	—	—	12	1	1	4	5	—	1	—	—	—
	F	4	—	—	1	3	—	—	—	—	—	8	—	—	—	7	1	—	—	—	—
7 Influenza ..	M	18	1	—	—	—	4	4	5	2	2	14	1	1	—	—	2	—	3	5	2
	F	10	1	—	—	—	—	—	3	1	5	20	—	1	1	1	1	2	3	4	7
8 Encephalitis lethargica ..	M	4	—	1	—	1	—	—	2	—	—	4	—	—	1	—	—	2	1	—	—
	F	3	—	—	—	1	—	1	1	—	—	1	—	—	—	1	—	—	—	—	—
9 Meningococcal meningitis ..	M	1	1	—	—	—	—	—	—	—	—	3	—	—	—	1	—	1	1	—	—
	F	2	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—
10 Tuberculosis of respiratory system	M	50	—	—	—	—	11	20	16	3	—	66	—	—	1	—	20	24	20	1	—
	F	40	3	—	—	2	14	11	10	—	—	61	—	—	—	3	17	30	9	2	—
11 Other tuberculous diseases ..	M	12	4	1	1	—	2	3	1	—	—	19	6	1	3	—	1	4	4	—	—
	F	17	1	3	—	4	3	5	1	—	—	15	5	—	1	2	3	2	1	1	—
12 Cancer, malignant disease ..	M	71	—	—	—	—	—	1	32	24	14	99	—	—	—	—	2	3	32	37	23
	F	122	—	—	—	—	—	9	53	33	27	130	—	1	—	—	1	7	51	45	23
13 Rheumatic fever ..	M	4	—	—	—	1	1	1	—	1	—	5	—	—	—	—	—	2	3	—	—
	F	2	—	—	—	1	—	1	—	—	—	5	—	—	—	—	2	1	2	—	—
14 Diabetes ..	M	6	—	—	—	—	—	1	4	1	—	8	—	—	—	—	1	2	2	3	—
	F	9	—	—	1	—	1	—	2	3	2	12	—	—	—	1	—	2	3	4	—
15 Cerebral hæmorrhage, &c. ..	M	43	—	—	—	—	—	1	9	13	20	72	—	—	—	—	—	3	17	27	23
	F	76	—	—	—	—	—	4	11	20	41	72	—	—	—	—	—	2	13	24	33
16 Heart disease ..	M	95	—	—	1	2	3	8	21	34	26	131	—	—	1	1	4	18	35	40	33
	F	113	—	—	—	1	—	10	28	38	36	128	—	—	—	2	4	11	33	40	33
17 Arterio-sclerosis ..	M	16	—	—	—	—	—	1	1	10	4	26	—	—	—	—	—	—	2	12	13
	F	12	—	—	—	—	—	1	2	2	7	16	—	—	—	—	—	—	1	2	13
18 Bronchitis ..	M	41	5	2	1	—	1	1	6	13	12	66	8	3	—	—	—	1	5	23	23
	F	65	9	5	2	1	—	6	6	9	27	61	6	4	2	—	—	—	6	16	23
19 Pneumonia (all forms) ..	M	53	15	6	2	1	1	7	8	9	4	65	11	2	1	5	4	16	14	6	—
	F	35	4	5	2	3	1	3	5	4	8	64	20	8	2	3	3	8	9	3	—
20 Other respiratory diseases ..	M	12	1	1	—	1	—	—	5	—	4	6	1	—	—	1	—	—	2	2	—
	F	5	—	—	—	—	—	—	—	2	3	10	—	—	1	1	—	—	4	2	—
21 Ulcer of stomach or duodenum ..	M	5	—	—	—	—	—	1	3	1	—	12	—	—	—	—	—	6	5	1	—
	F	2	—	—	—	—	—	—	1	1	—	3	—	—	—	—	—	1	1	—	—
22 Diarrhœa, &c. ..	M	29	19	4	—	—	1	—	1	2	2	36	19	4	4	1	—	1	3	1	—
	F	24	11	1	1	1	—	2	5	1	2	31	23	4	1	—	1	1	—	—	—
23 Appendicitis and typhlitis ..	M	8	—	1	—	3	—	1	3	—	—	13	—	—	—	3	2	2	4	2	—
	F	7	—	—	—	3	—	3	—	1	—	7	—	—	1	2	1	1	2	—	—
24 Cirrhosis of liver ..	M	4	—	—	—	—	—	1	2	1	—	5	—	—	—	—	—	1	2	—	—
	F	4	—	—	—	—	—	—	3	—	1	3	—	—	—	—	—	—	2	1	—
25 Acute and chronic nephritis ..	M	23	—	—	—	1	—	4	7	5	6	19	—	—	—	1	2	—	6	5	—
	F	23	—	—	—	—	—	2	6	11	4	25	—	2	—	—	1	6	4	6	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	—	5	—	—	—	2	—	—	—	—	1	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	—	7	—	—	—	14	—	—	—	—	3	11	—	—	—
28 Congenital debility and malformation, premature birth..	M	44	44	—	—	—	—	—	—	—	—	74	72	1	—	1	—	—	—	—	—
	F	40	38	1	1	—	—	—	—	—	—	57	56	—	—	—	—	1	—	—	—
29 Suicide ..	M	10	—	—	—	—	1	3	5	1	—	14	—	—	—	—	1	2	5	6	—
	F	5	—	—	—	—	1	2	2	—	—	3	—	—	—	—	—	1	2	—	—
30 Other deaths from violence..	M	33	1	1	2	2	8	8	6	2	3	54	3	3	1	6	12	9	12	2	—
	F	14	1	1	1	1	—	2	—	4	4	18	2	—	4	2	3	3	1	—	—
31 Other defined diseases ..	M	165	20	10	2	7	3	11	22	35	55	229	30	4	4	7	4	21	41	24	9
	F	176	16	6	2	4	3	16	27	24	78	226	16	9	1	6	9	14	27	36	10
32 Causes ill-defined or unknown ..	M	3	1	—	—	—	—	—	2	—	—	6	1	1	—	—	—	—	3	1	—
	F	5	—	—	—	—	—	1	2	2	—	3	—	—	—	1	—	1	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of WESTMORLAND—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.											AGGREGATE OF RURAL DISTRICTS.										
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—		
ALL CAUSES .. {	M	189	28	4	4	6	7	13	46	49	32	217	25	4	1	5	6	16	44	55	61		
	F	162	12	—	4	2	6	18	40	44	36	223	21	3	1	2	4	22	48	49	73		
1 Enteric fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—		
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles .. {	M	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough .. {	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6 Diphtheria .. {	M	4	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	1	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—		
7 Influenza .. {	M	1	—	—	—	—	1	—	—	—	—	5	—	—	1	—	—	—	1	3	—		
	F	3	—	—	—	—	1	1	1	—	—	3	—	—	—	—	—	—	1	1	1		
8 Encephalitis lethargica .. {	M	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Meningococcal meningitis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
10 Tuberculosis of respiratory system {	M	5	—	—	—	—	1	2	2	—	—	12	—	—	—	1	4	4	3	—	—		
	F	5	1	—	—	—	1	2	1	—	—	13	—	—	—	—	1	8	3	1	—		
11 Other tuberculous diseases .. {	M	3	—	—	—	1	—	1	1	—	—	2	—	—	—	—	1	—	1	—	—		
	F	3	—	—	1	—	1	1	—	—	—	2	1	—	—	—	—	—	1	—	—		
12 Cancer, malignant disease .. {	M	20	—	—	—	—	—	—	11	8	1	30	—	—	—	—	2	11	5	12	—		
	F	19	—	—	—	—	—	1	6	9	3	27	—	—	—	—	—	7	10	10	—		
13 Rheumatic fever .. {	M	1	—	—	—	—	1	—	—	—	—	2	—	—	—	1	—	—	—	—	1		
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—		
14 Diabetes .. {	M	5	—	—	—	—	—	1	2	2	—	2	—	—	—	—	—	1	1	—	—		
	F	5	—	—	—	—	2	—	1	2	—	4	—	—	—	—	1	3	—	—	—		
15 Cerebral hæmorrhage, &c. .. {	M	12	—	—	—	—	—	—	3	4	5	17	—	—	—	—	—	—	2	10	5		
	F	20	—	—	—	—	—	—	6	7	7	21	—	—	—	—	—	—	5	7	9		
16 Heart disease .. {	M	21	—	—	—	—	1	1	7	10	2	36	—	—	—	—	1	1	8	14	12		
	F	26	—	—	—	1	—	2	8	8	7	36	—	—	—	—	—	3	10	13	10		
17 Arterio-sclerosis .. {	M	9	—	—	—	—	—	—	3	3	3	7	—	—	—	—	—	—	—	4	3		
	F	4	—	—	—	—	—	—	—	2	2	5	—	—	—	—	—	—	2	1	2		
18 Bronchitis .. {	M	18	1	—	—	—	—	—	1	7	9	12	—	1	—	—	—	—	2	4	5		
	F	11	1	—	—	—	—	—	2	2	6	16	1	—	—	—	—	1	—	4	10		
19 Pneumonia (all forms) .. {	M	12	6	—	—	—	—	2	1	1	2	12	6	1	—	—	—	2	3	—	—		
	F	5	1	—	—	—	—	1	—	3	—	16	3	2	1	—	—	3	2	2	3		
20 Other respiratory diseases .. {	M	4	1	1	—	—	—	—	—	1	1	5	—	—	—	—	—	2	—	—	3		
	F	2	—	—	—	—	—	—	—	1	1	3	1	—	—	—	—	—	1	—	1		
21 Ulcer of stomach or duodenum .. {	M	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—		
22 Diarrhœa, &c. .. {	M	—	—	—	—	—	—	—	—	—	—	4	2	—	—	1	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—		
23 Appendicitis and typhlitis.. {	M	4	—	—	1	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	1	3	—	—	—	3	—	—	—	—	2	1	—	—	—		
24 Cirrhosis of liver .. {	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—		
25 Acute and chronic nephritis .. {	M	3	—	—	—	—	—	—	2	1	—	5	—	—	—	—	—	—	1	3	1		
	F	6	—	—	—	—	—	1	4	1	—	4	—	—	—	—	—	—	2	1	1		
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—		
27 Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	—	3	—	—	—	2	—	—	—	—	1	1	—	—	—		
28 Congenital debility and malformation, premature birth.. {	M	12	12	—	—	—	—	—	—	—	—	12	11	1	—	—	—	—	—	—	—		
	F	9	9	—	—	—	—	—	—	—	—	11	11	—	—	—	—	—	—	—	—		
29 Suicide .. {	M	4	—	—	—	—	—	1	1	2	—	3	—	—	—	—	—	1	1	1	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
30 Other deaths from violence.. {	M	4	—	—	—	1	1	1	1	—	—	3	—	—	—	1	—	1	—	—	1		
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—		
31 Other defined diseases .. {	M	39	7	—	1	1	1	2	10	8	9	45	6	—	—	1	—	1	10	10	17		
	F	30	—	—	1	1	—	—	9	9	10	47	2	1	—	1	1	1	7	8	26		
32 Causes ill-defined or unknown .. {	M	2	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
WIGHT, ISLE OF—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All	0—	1—	2—	5—	15—	25—	45—	65—	75—	All	0—	1—	2—	5—	15—	25—	45—	65—	75—
		Ages.										Ages.									
ALL CAUSES ..	M	344	31	2	5	6	14	35	76	74	101	150	18	2	1	6	2	14	29	32	46
	F	381	28	2	4	8	13	39	72	77	138	176	9	2	1	1	9	13	38	41	62
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	2	1	—	—	1	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
	F	3	3	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	1	—	—
6 Diphtheria ..	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—
7 Influenza ..	M	10	—	—	—	1	—	3	1	1	4	2	1	—	—	—	—	—	—	1	—
	F	9	1	1	—	—	—	—	—	3	4	3	—	—	—	—	—	1	—	2	—
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	3	—	—	—	1	1	—	1	—	—	1	—	—	—	1	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	35	—	—	—	—	6	18	10	1	—	4	—	—	—	—	—	3	1	—	—
	F	34	—	—	—	2	7	17	6	1	1	11	—	—	—	—	6	2	2	—	1
11 Other tuberculous diseases ..	M	4	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	1	—	—	2	1	—	—	4	—	—	—	—	1	2	1	—	—
12 Cancer, malignant disease ..	M	33	—	—	—	—	—	1	13	14	5	9	—	—	—	—	—	1	5	2	1
	F	51	—	—	—	—	—	5	21	14	11	28	—	—	—	—	—	3	11	6	8
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	3	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—
14 Diabetes ..	M	3	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	—	2	—	—	1	—	—	—	—	—	—	—	—	1
15 Cerebral hæmorrhage, &c. ..	M	24	—	—	—	—	—	1	8	8	7	10	—	—	—	—	—	—	2	6	2
	F	30	—	—	—	—	—	—	5	10	15	7	—	—	—	—	—	—	1	4	2
16 Heart disease ..	M	47	—	—	—	—	2	3	10	14	18	33	—	—	—	—	—	2	10	7	14
	F	58	—	—	—	—	—	2	12	22	22	35	—	—	—	—	—	1	11	13	10
17 Arterio-sclerosis ..	M	13	—	—	—	—	—	—	1	4	8	6	—	—	—	—	—	—	1	3	2
	F	10	—	—	—	—	—	—	1	1	8	1	—	—	—	—	—	—	—	1	—
18 Bronchitis ..	M	18	1	—	—	1	—	—	1	3	12	9	—	—	—	—	—	—	—	1	8
	F	25	—	—	—	—	—	—	—	6	19	13	1	—	—	—	—	—	—	3	9
19 Pneumonia (all forms) ..	M	17	3	1	2	1	—	2	2	5	1	10	6	—	—	—	—	—	1	2	1
	F	13	1	1	2	1	—	—	4	1	3	7	2	—	—	—	1	—	1	3	—
20 Other respiratory diseases ..	M	1	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—	1	—	—	2
	F	7	—	—	1	—	—	—	2	1	3	1	—	—	—	—	—	—	1	—	—
21 Ulcer of stomach or duodenum ..	M	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—
22 Diarrhœa, &c. ..	M	8	6	—	—	—	1	—	—	—	1	5	3	1	—	—	—	—	—	1	—
	F	7	4	—	—	1	—	—	—	2	—	2	1	1	—	—	—	—	—	—	—
23 Appendicitis and typhlitis..	M	1	—	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	3	—	—	—	—	—	1	1	1	—	2	—	—	—	—	—	—	—	2	—
25 Acute and chronic nephritis ..	M	21	—	—	—	—	1	3	6	4	7	1	—	—	—	—	—	1	—	—	—
	F	11	—	—	—	—	1	—	4	3	3	2	—	—	—	—	—	—	2	—	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Congenital debility and malformation, premature birth..	M	15	14	—	—	—	—	—	1	—	—	7	7	—	—	—	—	—	—	—	—
	F	13	13	—	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—	—
29 Suicide ..	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	3	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
30 Other deaths from violence..	M	9	—	—	—	1	—	2	3	2	1	4	—	—	—	—	1	—	1	1	1
	F	6	—	—	—	—	—	1	—	—	5	5	1	—	—	—	—	2	—	—	2
31 Other defined diseases ..	M	78	4	1	—	—	2	1	18	16	36	31	—	—	1	1	1	2	3	8	15
	F	78	6	—	—	3	1	5	9	11	43	43	—	1	1	1	—	1	4	6	29
32 Causes ill-defined or unknown ..	M	1	—	—	1	—	—	—	—	—	—	3	—	—	—	1	—	1	1	—	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
WILTS—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	664	85	7	8	19	27	70	176	138	134	872	99	14	12	19	32	81	177	190	248
	F	724	72	15	11	20	35	77	142	137	215	816	70	6	8	28	37	80	125	169	293
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	4	1	2	1	—	—	—	—	—	—	6	1	4	—	1	—	—	—	—	—
	F	6	1	3	2	—	—	—	—	—	—	3	—	—	2	1	—	—	—	—	—
4 Scarlet fever ..	M	2	—	—	—	2	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	1	1	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
	F	3	2	—	1	—	—	—	—	—	—	4	4	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	2	—	—	—	2	—	—	—	—	—	5	—	—	1	4	—	—	—	—	—
	F	6	—	—	1	4	—	1	—	—	—	4	—	—	2	2	—	—	—	—	—
7 Influenza ..	M	15	2	—	—	—	—	1	4	6	2	21	—	—	3	1	—	4	4	7	2
	F	13	1	—	—	—	—	2	1	2	7	14	—	—	—	1	—	2	5	3	3
8 Encephalitis lethargica ..	M	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	1	—	—	—	—
9 Meningococcal meningitis ..	M	1	—	—	—	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	46	—	—	—	—	7	27	12	—	—	50	—	—	—	—	14	23	10	2	1
	F	51	—	1	—	2	21	17	10	—	—	47	—	—	—	3	15	19	6	4	—
11 Other tuberculous diseases ..	M	13	1	1	—	2	6	2	1	—	—	7	3	—	—	—	1	3	—	—	—
	F	22	3	2	4	8	3	2	—	—	—	13	1	1	—	4	4	3	—	—	—
12 Cancer, malignant disease ..	M	86	—	—	—	—	—	5	32	36	13	94	—	—	—	1	—	3	33	36	21
	F	65	—	—	—	—	—	2	36	15	12	99	—	—	1	1	—	8	30	30	29
13 Rheumatic fever ..	M	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	—	3	—	—
	F	3	—	—	—	1	1	—	1	—	—	3	—	—	—	1	2	—	—	—	—
14 Diabetes ..	M	4	—	—	—	1	—	1	1	1	—	9	—	1	—	1	—	1	2	4	—
	F	10	—	—	—	—	—	3	3	3	1	14	—	—	—	3	1	1	2	4	3
15 Cerebral hæmorrhage, &c. ..	M	37	—	—	—	—	—	1	12	14	10	63	—	—	—	—	—	1	16	25	21
	F	58	—	—	—	—	—	2	14	17	25	52	—	—	—	—	—	1	6	16	29
16 Heart disease ..	M	75	—	—	—	—	5	6	26	17	21	129	—	—	—	—	2	4	31	41	51
	F	109	1	—	—	—	2	7	27	43	29	137	—	—	—	—	—	6	32	40	59
17 Arterio-sclerosis ..	M	23	—	—	—	—	—	—	4	8	11	42	—	—	—	—	—	—	3	12	27
	F	21	—	—	—	—	—	—	2	4	15	36	—	—	—	—	—	—	1	11	24
18 Bronchitis ..	M	30	1	—	—	1	—	1	6	8	13	39	6	—	—	—	—	1	5	7	20
	F	47	2	1	—	—	—	—	5	9	30	38	3	—	—	—	—	1	1	10	23
19 Pneumonia (all forms) ..	M	27	6	1	1	1	—	5	7	3	3	32	6	3	2	1	—	3	11	4	2
	F	22	3	3	—	1	1	2	5	5	2	31	10	3	1	—	3	5	3	3	3
20 Other respiratory diseases ..	M	12	—	—	1	—	—	1	5	4	1	10	—	—	1	—	—	—	2	4	3
	F	8	—	—	—	—	—	3	—	1	4	9	—	—	—	—	—	2	1	3	3
21 Ulcer of stomach or duodenum ..	M	6	—	—	—	—	—	1	4	—	1	5	—	—	—	—	—	2	2	—	1
	F	4	—	—	—	—	—	—	1	2	1	4	—	—	—	—	—	—	1	2	1
22 Diarrhoea, &c. ..	M	18	14	—	—	—	—	—	1	3	—	17	10	2	—	1	1	—	1	1	1
	F	14	6	—	—	—	—	2	—	3	3	10	4	—	—	—	1	—	1	2	2
23 Appendicitis and typhlitis ..	M	6	—	—	—	—	1	1	2	2	—	9	—	—	1	2	1	2	3	—	—
	F	3	—	—	—	—	2	1	—	—	—	10	—	—	—	1	2	2	4	1	—
24 Cirrhosis of liver ..	M	8	—	—	1	—	—	—	6	1	—	11	—	—	—	—	—	1	6	3	1
	F	4	—	—	1	—	—	—	1	1	1	6	—	—	—	—	—	—	2	2	2
25 Acute and chronic nephritis ..	M	27	—	—	—	—	—	3	12	8	4	21	1	—	—	1	1	2	5	7	4
	F	23	—	—	—	1	—	3	11	4	4	20	—	—	—	—	1	4	4	6	5
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	—	5	—	—	—	—	1	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	—	1	10	—	—	—	7	—	—	—	—	1	6	—	—	—
28 Congenital debility and malformation, premature birth..	M	47	47	—	—	—	—	—	—	—	—	53	50	2	—	1	—	—	—	—	—
	F	46	46	—	—	—	—	—	—	—	—	38	38	—	—	—	—	—	—	—	—
29 Suicide ..	M	2	—	—	—	—	—	1	—	1	—	13	—	—	—	—	2	5	4	1	1
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	—
30 Other deaths from violence..	M	21	—	1	1	3	4	1	6	1	4	27	2	—	1	—	4	9	4	4	3
	F	9	1	—	1	2	—	1	—	2	2	14	—	—	—	4	—	2	1	1	6
31 Other defined diseases ..	M	144	11	2	2	7	4	12	32	23	51	194	19	2	1	4	6	16	28	29	89
	F	160	6	5	1	1	3	17	23	26	78	187	9	2	2	6	5	12	23	27	101
32 Causes ill-defined or unknown ..	M	4	1	—	1	—	—	—	1	1	—	8	—	—	—	—	—	1	4	3	—
	F	2	—	—	—	—	—	—	1	—	1	6	—	—	—	—	—	2	1	3	—

CAUSES OF DEATH at DIFFERENT PERIODS OF LIFE in the ADMINISTRATIVE COUNTY of WORCESTER—1921 (Civilian population only).

CAUSES OF DEATH.	SEX.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	950	159	28	25	38	50	90	238	165	157	781	91	22	22	21	32	72	162	160	199
	F	960	119	19	12	31	54	106	190	195	234	743	61	18	12	24	35	74	139	139	241
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	5	1	1	—	3	—	—	—	—	—	14	2	7	5	—	—	—	—	—	—
	F	3	1	1	—	1	—	—	—	—	—	12	—	6	4	2	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	3	2	1	—	—	—	—	—	—	—	9	3	3	2	1	—	—	—	—	—
	F	5	5	—	—	—	—	—	—	—	—	4	4	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	9	2	2	2	3	—	—	—	—	—	4	—	—	1	2	1	—	—	—	—
	F	4	—	—	1	3	—	—	—	—	—	4	—	—	1	3	—	—	—	—	—
7 Influenza ..	M	15	—	1	1	1	4	1	4	2	1	13	—	—	1	—	1	3	5	1	2
	F	10	1	1	—	—	—	—	4	—	4	14	1	—	—	1	1	1	6	1	3
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	4	—	—	—	1	2	1	—	—	—
9 Meningococcal meningitis ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	63	1	—	—	1	17	24	19	1	—	42	1	—	—	1	7	18	12	3	—
	F	69	1	—	—	2	24	34	5	1	2	50	—	—	—	3	18	19	8	2	—
11 Other tuberculous diseases ..	M	16	—	1	4	6	4	—	1	—	—	12	—	1	1	2	4	3	1	—	—
	F	12	1	—	1	2	2	5	1	—	—	10	1	—	1	3	2	1	2	—	—
12 Cancer, malignant disease ..	M	109	—	—	1	—	—	7	48	39	14	65	—	—	1	—	1	1	18	30	14
	F	110	—	—	—	—	—	10	49	30	21	92	—	—	—	—	2	10	40	19	21
13 Rheumatic fever ..	M	6	—	—	—	1	2	2	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	1	3	—	—	—	1	4	—	—	—	1	—	2	1	—	—
14 Diabetes ..	M	10	—	—	—	1	—	1	4	2	2	9	—	—	—	—	1	1	2	4	1
	F	5	—	—	—	—	—	1	2	2	—	11	—	—	—	2	2	1	2	4	—
15 Cerebral hæmorrhage, &c. ..	M	61	—	—	—	—	—	1	17	26	17	58	—	—	—	—	—	1	11	21	25
	F	74	—	—	—	—	—	—	18	25	31	66	—	—	—	—	—	—	11	23	32
16 Heart disease ..	M	99	—	—	—	2	3	13	36	28	17	106	—	—	—	1	4	12	33	27	29
	F	128	—	—	1	2	1	11	40	40	33	116	—	—	—	—	—	8	22	43	43
17 Arterio-sclerosis ..	M	25	—	—	—	—	—	—	3	3	19	19	—	—	—	—	—	—	3	2	14
	F	40	—	—	—	—	—	—	1	12	27	12	—	—	—	—	—	—	—	2	10
18 Bronchitis ..	M	62	11	3	—	—	—	4	13	14	17	53	7	1	—	1	1	8	17	17	17
	F	66	14	1	—	—	—	—	10	13	28	49	3	—	1	—	—	1	5	13	26
19 Pneumonia (all forms) ..	M	87	21	11	8	3	3	10	21	4	6	60	14	5	6	4	4	6	10	6	5
	F	50	8	9	1	4	—	7	9	8	4	38	5	7	—	1	1	5	7	3	9
20 Other respiratory diseases ..	M	11	—	—	—	—	—	1	4	4	2	10	—	—	—	—	1	2	2	3	2
	F	15	1	—	—	—	1	3	2	6	2	11	—	—	1	2	—	1	3	—	4
21 Ulcer of stomach or duodenum ..	M	9	—	—	—	1	—	3	4	1	—	5	—	—	—	—	—	—	3	1	1
	F	5	—	—	—	—	1	2	—	2	—	2	—	—	—	—	—	1	1	—	—
22 Diarrhœa, &c. ..	M	43	30	—	2	3	—	—	5	2	1	12	7	3	—	1	—	—	1	—	—
	F	28	18	—	2	—	—	1	1	5	1	8	4	—	—	2	—	—	1	1	—
23 Appendicitis and typhlitis ..	M	7	—	—	—	3	2	—	2	—	—	2	—	—	—	1	1	—	—	—	—
	F	13	—	—	—	6	1	4	1	1	—	4	—	—	1	1	—	1	1	—	—
24 Cirrhosis of liver ..	M	4	—	—	—	—	—	—	3	1	—	3	—	—	—	—	—	—	3	—	—
	F	2	—	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	1	1	—
25 Acute and chronic nephritis ..	M	17	—	—	—	3	—	2	6	4	2	22	—	—	—	—	—	5	7	7	3
	F	20	—	—	1	—	—	3	4	8	4	19	—	1	—	—	—	2	7	4	5
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	2	7	—	—	—	4	—	—	—	—	—	4	—	—	—
28 Congenital debility and malformation, premature birth ..	M	68	67	—	—	—	1	—	—	—	—	38	38	—	—	—	—	—	—	—	—
	F	46	46	—	—	—	—	—	—	—	—	32	31	—	1	—	—	—	—	—	—
29 Suicide ..	M	10	—	—	—	—	—	3	6	1	—	10	—	—	—	—	—	6	2	2	2
	F	1	—	—	—	—	—	1	—	—	—	6	—	—	—	—	1	2	1	1	1
30 Other deaths from violence ..	M	25	1	1	3	1	3	4	8	3	1	46	2	1	4	4	5	11	9	6	4
	F	28	3	3	2	4	3	2	6	1	4	17	1	—	—	—	1	3	3	4	5
31 Other defined diseases ..	M	184	23	7	4	5	11	14	32	30	58	162	17	1	1	3	1	4	25	30	80
	F	203	20	4	3	5	15	11	33	40	72	148	10	4	1	2	5	10	17	17	82
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	1	—	—	5	—	—	—	—	—	2	3	—	—
	F	3	—	—	—	—	—	—	3	—	—	3	1	—	1	—	—	—	—	1	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
YORK, EAST RIDING—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	461	61	11	7	7	9	54	109	107	96	625	100	13	17	26	23	54	104	120	168
	F	422	37	8	7	12	11	39	84	91	133	505	65	7	12	17	18	50	96	90	150
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	1	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	5	3	2	—	—	—	—	—	—	—	4	2	1	1	—	—	—	—	—	—
	F	9	4	2	1	1	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	1	—	—	—	—	—	—	6	—	—	2	4	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—
7 Influenza ..	M	9	—	—	—	—	1	—	2	4	2	18	1	—	—	—	3	4	3	3	4
	F	12	—	—	—	—	—	2	4	2	4	9	1	—	—	—	—	1	2	2	3
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	31	—	—	—	1	4	19	7	—	—	27	—	—	—	—	3	19	5	—	—
	F	27	—	—	—	2	3	15	4	2	1	36	—	—	—	6	6	14	9	1	—
11 Other tuberculous diseases ..	M	4	1	1	1	—	1	—	—	—	—	13	2	—	1	6	2	1	1	—	—
	F	8	—	2	1	2	1	2	—	—	—	6	1	1	1	1	1	—	1	—	—
12 Cancer, malignant disease ..	M	52	—	—	—	—	—	1	23	20	8	58	—	—	—	—	—	2	22	21	13
	F	56	—	—	—	—	—	4	23	15	14	64	—	—	—	—	—	4	26	21	13
13 Rheumatic fever ..	M	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	1	1	—
14 Diabetes ..	M	9	—	—	1	—	—	—	3	4	1	5	—	—	—	—	—	3	—	2	—
	F	6	—	—	—	1	—	1	1	1	2	8	—	—	—	—	—	1	4	2	1
15 Cerebral hæmorrhage, &c. ..	M	37	—	—	—	—	—	1	10	16	10	39	—	—	—	—	—	2	5	11	21
	F	33	—	—	—	—	—	1	6	14	12	42	—	—	—	—	—	—	5	13	24
16 Heart disease ..	M	58	—	—	—	1	—	6	19	17	15	78	—	—	—	1	2	3	15	30	27
	F	46	—	1	—	—	2	4	9	14	16	67	—	—	—	2	2	—	16	17	30
17 Arterio-sclerosis ..	M	12	—	—	—	—	—	—	2	2	8	32	—	—	—	—	—	—	2	7	23
	F	17	—	—	—	—	—	—	2	8	7	25	—	—	—	—	—	—	5	6	14
18 Bronchitis ..	M	31	6	1	—	—	—	1	3	8	12	41	12	1	—	—	—	—	1	8	19
	F	23	2	—	—	—	—	—	4	6	11	28	5	2	1	—	1	—	1	2	16
19 Pneumonia (all forms) ..	M	21	2	4	1	1	1	4	4	3	1	33	6	1	4	3	1	3	10	3	2
	F	15	2	2	—	1	—	—	3	6	1	24	5	1	1	—	—	5	3	5	4
20 Other respiratory diseases ...	M	5	—	—	1	—	—	—	3	1	—	2	—	—	—	1	—	—	—	1	—
	F	2	—	—	—	—	—	1	1	—	—	7	—	—	2	—	—	1	1	—	3
21 Ulcer of stomach or duodenum ..	M	3	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1	—
22 Diarrhœa, &c. ..	M	19	13	1	—	—	—	—	2	3	—	15	9	3	—	1	1	—	—	—	1
	F	12	4	1	—	1	—	—	3	1	2	9	2	—	—	2	—	1	1	1	2
23 Appendicitis and typhlitis ..	M	1	—	—	—	—	—	1	—	—	—	6	—	—	—	3	—	3	—	—	—
	F	4	—	—	1	2	1	—	—	—	—	3	—	—	1	—	—	1	1	—	—
24 Cirrhosis of liver ..	M	5	1	—	—	—	—	—	2	1	1	5	—	—	—	—	—	—	4	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	8	—	—	—	—	—	1	2	2	3	17	—	—	1	—	1	2	4	5	4
	F	12	—	—	—	—	—	1	3	6	2	7	—	—	1	—	—	2	2	2	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	—	7	—	—	—	—	2	5	—	—	—
28 Congenital debility and malformation, premature birth..	M	22	22	—	—	—	—	—	—	—	—	50	50	—	—	—	—	—	—	—	—
	F	23	22	—	—	—	1	—	—	—	—	34	32	—	2	—	—	—	—	—	—
29 Suicide ..	M	6	—	—	—	—	1	1	4	—	—	11	—	—	—	—	1	1	5	1	3
	F	3	—	—	—	—	—	—	3	—	—	4	—	—	—	—	—	—	—	—	—
30 Other deaths from violence..	M	12	—	1	1	—	1	5	3	1	—	24	2	—	1	3	2	3	6	5	2
	F	6	—	—	—	—	—	1	1	3	1	5	—	—	1	—	—	1	2	—	1
31 Other defined diseases ..	M	106	13	—	1	4	—	12	17	24	35	131	14	7	7	4	6	5	18	21	49
	F	100	3	—	4	1	2	2	16	12	60	103	18	1	2	3	5	6	13	16	39
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	1	—	—	6	1	—	—	—	—	2	2	1	—
	F	1	—	—	—	—	—	—	—	1	—	2	—	1	—	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of YORK, NORTH RIDING—1921 (Civilian population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..		M	1140	214	46	52	46	53	114	231	207	177	842	113	14	9	25	34	77	178	169	2
		F	1123	193	46	26	45	42	123	203	196	249	815	76	15	12	17	32	95	156	180	2
1	Enteric fever ..	M	3	1	—	—	—	—	1	1	—	—	2	—	—	—	—	—	2	—	—	
		F	4	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	
2	Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles ..	M	19	3	10	3	2	1	—	—	—	—	4	2	2	—	—	—	—	—	—	
		F	15	6	3	3	2	1	—	—	—	—	3	1	1	1	—	—	—	—	—	
4	Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	1	—	—	
		F	4	—	1	—	2	—	—	1	—	—	2	—	1	1	—	—	—	—	—	
5	Whooping cough ..	M	13	7	4	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
		F	28	14	10	3	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
6	Diphtheria ..	M	10	1	1	3	5	—	—	—	—	—	8	—	1	2	5	—	—	—	—	
		F	11	—	1	4	6	—	—	—	—	—	6	1	1	3	1	—	—	—	—	
7	Influenza ..	M	31	4	—	—	1	3	10	4	4	5	23	1	1	—	1	3	5	3	6	
		F	34	—	—	—	1	1	6	9	10	7	19	—	—	1	—	3	3	7	4	
8	Encephalitis lethargica ..	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	
9	Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	2	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	1	—	—	
10	Tuberculosis of respiratory system	M	79	—	—	—	7	18	29	22	3	—	45	—	—	—	1	10	21	13	—	
		F	68	1	—	1	8	15	29	13	1	—	50	1	—	—	1	14	25	9	—	
11	Other tuberculous diseases ..	M	30	3	4	5	10	1	5	2	—	—	10	—	—	—	3	1	3	3	—	
		F	28	—	8	4	1	4	7	3	1	—	14	2	3	—	1	2	3	3	—	
12	Cancer, malignant disease ..	M	86	—	—	—	—	—	5	37	27	17	91	—	—	—	—	1	2	33	35	
		F	112	—	—	—	—	3	7	50	25	27	102	—	—	—	—	8	43	33	—	
13	Rheumatic fever ..	M	4	—	—	—	—	2	—	2	—	—	3	—	—	—	—	3	—	—	—	
		F	2	—	—	1	1	—	—	—	—	—	2	—	—	1	—	1	—	—	—	
14	Diabetes ..	M	15	—	—	—	1	2	—	7	3	2	7	—	—	—	—	3	1	2	2	
		F	13	—	—	—	—	2	4	3	3	1	12	—	—	—	3	1	1	2	2	
15	Cerebral hæmorrhage, &c. ..	M	60	—	—	1	—	—	3	18	24	14	63	—	—	—	—	1	1	14	27	
		F	78	—	—	—	—	—	6	17	26	29	66	—	—	—	—	—	1	14	22	
16	Heart disease ..	M	147	—	—	—	2	3	9	46	49	38	101	—	—	1	—	1	9	25	32	
		F	151	—	—	—	2	1	16	33	50	49	118	—	—	—	—	1	9	26	51	
17	Arterio-sclerosis ..	M	31	—	—	—	—	—	1	2	13	15	27	—	—	—	—	—	—	3	7	
		F	27	—	—	—	—	—	—	3	8	16	22	—	—	—	—	—	—	3	5	
18	Bronchitis ..	M	66	18	2	1	1	—	1	11	14	18	34	6	—	1	—	—	2	4	8	
		F	68	12	3	1	1	—	—	4	17	30	51	7	2	—	—	—	—	6	11	
19	Pneumonia (all forms) ..	M	96	20	12	9	2	11	14	12	10	6	41	9	4	—	4	1	5	9	5	
		F	69	17	7	5	—	4	10	9	10	7	39	6	3	3	2	—	6	5	7	
20	Other respiratory diseases ..	M	13	2	—	2	3	1	1	1	2	1	16	1	1	2	1	—	1	4	4	
		F	10	1	1	—	2	1	1	1	1	2	12	—	—	1	—	—	1	2	2	
21	Ulcer of stomach or duodenum ..	M	5	—	—	—	—	—	1	3	—	1	4	—	—	—	—	—	1	2	1	
		F	1	—	—	—	—	—	—	1	—	—	3	—	—	—	1	1	—	—	1	
22	Diarrhœa, &c. ..	M	36	22	4	2	—	—	1	1	4	2	13	11	—	1	—	—	—	—	—	
		F	39	27	1	—	2	—	1	3	1	4	14	8	—	—	—	—	—	—	2	
23	Appendicitis and typhlitis..	M	8	—	—	1	3	2	1	1	—	—	2	—	—	—	1	—	—	—	—	
		F	2	—	—	—	1	—	1	—	—	—	4	—	—	—	1	2	—	—	1	
24	Cirrhosis of liver ..	M	5	—	—	—	—	—	1	4	—	—	4	—	—	—	—	—	—	—	3	
		F	3	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	
25	Acute and chronic nephritis ..	M	31	—	—	2	1	1	1	11	6	9	26	—	—	—	1	1	1	6	9	
		F	22	—	—	—	—	1	2	9	4	6	17	—	—	—	2	—	5	6	4	
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	1	—	—	—	4	—	—	—	—	1	3	—	—	
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	12	—	—	—	—	4	7	1	—	—	9	—	—	—	—	1	8	—	—	
28	Congenital debility and malformation, premature birth..	M	92	91	—	1	—	—	—	—	—	—	54	53	—	—	—	1	—	—	—	
		F	78	78	—	—	—	—	—	—	—	—	39	37	1	—	—	—	1	—	—	
29	Suicide ..	M	17	—	—	—	—	—	8	7	2	—	14	—	—	—	—	1	3	10	—	
		F	4	—	—	—	—	—	1	3	—	—	3	—	—	—	—	1	2	—	—	
30	Other deaths from violence..	M	36	2	1	4	1	3	6	10	8	1	32	—	1	—	4	4	9	9	3	
		F	23	3	2	1	4	1	3	4	1	4	14	—	—	—	—	3	2	1	3	
31	Other defined diseases ..	M	204	40	8	15	7	5	16	28	37	48	211	28	4	2	3	6	10	34	27	
		F	212	34	8	3	10	2	18	33	37	67	186	13	3	2	4	6	16	25	31	
32	Causes ill-defined or unknown ..	M	2	—	—	—	—	—	—	1	1	—	4	1	—	—	—	—	1	2	—	
		F	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
YORK, WEST RIDING—1921 (Civilian population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..		M	7406	1473	293	194	264	342	845	1768	1350	877	2517	547	108	104	105	96	247	493	434	383
		F	7027	1015	262	217	232	333	823	1598	1321	1226	2153	396	94	78	74	91	284	415	339	382
1	Enteric fever ..	M	51	—	1	1	8	13	14	14	—	—	6	—	—	—	4	1	—	1	—	—
		F	27	—	—	—	3	13	8	3	—	—	3	—	—	—	—	2	1	—	—	
2	Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles ..	M	12	3	3	5	1	—	—	—	—	—	2	—	1	1	—	—	—	—	—	
		F	16	2	3	7	4	—	—	—	—	—	4	1	2	—	1	—	—	—	—	
4	Scarlet fever ..	M	12	—	1	3	7	1	—	—	—	—	5	—	—	2	3	—	—	—	—	
		F	13	—	1	4	5	1	2	—	—	—	5	1	—	1	2	—	1	—	—	
5	Whooping cough ..	M	106	58	42	5	1	—	—	—	—	—	47	28	7	12	—	—	—	—	—	
		F	120	56	30	30	4	—	—	—	—	—	40	18	13	9	—	—	—	—	—	
6	Diphtheria ..	M	50	1	8	15	24	1	—	1	—	—	20	—	2	6	12	—	—	—	—	
		F	53	—	4	21	25	2	—	1	—	—	15	—	—	7	7	1	—	—	—	
7	Influenza ..	M	174	14	9	6	15	15	36	37	28	14	86	11	7	6	4	6	11	20	13	
		F	175	12	5	6	11	12	35	44	31	19	76	2	7	3	7	7	22	14	10	
8	Encephalitis lethargica ..	M	6	—	—	1	2	1	—	2	—	—	3	—	—	—	1	—	—	2	—	
		F	13	—	1	1	5	2	2	1	1	—	4	—	—	1	—	—	2	1	—	
9	Meningococcal meningitis ..	M	6	2	—	2	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
		F	5	1	—	—	2	2	—	—	—	—	2	—	1	1	—	—	—	—	—	
10	Tuberculosis of respiratory system	M	489	3	6	3	11	96	203	145	20	2	124	—	3	—	3	21	60	33	3	
		F	408	8	1	2	33	118	159	75	12	—	108	—	2	2	9	26	45	21	3	
11	Other tuberculous diseases ..	M	180	31	17	26	40	21	19	20	5	1	49	8	6	8	11	4	3	5	1	
		F	149	14	19	23	27	22	26	15	2	1	59	9	8	11	12	5	10	4	—	
12	Cancer, malignant disease ..	M	544	—	—	—	4	34	247	195	64	186	1	1	—	1	3	10	89	54	27	
		F	741	—	—	—	1	3	91	335	211	100	213	—	—	—	—	4	16	107	58	
13	Rheumatic fever ..	M	34	—	—	—	4	9	12	7	2	—	9	—	—	—	1	2	2	1	2	
		F	24	—	—	—	7	8	3	5	1	—	14	—	—	—	3	4	2	4	1	
14	Diabetes ..	M	89	—	—	—	4	8	17	39	18	3	28	—	—	—	1	3	7	8	8	
		F	78	—	—	—	3	2	14	25	24	10	27	—	—	—	1	2	8	10	4	
15	Cerebral hæmorrhage, &c. ..	M	405	1	—	—	2	3	11	134	162	92	139	—	—	—	—	—	5	34	66	
		F	517	—	—	—	—	—	18	185	176	138	150	—	—	—	—	—	2	40	55	
16	Heart disease ..	M	741	—	—	2	13	23	97	264	234	108	259	—	—	—	4	11	32	73	78	
		F	919	—	—	—	15	24	97	305	269	209	252	—	—	—	5	4	27	79	86	
17	Arterio-sclerosis ..	M	260	—	—	—	—	—	2	52	126	80	60	—	—	—	—	—	—	10	29	
		F	152	—	—	—	—	—	1	23	55	73	36	—	—	—	—	—	—	4	14	
18	Bronchitis ..	M	545	111	15	11	2	1	15	107	150	133	215	64	8	7	3	2	—	28	53	
		F	526	69	24	5	5	1	7	88	160	167	132	32	8	4	—	—	2	14	27	
19	Pneumonia (all forms) ..	M	749	208	119	54	20	37	88	135	63	25	258	65	43	26	13	5	28	43	20	
		F	566	150	102	62	23	22	57	71	61	18	173	50	30	21	4	8	24	14	13	
20	Other respiratory diseases ..	M	67	5	4	9	2	2	4	22	13	6	33	3	—	5	3	—	6	8	7	
		F	54	4	2	5	7	1	7	6	12	10	15	1	1	2	1	—	2	1	4	
21	Ulcer of stomach or duodenum ..	M	49	—	—	—	—	2	19	22	6	—	15	—	—	—	—	—	6	8	1	
		F	27	—	—	—	1	—	10	11	5	—	2	—	—	—	—	1	—	—	1	
22	Diarrhoea, &c. ..	M	296	231	21	12	3	2	3	7	7	10	117	80	13	5	4	—	—	2	2	
		F	249	141	36	8	5	3	7	18	18	13	71	50	8	1	1	1	3	1	—	
23	Appendicitis and typhilitis..	M	43	—	—	1	15	7	13	4	2	1	6	—	—	—	—	3	2	—	1	
		F	34	—	—	3	3	14	8	4	2	—	7	—	—	—	1	—	3	1	2	
24	Cirrhosis of liver ..	M	41	1	—	—	—	1	4	24	7	4	11	—	—	—	—	1	—	4	5	
		F	10	—	—	—	1	—	2	3	3	1	1	—	—	—	—	—	—	1	—	
25	Acute and chronic nephritis ..	M	232	—	1	1	8	7	24	116	59	16	65	—	—	1	3	4	5	27	18	
		F	221	—	—	—	4	10	36	96	47	28	47	—	—	—	—	1	11	22	3	
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	27	—	—	—	—	8	19	—	—	—	20	—	—	—	—	3	17	—	—	
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	96	—	—	—	—	16	77	3	—	—	35	—	—	—	—	7	26	2	—	
28	Congenital debility and malformation, premature birth..	M	560	556	1	—	2	—	1	—	—	—	200	197	1	2	—	—	—	—	—	
		F	392	383	2	3	1	2	—	1	—	—	169	165	1	—	1	—	1	1	—	
29	Suicide ..	M	88	—	—	—	1	4	16	49	12	6	22	—	—	—	—	1	6	9	3	
		F	40	—	—	—	—	7	13	18	2	—	9	—	—	—	—	1	5	3	—	
30	Other deaths from violence..	M	305	11	11	15	34	47	72	76	24	15	125	6	6	10	9	13	37	30	9	
		F	103	6	9	13	10	8	14	14	13	16	42	3	2	9	6	2	5	3	1	
1	Other defined diseases ..	M	1242	235	32	22	41	37	138	231	209	297	416	82	10	12	25	16	25	54	60	
		F	1252	169	21	23	26	31	106	242	211	423	418	64	9	6	13	12	49	67	56	
2	Causes ill-defined or unknown ..	M	30	2	2	—	2	—	3	13	8	—	10	1	—	1	—	—	2	4	1	
		F	20	—	2	1	1	1	4	6	5	—	4	—	2	—	—	—	—	1	1	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of ANGLESEY—1921 (Civilian population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.										
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	
ALL CAUSES ..		{	M	127	22	5	1	5	5	14	29	29	17	211	26	6	1	8	8	20	47	48	47
			F	126	16	3	2	5	6	18	26	31	19	249	16	6	8	7	8	30	46	52	76
1	Enteric fever ..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	Small-pox ..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles ..	{	M	1	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	
4	Scarlet fever ..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
5	Whooping cough ..	{	M	6	4	1	—	1	—	—	—	—	—	3	2	1	—	—	—	—	—	—	
			F	5	3	1	—	1	—	—	—	—	—	6	2	1	3	—	—	—	—	—	
6	Diphtheria ..	{	M	1	—	—	—	1	—	—	—	—	—	2	—	—	—	1	—	1	—	—	
			F	1	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	
7	Influenza ..	{	M	3	—	—	—	—	—	—	2	1	—	8	1	1	—	—	—	2	2	—	
			F	1	—	—	—	—	—	—	—	1	—	12	—	—	—	1	2	—	3	—	
8	Encephalitis lethargica ..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9	Meningococcal meningitis ..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10	Tuberculosis of respiratory system	{	M	5	—	—	—	—	1	2	2	—	—	14	—	—	—	1	4	6	3	—	
			F	11	—	2	—	—	1	4	3	1	—	24	—	—	—	5	5	6	7	1	
11	Other tuberculous diseases ..	{	M	3	—	1	—	1	—	1	—	—	—	5	1	—	—	1	—	2	—	—	
			F	6	—	—	1	—	2	2	1	—	—	3	—	—	1	1	—	—	1	—	
12	Cancer, malignant disease ..	{	M	11	—	—	—	—	—	1	4	5	1	25	—	—	—	—	2	10	7	—	
			F	17	—	—	—	—	—	4	5	4	4	26	—	—	—	—	1	11	11	—	
13	Rheumatic fever ..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
14	Diabetes ..	{	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	
			F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	
15	Cerebral hæmorrhage, &c. ..	{	M	9	—	—	—	—	—	1	3	3	2	23	—	—	—	—	—	2	13	—	
			F	10	—	—	—	—	—	—	3	5	2	27	—	—	—	—	1	6	10	1	
16	Heart disease ..	{	M	20	—	—	—	1	1	2	4	8	4	35	—	—	—	—	2	12	10	1	
			F	13	—	—	—	—	1	—	4	7	1	49	—	—	—	—	3	11	14	2	
17	Arterio-sclerosis ..	{	M	4	—	—	—	—	—	—	1	2	1	7	—	—	—	—	—	1	3	—	
			F	3	—	—	—	—	—	—	—	1	2	3	—	—	—	—	—	—	—	—	
18	Bronchitis ..	{	M	1	1	—	—	—	—	—	—	—	—	9	3	—	—	1	—	—	1	—	
			F	10	2	—	—	—	—	—	1	2	5	5	—	—	—	—	—	—	—	3	
19	Pneumonia (all forms) ..	{	M	7	2	1	—	—	—	—	1	3	—	6	2	2	—	—	—	1	—	—	
			F	7	—	—	—	1	1	—	1	3	—	6	—	3	1	—	—	—	1	—	
20	Other respiratory diseases ..	{	M	4	—	—	—	—	—	2	1	1	—	4	—	1	—	—	—	1	1	—	
			F	1	—	—	—	—	—	—	—	—	1	4	—	—	1	1	—	—	2	—	
21	Ulcer of stomach or duodenum ..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	
22	Diarrhœa, &c. ..	{	M	2	—	1	1	—	—	—	—	—	—	5	4	—	—	1	—	—	—	—	
			F	3	2	—	—	—	—	—	1	—	—	5	1	1	—	—	2	—	—	—	
23	Appendicitis and typhlitis..	{	M	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
24	Cirrhosis of liver ..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
25	Acute and chronic nephritis ..	{	M	8	—	—	—	—	—	2	5	1	—	4	—	—	—	2	—	—	1	—	
			F	3	—	—	—	1	—	—	1	1	—	8	—	—	—	—	1	3	—	—	
26	Puerperal sepsis ..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	
27	Other accidents and diseases of pregnancy and parturition.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	6	—	—	—	1	5	—	—	—	
28	Congenital debility and malformation, premature birth..	{	M	10	10	—	—	—	—	—	—	—	—	10	10	—	—	—	—	—	—	—	
			F	4	4	—	—	—	—	—	—	—	—	7	7	—	—	—	—	—	—	—	
29	Suicide ..	{	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
30	Other deaths from violence..	{	M	3	—	—	—	—	1	—	2	—	—	6	—	—	—	—	1	2	1	1	
			F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	
31	Other defined diseases ..	{	M	21	3	—	—	1	—	3	2	5	7	39	3	1	1	1	1	5	9	10	
			F	24	5	—	1	1	1	1	6	5	4	47	5	1	—	—	—	6	6	6	
32	Causes ill-defined or unknown ..	{	M	6	1	1	—	—	—	—	2	—	2	1	—	—	—	—	—	—	1	—	
			F	2	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
BRECON—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	119	22	4	4	2	5	13	26	28	15	309	57	14	7	9	16	37	63	47	59
	F	120	10	1	3	4	6	18	27	20	31	255	28	6	6	8	13	39	55	38	62
1 Enteric fever ..	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	2	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	2	—	1	1	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
6 Diphtheria ..	M	2	—	—	1	1	—	—	—	—	—	5	1	1	2	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
7 Influenza ..	M	2	—	—	—	—	—	1	1	—	—	5	—	—	—	1	1	—	2	1	—
	F	1	—	—	—	—	—	—	—	1	—	4	—	—	—	—	1	1	—	—	2
8 Encephalitis lethargica ..	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	7	—	1	1	—	1	2	2	—	—	19	1	—	—	1	3	11	3	—	—
	F	10	—	—	—	2	3	3	1	—	1	17	—	—	—	—	7	7	2	1	—
11 Other tuberculous diseases ..	M	2	—	—	—	—	1	1	—	—	—	5	1	1	—	—	1	1	1	—	—
	F	4	—	—	—	—	—	2	—	2	—	9	—	—	1	3	1	3	1	—	—
12 Cancer, malignant disease ..	M	11	—	—	—	—	—	2	2	5	2	22	—	—	—	—	—	4	7	7	4
	F	10	—	—	—	—	—	—	8	2	—	22	—	—	—	—	—	2	12	4	4
13 Rheumatic fever ..	M	1	—	—	—	—	1	—	—	—	—	3	—	—	1	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes ..	M	1	—	—	—	—	1	—	—	—	—	4	—	—	—	—	—	1	2	—	1
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	2	1	—
15 Cerebral hæmorrhage, &c. ..	M	3	—	—	—	—	—	—	—	1	2	16	—	—	—	—	—	—	5	5	6
	F	10	—	—	—	—	—	—	4	4	2	26	—	—	—	—	—	1	8	9	8
16 Heart disease ..	M	11	—	—	—	—	1	—	3	5	2	32	—	—	—	—	2	2	10	10	8
	F	15	—	—	—	—	1	2	4	4	4	41	—	—	—	—	—	2	14	13	12
17 Arterio-sclerosis ..	M	1	—	—	—	—	—	—	—	1	—	9	—	—	—	—	—	—	4	4	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18 Bronchitis ..	M	20	6	1	—	—	—	—	6	5	2	18	3	—	—	—	—	1	2	5	7
	F	14	—	—	—	—	—	1	1	4	8	16	5	1	—	—	1	—	1	4	4
19 Pneumonia (all forms) ..	M	4	—	—	—	—	—	1	2	—	1	31	8	7	1	—	—	5	5	2	3
	F	3	1	—	—	—	—	—	1	—	1	10	3	1	1	—	1	1	3	—	—
20 Other respiratory diseases ..	M	—	—	—	—	—	—	—	—	—	—	6	—	—	1	—	—	—	2	1	2
	F	1	—	—	—	—	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—
21 Ulcer of stomach or duodenum ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	2	—	—
22 Diarrhoea, &c. ..	M	5	2	2	1	—	—	—	—	—	—	11	5	1	—	1	—	—	—	—	4
	F	2	1	—	1	—	—	—	—	—	—	9	3	—	1	—	—	—	2	1	2
23 Appendicitis and typhlitis ..	M	2	—	—	—	1	—	—	—	1	—	5	—	—	—	1	3	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	2	—	—	—
24 Cirrhosis of liver ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	7	—	—	—	—	—	—	5	2	—	5	—	—	—	—	—	2	1	3	—
	F	2	—	—	—	—	—	—	2	—	—	7	2	—	—	—	—	3	1	1	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	2	—	—	—	—	1	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	9	—	—	—	—	—	9	—	—	—
28 Congenital debility and malformation, pre-mature birth..	M	11	11	—	—	—	—	—	—	—	—	26	25	1	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	7	7	—	—	—	—	—	—	—	—
29 Suicide ..	M	2	—	—	—	—	—	1	—	1	—	9	—	—	—	—	1	3	3	2	—
	F	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence..	M	—	—	—	—	—	—	—	—	—	—	9	—	—	—	1	3	2	2	1	—
	F	3	—	—	1	—	—	—	—	—	2	3	—	1	—	—	—	1	—	—	1
31 Other defined diseases ..	M	22	3	—	—	—	—	3	4	6	6	61	12	3	2	2	1	3	10	5	23
	F	31	7	—	—	1	1	2	5	3	12	57	7	2	—	2	1	5	7	4	29
32 Causes ill-defined or unknown ..	M	2	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
CARDIGAN—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	104	9	2	4	1	4	11	21	24	28	276	23	1	5	9	12	25	58	63	80
	F	141	7	3	1	2	4	19	33	29	43	356	22	1	1	8	13	31	69	75	136
1 Enteric fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
5 Whooping cough .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
6 Diphtheria .. {	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	2	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—
7 Influenza .. {	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	2	—
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	—	2	—	—	—
8 Encephalitis lethargica .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system {	M	9	—	—	1	—	1	3	3	1	—	27	—	—	—	—	6	10	9	2	—
	F	16	—	—	—	1	1	7	6	1	—	25	—	—	—	—	3	9	11	1	—
11 Other tuberculous diseases .. {	M	2	—	1	—	—	—	1	—	—	—	11	—	—	2	5	—	4	—	—	—
	F	4	—	—	—	1	2	—	—	—	1	5	—	—	—	1	2	1	—	—	—
12 Cancer, malignant disease .. {	M	10	—	—	—	—	—	—	1	5	4	22	—	—	—	—	—	5	12	—	—
	F	20	—	—	—	—	—	1	10	5	4	35	—	—	—	—	2	15	9	—	—
13 Rheumatic fever .. {	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
14 Diabetes .. {	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	1	—	—
	F	2	—	—	—	—	—	—	1	1	—	2	—	—	—	—	1	—	—	1	—
15 Cerebral hæmorrhage, &c. .. {	M	5	—	—	—	—	—	—	—	1	4	19	—	—	—	—	1	3	4	—	—
	F	10	—	—	—	—	—	—	1	4	5	29	—	—	—	—	1	4	8	1	—
16 Heart disease .. {	M	13	—	—	—	—	—	3	4	5	1	51	—	—	—	—	1	2	9	15	2
	F	23	—	—	—	—	1	1	4	6	11	79	—	—	—	—	3	1	12	30	3
17 Arterio-sclerosis .. {	M	6	—	—	—	—	—	—	2	1	3	6	—	—	—	—	—	1	3	—	—
	F	1	—	—	—	—	—	—	—	—	1	10	—	—	—	—	1	—	2	—	—
18 Bronchitis .. {	M	8	1	—	1	—	—	—	1	3	2	10	2	—	—	—	—	1	3	—	—
	F	6	1	—	—	—	—	—	2	2	1	22	1	—	—	1	—	1	6	1	—
19 Pneumonia (all forms) .. {	M	6	—	1	1	1	—	—	1	1	1	18	2	1	—	—	2	3	6	—	—
	F	6	2	1	—	—	—	—	2	1	—	12	3	—	—	—	1	2	5	—	—
20 Other respiratory diseases .. {	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	4	—	—	—	2	—	2	1	—	—
21 Ulcer of stomach or duodenum .. {	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	2	2	—	—	—
22 Diarrhœa, &c. .. {	M	3	2	—	1	—	—	—	—	—	—	6	2	—	—	—	2	1	1	—	—
	F	3	—	—	1	—	—	1	—	—	1	7	3	—	—	—	—	1	1	—	—
23 Appendicitis and typhlitis .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	1	—	—	—
24 Cirrhosis of liver .. {	M	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis .. {	M	5	—	—	—	—	—	—	3	2	—	13	—	—	—	—	—	4	2	—	—
	F	7	—	—	—	—	—	—	4	1	2	17	—	—	—	—	3	3	6	—	—
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	1	1	—	—	—
28 Congenital debility and malformation, premature birth.. {	M	6	6	—	—	—	—	—	—	—	—	9	8	—	—	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—	5	5	—	—	—	—	—	—	—	—
29 Suicide .. {	M	1	—	—	—	—	—	1	—	—	—	7	—	—	—	—	1	2	2	1	—
	F	2	—	—	—	—	—	1	1	—	—	2	—	—	—	—	1	1	—	—	—
30 Other deaths from violence.. {	M	4	—	—	—	—	1	—	1	1	1	9	—	—	2	1	—	1	5	—	—
	F	3	—	—	—	—	—	1	—	2	—	7	—	1	1	1	—	2	—	—	—
31 Other defined diseases .. {	M	21	—	—	—	—	2	2	1	4	12	52	9	—	—	2	—	1	12	9	1
	F	29	2	—	—	—	—	2	2	6	17	75	8	—	—	3	2	4	10	5	4
32 Causes ill-defined or unknown .. {	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
CARMARTHEN—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	451	87	15	11	12	18	66	105	88	49	691	140	14	25	19	42	76	130	137	108
	F	418	75	7	6	13	32	54	85	78	68	696	89	18	18	28	43	81	128	112	179
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	2	—	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	4	—	1	1	2	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—	—
5 Whooping cough ..	M	4	2	2	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
	F	5	3	—	2	—	—	—	—	—	—	3	1	2	—	—	—	—	—	—	—
6 Diphtheria ..	M	3	—	—	3	—	—	—	—	—	—	12	1	1	9	1	—	—	—	—	—
	F	6	—	—	2	3	—	—	1	—	—	14	—	—	6	7	—	1	—	—	—
7 Influenza ..	M	4	—	—	—	—	—	1	2	1	—	11	—	—	—	—	3	2	3	2	1
	F	2	—	—	—	—	—	1	—	1	—	21	—	—	—	2	1	1	4	6	7
8 Encephalitis lethargica ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	43	—	—	—	—	6	24	12	1	—	59	—	—	—	—	17	26	15	—	1
	F	49	2	—	—	—	15	23	7	2	—	64	—	—	—	4	15	25	14	2	4
11 Other tuberculous diseases ..	M	10	—	—	1	3	5	1	—	—	—	14	2	2	2	3	1	2	1	1	—
	F	8	1	1	—	1	4	1	—	—	—	14	2	1	1	—	3	2	4	1	—
12 Cancer, malignant disease ..	M	30	—	—	—	—	—	2	15	11	2	49	—	—	—	—	—	5	19	21	4
	F	29	—	—	—	—	—	5	10	8	6	47	—	—	—	1	1	4	17	14	10
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	3	2	2	1	—	—	4	—	—	—	2	—	1	1	—	—
14 Diabetes ..	M	4	—	—	—	1	—	1	1	1	—	5	—	—	—	—	—	1	2	2	—
	F	3	—	—	—	—	—	—	2	1	—	10	—	—	—	—	1	2	4	2	1
15 Cerebral hæmorrhage, &c. ..	M	34	—	—	1	—	—	7	17	9	32	32	—	—	—	—	—	1	11	13	7
	F	28	—	—	—	—	—	1	12	11	4	51	—	—	—	—	1	2	15	14	19
16 Heart disease ..	M	62	—	—	—	2	2	5	21	21	11	69	—	—	—	1	—	6	15	30	17
	F	64	—	—	—	1	4	5	16	24	14	103	—	—	1	4	4	8	24	32	30
17 Arterio-sclerosis ..	M	8	—	—	—	—	—	—	—	4	4	14	—	—	—	—	—	—	2	5	7
	F	1	—	—	—	—	—	—	—	—	1	6	—	—	—	—	—	—	2	1	3
18 Bronchitis ..	M	18	4	1	—	—	—	—	3	8	2	53	10	—	2	—	—	1	9	14	17
	F	28	4	1	—	—	—	—	5	8	10	53	5	1	1	—	—	—	3	9	34
19 Pneumonia (all forms) ..	M	29	5	4	1	1	—	7	6	4	1	61	15	3	4	3	1	5	12	12	6
	F	20	10	1	1	1	1	—	3	1	2	36	6	7	3	—	1	2	4	6	7
20 Other respiratory diseases ..	M	4	1	—	—	1	—	1	—	—	1	16	2	2	—	1	1	2	3	4	1
	F	5	—	—	—	—	1	—	1	3	—	5	—	1	1	—	—	1	1	—	1
21 Ulcer of stomach or duodenum ..	M	2	—	—	—	—	—	1	—	1	—	2	—	—	—	—	1	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	1	2	—
22 Diarrhœa, &c. ..	M	19	17	2	—	—	—	—	—	—	—	21	15	1	—	—	1	—	—	3	1
	F	23	18	1	—	—	1	—	1	—	2	17	7	1	1	—	—	1	1	1	5
23 Appendicitis and typhlitis ..	M	4	—	—	1	—	1	1	—	—	—	3	—	—	—	1	1	—	1	—	—
	F	2	—	—	—	—	2	—	—	—	—	5	—	—	—	2	1	—	—	1	—
24 Cirrhosis of liver ..	M	3	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	13	—	—	—	—	—	—	10	3	—	27	—	—	1	—	2	3	4	9	8
	F	14	—	—	1	1	—	2	6	3	1	34	1	—	—	—	2	2	11	8	10
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	6	—	—	—	—	1	5	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	1	8	—	—	—	15	—	—	—	—	2	13	—	—	—
28 Congenital debility and malformation, premature birth..	M	24	23	—	1	—	—	—	—	—	—	51	51	—	—	—	—	—	—	—	—
	F	11	11	—	—	—	—	—	—	—	—	31	28	2	—	—	—	1	—	—	—
29 Suicide ..	M	2	—	—	—	—	—	—	2	—	—	9	—	—	—	—	2	1	4	2	—
	F	4	—	—	—	—	—	3	1	—	—	1	—	—	—	—	—	—	1	—	—
30 Other deaths from violence..	M	20	1	—	2	2	2	7	5	—	1	34	1	—	2	5	4	10	8	2	2
	F	9	3	—	—	2	—	—	1	—	3	6	2	1	1	—	2	—	—	—	—
31 Other defined diseases ..	M	101	33	4	1	1	2	13	14	15	18	136	41	3	4	2	7	9	20	15	35
	F	83	23	3	—	1	1	2	13	15	25	135	34	2	3	5	7	6	17	13	48
32 Causes ill-defined or unknown ..	M	6	—	—	—	—	—	2	4	—	—	4	—	—	—	—	—	1	—	2	1
	F	5	—	—	—	—	—	—	4	1	—	7	3	—	—	—	—	—	4	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of CARNARVON—1921 (Civilian population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF URBAN DISTRICTS										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {		M	391	44	6	10	12	17	39	84	101	78	493	60	8	8	17	13	52	130	104	101
		F	402	37	7	5	12	8	46	91	79	117	485	40	7	5	11	29	43	124	98	128
1 Enteric fever .. {		M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
2 Small-pox .. {		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles .. {		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4 Scarlet fever .. {		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5 Whooping cough .. {		M	6	5	1	—	—	—	—	—	—	—	12	10	1	1	—	—	—	—	—	
		F	5	4	—	1	—	—	—	—	—	—	8	7	1	—	—	—	—	—	—	
6 Diphtheria .. {		M	7	—	1	1	5	—	—	—	—	—	7	—	1	1	5	—	—	—	—	
		F	4	—	1	1	2	—	—	—	—	—	5	—	—	1	4	—	—	—	—	
7 Influenza .. {		M	5	—	—	—	—	—	2	3	—	—	7	—	—	—	—	—	4	2	1	
		F	3	—	—	—	—	—	—	2	1	—	6	—	—	—	—	2	2	1	1	
8 Encephalitis lethargica .. {		M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	
		F	3	—	—	—	1	—	1	1	—	—	1	—	—	—	1	—	—	—	—	
9 Meningococcal meningitis .. {		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10 Tuberculosis of respiratory system {		M	32	—	1	—	—	5	14	9	3	—	47	—	—	—	4	17	21	5	—	
		F	21	—	1	—	1	2	13	4	—	—	43	—	—	3	12	17	10	1	—	
11 Other tuberculous diseases .. {		M	7	1	—	—	1	4	—	1	—	—	11	—	1	1	4	1	4	—	—	
		F	8	—	1	—	—	1	4	1	1	—	15	3	1	—	3	4	2	2	—	
12 Cancer, malignant disease .. {		M	38	—	—	—	—	—	2	14	19	3	43	—	—	—	—	2	21	13	7	
		F	59	—	—	—	—	—	5	31	16	7	72	—	—	—	—	4	32	23	13	
13 Rheumatic fever .. {		M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	
14 Diabetes .. {		M	3	—	—	—	—	—	1	—	2	—	3	—	—	—	—	2	1	—	—	
		F	4	—	—	—	—	—	2	1	1	—	4	—	—	—	—	1	3	—	—	
15 Cerebral hæmorrhage, &c. .. {		M	42	—	—	—	—	—	—	4	14	24	24	—	—	—	—	1	5	8	10	
		F	36	—	—	—	—	—	1	8	12	15	48	—	—	—	—	—	12	15	21	
16 Heart disease .. {		M	48	—	—	—	2	3	1	16	19	7	71	—	—	—	1	2	8	29	20	
		F	59	—	—	—	3	2	7	11	18	18	67	—	—	—	4	—	24	18	21	
17 Arterio-sclerosis .. {		M	18	—	—	—	—	—	—	1	7	10	16	—	—	—	—	—	—	7	9	
		F	11	—	—	—	—	—	—	2	6	3	10	—	—	—	—	—	3	3	4	
18 Bronchitis .. {		M	20	2	1	2	—	—	1	1	6	7	25	4	1	—	—	—	1	5	8	
		F	27	1	1	—	—	—	—	4	6	15	15	1	—	—	—	—	1	3	10	
19 Pneumonia (all forms) .. {		M	25	8	1	1	—	—	1	3	10	1	30	8	1	1	—	3	9	5	3	
		F	15	3	1	2	—	—	1	2	2	4	16	5	4	—	1	—	2	3	1	
20 Other respiratory diseases .. {		M	10	—	—	2	1	1	—	3	2	1	11	—	—	1	—	2	2	2	4	
		F	6	—	—	—	—	—	2	1	1	2	8	—	—	2	—	1	2	2	2	
21 Ulcer of stomach or duodenum .. {		M	2	—	—	—	—	—	1	1	—	—	3	—	—	—	—	—	2	1	—	
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
22 Diarrhoea, &c. .. {		M	8	5	—	1	—	—	1	—	1	—	11	4	—	—	1	—	1	2	3	
		F	10	2	—	—	—	1	—	4	2	1	9	5	—	—	—	1	1	1	1	
23 Appendicitis and typhlitis.. {		M	3	—	—	—	1	—	1	—	1	—	2	—	—	—	1	—	1	—	—	
		F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	
24 Cirrhosis of liver .. {		M	4	—	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	
		F	2	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	
25 Acute and chronic nephritis .. {		M	15	—	—	—	—	—	2	5	5	3	19	—	—	—	2	1	3	7	6	
		F	13	—	—	—	—	—	1	3	6	3	28	—	—	—	—	7	8	6	7	
26 Puerperal sepsis .. {		M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
27 Other accidents and diseases of pregnancy and parturition. {		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	2	—	—	—	—	—	2	—	—	—	5	—	—	—	3	2	—	—	—	
28 Congenital debility and malformation, premature birth.. {		M	16	16	—	—	—	—	—	—	—	—	13	13	—	—	—	—	—	—	—	
		F	13	13	—	—	—	—	—	—	—	—	7	7	—	—	—	—	—	—	—	
29 Suicide .. {		M	3	—	—	—	—	—	1	1	—	1	4	—	—	—	—	2	2	—	—	
		F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	
30 Other deaths from violence.. {		M	12	—	—	—	2	1	3	5	—	1	20	1	1	—	3	2	7	4	2	
		F	6	2	—	—	—	—	1	1	—	2	7	—	—	1	—	—	2	2	2	
31 Other defined diseases .. {		M	63	7	1	2	—	3	6	13	11	20	110	20	2	2	2	2	6	16	20	
		F	89	12	2	—	4	1	5	13	6	46	103	12	1	1	—	1	6	18	19	
32 Causes ill-defined or unknown .. {		M	2	—	—	1	—	—	—	1	—	—	3	—	—	1	—	—	—	1	1	
		F	1	—	—	—	—	—	—	—	1	—	3	—	—	—	—	—	2	1	—	

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
DENBIGH—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	325	43	10	6	12	10	41	76	66	61	643	101	21	12	28	31	66	162	114	108
	F	308	26	8	5	8	12	27	77	63	82	585	97	8	20	19	24	61	126	110	120
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	1	1	—	—	—	—	—	—	—	—	11	7	1	3	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	7	5	—	2	—	—	—	—	—	—
6 Diphtheria ..	M	3	—	—	—	3	—	—	—	—	—	19	1	—	4	12	1	1	—	—	—
	F	4	1	1	1	1	—	—	—	—	—	19	—	1	5	9	2	1	1	—	—
7 Influenza ..	M	3	—	—	—	—	1	—	—	1	1	6	1	—	—	—	3	—	1	1	—
	F	3	—	—	—	—	—	—	—	1	2	7	1	—	—	—	—	3	—	3	—
8 Encephalitis lethargica ..	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	1	—	—	—
9 Meningococcal meningitis ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	21	—	—	—	—	4	12	4	1	—	38	—	—	—	1	13	14	9	1	—
	F	23	—	—	—	1	7	10	5	—	—	23	—	—	—	—	7	11	5	—	—
11 Other tuberculous diseases ..	M	7	2	—	—	1	1	2	1	—	—	10	1	1	1	2	—	3	2	—	—
	F	6	—	1	—	2	—	2	1	—	—	6	2	—	—	—	1	2	1	—	—
12 Cancer, malignant disease ..	M	40	—	—	—	—	—	1	21	10	8	54	—	—	—	—	1	2	28	14	9
	F	48	—	—	—	—	—	2	28	12	6	52	—	—	—	—	—	3	31	10	8
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	1	—	2	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	—	2	—	—
14 Diabetes ..	M	4	—	—	—	—	—	1	—	2	1	5	—	—	—	—	1	1	2	1	—
	F	2	—	—	—	—	—	—	1	1	—	7	—	—	—	—	1	—	2	3	1
15 Cerebral hæmorrhage, &c. ..	M	24	—	—	—	—	—	—	6	11	7	61	—	—	—	—	—	4	17	20	20
	F	32	—	—	—	—	—	—	6	9	17	47	—	—	—	—	—	—	13	20	14
16 Heart disease ..	M	40	—	—	—	1	1	1	11	18	8	67	—	—	—	1	2	4	20	24	16
	F	33	—	—	—	1	—	1	6	15	10	94	—	—	—	1	2	6	28	36	21
17 Arterio-sclerosis ..	M	9	—	—	—	—	—	—	—	5	4	20	—	—	—	—	—	1	5	5	9
	F	8	—	—	—	—	—	—	1	1	6	8	—	—	—	—	—	—	—	4	4
18 Bronchitis ..	M	16	2	—	—	—	—	2	4	2	6	48	8	1	—	—	—	—	11	13	15
	F	17	—	—	—	—	—	—	3	5	9	44	7	1	—	—	—	—	4	10	22
19 Pneumonia (all forms) ..	M	19	5	1	1	—	1	4	2	4	1	42	10	6	3	2	—	7	4	7	3
	F	15	1	3	1	2	—	1	4	1	2	34	8	5	3	—	3	2	6	4	3
20 Other respiratory diseases ..	M	9	1	2	1	—	—	2	3	—	—	8	2	1	—	2	—	—	1	1	1
	F	4	—	1	1	—	—	—	—	—	1	10	—	1	1	—	—	—	5	—	3
21 Ulcer of stomach or duodenum ..	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	1	1	—
	F	3	—	—	—	—	—	—	2	1	—	3	—	—	—	—	—	1	2	—	—
22 Diarrhoea, &c. ..	M	8	5	1	—	—	—	1	—	—	1	18	8	3	1	—	—	—	2	1	3
	F	6	1	—	—	—	—	—	—	1	4	22	13	—	4	—	1	—	2	2	—
23 Appendicitis and typhlitis ..	M	3	1	—	—	1	—	1	—	—	—	6	—	—	—	—	3	3	—	—	—
	F	1	—	—	—	—	—	—	—	—	1	3	—	—	1	—	—	1	1	—	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	—	3	—	—
	F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	7	—	—	—	—	—	—	4	1	2	23	—	—	—	—	—	1	14	6	2
	F	10	—	1	—	—	—	—	4	4	1	14	—	—	—	—	—	2	8	1	3
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	4	—	—	—	—	—	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	8	—	—	—	—	2	6	—	—	—
28 Congenital debility and malformation, premature birth ..	M	17	17	—	—	—	—	—	—	—	—	38	36	1	—	—	—	1	—	—	—
	F	13	13	—	—	—	—	—	—	—	—	42	41	—	—	—	—	1	—	—	—
29 Suicide ..	M	1	—	—	—	—	—	—	1	—	—	7	—	—	—	—	1	2	3	1	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence ..	M	21	—	1	2	3	—	6	7	—	2	32	—	1	—	2	5	8	11	3	2
	F	3	—	—	—	—	—	1	1	—	1	12	1	—	—	2	1	—	1	4	3
31 Other defined diseases ..	M	66	9	5	2	2	2	7	9	10	20	115	27	5	—	5	1	11	24	14	28
	F	65	9	1	1	—	4	4	12	12	22	111	18	—	4	6	2	17	13	13	38
32 Causes ill-defined or unknown ..	M	2	—	—	—	—	—	—	1	1	—	4	—	—	—	—	—	—	3	1	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of FLINT—1921 (Civilian population only).

CAUSES OF DEATH.	SEX.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	239	34	9	4	8	17	22	67	38	40	355	52	6	10	16	12	30	90	67	
	F	201	28	5	2	6	6	33	38	35	48	340	33	10	6	23	15	34	62	72	
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	2	—	—	—	1	1	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	3	1	—	1	1	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
5 Whooping cough ..	M	4	1	2	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—
	F	4	3	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
6 Diphtheria ..	M	1	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
7 Influenza ..	M	1	—	—	—	—	—	—	1	—	—	5	1	—	—	—	—	—	2	—	—
	F	4	—	—	—	—	—	1	1	1	1	4	—	—	—	—	—	1	—	1	—
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	21	—	—	—	—	6	6	5	3	1	18	—	—	—	—	2	7	5	3	—
	F	12	—	—	—	—	3	9	—	—	—	25	—	—	—	1	7	11	4	2	—
11 Other tuberculous diseases ..	M	4	—	—	2	1	1	—	—	—	—	7	1	1	2	1	—	—	2	—	—
	F	3	1	—	—	1	1	—	—	—	—	9	—	—	—	6	2	—	1	—	—
12 Cancer, malignant disease ..	M	23	—	—	—	—	—	3	12	6	2	40	—	—	—	—	—	2	20	12	—
	F	27	—	—	—	—	—	2	11	6	8	30	—	—	—	—	—	3	11	9	—
13 Rheumatic fever ..	M	3	—	—	—	1	2	—	—	—	—	3	—	—	—	1	1	—	1	—	—
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	1	1	—	—	—	—
14 Diabetes ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	—
	F	1	—	—	—	1	—	—	—	—	—	3	—	—	—	2	—	—	—	—	—
15 Cerebral hæmorrhage, &c. ..	M	14	—	—	—	—	—	—	4	3	7	24	—	—	—	—	—	—	8	10	—
	F	14	—	—	—	—	—	—	5	3	6	36	—	—	—	—	—	—	11	11	—
16 Heart disease ..	M	21	—	—	—	—	—	2	10	5	4	38	—	—	—	3	1	4	9	15	—
	F	20	—	—	—	—	—	1	7	8	4	52	—	—	—	—	—	6	12	23	—
17 Arterio-sclerosis ..	M	3	—	—	—	—	—	—	—	2	1	12	—	—	—	—	—	—	1	4	—
	F	2	—	—	—	—	—	—	—	1	1	8	—	—	—	—	—	—	—	3	—
18 Bronchitis ..	M	17	2	1	—	—	—	1	3	6	4	20	3	1	1	1	—	—	3	6	—
	F	12	2	2	—	—	—	—	2	1	5	17	4	1	—	—	—	—	1	4	—
19 Pneumonia (all forms) ..	M	18	5	—	1	—	1	5	3	2	1	20	3	3	1	—	1	4	5	2	—
	F	15	3	1	—	—	—	5	2	—	4	17	4	2	1	1	1	—	2	2	—
20 Other respiratory diseases ..	M	3	1	1	—	—	—	—	1	—	—	5	—	—	1	—	—	1	3	—	—
	F	3	—	—	—	1	—	1	—	—	1	2	—	—	—	—	—	—	—	2	—
21 Ulcer of stomach or duodenum ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c. ..	M	3	2	—	—	—	—	—	1	—	—	9	6	—	—	—	—	—	1	—	—
	F	7	5	1	1	—	—	—	—	—	—	5	2	2	—	—	—	—	1	—	—
23 Appendicitis and typhlitis ..	M	1	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver ..	M	3	—	—	—	—	—	—	3	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	17	—	—	—	1	1	1	8	3	3	11	—	—	—	—	1	—	6	1	—
	F	16	—	—	—	—	—	3	6	3	4	7	—	—	—	1	—	1	1	3	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	4	—	—	—	—	1	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	4	—	—	—	—	2	1	1	—	—
28 Congenital debility and malformation, premature birth..	M	19	19	—	—	—	—	—	—	—	—	26	26	—	—	—	—	—	—	—	—
	F	11	11	—	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—	—
29 Suicide ..	M	6	—	—	—	—	2	—	4	—	—	3	—	—	—	—	—	1	2	—	—
	F	2	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—	1	—	—
30 Other deaths from violence..	M	10	1	—	—	2	1	2	4	—	—	20	—	1	1	5	2	4	4	1	—
	F	2	—	1	—	—	—	—	—	—	1	15	—	1	2	3	—	2	3	2	—
31 Other defined diseases ..	M	44	3	3	1	2	2	2	7	7	17	74	10	—	3	3	2	2	12	12	—
	F	36	3	—	—	—	1	3	4	12	13	69	7	3	—	5	—	6	11	7	—
32 Causes ill-defined or unknown ..	M	2	—	1	—	—	—	—	1	—	—	6	—	—	—	—	1	2	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	7	1	—	—	1	—	—	2	3	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of GLAMORGAN—1921 (Civilian population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	M	3751	944	155	124	174	180	467	955	489	263	1220	279	38	45	55	64	149	294	163	133
		F	3156	724	128	121	187	202	462	585	395	352	1138	212	44	42	57	73	151	227	163	169
1 Enteric fever	..	M	5	—	—	—	2	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	8	5	3	—	—	—	—	—	—	—	3	1	—	2	—	—	—	—	—	—
		F	4	1	3	—	—	—	—	—	—	—	4	3	—	1	—	—	—	—	—	—
4 Scarlet fever	..	M	19	—	1	11	6	—	1	—	—	—	5	—	—	1	3	1	—	—	—	—
		F	40	2	5	18	12	3	—	—	—	—	7	—	—	2	2	—	3	—	—	—
5 Whooping cough	M	23	14	6	3	—	—	—	—	—	—	11	6	2	3	—	—	—	—	—	—
		F	34	16	14	4	—	—	—	—	—	—	19	11	4	4	—	—	—	—	—	—
6 Diphtheria	..	M	46	2	4	16	22	1	—	1	—	—	19	—	3	7	8	—	1	—	—	—
		F	57	1	8	16	28	2	—	2	—	—	28	2	2	10	13	1	—	—	—	—
7 Influenza	M	82	1	3	2	2	4	20	26	20	4	21	—	—	—	—	3	4	9	4	1
		F	54	4	—	2	4	4	9	15	12	4	18	—	—	1	3	2	4	2	3	3
8 Encephalitis lethargica	..	M	2	—	—	1	—	—	1	—	—	—	2	—	—	2	—	—	—	—	—	—
		F	2	—	—	1	—	—	—	1	—	—	3	—	—	—	1	1	—	—	—	—
9 Meningococcal meningitis	..	M	5	2	1	1	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—
		F	4	2	—	—	2	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
0 Tuberculosis of respiratory system	..	M	246	2	1	1	9	51	102	72	7	1	98	—	—	1	1	22	42	30	2	—
		F	237	2	2	2	16	84	104	25	2	—	74	—	—	1	3	28	32	8	1	1
1 Other tuberculous diseases	M	79	12	6	7	15	19	12	7	1	—	24	6	2	2	6	3	1	4	—	—
		F	63	4	4	7	22	15	6	4	1	—	31	7	4	2	7	3	5	3	—	—
2 Cancer, malignant disease	M	214	—	—	—	—	1	18	140	47	8	77	—	—	—	—	—	5	45	21	6
		F	235	—	—	1	1	2	31	127	58	15	103	—	—	—	—	1	10	55	24	13
3 Rheumatic fever	M	32	—	—	—	9	6	6	11	—	—	13	—	—	1	6	1	1	3	1	—
		F	34	—	—	2	11	7	10	3	1	—	7	—	—	—	3	3	—	1	—	—
4 Diabetes	M	32	—	—	—	2	4	7	14	5	—	5	—	—	—	—	1	2	2	—	—
		F	23	—	—	—	2	—	3	10	6	2	6	—	—	—	—	—	2	2	1	1
5 Cerebral hæmorrhage, &c.	..	M	176	—	—	—	—	—	4	75	66	31	57	—	—	—	—	—	1	22	24	10
		F	180	—	—	—	—	3	9	67	62	39	77	—	—	—	—	—	3	27	27	20
6 Heart disease	..	M	321	—	—	4	16	13	44	138	77	29	107	—	—	—	—	5	14	48	22	18
		F	314	1	—	2	19	14	54	105	75	44	119	—	—	—	5	5	19	39	29	22
7 Arterio-sclerosis	..	M	45	—	—	—	—	—	1	16	22	6	25	—	—	—	—	—	—	7	9	9
		F	19	—	—	—	—	—	—	5	5	9	32	—	—	—	—	—	—	5	13	14
8 Bronchitis	..	M	311	82	12	2	3	3	12	84	69	44	78	15	1	1	1	—	2	18	16	24
		F	225	58	13	8	1	2	4	33	47	59	77	15	6	2	1	—	—	12	21	20
9 Pneumonia (all forms)	M	319	89	54	22	9	9	42	66	19	9	99	29	11	9	2	5	17	16	5	5
		F	197	63	26	17	10	11	20	24	13	13	64	19	9	9	2	1	7	7	5	5
0 Other respiratory diseases	M	73	9	3	6	4	—	7	26	9	9	26	1	1	1	1	5	7	7	2	2
		F	31	4	4	2	4	2	4	8	2	1	13	2	—	—	—	2	2	3	2	2
1 Ulcer of stomach or duodenum	..	M	17	—	—	—	—	1	8	7	1	—	10	—	—	—	—	—	4	5	—	1
		F	9	—	—	—	—	1	5	3	—	—	7	—	—	—	—	—	1	4	2	—
2 Diarrhoea, &c.	..	M	264	210	23	7	7	—	1	5	8	3	46	35	3	2	1	—	1	1	1	2
		F	175	134	14	2	2	1	4	13	3	2	37	21	5	2	—	2	2	2	2	1
3 Appendicitis and typhlitis	M	25	1	—	—	7	7	6	4	—	—	5	—	—	—	2	1	1	—	—	—
		F	23	—	—	—	9	6	6	1	—	1	2	—	—	—	1	—	—	1	—	—
4 Cirrhosis of liver	M	17	—	—	—	—	—	5	9	3	—	5	—	—	—	—	—	1	4	—	—
		F	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	—	1	2	1	—
5 Acute and chronic nephritis	..	M	103	1	—	4	1	8	14	48	20	7	24	—	—	—	—	1	4	11	7	1
		F	66	—	—	2	4	4	14	24	15	3	18	—	—	—	—	1	5	10	2	—
6 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	32	—	—	—	—	8	23	1	—	—	12	—	—	—	—	3	9	—	—	—
7 Other accidents and diseases of pregnancy and parturition.	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	67	—	—	—	—	7	60	—	—	—	29	—	—	—	—	11	17	1	—	—
8 Congenital debility and malformation, premature birth	M	307	304	2	—	—	1	—	—	—	—	105	103	—	—	1	—	—	—	—	—
		F	263	261	3	1	2	—	—	1	—	—	71	69	2	—	—	—	—	—	—	—
9 Suicide	M	30	—	—	—	1	—	10	17	2	—	12	—	—	—	—	—	8	3	1	—
		F	11	—	—	—	—	3	2	6	—	—	6	—	—	—	—	1	3	2	—	—
0 Other deaths from violence	M	236	3	7	18	24	34	65	61	17	7	75	3	5	5	8	16	19	12	7	—
		F	60	5	6	12	11	—	8	5	5	8	18	3	2	5	3	1	—	2	2	—
Other defined diseases	M	705	205	28	19	35	16	78	123	96	105	265	80	10	7	15	4	15	45	35	54
		F	681	166	24	22	24	21	85	100	87	152	245	60	10	2	11	7	22	39	27	67
Causes ill-defined or unknown	..	M	9	2	1	—	—	—	2	4	—	—	2	—	—	—	—	—	—	1	1	—
		F	4	—	2	—	—	—	—	1	1	—	6	—	—	1	1	—	3	—	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
MONMOUTH—1921 (Civilian population only).

CAUSES OF DEATH.		SEX.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
			2031	1605	1605	1605	1605	1605	1605	1605	1605	1605	1605	1605	1605	1605	1605	1605	1605	1605	1605	1605
ALL CAUSES ..		M	2031	520	97	81	80	98	240	459	266	190	247	36	2	6	6	8	35	48	53	53
		F	1605	366	91	57	83	109	215	301	186	197	224	22	2	10	4	10	29	46	44	57
1	Enteric fever ..	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles ..	M	6	2	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
4	Scarlet fever ..	M	8	1	2	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ..	M	25	11	11	3	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
		F	36	17	14	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Diphtheria ..	M	20	2	2	9	6	1	—	—	—	—	2	1	—	—	1	—	—	—	—	—
		F	18	—	1	8	7	1	1	—	—	—	2	—	—	1	1	—	—	—	—	—
7	Influenza ..	M	57	5	—	2	5	4	12	18	9	2	4	—	—	—	—	1	1	1	1	1
		F	35	2	1	—	6	4	13	4	4	1	1	—	—	—	1	—	—	—	—	—
8	Encephalitis lethargica ..	M	7	—	1	1	2	2	—	1	—	—	1	—	—	1	—	—	—	—	—	—
		F	3	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
9	Meningococcal meningitis ..	M	1	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0	Tuberculosis of respiratory system	M	108	1	—	1	—	25	47	34	—	—	18	—	—	—	—	4	11	3	—	—
		F	111	1	1	—	3	42	50	13	1	—	19	—	—	—	5	11	3	—	—	—
1	Other tuberculous diseases ..	M	44	5	4	5	12	7	4	6	1	—	4	—	—	—	2	—	2	—	—	—
		F	25	3	7	2	4	3	2	3	—	1	—	—	—	—	—	—	—	—	—	—
2	Cancer, malignant disease ..	M	106	—	—	1	—	1	12	58	23	11	18	—	—	—	—	1	5	10	2	2
		F	126	—	—	1	—	—	17	65	30	13	15	—	—	—	1	1	6	5	2	2
3	Rheumatic fever ..	M	16	—	—	1	3	—	5	7	—	—	1	—	—	—	—	—	—	—	—	—
		F	17	—	—	—	6	5	2	4	—	—	—	—	—	—	—	—	—	—	—	—
4	Diabetes ..	M	8	—	—	—	1	1	3	2	1	—	—	—	—	—	—	—	—	—	—	—
		F	14	—	—	—	—	—	4	7	3	—	—	—	—	—	—	—	—	—	—	—
5	Cerebral hæmorrhage, &c. ..	M	80	—	—	—	1	—	4	27	26	22	15	—	—	—	—	—	4	6	5	5
		F	100	—	—	—	—	2	3	37	32	26	20	—	—	—	—	1	4	7	8	8
6	Heart disease ..	M	164	—	—	1	6	9	22	68	44	14	29	—	—	—	2	—	9	10	8	8
		F	148	—	—	1	8	6	24	57	31	21	49	—	—	—	2	3	12	13	19	19
7	Arterio-sclerosis ..	M	33	—	—	—	—	—	—	15	11	7	4	—	—	—	—	—	—	1	3	3
		F	13	—	—	—	—	—	—	5	3	5	7	—	—	—	—	—	—	5	2	2
8	Bronchitis ..	M	152	36	7	3	1	1	2	31	38	33	15	1	—	—	—	—	2	8	4	4
		F	103	28	8	1	1	1	3	16	20	25	10	2	—	1	—	—	2	3	2	2
9	Pneumonia (all forms) ..	M	195	55	31	18	6	9	22	31	20	3	19	6	2	2	—	2	2	3	2	2
		F	135	48	25	11	10	11	10	11	3	6	10	—	2	2	—	1	2	2	1	1
0	Other respiratory diseases ..	M	45	4	1	7	1	1	8	17	6	—	6	—	—	—	—	—	4	—	2	2
		F	27	1	—	6	4	2	4	3	4	3	3	—	1	—	—	—	1	—	1	1
1	Ulcer of stomach or duodenum ..	M	10	—	—	—	—	1	4	4	1	—	2	—	—	—	—	1	1	—	—	—
		F	2	—	—	—	—	1	—	1	—	—	1	—	—	—	—	—	1	—	—	—
2	Diarrhoea, &c. ..	M	149	108	17	9	2	2	2	5	2	2	6	4	—	1	—	—	1	—	—	—
		F	113	62	22	8	6	—	1	5	5	4	6	4	—	—	—	—	1	—	1	1
3	Appendicitis and typhlitis ..	M	12	—	—	—	1	4	4	3	—	—	2	—	—	—	1	1	—	—	—	—
		F	14	—	—	—	2	3	7	2	—	—	1	—	—	—	—	1	—	—	—	—
4	Cirrhosis of liver ..	M	11	—	—	—	—	—	2	7	1	1	2	—	—	—	—	—	—	2	—	—
		F	5	—	—	—	—	—	1	4	—	—	1	—	—	—	—	—	—	1	—	—
5	Acute and chronic nephritis ..	M	44	1	—	2	1	2	12	16	9	1	6	1	—	—	—	—	3	2	—	—
		F	28	—	—	1	2	2	7	11	3	2	8	—	—	1	—	2	2	2	1	1
6	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	12	—	—	—	—	3	9	—	—	—	1	—	—	—	—	1	—	—	—	—
7	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	27	—	—	—	—	6	20	1	—	—	2	—	—	—	—	1	1	—	—	—
8	Congenital debility and malformation, premature birth..	M	194	194	—	—	—	—	—	—	—	—	20	19	—	1	—	—	—	—	—	—
		F	157	151	2	1	2	1	—	—	—	—	13	12	—	—	1	—	—	—	—	—
9	Suicide ..	M	16	—	—	—	—	1	8	5	2	—	6	—	—	—	—	4	1	1	—	—
		F	10	—	—	—	—	4	2	4	—	—	1	—	—	—	—	1	—	—	—	—
0	Other deaths from violence..	M	105	2	4	3	13	17	28	26	8	4	15	—	—	1	1	5	5	2	1	1
		F	25	2	—	5	8	1	3	4	—	2	5	—	—	3	—	—	1	1	—	—
1	Other defined diseases ..	M	404	92	13	11	17	10	35	75	61	90	48	3	—	1	—	7	5	7	25	25
		F	288	48	10	6	11	9	30	41	45	88	47	3	—	2	2	6	9	5	20	20
2	Causes ill-defined or unknown ..	M	10	—	—	1	—	—	3	3	3	—	2	—	—	—	—	—	2	—	—	—
		F	7	3	—	—	—	—	1	1	2	—	1	—	—	—	—	—	1	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of MONTGOMERY—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	155	10	3	4	5	10	13	52	17	40	238	34	—	3	8	13	16	41	52	—
	F	159	12	—	4	1	9	7	35	39	52	230	32	5	3	6	5	25	43	45	—
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	1	—	—	—	—	—	—	3	—	—	1	2	—	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
7 Influenza ..	M	1	—	—	—	—	—	1	—	—	—	7	1	—	—	1	—	1	3	1	—
	F	2	—	—	—	—	—	—	1	—	1	2	—	—	—	—	1	1	1	—	—
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	1	—	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	12	—	—	—	1	1	4	6	—	—	13	—	—	—	1	3	4	5	—	—
	F	9	—	—	—	—	4	3	2	—	—	15	—	—	—	—	5	3	4	1	—
11 Other tuberculous diseases ..	M	4	—	—	—	2	1	—	—	1	—	6	1	—	—	1	3	—	1	—	—
	F	2	—	—	—	—	1	1	—	—	—	7	—	1	—	4	—	1	1	—	—
12 Cancer, malignant disease ..	M	22	—	—	—	—	—	—	13	4	5	28	—	—	—	—	—	1	10	11	—
	F	18	—	—	—	—	—	—	10	5	3	24	—	—	—	—	—	—	11	7	—
13 Rheumatic fever ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—
14 Diabetes ..	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	1	—	1	1	—
15 Cerebral hæmorrhage, &c. ..	M	10	—	—	—	—	—	1	1	4	4	15	—	—	—	—	—	—	1	5	—
	F	8	—	—	—	—	—	—	2	3	3	19	—	—	—	—	—	—	7	3	—
16 Heart disease ..	M	12	—	—	—	—	—	1	8	1	2	24	—	—	—	—	2	3	5	5	—
	F	21	—	—	—	—	—	—	3	7	11	36	—	—	—	—	—	2	5	16	—
17 Arterio-sclerosis ..	M	5	—	—	—	—	—	—	—	1	4	10	—	—	—	—	—	—	1	2	—
	F	4	—	—	—	—	—	—	—	1	3	2	—	—	—	—	—	—	—	—	—
18 Bronchitis ..	M	9	—	—	—	—	—	1	1	1	6	20	1	—	—	—	—	—	2	9	—
	F	16	1	—	—	—	—	—	1	4	10	13	—	1	—	—	—	—	—	4	—
19 Pneumonia (all forms) ..	M	5	—	2	—	—	—	—	3	—	—	2	—	—	—	—	—	1	1	—	—
	F	2	—	—	—	—	—	1	—	—	1	7	1	—	1	1	—	2	1	—	—
20 Other respiratory diseases ..	M	5	—	—	—	—	1	—	1	2	1	2	—	—	—	—	—	1	—	1	—
	F	3	1	—	—	—	—	—	—	—	2	1	—	—	—	—	—	1	—	—	—
21 Ulcer of stomach or duodenum ..	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhoea, &c. ..	M	5	3	—	1	—	—	—	—	1	—	5	2	—	1	—	—	—	—	—	1
	F	6	5	—	1	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver ..	M	4	—	—	—	—	—	—	4	—	—	1	—	—	—	—	—	—	1	—	—
	F	3	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	5	—	—	—	—	—	1	1	—	3	6	—	—	—	1	—	—	1	2	—
	F	11	—	—	—	—	—	—	4	5	2	8	—	1	—	—	—	1	1	4	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	4	—	—	—	—	—	4	—	—	—
28 Congenital debility and malformation, premature birth..	M	5	5	—	—	—	—	—	—	—	—	20	20	—	—	—	—	—	—	—	—
	F	3	3	—	—	—	—	—	—	—	—	19	18	—	—	—	—	1	—	—	—
29 Suicide ..	M	1	—	—	—	—	—	—	—	1	—	4	—	—	—	—	—	—	3	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence..	M	15	—	—	2	—	6	2	3	1	1	10	2	—	1	1	2	2	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	1	—	—	—	2	—	—	—
31 Other defined diseases ..	M	27	2	1	—	—	1	2	7	—	14	52	5	—	—	1	1	3	3	12	—
	F	42	2	—	2	—	2	1	8	12	15	55	9	—	—	—	—	3	11	9	—
32 Causes ill-defined or unknown ..	M	2	—	—	—	—	—	—	2	—	—	3	—	—	—	—	1	—	1	—	—
	F	2	—	—	—	—	—	—	1	—	1	2	1	—	—	1	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of PEMBROKE—1921 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	249	39	6	5	8	11	33	57	40	50	295	33	6	4	13	19	23	60	56	81
	F	280	26	5	5	5	14	40	58	42	85	375	33	6	8	15	13	42	81	68	109
1 Enteric fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {	M	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
4 Scarlet fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
5 Whooping cough .. {	M	—	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
6 Diphtheria .. {	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
7 Influenza .. {	M	12	—	—	1	—	—	2	3	4	2	7	—	—	—	—	3	1	2	1	—
	F	8	—	—	—	—	1	1	2	2	2	4	—	—	—	—	1	1	1	1	1
8 Encephalitis lethargica .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
9 Meningococcal meningitis .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system {	M	17	—	—	—	1	3	10	2	1	—	23	—	—	—	1	8	10	4	—	—
	F	29	—	—	—	—	6	16	6	1	—	26	—	—	—	3	4	13	3	2	1
11 Other tuberculous diseases .. {	M	5	1	—	1	—	1	2	—	—	—	5	—	—	—	3	1	1	—	—	—
	F	6	—	—	—	—	1	4	1	—	—	13	1	—	1	4	3	2	1	1	—
12 Cancer, malignant disease .. {	M	19	—	—	—	1	—	2	10	5	1	23	—	—	—	—	1	9	8	5	5
	F	20	—	—	—	—	—	1	12	3	4	43	—	—	—	1	1	5	17	8	11
13 Rheumatic fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	1	—	—	—
14 Diabetes .. {	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	2	—	—	1	—
	F	2	—	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	1	1	—
15 Cerebral hæmorrhage, &c. .. {	M	7	—	—	—	—	—	—	1	3	3	13	—	—	—	—	—	2	4	7	7
	F	24	—	—	—	—	—	—	4	4	16	23	—	—	—	—	—	3	1	7	12
16 Heart disease .. {	M	36	—	—	—	2	2	4	11	11	6	32	—	—	1	—	1	2	8	11	9
	F	40	—	—	—	1	1	3	13	12	10	63	—	—	—	1	1	4	25	14	18
17 Arterio-sclerosis .. {	M	6	—	—	—	—	—	—	5	1	—	11	—	—	—	—	—	—	—	5	6
	F	2	—	—	—	—	—	—	1	—	1	10	—	—	—	—	—	—	—	4	6
18 Bronchitis .. {	M	11	3	1	—	—	—	—	1	2	4	19	1	—	—	—	—	—	1	7	10
	F	15	1	1	—	—	—	—	—	3	10	18	1	1	—	—	1	—	—	3	12
19 Pneumonia (all forms) .. {	M	19	7	3	—	1	—	3	3	—	2	28	5	1	1	1	—	1	7	5	7
	F	17	3	1	1	3	—	2	3	2	2	21	3	1	2	1	—	2	5	4	3
20 Other respiratory diseases .. {	M	4	—	—	—	—	—	1	1	1	1	7	—	—	—	—	—	—	4	2	1
	F	2	—	1	—	—	—	—	1	—	—	6	—	2	—	—	—	1	—	1	2
21 Ulcer of stomach or duodenum .. {	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	1	—	—	—
22 Diarrhoea, &c. .. {	M	11	8	—	1	1	1	—	—	—	—	4	3	1	—	—	—	—	—	—	—
	F	9	6	—	—	—	—	1	1	1	—	8	1	—	1	—	—	1	2	1	2
23 Appendicitis and typhlitis .. {	M	2	—	—	—	1	1	—	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	3	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver .. {	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	1	1	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis .. {	M	7	—	—	—	—	1	—	4	—	2	12	—	—	—	—	—	1	5	2	4
	F	5	—	—	—	—	—	1	—	2	2	11	—	—	—	1	—	1	2	6	1
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Congenital debility and malformation, premature birth.. {	M	15	15	—	—	—	—	—	—	—	—	15	14	1	—	—	—	—	—	—	—
	F	10	10	—	—	—	—	—	—	—	—	19	19	—	—	—	—	—	—	—	—
29 Suicide .. {	M	4	—	—	—	—	—	1	2	1	—	2	—	—	—	—	—	—	1	1	—
	F	2	—	—	—	—	—	1	—	1	—	2	—	—	—	—	—	—	2	—	—
30 Other deaths from violence.. {	M	16	—	—	1	—	2	4	4	1	4	8	—	—	—	1	1	4	2	—	—
	F	3	—	—	1	—	—	—	1	1	—	4	—	1	—	—	—	—	—	—	2
31 Other defined diseases .. {	M	53	5	1	1	1	—	3	9	9	24	73	9	2	—	3	3	1	14	9	32
	F	65	6	—	—	—	2	4	8	8	37	87	7	1	1	3	1	5	17	14	38
32 Causes ill-defined or unknown .. {	M	1	—	—	—	—	—	1	—	—	—	3	—	—	—	1	—	1	—	—	—
	F	5	—	—	1	—	—	—	2	1	1	2	—	—	—	—	—	2	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of RADNOR—1921 (Civilian population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	{	M	34	2	—	1	1	3	2	9	7	9	101	8	2	1	2	3	7	28	26
			F	36	4	1	1	1	3	1	7	6	12	85	4	1	—	3	3	14	16	19
1 Enteric fever	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Small-pox	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4 Scarlet fever	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5 Whooping cough	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6 Diphtheria	..	{	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	1	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
7 Influenza	{	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1	
			F	2	—	—	—	—	—	—	1	—	4	—	—	—	—	—	2	1	1	
8 Encephalitis lethargica	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9 Meningococcal meningitis	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10 Tuberculosis of respiratory system	{	M	3	—	—	—	—	1	2	—	—	—	7	—	—	—	1	2	1	1	1	
		F	2	—	—	—	—	1	—	1	—	—	9	—	—	—	1	3	4	1	—	
11 Other tuberculous diseases	{	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	
		F	1	—	—	—	—	—	—	—	1	—	3	—	—	—	—	—	2	—	1	
12 Cancer, malignant disease	{	M	3	—	—	—	—	—	—	—	2	11	—	—	—	—	—	—	7	3	
		F	6	—	—	—	—	—	—	—	2	3	10	—	—	—	—	—	2	3	3	
13 Rheumatic fever	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
14 Diabetes	{	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	
		F	2	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	
15 Cerebral hæmorrhage, &c.	..	{	M	3	—	—	—	—	—	—	3	—	11	—	—	—	—	—	2	1	6	
		F	4	—	—	—	—	—	—	—	—	1	4	—	—	—	—	—	—	1	1	
16 Heart disease	..	{	M	2	—	—	—	—	—	—	1	1	20	—	—	—	1	—	—	8	6	
		F	2	—	—	—	—	—	—	—	—	—	14	—	—	—	—	—	1	3	6	
17 Arterio-sclerosis	{	M	4	—	—	—	—	—	—	1	2	1	1	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	2	
18 Bronchitis	..	{	M	—	—	—	—	—	—	—	—	—	4	1	—	—	—	—	—	—	1	
		F	1	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	—	2	2	
19 Pneumonia (all forms)	..	{	M	—	—	—	—	—	—	—	—	—	6	1	1	—	—	1	—	3	—	
		F	2	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	1	
20 Other respiratory diseases	{	M	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
21 Ulcer of stomach or duodenum	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22 Diarrhoea, &c.	..	{	M	1	1	—	—	—	—	—	—	—	3	—	1	—	—	—	—	—	1	
		F	1	1	—	—	—	—	—	—	—	—	2	1	—	—	—	—	1	—	—	
23 Appendicitis and typhlitis..	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
24 Cirrhosis of liver	{	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
25 Acute and chronic nephritis	..	{	M	3	—	—	—	—	—	—	3	—	6	—	—	—	—	—	1	3	2	
		F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	2	—	—	
26 Puerperal sepsis	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
27 Other accidents and diseases of pregnancy and parturition.	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
28 Congenital debility and malformation, premature birth..	..	{	M	1	1	—	—	—	—	—	—	—	5	5	—	—	—	—	—	—	—	
		F	2	2	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	
29 Suicide	{	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
30 Other deaths from violence..	..	{	M	1	—	—	—	—	1	—	—	—	—	2	—	—	—	—	2	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
31 Other defined diseases	{	M	10	—	—	—	1	—	—	1	2	6	16	1	—	—	—	—	2	3	
		F	7	—	—	—	1	—	—	—	1	—	4	22	1	1	—	1	—	3	2	
32 Causes ill-defined or unknown	..	{	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921.

NOTE.—This table relates to Municipal Boroughs, other Urban Districts and Rural Districts in which the population at the Census of 1921 exceeded 10,000. The corresponding statistics for Districts not shown in this table are available for reference in the General Register Office, Somerset House, London.

BEDFORDSHIRE.

Causes of Death.	Bedford M.B.		Luton M.B.		Ampt-hill R.D.		Bedford R.D.		Biggles-wade R.D.		Luton R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	227	223	295	319	140	153	102	91	139	125	62	54	
1 Enteric fever	—	—	—	—	—	—	—	—	1	—	1	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	1	1	—	—	—	2	—	—	—	—	—	4
5 Whooping cough	1	1	5	2	2	—	1	—	—	—	—	—	5
6 Diphtheria	1	—	9	11	2	1	—	1	—	1	—	—	6
7 Influenza	5	2	3	2	—	—	4	4	1	—	—	—	7
8 Encephalitis lethargica	1	—	1	1	1	2	—	1	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys. ..	13	12	31	26	8	9	9	5	7	10	6	6	10
11 Other tuberculous diseases	3	6	7	5	4	3	1	3	3	4	—	2	11
12 Cancer, malignant disease	26	35	22	38	17	23	7	17	20	13	8	5	12
13 Rheumatic fever	—	—	—	2	1	1	—	1	—	1	—	1	13
14 Diabetes	2	2	3	5	3	2	1	2	1	2	1	—	14
15 Cerebral hæmorrhage, &c.	12	28	10	30	9	15	8	9	15	7	7	7	15
16 Heart disease	32	22	26	37	11	20	11	8	13	12	9	5	16
17 Arterio-sclerosis	15	5	8	1	5	1	3	3	2	4	—	—	17
18 Bronchitis	7	19	28	35	10	10	3	4	7	13	1	5	18
19 Pneumonia (all forms)	14	12	28	12	5	4	5	1	6	7	3	1	19
20 Other respiratory diseases	4	1	2	3	2	1	2	2	1	1	—	—	20
21 Ulcer of stomach or duodenum	2	3	2	1	—	1	—	—	1	1	—	—	21
22 Diarrhœa, &c. (under 2 years)	5	3	11	11	3	2	2	—	2	—	2	2	22
23 Appendicitis and typhlitis	—	3	2	2	—	1	—	—	2	1	—	1	23
24 Cirrhosis of liver	—	—	3	—	—	—	1	—	1	1	—	—	24
25 Acute and chronic nephritis	7	3	9	7	1	5	1	1	6	2	3	1	25
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	2	—	1	—	—	—	—	—	1	27
28 Congenital debility and malformation, premature birth	14	7	23	19	8	2	9	1	8	—	6	4	28
29 Suicide	3	—	5	1	—	1	—	—	5	—	—	—	29
30 Other deaths from violence	9	2	3	3	7	3	10	2	7	3	1	1	30
31 Other defined diseases	47	54	50	61	40	43	22	24	29	41	10	11	31
32 Causes ill-defined or unknown	4	—	3	2	1	1	2	—	1	1	1	1	32

BERKSHIRE.

Causes of Death.	Maiden-head M.B.		New-bury M.B.		New Wind-sor M.B.			Abing-don R.D.		Brad-field R.D.		Cook-ham R.D.		
	M.	F.	M.	F.	M.	F.		M.	F.	M.	F.	M.	F.	
All Causes	93	90	63	85	123	107		59	37	95	78	61	68	
1 Enteric fever	—	1	—	—	—	—		—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—		—	—	—	—	—	—	2
3 Measles	—	—	—	1	—	1		—	—	—	—	1	—	3
4 Scarlet fever	—	—	—	—	—	—		—	—	—	—	—	—	4
5 Whooping cough	1	1	—	—	1	2		—	—	—	—	—	—	5
6 Diphtheria	1	—	—	—	1	—		1	—	2	—	—	—	6
7 Influenza	3	5	2	2	4	3		3	3	2	1	1	1	7
8 Encephalitis lethargica	—	—	—	1	2	2		—	—	—	1	1	1	8
9 Meningococcal meningitis	—	—	—	—	—	—		—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys. ..	3	1	1	10	11	8		4	3	3	2	5	1	10
11 Other tuberculous diseases	1	2	1	1	3	1		1	1	2	—	1	—	11
12 Cancer, malignant disease	17	13	8	11	16	13		8	2	17	14	13	10	12
13 Rheumatic fever	2	—	—	—	—	1		—	—	—	—	—	—	13
14 Diabetes	—	—	—	1	—	2		1	1	1	—	—	—	14
15 Cerebral hæmorrhage, &c.	3	11	5	4	7	10		1	2	7	6	4	9	15
16 Heart disease	8	13	11	10	9	13		7	5	8	13	7	12	16
17 Arterio-sclerosis	1	1	3	4	8	12		1	—	11	4	4	1	17
18 Bronchitis	12	4	5	7	1	5		1	1	2	4	1	4	18
19 Pneumonia (all forms)	5	4	3	3	10	5		1	2	3	7	2	3	19
20 Other respiratory diseases	—	1	—	1	—	—		1	1	2	—	1	—	20
21 Ulcer of stomach or duodenum	1	3	1	—	3	—		—	—	—	—	—	3	21
22 Diarrhœa, &c. (under 2 years)	—	—	3	1	6	—		—	—	—	1	1	1	22
23 Appendicitis and typhlitis	1	3	—	—	—	2		—	—	—	—	1	—	23
24 Cirrhosis of liver	—	—	—	—	—	—		—	—	—	—	—	—	24
25 Acute and chronic nephritis	3	4	2	1	5	3		3	—	5	3	4	3	25
26 Puerperal sepsis	—	2	—	—	—	—		—	—	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—		—	—	—	—	—	1	27
28 Congenital debility and malformation, premature birth	4	2	—	4	11	1		3	4	4	4	3	2	28
29 Suicide	2	—	1	1	—	—		1	—	—	—	3	—	29
30 Other deaths from violence	3	1	2	2	8	2		4	1	3	—	2	2	30
31 Other defined diseases	21	18	14	20	17	21		17	11	23	15	5	13	31
32 Causes ill-defined or unknown	1	—	1	—	—	—		1	—	—	2	1	—	32

Causes of Death.	East hamp- stead R.D.		Faring- don * (pt.) R.D.		New- bury R.D.		Wan- tage R.D.		Woking- ham R.D.					
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.				
All Causes	89	89	62	47	65	52	74	56	85	101				
1 Enteric fever	—	—	—	—	—	1	—	—	—	—				1
2 Small-pox	—	—	—	—	—	—	—	—	—	—				2
3 Measles	—	—	—	—	—	—	—	—	2	2				3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—				4
5 Whooping cough	—	2	—	—	—	—	—	1	1	2				5
6 Diphtheria	2	2	—	—	—	—	—	—	4	—				6
7 Influenza	2	4	1	1	—	1	—	—	—	1				7
8 Encephalitis lethargica ..	—	1	—	—	—	—	—	—	—	—				8
9 Meningococcal meningitis ..	—	1	—	1	1	—	—	—	—	—				9
10 Tuberculosis of respiratory sys.	6	2	7	3	3	1	5	4	4	5				10
11 Other tuberculous diseases ..	—	2	2	—	—	2	3	1	—	2				11
12 Cancer, malignant disease ..	7	17	8	7	7	9	8	10	9	18				12
13 Rheumatic fever	—	1	—	—	—	—	—	—	—	1				13
14 Diabetes	1	1	—	1	1	—	—	1	—	1				14
15 Cerebral hæmorrhage, &c. ..	4	6	4	4	5	3	2	5	4	4				15
16 Heart disease	6	7	1	12	11	9	16	11	17	17				16
17 Arterio-sclerosis	5	1	1	—	5	2	2	—	2	3				17
18 Bronchitis	8	7	3	4	1	5	8	5	5	4				18
19 Pneumonia (all forms) ..	8	3	1	1	2	1	3	1	1	4				19
20 Other respiratory diseases ..	1	—	—	—	1	2	1	—	2	—				20
21 Ulcer of stomach or duodenum	2	—	3	—	1	—	—	—	—	1				21
22 Diarrhoea, &c. (under 2 years)	1	—	—	—	—	—	1	—	—	—				22
23 Appendicitis and typhlitis ..	2	1	—	1	—	1	—	—	—	2				23
24 Cirrhosis of liver	1	1	—	—	—	—	—	—	—	1				24
25 Acute and chronic nephritis ..	7	2	2	4	4	1	1	2	3	1				25
26 Puerperal sepsis	—	1	—	1	—	1	—	—	—	1				26
27 Other accidents and diseases of pregnancy and parturition..	—	1	—	1	—	—	—	2	—	1				27
28 Congenital debility and mal- formation, premature birth	1	—	4	—	1	1	5	1	3	5				28
29 Suicide	—	—	—	—	1	—	3	—	3	—				29
30 Other deaths from violence ..	4	1	1	1	4	1	2	—	7	3				30
31 Other defined diseases	20	24	12	5	17	11	14	12	17	22				31
32 Causes ill-defined or unknown	1	1	2	—	—	—	—	—	1	—				32

Causes of Death.	Aylesbury M.B.	Chepping Wycombe M.B.	Slough U.D.	Wolverton U.D.†	Amer- sham R.D.	Ayles- bury R.D.	Eton R.D.	New- port Pag- nell R.D.	Wy- combe R.D.									
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	60	67	90	102	69	82	73	75	104	95	101	101	149	145	97	97	148	121
1 Enteric fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—
4 Scarlet fever	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
5 Whooping cough	—	1	1	—	—	—	—	—	—	1	1	—	—	—	1	—	—	—
6 Diphtheria	—	1	—	1	1	2	—	—	—	—	—	—	3	1	3	1	3	1
7 Influenza	1	1	1	1	1	3	1	—	3	3	2	—	3	1	—	2	—	2
8 Encephalitis lethargica	—	—	1	2	—	—	—	—	—	—	1	—	—	1	—	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	9
10 Tuberculosis of respiratory sys.	5	5	8	8	2	5	6	7	3	8	5	5	12	12	3	6	6	6
11 Other tuberculous diseases	—	—	5	—	1	1	1	1	—	—	4	1	2	2	1	2	2	—
12 Cancer, malignant disease	4	6	8	12	7	11	10	11	15	15	13	13	16	18	13	11	17	15
13 Rheumatic fever	—	—	—	1	—	—	—	—	—	—	—	—	1	2	—	—	1	—
14 Diabetes	—	—	3	2	—	1	2	4	—	2	—	—	—	1	2	2	—	1
15 Cerebral hæmorrhage, &c.	5	8	4	9	3	7	—	6	5	5	4	5	9	10	6	10	9	17
16 Heart disease	7	11	9	9	11	11	7	9	11	15	14	18	22	24	11	13	21	16
17 Arterio-sclerosis	1	—	—	1	—	2	1	—	6	3	1	2	3	—	5	1	7	—
18 Bronchitis	8	5	6	17	3	4	6	6	8	4	9	6	13	7	3	6	15	17
19 Pneumonia (all forms)	3	2	6	7	7	5	1	1	10	3	4	3	13	6	3	2	9	3
20 Other respiratory diseases	2	3	2	—	—	2	1	—	1	1	—	1	—	—	3	1	1	5
21 Ulcer of stomach or duodenum	—	1	2	1	1	—	—	1	—	—	1	2	1	1	1	—	—	1
22 Diarrhoea, &c. (under 2 years)	—	—	2	—	1	3	—	1	—	4	—	2	—	1	2	1	—	1
23 Appendicitis and typhlitis	—	—	3	—	2	1	1	—	—	—	—	—	—	1	—	—	—	—
24 Cirrhosis of liver	—	—	—	—	—	1	1	1	1	—	2	—	1	1	1	3	1	—
25 Acute and chronic nephritis	—	1	2	2	5	2	2	1	4	1	3	3	2	9	6	3	3	4
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	2
27 Other accidents and diseases of pregnancy and parturition.. .. .	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	3	27
28 Congenital debility and malformation, premature birth	3	3	6	2	2	5	4	2	5	5	5	9	5	5	5	7	16	4
29 Suicide	—	—	1</															

† Formerly Stratford and Wolverton.

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.*

CAMBRIDGESHIRE.

Causes of Death.				Cambridge M.B.		Chester- ton R.D.		New- market R.D.		
				M.	F.	M.	F.	M.	F.	
All Causes				315	327	154	119	111	114	
1	Enteric fever	—	—	—	1	—	—	1
2	Small-pox	—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	—	3
4	Scarlet fever	—	1	—	—	—	1	4
5	Whooping cough	—	—	—	—	—	—	5
6	Diphtheria	1	1	—	—	—	—	6
7	Influenza	5	3	—	1	—	—	7
8	Encephalitis lethargica	1	—	3	1	1	—	8
9	Meningococcal meningitis	—	—	—	—	—	—	9
10	Tuberculosis of respiratory sys.	21	25	8	4	6	5	10
11	Other tuberculous diseases	5	4	3	5	4	4	11
12	Cancer, malignant disease	38	52	21	16	12	17	12
13	Rheumatic fever	—	5	1	1	2	—	13
14	Diabetes	2	3	1	—	2	—	14
15	Cerebral hæmorrhage, &c.	21	19	13	10	4	11	15
16	Heart disease	40	41	18	19	13	15	16
17	Arterio-sclerosis	7	4	4	2	5	5	17
18	Bronchitis	15	21	9	11	6	5	18
19	Pneumonia (all forms)	24	18	4	5	5	3	19
20	Other respiratory diseases	5	4	2	—	1	1	20
21	Ulcer of stomach or duodenum	3	—	2	2	1	1	21
22	Diarrhœa, &c. (under 2 years)	2	4	2	—	—	1	22
23	Appendicitis and typhlitis	2	3	2	1	1	2	23
24	Cirrhosis of liver	2	2	1	—	—	2	24
25	Acute and chronic nephritis	11	5	4	2	5	2	25
26	Puerperal sepsis	—	1	—	—	—	—	26
27	Other accidents and diseases of pregnancy and parturition..	—	2	—	1	—	1	27
28	Congenital debility and malformation, premature birth	19	9	5	4	6	4	28
29	Suicide	3	3	2	1	1	—	29
30	Other deaths from violence	17	2	6	2	4	—	30
31	Other defined diseases	68	95	42	28	29	33	31
32	Causes ill-defined or unknown	3	—	1	2	3	1	32

CHESHIRE.

Causes of Death.	Altrincham U.D.		Cheadle & Gatley U.D.		Congleton M.B.		Crewe M.B.		Dukinfield M.B.		Ellesmere Port & Whitley U.D.		Hazel Grove & Bramhall U.D.		Hoylake & West Kirby U.D.		Hyde M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	112	110	49	60	75	69	260	261	152	143	62	49	54	55	78	92	223	263	
1 Enteric fever	1	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	1	—	—	3	—	—	2	—	1	1	—	—	—	—	—	—	1	3	4
5 Whooping cough	2	3	—	—	—	—	2	3	6	3	1	—	—	1	—	1	2	—	5
6 Diphtheria	1	—	—	—	—	—	1	—	—	—	2	—	—	—	1	—	2	4	6
7 Influenza	—	3	2	—	3	5	5	4	1	3	—	1	1	3	1	2	7	8	7
8 Encephalitis lethargica	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	10	6	2	1	4	3	18	16	7	15	5	2	2	1	10	4	12	11	10
11 Other tuberculous diseases	1	2	2	—	1	—	4	6	3	2	2	3	2	1	3	2	6	2	11
12 Cancer, malignant disease	8	14	6	8	1	5	18	24	11	15	5	6	6	5	5	15	18	25	12
13 Rheumatic fever	1	—	—	1	—	2	1	1	—	2	—	—	—	2	—	—	—	—	13
14 Diabetes	—	3	2	1	2	1	1	2	—	—	1	—	—	2	1	1	2	2	14
15 Cerebral hæmorrhage, &c.	5	8	2	2	2	10	18	20	9	8	4	4	—	6	2	8	14	22	15
16 Heart disease	12	16	9	15	6	8	26	44	18	19	4	4	5	10	12	12	23	32	16
17 Arterio-sclerosis	1	2	6	3	4	2	10	3	8	2	1	—	2	1	3	6	11	7	17
18 Bronchitis	7	7	1	3	11	13	18	16	3	11	5	4	6	4	1	3	15	28	18
19 Pneumonia (all forms)	9	7	1	2	6	1	25	14	19	8	9	5	2	2	8	4	19	26	19
20 Other respiratory diseases	—	—	—	1	—	—	6	11	1	3	—	1	1	1	—	3	1	3	20
21 Ulcer of stomach or duodenum	—	—	1	—	—	—	2	3	1	—	1	—	—	—	1	1	3	1	21
22 Diarrhœa, &c. (under 2 years)	3	3	—	1	3	—	6	7	7	3	3	1	1	—	1	—	6	2	22
23 Appendicitis and typhlitis	—	—	—	1	—	—	—	—	4	1	—	—	1	—	—	2	3	—	23
24 Cirrhosis of liver	1	—	1	1	—	—	3	2	1	1	—	—	1	—	—	2	—	—	24
25 Acute and chronic nephritis	4	3	—	1	—	3	2	3	5	8	3	—	2	1	5	6	8	6	25
26 Puerperal sepsis	—	—	—	—	—	—	—	3	—	3	—	—	—	1	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	—	—	1	—	1	—	3	—	—	—	1	—	2	27
28 Congenital debility and malformation, premature birth	9	5	3	1	7	4	30	17	16	7	7	7	2	3	5	1	21	21	28
29 Suicide	1	—	1	—	4	—	2	4	2	2	1	—	2	—	2	1	1	2	29
30 Other deaths from violence	7	4	—	—	2	—	10	4	4	2	1	2	3	—	2	1	4	2	30
31 Other defined diseases	27	21	10	12	19	12	47	53	25	22	7	6	15	11	15	15	42	53	31
32 Causes ill-defined or unknown	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	1	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.***CHESHIRE**—*cont.*

Causes of Death.	Lower Beb- ington U.D.		Maccles- field. M.B.		North- wich U.D.		Run- corn U.D.		Sale U.D.		Staly- bridge M.B.		Wins- ford U.D.		Buck- low R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	69	59	241	231	128	84	122	104	94	90	213	208	73	64	116	110
1 Enteric fever	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
4 Scarlet fever	—	—	—	1	—	—	—	—	—	—	2	—	—	—	—	—
5 Whooping cough	1	2	—	2	8	5	—	—	2	1	—	1	1	1	—	—
6 Diphtheria	3	1	2	3	—	—	—	—	1	—	1	—	—	—	—	—
7 Influenza	1	1	6	3	1	3	4	1	1	4	5	2	1	—	4	5
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
10 Tuberculosis of respiratory sys.	7	3	18	10	9	3	4	4	4	4	13	14	1	5	2	6
11 Other tuberculous diseases	4	—	2	9	2	1	3	3	1	2	4	3	1	3	2	3
12 Cancer, malignant disease	5	7	29	31	10	10	14	11	20	10	23	22	6	3	16	17
13 Rheumatic fever	—	—	2	—	—	—	—	—	1	1	—	1	—	1	—	1
14 Diabetes	1	1	1	1	2	5	—	1	1	3	1	2	1	1	4	1
15 Cerebral hæmorrhage, &c.	1	5	8	11	9	10	3	11	4	7	13	18	6	3	4	14
16 Heart disease	7	16	18	33	15	9	10	5	7	8	18	19	15	12	14	15
17 Arterio-sclerosis	2	6	8	4	5	2	6	7	4	2	1	—	—	—	4	3
18 Bronchitis	1	—	18	17	8	2	7	4	4	6	20	22	6	3	7	5
19 Pneumonia (all forms)	2	1	21	7	9	4	15	16	2	2	31	26	5	6	9	3
20 Other respiratory diseases	1	—	4	1	2	2	4	2	1	1	5	—	—	1	1	1
21 Ulcer of stomach or duodenum	1	—	—	—	1	1	1	1	—	—	—	—	—	—	—	1
22 Diarrhœa, &c. (under 2 years)	3	2	8	7	4	3	5	2	2	1	6	6	—	—	2	—
23 Appendicitis and typhlitis	3	—	1	1	—	1	1	—	2	1	1	—	—	—	1	—
24 Cirrhosis of liver	—	—	2	—	1	—	1	—	—	1	1	—	1	—	—	1
25 Acute and chronic nephritis	3	1	6	8	7	2	6	3	2	3	7	7	4	1	—	—
26 Puerperal sepsis	—	—	—	3	—	1	—	1	—	—	—	—	—	—	—	1
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	1	—	1	—	2	—	2	—	—
28 Congenital debility and mal- formation, premature birth	6	7	22	12	6	5	13	7	5	6	16	8	8	5	4	5
29 Suicide	—	—	4	2	1	1	—	—	1	—	2	—	1	—	3	—
30 Other deaths from violence	5	—	7	4	6	3	10	1	2	2	6	3	1	1	5	5
31 Other defined diseases	11	6	53	61	22	11	15	22	27	23	37	50	15	16	33	22
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—

CHESHIRE—*cont.*

Causes of Death.	Ches- ter R.D.		Congle- ton R.D.		Maccles- field R.D.		Nant- wich R.D.		North- wich R.D.		Run- corn R.D.		Tar- vin R.D.		Wir- ral R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	68	42	80	71	89	98	149	162	136	113	158	132	84	63	114	88
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	—	—	1	—	1	2	1	1	1	—	—	2	—	1	—	—
5 Whooping cough	1	—	—	—	—	1	—	3	—	4	—	—	—	1	—	—
6 Diphtheria	1	—	—	1	1	—	2	2	1	—	1	1	—	1	—	—
7 Influenza	2	1	2	1	—	1	2	1	2	1	6	1	2	—	2	—
8 Encephalitis lethargica	—	—	1	—	2	—	—	—	—	—	—	1	—	—	—	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
10 Tuberculosis of respiratory sys.	1	1	4	3	7	5	2	6	5	1	10	9	4	—	8	8
11 Other tuberculous diseases	2	—	1	1	1	—	4	—	4	1	6	1	—	—	2	—
12 Cancer, malignant disease	9	8	8	5	9	10	14	24	11	13	14	16	6	5	7	16
13 Rheumatic fever	—	—	—	—	1	—	—	—	—	1	—	2	—	—	1	1
14 Diabetes	—	—	1	—	1	1	3	1	2	1	2	1	1	1	1	3
15 Cerebral hæmorrhage, &c.	5	2	2	4	3	11	17	16	6	8	14	6	5	6	8	11
16 Heart disease	9	2	6	8	12	22	21	31	15	10	10	18	14	11	17	12
17 Arterio-sclerosis	3	3	3	2	2	3	1	2	9	3	2	4	3	—	6	4
18 Bronchitis	2	4	11	3	4	8	5	7	12	11	7	6	4	3	6	1
19 Pneumonia (all forms)	7	3	5	7	7	5	11	10	8	9	12	11	7	2	6	1
20 Other respiratory diseases	1	—	—	—	2	1	1	1	1	1	3	2	—	—	5	—
21 Ulcer of stomach or duodenum	—	1	—	—	—	—	1	—	—	1	1	—	1	4	—	1
22 Diarrhœa, &c. (under 2 years)	—	—	1	1	1	—	4	—	3	2	2	—	—	—	1	1
23 Appendicitis and typhlitis	—	—	—	—	1	1	—	1	1	1	2	3	—	—	—	1
24 Cirrhosis of liver	—	—	—	—	—	1	2	—	—	—	4	—	—	—	—	—
25 Acute and chronic nephritis	5	1	4	3	2	2	3	3	4	4	6	9	2	1	—	2
26 Puerperal sepsis	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	2	—	3	—	1	—	2	—	2	—	—
28 Congenital debility and mal- formation, premature birth	2	—	4	7	4	5	9	6	3	8	22	7	4	2	9	5
29 Suicide	—	—	2	—	2	—	2	2	1	—	1	—	—	—	1	—
30 Other deaths from violence	3	2	5	2	4	—	4	4	5	4	9	1	7	—	9	—
31 Other defined diseases	13	12	19	22	20	17	39	37	41	27	23	28	23	24	24	20
32 Causes ill-defined or unknown	2	—	—	1	2	—	1	—	1	1	1	—	1	—	—	1

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.*

CORNWALL.

Causes of Death.	Cam-borne U.D.		Fal-mouth M.B.		Pen-vance M.B.		Truro M.B.				Bod-min R.D.		Hel-ston R.D.		Lis-keard R.D.		Red-ruth R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.			M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	94	100	87	77	77	107	58	76			76	50	101	119	82	99	132	145	
1 Enteric fever	—	—	—	—	—	—	—	—			1	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—			—	—	—	2	—	—	—	1	3
4 Scarlet fever	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	4
5 Whooping cough	—	1	—	—	—	1	1	2			—	—	2	—	—	—	—	—	5
6 Diphtheria	1	—	2	2	—	—	1	1			—	—	—	—	—	—	2	1	6
7 Influenza	—	—	2	—	—	—	—	—			1	1	1	1	—	—	—	—	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	15	8	6	4	1	5	5	3			3	1	4	1	7	5	25	8	10
11 Other tuberculous diseases	6	5	2	3	—	4	1	3			1	2	1	1	2	4	2	4	11
12 Cancer, malignant disease	7	11	11	8	11	21	7	11			8	14	10	17	9	18	7	18	12
13 Rheumatic fever	—	—	—	—	—	—	—	—			1	—	—	—	—	1	—	—	13
14 Diabetes	1	3	—	2	—	—	1	—			1	—	—	3	—	1	3	4	14
15 Cerebral hæmorrhage, &c.	4	7	5	6	5	5	3	6			5	2	5	8	2	4	8	8	15
16 Heart disease	12	21	6	11	10	17	4	5			13	8	9	22	12	20	12	37	16
17 Arterio-sclerosis	1	1	1	4	—	2	1	1			1	2	—	1	7	4	1	3	17
18 Bronchitis	5	1	4	5	6	3	3	4			3	1	5	9	6	7	11	7	18
19 Pneumonia (all forms)	7	5	4	2	1	3	2	4			3	1	10	7	4	2	3	3	19
20 Other respiratory diseases	2	—	1	1	2	—	1	3			—	—	4	2	2	1	8	2	20
21 Ulcer of stomach or duodenum	—	—	—	—	1	1	—	—			—	—	1	—	2	1	—	—	21
22 Diarrhœa, &c. (under 2 years)	2	1	3	—	3	3	3	—			—	—	3	—	—	1	4	4	22
23 Appendicitis and typhlitis	1	—	1	1	—	—	—	—			2	—	—	1	—	—	—	2	23
24 Cirrhosis of liver	1	—	1	1	1	—	—	—			—	—	—	—	—	—	—	—	24
25 Acute and chronic nephritis	2	—	4	2	5	—	5	2			—	—	4	2	3	—	5	2	25
26 Puerperal sepsis	—	—	—	1	—	—	—	—			—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	—	—	—			—	2	—	—	—	—	—	2	27
28 Congenital debility and malformation, premature birth	6	8	11	1	8	4	4	5			8	2	8	2	5	1	11	7	28
29 Suicide	1	—	—	—	2	2	—	—			1	—	2	—	1	—	2	—	29
30 Other deaths from violence	2	1	4	1	—	2	1	3			9	—	3	3	2	2	4	—	30
31 Other defined diseases	18	26	18	20	20	34	15	22			11	11	29	37	20	25	23	32	31
32 Causes ill-defined or unknown	—	—	1	1	1	—	—	1			4	3	—	—	—	1	—	—	32

CORNWALL—*cont.*

CUMBERLAND.

Causes of Death.	St. Austell R.D.		St. Columb Major R.D.		St. Germans R.D.		Truro R.D.		West Penwith R.D.				Mary-port U.D.		White-haven M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			M.	F.	M.	F.	
All Causes	174	187	52	65	67	84	113	145	65	74			62	77	137	133	
1 Enteric fever	—	—	—	—	1	—	—	—	—	—			—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—			—	—	—	—	2
3 Measles	5	2	—	—	—	—	—	—	—	—			—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	1	—			—	—	—	—	4
5 Whooping cough	—	—	—	1	—	—	1	—	—	—			1	—	—	3	5
6 Diphtheria	1	—	—	—	—	—	3	—	1	2			—	1	1	—	6
7 Influenza	—	1	1	—	1	3	2	—	1	—			1	2	2	1	7
8 Encephalitis lethargica	—	—	—	—	1	—	—	—	—	—			—	1	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—			—	—	—	—	9
10 Tuberculosis of respiratory sys.	9	17	1	1	5	8	9	9	6	4			1	5	14	14	10
11 Other tuberculous diseases	1	8	—	3	2	2	4	7	—	1			1	1	2	3	11
12 Cancer, malignant disease	12	18	6	9	11	10	17	20	10	11			6	10	10	10	12
13 Rheumatic fever	3	—	—	—	—	—	—	—	—	—			—	1	1	2	13
14 Diabetes	3	3	1	—	—	3	2	2	—	1			2	—	1	1	14
15 Cerebral hæmorrhage, &c.	10	14	7	7	4	9	2	14	5	6			6	6	6	11	15
16 Heart disease	25	28	7	8	10	5	17	17	12	17			6	11	11	10	16
17 Arterio-sclerosis	6	11	2	2	—	3	7	5	2	6			1	2	4	—	17
18 Bronchitis	18	14	3	3	2	4	5	6	2	2			5	3	14	11	18
19 Pneumonia (all forms)	5	2	3	1	—	1	4	4	4	3			6	6	14	13	19
20 Other respiratory diseases	2	6	—	1	1	—	2	1	2	3			—	—	3	—	20
21 Ulcer of stomach or duodenum	—	—	1	—	—	—	—	—	—	1			—	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	2	1	1	1	—	2	—			1	4	8	4	22
23 Appendicitis and typhlitis	3	2	—	1	—	—	1	1	—	—			1	1	—	—	23
24 Cirrhosis of liver	1	—	—	—	1	—	1	—	1	—			—	—	—	1	24
25 Acute and chronic nephritis	7	5	—	2	2	2	2	4	1	1			1	1	5	4	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—			—	1	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	1	—	—	—	2	—	1			—	1	—	2	27
28 Congenital debility and malformation, premature birth	13	8	7	2	5	5	6	8	4	2			5	5	10	9	28
29 Suicide	2	1	—	—	1	—	1	—	—	—			—	—	2	—	29
30 Other deaths from violence	6	—	2	3	3	2	5	3	2	—			2	—	8	3	30
31 Other defined diseases	42	43	11	18	16	26	21	41	9	13			16	15	21	28	31
32 Causes ill-defined or unknown	—	2	—	—	—	—	—	1	—	—			—	—	—	2	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.***CUMBERLAND**—*cont.*

Causes of Death.	Workington M.B.		Carlisle R.D.		Cockermouth R.D.		Penrith R.D.		Whitehaven R.D.		Wigton R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	155	177	66	77	132	131	86	64	78	82	77	61
1 Enteric fever	—	1	—	—	—	—	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	1	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	—	—	—	—	—	—	1	1	—	—	1	—
5 Whooping cough	—	5	—	—	1	—	—	—	—	—	1	—
6 Diphtheria	4	4	—	—	1	3	—	1	1	2	—	—
7 Influenza	3	3	3	3	1	4	1	2	2	2	2	1
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	7	16	6	8	2	7	2	4	4	7	—	8
11 Other tuberculous diseases	4	4	1	—	2	4	1	—	1	4	—	—
12 Cancer, malignant disease	8	15	8	10	11	12	8	9	4	10	8	10
13 Rheumatic fever	1	3	—	—	1	—	—	—	1	—	—	—
14 Diabetes	1	1	1	—	1	—	1	1	—	2	—	—
15 Cerebral hæmorrhage, &c.	14	15	2	7	7	13	5	4	5	4	8	1
16 Heart disease	16	16	4	12	21	17	19	13	8	4	10	10
17 Arterio-sclerosis	1	1	3	1	2	3	3	—	1	—	4	2
18 Bronchitis	7	14	2	1	7	9	6	3	1	7	8	1
19 Pneumonia (all forms)	13	4	6	5	5	10	7	—	4	7	2	—
20 Other respiratory diseases	1	1	—	—	3	4	1	1	1	2	—	1
21 Ulcer of stomach or duodenum	1	—	—	—	1	—	—	—	—	1	—	2
22 Diarrhœa, &c. (under 2 years)	5	15	—	—	10	4	—	—	3	3	—	1
23 Appendicitis and typhlitis	1	4	1	1	2	—	—	1	—	1	—	—
24 Cirrhosis of liver	2	—	—	—	—	—	1	—	—	—	1	—
25 Acute and chronic nephritis	5	5	1	4	1	1	3	1	1	—	1	—
26 Puerperal sepsis	—	1	—	—	—	—	—	1	—	1	—	—
27 Other accidents and diseases of pregnancy and parturition.. .. .	—	3	—	—	—	1	—	1	—	—	—	1
28 Congenital debility and malformation, premature birth	15	7	2	1	12	9	7	1	6	4	9	3
29 Suicide	—	1	5	—	4	—	—	—	3	—	1	—
30 Other deaths from violence	8	—	4	1	7	1	5	2	5	1	5	1
31 Other defined diseases	35	38	16	22	28	29	15	18	24	20	17	16
32 Causes ill-defined or unknown	2	—	1	1	2	—	1	—	2	—	1	1

DERBYSHIRE.

Causes of Death.	Alfreton U.D.		Belper U.D.		Bolsover U.D.		Buxton M.B.		Chesterfield M.B.		Glossop M.B.		Heanor U.D.		Ilkeston M.B.		Long Eaton U.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	137	123	57	79	74	51	55	78	377	339	137	136	116	104	201	186	91	101
1 Enteric fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	—	—	3	1	—	—	2	—	—	—	—	—	—	—	—	—
4 Scarlet fever	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	1	—	2
5 Whooping cough	1	3	—	—	—	1	—	1	4	3	1	1	1	2	1	2	—	—
6 Diphtheria	—	2	—	1	—	1	—	—	3	2	1	—	2	—	—	1	—	—
7 Influenza	8	5	5	7	2	1	3	—	9	5	5	3	4	2	6	9	—	5
8 Encephalitis lethargica	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
9 Meningococcal meningitis	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	4	5	7	6	7	6	4	3	26	25	12	4	7	8	6	11	4	6
11 Other tuberculous diseases	4	1	2	—	—	1	—	—	5	11	5	2	3	—	2	1	4	2
12 Cancer, malignant disease	14	11	3	10	2	3	6	12	27	30	14	18	5	7	14	15	6	9
13 Rheumatic fever	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	2	—	1
14 Diabetes	2	—	1	—	1	1	2	—	2	6	3	1	3	2	—	2	5	2
15 Cerebral hæmorrhage, &c.	7	6	—	8	2	1	2	7	12	19	5	4	5	7	11	10	4	8
16 Heart disease	17	12	10	7	6	6	9	10	40	35	11	20	8	14	9	15	5	9
17 Arterio-sclerosis	3	4	2	2	1	—	1	7	9	9	8	2	—	—	5	2	—	—
18 Bronchitis	5	13	2	10	6	3	8	9	34	27	12	20	9	11	40	37	10	8
19 Pneumonia (all forms)	12	7	2	3	4	5	4	3	32	30	7	6	15	11	21	15	7	6
20 Other respiratory diseases	6	1	1	1	2	—	—	—	8	—	3	1	—	—	3	4	1	1
21 Ulcer of stomach or duodenum	—	1	—	—	—	—	—	—	3	1	3	1	3	—	2	—	3	—
22 Diarrhœa, &c. (under 2 years)	1	3	—	—	7	—	1	1	17	6	2	1	2	5	4	4	1	—
23 Appendicitis and typhlitis	2	—	—	—	1	—	—	1	5	2	—	1	1	2	1	—	—	1
24 Cirrhosis of liver	—	—	—	1	—	—	—	1	2	4	1	—	1	1	1	1	1	1
25 Acute and chronic nephritis	2	3	2	2	3	1	1	4	6	3	4	6	5	—	3	1	5	3
26 Puerperal sepsis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.. .. .	—	2	—	—	—	—	—	—	—	2	—	3	—	—	—	3	—	1
28 Congenital debility and malformation, premature birth	9	14	6	7	6	8	2	1	33	30	5	1	6	8	17	16	10	9
29 Suicide	2	1	—	—	—	—	1	—	6	—	7	—	4	—	2	—	3	—
30 Other deaths from violence	7	—	2	—	3	—	3	2	20	7	5	1	6	3	9	1	1	—
31 Other defined diseases	31	24	11	14	15	12	8	22	63	76	21	32	22	21	41	30	21	24
32 Causes ill-defined or unknown	—	2	—	—	3	—	—	—	9	4	1	1	1	—	3	3	—	3

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.***DERBYSHIRE—*cont.***

Causes of Death.	Ripley U.D.		Swadlincote District U.D.		Ashbourne R.D.		Bakewell R.D.		Belper R.D.		Blackwell R.D.		Chapel-en-le-Frith R.D.		Chesterfield R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	74	64	127	94	62	59	141	92	135	120	249	204	101	85	439	437	
1 Enteric fever	—	—	—	2	—	—	—	—	—	—	—	1	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	3	2	—	—	—	—	—	—	1	1	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	6	—	—	1	—	—	2	—	3	3	1	1	5	3	5
6 Diphtheria	1	2	3	2	1	—	4	1	—	—	2	2	—	—	—	4	6
7 Influenza	2	1	2	2	2	1	5	2	4	3	5	6	2	—	13	11	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	8
9 Meningococcal meningitis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	3	2	3	4	3	5	5	2	9	4	11	17	4	5	14	13	10
11 Other tuberculous diseases	1	1	2	5	1	—	4	3	5	3	6	5	1	—	4	4	11
12 Cancer, malignant disease	3	4	7	7	7	8	11	12	15	15	10	19	11	11	34	38	12
13 Rheumatic fever	—	—	—	1	—	—	—	—	—	—	2	3	—	1	1	1	13
14 Diabetes	—	1	1	—	2	1	1	2	—	—	—	2	—	4	3	1	14
15 Cerebral hæmorrhage, &c.	1	1	6	3	6	4	9	8	7	10	5	5	5	7	24	33	15
16 Heart disease	9	6	11	12	4	7	19	11	9	11	17	16	12	15	42	70	16
17 Arterio-sclerosis	1	1	—	—	4	1	7	—	9	6	9	4	—	—	16	12	17
18 Bronchitis	3	5	7	8	1	5	8	7	11	8	19	11	5	5	33	48	18
19 Pneumonia (all forms)	9	8	11	4	2	3	10	3	9	10	33	28	9	3	45	27	19
20 Other respiratory diseases	1	1	1	1	—	—	1	2	3	2	6	—	1	—	7	1	20
21 Ulcer of stomach or duodenum	1	—	1	—	1	—	1	1	2	—	—	—	—	1	—	1	21
22 Diarrhœa, &c. (under 2 years)	1	—	4	1	1	1	1	—	1	1	17	12	—	—	13	16	22
23 Appendicitis and typhlitis	1	—	3	—	—	—	2	—	1	—	2	—	—	1	2	3	23
24 Cirrhosis of liver	2	—	1	—	—	—	2	—	2	1	2	2	2	1	—	1	24
25 Acute and chronic nephritis	1	2	2	3	2	1	3	1	2	3	3	—	2	1	15	9	25
26 Puerperal sepsis	—	1	—	—	—	—	1	—	—	1	—	1	—	—	—	2	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	—	—	—	—	2	—	4	—	—	—	7	27
28 Congenital debility and malformation, premature birth	5	5	13	4	6	1	7	2	6	5	27	11	7	2	33	29	28
29 Suicide	—	—	2	—	—	—	3	1	3	—	2	—	1	—	3	1	29
30 Other deaths from violence	1	—	7	—	3	1	3	—	8	2	16	—	7	—	27	6	30
31 Other defined diseases	27	21	30	28	15	19	33	29	23	32	49	50	29	26	98	91	31
32 Causes ill-defined or unknown	—	1	1	4	1	—	2	2	4	1	2	—	2	1	5	5	32

DERBYSHIRE—*cont.***DEVONSHIRE.**

Causes of Death.	Clowne R.D.		Repton R.D.		Shardlow R.D.		Barnstaple M.B.		Exmouth U.D.		Ilfracombe U.D.		Newton Abbot U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	87	88	83	104	194	174	77	100	77	99	44	80	92	97	
1 Enteric fever	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	2	3	1	2	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	1	—	—	—	—	—	4
5 Whooping cough	1	—	2	3	2	2	—	2	—	1	—	—	1	1	5
6 Diphtheria	—	1	—	—	1	—	—	—	—	1	—	—	—	2	6
7 Influenza	4	2	3	2	3	4	—	—	1	1	2	1	2	2	7
8 Encephalitis lethargica	—	—	—	—	1	—	—	—	—	1	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	1	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	2	8	2	5	13	9	8	3	6	9	3	2	6	7	10
11 Other tuberculous diseases	2	3	1	4	1	4	2	—	1	—	—	2	3	4	11
12 Cancer, malignant disease	5	3	5	13	21	21	3	13	9	20	4	11	10	13	12
13 Rheumatic fever	1	2	—	—	1	—	—	—	—	—	—	—	—	1	13
14 Diabetes	—	—	—	2	2	1	4	—	2	2	—	4	—	1	14
15 Cerebral hæmorrhage, &c.	2	7	4	12	16	9	11	11	10	7	2	7	11	13	15
16 Heart disease	6	6	10	15	17	21	8	7	13	21	6	16	14	7	16
17 Arterio-sclerosis	1	—	1	2	4	3	2	3	1	1	4	3	5	8	17
18 Bronchitis	6	6	8	6	15	9	3	7	2	7	—	4	6	6	18
19 Pneumonia (all forms)	2	6	7	7	7	7	6	4	8	3	3	4	3	3	19
20 Other respiratory diseases	—	1	—	1	3	—	—	2	1	—	—	—	—	1	20
21 Ulcer of stomach or duodenum	2	1	—	—	—	2	1	1	—	—	—	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	3	1	1	—	8	5	—	—	1	—	1	1	—	1	22
23 Appendicitis and typhlitis	1	1	—	—	—	1	1	—	—	1	—	1	—	2	23
24 Cirrhosis of liver	2	—	—	—	3	—	—	—	1	—	—	—	—	—	24
25 Acute and chronic nephritis	—	—	7	2	7	5	3	1	2	4	1	2	3	2	25
26 Puerperal sepsis	—	2	—	—	—	—	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	1	—	—	—	—	—	1	—	—	27
28 Congenital debility and malformation, premature birth	9	5	3	2	20	17	1	8	—	2	—	5	7	—	28
29 Suicide	1	—	1	2	2	—	1	1	—	—	1	1	3	1	29
30 Other deaths from violence	7	—	2	3	11	5	2	1	1	1	—	5	1	—	30
31 Other defined diseases	28	32	24	18	35	46	19	36	16	17	16	20	14	13	31
32 Causes ill-defined or unknown	1	1	—	—	—	—	—	—	1	—	—	—	—	1	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.***DEVONSHIRE—*cont.***

Causes of Death.	Paignton U.D.		Teignmouth U.D.		Torquay M.B.		Barnstaple R.D.		Crediton R.D.		Kingsbridge R.D.		Newton Abbot R.D.		Okehampton R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	89	95	62	76	249	284	116	110	60	66	61	52	104	118	86	76
1 Enteric fever	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
5 Whooping cough	—	—	—	3	2	2	—	2	—	1	—	—	—	4	1	—
6 Diphtheria	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	1
7 Influenza	—	—	—	3	3	3	2	2	—	2	—	1	1	—	1	2
8 Encephalitis lethargica	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—
9 Meningococcal meningitis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	9	6	1	5	22	21	6	8	7	5	5	—	9	7	5	4
11 Other tuberculous diseases	—	—	—	—	7	6	1	3	1	3	—	—	1	4	3	1
12 Cancer, malignant disease	9	17	12	15	27	30	10	12	6	7	8	7	10	14	8	15
13 Rheumatic fever	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	2	2	—	—	7	9	1	2	1	3	—	2	1	2	1	—
15 Cerebral hæmorrhage, &c.	9	8	6	7	18	22	6	12	6	12	6	3	8	7	5	3
16 Heart disease	17	16	9	9	24	44	15	12	6	11	9	5	13	22	15	17
17 Arterio-sclerosis	5	4	10	2	13	26	13	5	—	—	3	1	8	9	2	4
18 Bronchitis	4	1	—	4	18	9	2	6	4	3	4	4	4	6	8	5
19 Pneumonia (all forms)	1	2	1	3	10	9	9	3	2	3	2	—	4	4	3	4
20 Other respiratory diseases	2	1	2	1	3	9	4	4	—	—	—	—	5	2	4	—
21 Ulcer of stomach or duodenum	1	1	—	—	—	2	1	1	—	—	1	—	1	—	1	—
22 Diarrhœa, &c. (under 2 years)	—	—	2	1	5	5	2	—	1	—	1	—	1	1	1	—
23 Appendicitis and typhlitis	—	1	—	1	2	2	—	—	1	—	—	1	—	—	1	1
24 Cirrhosis of liver	—	—	2	—	1	—	—	1	1	—	—	—	—	—	—	—
25 Acute and chronic nephritis	4	2	3	4	11	8	2	2	3	1	2	2	1	4	1	—
26 Puerperal sepsis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	5	—	1	—	—	—	1	—	—	—	—
28 Congenital debility and malformation, premature birth	6	3	1	1	7	3	7	4	1	1	6	1	6	2	3	3
29 Suicide	—	1	1	—	2	3	2	—	1	—	1	—	2	—	1	1
30 Other deaths from violence	1	1	1	1	4	6	4	2	2	—	1	—	4	2	3	2
31 Other defined diseases	17	26	11	14	60	59	29	27	17	9	12	18	21	26	16	11
32 Causes ill-defined or unknown	1	—	—	—	1	—	—	—	—	5	—	1	—	—	2	1

DEVONSHIRE—*cont.*

Causes of Death.	Plympton St. Mary R.D.		St. Thomas R.D.		South Molton R.D.		Tavistock R.D.		Tiverton R.D.		Totnes R.D.					
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.				
All Causes	116	117	139	150	59	62	84	89	66	76	74	74				
1 Enteric fever	—	—	—	—	—	—	—	—	—	1	—	—				
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—				
3 Measles	—	—	—	1	—	—	—	—	—	—	—	—				
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—				
5 Whooping cough	—	—	2	—	—	—	—	—	—	—	—	—				
6 Diphtheria	—	1	—	—	—	—	—	—	1	—	—	—				
7 Influenza	—	3	4	4	2	2	1	3	—	1	—	3				
8 Encephalitis lethargica	—	—	—	1	—	—	—	—	1	—	—	—				
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—				
10 Tuberculosis of respiratory sys.	4	8	12	9	6	2	6	4	5	7	7	7				
11 Other tuberculous diseases	2	2	6	5	1	—	3	—	1	2	1	1				
12 Cancer, malignant disease	11	8	19	24	3	3	6	6	3	8	10	5				
13 Rheumatic fever	—	—	2	1	—	—	—	—	1	—	1	—				
14 Diabetes	2	2	4	—	—	2	—	—	—	—	—	—				
15 Cerebral hæmorrhage, &c.	8	11	3	15	5	12	5	7	5	4	5	7				
16 Heart disease	16	16	14	22	6	10	16	20	10	9	9	12				
17 Arterio-sclerosis	5	6	9	5	2	1	1	—	1	2	4	1				
18 Bronchitis	2	3	3	12	5	5	4	6	6	6	4	8				
19 Pneumonia (all forms)	13	3	12	6	7	4	—	3	2	—	3	6				
20 Other respiratory diseases	2	3	2	1	1	1	2	—	1	—	1	—				
21 Ulcer of stomach or duodenum	—	1	1	1	—	1	2	—	—	1	1	—				
22 Diarrhœa, &c. (under 2 years)	1	2	—	—	2	—	3	1	—	—	—	1				
23 Appendicitis and typhlitis	2	—	—	—	—	—	1	1	—	—	1	—				
24 Cirrhosis of liver	—	—	1	—	—	—	—	—	—	—	—	—				
25 Acute and chronic nephritis	5	—	4	2	1	1	3	3	2	3	—	1				
26 Puerperal sepsis	—	2	—	—	—	1	—	1	—	1	—	—				
27 Other accidents and diseases of pregnancy and parturition	—	3	—	1	—	—	—	2	—	—	—	—				
28 Congenital debility and malformation, premature birth	7	5	6	4	2	2	2	4	3	4	4	1				
29 Suicide	—	—	2	2	1	—	3	—	2	—	—	—				
30 Other deaths from violence	1	—	3	5	—	—	7	3	3	3	5	1				
31 Other defined diseases	34	38	28	27	15	15	19	24	20	23	18	20				
32 Causes ill-defined or unknown	—	—	2	2	—	—	—	1	—	—	—	—				

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.*

DORSETSHIRE.

DURHAM.

Causes of Death.	Poole M.B.		Portland U.D.		Weymouth & Melcombe Regis M.B.		Wareham & Purbeck R.D.		Wimborne & Cranborne R.D.		Annfield Plain U.D.		Bishop Auckland U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	224	257	49	53	119	154	67	47	95	91	125	134	109	99	1
1 Enteric fever	—	1	—	—	—	—	—	—	—	—	1	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	—	—	—	—	5	8	—	—	4
4 Scarlet fever	—	—	—	2	1	—	—	—	—	—	—	1	—	—	5
5 Whooping cough	1	—	1	3	—	1	—	—	—	1	4	3	1	4	6
6 Diphtheria	1	1	—	1	—	—	—	—	—	—	2	5	—	—	7
7 Influenza	4	10	1	—	6	4	4	1	1	3	1	—	1	5	8
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	1	—	1	—	9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	1	—	—	—	—	10
10 Tuberculosis of respiratory sys.	12	23	4	3	11	6	3	5	5	3	10	7	13	6	11
11 Other tuberculous diseases	2	6	—	—	3	1	1	—	3	—	3	4	3	2	12
12 Cancer, malignant disease	19	28	3	6	10	25	8	1	10	19	10	5	1	13	13
13 Rheumatic fever	2	—	—	—	—	1	—	—	1	—	1	—	—	1	14
14 Diabetes	4	3	—	1	1	2	—	2	1	—	—	—	1	—	15
15 Cerebral hæmorrhage, &c.	17	17	3	4	16	12	7	4	3	5	5	6	8	2	16
16 Heart disease	24	38	8	3	14	21	11	9	14	6	7	21	11	8	17
17 Arterio-sclerosis	12	8	1	2	2	2	—	—	3	3	2	3	3	5	18
18 Bronchitis	14	11	6	—	4	9	5	3	3	2	13	10	5	11	19
19 Pneumonia (all forms)	10	12	3	2	4	6	—	2	5	7	12	11	11	7	20
20 Other respiratory diseases	4	5	—	1	1	—	1	1	1	—	3	3	—	—	21
21 Ulcer of stomach or duodenum	4	—	1	—	—	1	—	1	2	—	1	1	—	—	22
22 Diarrhoea, &c. (under 2 years)	3	7	1	—	2	1	1	—	1	1	3	3	7	2	23
23 Appendicitis and typhlitis	3	3	—	—	—	1	—	—	2	1	—	—	—	—	24
24 Cirrhosis of liver	2	1	—	1	1	1	—	—	—	—	2	—	1	—	25
25 Acute and chronic nephritis	3	9	1	3	2	4	6	—	—	1	1	4	3	3	26
26 Puerperal sepsis	—	1	—	—	—	1	—	1	—	2	—	—	—	1	27
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—	—	—	—	1	—	1	—	1	28
28 Congenital debility and malformation, premature birth	24	12	3	3	8	7	3	4	3	6	10	8	11	6	29
29 Suicide	2	3	2	—	1	—	2	—	1	—	—	—	2	2	30
30 Other deaths from violence	7	1	4	3	8	5	2	1	3	1	5	3	3	2	31
31 Other defined diseases	49	55	7	15	23	43	13	12	33	26	23	26	21	17	32
32 Causes ill-defined or unknown	1	1	—	—	1	—	—	—	—	2	—	1	2	1	32

DURHAM—*cont.*

Causes of Death.	Blaydon U.D.		Brandon & Bvshottles U.D.		Chester le-Street U.D.		Consett U.D.		Crook U.D.		Durham M.B.		Felling U.D.		Hartlepool U.D.		Hebburn U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	216	200	128	92	106	94	109	87	78	67	112	123	215	168	203	145	211	162	1
1 Enteric fever	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	3	2	4	2	6	3	—	—	—	—	—	—	2	—	1	2	7	—	4
4 Scarlet fever	3	3	3	2	1	—	—	—	1	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	4	3	3	3	3	2	4	2	3	2	1	2	1	2	2	—	1	1	6
6 Diphtheria	1	1	—	—	2	1	4	2	—	—	—	—	1	6	1	—	—	3	7
7 Influenza	4	3	4	4	—	—	2	1	1	—	—	—	7	5	5	5	13	7	8
8 Encephalitis lethargica	—	1	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys.	17	13	6	8	6	11	12	6	1	3	7	11	23	14	15	10	20	25	11
11 Other tuberculous diseases	4	1	5	4	3	3	2	1	—	2	—	1	6	4	3	2	2	5	12
12 Cancer, malignant disease	10	15	11	5	8	9	4	5	4	3	10	11	9	13	15	10	9	8	13
13 Rheumatic fever	1	—	2	—	1	—	—	1	—	—	—	—	—	1	—	—	—	3	14
14 Diabetes	1	1	1	—	1	—	—	—	1	—	2	2	2	2	—	—	1	—	15
15 Cerebral hæmorrhage, &c.	11	14	10	4	2	5	7	11	6	6	8	13	13	11	5	1	6	3	16
16 Heart disease	9	15	10	8	13	8	14	9	5	4	10	12	8	12	19	21	25	16	17
17 Arterio-sclerosis	5	6	—	—	4	—	2	—	5	5	4	1	4	1	1	—	5	3	18
18 Bronchitis	16	10	7	6	10	7	5	4	6	5	17	13	13	7	40	19	16	10	19
19 Pneumonia (all forms)	31	17	13	7	5	4	3	8	8	4	9	8	23	19	22	17	23	15	20
20 Other respiratory diseases	4	2	3	—	—	—	3	3	—	2	1	1	5	2	4	5	4	2	21
21 Ulcer of stomach or duodenum	4	1	—	—	1	—	—	—	1	—	—	—	2	—	—	1	—	—	22
22 Diarrhoea, &c. (under 2 years)	3	10	7	6	4	4	3	7	4	1	4	5	13	7	4	2	16	10	23
23 Appendicitis and typhlitis	—	3	—	—	—	—	—	1	—	—	—	—	—	—	1	1	1	2	24
24 Cirrhosis of liver	3	1	—	1	2	—	—	—	1	—	—	—	1	—	1	—	—	—	25
25 Acute and chronic nephritis	5	7	2	3	1	4	—	3	—	1	1	4	8	7	4	3	7	2	26
26 Puerperal sepsis	—	2	—	1	—	2	—	—	3	—	1	—	1	—	—	—	—	2	27
27 Other accidents and diseases of pregnancy and parturition	—	4	—	1	—	2	—	1	—	—	—	4	—	—	—	2	—	1	28
28 Congenital debility and malformation, premature birth	36	17	9	8	9	7	18	7	8	3	15	6	21	11	10	11	21	16	29
29 Suicide	3	—	2	—	—	—	1	—	—	2	—	—	1	1	2	—	—	1	30
30 Other deaths from violence	7	—	5	—	4	—	3	1	6	2	1	2	17	6	11	3	8	—	31
31 Other defined diseases	28	48	19	19	22	19	24	12	17	16	18	26	32	31	37	29	24	18	32
32 Causes ill-defined or unknown	3	—	—	—	2	1	—	—	1	—	—	—	3	1	—	—	2	2	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.***DURHAM**—*cont.*

Causes of Death.	Hetton U.D.		Houghton-le-Spring U.D.		Jarrow M.B.		Ryton U.D.		Seaham Harbour U.D.		Shildon U.D.		Southwick on Wear U.D.		Spenny moor U.D.		Stanley U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	148	96	91	72	339	287	78	66	128	114	77	86	88	81	140	111	194	146	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	9	14	1	—	2	1	—	—	1	4	4	9	4	3	4
4 Scarlet fever	—	—	—	—	1	—	—	—	—	1	—	—	—	—	1	2	1	4	5
5 Whooping cough	2	5	1	1	4	10	3	3	—	—	1	—	4	—	6	1	7	5	6
6 Diphtheria	—	—	1	—	—	1	—	—	2	1	—	—	—	—	1	6	6	7	8
7 Influenza	1	1	4	3	8	11	2	1	4	3	2	1	1	—	1	5	2	7	9
8 Encephalitis lethargica	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	8	10
9 Meningococcal meningitis	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	9	11
10 Tuberculosis of respiratory sys.	10	6	9	5	42	42	3	2	8	13	3	6	7	5	11	10	12	13	12
11 Other tuberculous diseases	6	3	2	1	15	6	—	2	4	3	1	1	2	3	6	3	8	3	11
12 Cancer, malignant disease	9	10	7	10	12	16	4	6	2	9	1	10	4	3	9	3	9	9	12
13 Rheumatic fever	—	—	—	—	—	1	1	—	1	—	1	—	—	—	—	1	2	2	13
14 Diabetes	—	—	1	1	—	2	2	1	—	1	1	—	—	—	—	—	—	—	14
15 Cerebral hæmorrhage, &c.	7	4	7	7	10	10	3	2	7	6	10	7	8	5	8	5	7	2	15
16 Heart disease	6	8	6	5	21	20	6	8	10	8	12	11	1	10	8	14	10	8	16
17 Arterio-sclerosis	6	—	4	—	12	5	4	5	6	10	2	1	1	1	3	1	6	4	17
18 Bronchitis	6	6	4	4	29	24	3	2	11	10	8	14	9	6	12	4	14	14	18
19 Pneumonia (all forms)	11	8	5	4	45	44	7	5	17	9	6	5	9	8	22	14	21	17	19
20 Other respiratory diseases	2	1	1	—	6	2	3	—	2	1	1	1	3	—	3	2	3	—	20
21 Ulcer of stomach or duodenum	—	—	—	—	4	2	2	—	—	—	—	—	—	—	—	—	2	1	21
22 Diarrhœa, &c. (under 2 years)	12	8	7	3	20	11	—	1	15	13	2	1	10	5	5	5	16	9	22
23 Appendicitis and typhlitis	—	—	—	—	—	1	—	2	1	—	—	—	—	—	—	1	—	—	23
24 Cirrhosis of liver	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	24
25 Acute and chronic nephritis	1	3	2	3	4	2	1	2	4	2	2	—	1	1	—	2	5	1	25
26 Puerperal sepsis	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	4	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—	1	27
28 Congenital debility and malformation, premature birth	27	6	11	7	26	17	12	8	14	7	10	10	9	8	10	7	24	21	28
29 Suicide	—	—	—	1	1	—	1	2	—	—	1	—	2	1	2	—	—	—	29
30 Other deaths from violence	1	1	5	1	15	3	3	2	3	2	4	1	2	1	3	4	5	4	30
31 Other defined diseases	41	22	14	15	47	35	17	10	15	15	9	14	19	19	32	22	26	15	31
32 Causes ill-defined or unknown	—	—	—	—	6	3	—	—	—	—	1	—	—	—	1	—	—	1	32

DURHAM—*cont.*

Causes of Death.	Stockton-on-Tees M.B.		Tanfield U.D.		Whickham U.D.		Auckland R.D.		Barnard Castle R.D.		Chester-le-Street R.D.		Durham R.D.		Easington R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	457	384	62	74	136	129	446	405	80	63	508	433	211	210	521	452	1
1 Enteric fever	—	—	—	—	1	—	—	1	—	—	1	1	1	1	1	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	13	11	2	4	4	3	—	—	—	—	14	6	—	2	3	1	4
4 Scarlet fever	1	—	—	—	2	—	3	3	1	—	2	7	1	1	1	2	5
5 Whooping cough	1	3	1	3	2	—	6	5	—	—	14	11	6	13	8	8	6
6 Diphtheria	5	2	1	—	1	—	1	1	—	—	8	11	5	3	2	3	7
7 Influenza	4	4	—	1	3	3	13	10	1	—	9	13	1	3	11	5	8
8 Encephalitis lethargica	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	9
9 Meningococcal meningitis	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	10
10 Tuberculosis of respiratory sys.	36	28	3	3	13	9	21	23	3	2	22	38	8	14	35	35	11
11 Other tuberculous diseases	16	10	3	2	3	5	6	8	5	1	19	10	6	6	15	13	12
12 Cancer, malignant disease	29	25	2	11	6	7	24	31	5	5	30	34	11	9	21	25	13
13 Rheumatic fever	1	—	1	1	—	1	2	2	—	—	2	2	—	1	7	3	14
14 Diabetes	2	—	1	1	1	2	3	2	1	2	2	2	—	1	1	6	15
15 Cerebral hæmorrhage, &c.	21	33	3	3	6	10	30	31	4	5	25	17	13	19	25	23	16
16 Heart disease	39	36	5	3	11	8	32	49	7	16	33	27	18	18	26	26	17
17 Arterio-sclerosis	8	5	3	2	8	6	8	7	—	—	8	9	2	—	11	10	18
18 Bronchitis	38	33	5	7	3	8	53	37	7	3	25	29	19	23	36	37	19
19 Pneumonia (all forms)	50	43	7	3	12	9	23	25	7	1	45	33	15	15	57	45	20
20 Other respiratory diseases	6	1	2	1	2	—	4	4	—	—	4	6	9	1	3	4	21
21 Ulcer of stomach or duodenum	3	2	—	1	1	—	2	3	1	—	2	1	—	2	3	4	22
22 Diarrhœa, &c. (under 2 years)	23	12	3	3	2	3	21	17	3	2	29	22	6	9	46	24	23
23 Appendicitis and typhlitis	4	4	1	—	—	1	2	—	1	1	—	—	—	—	3	2	24
24 Cirrhosis of liver	1	—	—	1	—	—	1	—	—	—	—	—	—	—	2	—	25
25 Acute and chronic nephritis	6	13	—	4	4	3	9	9	1	2	11	10	5	6	6	8	26
26 Puerperal sepsis	—	1	—	—	—	3	—	3	—	1	—	4	—	1	—	4	27
27 Other accidents and diseases of pregnancy and parturition	—	10	—	—	—	2	—	5	—	—	—	2	—	4	—	3	28
28 Congenital debility and malformation, premature birth	34	37	5	5	14	17	55	38	8	4	72	47	19	17	63	52	29
29 Suicide	5	1	—	—	—	—	3	1	—	2	2	—	1	1	4	—	30
30 Other deaths from violence	24	10	2	1	7	3	18	5	1	—	28	7	13	1	30	10	31
31 Other defined diseases	86	59	12	14	29	22	104	80	20	16	98	82	51	38	100	96	32
32 Causes ill-defined or unknown	—	1	—	—	1	4	2	3	4	—	3	2	—	1	1	3	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.***DURHAM**—*cont.*

Causes of Death.	Hough- ton-le- Spring R.D.		Lan- chester R.D.		Sedgfield R.D.		South Shields R.D.		Stockton R.D.		Sunder- land R.D.							
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.						
All Causes	195	188	209	173	233	230	116	99	91	92	217	201						
1 Enteric fever	—	—	—	1	—	—	1	—	—	—	—	2						1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—						2
3 Measles	—	—	2	4	—	3	2	1	4	4	2	1						3
4 Scarlet fever	—	—	—	1	—	2	—	—	—	—	1	—						4
5 Whooping cough	4	4	5	5	10	11	5	3	—	—	8	5						5
6 Diphtheria	—	2	2	5	3	3	1	1	4	1	—	—						6
7 Influenza	5	5	5	4	4	1	2	8	1	—	2	2						7
8 Encephalitis lethargica	—	—	—	1	—	—	—	1	—	—	—	—						8
9 Meningococcal meningitis	—	—	—	—	—	1	—	—	—	—	—	—						9
10 Tuberculosis of respiratory sys.	15	11	9	9	8	10	7	6	2	5	18	16						10
11 Other tuberculous diseases	6	1	2	3	3	14	1	4	3	1	4	3						11
12 Cancer, malignant disease	11	17	10	10	9	23	6	5	2	7	14	10						12
13 Rheumatic fever	—	2	3	5	1	—	1	1	—	—	—	1						13
14 Diabetes	2	1	3	1	—	—	—	2	1	1	—	2						14
15 Cerebral hæmorrhage, &c.	11	16	8	6	15	21	1	3	2	1	5	10						15
16 Heart disease	12	19	14	12	18	14	8	9	13	9	16	27						16
17 Arterio-sclerosis	3	—	4	1	4	—	1	—	3	—	9	3						17
18 Bronchitis	20	18	21	14	12	11	12	6	2	7	17	16						18
19 Pneumonia (all forms)	17	15	23	12	33	13	10	8	16	15	16	12						19
20 Other respiratory diseases	5	2	3	6	6	9	5	3	2	4	2	4						20
21 Ulcer of stomach or duodenum	—	—	—	—	1	—	2	—	—	2	2	—						21
22 Diarrhœa, &c. (under 2 years)	12	10	6	8	9	11	5	2	8	7	17	7						22
23 Appendicitis and typhlitis	1	—	1	—	1	—	2	—	1	—	—	—						23
24 Cirrhosis of liver	—	1	—	1	4	—	—	—	1	—	1	—						24
25 Acute and chronic nephritis	4	10	4	2	7	6	—	2	1	2	6	4						25
26 Puerperal sepsis	—	1	—	—	—	1	—	1	—	—	—	2						26
27 Other accidents and diseases of pregnancy and parturition	—	5	—	7	—	4	—	—	—	2	—	4						27
28 Congenital debility and mal-formation, premature birth	21	19	23	16	17	21	13	10	7	5	27	21						28
29 Suicide	2	—	1	—	3	—	—	1	1	1	—	—						29
30 Other deaths from violence	9	2	10	3	18	6	12	2	4	2	14	2						30
31 Other defined diseases	33	26	45	36	46	44	19	19	13	16	36	45						31
32 Causes ill-defined or unknown	2	1	5	—	1	1	—	1	—	—	—	2						32

ELY, ISLE OF.**ESSEX.**

Causes of Death.	Wis- bech U.D.		Ely R.D.		Wisbech R.D.				Barking Town U.D.		Chelms- ford M.B.		Clacton U.D.		Colches- ter M.B.			
	M.	F.	M.	F.	M.	F.			M.	F.	M.	F.	M.	F.	M.	F.		
All Causes	79	81	83	81	72	62			225	169	99	106	59	40	230	219		
1 Enteric fever	—	—	—	—	—	—			2	1	—	—	—	—	—	—		1
2 Small-pox	—	—	—	—	—	—			—	—	—	—	—	—	—	—		2
3 Measles	—	—	—	—	—	—			—	—	—	—	1	—	1	—		3
4 Scarlet fever	1	1	—	1	2	—			—	2	—	—	—	—	3	—		4
5 Whooping cough	—	—	—	—	—	—			3	4	—	2	—	—	1	1		5
6 Diphtheria	—	1	—	—	—	1			2	5	1	2	—	—	2	2		6
7 Influenza	—	3	1	2	4	2			8	7	1	—	1	1	4	2		7
8 Encephalitis lethargica	—	—	—	—	—	—			—	—	—	—	—	—	1	—		8
9 Meningococcal meningitis	—	—	—	—	2	—			—	—	—	—	—	—	—	—		9
10 Tuberculosis of respiratory sys.	8	4	3	3	4	3			27	14	9	2	8	4	22	25		10
11 Other tuberculous diseases	2	2	—	—	2	3			3	4	3	—	—	—	10	2		11
12 Cancer, malignant disease	6	10	13	5	8	6			27	15	15	16	4	5	16	23		12
13 Rheumatic fever	—	—	—	1	—	—			—	1	—	1	—	—	—	1		13
14 Diabetes	1	—	—	—	1	—			2	1	1	2	2	—	4	5		14
15 Cerebral hæmorrhage, &c.	9	8	4	6	1	3			15	11	8	4	8	2	12	14		15
16 Heart disease	8	3	6	12	8	10			23	19	14	14	5	4	39	36		16
17 Arterio-sclerosis	—	7	—	—	4	4			3	1	11	3	5	4	5	5		17
18 Bronchitis	3	3	10	4	—	1			18	16	5	8	4	2	13	12		18
19 Pneumonia (all forms)	7	4	5	6	7	7			14	8	2	2	4	1	9	8		19
20 Other respiratory diseases	2	—	1	—	—	—			1	2	—	2	2	1	2	3		20
21 Ulcer of stomach or duodenum	—	—	2	—	1	—			1	1	—	1	—	—	1	2		21
22 Diarrhœa, &c. (under 2 years)	2	6	2	3	4	1			8	9	—	1	—	—	10	9		22
23 Appendicitis and typhlitis	—	—	—	—	1	—			1	1	1	—	1	—	2	3		23
24 Cirrhosis of liver	1	1	—	—	1	—			—	—	—	—	—	2	1	3		24
25 Acute and chronic nephritis	3	3	3	3	3	1			5	1	4	6	1	—	4	2		25
26 Puerperal sepsis	—	—	—	—	—	—			—	1	—	—	—	—	—	3		26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	1			—	1	—	4	—	—	—	2		27
28 Congenital debility and mal-formation, premature birth	5	4	6	7	9	4			17	10	4	7	—	1	13	10		28
29 Suicide	2	—	1	—	1	—			3	2	3	—	—	1	1	1		29
30 Other deaths from violence	3	1	1	1	1	2			9	5	—	—	—	—	3	2		30
31 Other defined diseases	15	19	24	25	8	13			33	27	15	29	12	12	49	42		31
32 Causes ill-defined or unknown	1	—	1	2	—	—			—	—	2	—	1	—	2	1		32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.*

ESSEX—*cont.*

Causes of Death.	Grays Thur- rock U.D.		Har- wich M.B.		Ilford U.D.		Leyton U.D.		Romford U.D.		Wal- tham- stow U.D.		Wan- stead U.D.		Wood- ford U.D.			
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
All Causes	87	85	60	63	386	365	617	677	104	111	623	620	77	85	99	107		
1 Enteric fever	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—		1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		2
3 Measles	—	1	—	—	2	1	2	1	—	—	1	2	—	—	—	—		3
4 Scarlet fever	2	—	—	—	—	3	3	2	1	1	—	4	—	—	1	—		4
5 Whooping cough	—	—	—	—	2	1	2	3	—	—	4	4	—	1	—	—		5
6 Diphtheria	2	3	1	2	4	8	10	19	2	5	7	7	1	2	1	—		6
7 Influenza	1	3	1	—	10	10	9	10	3	1	17	12	—	—	1	3		7
8 Encephalitis lethargica	—	—	—	—	—	2	1	—	—	—	—	1	—	—	—	—		8
9 Meningococcal meningitis	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—		9
10 Tuberculosis of respiratory sys. ..	15	5	7	2	30	22	52	39	3	8	70	57	3	4	2	4		10
11 Other tuberculous diseases	3	2	—	2	3	9	10	8	4	6	12	11	1	2	6	—		11
12 Cancer, malignant disease	10	13	7	11	53	51	56	96	7	17	48	66	8	19	10	15		12
13 Rheumatic fever	—	—	1	1	2	2	1	1	—	—	2	2	—	—	—	—		13
14 Diabetes	—	2	1	1	3	2	8	6	—	—	5	8	1	—	—	1		14
15 Cerebral hæmorrhage, &c.	6	3	2	4	24	24	24	52	10	3	24	45	8	5	6	12		15
16 Heart disease	11	8	3	5	38	50	66	84	15	13	63	81	10	15	12	15		16
17 Arterio-sclerosis	—	4	—	—	11	11	10	12	2	2	13	8	4	3	2	2		17
18 Bronchitis	3	3	7	4	29	22	54	59	4	12	41	39	4	6	9	8		18
19 Pneumonia (all forms)	3	3	4	4	28	16	56	42	8	8	35	48	3	3	11	2		19
20 Other respiratory diseases	2	—	1	1	8	9	7	13	3	2	11	9	1	—	1	2		20
21 Ulcer of stomach or duodenum ..	1	—	—	1	3	2	7	2	—	—	5	4	1	—	1	1		21
22 Diarrhoea, &c. (under 2 years) ..	4	6	1	1	4	4	21	17	4	3	18	22	—	1	3	2		22
23 Appendicitis and typhlitis	—	1	—	—	1	3	4	2	—	—	3	3	—	—	—	—		23
24 Cirrhosis of liver	—	—	—	—	4	2	6	5	1	—	9	1	—	—	—	1		24
25 Acute and chronic nephritis	2	5	4	2	7	9	17	21	6	2	15	12	—	—	1	6		25
26 Puerperal sepsis	—	—	—	1	—	3	—	2	—	1	—	4	—	—	—	1		26
27 Other accidents and diseases of pregnancy and parturition ..	—	—	—	1	—	1	—	8	—	2	—	6	—	—	—	—		27
28 Congenital debility and mal-formation, premature birth ..	5	6	5	7	25	11	45	29	6	3	50	23	4	—	3	7		28
29 Suicide	—	—	—	—	5	3	5	6	2	1	7	5	1	1	2	—		29
30 Other deaths from violence	3	—	4	1	12	4	21	12	3	1	36	13	7	2	4	2		30
31 Other defined diseases	14	17	10	12	75	79	116	126	20	20	127	122	19	21	23	23		31
32 Causes ill-defined or unknown ..	—	—	1	—	1	—	3	—	—	—	—	—	1	—	—	—		32

ESSEX—*cont.*

Causes of Death.	Billericay R.D.		Braintree R.D.		Chelmsford R.D.		Dunmow R.D.		Epping R.D.		Lexden and Winstree R.D.		Maldon R.D.		Ongar R.D.		Orsett R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	130	117	110	122	128	114	110	85	79	70	107	101	93	83	59	60	128	95	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	1	—	—	—	—	—	—	—	—	—	—	1	1	2	1	—	1	1	5
6 Diphtheria	—	1	—	—	—	—	1	—	1	—	—	—	2	—	—	1	1	6	6
7 Influenza	3	1	2	1	1	3	5	1	—	1	2	2	1	—	2	2	2	3	7
8 Encephalitis lethargica ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	8
9 Meningococcal meningitis ..	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys. ..	7	5	4	5	7	4	3	3	4	5	5	8	4	6	3	3	3	9	10
11 Other tuberculous diseases ..	1	3	3	—	—	1	4	1	—	1	1	2	—	4	2	2	2	2	11
12 Cancer, malignant disease ..	21	20	16	13	11	16	13	11	8	13	11	10	9	5	7	6	18	7	12
13 Rheumatic fever	—	—	—	—	—	—	2	—	—	1	—	—	1	—	—	—	—	1	13
14 Diabetes	—	1	2	2	—	1	—	2	1	1	1	1	1	1	—	1	1	4	14
15 Cerebral hæmorrhage, &c. ..	9	15	10	16	7	7	12	7	7	9	10	12	3	8	2	5	6	8	15
16 Heart disease	9	16	13	16	17	19	17	14	7	2	17	16	16	17	5	7	9	9	16
17 Arterio-sclerosis	2	1	7	2	6	2	4	1	8	4	2	1	7	1	3	1	5	—	17
18 Bronchitis	8	2	6	10	12	5	11	8	4	3	6	8	2	3	3	3	9	3	18
19 Pneumonia (all forms) ..	6	3	12	4	5	3	1	2	4	4	2	1	2	4	3	1	6	7	19
20 Other respiratory diseases ..	1	2	2	1	2	1	2	1	1	2	2	1	1	1	—	1	2	2	20
21 Ulcer of stomach or duodenum ..	—	3	—	—	—	1	—	1	1	—	1	—	—	1	—	—	—	—	21
22 Diarrhœa, &c. (under 2 years) ..	3	1	—	—	1	—	1	1	1	—	1	1	—	—	1	—	3	—	22
23 Appendicitis and typhlitis ..	1	2	—	—	—	—	—	1	2	—	—	—	—	2	1	—	1	2	23
24 Cirrhosis of liver	—	—	—	—	1	—	—	1	1	—	1	—	1	—	1	3	3	1	24
25 Acute and chronic nephritis ..	3	4	1	2	1	4	3	1	4	3	1	—	1	3	2	2	4	—	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition ..	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	27
28 Congenital debility and malformation, premature birth ..	11	7	6	8	8	2	4	4	2	2	5	9	10	3	1	2	12	6	28
29 Suicide	1	3	—	1	3	2	1	—	3	—	2	2	3	—	1	—	2	—	29
30 Other deaths from violence ..	10	2	1	2	4	2	4	1	—	2	7	—	3	2	2	3	5	—	30
31 Other defined diseases	31	25	23	38	42	39	22	24	19	17	30	26	25	17	19	17	30	23	31
32 Causes ill-defined or unknown ..	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	3	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.*ESSEX—*cont.*

GLOUCESTERSHIRE.

Causes of Death.	Rochford R.D.		Romford R.D.		Saffron Walden R.D.		Tendring R.D.		Cheltenham M.B.		Kingswood U.D.		Chipping Sodbury R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	124	122	140	126	64	68	124	92	304	384	76	70	123	127	
1 Enteric fever	1	—	—	1	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	1	—	—	—	—	—	1	—	—	1	—	4
5 Whooping cough	—	2	1	1	—	—	2	3	2	2	—	—	—	1	5
6 Diphtheria	2	1	1	1	—	—	1	1	6	1	4	2	2	1	6
7 Influenza	3	2	4	1	3	1	1	—	3	17	—	1	4	2	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	1	1	—	1	8
9 Meningococcal meningitis	—	—	—	1	—	—	—	—	1	1	—	—	1	—	9
10 Tuberculosis of respiratory sys.	10	9	15	6	6	2	4	6	20	15	4	8	3	6	10
11 Other tuberculous diseases	1	—	2	4	—	2	2	—	5	9	2	2	3	—	11
12 Cancer, malignant disease	16	22	12	20	7	10	13	16	31	48	6	5	11	13	12
13 Rheumatic fever	—	—	—	1	—	1	—	—	—	—	—	—	2	—	13
14 Diabetes	1	—	1	1	1	—	1	1	3	1	—	—	1	1	14
15 Cerebral hæmorrhage, &c.	9	7	7	10	4	4	10	8	13	33	2	4	5	9	15
16 Heart disease	11	15	14	21	6	9	10	16	34	64	13	14	16	20	16
17 Arterio-sclerosis	7	—	1	—	5	13	8	2	9	16	3	2	2	2	17
18 Bronchitis	7	11	9	5	5	2	6	5	24	17	9	4	11	7	18
19 Pneumonia (all forms)	7	6	7	10	1	2	10	4	19	22	2	4	7	5	19
20 Other respiratory diseases	2	1	1	—	7	—	1	1	5	7	4	2	4	1	20
21 Ulcer of stomach or duodenum	—	1	1	—	—	—	—	—	2	—	2	—	1	1	21
22 Diarrhœa, &c. (under 2 years)	4	—	4	3	—	1	4	1	6	1	4	2	1	—	22
23 Appendicitis and typhlitis	1	2	2	1	—	—	1	1	—	3	1	—	—	—	23
24 Cirrhosis of liver	—	—	1	—	—	—	—	1	—	1	1	—	2	1	24
25 Acute and chronic nephritis	3	2	5	3	—	3	5	2	10	8	2	1	4	6	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	1	—	—	2	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	1	—	1	—	4	—	—	—	—	27
28 Congenital debility and malformation, premature birth	7	4	9	4	3	2	10	3	19	12	3	6	5	11	28
29 Suicide	3	2	—	—	1	—	3	—	6	—	—	—	2	—	29
30 Other deaths from violence	4	5	7	2	2	1	5	—	6	3	1	1	2	4	30
31 Other defined diseases	22	29	34	29	13	14	27	20	79	94	12	10	33	33	31
32 Causes ill-defined or unknown	3	—	2	—	—	—	—	—	1	4	—	—	—	—	32

GLOUCESTERSHIRE—*cont.*

Causes of Death.	Cirencester R.D.		Dursley R.D.		East Dean & United Parishes R.D.		Faringdon (Part of)* R.D.		Gloucester R.D.		Stroud R.D.		Thornbury R.D.		Warmley R.D.		West Dean R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	59	71	66	87	104	128	7	5	56	64	144	179	130	108	90	101	81	65	
1 Enteric fever	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	4
5 Whooping cough	—	—	—	1	—	1	—	—	1	—	—	—	3	1	1	1	1	—	5
6 Diphtheria	—	—	—	1	—	1	—	—	2	—	—	1	—	—	1	4	—	2	6
7 Influenza	—	1	2	4	2	2	—	—	1	2	6	4	2	1	1	—	2	1	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	4	7	—	5	4	6	—	—	3	4	7	12	2	10	11	6	5	3	10
11 Other tuberculous diseases	2	—	1	3	1	2	—	—	—	1	1	3	—	—	—	2	5	1	11
12 Cancer, malignant disease	6	17	7	8	8	16	3	1	7	9	18	34	11	15	6	13	9	9	12
13 Rheumatic fever	1	—	1	1	3	—	—	—	—	—	1	1	1	1	1	—	1	—	13
14 Diabetes	—	1	—	1	—	—	—	—	—	—	2	5	2	2	1	1	—	1	14
15 Cerebral hæmorrhage, &c.	4	1	5	4	8	7	1	—	3	7	5	16	10	16	8	8	2	8	15
16 Heart disease	7	11	20	19	21	21	—	—	7	4	20	35	22	16	13	21	14	8	16
17 Arterio-sclerosis	2	2	—	3	1	—	—	—	2	2	10	8	4	6	7	3	2	—	17
18 Bronchitis	1	2	1	1	3	9	—	1	4	4	11	6	9	9	6	9	6	1	18
19 Pneumonia (all forms)	4	3	2	8	7	4	—	—	3	5	5	3	5	3	5	2	—	1	19
20 Other respiratory diseases	2	2	—	1	2	—	1	—	—	—	1	1	2	—	2	3	4	2	20
21 Ulcer of stomach or duodenum	—	1	1	—	—	1	—	—	3	—	—	—	1	—	2	2	1	—	21
22 Diarrhœa, &c. (under 2 years)	2	1	1	—	6	6	—	—	—	—	4	3	—	1	1	3	2	—	22
23 Appendicitis and typhlitis	1	2	—	—	1	—	—	—	—	—	4	—	1	1	—	—	—	1	23
24 Cirrhosis of liver	—	1	—	—	2	—	—	—	—	—	—	1	2	—	1	—	—	—	24
25 Acute and chronic nephritis	5	1	4	3	2	2	—	—	3	1	4	2	3	2	2	1	2	1	25
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	3	—	—	—	—	1	—	—	—	1	—	—	—	27
28 Congenital debility and malformation, premature birth	1	1	6	6	5	11	—	—	2	7	11	7	7	10	3	4	4	6	28
29 Suicide	1	—	—	—	2	1	—	—	1	1	1	—	1	—	—	—	1	—	29
30 Other deaths from violence	2	1	3	2	3	3	—	—	1	3	7	1	12	2	2	1	2	1	30
31 Other defined diseases	14	15	11	16	22	29	2	3	14	14	23	31	29	12	16	15	16	18	31
32 Causes ill-defined or unknown	—	1	—	—	—	—	—	—	—	—	3	4	—	—	—	—	—	—	32

* The remainder of Faringdon R.D. is in Berkshire.

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.*

HEREFORDSHIRE.

Causes of Death.	Hereford M.B.		Hereford R.D.		Ross R.D.	
	M.	F.	M.	F.	M.	F.
All Causes	142	151	80	64	48	60
1 Enteric fever	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—
3 Measles	—	—	—	—	—	—
4 Scarlet fever	—	—	—	—	—	—
5 Whooping cough	—	—	—	—	—	—
6 Diphtheria	1	5	1	—	—	—
7 Influenza	1	1	—	2	—	1
8 Encephalitis lethargica ..	—	—	—	—	—	—
9 Meningococcal meningitis ..	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	6	13	5	5	2	2
11 Other tuberculous diseases ..	4	2	1	1	2	—
12 Cancer, malignant disease ..	7	23	11	10	6	5
13 Rheumatic fever	1	—	—	—	—	1
14 Diabetes	1	1	1	—	—	1
15 Cerebral hæmorrhage, &c. ..	11	14	7	2	1	7
16 Heart disease	26	29	11	15	9	11
17 Arterio-sclerosis	7	3	7	2	6	3
18 Bronchitis	8	3	3	7	4	4
19 Pneumonia (all forms) ..	6	7	—	2	2	2
20 Other respiratory diseases ..	1	—	—	1	—	—
21 Ulcer of stomach or duodenum	1	1	—	1	—	1
22 Diarrhœa, &c. (under 2 years)	4	2	—	1	—	3
23 Appendicitis and typhlitis ..	2	—	—	1	1	1
24 Cirrhosis of liver	1	1	—	—	—	1
25 Acute and chronic nephritis ..	5	1	3	—	1	1
26 Puerperal sepsis	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition..	—	1	—	—	—	—
28 Congenital debility and mal- formation, premature birth	12	10	4	5	3	1
29 Suicide	2	1	—	—	—	—
30 Other deaths from violence ..	4	2	3	2	1	—
31 Other defined diseases	30	31	23	7	10	14
32 Causes ill-defined or unknown	1	—	—	—	—	1

HERTFORDSHIRE.

Causes of Death.	Barnet U.D.		Cheshunt U.D.		East Barnet Valley U.D.		Hemel Hemp- stead M.B.		Hert- ford M.B.		Hitchin U.D.		Letch- worth U.D.		St. Albans M.B.		Watford U.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	61	59	80	39	68	55	69	72	62	76	78	69	47	30	106	115	220	206
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	1	—	1	1	1	2	1	—	—	—	—	—	—	—	—	—	1	5
6 Diphtheria	1	—	—	1	1	1	—	1	1	2	—	—	—	1	1	—	1	6
7 Influenza	2	3	2	1	1	1	—	—	2	6	—	—	—	—	1	2	5	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	6	2	6	3	8	3	3	3	6	3	6	4	8	3	11	11	23	15
11 Other tuberculous diseases	—	—	—	2	—	1	3	1	3	2	1	4	4	—	4	1	4	3
12 Cancer, malignant disease	9	4	6	6	5	8	8	17	8	7	4	10	5	4	8	14	16	30
13 Rheumatic fever	—	1	—	—	—	—	—	—	1	—	4	—	—	—	1	—	1	—
14 Diabetes	—	1	1	—	—	1	1	1	—	1	1	1	—	—	1	—	—	2
15 Cerebral hæmorrhage, &c.	1	5	8	2	5	5	4	3	—	8	6	7	—	5	4	9	10	17
16 Heart disease	9	8	12	6	6	8	18	15	8	4	15	13	6	1	21	26	30	
17 Arterio-sclerosis	4	12	2	1	5	2	1	4	3	2	1	—	2	1	2	1	6	1
18 Bronchitis	1	5	4	2	4	4	2	1	7	8	2	5	2	2	5	5	15	19
19 Pneumonia (all forms)	7	1	3	2	6	3	2	3	7	4	6	2	3	3	6	4	12	8
20 Other respiratory diseases	1	—	4	—	1	—	1	—	—	—	—	—	—	—	1	—	2	4
21 Ulcer of stomach or duodenum	—	—	1	—	1	—	—	1	1	1	—	1	—	1	1	1	1	—
22 Diarrhœa, &c. (under 2 years)	2	—	—	—	3	—	2	1	1	1	1	—	1	—	3	2	4	1
23 Appendicitis and typhlitis	1	—	—	—	—	—	2	—	—	—	1	—	1	—	1	—	4	2
24 Cirrhosis of liver	—	—	—	—	—	—	1	1	3	—	—	—	—	—	2	—	1	—
25 Acute and chronic nephritis	—	1	3	2	—	4	—	1	—	2	1	—	2	1	9	1	5	6
26 Puerperal sepsis	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	1
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	4
28 Congenital debility and mal-formation, premature birth	3	4	4	—	5	—	3	4	1	4	5	2	3	1	4	12	14	8
29 Suicide	—	—	1	—	2	—	—	—	—	—	—	—	—	—	1	1	6	2
30 Other deaths from violence	4	2	4	1	4	—	6	2	3	—	5	2	2	—	1	2	6	4
31 Other defined diseases	9	10	18	9	10	10	11	11	7	19	19	13	6	6	18	23	54	48
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	1	1	2	2	1	2	—	—	—	1

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.*HERTFORDSHIRE—*cont.*

HUNTS.

Causes of Death.	Hitchin R.D.		St. Albans R.D.		Ware R.D.		Watford R.D.		Thrapston (part of) R.D.*		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	64	75	63	53	73	66	67	65	5	3	
1 Enteric fever	—	—	—	—	—	1	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	1	—	—	—	4
5 Whooping cough	2	1	—	—	—	—	—	—	—	—	5
6 Diphtheria	—	1	1	2	—	2	—	—	—	—	6
7 Influenza	1	3	—	—	—	1	1	—	—	—	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	1	—	—	—	9
10 Tuberculosis of respiratory sys. ..	3	4	7	6	1	5	9	5	—	—	10
11 Other tuberculous diseases	1	1	—	—	1	—	4	1	—	—	11
12 Cancer, malignant disease	9	13	6	9	8	10	8	6	1	—	12
13 Rheumatic fever	—	1	—	—	—	—	—	—	—	—	13
14 Diabetes	—	—	1	—	1	—	—	1	—	—	14
15 Cerebral hæmorrhage, &c.	6	9	6	4	8	9	2	6	1	2	15
16 Heart disease	3	7	11	10	9	15	8	13	2	—	16
17 Arterio-sclerosis	1	1	1	3	7	1	—	1	—	—	17
18 Bronchitis	9	4	6	3	4	4	6	2	—	—	18
19 Pneumonia (all forms)	4	1	—	—	4	2	3	1	1	—	19
20 Other respiratory diseases	1	2	1	—	3	—	1	2	—	—	20
21 Ulcer of stomach or duodenum	2	1	—	—	—	—	—	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	—	1	1	—	1	1	2	2	—	—	22
23 Appendicitis and typhlitis	—	1	1	1	2	—	1	—	—	—	23
24 Cirrhosis of liver	—	—	1	1	—	—	—	—	—	—	24
25 Acute and chronic nephritis	2	1	1	1	—	1	2	1	—	—	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	1	—	1	—	2	—	—	27
28 Congenital debility and malformation, premature birth	3	2	7	2	8	2	5	—	—	—	28
29 Suicide	1	1	1	—	4	—	1	1	—	—	29
30 Other deaths from violence	3	—	4	1	1	3	2	1	—	—	30
31 Other defined diseases	13	16	7	9	9	8	11	19	1	—	31
32 Causes ill-defined or unknown	—	2	—	—	2	—	—	—	—	—	32

KENT.

Causes of Death.	Ashford U.D.		Beckenham U.D.		Bexley U.D.		Broadstairs & St. Peter U.D.		Bromley M.B.		Chatham M.B.		Crayford U.D.		Dartford U.D.		Deal M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	81	82	152	184	113	121	53	63	173	213	275	266	58	58	151	137	66	72	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	3
4 Scarlet fever	—	—	—	1	1	—	—	—	—	—	—	—	1	—	4	1	—	—	4
5 Whooping cough	—	—	2	—	—	3	—	—	2	2	4	10	1	—	—	2	—	—	5
6 Diphtheria	—	1	3	1	2	1	1	—	—	1	9	7	3	9	14	14	—	—	6
7 Influenza	3	3	12	1	3	3	3	5	6	7	3	2	—	—	3	1	1	—	7
8 Encephalitis lethargica	—	1	—	1	—	—	—	—	2	4	1	2	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	1	—	—	—	—	—	2	1	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys. ..	9	2	10	15	4	5	6	3	12	10	29	28	6	3	12	10	2	3	10
11 Other tuberculous diseases	2	1	1	1	2	2	1	—	3	2	7	7	—	1	2	5	1	1	11
12 Cancer, malignant disease	8	7	18	25	17	17	6	14	14	33	22	23	9	4	18	9	9	9	12
13 Rheumatic fever	1	—	—	—	—	2	—	—	—	2	—	—	—	—	1	—	—	—	13
14 Diabetes	—	1	5	2	—	—	1	—	2	1	3	1	1	—	2	—	2	2	14
15 Cerebral hæmorrhage, &c.	7	9	10	22	5	5	3	5	14	11	8	14	2	—	7	10	5	7	15
16 Heart disease	6	16	11	27	15	14	11	6	20	36	35	26	4	10	15	14	10	4	16
17 Arterio-sclerosis	3	1	7	8	5	1	—	2	5	4	9	5	1	—	1	1	1	—	17
18 Bronchitis	7	6	5	17	4	3	—	—	16	23	14	18	2	3	11	7	—	2	18
19 Pneumonia (all forms)	8	3	8	7	8	7	2	5	19	18	12	8	3	3	13	9	1	4	19
20 Other respiratory diseases	2	—	1	2	—	2	1	—	4	1	6	4	1	1	3	2	1	3	20
21 Ulcer of stomach or duodenum	—	—	—	1	1	1	—	—	—	—	6	1	—	—	1	1	—	—	21
22 Diarrhœa, &c. (under 2 years)	2	—	3	8	11	9	—	1	7	1	14	4	2	1	2	2	—	—	22
23 Appendicitis and typhlitis	—	—	2	2	1	—	—	—	1	2	1	—	—	—	1	1	—	—	23
24 Cirrhosis of liver	—	—	2	—	—	—	—	2	1	—	3	1	—	1	—	—	1	—	24
25 Acute and chronic nephritis	—	—	4	2	5	1	1	3	4	1	8	9	1	2	2	5	5	3	25
26 Puerperal sepsis	—	1	—	1	—	—	—	—	—	1	—	2	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	2	—	2	—	—	—	1	—	5	—	—	—	1	—	1	27
28 Congenital debility and malformation, premature birth	5	3	8	4	6	9	1	—	3	7	18	16	9	9	9	8	3	4	28
29 Suicide	—	1	4	1	1	—	1	—	3	1	6	—	2	—	2	—	2	—	29
30 Other deaths from violence	—	1	5	5	6	3	1	1	4	2	6	4	3	—	5	2	1	1	30
31 Other defined diseases	17	23	31	27	15	31	13	16	31	40	47	62	8	9	28	30	17	27	31
32 Causes ill-defined or unknown	1	1	—	—	1	—	1	—	—	—	2	4	—	—	—	—	1	—	32

* The remainder of Thrapston R.D. is in Northamptonshire.

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.***KENT**—*cont.*

Causes of Death.	Dover M.B.		Erith U.D.		Faver- sham M.B.		Folke- stone M.B.*		Gilling- ham M.B.		Graves- end M.B.		Herne Bay U.D.		Maid- stone M.B.		Margate M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	229	231	190	148	83	64	194	194	279	301	201	216	58	55	216	232	133	174	
1 Enteric fever	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	3
4 Scarlet fever	1	—	2	2	1	—	—	—	—	—	1	—	—	—	—	—	1	—	4
5 Whooping cough	—	—	—	1	—	—	—	—	2	7	—	2	—	—	1	—	—	—	5
6 Diphtheria	5	1	2	2	2	—	—	—	4	10	3	1	—	—	3	4	—	—	6
7 Influenza	2	5	2	2	2	4	2	1	3	6	4	5	3	2	5	5	1	4	7
8 Encephalitis lethargica	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	9
10 Tuberculosis of respiratory sys. ..	12	18	15	17	7	5	16	16	22	23	20	15	3	3	13	13	24	12	10
11 Other tuberculous diseases	4	3	7	—	—	1	5	7	6	6	3	2	1	2	3	4	6	5	11
12 Cancer, malignant disease	27	29	23	15	13	12	25	21	31	38	17	30	3	12	16	44	13	22	12
13 Rheumatic fever	—	1	1	1	—	2	—	—	1	—	—	1	—	—	—	—	1	2	13
14 Diabetes	3	3	3	2	—	—	2	3	2	3	1	5	1	1	3	1	—	2	14
15 Cerebral hæmorrhage, &c.	22	25	4	10	6	3	18	20	16	16	8	14	5	2	13	22	4	12	15
16 Heart disease	17	31	22	21	11	8	19	32	33	28	19	26	11	6	33	38	19	30	16
17 Arterio-sclerosis	8	4	1	1	1	1	5	3	8	6	1	2	3	4	9	5	3	8	17
18 Bronchitis	17	11	9	14	5	4	12	13	17	30	16	28	1	2	11	18	3	7	18
19 Pneumonia (all forms)	11	13	19	7	3	1	11	9	16	20	20	10	1	1	21	12	9	7	19
20 Other respiratory diseases	3	1	4	—	—	—	4	1	2	3	1	2	—	1	3	2	3	2	20
21 Ulcer of stomach or duodenum ..	—	2	2	1	—	—	3	—	4	—	3	1	—	—	—	—	2	1	21
22 Diarrhœa, &c. (under 2 years) ..	3	7	14	5	3	1	5	1	8	3	6	3	3	2	5	5	6	3	22
23 Appendicitis and typhlitis	—	—	1	—	—	—	—	2	4	1	4	1	—	—	1	—	1	—	23
24 Cirrhosis of liver	2	1	2	1	1	—	1	1	—	2	—	1	—	—	1	3	—	2	24
25 Acute and chronic nephritis	3	3	6	8	1	2	5	6	7	10	4	6	2	—	8	5	1	6	25
26 Puerperal sepsis	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	3	—	1	—	—	—	4	—	3	—	3	—	—	—	1	—	1	27
28 Congenital debility and mal- formation, premature birth	11	10	7	10	4	4	9	5	22	13	8	12	6	2	15	6	8	6	28
29 Suicide	4	2	1	1	2	—	4	—	5	1	4	1	—	1	2	3	—	—	29
30 Other deaths from violence	11	6	6	1	—	—	11	3	3	5	11	1	3	1	10	5	2	2	30
31 Other defined diseases	56	49	36	21	19	15	36	45	62	64	46	43	11	12	39	34	26	39	31
32 Causes ill-defined or unknown ..	5	2	1	—	2	1	1	—	1	1	—	—	—	1	1	—	1	—	32

KENT—*cont.*

Causes of Death.	North- fleet U.D.		Penge U.D.		Ramsgate M.B.		Rochester M.B.		Royal Tun- bridge Wells M.B.		Sheerness U.D.		Ton- bridge U.D.		Bridge R.D.		Bromley R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	82	79	140	171	200	201	192	173	171	284	99	75	81	74	63	61	135	126	
1 Enteric fever	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	1	2	—	1	—	1	1	3	1	2	—	1	—	2	—	—	—	—	5
6 Diphtheria	4	4	—	1	6	7	9	8	1	—	1	1	—	—	4	3	3	5	6
7 Influenza	2	—	2	4	2	1	7	4	5	6	2	2	—	1	1	1	5	3	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	9
10 Tuberculosis of respiratory sys. ..	6	4	8	9	18	12	12	11	12	14	8	5	5	5	5	5	11	8	10
11 Other tuberculous diseases	2	3	4	3	7	6	3	2	3	3	2	1	2	1	—	3	2	11	11
12 Cancer, malignant disease	11	9	9	17	20	24	18	24	18	56	13	7	6	13	8	6	17	20	12
13 Rheumatic fever	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	1	13
14 Diabetes	—	—	1	2	1	3	3	2	—	6	—	1	—	2	—	—	—	2	14
15 Cerebral hæmorrhage, &c.	1	6	11	18	11	16	5	7	10	22	7	10	2	8	2	1	9	9	15
16 Heart disease	6	6	17	15	15	25	26	20	44	57	9	5	14	12	8	11	14	13	16
17 Arterio-sclerosis	—	—	7	9	4	3	12	6	6	7	5	3	2	3	—	2	—	—	17
18 Bronchitis	10	8	11	9	8	10	19	19	9	14	10	2	2	5	1	4	13	9	18
19 Pneumonia (all forms)	8	7	11	12	14	15	11	10	7	12	7	5	8	5	4	1	10	8	19
20 Other respiratory diseases	2	1	1	3	3	5	4	1	4	3	1	—	2	1	—	1	5	1	20
21 Ulcer of stomach or duodenum ..	1	—	—	—	—	—	3	2	—	2	2	—	—	—	2	—	1	—	21
22 Diarrhœa, &c. (under 2 years) ..	4	—	6	7	13	7	2	3	1	1	2	4	—	1	—	1	1	—	22
23 Appendicitis and typhlitis	—	—	1	—	1	—	1	1	3	3	1	—	—	—	1*	—	1	1	23
24 Cirrhosis of liver	1	1	2	1	2	—	3	1	—	2	—	1	—	—	—	—	—	—	24
25 Acute and chronic nephritis	2	3	2	8	8	4	3	5	6	8	—	1	3	1	3	2	4	4	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	1	—	—	—	—	—	3	—	3	—	—	—	—	—	1	27
28 Congenital debility and mal- formation, premature birth	3	3	11	4	7	8	13	5	10	3	7	2	6	—	2	2	7	5	28
29 Suicide	2	—	2	3	3	2	3	1	—	1	2	1	2	—	—	—	1	—	29
30 Other deaths from violence	3	3	6	5	6	2	3	4	4	7	4	1	4	1	1	—	4	4	30
31 Other defined diseases	12	15	26	38	49	48	31	31	26	50	15	15	21	13	20	21	24	28	31
32 Causes ill-defined or unknown ..	1	—	1	—	2	1	—	2	—	1	1	—	—	—	—	—	—	—	32

* Excluding the civil parish of Folkestone next Sandgate.

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.***KENT**—*cont.*

Causes of Death.	Cranbrook R.D.		Dartford R.D.		East Ashford R.D.		Eastry R.D.		Faversham R.D.		Hollingbourne R.D.		Isle of Thanet R.D.		Maidstone R.D.		Malling R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	70	80	199	162	94	99	82	71	88	71	71	70	56	49	114	101	166	145	
1 Enteric fever	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2	4
5 Whooping cough	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	2	1	5
6 Diphtheria	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	6
7 Influenza	1	1	1	6	1	—	—	1	2	2	4	1	4	—	3	1	4	3	7
8 Encephalitis lethargica	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	9
0 Tuberculosis of respiratory sys. ..	6	5	18	9	14	9	3	7	7	5	4	5	5	6	6	8	10	6	10
1 Other tuberculous diseases	1	1	5	4	—	—	1	2	—	3	1	2	—	3	2	1	8	1	11
2 Cancer, malignant disease	10	7	20	23	10	13	8	9	9	13	4	10	6	5	16	13	17	13	12
3 Rheumatic fever	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	1	—	13
4 Diabetes	2	—	2	1	1	1	—	2	2	1	2	1	1	—	2	1	2	1	14
5 Cerebral hæmorrhage, &c.	4	6	9	16	8	10	4	4	8	6	4	4	3	4	10	4	3	18	15
6 Heart disease	11	17	32	25	6	11	11	8	8	6	13	10	4	5	15	21	21	21	16
7 Arterio-sclerosis	3	—	9	5	2	—	2	—	2	1	2	5	1	1	5	9	8	3	17
8 Bronchitis	7	5	16	15	4	9	8	2	6	4	4	5	3	2	8	10	9	11	18
9 Pneumonia (all forms)	2	5	6	6	3	1	4	4	6	1	5	2	1	3	6	4	7	7	19
0 Other respiratory diseases	2	—	4	1	1	2	1	1	2	—	—	1	—	—	4	1	3	—	20
1 Ulcer of stomach or duodenum	—	—	2	2	—	—	1	1	—	—	—	1	—	—	1	—	—	—	21
2 Diarrhoea, &c. (under 2 years)	—	1	4	4	2	1	—	—	2	—	2	1	—	1	4	1	1	2	22
3 Appendicitis and typhlitis	1	1	2	1	1	1	—	—	1	1	—	1	—	—	—	—	2	—	23
4 Cirrhosis of liver	1	—	—	—	—	—	1	1	—	—	1	1	—	—	1	—	—	—	24
5 Acute and chronic nephritis	2	4	3	1	2	2	4	4	2	3	2	—	2	—	—	2	4	2	25
6 Puerperal sepsis	—	1	—	1	—	2	—	—	—	1	—	—	1	—	—	—	—	—	26
7 Other accidents and diseases of pregnancy and parturition	—	2	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	2	27
8 Congenital debility and malformation, premature birth	2	9	15	10	4	3	—	7	4	2	2	1	4	2	4	2	6	13	28
9 Suicide	—	1	4	1	2	—	—	—	2	1	4	1	3	1	3	1	3	—	29
0 Other deaths from violence	1	1	11	2	4	5	1	—	2	2	3	1	1	1	2	1	7	3	30
1 Other defined diseases	14	13	33	21	29	28	24	17	21	17	13	16	15	14	20	19	44	32	31
2 Causes ill-defined or unknown	—	—	—	—	—	1	—	—	—	2	1	—	2	—	—	—	3	1	32

KENT—*cont.***LANCASHIRE.**

Causes of Death.	Milton R.D.		Seven-oaks R.D.		Strood R.D.		Ton-bridge R.D.					Accrington M.B.		Ashton in Makerfield U.D.		Ashton-under-Lyne M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.				M.	F.	M.	F.	M.	F.	
All Causes	65	75	139	122	110	75	98	100				283	300	138	103	330	333	
1 Enteric fever	—	—	—	—	—	3	—	—				—	—	—	1	2	—	1
2 Small-pox	—	—	—	—	1	—	—	—				—	—	1	2	—	—	2
3 Measles	—	—	—	—	—	—	—	—				—	—	—	1	1	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—				—	—	—	—	—	—	4
5 Whooping cough	1	1	—	—	1	4	—	2				4	1	3	5	2	2	5
6 Diphtheria	—	—	1	2	3	—	1	—				1	6	—	—	2	2	6
7 Influenza	4	3	4	6	2	2	3	1				3	7	5	—	5	8	7
8 Encephalitis lethargica	—	—	—	1	—	—	1	—				—	—	—	—	2	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	1				1	—	—	—	—	—	9
0 Tuberculosis of respiratory sys. ..	1	6	10	6	16	1	5	8				15	13	13	6	30	18	10
1 Other tuberculous diseases	2	2	3	2	1	—	4	2				4	3	6	2	10	1	11
2 Cancer, malignant disease	2	8	20	16	7	10	10	12				29	31	6	10	26	30	12
3 Rheumatic fever	1	—	—	2	1	1	—	—				—	—	—	—	1	2	13
4 Diabetes	—	—	—	1	—	2	3	1				2	2	1	1	5	2	14
5 Cerebral hæmorrhage, &c.	2	5	12	17	6	5	7	9				20	40	4	6	18	19	15
6 Heart disease	12	9	22	19	14	8	20	23				38	49	6	8	35	41	16
7 Arterio-sclerosis	8	8	2	1	4	1	—	3				3	3	2	1	12	8	17
8 Bronchitis	1	2	6	5	3	3	6	3				25	18	12	5	34	32	18
9 Pneumonia (all forms)	1	5	6	3	13	7	1	2				26	13	16	5	34	40	19
0 Other respiratory diseases	1	2	3	3	1	—	—	—				4	7	1	—	2	5	20
1 Ulcer of stomach or duodenum	—	—	—	—	—	—	—	—				3	1	1	—	1	1	21
2 Diarrhoea, &c. (under 2 years)	1	1	1	—	—	—	—	3				4	4	10	5	10	11	22
3 Appendicitis and typhlitis	—	—	1	—	—	—	1	2				2	3	1	1	1	—	23
4 Cirrhosis of liver	—	—	—	—	—	—	—	1				4	—	—	—	1	2	24
5 Acute and chronic nephritis	4	—	—	2	—	—	2	4				7	11	5	—	11	10	25
6 Puerperal sepsis	—	1	—	—	—	1	—	1				—	—	—	—	—	5	26
7 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—	—	—				—	3	—	2	—	2	27
8 Congenital debility and malformation, premature birth	3	—	8	2	7	3	3	1				16	14	11	15	17	17	28
9 Suicide	—	—	1	1	—	—	—	1				7	3	2	—	2	1	29
0 Other deaths from violence	4	1	3	3	6	3	2	1				5	3	6	1	8	4	30
1 Other defined diseases	17	13	29	30	21	17	23	19				57	65	25	25	57	69	31
2 Causes ill-defined or unknown	—	2	2	—	1	—	—	—				3	—	1	1	1	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.***LANCASHIRE**—*cont.*

Causes of Death.	Atherton U.D.		Bacup M.B.		Chadder-ton U.D.		Chorley M.B.		Clith-eroe M.B.		Colne M.B.		Crompton U.D.		Dalton-in-Furness U.D.		Darwen M.B.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	116	104	141	161	187	189	208	176	72	83	151	160	90	107	120	76	234	214
1 Enteric fever	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—
4 Scarlet fever	—	—	—	—	3	—	—	—	2	—	—	—	—	—	—	—	—	—
5 Whooping cough	4	1	4	1	—	1	—	—	—	—	1	5	2	1	3	2	2	3
6 Diphtheria	—	—	1	1	2	2	1	1	—	—	—	3	—	—	1	2	—	—
7 Influenza	5	3	4	—	6	8	15	4	—	—	3	2	3	3	3	2	1	2
8 Encephalitis lethargica	—	2	—	1	—	—	—	—	—	—	—	—	—	2	—	—	1	1
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
10 Tuberculosis of respiratory sys.	11	2	10	10	16	12	15	6	3	5	9	9	9	5	7	7	10	8
11 Other tuberculous diseases	—	5	1	3	4	1	4	1	3	3	5	4	—	1	2	2	2	4
12 Cancer, malignant disease	3	9	6	12	20	19	18	15	7	9	13	19	6	8	6	11	23	22
13 Rheumatic fever	—	—	—	—	—	—	2	—	—	—	1	1	—	—	1	—	2	—
14 Diabetes	—	1	1	—	1	3	—	2	1	5	—	1	—	—	1	1	2	1
15 Cerebral hæmorrhage, &c.	4	7	10	14	5	18	5	11	1	4	13	8	3	5	8	3	13	21
16 Heart disease	19	15	14	17	32	28	12	26	7	11	14	19	10	19	13	6	22	30
17 Arterio-sclerosis	8	1	4	1	2	3	5	6	5	1	9	7	2	1	2	1	8	8
18 Bronchitis	13	10	17	16	10	21	12	16	3	1	11	14	8	9	19	8	12	20
19 Pneumonia (all forms)	11	7	8	4	10	6	19	11	3	2	6	2	4	9	9	1	23	16
20 Other respiratory diseases	1	—	3	6	5	1	4	4	—	1	4	1	2	1	2	1	1	1
21 Ulcer of stomach or duodenum	—	—	—	—	—	—	5	3	—	1	—	1	—	—	1	—	5	—
22 Diarrhoea, &c. (under 2 years)	6	7	—	1	5	3	7	5	1	—	9	6	1	1	1	—	3	1
23 Appendicitis and typhlitis	1	—	1	—	1	—	1	2	—	—	2	2	—	—	1	—	3	1
24 Cirrhosis of liver	—	—	—	—	—	—	—	—	1	—	—	2	—	—	—	—	1	1
25 Acute and chronic nephritis	2	4	5	3	6	11	7	4	12	11	9	5	6	1	4	—	14	13
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—
27 Other accidents and diseases of pregnancy and parturition	—	3	—	2	—	3	—	3	—	1	—	3	—	2	—	—	—	3
28 Congenital debility and malformation, premature birth	5	5	5	7	16	17	16	9	6	3	8	8	6	12	10	4	17	6
29 Suicide	—	—	3	4	2	2	1	1	—	2	5	—	1	1	2	1	4	—
30 Other deaths from violence	3	1	3	1	5	2	11	1	4	1	4	4	3	3	5	—	7	4
31 Other defined diseases	19	20	39	56	35	27	38	40	13	21	21	34	23	22	17	21	54	45
32 Causes ill-defined or unknown	1	—	2	1	—	1	8	4	—	1	3	—	1	—	2	—	3	3

LANCASHIRE—*cont.*

Causes of Death.	Denton U.D.		Droyls-den U.D.		Eccles M.B.		Fails-worth U.D.		Farn-worth U.D.		Fleet-wood U.D.		Great Crosby U.D.		Great Har-wood U.D.		Has-lingden M.B.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	111	106	75	90	285	234	85	116	165	193	101	88	79	75	67	69	111	115
1 Enteric fever	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—
4 Scarlet fever	1	—	—	—	1	1	1	2	—	—	—	—	1	—	—	—	—	—
5 Whooping cough	2	3	2	—	1	—	—	2	7	10	—	1	3	1	—	—	—	1
6 Diphtheria	2	1	—	—	3	4	—	—	3	1	2	4	—	—	—	—	—	—
7 Influenza	2	1	3	—	6	3	2	4	3	5	3	5	4	1	—	—	1	4
8 Encephalitis lethargica	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—	1
9 Meningococcal meningitis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	4	7	4	6	18	18	9	11	21	13	11	7	7	3	4	2	6	4
11 Other tuberculous diseases	5	1	4	—	5	3	3	3	5	3	1	1	2	1	—	1	6	1
12 Cancer, malignant disease	8	12	2	8	19	26	7	18	9	16	9	12	3	12	9	7	11	13
13 Rheumatic fever	—	—	—	—	3	4	—	—	1	2	—	—	—	—	—	—	3	1
14 Diabetes	—	—	1	1	3	2	1	2	—	3	2	1	2	1	1	—	—	—
15 Cerebral hæmorrhage, &c.	8	7	5	6	15	19	3	5	8	10	1	5	2	3	2	7	5	13
16 Heart disease	16	13	7	18	41	34	5	10	12	14	15	8	4	7	12	11	14	17
17 Arterio-sclerosis	1	1	4	4	2	4	2	8	5	8	1	2	5	2	2	2	2	5
18 Bronchitis	3	10	6	15	30	23	9	6	9	10	7	4	8	5	3	2	6	9
19 Pneumonia (all forms)	11	11	7	6	26	16	7	9	22	18	7	6	7	5	6	3	4	2
20 Other respiratory diseases	3	2	1	—	2	1	2	1	—	1	1	—	1	2	—	1	1	3
21 Ulcer of stomach or duodenum	2	—	—	—	1	1	—	—	—	1	1	—	—	—	—	—	1	2
22 Diarrhoea, &c. (under 2 years)	2	3	2	—	9	4	3	—	2	5	4	6	1	2	—	2	2	1
23 Appendicitis and typhlitis	—	—	—	2	3	2	—	—	1	2	—	1	1	1	1	1	—	2
24 Cirrhosis of liver	—	—	1	—	1	1	—	—	1	—	—	—	1	—	—	—	—	2
25 Acute and chronic nephritis	3	1	2	4	2	9	3	3	5	7	2	1	3	4	1	1	4	5
26 Puerperal sepsis	—	4	—	—	—	1	—	1	—	2	—	1	—	1	—	—	1	2
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	1	—	—	—	1	—	—	—	1	—	3	—	2
28 Congenital debility and malformation, premature birth	10	2	8	4	24	12	4	9	10	15	6	5	4	1	5	9	4	4
29 Suicide	2	—	—	—	5	1	1	—	2	1	1	—	—	—	—	—	1	2
30 Other deaths from violence	5	1	2	2	17	3	5	2	7	2	3	2	4	1	2	—	5	1
31 Other defined diseases	21	25	14	12	48	41	14	20	31	42	22	14	15	20	19	15	35	33
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	1	2	1	—	1	—	2	3

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.***LANCASHIRE—*cont.***

Causes of Death.	Haydock U.D.		Heywood M.B.		Hindley U.D.		Horwich U.D.		Ince in Makerfield U.D.		Lancaster M.B.		Leigh M.B.		Litherland U.D.		Little-boro' U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	88	68	168	189	174	151	96	72	180	145	249	250	345	319	81	105	72	67	1
1 Enteric fever	1	—	—	—	1	1	—	—	2	1	—	1	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	4	3	4	2	1	1	1	—	—	1	1	2	—	—	—	1	—	—	3
4 Scarlet fever	1	—	—	—	1	—	—	—	—	—	—	—	—	2	—	2	—	—	4
5 Whooping cough	6	8	—	—	9	3	—	—	2	5	6	4	7	8	—	1	—	—	5
6 Diphtheria	3	—	—	—	1	4	4	5	1	1	—	1	—	1	—	1	—	—	6
7 Influenza	—	1	3	—	3	4	—	—	3	2	1	1	5	2	1	—	—	2	7
8 Encephalitis lethargica	—	—	1	—	1	—	—	—	1	1	—	—	—	3	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	9
10 Tuberculosis of respiratory sys.	5	4	10	20	9	12	5	6	10	4	18	17	23	30	9	8	4	2	10
11 Other tuberculous diseases	—	—	5	4	2	3	3	4	1	1	5	6	6	1	4	3	—	1	11
12 Cancer, malignant disease	2	1	14	29	8	6	7	13	5	12	16	32	17	33	8	5	4	10	12
13 Rheumatic fever	2	3	2	1	1	1	—	—	1	1	2	2	2	3	—	—	—	—	13
14 Diabetes	1	—	1	3	—	2	3	—	1	2	1	1	—	2	—	1	—	1	14
15 Cerebral hæmorrhage, &c.	2	2	5	10	4	15	3	5	6	5	12	13	17	23	2	6	1	4	15
16 Heart disease	3	3	27	27	9	9	10	10	4	12	29	29	29	35	5	16	11	6	16
17 Arterio-sclerosis	—	2	4	8	8	2	6	1	9	8	20	6	4	5	3	5	6	2	17
18 Bronchitis	7	8	12	9	20	15	4	4	28	19	14	19	44	34	3	7	7	7	18
19 Pneumonia (all forms)	9	1	10	7	23	22	14	5	23	13	18	14	56	31	12	9	3	—	19
20 Other respiratory diseases	—	—	1	1	1	2	4	—	4	2	2	3	4	1	1	4	1	—	20
21 Ulcer of stomach or duodenum	—	—	1	—	2	1	1	—	—	1	1	—	2	2	2	—	1	—	21
22 Diarrhoea, &c. (under 2 years)	6	6	12	2	8	2	2	—	4	4	7	4	13	6	1	5	—	—	22
23 Appendicitis and typhlitis	2	1	1	1	3	—	—	2	—	1	3	1	2	3	—	—	—	—	23
24 Cirrhosis of liver	—	—	—	—	—	—	1	—	—	—	2	—	3	—	—	2	—	—	24
25 Acute and chronic nephritis	2	—	2	4	2	8	2	2	7	2	8	5	9	9	3	2	2	—	25
26 Puerperal sepsis	—	3	—	—	—	—	1	—	—	—	—	1	—	2	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	3	—	—	—	3	—	4	—	4	—	1	—	1	27
28 Congenital debility and malformation, premature birth	9	7	10	12	16	8	5	4	19	11	21	12	32	10	4	4	6	5	28
29 Suicide	—	—	4	3	—	—	—	—	4	—	3	2	3	1	—	1	—	2	29
30 Other deaths from violence	7	2	11	4	10	3	1	2	7	6	5	5	15	9	6	1	2	4	30
31 Other defined diseases	15	12	28	40	30	24	18	8	36	24	54	65	52	56	16	19	23	19	31
32 Causes ill-defined or unknown	1	—	—	1	1	—	2	—	2	3	—	—	—	1	—	—	1	—	32

LANCASHIRE—*cont.*

Causes of Death.	Lytham U.D.		Middleton M.B.		Morecambe M.B.		Mossley M.B.		Nelson M.B.		Newton in Makerfield U.D.		Oswaldtwistle U.D.		Padiham U.D.		Prestwich U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	61	65	180	206	102	109	77	93	197	227	112	118	80	87	76	83	78	88	1
1 Enteric fever	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	4	1	1	1	1	—	1	—	—	—	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	1	3	1	2	—	1	2	—	1	2	—	—	—	5
5 Whooping cough	—	—	2	3	—	1	—	—	—	—	1	2	—	1	—	—	—	—	6
6 Diphtheria	—	1	—	1	1	—	—	1	2	1	2	2	1	1	—	3	1	—	7
7 Influenza	—	—	1	2	3	1	—	1	2	—	4	8	2	—	—	2	1	2	8
8 Encephalitis lethargica	—	—	—	1	1	—	1	—	—	—	2	1	—	—	—	—	—	1	9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
0 Tuberculosis of respiratory sys.	3	1	8	15	8	4	1	6	10	13	10	8	2	4	4	7	8	4	11
1 Other tuberculous diseases	2	—	5	7	1	2	2	2	5	—	—	—	2	2	1	3	—	1	12
2 Cancer, malignant disease	4	10	17	19	7	12	15	10	15	25	10	9	6	6	2	4	10	13	13
3 Rheumatic fever	—	1	—	—	—	1	—	—	2	—	2	1	—	—	—	—	—	1	14
4 Diabetes	2	1	1	3	—	2	—	1	2	3	1	—	—	—	—	1	1	1	15
5 Cerebral hæmorrhage, &c.	1	4	14	14	9	14	4	5	16	26	8	6	3	5	6	7	2	9	16
6 Heart disease	7	12	34	33	10	12	5	11	35	34	7	11	13	15	10	8	7	13	17
7 Arterio-sclerosis	3	4	6	5	5	2	2	—	7	8	3	2	—	—	3	3	4	3	18
8 Bronchitis	6	2	19	19	8	10	10	11	20	23	3	4	9	10	5	7	2	13	19
9 Pneumonia (all forms)	6	2	14	14	4	7	5	8	9	8	11	15	5	6	6	1	5	5	20
0 Other respiratory diseases	1	—	—	1	1	4	1	2	3	2	2	1	—	1	—	2	1	—	21
1 Ulcer of stomach or duodenum	1	3	1	—	—	2	—	—	—	1	—	—	—	—	—	1	1	—	22
2 Diarrhoea, &c. (under 2 years)	1	—	6	3	3	1	1	1	3	1	5	5	4	2	3	1	3	—	23
3 Appendicitis and typhlitis	1	1	2	1	2	1	—	—	4	2	3	1	—	—	—	—	—	1	24
4 Cirrhosis of liver	1	—	1	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—	25
5 Acute and chronic nephritis	1	—	4	9	1	2	6	6	3	11	1	5	2	—	2	3	3	—	26
6 Puerperal sepsis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	27
7 Other accidents and diseases of pregnancy and parturition	—	—	—	5	—	—	—	1	—	3	—	—	—	5	—	1	—	—	28
8 Congenital debility and malformation, premature birth	2	2	8	8	7	3	3	7	4	11	12	9	5	4	2	4	6	8	29
9 Suicide	—	—	1	2	2	—	—	—	4	—	—	2	—	—	—	1	1	—	30
0 Other deaths from violence	2	—	6	4	4	1	2	—	4	2	8	3	6	1	2	3	1	1	31
1 Other defined diseases	16	21	21	34	24	23	13	16	38	51	18	21	17	21	27	20	21	12	32
2 Causes ill-defined or unknown	1	—	5	—	—	—	—	1	3	—	—	1	—	3	1	—	—	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.***LANCASHIRE**—*cont.*

Causes of Death.	Radcliffe U.D.		Ramsbottom U.D.		Rawtenstall M.B.		Royton U.D.		St. Anne's-on-the-Sea U.D.		Stretford U.D.		Swinton & Pendlebury U.D.		Turton U.D.		Tyldesley with Shakerley U.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	146	155	74	99	175	189	117	122	59	60	262	262	184	163	81	70	114	87
1 Enteric fever	—	—	—	—	—	—	—	1	—	—	—	—	2	—	—	—	1	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	5	1	—	1	—	1	—	—	—	1	—	—	—	1	—	—	—	—
4 Scarlet fever	—	1	—	—	—	1	—	1	—	1	—	2	7	1	—	—	—	—
5 Whooping cough	—	—	—	—	1	1	1	3	—	—	2	2	—	1	—	—	4	4
6 Diphtheria	—	3	—	1	—	2	1	—	1	1	1	2	3	2	1	1	1	1
7 Influenza	—	3	—	—	10	4	4	5	2	—	9	7	6	2	—	1	3	—
8 Encephalitis lethargica	1	—	1	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	6	8	5	5	8	11	8	4	3	2	22	24	6	9	2	2	7	9
11 Other tuberculous diseases	2	2	—	—	1	2	—	1	1	1	10	7	6	3	—	1	1	2
12 Cancer, malignant disease	20	15	7	15	17	20	11	13	3	14	20	32	20	19	3	8	8	12
13 Rheumatic fever	1	1	—	—	—	—	1	—	—	—	1	2	1	1	—	1	—	—
14 Diabetes	—	3	1	2	1	2	—	1	1	—	1	—	2	2	2	—	—	1
15 Cerebral hæmorrhage, &c.	15	19	7	6	16	15	11	8	5	3	15	25	10	14	7	7	8	2
16 Heart disease	13	19	5	25	22	30	17	26	6	9	29	25	12	23	12	8	10	8
17 Arterio-sclerosis	7	1	7	4	12	3	1	4	7	2	7	7	4	6	2	3	4	2
18 Bronchitis	9	17	1	3	14	19	8	16	4	3	14	18	19	17	6	3	8	10
19 Pneumonia (all forms)	8	3	5	4	7	12	6	1	2	1	30	12	20	12	3	11	11	—
20 Other respiratory diseases	2	1	—	—	2	2	—	—	—	—	3	10	3	3	2	1	—	—
21 Ulcer of stomach or duodenum	—	—	—	1	1	2	—	1	—	—	4	—	2	1	—	—	2	—
22 Diarrhœa, &c. (under 2 years)	5	5	2	1	2	2	4	4	2	—	5	—	10	3	—	1	4	—
23 Appendicitis and typhlitis	2	1	—	1	—	—	1	—	—	—	4	—	1	—	—	1	—	—
24 Cirrhosis of liver	1	1	—	—	—	1	4	—	—	—	2	—	1	—	1	—	—	—
25 Acute and chronic nephritis	5	4	3	4	10	6	2	1	2	3	3	4	7	3	4	4	4	1
26 Puerperal sepsis	—	2	—	—	—	—	—	—	2	—	—	2	—	2	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	3	—	2	—	—	—	1	—	1	—	1	—	—
28 Congenital debility and malformation, premature birth	14	7	7	—	10	7	14	9	1	3	14	15	12	4	4	5	10	8
29 Suicide	2	1	2	—	2	1	—	1	1	—	3	1	—	1	—	—	—	—
30 Other deaths from violence	5	4	1	1	6	2	2	1	4	1	11	3	7	6	2	2	7	1
31 Other defined diseases	23	33	19	20	29	39	21	18	13	13	50	52	29	26	20	17	19	13
32 Causes ill-defined or unknown	—	—	1	3	4	1	—	1	1	—	—	2	—	1	1	—	1	—

LANCASHIRE—*cont.*

Causes of Death.	Ulverston U.D.		Walton le Dale U.D.		Waterloo with Seaforth U.D.		West Houghton U.D.		Widnes M.B.		Worsley U.D.		Barton upon Irwell R.D.		Blackburn R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	54	63	70	68	188	157	117	92	316	260	77	93	65	62	60	53
1 Enteric fever	—	—	—	—	—	—	1	1	—	—	—	2	1	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	—	—	—	—	—	—	11	6	—	—	—	—	—	—
4 Scarlet fever	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	—	—	1	—	5	3	3	—	10	4	1	—	—	—	—	1
6 Diphtheria	—	—	—	—	2	5	1	—	7	4	—	—	—	—	—	—
7 Influenza	1	1	4	—	3	—	6	7	16	11	4	1	2	1	1	2
8 Encephalitis lethargica	—	—	—	—	1	1	2	—	1	—	—	1	—	—	—	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	3	5	—	3	17	12	5	4	22	14	2	—	5	3	2	2
11 Other tuberculous diseases	2	—	—	1	4	2	3	1	4	3	—	—	1	2	—	3
12 Cancer, malignant disease	2	8	4	8	17	27	9	8	14	26	9	8	8	7	6	4
13 Rheumatic fever	—	1	2	1	—	—	2	—	2	1	1	—	—	1	—	—
14 Diabetes	1	2	2	—	1	—	—	—	1	1	1	1	—	—	—	—
15 Cerebral hæmorrhage, &c.	5	7	5	8	9	10	4	6	8	12	4	10	5	6	4	2
16 Heart disease	5	6	8	10	16	16	6	14	15	17	9	19	5	9	12	9
17 Arterio-sclerosis	3	—	1	1	2	4	3	2	8	6	1	2	1	1	5	1
18 Bronchitis	6	3	5	7	9	5	9	4	30	22	7	8	4	2	5	4
19 Pneumonia (all forms)	2	6	3	6	16	11	3	5	22	25	5	4	4	1	6	4
20 Other respiratory diseases	—	1	2	—	2	1	2	1	3	3	—	—	1	1	—	3
21 Ulcer of stomach or duodenum	—	1	—	—	—	1	—	—	—	1	—	1	1	—	—	2
22 Diarrhœa, &c. (under 2 years)	4	1	2	2	12	5	2	1	11	12	1	3	1	—	—	2
23 Appendicitis and typhlitis	—	—	—	1	4	—	2	2	4	—	—	1	—	1	—	—
24 Cirrhosis of liver	—	—	—	—	—	—	1	—	2	1	—	—	—	1	—	—
25 Acute and chronic nephritis	1	1	4	1	6	6	1	—	11	3	4	2	1	2	2	2
26 Puerperal sepsis	—	—	—	1	—	1	—	1	—	3	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	2	—	1	—	5	—	1	—	—	—	—
28 Congenital debility and malformation, premature birth	4	4	3	3	16	8	10	7	32	21	10	6	2	2	4	4
29 Suicide	1	—	—	—	1	—	2	2	—	—	—	—	1	—	—	—
30 Other deaths from violence	2	2	9	1	6	2	4	5	14	3	2	1	3	1	1	2
31 Other defined diseases	11	14	13	14	34	34	34	20	63	54	16	22	19	22	11	6
32 Causes ill-defined or unknown	1	—	2	—	4	—	1	—	5	2	—	—	—	—	1	—

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.*LANCASHIRE—*cont.*

Causes of Death.	Burnley R.D.		Chorley R.D.		Fylde R.D.		Garstang R.D.		Leigh R.D.		Preston R.D.		Ulverston R.D.		Warrington R.D.		West Lancashire R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	132	132	130	120	71	81	68	77	79	71	119	114	121	137	80	56	101	123	
1 Enteric fever	—	1	1	—	—	1	—	—	1	—	—	—	1	1	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	1	—	4
5 Whooping cough	1	—	1	2	—	1	3	1	1	—	—	—	3	—	1	2	—	2	5
6 Diphtheria	—	3	1	1	1	2	1	—	1	—	—	2	—	—	1	—	—	—	6
7 Influenza	1	3	3	2	1	—	2	2	4	—	—	1	3	4	3	—	2	—	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
0 Tuberculosis of respiratory sys.	6	4	3	3	5	3	3	4	3	—	3	4	5	6	6	1	4	9	10
1 Other tuberculous diseases	3	4	1	5	2	—	—	3	1	1	2	2	—	3	—	—	2	—	11
2 Cancer, malignant disease	13	13	12	13	8	6	10	13	3	8	10	15	12	12	12	6	9	9	12
3 Rheumatic fever	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	13
4 Diabetes	3	1	2	1	1	—	—	1	—	—	1	4	3	—	—	—	1	1	14
5 Cerebral hæmorrhage, &c.	11	14	12	8	4	9	4	4	—	3	11	8	18	8	2	3	12	16	15
6 Heart disease	17	13	11	18	3	12	11	15	6	7	10	13	15	19	3	3	9	10	16
7 Arterio-sclerosis	4	—	2	2	1	1	2	1	—	1	2	2	6	7	3	1	1	1	17
8 Bronchitis	9	13	7	9	5	7	4	3	3	8	6	12	9	13	9	6	4	9	18
9 Pneumonia (all forms)	12	8	15	7	1	1	2	4	17	10	8	11	9	8	7	10	1	9	19
0 Other respiratory diseases	3	2	3	—	2	3	1	1	—	1	1	—	1	—	1	—	4	8	20
1 Ulcer of stomach or duodenum	—	1	1	1	—	—	—	1	—	—	—	—	1	1	3	—	—	1	21
2 Diarrhoea, &c. (under 2 years)	3	—	4	4	2	1	—	—	2	2	2	1	1	3	2	2	2	2	22
3 Appendicitis and typhlitis	2	—	1	3	—	—	—	—	—	—	—	—	2	1	—	—	1	2	23
4 Cirrhosis of liver	1	1	1	1	—	—	—	1	1	—	—	1	1	—	—	—	1	—	24
5 Acute and chronic nephritis	6	5	7	5	—	1	1	—	1	3	8	6	1	6	1	1	2	4	25
6 Puerperal sepsis	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	26
7 Other accidents and diseases of pregnancy and parturition	—	3	—	1	—	—	—	1	—	2	—	—	—	—	—	—	—	—	27
8 Congenital debility and malformation, premature birth	8	5	8	8	4	5	4	3	5	7	7	2	5	9	3	4	11	2	28
9 Suicide	1	1	1	—	2	1	1	—	1	1	1	1	—	—	—	—	2	1	29
0 Other deaths from violence	4	1	6	2	2	2	3	3	10	1	2	2	1	2	2	1	3	3	30
1 Other defined diseases	21	34	23	22	25	23	16	15	15	15	43	25	24	31	20	15	28	32	31
2 Causes ill-defined or unknown	2	1	4	2	1	1	—	1	—	—	2	1	3	—	—	—	—	2	32

LANCASHIRE—*cont.*

LEICESTERSHIRE.

Causes of Death.	Whiston R.D.		Coalville U.D.		Hinckley U.D.		Loughborough M.B.		Ashby-de-la-Zouch R.D.		Barrow-upon-Soar R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	103	99	112	116	95	80	161	162	111	116	126	134	
1 Enteric fever	—	—	—	—	—	—	—	—	—	1	1	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	2	3
3 Measles	—	2	—	—	—	—	—	—	—	1	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	1	3	—	1	—	—	—	—	5	1	1	—	6
6 Diphtheria	5	—	—	—	—	—	1	—	4	3	2	—	7
7 Influenza	—	—	3	5	3	1	3	5	1	3	9	5	8
8 Encephalitis lethargica	—	—	1	—	—	—	—	1	—	—	1	—	9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	10
0 Tuberculosis of respiratory sys.	13	19	6	3	9	11	10	14	3	4	12	19	11
1 Other tuberculous diseases	3	1	1	4	3	—	7	7	1	2	1	4	12
2 Cancer, malignant disease	9	7	10	10	12	7	10	26	7	8	9	11	13
3 Rheumatic fever	—	1	2	1	—	—	—	—	—	—	3	2	14
4 Diabetes	1	—	—	1	1	—	—	—	—	1	—	1	15
5 Cerebral hæmorrhage, &c.	6	6	2	9	4	8	9	6	8	6	6	14	16
6 Heart disease	7	9	10	5	12	8	19	26	12	15	14	20	17
7 Arterio-sclerosis	6	4	1	—	1	—	1	2	1	1	6	1	18
8 Bronchitis	6	10	9	15	6	5	9	12	8	11	4	8	19
9 Pneumonia (all forms)	6	6	11	15	3	3	17	11	10	9	8	3	20
0 Other respiratory diseases	1	3	3	5	—	—	4	1	4	—	1	1	21
1 Ulcer of stomach or duodenum	—	—	—	—	—	—	2	—	—	—	—	—	22
2 Diarrhoea, &c. (under 2 years)	1	3	4	4	1	—	5	5	2	1	5	1	23
3 Appendicitis and typhlitis	—	1	1	1	1	—	1	1	1	—	3	1	24
4 Cirrhosis of liver	—	1	1	—	—	1	2	—	—	—	1	—	25
5 Acute and chronic nephritis	3	3	2	1	2	1	4	—	2	2	3	4	26
6 Puerperal sepsis	—	—	—	—	—	1	—	1	—	1	—	—	27
7 Other accidents and diseases of pregnancy and parturition	—	2	—	2	—	1	—	—	—	2	—	2	28
8 Congenital debility and malformation, premature birth	8	3	15	6	9	5	16	6	8	5	5	3	29
9 Suicide	1	—	1	—	3	1	3	—	—	—	1	1	30
0 Other deaths from violence	5	—	6	5	2	1	7	3	5	5	5	1	31
1 Other defined diseases	21	23	23	23	23	25	29	34	29	33	23	28	32
2 Causes ill-defined or unknown	—	1	—	—	—	1	2	—	—	1	2	—	

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.***LEICESTERSHIRE**—*cont.*

Causes of Death.	Blaby R.D.		Hinckley R.D.		Lutterworth R.D.		Market Bosworth R.D.		Melton Mowbray R.D.								
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.							
All Causes	78	94	81	85	61	71	121	133	81	83							
1 Enteric fever	—	—	—	—	—	—	—	—	—	—							1
2 Small-pox	—	—	—	—	—	—	—	—	—	—							2
3 Measles	—	—	2	2	—	—	—	1	—	—							3
4 Scarlet fever	—	1	—	—	—	—	—	2	—	—							4
5 Whooping cough	1	2	—	—	—	—	1	2	—	—							5
6 Diphtheria	—	—	2	—	1	3	4	—	—	—							6
7 Influenza	2	3	—	1	2	7	—	2	1	7							7
8 Encephalitis lethargica	—	—	—	—	—	—	—	1	—	—							8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—							9
10 Tuberculosis of respiratory sys.	8	5	7	13	2	4	7	6	1	2							10
11 Other tuberculous diseases	2	2	—	1	—	1	5	5	—	2							11
12 Cancer, malignant disease	6	14	9	15	8	7	14	10	16	9							12
13 Rheumatic fever	1	—	1	1	—	1	2	2	2	—							13
14 Diabetes	—	—	—	—	—	1	—	3	—	2							14
15 Cerebral hæmorrhage, &c.	2	6	6	4	2	7	4	8	7	5							15
16 Heart disease	4	13	16	14	11	6	8	12	8	12							16
17 Arterio-sclerosis	2	3	—	—	6	2	8	6	10	4							17
18 Bronchitis	5	9	2	—	1	4	5	3	5	5							18
19 Pneumonia (all forms)	3	1	6	5	7	3	11	12	3	2							19
20 Other respiratory diseases	1	—	—	3	2	—	1	2	1	2							20
21 Ulcer of stomach or duodenum	1	—	—	—	—	—	2	1	—	—							21
22 Diarrhoea, &c. (under 2 years)	1	2	2	—	1	1	5	5	3	1							22
23 Appendicitis and typhlitis	3	—	1	4	—	—	—	—	—	1							23
24 Cirrhosis of liver	1	—	1	1	—	2	—	—	—	—							24
25 Acute and chronic nephritis	4	4	1	—	4	4	2	—	—	1							25
26 Puerperal sepsis	—	1	—	—	—	—	—	—	—	—							26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	1	—	3	—	2							27
28 Congenital debility and malformation, premature birth	5	4	4	4	4	1	12	9	7	1							28
29 Suicide	2	1	—	—	—	—	1	—	2	—							29
30 Other deaths from violence	1	1	3	—	4	4	4	3	1	3							30
31 Other defined diseases	23	20	17	16	7	13	25	30	14	21							31
32 Causes ill-defined or unknown	—	1	1	1	—	1	1	1	—	1							32

LINCOLNSHIRE (PARTS OF HOLLAND).**LINCOLNSHIRE (PARTS OF KESTEVEN).**

Causes of Death.	Boston M.B.		Spalding U.D.		Boston R.D.		Spalding (part of) R.D.*		Grantham M.B.		Bourne R.D.		Branston R.D.				
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			
All Causes	106	100	69	59	141	132	70	69	131	121	95	96	80	74			
1 Enteric fever	—	1	1	—	—	—	—	—	—	—	1	—	—	1			
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
3 Measles	—	—	—	—	—	—	—	—	—	—	—	1	—	—			
4 Scarlet fever	—	—	—	—	1	1	—	—	1	2	1	—	—	—			
5 Whooping cough	2	1	—	—	—	—	—	—	—	—	2	—	1	—			
6 Diphtheria	1	—	—	—	1	—	—	1	—	—	2	1	2	—			
7 Influenza	3	1	—	2	1	3	1	—	1	1	—	—	—	—			
8 Encephalitis lethargica	1	1	—	—	—	—	—	—	1	—	—	—	—	—			
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	1	—	—	—			
10 Tuberculosis of respiratory sys.	9	8	3	5	8	12	4	3	9	10	3	5	3	5			10
11 Other tuberculous diseases	3	4	1	1	4	4	3	2	2	6	2	1	2	1			11
12 Cancer, malignant disease	11	17	5	6	17	16	7	6	10	16	9	11	9	11			12
13 Rheumatic fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—			13
14 Diabetes	2	—	—	1	—	—	1	2	4	2	—	—	—	1			14
15 Cerebral hæmorrhage, &c.	7	17	3	8	8	8	—	5	9	12	6	8	10	1			15
16 Heart disease	7	6	16	9	11	13	8	11	20	16	16	15	8	6			16
17 Arterio-sclerosis	1	1	5	3	4	4	—	—	8	3	—	—	1	1			17
18 Bronchitis	8	5	3	3	3	4	—	1	11	11	5	8	11	5			18
19 Pneumonia (all forms)	3	5	8	2	5	7	2	4	11	7	6	4	2	4			19
20 Other respiratory diseases	—	1	—	—	1	2	1	1	—	—	2	1	—	1			20
21 Ulcer of stomach or duodenum	1	—	—	—	—	1	—	—	2	—	—	—	—	—			21
22 Diarrhoea, &c. (under 2 years)	3	4	2	1	2	2	3	1	9	2	2	3	1	—			22
23 Appendicitis and typhlitis	—	—	1	1	1	—	3	—	—	—	1	—	—	1			23
24 Cirrhosis of liver	2	—	—	—	3	—	—	—	1	—	—	—	—	—			24
25 Acute and chronic nephritis	4	1	2	1	2	—	—	2	—	1	3	3	1	3			25
26 Puerperal sepsis	—	—	—	—	—	—	—	1	—	—	—	—	—	1			26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	1	—	1	—	2	—	1			27
28 Congenital debility and malformation, premature birth	12	2	8	4	11	7	8	3	1	6	3	4	4	6			28
29 Suicide	—	—	—	—	4	1	2	—	1	2	2	—	4	—			29
30 Other deaths from violence	3	—	1	1	2	3	5	—	1	3	2	2	3	—			30
31 Other defined diseases	23	24	10	11	51	44	22	25	29	18	24	27	16	25			31
32 Causes ill-defined or unknown	—	—	—	—	1	—	—	—	—	2	2	—	2	—			32

* The remainder of Spalding R.D. is in Lincolnshire (Parts of Kesteven).

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.*LINCOLNSHIRE (PARTS OF KESTEVEN)—*cont.*

LINCOLNSHIRE (PARTS OF LINDSEY).

Causes of Death.	Gran-tham R.D.		Sleaford R.D.		Spalding (part of) R.D.*		Clee-thorpes U.D.		Gains-borough U.D.		Scun-thorpe & Froding-ham U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	67	71	104	108	5	3	158	130	99	108	173	135	
1 Enteric fever	—	—	1	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	1	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	2	1	4
5 Whooping cough	—	1	3	3	—	—	1	—	2	—	—	3	5
6 Diphtheria	2	—	—	2	—	—	2	3	1	1	2	1	6
7 Influenza	3	1	3	3	—	—	2	1	4	8	6	7	7
8 Encephalitis lethargica	—	—	1	2	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	4	6	3	8	1	—	14	10	13	6	10	5	10
11 Other tuberculous diseases	4	1	—	2	—	—	4	2	—	—	11	5	11
12 Cancer, malignant disease	7	6	7	11	—	—	11	14	12	14	8	10	12
13 Rheumatic fever	—	1	1	—	—	—	—	—	—	1	1	—	13
14 Diabetes	—	1	1	—	—	—	1	—	1	—	—	—	14
15 Cerebral hæmorrhage, &c.	3	10	9	6	—	—	9	7	7	6	10	4	15
16 Heart disease	10	9	15	22	—	1	23	15	5	19	14	10	16
17 Arterio-sclerosis	3	1	3	2	—	—	6	4	4	2	2	3	17
18 Bronchitis	5	4	6	9	—	—	11	6	8	5	6	12	18
19 Pneumonia (all forms)	2	1	2	1	—	—	7	10	11	8	18	5	19
20 Other respiratory diseases	1	2	3	—	—	1	2	1	—	—	3	2	20
21 Ulcer of stomach or duodenum	—	—	2	—	—	—	1	—	—	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	1	1	2	—	—	—	8	5	2	1	8	4	22
23 Appendicitis and typhlitis	—	—	1	—	—	—	2	—	—	—	1	2	23
24 Cirrhosis of liver	—	—	—	—	—	—	1	—	—	—	2	1	24
25 Acute and chronic nephritis	—	—	5	2	—	—	4	3	1	4	4	4	25
26 Puerperal sepsis	—	—	—	2	—	—	—	2	—	1	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	—	—	2	—	2	—	1	27
28 Congenital debility and mal-formation, premature birth	1	3	7	7	3	1	10	5	6	5	13	18	28
29 Suicide	1	—	1	—	—	—	1	1	—	—	3	—	29
30 Other deaths from violence	1	—	3	4	—	—	6	3	4	—	3	3	30
31 Other defined diseases	17	23	24	21	1	—	31	35	18	25	46	33	31
32 Causes ill-defined or unknown	2	—	1	—	—	—	—	1	—	—	—	—	32

LINCOLNSHIRE (PARTS OF LINDSEY)—*cont.*

Causes of Death.	Cais-tor R.D.		Gains-borough R.D.		Glanford Brigg R.D.		Grimsby R.D.		Horn-castle R.D.		Louth R.D.		Spilsby R.D.		Welton R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	71	75	103	89	130	145	68	65	76	72	116	97	144	136	72	48	
1 Enteric fever	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	1	—	—	—	2	2	—	—	—	1	—	—	—	—	5
6 Diphtheria	—	2	1	3	1	—	—	2	—	—	—	—	1	—	1	—	6
7 Influenza	1	1	3	6	5	6	—	—	2	2	2	1	1	1	1	5	7
8 Encephalitis lethargica	1	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	5	4	8	7	4	9	2	10	1	9	5	5	11	14	4	1	10
11 Other tuberculous diseases	3	1	—	1	1	1	1	3	—	—	2	1	2	—	3	1	11
12 Cancer, malignant disease	4	11	8	7	15	17	6	7	9	8	12	8	15	21	7	6	12
13 Rheumatic fever	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	13
14 Diabetes	1	4	—	—	3	5	1	—	1	—	1	2	2	2	1	—	14
15 Cerebral hæmorrhage, &c.	4	3	13	7	4	14	4	2	8	10	2	13	15	10	6	4	15
16 Heart disease	12	7	11	10	19	27	7	11	10	7	24	16	20	17	9	7	16
17 Arterio-sclerosis	4	—	3	—	—	—	1	—	2	—	1	—	2	4	—	—	17
18 Bronchitis	4	6	11	7	9	4	1	3	3	2	5	3	4	7	5	2	18
19 Pneumonia (all forms)	3	3	8	3	8	8	4	—	5	2	2	2	8	6	4	—	19
20 Other respiratory diseases	1	—	2	1	1	—	2	1	4	1	1	3	1	—	—	—	20
21 Ulcer of stomach or duodenum	1	—	1	—	—	1	1	—	—	—	—	—	1	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	2	—	—	—	1	2	5	—	—	—	—	—	1	—	1	—	22
23 Appendicitis and typhlitis	—	—	—	—	2	1	—	1	—	—	1	—	1	1	—	—	23
24 Cirrhosis of liver	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	24
25 Acute and chronic nephritis	1	—	3	2	3	2	—	—	3	3	1	3	3	2	—	2	25
26 Puerperal sepsis	—	—	—	2	—	1	—	—	—	—	—	—	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	1	—	1	—	—	—	3	—	2	—	—	27
28 Congenital debility and mal-formation, premature birth	2	3	3	2	13	7	9	4	4	3	10	6	8	3	6	3	28
29 Suicide	1	—	1	—	2	—	1	—	—	—	3	—	1	—	2	—	29
30 Other deaths from violence	4	3	3	—	4	4	2	1	1	—	5	3	4	1	2	—	30
31 Other defined diseases	16	27	20	28	33	34	19	14	24	22	35	25	42	41	20	16	31
32 Causes ill-defined or unknown	—	—	1	—	—	—	—	—	—	—	2	1	—	2	—	1	32

* The remainder of Spalding R.D. is in Lincolnshire (parts of Holland).

Causes of Death.	Acton M.B.		Brent- ford U.D.		Chiswick U.D.		Ealing M.B.		Edmon- ton U.D.		Enfield U.D.		Finchley U.D.		Friern Barnet U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	275	375	100	98	236	276	338	383	369	316	317	281	228	303	76	66	1
1 Enteric fever	—	1	—	—	—	—	2	2	—	1	1	—	—	1	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	4
4 Scarlet fever	—	1	—	—	1	1	2	2	—	2	—	—	1	—	—	—	5
5 Whooping cough	2	2	1	1	—	—	1	6	2	3	2	2	3	4	—	—	6
6 Diphtheria	6	10	—	4	1	7	10	14	13	19	5	8	4	6	1	1	7
7 Influenza	2	9	1	2	5	5	9	8	4	5	8	9	8	6	1	1	8
8 Encephalitis lethargica ..	—	1	—	—	—	1	—	1	3	1	1	2	—	—	1	—	9
9 Meningococcal meningitis ..	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys.	30	29	9	4	23	12	20	14	39	26	24	23	15	24	6	5	11
11 Other tuberculous diseases ..	4	4	1	1	3	7	6	5	11	10	14	5	3	8	—	—	12
12 Cancer, malignant disease ..	21	49	6	10	21	32	31	53	40	25	34	35	19	36	11	13	13
13 Rheumatic fever	—	—	—	—	—	4	3	—	2	1	1	1	2	—	1	—	14
14 Diabetes	3	5	—	3	1	2	1	5	6	1	3	3	7	2	1	1	15
15 Cerebral hæmorrhage, &c. ..	9	24	6	4	11	16	18	29	23	20	15	19	8	18	—	5	16
16 Heart disease	30	40	16	18	26	31	30	43	37	47	38	35	36	40	8	7	17
17 Arterio-sclerosis	5	5	5	2	6	11	23	11	7	8	11	16	5	8	2	3	18
18 Bronchitis	25	35	11	8	19	26	16	30	21	20	19	19	17	25	5	5	19
19 Pneumonia (all forms) ..	32	20	9	4	25	17	31	30	26	21	25	20	19	19	8	2	20
20 Other respiratory diseases ..	3	7	—	1	3	4	4	4	4	2	4	2	3	8	—	2	21
21 Ulcer of stomach or duodenum	3	3	2	—	—	—	2	3	2	1	3	5	5	2	—	—	22
22 Diarrhœa, &c. (under 2 years)	15	14	4	1	10	9	8	4	7	10	9	7	7	8	3	3	23
23 Appendicitis and typhlitis ..	1	—	—	—	1	2	—	3	3	—	3	—	1	5	—	1	24
24 Cirrhosis of liver	3	2	1	—	3	—	2	2	1	2	1	—	3	2	—	—	25
25 Acute and chronic nephritis ..	8	5	1	2	5	4	17	7	10	10	6	4	6	10	2	3	26
26 Puerperal sepsis	—	—	—	2	—	1	—	3	—	1	—	2	—	—	—	—	27
27 Other accidents and diseases of pregnancy and parturition..	—	3	—	—	—	2	—	3	—	2	—	1	—	—	—	—	28
28 Congenital debility and mal- formation, premature birth	15	14	6	4	17	17	16	10	31	26	20	13	11	12	6	3	29
29 Suicide	4	6	—	—	2	1	1	1	4	2	1	2	2	1	2	—	30
30 Other deaths from violence ..																	

Causes of Death.	Hamp- ton U.D.		Han- well U.D.		Harrow- on-the- Hill U.D.		Hen- don U.D.		Heston & Isle- worth U.D.		Hornsey M.B.		Southall Norwood U.D.		South- gate U.D.		Teddington U.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	52	60	101	113	95	91	221	222	259	257	454	514	113	156	163	144	117	116
1 Enteric fever	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—	1	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	—	—	—	—	—	—	1	1	1	1	2	1	—	—	—	—
4 Scarlet fever	—	—	—	—	—	—	—	—	2	4	1	2	2	2	—	—	—	—
5 Whooping cough	—	—	1	—	—	—	5	4	4	—	2	—	1	1	1	—	—	—
6 Diphtheria	1	2	—	—	3	2	3	6	9	3	5	8	2	2	4	—	1	1
7 Influenza	1	1	8	4	—	1	5	6	8	3	11	13	2	—	5	2	4	3
8 Encephalitis lethargica	1	1	—	—	—	—	—	—	—	—	2	1	—	—	—	1	—	—
9 Meningococcal meningitis	—	—	—	1	1	—	1	—	—	—	—	—	2	—	—	1	—	—
10 Tuberculosis of respiratory sys. ..	2	2	6	6	9	2	20	9	22	16	44	30	13	12	16	12	8	11
11 Other tuberculous diseases	—	2	5	6	2	1	5	5	2	5	9	3	2	1	1	3	2	5
12 Cancer, malignant disease	6	7	13	15	12	24	25	31	23	36	57	79	11	20	22	24	20	9
13 Rheumatic fever	—	—	3	—	1	—	—	1	1	1	2	3	—	—	1	—	—	1
14 Diabetes	—	3	—	1	3	2	1	2	4	4	3	5	2	1	3	1	2	1
15 Cerebral hæmorrhage, &c.	3	4	4	8	3	3	7	16	8	13	27	41	5	7	7	11	3	7
16 Heart disease	6	13	9	13	9	8	27	29	32	44	66	63	11	13	19	24	14	20
17 Arterio-sclerosis	2	—	1	4	5	2	2	5	6	3	22	18	2	1	13	6	5	9
18 Bronchitis	3	5	10	7	8	3	8	16	20	24	26	46	10	14	2	3	6	7
19 Pneumonia (all forms)	5	1	6	8	10	6	17	6	21	20	20	26	9	16	13	9	8	6
20 Other respiratory diseases	—	—	1	2	1	2	1	1	4	3	8	15	2	2	3	1	—	1
21 Ulcer of stomach or duodenum	—	—	—	—	—	1	—	2	1	1	2	2	—	1	—	1	1	—
22 Diarrhœa, &c. (under 2 years)	4	—	4	3	1	1	7	6	7	8	9	6	6	6	3	1	3	4
23 Appendicitis and typhlitis	1	1	—	2	—	—	1	3	1	3	—	3	4	—	1	2	1	—
24 Cirrhosis of liver	—	—	—	—	—	—	1	1	1	2	5	6	1	—	—	—	—	—
25 Acute and chronic nephritis	—	2	2	1	4	2	5	6	5	4	15	9	6	7	6	5	5	3
26 Puerperal sepsis	—	—	—	2	—	—	—	5	—	3	—	—	—	2	—	3	—	—
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	—	—	1	—	—	—	4	—	2	—	2	—	1
28 Congenital debility and mal-formation, premature birth	7	4	6	6	4	2	11	12	18	8	21	13	5	11				

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.*MIDDLESEX—*cont.*

Causes of Death.	Totten- ham U.D.		Twicken- ham U.D.		Ux- bridge U.D.		Weald- stone U.D.		Wemb- ley U.D.		Willes- den U.D.		Wood Green U.D.				
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			
All Causes	819	738	195	207	66	53	64	43	64	74	871	807	223	270			
1 Enteric fever	—	1	—	—	—	—	1	—	—	—	1	2	—	—			1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—			2
3 Measles	2	—	—	1	—	—	—	—	—	—	2	2	—	—			3
4 Scarlet fever	1	5	1	1	—	1	1	—	—	—	—	3	—	1			4
5 Whooping cough	7	11	1	3	—	—	—	—	—	—	—	8	—	—			5
6 Diphtheria	27	22	—	2	2	1	1	1	2	1	20	31	2	4			6
7 Influenza	9	8	3	6	1	1	2	3	—	2	27	19	4	10			7
8 Encephalitis lethargica	—	2	—	—	1	—	—	—	—	1	—	5	1	—			8
9 Meningococcal meningitis	6	1	—	—	—	—	—	—	—	—	1	1	—	—			9
10 Tuberculosis of respiratory sys.	71	57	10	9	6	3	4	2	6	5	61	63	18	16			10
11 Other tuberculous diseases	21	13	2	4	—	1	2	—	1	—	15	14	3	2			11
12 Cancer, malignant disease	75	96	18	34	7	7	12	9	6	11	78	103	19	39			12
13 Rheumatic fever	—	8	—	1	1	1	—	—	—	—	2	4	1	2			13
14 Diabetes	6	8	5	5	1	—	1	2	2	2	9	8	5	3			14
15 Cerebral hæmorrhage, &c.	39	48	10	11	1	2	1	5	5	6	43	41	8	16			15
16 Heart disease	87	111	21	34	11	9	4	4	6	3	89	100	25	52			16
17 Arterio-sclerosis	26	19	5	4	3	1	1	—	2	3	15	14	15	9			17
18 Bronchitis	53	49	14	14	7	7	2	1	2	4	61	72	18	36			18
19 Pneumonia (all forms)	73	35	15	5	1	3	8	3	8	4	80	63	24	11			19
20 Other respiratory diseases	16	10	2	1	1	—	2	1	—	1	15	7	1	1			20
21 Ulcer of stomach or duodenum	6	5	—	2	1	—	1	—	2	2	12	7	—	1			21
22 Diarrhœa, &c. (under 2 years)	42	22	9	1	1	3	—	—	1	1	22	13	4	3			22
23 Appendicitis and typhlitis	4	6	—	—	—	—	1	—	1	2	7	2	—	1			23
24 Cirrhosis of liver	4	5	—	—	—	—	1	—	—	—	6	3	3	1			24
25 Acute and chronic nephritis	25	17	5	5	1	—	—	2	—	2	28	16	8	2			25
26 Puerperal sepsis	—	4	—	1	—	—	—	—	—	1	—	1	—	1			26
27 Other accidents and diseases of pregnancy and parturition	—	11	—	1	—	—	—	—	—	—	—	4	—	2			27
28 Congenital debility and mal-formation, premature birth	49	37	21	8	3	2	3	2	2	4	62	37	12	12			28
29 Suicide	12	10	5	1	—	1	—	—	1	1	10	3	4	2			29
30 Other deaths from violence	25	9	6	4	1	—	4	—	3	—	34	7	3	5			30
31 Other defined diseases	133	108	42	49	16	10	10	8	13	18	140	154	41	36			31
32 Causes ill-defined or unknown	—	—	—	—	—	—	1	—	—	—	1	—	—	—			32

MIDDLESEX—*cont.*

NORFOLK.

Causes of Death.	Hen- don R.D.		Staines R.D.		Ux- bridge R.D.		King's Lynn M.B.		Aylsham R.D.		Blofield R.D.		Dep- wade R.D.		Docking R.D.		Down- ham R.D.				
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			
All Causes	80	76	140	130	66	60	113	112	102	109	62	69	109	151	83	104	104	78			
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			3
4 Scarlet fever	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			4
5 Whooping cough	1	—	1	2	—	—	1	—	—	1	—	—	—	—	—	—	—	—			5
6 Diphtheria	1	1	1	—	—	—	—	—	—	6	—	—	—	—	—	—	—	—			6
7 Influenza	2	2	1	5	1	2	2	—	—	—	—	—	—	1	—	—	2	—			7
8 Encephalitis lethargica	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—			8
9 Meningococcal meningitis	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			9
10 Tuberculosis of respiratory sys.	5	4	11	7	6	5	7	11	11	7	7	3	5	11	6	3	6	4			10
11 Other tuberculous diseases	—	—	3	3	1	2	1	2	2	1	2	1	2	—	4	—	—	4			11
12 Cancer, malignant disease	6	14	13	18	4	6	10	13	12	11	6	13	12	14	11	18	12	9			12
13 Rheumatic fever	1	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	1	—			13
14 Diabetes	1	2	1	1	—	—	1	2	1	3	—	—	2	2	1	1	1	—			14
15 Cerebral hæmorrhage, &c.	8	3	10	11	6	3	4	4	5	13	—	3	4	16	4	12	7	8			15
16 Heart disease	7	6	20	16	11	5	21	15	19	12	9	13	23	34	12	18	14	18			16
17 Arterio-sclerosis	6	4	1	2	3	1	6	13	5	4	4	7	3	3	5	4	3	—			17
18 Bronchitis	3	6	6	9	3	2	7	8	3	3	4	6	5	13	3	10	7	8			18
19 Pneumonia (all forms)	5	5	10	7	3	3	10	9	3	5	5	2	8	—	3	3	3	3			19
20 Other respiratory diseases	1	—	2	2	1	2	1	1	4	—	1	—	4	1	—	2	7	2			20
21 Ulcer of stomach or duodenum	2	—	2	—	—	—	1	—	1	1	—	—	—	1	—	—	—	—			21
22 Diarrhœa, &c. (under 2 years)	2	3	3	4	1	3	6	1	1	—	1	—	3	2	—	—	3	—			22
23 Appendicitis and typhlitis	—	2	1	—	2	1	—	1	—	—	2	—	1	1	—	1	—	—			23
24 Cirrhosis of liver	—	1	—	—	1	—	—	—	—	1	—	—	1	—	—	1	1	—			24
25 Acute and chronic nephritis	4	2	9	6	—	1	2	4	2	4	1	2	—	2	4	2	3	1			25
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	1	—	1	—	4	—	1	—	—			26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	1			27
28 Congenital debility and mal-formation, premature birth	1	1	8	8	6	2	4	8	5	1	2	2	6	2	4	3	8	3			28
29 Suicide	—	—	1	2	—	—	1	—	1	1	—	—	1	—	1	—	1	—			29
30 Other deaths from violence	6	—	4	2	4	—	7	—	4	5	4	2	3	4	1	1	5	1			30
31 Other defined diseases	17	19	31	24	13	21	21	18	21	29	12	13	25	38	22	24	20	14			31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—			32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.***NORFOLK**—*cont.*

Causes of Death.	East & West Flegg R.D.		Erping-ham R.D.		Forehoe R.D.		Free-bridge Lynn R.D.		Loddon & Claver- ing R.D.		Marsh- land R.D.		Mittford & Laun- ditch R.D.		St. Faith's R.D.		Small- burgh R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	50	66	100	92	65	67	71	76	59	70	72	63	114	100	45	44	84	99
1 Enteric fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—
5 Whooping cough	—	—	5	2	—	—	—	1	—	—	—	—	1	—	—	—	—	1
6 Diphtheria	—	—	—	1	—	—	—	1	—	—	3	1	—	—	—	—	—	—
7 Influenza	1	2	—	4	—	—	—	1	—	2	2	1	1	1	—	—	1	1
8 Encephalitis lethargica	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	4	5	10	7	5	13	3	4	3	5	3	2	9	—	4	4	8	8
11 Other tuberculous diseases	2	—	2	1	2	—	1	—	2	4	1	2	3	—	—	—	4	3
12 Cancer, malignant disease	7	13	12	17	9	8	13	5	10	6	8	8	9	14	7	8	7	10
13 Rheumatic fever	1	1	—	1	1	—	—	3	—	—	—	1	1	1	—	1	1	1
14 Diabetes	—	—	3	—	1	—	—	1	1	—	2	—	3	—	3	—	1	—
15 Cerebral hæmorrhage, &c.	5	7	6	6	7	4	2	2	2	4	4	7	8	10	1	2	6	9
16 Heart disease	6	7	12	10	13	7	8	11	2	10	4	4	16	24	3	4	9	12
17 Arterio-sclerosis	—	—	4	2	1	—	6	3	5	3	1	3	2	3	5	2	2	2
18 Bronchitis	1	5	4	6	2	7	4	6	5	5	6	3	11	6	3	3	4	5
19 Pneumonia (all forms)	—	2	2	3	2	2	3	1	2	3	—	2	4	7	2	—	3	2
20 Other respiratory diseases	—	—	—	—	1	1	1	1	1	1	1	2	—	3	—	—	2	—
21 Ulcer of stomach or duodenum	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	1	—
22 Diarrhœa, &c. (under 2 years)	—	1	—	—	—	2	—	—	2	1	1	3	—	—	—	—	1	—
23 Appendicitis and typhlitis	—	—	—	1	—	—	—	1	—	—	2	1	—	—	1	—	—	—
24 Cirrhosis of liver	—	—	1	—	1	—	—	—	—	—	—	—	1	—	—	1	1	—
25 Acute and chronic nephritis	—	1	1	1	4	—	5	4	—	—	2	1	3	3	3	2	1	4
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	1
28 Congenital debility and mal-formation, premature birth	2	4	5	5	1	3	4	2	3	7	5	4	5	—	2	1	6	1
29 Suicide	—	—	—	1	2	—	1	—	—	1	—	—	3	—	1	1	2	—
30 Other deaths from violence	2	—	4	2	1	1	3	—	5	1	2	2	5	2	1	1	2	2
31 Other defined diseases	17	17	26	20	11	19	15	26	16	15	22	14	29	24	9	13	21	36
32 Causes ill-defined or unknown	—	—	2	—	—	—	1	1	—	2	1	—	—	—	1	1	1	3

NORFOLK—*cont.***NORTHAMPTONSHIRE.**

Causes of Death.	Walsing- ham R.D.		Way- land R.D.						Ketter- ing U.D.		Rushden U.D.		Welling- borough U.D.				Brix- worth R.D.	
	M.	F.	M.	F.					M.	F.	M.	F.	M.	F.			M.	F.
All Causes	94	98	90	89					167	183	68	79	125	112			72	58
1 Enteric fever	—	—	1	—					—	—	—	1	—	—			—	2
2 Small-pox	—	—	—	—					—	—	—	—	—	—			—	—
3 Measles	—	—	—	—					1	—	—	—	—	—			—	—
4 Scarlet fever	—	—	—	—					—	1	—	—	—	—			—	—
5 Whooping cough	—	—	—	—					4	1	—	1	2	—			—	—
6 Diphtheria	3	2	—	1					3	—	—	—	—	1			—	—
7 Influenza	—	—	2	—					2	5	3	3	2	1			1	1
8 Encephalitis lethargica	—	—	—	—					1	—	—	—	1	—			—	—
9 Meningococcal meningitis	—	—	—	—					—	—	—	—	—	—			—	—
10 Tuberculosis of respiratory sys.	7	7	3	5					13	18	7	7	13	13			3	4
11 Other tuberculous diseases	2	3	1	1					7	4	—	3	1	2			1	1
12 Cancer, malignant disease	7	14	13	12					20	18	9	3	8	16			12	6
13 Rheumatic fever	—	—	1	—					1	—	—	—	—	2			1	—
14 Diabetes	2	1	2	2					3	1	—	1	1	—			1	1
15 Cerebral hæmorrhage, &c.	8	4	5	8					4	9	1	6	9	7			3	3
16 Heart disease	17	17	9	10					10	23	3	10	17	15			10	7
17 Arterio-sclerosis	7	6	12	8					5	5	2	4	4	2			3	—
18 Bronchitis	1	3	5	3					17	9	3	5	8	5			2	4
19 Pneumonia (all forms)	1	3	3	2					16	10	3	2	5	2			1	3
20 Other respiratory diseases	2	2	—	3					—	2	1	1	1	1			2	1
21 Ulcer of stomach or duodenum	1	—	1	—					2	—	—	—	1	—			—	—
22 Diarrhœa, &c. (under 2 years)	1	1	1	—					3	1	2	1	2	2			3	—
23 Appendicitis and typhlitis	1	—	—	—					2	2	—	1	—	1			1	—
24 Cirrhosis of liver	—	1	—	1					—	—	—	—	—	—			—	—
25 Acute and chronic nephritis	1	3	4	2					3	6	3	3	3	3			3	1
26 Puerperal sepsis	—	—	—	—					—	2	—	—	—	—			—	—
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1					—	3	—	1	—	—			—	—
28 Congenital debility and mal-formation, premature birth	8	3	9	6					18	19	7	4	12	14			4	2
29 Suicide	1	1	—	—					2	1	—	1	2	1			1	—
30 Other deaths from violence	2	3	1	3					2	2	4	—	5	5			1	—
31 Other defined diseases	22	23	17	21					27	38	18	20	26	18			19	22
32 Causes ill-defined or unknown	—	—	—	—					1	3	2	1	2	1			—	—

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.*NORTHAMPTONSHIRE—*cont.*

NORTHUMBERLAND.

Causes of Death.	Daven- try R.D.		Ket- ter- ing R.D.		Thrap- ston (part of) R.D.*		Well- ing- borough R.D.		Ashing- ton U.D.		Bedling- tonshire U.D.		Berwick upon Tweed M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	90	94	68	67	60	59	86	80	208	172	186	158	89	94	1
1 Enteric fever	—	—	—	—	—	—	—	1	2	4	—	3	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	1	1	—	—	—	—	—	—	—	5	1	1	1	—	4
4 Scarlet fever	—	—	—	—	—	1	—	—	—	1	2	—	—	—	5
5 Whooping cough	—	2	2	—	—	—	—	—	6	5	1	3	1	1	6
6 Diphtheria	5	6	—	—	2	1	—	4	—	—	3	2	—	1	7
7 Influenza	1	1	1	2	—	—	3	1	1	2	5	2	—	—	8
8 Encephalitis lethargica	—	—	—	—	1	—	—	—	—	—	—	1	—	—	9
9 Meningococcal meningitis	—	1	—	—	—	—	—	—	—	—	1	2	—	—	10
10 Tuberculosis of respiratory sys.	2	5	2	5	3	5	4	8	6	12	18	14	5	3	11
11 Other tuberculous diseases	2	1	1	2	—	1	2	—	6	5	11	8	2	1	12
12 Cancer, malignant disease	11	11	9	7	5	8	10	12	14	14	19	16	5	13	13
13 Rheumatic fever	—	1	1	—	—	—	1	1	—	—	—	3	—	—	14
14 Diabetes	2	—	—	—	3	—	1	—	1	1	—	—	2	—	15
15 Cerebral hæmorrhage, &c.	6	5	6	11	2	3	8	5	13	11	7	6	7	20	16
16 Heart disease	9	8	12	12	6	7	11	14	15	9	14	10	14	7	17
17 Arterio-sclerosis	4	4	—	2	1	—	4	2	3	2	6	2	4	2	18
18 Bronchitis	3	2	7	4	5	5	5	6	18	6	3	5	4	2	19
19 Pneumonia (all forms)	5	6	4	2	5	3	7	1	26	17	26	10	7	4	20
20 Other respiratory diseases	2	2	1	2	—	3	1	1	—	1	3	1	1	1	21
21 Ulcer of stomach or duodenum	—	—	1	—	2	—	—	—	2	—	—	—	1	1	22
22 Diarrhœa, &c. (under 2 years)	—	—	1	—	1	—	2	1	14	9	7	7	2	2	23
23 Appendicitis and typhlitis	—	—	—	—	3	—	—	—	—	2	—	1	2	—	24
24 Cirrhosis of liver	1	—	1	—	1	—	1	—	—	—	1	—	—	—	25
25 Acute and chronic nephritis	—	1	1	3	3	3	1	1	4	3	7	7	3	8	26
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	—	—	1	—	—	27
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	1	—	2	—	4	—	2	—	—	28
28 Congenital debility and mal-formation, premature birth	6	1	4	1	2	3	9	2	26	23	16	11	3	1	29
29 Suicide	—	—	—	—	2	—	2	—	2	—	—	1	1	2	30
30 Other deaths from violence	2	1	1	1	1	—	2	2	9	—	6	4	2	—	31
31 Other defined diseases	27	34	11	12	12	12	12	16	37	35	28	32	22	25	32
32 Causes ill-defined or unknown	1	—	2	1	—	2	—	—	3	1	1	3	—	—	

NORTHUMBERLAND—*cont.*

Causes of Death.	Blyth U.D.		Ears- don U.D.		Gos- forth U.D.		Long- benton U.D.		Newburn U.D.		Wallsend M.B.		Whitley & Monks- eaton U.D.		Alnwick R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	242	220	85	56	96	79	85	66	111	93	332	288	71	90	77	61	1
1 Enteric fever	—	1	—	—	—	—	—	—	—	—	—	2	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	10	5	—	—	4	1	—	—	—	—	13	14	1	2	—	—	4
4 Scarlet fever	1	—	—	—	—	—	—	—	1	—	1	—	—	—	1	—	5
5 Whooping cough	2	8	2	4	1	3	1	2	4	3	7	7	—	1	—	—	6
6 Diphtheria	1	1	—	—	1	1	1	—	—	2	5	5	2	—	—	1	7
7 Influenza	6	10	5	1	2	1	3	2	1	—	9	5	2	2	—	—	8
8 Encephalitis lethargica	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	10
10 Tuberculosis of respiratory sys.	22	18	4	6	14	4	4	5	5	11	26	29	2	4	7	5	11
11 Other tuberculous diseases	14	5	1	3	7	2	1	1	5	4	12	17	2	1	1	—	12
12 Cancer, malignant disease	13	16	4	7	1	12	8	5	11	6	23	20	6	18	6	6	13
13 Rheumatic fever	1	2	—	1	—	—	—	1	1	—	1	—	1	1	—	1	14
14 Diabetes	—	—	1	—	1	1	2	—	1	—	—	2	1	2	1	3	15
15 Cerebral hæmorrhage, &c.	13	10	9	5	8	6	4	5	9	8	17	18	4	4	4	3	16
16 Heart disease	21	18	8	9	9	3	9	4	8	10	21	19	10	11	4	4	17
17 Arterio-sclerosis	7	3	—	—	9	2	4	—	—	—	11	—	3	2	—	1	18
18 Bronchitis	12	12	6	4	3	5	3	7	13	8	19	25	1	3	1	—	19
19 Pneumonia (all forms)	23	20	7	1	9	4	5	4	12	32	21	7	7	1	7	2	20
20 Other respiratory diseases	5	5	1	—	—	—	1	—	2	1	5	1	3	1	4	—	21
21 Ulcer of stomach or duodenum	1	1	—	—	2	—	1	—	—	1	3	3	1	1	1	—	22
22 Diarrhœa, &c. (under 2 years)	10	9	5	—	—	—	6	3	3	1	15	15	2	3	1	—	23
23 Appendicitis and typhlitis	—	1	1	—	—	—	—	—	1	—	6	—	1	—	1	—	24
24 Cirrhosis of liver	—	—	—	—	—	—	—	1	3	1	—	—	—	—	—	—	25
25 Acute and chronic nephritis	6	6	2	—	1	3	1	—	4	3	10	8	4	2	1	1	26
26 Puerperal sepsis	—	1	—	—	—	—	—	—	—	—	—	3	—	1	—	—	27
27 Other accidents and diseases of pregnancy and parturition	—	4	—	—	—	—	2	—	—	—	2	—	—	—	—	1	28
28 Congenital debility and mal-formation, premature birth	20	17	5	2	6	4	10	7	10	3	32	19	1	4	5	6	29
29 Suicide	2	—	1	—	1	—	1	—	—	—	2	1	1	—	—	—	30
30 Other deaths from violence	9	3	4	1	1	3	3	2	4	2	19	2	2	—	4	1	31
31 Other defined diseases	41	41	19	10	15	20	16	15	21	16	35	43	14	20	27	24	32
32 Causes ill-defined or unknown	2	2	—	1	1	4	1	—	1	—	8	6	—	—	1	2	

* The remainder of Thrapston R.D. is in Huntingdonshire.

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.***NORTHUMBERLAND**—*cont.***NOTTINGHAMSHIRE.**

Causes of Death.	Castle Ward R.D.		Hexham R.D.		Morpeth R.D.					Arnold U.D.		Beeston U.D.		Carlton U.D.		East Retford M.B.	
	M.	F.	M.	F.	M.	F.				M.	F.	M.	F.	M.	F.	M.	F.
All Causes	67	62	142	128	92	81				69	70	74	58	104	88	81	96
1 Enteric fever	—	—	—	—	2	—				—	—	—	—	—	—	1	—
2 Small-pox	—	—	—	—	—	—				—	—	—	—	—	—	—	—
3 Measles	—	—	—	2	—	—				—	—	—	—	—	—	—	—
4 Scarlet fever	—	1	—	1	—	1				—	—	—	—	—	—	—	—
5 Whooping cough	2	—	1	1	—	—				—	—	2	—	—	1	—	2
6 Diphtheria	1	—	—	—	1	—				—	—	—	—	—	—	1	1
7 Influenza	3	2	3	3	4	1				3	—	2	1	2	5	—	6
8 Encephalitis lethargica	—	—	—	2	—	—				—	—	—	—	—	—	—	1
9 Meningococcal meningitis	—	1	—	—	—	—				—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	6	6	13	5	4	6				4	3	7	6	5	11	6	4
11 Other tuberculous diseases	2	1	—	4	—	1				3	1	4	3	7	2	—	6
12 Cancer, malignant disease	4	3	13	11	15	6				5	7	3	8	6	12	8	7
13 Rheumatic fever	1	1	1	—	—	1				—	—	2	1	—	—	—	—
14 Diabetes	1	1	—	1	—	—				—	2	2	1	1	—	—	—
15 Cerebral hæmorrhage, &c.	5	5	9	8	5	3				5	7	3	5	6	8	2	6
16 Heart disease	3	9	24	26	8	8				9	6	7	7	11	7	2	3
17 Arterio-sclerosis	1	—	6	2	—	1				—	—	5	2	1	1	—	1
18 Bronchitis	8	5	4	3	6	8				9	7	8	6	12	5	7	9
19 Pneumonia (all forms)	5	2	8	10	6	3				7	9	8	5	12	9	10	6
20 Other respiratory diseases	1	1	3	1	1	1				1	1	1	—	—	—	—	2
21 Ulcer of stomach or duodenum	1	1	2	1	—	1				1	1	1	—	1	—	—	1
22 Diarrhoea, &c. (under 2 years)	1	2	3	—	7	4				3	1	1	1	1	1	—	3
23 Appendicitis and typhlitis	—	—	1	1	—	1				—	1	—	—	—	—	—	1
24 Cirrhosis of liver	—	—	—	—	—	—				—	1	—	—	—	—	1	—
25 Acute and chronic nephritis	2	2	7	3	1	1				—	1	—	—	—	2	4	6
26 Puerperal sepsis	—	—	—	1	—	2				—	2	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition	—	2	—	2	—	1				—	2	—	—	—	—	—	1
28 Congenital debility and malformation, premature birth	6	4	7	3	7	6				4	6	3	—	12	2	8	8
29 Suicide	1	—	2	1	3	—				2	—	1	—	1	—	1	—
30 Other deaths from violence	3	—	2	—	2	2				1	—	2	4	1	—	2	—
31 Other defined diseases	10	13	32	33	20	22				11	12	12	8	19	19	28	20
32 Causes ill-defined or unknown	—	—	1	3	—	1				2	—	—	—	3	2	1	—

NOTTINGHAMSHIRE—*cont.*

Causes of Death.	Hucknall U.D.		Kirkby in Ashfield U.D.		Mansfield M.B.		Mansfield Woodhouse U.D.		Newark M.B.		Sutton in Ashfield U.D.		West Bridgford U.D.		Worksop U.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	97	103	98	90	249	241	60	60	101	105	159	149	59	70	172	139
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
4 Scarlet fever	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—
5 Whooping cough	1	1	—	1	3	8	1	4	—	1	1	—	—	—	2	3
6 Diphtheria	—	—	—	3	1	1	—	—	3	—	—	—	—	—	—	—
7 Influenza	4	2	6	3	13	14	3	3	3	8	8	4	—	6	5	7
8 Encephalitis lethargica	—	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—
9 Meningococcal meningitis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	5	5	4	7	18	12	4	3	3	6	14	8	7	6	7	13
11 Other tuberculous diseases	1	1	—	1	5	3	1	—	3	9	4	4	1	2	8	4
12 Cancer, malignant disease	8	12	6	5	12	21	3	3	6	14	10	14	6	8	12	21
13 Rheumatic fever	—	—	1	—	2	1	1	—	—	1	—	1	1	2	2	—
14 Diabetes	1	—	—	—	2	2	1	1	1	—	2	1	—	—	1	—
15 Cerebral hæmorrhage, &c.	2	7	8	5	10	20	2	1	7	3	10	17	8	3	9	12
16 Heart disease	8	24	10	9	16	19	4	4	13	15	3	14	4	10	23	16
17 Arterio-sclerosis	4	1	1	2	7	—	—	—	—	—	4	—	1	—	2	1
18 Bronchitis	13	11	9	7	27	24	5	5	9	9	11	13	1	3	28	18
19 Pneumonia (all forms)	14	10	6	14	19	22	14	12	3	2	15	11	3	6	17	4
20 Other respiratory diseases	1	—	1	2	3	—	—	—	3	1	1	1	—	2	—	—
21 Ulcer of stomach or duodenum	—	1	—	—	1	1	—	—	—	—	—	—	—	—	3	—
22 Diarrhoea, &c. (under 2 years)	6	1	5	2	9	5	1	2	6	2	10	8	1	—	5	5
23 Appendicitis and typhlitis	—	—	2	1	—	2	1	—	—	—	1	1	1	—	2	—
24 Cirrhosis of liver	—	2	—	2	1	1	—	—	1	1	—	—	2	—	—	—
25 Acute and chronic nephritis	1	—	1	—	4	2	1	—	5	4	1	3	3	1	3	1
26 Puerperal sepsis	—	—	—	2	—	1	—	2	—	1	—	1	—	—	—	3
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	3	—	—	—	—	—	2	—	—	—	1
28 Congenital debility and malformation, premature birth	13	8	16	8	16	21	3	7	10	6	21	10	2	2	13	11
29 Suicide	2	1	4	—	2	2	—	1	4	—	3	—	1	—	—	—
30 Other deaths from violence	2	—	4	3	15	5	4	2	4	2	6	2	—	—	5	—
31 Other defined diseases	11	13	14	11	63	50	9	9	16	19	32	32	13	18	24	18
32 Causes ill-defined or unknown	—	—	—	1	—	—	2	1	—	—	2	2	2	—	1	—

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.*NOTTINGHAMSHIRE—*cont.*

OXFORDSHIRE.

Causes of Death.	Basford R.D.		Bingham R.D.		East Retford R.D.		Southwell R.D.		Stapleford R.D.		Banbury M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	250	224	103	91	92	86	134	122	63	68	91	84	
1 Enteric fever	—	1	—	—	—	—	—	—	1	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	1	—	—	—	—	—	—	1	—	—	—	—	5
6 Diphtheria	2	1	—	—	2	1	—	—	1	—	—	—	6
7 Influenza	1	2	—	1	1	2	—	—	—	—	—	—	7
8 Encephalitis lethargica	11	6	7	5	4	5	2	7	—	1	1	—	8
9 Meningococcal meningitis	—	—	—	—	—	1	—	—	—	—	2	1	9
10 Tuberculosis of respiratory sys.	—	2	—	—	—	—	—	—	—	—	—	—	10
11 Other tuberculous diseases	8	15	4	7	2	3	8	14	4	6	6	8	11
12 Cancer, malignant disease	5	5	2	4	2	—	3	3	1	—	4	2	12
13 Rheumatic fever	24	33	14	6	10	10	21	17	3	5	9	9	13
14 Diabetes	1	1	1	1	—	—	—	—	—	—	—	1	14
15 Cerebral hæmorrhage, &c.	4	5	—	1	—	3	5	—	—	2	—	—	15
16 Heart disease	10	17	4	8	5	7	6	10	5	7	4	5	16
17 Arterio-sclerosis	23	20	12	11	6	11	13	19	5	11	11	10	17
18 Bronchitis	3	3	2	3	3	1	3	2	3	3	—	1	18
19 Pneumonia (all forms)	22	14	7	9	9	4	14	4	5	5	8	10	19
20 Other respiratory diseases	31	33	2	3	5	1	8	5	6	8	6	3	20
21 Ulcer of stomach or duodenum	5	—	2	—	1	—	2	2	—	—	2	3	21
22 Diarrhœa, &c. (under 2 years)	1	—	—	1	—	—	—	1	—	—	—	—	22
23 Appendicitis and typhlitis	8	6	2	—	—	—	1	2	2	1	1	2	23
24 Cirrhosis of liver	2	—	—	—	—	—	—	—	1	1	—	—	24
25 Acute and chronic nephritis	—	1	1	—	1	—	—	—	—	—	—	—	25
26 Puerperal sepsis	4	7	5	—	3	5	2	1	1	1	6	3	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	2	—	—	—	—	27
28 Congenital debility and malformation, premature birth	—	5	—	—	—	—	—	—	—	3	—	—	28
29 Suicide	26	9	4	4	3	8	9	2	3	2	8	4	29
30 Other deaths from violence	2	—	1	1	—	—	5	2	2	1	5	—	30
31 Other defined diseases	17	2	5	1	5	2	6	1	4	2	3	1	31
32 Causes ill-defined or unknown	37	35	25	24	28	22	26	25	16	7	15	20	32
	2	1	3	1	2	—	—	1	1	1	—	1	

OXFORDSHIRE—*cont.*PETERBOROUGH,
SOKE OF.

Causes of Death.	Banbury R.D.		Chipping Norton R.D.		Headington R.D.		Henley R.D.		Witney R.D.		Woodstock R.D.		Peterborough M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	64	80	68	70	53	63	56	57	110	90	74	52	186	215	
1 Enteric fever	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	1	1	—	—	—	1	—	—	—	—	—	3
4 Scarlet fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	—	1	—	—	—	—	—	—	—	—	1	—	5
6 Diphtheria	1	—	—	—	1	3	—	—	—	—	1	1	2	—	6
7 Influenza	1	1	—	—	—	—	—	1	2	3	—	1	2	4	7
8 Encephalitis lethargica	—	—	1	—	—	—	—	—	—	1	—	—	2	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	5	4	7	5	3	4	5	2	8	7	2	4	26	13	10
11 Other tuberculous diseases	—	1	1	2	—	—	—	—	4	—	—	—	3	—	11
12 Cancer, malignant disease	9	9	6	7	7	5	10	8	17	14	12	9	24	30	12
13 Rheumatic fever	—	—	1	1	—	—	—	—	—	—	—	—	2	1	13
14 Diabetes	2	—	—	2	—	—	—	—	1	2	—	—	1	5	14
15 Cerebral hæmorrhage, &c.	6	6	7	5	1	4	7	13	5	8	7	4	10	12	15
16 Heart disease	8	10	6	12	5	11	6	10	18	14	14	11	23	23	16
17 Arterio-sclerosis	—	—	4	1	1	—	2	—	5	1	3	1	6	11	17
18 Bronchitis	3	5	1	3	4	2	3	6	2	8	3	7	10	16	18
19 Pneumonia (all forms)	4	4	2	3	6	2	5	—	1	6	3	1	6	10	19
20 Other respiratory diseases	2	1	1	1	—	—	—	—	1	1	1	1	2	5	20
21 Ulcer of stomach or duodenum	—	1	2	—	1	—	1	—	2	—	—	—	1	1	21
22 Diarrhœa, &c. (under 2 years)	1	—	—	—	2	—	—	1	1	—	3	—	5	7	22
23 Appendicitis and typhlitis	—	—	1	—	—	—	1	—	1	1	—	—	2	1	23
24 Cirrhosis of liver	1	—	—	1	1	—	—	—	2	—	—	1	1	—	24
25 Acute and chronic nephritis	3	1	2	—	—	2	2	3	2	3	1	3	3	1	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—	—	—	—	1	—	1	—	3	27
28 Congenital debility and malformation, premature birth	4	3	4	2	2	3	5	2	5	3	7	2	15	14	28
29 Suicide	—	2	—	—	—	—	1	—	—	—	1	—	2	—	29
30 Other deaths from violence	1	1	1	1	4	—	—	—	2	1	—	—	5	7	30
31 Other defined diseases	13	29	21	21	14	27	6	11	24	15	16	3	37	44	31
32 Causes ill-defined or unknown	—	1	—	—	—	—	1	—	5	1	—	1	1	1	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.*

SHROPSHIRE.

Causes of Death.	Oaken-gates U.D.		Shrews-bury M.B.		Wen-lock M.B.		Atcham R.D.		Oswes-try R.D.		Welling-ton R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	85	55	201	181	86	96	123	130	88	106	61	75
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	3	1	—	1	3	2	—	—	—	1	—	—
4 Scarlet fever	1	—	—	—	—	—	2	1	—	—	—	—
5 Whooping cough	2	1	—	2	1	2	1	1	—	1	—	—
6 Diphtheria	1	—	1	2	—	1	1	1	2	—	1	—
7 Influenza	2	1	7	14	2	1	6	3	2	2	—	2
8 Encephalitis lethargica	—	—	—	1	—	—	1	—	—	—	—	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	2	4	15	7	8	4	3	9	—	4	6	4
11 Other tuberculous diseases	1	—	5	3	—	2	2	—	1	2	3	2
12 Cancer, malignant disease	11	5	19	19	6	9	11	8	7	9	6	10
13 Rheumatic fever	—	—	—	—	—	—	—	—	—	1	—	—
14 Diabetes	—	1	4	1	1	1	3	3	4	1	1	1
15 Cerebral hæmorrhage, &c.	2	3	9	19	8	12	5	18	4	5	6	5
16 Heart disease	7	7	22	19	13	10	19	24	10	22	7	10
17 Arterio-sclerosis	9	1	3	3	1	4	5	3	3	4	—	1
18 Bronchitis	4	5	12	15	6	5	4	5	4	2	4	8
19 Pneumonia (all forms)	7	4	21	11	4	5	9	1	7	5	1	3
20 Other respiratory diseases	—	1	2	2	—	—	1	—	—	1	2	—
21 Ulcer of stomach or duodenum	—	—	2	—	—	—	1	1	—	—	1	—
22 Diarrhœa, &c. (under 2 years)	1	—	7	3	1	1	—	1	2	—	—	2
23 Appendicitis and typhlitis	1	1	1	1	—	—	—	1	—	—	—	—
24 Cirrhosis of liver	1	—	2	—	1	1	2	—	2	—	1	—
25 Acute and chronic nephritis	1	1	4	4	1	1	3	2	7	6	4	1
26 Puerperal sepsis	—	1	—	—	—	—	—	—	—	1	—	—
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	—	—	2	—	4	—	1
28 Congenital debility and mal-formation, premature birth	4	5	20	9	1	5	5	7	6	5	3	4
29 Suicide	2	—	4	2	1	2	6	1	1	—	—	—
30 Other deaths from violence	6	2	7	4	5	1	5	4	7	7	2	3
31 Other defined diseases	16	11	33	36	23	27	27	33	17	17	13	16
32 Causes ill-defined or unknown	1	—	1	2	—	—	3	1	2	2	—	—

SOMERSETSHIRE.

Causes of Death.	Bridg-water M.B.		Frome U.D.		Taunton M.B.		Weston-Super-Mare U.D.		Yeovil M.B.		Axbridge R.D.		Bath R.D.		Bridg-water R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	100	93	49	75	135	156	145	162	92	72	137	152	71	88	115	134
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	2	1	—	—	—	—	—	—	1	—	2	1	—	1	1	—
6 Diphtheria	—	—	—	—	—	1	—	—	—	—	—	—	2	—	2	—
7 Influenza	—	—	—	—	—	2	1	1	—	—	3	2	4	4	1	3
8 Encephalitis lethargica	—	—	—	—	1	—	—	—	3	—	—	2	—	—	—	—
9 Meningococcal meningitis	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	5	7	—	4	8	11	6	8	8	3	9	11	5	7	6	8
11 Other tuberculous diseases	4	2	—	2	3	5	3	5	5	3	2	3	—	1	—	—
12 Cancer, malignant disease	15	19	7	8	14	17	16	25	13	11	14	22	7	9	10	18
13 Rheumatic fever	—	1	—	—	—	—	—	—	—	—	—	1	—	1	2	1
14 Diabetes	1	3	—	—	3	2	3	2	1	—	1	3	—	1	—	—
15 Cerebral hæmorrhage, &c.	7	9	1	4	7	9	10	14	7	4	12	13	5	8	11	11
16 Heart disease	12	11	7	21	16	15	31	28	9	13	10	19	6	17	12	16
17 Arterio-sclerosis	1	—	6	1	1	1	4	2	3	2	2	3	1	—	1	1
18 Bronchitis	7	5	2	5	10	13	2	12	6	5	4	5	6	7	3	3
19 Pneumonia (all forms)	9	6	4	1	4	7	15	13	3	5	4	4	2	2	5	9
20 Other respiratory diseases	3	3	—	1	3	—	2	2	4	3	6	1	2	1	2	3
21 Ulcer of stomach or duodenum	—	—	—	1	1	—	1	2	1	—	3	—	—	—	—	1
22 Diarrhœa, &c. (under 2 years)	2	1	2	1	5	5	1	—	1	2	1	1	—	—	—	—
23 Appendicitis and typhlitis	—	—	—	—	1	—	1	—	—	1	3	2	—	1	2	1
24 Cirrhosis of liver	—	1	2	—	2	—	2	2	1	—	4	1	—	—	—	—
25 Acute and chronic nephritis	2	2	3	1	6	5	7	6	2	3	7	5	4	3	3	2
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	1	—	1	—	—	—	1	—	1	—	1
28 Congenital debility and mal-formation, premature birth	3	3	—	—	8	6	1	2	7	6	7	4	2	2	7	13
29 Suicide	2	—	1	—	1	1	2	—	—	—	1	1	2	1	3	—
30 Other deaths from violence	4	—	2	1	5	4	4	4	1	—	5	5	3	1	8	4
31 Other defined diseases	20	18	12	23	35	50	31	33	16	11	36	40	20	18	36	39
32 Causes ill-defined or unknown	—	—	—	—	1	—	2	—	—	—	1	—	—	1	—	—

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.***SOMERSETSHIRE**—*cont.*

Causes of Death.	Chard R.D.		Clutton R.D.		Frome R.D.		Keynsham R.D.		Langport R.D.		Long Ashton R.D.		Taunton R.D.		Wells R.D.		Williton R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	70	67	89	86	56	64	64	56	64	78	100	86	87	106	50	55	70	66	1
1 Enteric fever	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	1	—	2	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	6
6 Diphtheria	—	1	—	—	—	—	1	1	—	—	1	—	—	—	—	1	—	—	7
7 Influenza	—	1	3	—	2	1	—	—	—	—	2	—	—	1	—	4	2	—	8
8 Encephalitis lethargica	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	10
10 Tuberculosis of respiratory sys.	3	3	5	7	3	3	5	5	5	6	3	6	7	6	3	2	4	1	11
11 Other tuberculous diseases	—	2	3	1	—	—	2	2	—	1	1	5	—	1	—	—	2	3	12
12 Cancer, malignant disease	8	13	6	10	4	7	6	7	4	7	10	6	5	11	3	7	8	9	13
13 Rheumatic fever	1	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	14
14 Diabetes	—	—	1	—	—	—	—	1	1	—	—	1	1	1	—	1	—	—	15
15 Cerebral hæmorrhage, &c.	7	2	4	9	5	4	5	10	7	5	13	9	6	10	4	2	3	4	16
16 Heart disease	14	10	11	13	9	14	5	10	9	7	11	7	13	26	21	12	12	13	17
17 Arterio-sclerosis	1	1	3	2	3	2	2	1	1	1	6	1	2	—	2	3	—	1	18
18 Bronchitis	6	3	5	3	6	5	3	4	4	5	8	6	2	6	3	5	5	3	19
19 Pneumonia (all forms)	3	3	10	8	2	3	5	3	2	5	5	6	5	1	—	1	1	3	20
20 Other respiratory diseases	—	1	2	2	2	1	2	—	1	1	—	1	4	1	—	1	—	—	21
21 Ulcer of stomach or duodenum	2	—	—	1	—	—	—	—	—	1	2	1	1	3	—	—	1	—	22
22 Diarrhœa, &c. (under 2 years)	—	1	2	1	1	1	—	—	—	3	1	1	1	—	2	1	1	—	23
23 Appendicitis and typhlitis	—	1	1	1	—	—	1	—	1	—	—	—	2	—	2	—	—	—	24
24 Cirrhosis of liver	—	—	1	—	2	—	—	—	—	—	1	—	2	—	—	—	—	—	25
25 Acute and chronic nephritis	—	1	—	2	2	1	1	2	4	2	4	5	1	—	1	1	1	—	26
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	27
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	—	—	—	—	1	—	1	—	1	—	1	—	1	28
28 Congenital debility and malformation, premature birth	3	5	7	9	1	2	6	2	6	4	4	2	6	3	1	2	3	4	29
29 Suicide	2	—	1	—	—	—	3	—	—	—	2	1	1	—	—	—	4	1	30
30 Other deaths from violence	—	—	6	1	—	2	4	1	2	1	5	2	2	1	1	—	4	3	31
31 Other defined diseases	18	18	16	12	14	17	11	7	17	25	20	23	27	29	6	11	17	17	32
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	2	2	

SOMERSETSHIRE—*cont.***SOUTHAMPTON.**

Causes of Death.	Wincanton R.D.		Yeovil R.D.		Aldershot U.D.		Basingstoke M.B.		Eastleigh & Bishopstoke U.D.		Fareham U.D.		Farnborough U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	81	82	96	102	116	92	49	69	65	76	36	40	49	46	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	1	—	5
5 Whooping cough	—	2	—	—	—	2	—	—	—	—	—	—	4	2	6
6 Diphtheria	—	—	—	—	3	1	—	—	—	—	—	—	—	—	7
7 Influenza	—	1	—	1	5	3	—	—	1	4	—	—	—	2	8
8 Encephalitis lethargica	—	—	—	—	—	—	—	1	—	1	—	—	—	—	9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys.	—	3	3	3	11	9	6	—	7	7	4	2	4	3	11
11 Other tuberculous diseases	2	1	1	2	3	1	—	3	—	5	—	—	2	2	12
12 Cancer, malignant disease	15	14	12	10	8	14	7	12	3	12	6	8	3	5	13
13 Rheumatic fever	—	—	2	—	—	—	—	1	1	—	—	—	1	—	14
14 Diabetes	—	—	1	—	—	—	—	1	2	—	—	—	1	—	15
15 Cerebral hæmorrhage, &c.	9	7	9	6	9	9	—	3	5	3	1	2	3	1	16
16 Heart disease	10	9	21	15	10	6	9	9	5	12	4	3	7	10	17
17 Arterio-sclerosis	3	6	3	2	4	2	2	—	1	—	1	1	3	1	18
18 Bronchitis	1	5	6	10	3	4	2	4	2	3	1	1	1	3	19
19 Pneumonia (all forms)	3	3	4	2	11	2	—	1	2	3	1	1	1	—	20
20 Other respiratory diseases	—	—	2	1	1	1	—	—	2	4	1	—	1	—	21
21 Ulcer of stomach or duodenum	—	1	—	—	—	1	—	—	—	—	—	1	—	—	22
22 Diarrhœa, &c. (under 2 years)	1	—	—	—	3	4	—	2	2	1	—	2	—	—	23
23 Appendicitis and typhlitis	2	1	—	1	—	1	—	—	3	1	1	—	—	1	24
24 Cirrhosis of liver	—	—	1	—	—	—	—	1	2	—	—	—	1	—	25
25 Acute and chronic nephritis	7	3	4	4	2	2	2	3	4	2	—	1	—	3	26
26 Puerperal sepsis	—	—	—	—	—	—	—	1	—	1	—	—	—	—	27
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	—	—	1	—	—	—	—	—	1	28
28 Congenital debility and malformation, premature birth	1	4	4	5	16	10	4	3	4	3	2	2	6	3	29
29 Suicide	2	—	1	—	1	—	1	—	1	1	—	—	—	—	30
30 Other deaths from violence	3	—	3	4	3	1	1	3	4	—	1	—	—	—	31
31 Other defined diseases	22	20	20	35	23	18	15	19	13	12	11	13	10	8	32
32 Causes ill-defined or unknown	—	—	—	—	—	1	—	1	1	1	1	—	—	—	

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.*

SOUTHAMPTON—*cont.*

Causes of Death.	Gosport & Alverstoke U.D.		Winchester M.B.			Alton R.D.		And-over R.D.		Basingstoke R.D.		Droxford R.D.		Fareham R.D.		Hartley Wintney R.D.		
	M.	F.	M.	F.		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	194	166	162	159		83	79	60	42	76	77	75	63	75	69	108	94	
1 Enteric fever	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	1	4	—		—	—	—	—	—	—	—	1	—	1	—	—	3
4 Scarlet fever	—	1	—	—		—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	1	2	1		—	2	—	—	—	—	—	—	—	2	1	—	5
6 Diphtheria	3	7	—	1		1	—	—	—	1	—	—	—	—	—	1	1	6
7 Influenza	3	3	1	3		3	1	—	—	1	—	1	5	1	2	2	3	7
8 Encephalitis lethargica	1	1	1	—		—	—	—	—	—	—	—	—	—	—	—	1	8
9 Meningococcal meningitis	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys. ..	9	17	15	4		6	5	3	4	4	4	3	1	5	4	5	3	10
11 Other tuberculous diseases	6	2	1	4		2	1	1	—	2	1	—	2	1	2	4	3	11
12 Cancer, malignant disease	25	20	23	24		12	6	10	6	10	10	9	15	13	12	14	9	12
13 Rheumatic fever	1	—	—	—		—	—	—	—	1	—	—	—	2	—	—	—	13
14 Diabetes	—	2	1	—		2	1	1	—	1	—	—	1	—	—	3	1	14
15 Cerebral hæmorrhage, &c.	19	4	11	16		8	3	3	1	5	6	4	5	4	7	5	6	15
16 Heart disease	23	14	23	26		9	14	8	4	7	16	20	5	8	11	24	17	16
17 Arterio-sclerosis	3	—	3	3		4	4	6	3	—	2	4	7	1	—	9	7	17
18 Bronchitis	4	9	7	10		2	4	3	1	4	4	7	—	3	1	6	5	18
19 Pneumonia (all forms)	11	8	16	12		3	4	3	2	4	2	2	5	4	3	1	4	19
20 Other respiratory diseases	2	—	1	3		1	2	—	—	—	—	3	1	1	—	—	1	20
21 Ulcer of stomach or duodenum	1	—	2	—		1	1	—	—	1	—	—	—	—	1	—	1	21
22 Diarrhœa, &c. (under 2 years)	8	8	—	—		2	2	1	—	—	2	—	—	1	—	—	—	22
23 Appendicitis and typhlitis	2	—	2	3		—	—	—	—	—	—	—	—	1	—	—	—	23
24 Cirrhosis of liver	2	—	2	—		—	—	1	2	1	—	—	—	2	—	—	—	24
25 Acute and chronic nephritis	5	1	4	9		2	2	2	2	2	5	4	1	3	3	2	3	25
26 Puerperal sepsis	—	2	—	—		—	—	—	—	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	4	—	3		—	2	—	—	—	—	—	—	—	1	—	3	27
28 Congenital debility and malformation, premature birth	12	6	5	3		3	4	2	1	7	2	3	—	5	3	7	5	28
29 Suicide	1	1	4	—		—	—	—	—	—	—	—	1	2	—	1	2	29
30 Other deaths from violence	8	2	6	2		2	4	2	2	2	1	2	—	3	—	4	3	30
31 Other defined diseases	43	52	27	32		20	17	14	15	23	20	13	12	15	16	18	16	31
32 Causes ill-defined or unknown	2	—	1	—		—	—	1	—	—	—	—	1	—	—	1	—	32

SOUTHAMPTON—cont.

STAFFORDSHIRE.

Causes of Death.	Lymington R.D.		New Forest R.D.		Petersfield R.D.		South Stoneham R.D.		Winchester R.D.		Audley U.D.		Bilston U.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	69	83	90	95	57	49	73	53	54	51	90	74	220	173
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	—	—	1	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	—	—	—	—	—	1	—	1	—	—	1	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	1	—
5 Whooping cough	—	1	—	—	1	—	—	—	—	—	—	—	—	—
6 Diphtheria	—	—	—	—	—	—	3	—	—	—	—	—	2	—
7 Influenza	—	2	2	—	1	1	1	—	—	1	2	2	12	4
8 Encephalitis lethargica	—	1	—	—	—	—	—	—	—	—	2	2	2	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys. ..	4	3	1	11	4	4	5	3	6	2	4	2	12	17
11 Other tuberculous diseases	3	—	—	1	—	—	2	1	—	1	2	4	5	2
12 Cancer, malignant disease	3	13	2	9	6	3	4	11	3	10	4	12	14	12
13 Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	1	—	—
14 Diabetes	1	2	—	—	—	2	1	1	3	—	—	—	—	1
15 Cerebral hæmorrhage, &c.	2	6	6	6	5	5	2	5	2	7	2	6	10	10
16 Heart disease	7	8	7	14	10	13	5	9	10	4	9	5	13	9
17 Arterio-sclerosis	11	6	7	2	1	—	5	1	—	—	1	—	4	2
18 Bronchitis	1	3	6	3	6	2	7	1	1	3	6	5	30	22
19 Pneumonia (all forms)	1	5	7	7	1	1	—	1	4	3	8	1	33	12
20 Other respiratory diseases	3	—	1	1	2	2	—	—	1	—	2	—	—	1
21 Ulcer of stomach or duodenum	—	—	2	—	1	—	—	1	—	—	—	—	2	—
22 Diarrhœa, &c. (under 2 years)	—	—	4	2	1	1	6	1	2	—	3	1	14	14
23 Appendicitis and typhlitis	1	—	1	—	—	—	1	—	1	1	2	—	—	1
24 Cirrhosis of liver	1	—	—	1	—	—	—	—	—	—	1	1	2	—
25 Acute and chronic nephritis	6	9	8	2	6	2	8	2	4	2	3	3	—	1
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	—	—	2	—	—	—	1	—	2
28 Congenital debility and malformation, premature birth	2	5	6	6	3	1	7	3	2	1	8	2	24	15
29 Suicide	1	—	2	2	1	—	—	—	1	—	1	—	4	—
30 Other deaths from violence	1	—	—	1	—	2	3	—	1	1	6	2	6	3
31 Other defined diseases	21	19	27	25	8	9	13	10	13	13	26	24	29	42
32 Causes ill-defined or unknown	—	—	—	1	—	—	—	—	—	1	—	—	—	—

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.***STAFFORDSHIRE—*cont.***

Causes of Death.	Brierley Hill U.D.		Brown-hills U.D.		Can-nock U.D.		Cose-ley U.D.		Dar-laston U.D.		Heath Town or Wednes-field Heath U.D.		Leek U.D.		New-castle under Lyme M.B.		Rowley Regis U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	104	60	110	114	212	178	161	123	120	100	79	61	116	112	175	131	275	194	
1 Enteric fever	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2
3 Measles	—	—	5	10	—	—	6	3	—	—	—	—	1	—	—	—	3	—	3
4 Scarlet fever	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	4
5 Whooping cough	1	—	—	—	—	—	1	3	4	—	—	—	—	—	1	2	2	—	5
6 Diphtheria	1	—	—	—	3	5	1	—	1	1	—	—	1	—	—	—	4	—	6
7 Influenza	3	2	2	—	5	1	8	2	1	—	1	—	1	4	10	6	10	5	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	9
10 Tuberculosis of respiratory sys.	8	2	12	9	15	10	12	11	8	11	4	6	6	5	13	13	19	12	10
11 Other tuberculous diseases	3	—	—	2	4	4	2	1	2	1	1	1	1	2	3	3	4	4	11
12 Cancer, malignant disease	10	6	7	8	21	17	8	4	8	8	4	7	9	15	18	17	21	18	12
13 Rheumatic fever	—	—	1	—	1	—	—	—	—	—	—	—	—	—	1	—	2	2	13
14 Diabetes	1	1	1	1	1	1	1	2	—	—	—	—	—	—	1	—	1	3	14
15 Cerebral hæmorrhage, &c.	4	5	4	9	11	11	5	11	6	4	1	1	9	12	—	12	12	9	15
16 Heart disease	6	4	6	14	17	24	9	12	10	12	8	3	15	17	16	12	21	18	16
17 Arterio-sclerosis	1	—	1	3	4	3	1	1	—	—	4	—	3	4	5	2	5	1	17
18 Bronchitis	5	7	17	9	14	7	17	8	12	8	9	7	9	8	11	10	23	22	18
19 Pneumonia (all forms)	11	6	12	6	13	12	31	15	22	11	8	10	14	3	22	11	26	15	19
20 Other respiratory diseases	2	—	—	1	2	2	1	2	4	—	2	1	1	1	5	3	1	3	20
21 Ulcer of stomach or duodenum	—	1	1	—	1	1	—	—	—	1	—	1	2	—	1	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	6	1	3	3	19	5	10	5	9	4	4	2	—	2	9	3	14	8	22
23 Appendicitis and typhlitis	—	—	—	—	—	1	—	—	2	2	—	—	—	—	3	1	4	1	23
24 Cirrhosis of liver	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	24
25 Acute and chronic nephritis	4	2	3	1	4	—	—	—	2	1	3	1	4	1	5	8	8	5	25
26 Puerperal sepsis	—	1	—	1	—	2	—	1	—	—	—	1	—	—	—	1	—	2	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	2	—	1	—	2	—	—	—	1	—	2	—	8	27
28 Congenital debility and mal-formation, premature birth	10	4	12	14	26	27	19	11	10	8	6	6	7	6	9	4	28	18	28
29 Suicide	3	2	1	—	2	—	1	—	—	—	1	—	3	2	1	—	2	2	29
30 Other deaths from violence	4	—	4	3	12	3	6	3	3	4	3	—	3	1	5	4	12	4	30
31 Other defined diseases	21	15	17	20	33	38	20	29	14	17	19	14	29	26	33	15	50	32	31
32 Causes ill-defined or unknown	—	—	—	—	3	2	2	—	2	1	1	—	—	—	—	—	—	1	32

STAFFORDSHIRE—*cont.*

Causes of Death.	Sedge-ley U.D.		Small-thorne U.D.		Stafford M.B.		Tipton U.D.		Wednes-bury M.B.		Willen-hall U.D.		Wol-stanton United U.D.		Can-nock R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	110	96	78	92	183	141	257	225	231	190	121	110	187	174	107	99	
1 Enteric fever	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	2	—	—	—	—	1	12	9	—	2	—	—	—	—	—	—	3
4 Scarlet fever	—	—	2	3	—	—	2	1	—	—	—	—	2	—	—	—	4
5 Whooping cough	—	—	—	—	—	1	1	1	2	2	1	—	4	2	2	1	5
6 Diphtheria	3	1	—	—	—	—	—	2	—	2	—	—	—	—	—	—	6
7 Influenza	5	6	2	2	—	1	7	7	5	5	2	1	4	7	4	1	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	1	1	—	—	—	2	—	—	—	—	1	1	—	9
10 Tuberculosis of respiratory sys.	5	5	6	6	17	13	14	5	16	10	13	9	10	10	7	5	10
11 Other tuberculous diseases	—	—	2	1	2	5	3	3	12	10	1	1	5	2	2	3	11
12 Cancer, malignant disease	6	8	4	4	15	9	25	8	17	11	11	9	17	11	11	14	12
13 Rheumatic fever	1	—	—	—	1	1	—	1	1	1	1	1	2	1	—	—	13
14 Diabetes	2	4	—	1	1	—	2	3	2	1	—	1	3	3	2	2	14
15 Cerebral hæmorrhage, &c.	4	3	6	4	14	12	6	11	15	10	7	5	14	17	7	8	15
16 Heart disease	10	8	11	8	21	15	13	11	13	19	5	13	18	24	5	10	16
17 Arterio-sclerosis	1	—	1	2	3	2	4	1	1	1	3	—	7	5	2	—	17
18 Bronchitis	10	5	6	8	18	14	10	14	18	21	15	11	16	18	4	6	18
19 Pneumonia (all forms)	20	10	11	8	17	7	43	35	20	15	13	8	9	10	8	8	19
20 Other respiratory diseases	—	—	2	1	6	2	4	5	5	1	—	1	2	1	—	—	20
21 Ulcer of stomach or duodenum	—	1	—	—	1	—	1	2	1	—	—	1	1	1	1	—	21
22 Diarrhœa, &c. (under 2 years)	—	3	3	7	4	2	20	11	14	9	3	8	9	5	2	2	22
23 Appendicitis and typhlitis	1	1	—	2	1	—	3	1	—	1	1	1	—	1	1	—	23
24 Cirrhosis of liver	—	1	—	—	—	—	1	—	1	—	1	1	—	—	—	1	24
25 Acute and chronic nephritis	3	2	1	—	4	1	2	2	6	5	1	1	—	2	2	—	25
26 Puerperal sepsis	—	3	—	1	—	1	—	1	—	1	—	—	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	2	—	2	—	3	—	1	—	—	—	2	—	1	27
28 Congenital debility and mal-formation, premature birth	13	5	8	12	14	8	28	22	23	14	18	9	22	18	11	12	28
29 Suicide	1	—	1	—	2	—	1	2	1	1	—	—	1	—	3	—	29
30 Other deaths from violence	4	—	1	2	7	1	10	7	7	1	1	3	10	4	4	1	30
31 Other defined diseases	19	28	9	17	33	43	45	54	50	44	24	26	30	28	27	22	31
32 Causes ill-defined or unknown	—	1	2	—	1	—	—	2	1	1	—	1	—	—	—	2	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.***STAFFORDSHIRE—*cont.***

Causes of Death.	Cheadle R.D.		Kings-winford R.D.		Leek R.D.		Lich-field R.D.		Seisdon R.D.		Stafford R.D.		Stone R.D.		Tamworth (part of) R.D.*		Walsall R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	151	166	119	112	91	97	164	145	101	86	50	59	83	91	22	33	66	55	1
1 Enteric fever	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	1	—	1	—	—	—	4	5	3	—	—	—	—	—	—	—	—	—	4
4 Scarlet fever	—	2	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	5
5 Whooping cough	—	—	—	3	—	—	2	1	—	—	—	—	—	—	—	—	2	1	6
6 Diphtheria	1	1	1	2	3	1	2	1	1	—	1	1	1	—	1	1	1	2	7
7 Influenza	4	6	1	—	2	2	8	2	1	2	—	1	—	2	1	1	2	—	8
8 Encephalitis lethargica	2	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys.	7	10	4	6	4	5	9	8	7	3	—	2	4	2	1	—	3	3	11
11 Other tuberculous diseases	3	3	6	3	2	1	3	2	1	1	2	1	1	3	—	1	3	—	12
12 Cancer, malignant disease	9	16	10	17	4	11	15	12	5	11	3	10	8	11	1	4	6	8	13
13 Rheumatic fever	—	1	—	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	14
14 Diabetes	3	—	3	—	—	3	1	1	2	—	1	1	2	—	—	—	—	1	15
15 Cerebral hæmorrhage, &c.	4	8	3	7	4	2	9	15	4	7	4	5	4	—	—	6	4	5	16
16 Heart disease	30	28	7	10	13	16	19	20	19	14	7	8	12	9	—	3	5	2	17
17 Arterio-sclerosis	6	6	2	—	2	1	8	7	3	1	1	3	1	—	1	2	3	1	18
18 Bronchitis	11	17	10	10	11	4	12	14	5	9	1	1	6	8	5	2	3	4	19
19 Pneumonia (all forms)	8	8	10	7	9	6	13	6	13	4	2	5	6	3	2	1	5	4	20
20 Other respiratory diseases	1	1	1	—	3	2	2	—	—	1	1	—	2	1	—	—	—	—	21
21 Ulcer of stomach or duodenum	—	2	2	—	1	1	—	2	1	2	2	—	1	—	—	—	—	1	22
22 Diarrhœa, &c. (under 2 years)	2	3	7	5	1	2	1	3	2	—	—	1	1	—	2	—	3	1	23
23 Appendicitis and typhlitis	2	2	1	—	—	—	—	—	1	1	—	1	—	2	1	—	—	—	24
24 Cirrhosis of liver	1	—	—	1	—	—	1	2	1	—	1	—	1	—	—	—	—	—	25
25 Acute and chronic nephritis	2	1	2	2	2	—	4	3	1	1	1	—	1	4	—	—	1	—	26
26 Puerperal sepsis	—	3	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	1	27
27 Other accidents and diseases of pregnancy and parturition	—	1	—	3	—	—	—	1	—	—	—	1	—	3	—	—	—	—	28
28 Congenital debility and malformation, premature birth	13	11	12	9	9	6	12	12	2	4	2	3	2	5	4	1	7	3	29
29 Suicide	1	—	—	—	1	—	1	—	1	—	1	2	2	—	—	1	—	—	30
30 Other deaths from violence	6	1	9	1	2	2	5	2	6	1	3	1	2	3	1	—	4	1	31
31 Other defined diseases	31	33	27	26	17	29	31	26	22	24	16	12	26	30	3	7	14	16	32
32 Causes ill-defined or unknown	2	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	

SUFFOLK, EAST.

Causes of Death.	Felix-stowe U.D.		Lowes-toft M.B.		Blyth-ing R.D.		Bosmere & Claydon R.D.		Hartis-mere R.D.		Mutford & Lothing-land R.D.		Plomes-gate R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	49	40	225	210	113	104	94	72	65	63	67	56	101	100	1
1 Enteric fever	—	—	—	1	—	1	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	2	—	5	3	—	—	—	—	—	—	—	—	—	—	4
4 Scarlet fever	—	—	3	6	—	—	—	—	—	—	1	1	—	—	5
5 Whooping cough	—	1	—	—	—	—	2	—	—	—	1	1	—	—	6
6 Diphtheria	—	—	1	6	—	—	—	1	1	—	—	—	—	—	7
7 Influenza	—	1	2	2	1	—	—	—	1	3	—	1	1	4	8
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys.	6	3	10	19	4	4	7	5	5	7	5	2	3	7	11
11 Other tuberculous diseases	1	—	6	4	2	1	2	2	2	3	2	1	1	2	12
12 Cancer, malignant disease	5	5	18	25	10	19	8	11	13	7	2	10	14	15	13
13 Rheumatic fever	—	—	—	—	—	—	1	—	1	—	—	—	1	—	14
14 Diabetes	—	1	6	—	2	1	1	—	1	—	1	1	1	1	15
15 Cerebral hæmorrhage, &c.	2	2	9	18	5	11	6	9	2	1	7	4	4	8	16
16 Heart disease	8	5	30	32	14	8	19	16	6	8	7	6	21	15	17
17 Arterio-sclerosis	1	—	10	7	2	—	—	5	1	3	—	—	—	2	18
18 Bronchitis	2	6	8	9	7	11	9	4	8	4	2	3	4	7	19
19 Pneumonia (all forms)	2	2	8	7	4	5	3	—	1	4	3	3	3	4	20
20 Other respiratory diseases	—	—	3	—	1	2	1	1	—	1	3	1	—	—	21
21 Ulcer of stomach or duodenum	—	—	2	—	—	1	—	—	—	—	—	—	1	—	22
22 Diarrhœa, &c. (under 2 years)	—	1	3	4	4	1	2	2	—	—	1	1	—	—	23
23 Appendicitis and typhlitis	—	1	3	3	—	—	—	—	1	—	2	—	—	—	24
24 Cirrhosis of liver	1	—	1	—	—	—	—	—	1	—	—	—	1	—	25
25 Acute and chronic nephritis	5	—	10	2	1	2	1	2	—	1	—	2	3	2	26
26 Puerperal sepsis	—	—	—	1	—	2	—	—	—	—	—	—	—	—	27
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	1	—	1	—	—	—	—	—	—	28
28 Congenital debility and malformation, premature birth	5	6	20	20	15	3	8	2	3	3	9	3	7	6	29
29 Suicide	—	—	1	1	2	—	1	1	2	1	—	—	1	—	30
30 Other deaths from violence	—	—	7	3	3	2	3	1	2	1	1	3	6	2	31
31 Other defined diseases	9	6	57	35	34	26	19	15	11	19	16	12	24	24	32
32 Causes ill-defined or unknown	—	—	2	1	2	1	1	—	1	—	—	—	1	1	

* The remainder of Tamworth R.D. is in Warwickshire.

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.*SUFFOLK, EAST—*cont.*

SUFFOLK, WEST.

Causes of Death.	Samford R.D.		Wood-bridge R.D.		Bury St. Edmunds M.B.		Cosford R.D.		Melford R.D.		Thingoe R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	65	58	86	87	89	101	51	84	63	86	82	74	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	1	—	1	—	4
5 Whooping cough	1	—	—	—	—	1	—	—	—	1	2	1	5
6 Diphtheria	—	1	—	—	—	—	1	—	—	—	1	—	6
7 Influenza	—	—	—	2	—	1	—	—	—	—	—	—	7
8 Encephalitis lethargica	—	—	—	—	—	1	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	1	1	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	3	3	7	3	3	11	4	8	8	11	10	6	10
11 Other tuberculous diseases	3	—	—	1	2	1	1	3	2	4	2	1	11
12 Cancer, malignant disease	3	3	8	11	13	20	4	9	8	13	5	11	12
13 Rheumatic fever	—	—	1	2	1	—	—	—	—	—	—	—	13
14 Diabetes	—	—	1	3	1	2	—	—	—	1	1	3	14
15 Cerebral hæmorrhage, &c.	5	5	5	7	2	4	3	4	4	6	4	7	15
16 Heart disease	6	10	19	12	9	15	7	14	10	11	7	14	16
17 Arterio-sclerosis	3	1	1	—	7	9	5	3	3	—	2	5	17
18 Bronchitis	2	2	8	4	3	4	5	6	4	10	2	2	18
19 Pneumonia (all forms)	6	4	1	1	5	—	—	3	3	—	6	—	19
20 Other respiratory diseases	2	1	1	—	1	2	—	1	2	—	—	1	20
21 Ulcer of stomach or duodenum	1	—	1	1	1	—	—	1	1	—	—	—	21
22 Diarrhoea, &c. (under 2 years)	—	—	2	1	1	2	—	—	1	—	4	2	22
23 Appendicitis and typhlitis	1	2	1	1	1	2	—	1	—	3	2	—	23
24 Cirrhosis of liver	1	1	—	—	—	—	—	—	—	—	1	—	24
25 Acute and chronic nephritis	1	—	3	—	3	2	—	4	—	1	2	—	25
26 Puerperal sepsis	—	—	—	1	—	—	—	—	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	—	—	1	—	—	—	—	27
28 Congenital debility and malformation, premature birth	4	4	4	4	10	4	1	5	—	2	6	3	28
29 Suicide	1	3	1	1	3	—	1	—	3	—	1	—	29
30 Other deaths from violence	1	1	2	1	2	1	1	—	3	—	2	1	30
31 Other defined diseases	21	16	19	28	20	19	16	19	11	18	18	14	31
32 Causes ill-defined or unknown	—	—	—	2	1	—	2	—	3	—	2	2	32

SURREY.

Causes of Death.	Barnes U.D.		Bedding-ton & Wal-lington U.D.		Car-shalton U.D.		Caterham U.D.		Chertsey U.D.		Coulson & Purley U.D.		Egham U.D.		Epsom U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	192	196	85	76	68	69	38	36	59	67	67	92	58	78	65	63	
1 Enteric fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	1
2 Small-pox	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	2
3 Measles	1	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	3
4 Scarlet fever	1	—	1	1	—	—	—	—	—	—	—	1	—	—	1	—	4
5 Whooping cough	—	2	1	1	1	—	—	—	3	—	—	2	1	—	—	—	5
6 Diphtheria	2	—	—	—	2	1	2	—	—	—	2	2	—	—	1	—	6
7 Influenza	1	6	5	2	2	1	—	—	—	—	2	2	—	—	—	—	7
8 Encephalitis lethargica	1	2	1	—	—	—	—	1	—	1	—	1	—	—	1	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	19	11	3	2	3	3	2	2	3	2	5	5	6	5	4	2	10
11 Other tuberculous diseases	4	1	2	—	2	1	—	—	3	1	—	—	1	—	1	—	11
12 Cancer, malignant disease	23	33	7	14	10	11	6	7	6	8	6	14	5	12	8	5	12
13 Rheumatic fever	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	13
14 Diabetes	4	4	2	1	—	—	—	1	1	—	—	1	—	3	—	—	14
15 Cerebral hæmorrhage, &c.	13	10	5	6	2	5	3	3	3	3	3	1	6	7	3	10	15
16 Heart disease	17	17	11	7	7	6	8	6	12	8	8	12	8	11	10	8	16
17 Arterio-sclerosis	7	8	4	7	3	1	3	—	5	7	6	7	—	1	5	9	17
18 Bronchitis	14	13	4	4	6	10	2	2	1	7	—	9	6	5	5	6	18
19 Pneumonia (all forms)	17	10	7	3	4	8	1	1	—	3	4	6	3	6	3	5	19
20 Other respiratory diseases	2	2	3	2	1	—	—	—	1	2	1	1	1	1	1	—	20
21 Ulcer of stomach or duodenum	—	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	21
22 Diarrhoea, &c. (under 2 years)	7	5	—	1	1	—	—	1	4	3	—	—	2	4	3	—	22
23 Appendicitis and typhlitis	—	1	3	3	1	—	—	1	3	1	—	—	1	—	1	—	23
24 Cirrhosis of liver	3	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	24
25 Acute and chronic nephritis	4	2	5	—	2	3	2	2	—	2	6	3	2	4	1	2	25
26 Puerperal sepsis	—	—	—	—	—	2	—	—	—	—	—	1	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	2	—	—	—	—	—	1	—	1	—	—	—	—	27
28 Congenital debility and malformation, premature birth	10	9	6	3	6	4	1	2	6	4	2	—	5	1	3	—	28
29 Suicide	1	1	2	1	1	—	1	—	—	—	3	1	—	1	—	—	29
30 Other deaths from violence	5	2	—	4	2	—	1	1	2	1	6	2	1	3	4	1	30
31 Other defined diseases	35	49	13	12	13	12	8	4	11	14	13	19	11	11	7	11	31
32 Causes ill-defined or unknown	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	32

Causes of Death.	Esher and The Dittons U.D.		Farnham U.D.		Frimley U.D.		Guildford M.B.		Kingston-on-Thames M.B.		Merton & Morden U.D.		Mitcham U.D.		Reigate M.B.		Richmond M.B.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	54	58	68	66	58	56	125	124	232	225	62	69	215	181	144	149	213	225
1 Enteric fever	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	2	3
4 Scarlet fever	—	—	1	—	—	—	—	—	2	—	—	—	2	1	2	2	1	—
5 Whooping cough	—	—	—	—	—	—	—	—	2	—	3	—	—	—	1	1	—	1
6 Diphtheria	—	1	—	—	1	—	—	2	2	3	1	—	10	5	2	2	2	—
7 Influenza	1	1	3	3	—	1	4	3	5	1	1	2	7	7	—	7	8	4
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	1	—	—	—	—	2	—	—	—	7
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	9
10 Tuberculosis of respiratory sys.	2	3	7	4	10	2	11	6	6	19	6	4	16	21	15	7	9	9
11 Other tuberculous diseases	2	3	—	3	—	2	3	2	5	3	1	1	3	3	2	2	4	5
12 Cancer, malignant disease	6	15	8	7	6	13	13	21	35	38	4	14	19	12	25	29	20	44
13 Rheumatic fever	—	—	—	—	2	—	—	—	—	—	1	—	1	—	—	1	2	—
14 Diabetes	—	—	1	1	—	—	—	—	3	2	1	1	1	1	—	1	4	2
15 Cerebral hæmorrhage, &c.	2	2	6	2	1	—	7	8	21	15	4	4	8	10	9	20	15	20
16 Heart disease	8	6	4	11	7	10	15	16	33	31	2	8	25	27	16	17	21	28
17 Arterio-sclerosis	3	3	3	4	3	3	7	6	3	2	4	4	15	10	9	2	7	7
18 Bronchitis	3	1	3	3	3	—	5	3	8	13	2	5	11	11	7	4	16	16
19 Pneumonia (all forms)	6	4	3	2	—	6	5	6	12	15	4	4	15	10	6	2	19	11
20 Other respiratory diseases	—	—	1	3	—	—	4	1	6	2	3	—	3	1	1	1	1	3
21 Ulcer of stomach or duodenum	—	1	1	1	—	1	3	1	2	1	—	1	2	—	1	2	4	3
22 Diarrhœa, &c. (under 2 years)	—	—	2	—	8	—	2	—	10	8	2	1	11	4	1	1	5	—
23 Appendicitis and typhlitis	1	1	—	1	—	—	—	1	4	2	1	—	—	—	2	1	2	4
24 Cirrhosis of liver	1	—	—	—	—	—	—	1	—	2	—	1	—	—	1	2	4	—
25 Acute and chronic nephritis	2	2	1	2	1	2	7	2	5	3	1	1	5	5	4	2	10	5
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	3
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	1	—	1	—	1	—	2	—	1	—	2
28 Congenital debility and malformation, premature birth	4	4	6	3	5	4	11	7	12	6	4	5	13	6	6	5	11	4
29 Suicide																		

Causes of Death.	Surbiton U.D.		Sutton U.D.		The Mal- dens & Coombe U.D.		Walton on Thames U.D.		Wimble- don M.B.		Woking U.D.		Chert- sey R.D.		Dor- king R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	110	120	99	100	50	94	62	65	302	332	117	110	36	59	43	54	
1 Enteric fever	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	1	—	—	1	—	—	—	—	2	—	4
5 Whooping cough	—	—	—	—	2	1	1	—	4	—	3	—	—	—	—	—	5
6 Diphtheria	—	—	1	2	1	3	—	—	8	6	—	—	1	1	—	—	6
7 Influenza	4	4	2	5	3	6	—	2	6	16	1	2	1	3	—	—	7
8 Encephalitis lethargica	—	—	—	—	—	—	1	—	1	3	—	—	1	—	1	—	8
9 Meningococcal meningitis	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	8	8	12	3	2	6	1	—	19	21	10	3	3	3	3	2	10
11 Other tuberculous diseases	1	—	3	1	—	—	3	1	3	6	—	—	—	2	—	—	11
12 Cancer, malignant disease	18	16	8	13	5	13	9	15	38	46	11	14	2	12	10	7	12
13 Rheumatic fever	—	—	1	1	1	1	—	—	—	2	—	1	—	—	1	—	13
14 Diabetes	2	1	1	2	1	1	—	2	4	1	—	1	1	—	—	1	14
15 Cerebral hæmorrhage, &c.	2	9	9	7	2	7	3	5	6	18	10	7	1	6	2	2	15
16 Heart disease	17	13	10	18	5	5	7	10	37	58	15	21	3	3	4	7	16
17 Arterio-sclerosis	2	4	10	4	2	2	4	—	13	12	4	6	1	3	2	5	17
18 Bronchitis	8	9	8	7	3	7	6	4	24	21	5	5	4	2	2	1	18
19 Pneumonia (all forms)	11	11	4	3	2	1	1	2	26	25	6	7	2	4	2	5	19
20 Other respiratory diseases	2	2	2	3	—	2	—	2	6	2	3	3	1	1	—	—	20
21 Ulcer of stomach or duodenum	2	1	—	2	—	—	—	—	2	1	1	—	—	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	3	6	2	2	2	2	1	—	15	3	—	1	—	—	—	—	22
23 Appendicitis and typhlitis	—	1	1	1	—	1	1	—	7	1	—	1	—	—	—	1	23
24 Cirrhosis of liver	1	—	—	—	—	1	2	1	1	1	1	—	1	—	—	1	24
25 Acute and chronic nephritis	2	3	3	1	2	2	—	4	7	9	1	4	—	2	1	2	25
26 Puerperal sepsis	—	2	—	—	—	—	—	—	—	2	—	—	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	—	—	1	—	1	—	4	—	—	—	2	27
28 Congenital debility and mal-formation, premature birth	4	4	5	3	4	3	7	3	9	12	10	5	1	2	3	3	28
29 Suicide	1	—	—	—	1	—	1	—	2	1	—	—	—	—	1	1	29
30 Other deaths from violence	1	2	4	1	1	3	1	1</									

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.***SURREY—*cont.***

Causes of Death.	Epsom R.D.		Farnham R.D.		Godstone R.D.		Guildford R.D.		Hamble- don R.D.		Reigate R.D.							
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.						
All Causes	141	148	86	81	111	120	76	77	116	111	81	96						
1 Enteric fever	1	—	—	—	—	—	—	—	—	—	—	—						1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—						2
3 Measles	—	1	—	—	—	—	—	—	—	—	—	—						3
4 Scarlet fever	—	1	—	—	—	—	—	—	—	—	—	—						4
5 Whooping cough	—	—	—	1	—	—	—	—	—	—	—	—						5
6 Diphtheria	1	1	—	—	—	4	1	—	—	—	—	1						6
7 Influenza	2	7	1	2	5	4	3	2	3	1	5	9						7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—						8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—						9
10 Tuberculosis of respiratory sys.	8	8	9	11	5	7	5	5	6	5	6	6						10
11 Other tuberculous diseases	2	—	—	3	4	—	2	2	1	—	1	—						11
12 Cancer, malignant disease	23	23	6	7	8	13	8	13	11	23	10	23						12
13 Rheumatic fever	1	—	—	—	—	1	—	—	—	—	—	—						13
14 Diabetes	2	1	1	—	1	3	—	3	—	1	2	2						14
15 Cerebral hæmorrhage, &c.	9	8	4	3	4	12	4	2	7	9	3	4						15
16 Heart disease	18	30	12	19	20	16	11	12	24	11	11	8						16
17 Arterio-sclerosis	18	7	9	1	11	5	6	1	3	4	5	—						17
18 Bronchitis	9	5	5	8	7	4	3	4	7	12	2	1						18
19 Pneumonia (all forms)	5	6	3	2	9	10	3	1	13	6	5	2						19
20 Other respiratory diseases	3	1	2	—	2	3	—	3	2	—	—	3						20
21 Ulcer of stomach or duodenum	2	2	2	—	—	1	—	—	3	1	1	—						21
22 Diarrhoea, &c. (under 2 years)	2	2	—	2	1	2	3	1	1	—	1	1						22
23 Appendicitis and typhlitis	2	1	—	—	—	—	—	—	1	—	—	1						23
24 Cirrhosis of liver	—	—	—	—	2	—	1	—	—	—	1	—						24
25 Acute and chronic nephritis	3	5	4	2	2	2	1	2	2	1	3	1						25
26 Puerperal sepsis	—	1	—	—	—	4	—	1	—	—	—	—						26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	2	—	—	—	2						27
28 Congenital debility and malformation, premature birth	7	4	4	5	6	3	6	3	3	5	2	7						28
29 Suicide	3	—	—	—	2	3	2	—	1	2	1	—						29
30 Other deaths from violence	4	5	5	4	2	1	4	3	—	2	8	3						30
31 Other defined diseases	16	28	19	11	20	20	13	16	27	28	14	22						31
32 Causes ill-defined or unknown	—	1	—	—	—	1	—	—	1	—	—	—						32

SUSSEX, EAST.

Causes of Death.	Bexhill M.B.		Hove M.B.		Lewes M.B.		Chailley R.D.		Cuck- field R.D.		East Grinstead R.D.		Hailsham R.D.		Ticehurst R.D.		Uckfield R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	80	124	255	354	65	78	57	43	84	87	60	66	105	100	95	66	133	141	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	3
4 Scarlet fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	4
5 Whooping cough	—	—	—	—	2	1	—	—	—	—	—	—	—	1	—	—	—	—	5
6 Diphtheria	1	1	1	3	—	—	—	—	1	—	1	1	3	7	—	—	1	1	6
7 Influenza	5	3	4	19	2	6	4	1	2	—	2	3	2	2	7	3	3	2	7
8 Encephalitis lethargica	—	—	—	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	2	3	14	18	5	5	1	5	3	3	1	5	5	7	4	4	7	6	10
11 Other tuberculous diseases	2	—	6	3	3	2	2	—	5	—	1	—	2	2	1	1	1	3	11
12 Cancer, malignant disease	9	22	30	64	9	16	7	5	16	11	8	9	9	12	9	7	19	20	12
13 Rheumatic fever	—	—	—	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	13
14 Diabetes	—	4	5	7	—	—	—	1	1	1	1	3	1	2	3	1	2	4	14
15 Cerebral hæmorrhage, &c.	3	5	15	23	2	4	1	2	4	13	3	6	5	7	4	7	7	8	15
16 Heart disease	9	18	41	45	7	17	13	13	14	15	12	9	13	9	8	10	18	35	16
17 Arterio-sclerosis	2	4	11	10	2	—	2	3	8	6	2	3	2	2	7	2	6	3	17
18 Bronchitis	3	6	7	20	6	6	4	—	3	3	1	5	10	14	4	3	2	5	18
19 Pneumonia (all forms)	3	4	13	25	3	3	3	1	2	4	5	2	5	6	4	1	6	4	19
20 Other respiratory diseases	—	2	3	6	1	—	2	1	1	—	1	—	1	1	—	1	—	2	20
21 Ulcer of stomach or duodenum	—	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	21
22 Diarrhoea, &c. (under 2 years)	—	1	2	4	2	—	—	—	—	—	—	—	2	—	—	—	1	—	22
23 Appendicitis and typhlitis	—	—	3	—	—	—	1	2	—	—	—	—	1	1	—	—	1	—	23
24 Cirrhosis of liver	1	1	7	4	—	—	—	—	2	—	—	—	—	—	1	—	—	—	24
25 Acute and chronic nephritis	6	5	17	12	2	3	1	1	1	—	—	3	1	1	2	1	2	5	25
26 Puerperal sepsis	—	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	1	—	1	—	—	—	1	—	—	—	—	—	2	—	—	27
28 Congenital debility and malformation, premature birth	8	3	11	4	5	1	2	1	2	4	2	1	3	3	5	1	6	6	28
29 Suicide	1	1	7	1	1	—	1	1	3	—	2	—	3	—	4	—	3	—	29
30 Other deaths from violence	1	1	4	7	3	1	2	3	4	1	3	—	6	—	5	—	5	2	30
31 Other defined diseases	23	36	52	74	10	11	8	3	16	20	13	15	24	23	24	22	43	32	31
32 Causes ill-defined or unknown	—	—	1	—	—	—	1	—	1	—	—	—	—	—	1	—	—	1	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.***SUSSEX, WEST.**

Causes of Death.	Bognor U.D.		Chichester M.B.		Horsham U.D.		Littlehampton U.D.		Worthing M.B.							
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.						
All Causes	50	62	86	67	82	83	56	62	202	239						
1 Enteric fever	—	—	—	—	—	—	—	—	1	—						2
2 Small-pox	—	—	—	—	—	—	—	—	—	—						3
3 Measles	—	—	—	—	—	—	—	—	—	—						4
4 Scarlet fever	—	1	—	—	3	—	—	—	—	—						5
5 Whooping cough	—	—	—	1	—	—	2	1	1	—						6
6 Diphtheria	—	—	—	—	—	—	—	—	—	—						7
7 Influenza	1	2	7	4	3	1	1	—	2	4						8
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—						9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—						10
10 Tuberculosis of respiratory sys.	8	10	11	4	5	1	4	—	14	13						11
11 Other tuberculous diseases	1	—	2	—	1	1	1	3	3	2						12
12 Cancer, malignant disease	10	10	8	6	14	16	10	9	24	39						13
13 Rheumatic fever	—	—	2	—	—	—	—	1	—	1						14
14 Diabetes	—	1	1	—	1	1	1	—	2	—						15
15 Cerebral hæmorrhage, &c.	2	9	2	3	7	5	2	5	18	25						16
16 Heart disease	4	8	7	9	15	17	8	11	34	29						17
17 Arterio-sclerosis	1	1	2	2	2	1	1	1	12	8						18
18 Bronchitis	2	5	3	2	4	6	2	2	12	12						19
19 Pneumonia (all forms)	2	1	5	5	3	9	3	5	6	12						20
20 Other respiratory diseases	1	2	2	1	1	1	—	—	4	9						21
21 Ulcer of stomach or duodenum	—	—	—	—	1	2	—	—	—	3						22
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	1	—	1	2	2	3						23
23 Appendicitis and typhlitis	1	—	1	—	1	—	—	—	—	2						24
24 Cirrhosis of liver	—	—	—	—	1	—	—	1	1	—						25
25 Acute and chronic nephritis	2	—	—	2	2	3	1	1	7	8						26
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	1						27
27 Other accidents and diseases of pregnancy and parturition	—	1	—	2	—	—	—	2	—	2						28
28 Congenital debility and malformation, premature birth	4	1	6	2	1	2	4	4	6	7						29
29 Suicide	—	—	1	1	1	—	2	—	2	2						30
30 Other deaths from violence	—	1	3	2	—	—	3	—	3	2						31
31 Other defined diseases	11	9	21	21	15	17	10	14	47	54						32
32 Causes ill-defined or unknown	—	—	1	—	—	—	—	—	1	1						

SUSSEX, WEST—*cont.***WARWICKSHIRE.**

Causes of Death.	Horsham R.D.		Midhurst R.D.		Steyning West R.D.		West-hampnett R.D.		Nuneaton M.B.		Royal Leamington Spa M.B.		Rugby U.D.		Sutton Coldfield M.B.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	127	119	66	82	39	49	97	83	214	202	144	228	121	115	116	113
1 Enteric fever	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—
3 Measles	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
4 Scarlet fever	—	—	1	—	—	—	2	—	1	—	—	—	—	2	1	—
5 Whooping cough	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	2
6 Diphtheria	—	—	—	1	—	—	—	2	1	1	—	—	—	—	1	1
7 Influenza	1	5	1	2	1	—	4	3	8	4	1	4	5	—	1	1
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	1	1	1	1	1	—	1	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1
10 Tuberculosis of respiratory sys.	8	6	3	5	2	2	7	4	19	15	7	11	10	8	2	—
11 Other tuberculous diseases	2	1	5	2	—	2	1	1	6	5	4	3	—	1	2	4
12 Cancer, malignant disease	20	20	16	11	4	6	14	16	18	25	17	35	6	19	17	19
13 Rheumatic fever	—	2	—	1	—	—	—	—	1	1	1	—	—	—	—	—
14 Diabetes	5	1	1	—	—	1	3	1	—	1	—	1	4	1	—	3
15 Cerebral hæmorrhage, &c.	9	12	1	9	6	2	8	5	7	10	11	18	4	11	9	18
16 Heart disease	22	27	8	9	6	12	14	13	26	27	21	38	14	15	17	13
17 Arterio-sclerosis	5	—	3	1	1	5	3	1	3	1	2	4	4	2	4	3
18 Bronchitis	6	5	2	3	1	1	6	3	18	19	7	14	6	9	4	7
19 Pneumonia (all forms)	4	7	1	—	4	2	2	1	23	12	10	12	4	2	7	8
20 Other respiratory diseases	1	—	1	3	—	—	1	2	2	—	5	3	2	1	1	—
21 Ulcer of stomach or duodenum	4	1	—	—	1	1	—	—	—	—	1	2	2	—	1	—
22 Diarrhœa, &c. (under 2 years)	—	1	—	1	—	1	2	1	8	7	4	2	5	1	1	—
23 Appendicitis and typhlitis	—	2	—	—	—	1	—	—	1	2	1	3	2	1	2	—
24 Cirrhosis of liver	1	—	1	—	—	1	—	—	1	1	1	—	—	—	2	2
25 Acute and chronic nephritis	2	2	2	4	—	2	1	3	4	3	8	8	3	2	4	3
26 Puerperal sepsis	—	1	—	—	—	1	—	—	—	2	—	—	—	1	—	2
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—	—	2	—	2	—	1	—	2	—	—
28 Congenital debility and malformation, premature birth	4	1	1	3	3	—	9	3	11	15	8	9	10	6	8	3
29 Suicide	2	—	2	—	—	—	1	1	2	—	2	3	3	—	2	2
30 Other deaths from violence	2	1	3	4	2	—	4	—	18	—	2	5	3	1	3	2
31 Other defined diseases	28	23	14	23	8	8	13	21	31	44	28	49	32	30	24	18
32 Causes ill-defined or unknown	—	—	—	—	—	—	1	—	1	1	—	1	—	2	1	1

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.***WARWICKSHIRE**—*cont.*

Causes of Death.	Warwick M.B.		Alcester R.D.		Atherstone R.D.		Foleshill R.D.		Meriden R.D.		Rugby R.D.		Solihull R.D.		Southam R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	78	74	85	60	95	131	158	153	112	86	103	103	129	114	78	70	—
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	1	—	1	—	3	—	—	—	—	—	—	1	1	—	—	3
4 Scarlet fever	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	4
5 Whooping cough	—	—	—	—	3	5	1	2	—	—	—	—	—	1	—	—	5
6 Diphtheria	—	1	—	—	3	—	2	—	1	—	—	—	2	2	2	2	6
7 Influenza	1	—	1	2	1	2	6	2	—	—	—	3	5	9	—	—	7
8 Encephalitis lethargica	—	1	—	—	1	—	—	—	1	—	—	—	1	1	1	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	1	1	—	—	—	1	—	—	—	9
10 Tuberculosis of respiratory sys.	4	4	2	3	6	5	14	21	9	3	6	6	2	6	2	2	10
11 Other tuberculous diseases	—	1	2	2	1	1	3	4	—	1	1	1	1	2	—	1	11
12 Cancer, malignant disease	5	10	9	12	7	8	16	13	13	10	10	13	19	20	6	11	12
13 Rheumatic fever	—	—	—	—	1	—	1	2	—	2	1	—	—	—	—	1	13
14 Diabetes	2	1	—	1	2	3	1	2	1	1	—	2	3	—	—	—	14
15 Cerebral hæmorrhage, &c.	8	10	14	3	6	6	8	6	7	5	6	7	6	8	7	6	15
16 Heart disease	11	8	13	8	7	10	13	18	8	8	13	18	16	13	17	9	16
17 Arterio-sclerosis	1	—	5	2	1	—	2	4	2	1	3	—	7	6	1	1	17
18 Bronchitis	2	6	5	3	5	7	10	15	5	1	5	8	8	7	8	4	18
19 Pneumonia (all forms)	3	—	3	4	10	19	8	9	9	6	8	3	6	4	3	1	19
20 Other respiratory diseases	1	—	—	—	—	1	2	1	1	1	1	—	1	—	—	4	20
21 Ulcer of stomach or duodenum	1	—	1	—	—	1	1	—	1	—	—	1	3	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	5	—	—	3	2	10	4	2	1	2	3	—	2	1	1	2	22
23 Appendicitis and typhlitis	1	1	—	1	2	1	1	1	3	—	2	—	2	2	1	—	23
24 Cirrhosis of liver	—	—	—	—	—	—	—	1	—	1	—	1	2	—	1	—	24
25 Acute and chronic nephritis	1	3	2	1	2	7	2	2	6	2	1	5	1	—	—	2	25
26 Puerperal sepsis	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	3	—	4	—	2	—	—	—	—	—	—	27
28 Congenital debility and malformation, premature birth	3	3	2	6	6	13	18	10	8	7	12	4	8	6	2	—	28
29 Suicide	1	—	2	—	2	—	2	1	—	1	2	—	2	—	—	—	29
30 Other deaths from violence	3	4	4	—	4	2	7	3	8	2	4	1	5	3	5	3	30
31 Other defined diseases	24	19	19	8	20	24	34	27	28	28	25	28	27	21	20	21	31
32 Causes ill-defined or unknown	—	—	1	—	3	—	1	1	—	1	—	—	—	—	—	—	32

WARWICKSHIRE—*cont.***WESTMORLAND.**

Causes of Death.	Stratford on Avon R.D.		Tamworth (part of) R.D.*		Warwick R.D.		Kendal M.B.		East Westmorland R.D.		South Westmorland R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	55	70	93	73	73	68	109	93	78	76	101	106	—
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	1	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	1	—	—	1	—	1	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	1	—	2	2	1	—	—	—	—	—	5
6 Diphtheria	—	—	3	2	—	—	3	2	—	—	—	—	6
7 Influenza	—	—	—	1	1	—	—	2	4	1	—	1	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	1	—	1	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	3	3	7	6	7	3	2	2	4	7	6	5	10
11 Other tuberculous diseases	1	—	5	1	1	2	2	2	1	—	1	—	11
12 Cancer, malignant disease	7	14	7	9	2	9	13	10	10	8	16	15	12
13 Rheumatic fever	—	—	1	—	—	—	1	1	—	—	2	1	13
14 Diabetes	—	2	—	—	—	—	1	3	1	—	1	3	14
15 Cerebral hæmorrhage, &c.	1	4	2	12	5	5	9	17	9	7	5	12	15
16 Heart disease	7	13	9	9	13	12	12	14	11	13	17	15	16
17 Arterio-sclerosis	—	—	2	1	2	—	3	4	2	3	5	2	17
18 Bronchitis	2	4	9	2	5	7	12	7	6	9	4	5	18
19 Pneumonia (all forms)	1	1	10	7	4	3	8	4	2	4	5	10	19
20 Other respiratory diseases	—	—	—	1	1	—	2	—	2	—	3	2	20
21 Ulcer of stomach or duodenum	—	—	2	—	—	1	1	—	—	1	—	—	21
22 Diarrhœa, &c. (under 2 years)	1	1	3	—	2	2	—	—	—	2	2	—	22
23 Appendicitis and typhlitis	2	—	—	—	1	—	2	1	—	3	—	—	23
24 Cirrhosis of liver	1	—	—	—	1	—	1	2	—	—	—	—	24
25 Acute and chronic nephritis	1	2	1	2	2	1	2	3	2	1	3	2	25
26 Puerperal sepsis	—	—	—	1	—	—	—	—	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	3	—	1	—	—	—	1	—	1	27
28 Congenital debility and malformation, premature birth	4	3	7	2	1	1	8	8	5	2	6	5	28
29 Suicide	—	1	1	—	—	—	3	—	—	—	1	—	29
30 Other deaths from violence	3	2	7	—	6	1	3	—	3	—	—	1	30
31 Other defined diseases	20	18	14	14	16	18	18	11	14	13	23	22	31
32 Causes ill-defined or unknown	—	1	1	—	—	—	1	—	1	1	—	1	32

* The remainder of Tamworth R.D. is in Staffordshire.

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.*

WIGHT, ISLE OF.

WILTSHIRE.

Causes of Death.	Newport M.B.		Ryde M.B.		I. of Wight R.D.		Salis- bury M.B.		Swin- don M.B.		Trow- bridge U.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	64	68	62	93	150	176	118	125	262	270	68	78
1 Enteric fever	—	—	—	—	1	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	1	3	3	3	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	2	—	—	4
5 Whooping cough	—	—	—	—	2	2	—	—	1	1	—	5
6 Diphtheria	—	—	—	—	—	1	—	—	1	6	—	6
7 Influenza	1	—	1	1	2	3	—	1	6	5	1	3
8 Encephalitis lethargica	—	1	—	—	1	1	—	—	—	—	1	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	8
10 Tuberculosis of respiratory sys.	5	7	5	8	4	11	11	9	20	22	4	3
11 Other tuberculous diseases	—	1	—	1	—	4	1	3	11	12	1	—
12 Cancer, malignant disease	5	6	5	15	9	28	17	12	32	24	13	6
13 Rheumatic fever	—	—	—	1	2	—	—	—	1	—	—	—
14 Diabetes	—	—	—	—	—	1	—	1	2	3	1	2
15 Cerebral hæmorrhage, &c.	4	7	7	4	10	7	5	12	13	17	4	9
16 Heart disease	9	7	7	13	33	35	17	20	24	40	6	10
17 Arterio-sclerosis	1	—	2	5	6	1	3	6	8	3	3	2
18 Bronchitis	2	4	3	9	9	13	8	10	3	15	6	3
19 Pneumonia (all forms)	4	5	3	3	10	7	6	1	8	11	1	2
20 Other respiratory diseases	—	—	1	2	3	1	1	1	6	1	1	2
21 Ulcer of stomach or duodenum	1	—	1	—	1	1	1	3	2	1	1	—
22 Diarrhœa, &c. (under 2 years)	4	1	—	—	4	2	—	1	11	3	2	—
23 Appendicitis and typhlitis	—	1	1	—	1	—	1	1	1	—	—	—
24 Cirrhosis of liver	—	—	—	1	1	2	1	—	2	3	1	1
25 Acute and chronic nephritis	5	1	3	1	1	2	4	6	10	9	2	2
26 Puerperal sepsis	—	1	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	—	—	7	—	2
28 Congenital debility and malformation, premature birth	4	3	2	3	7	3	9	8	19	21	4	6
29 Suicide	—	—	—	—	4	1	1	—	—	—	—	—
30 Other deaths from violence	2	3	3	1	4	5	4	2	7	—	3	5
31 Other defined diseases	16	20	18	24	32	43	24	23	68	63	13	19
32 Causes ill-defined or unknown	1	—	—	1	3	1	3	2	1	—	—	—

WILTSHIRE—*cont.*

Causes of Death.	Ames- bury R.D.		Chippen- ham R.D.		Cricklade & Wootton Bassett R.D.		Devizes R.D.		High- worth R.D.		Pewsey R.D.		Salis- bury R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	54	50	79	91	56	64	54	56	91	84	77	66	64	41
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	1	—	—	—	1	—	—	—	1	—	2	1	—	—
3 Measles	—	—	—	—	—	—	—	—	—	—	1	—	—	—
4 Scarlet fever	—	—	—	—	—	—	—	1	—	—	—	—	—	—
5 Whooping cough	—	—	—	—	—	—	1	—	1	—	—	—	—	—
6 Diphtheria	2	—	—	1	1	1	—	—	—	1	—	—	—	—
7 Influenza	2	—	1	—	2	2	1	—	1	1	—	2	4	1
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	2	3	5	7	3	4	4	2	7	4	8	2	1	6
11 Other tuberculous diseases	—	—	—	1	—	—	—	—	2	4	3	—	1	—
12 Cancer, malignant disease	1	7	9	16	3	8	5	4	11	13	9	5	8	8
13 Rheumatic fever	—	—	—	1	—	—	—	—	1	—	—	1	1	—
14 Diabetes	1	—	—	1	1	3	—	—	2	1	2	2	—	—
15 Cerebral hæmorrhage, &c.	3	—	6	6	7	4	5	5	2	7	6	3	5	4
16 Heart disease	4	6	13	9	8	14	7	12	11	12	11	8	12	3
17 Arterio-sclerosis	3	1	4	8	—	1	1	—	—	—	2	5	1	1
18 Bronchitis	3	6	4	2	2	5	4	2	7	4	1	2	2	—
19 Pneumonia (all forms)	2	2	3	—	1	3	1	3	6	5	1	6	4	4
20 Other respiratory diseases	—	—	—	—	1	2	1	—	2	1	1	—	1	—
21 Ulcer of stomach or duodenum	1	—	—	—	1	—	—	1	—	—	2	1	—	—
22 Diarrhœa, &c. (under 2 years)	2	1	—	1	1	—	1	—	3	—	2	1	—	—
23 Appendicitis and typhlitis	1	3	1	2	—	—	1	—	1	—	1	—	—	—
24 Cirrhosis of liver	1	1	2	—	3	—	—	—	1	—	2	2	1	—
25 Acute and chronic nephritis	1	—	2	2	—	2	—	5	4	4	2	2	2	1
26 Puerperal sepsis	—	—	—	—	—	—	—	1	—	—	—	1	—	—
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	—	—	—	3	—	—	—	1	—
28 Congenital debility and malformation, premature birth	5	5	2	1	4	—	4	1	5	4	4	8	5	—
29 Suicide	1	—	1	—	1	—	—	1	—	—	3	—	—	—
30 Other deaths from violence	1	—	2	3	1	1	3	1	1	3	2	1	6	2
31 Other defined diseases	15	13	23	28	15	13	16	17	24	16	11	13	12	8
32 Causes ill-defined or unknown	2	1	1	1	—	1	—	—	—	—	—	—	—	—

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.*

WORCESTERSHIRE.

Causes of Death.	Kidderminster M.B.		Lye & Wollescote U.D.		Malvern U.D.		Oldbury U.D.		Red-ditch U.D.		Stour-bridge M.B.		Broms-grove R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	170	176	73	88	80	105	239	193	67	80	118	105	88	90	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	—	—	—	2	—	1	3	1	—	—	—	—	1	3
4 Scarlet fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	1	—	4	—	—	2	—	—	—	1	—	—	—	5
6 Diphtheria	—	—	1	—	—	—	4	2	—	—	4	2	—	—	6
7 Influenza	5	2	—	1	—	2	5	1	1	1	2	1	1	2	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	1	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	9	11	6	10	6	2	15	14	8	9	11	8	4	3	10
11 Other tuberculous diseases	4	4	—	—	1	—	3	2	1	—	2	2	—	—	11
12 Cancer, malignant disease	24	24	8	6	5	22	20	12	5	10	12	10	7	7	12
13 Rheumatic fever	1	—	—	—	—	—	4	3	—	1	—	—	—	—	13
14 Diabetes	1	1	—	—	—	—	1	1	1	—	2	1	—	5	14
15 Cerebral hæmorrhage, &c.	11	19	7	4	5	5	15	15	3	7	10	6	6	11	15
16 Heart disease	20	22	4	8	14	17	19	20	6	17	15	21	14	16	16
17 Arterio-sclerosis	7	13	1	2	5	6	1	2	3	3	—	—	5	3	17
18 Bronchitis	8	9	6	6	3	10	19	15	5	8	11	8	4	5	18
19 Pneumonia (all forms)	16	4	10	6	4	8	30	17	5	5	8	3	10	8	19
20 Other respiratory diseases	2	3	1	1	1	4	1	1	—	1	2	1	1	1	20
21 Ulcer of stomach or duodenum	1	—	1	1	2	—	2	—	1	—	—	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	5	1	3	—	2	—	13	9	2	2	1	2	1	1	22
23 Appendicitis and typhlitis	—	3	—	1	—	1	3	3	—	—	1	1	—	—	23
24 Cirrhosis of liver	—	—	—	—	—	1	1	—	2	—	—	—	—	—	24
25 Acute and chronic nephritis	4	6	—	1	2	3	4	4	2	1	1	2	1	2	25
26 Puerperal sepsis	—	1	—	1	—	—	—	2	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—	—	6	—	—	—	—	—	—	27
28 Congenital debility and malformation, premature birth	14	11	5	8	3	1	23	13	6	2	5	5	10	4	28
29 Suicide	2	—	1	1	2	—	2	—	—	—	—	—	3	1	29
30 Other deaths from violence	2	5	2	6	1	1	8	7	1	1	2	2	5	2	30
31 Other defined diseases	33	34	17	21	21	21	43	40	14	12	27	30	16	17	31
32 Causes ill-defined or unknown	—	1	—	—	—	—	—	—	—	—	1	—	—	1	32

WORCESTERSHIRE—*cont.*

Causes of Death.	Droit-wich R.D.		Hales-owen R.D.		Martley R.D.		Pershore R.D.		Upton on Severn R.D.							
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.						
All Causes	73	63	149	156	77	65	80	81	91	72						
1 Enteric fever	—	—	—	—	—	—	—	—	—	—						1
2 Small-pox	—	—	—	—	—	—	—	—	—	—						2
3 Measles	1	1	13	10	—	—	—	—	—	—						3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—						4
5 Whooping cough	2	—	4	2	—	1	—	—	—	1						5
6 Diphtheria	2	1	—	2	—	—	—	1	—	—						6
7 Influenza	4	2	—	3	1	—	1	1	1	2						7
8 Encephalitis lethargica	1	—	—	1	—	—	—	—	—	—						8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—						9
10 Tuberculosis of respiratory sys.	2	5	16	16	5	1	4	6	3	4						10
11 Other tuberculous diseases	1	—	2	3	—	1	1	2	4	2						11
12 Cancer, malignant disease	7	7	8	17	10	10	9	10	7	11						12
13 Rheumatic fever	—	—	—	3	—	—	—	—	—	—						13
14 Diabetes	2	1	1	3	2	—	—	1	1	—						14
15 Cerebral hæmorrhage, &c.	3	7	9	6	8	11	5	9	8	9						15
16 Heart disease	5	4	12	19	13	12	12	8	15	13						16
17 Arterio-sclerosis	3	2	2	—	1	2	2	1	1	—						17
18 Bronchitis	8	5	16	16	7	6	4	4	2	5						18
19 Pneumonia (all forms)	2	2	18	12	7	3	2	1	9	1						19
20 Other respiratory diseases	1	—	1	2	1	1	2	6	2	—						20
21 Ulcer of stomach or duodenum	1	—	1	2	—	—	1	—	1	—						21
22 Diarrhœa, &c. (under 2 years)	2	—	1	2	2	—	2	—	—	1						22
23 Appendicitis and typhlitis	1	—	—	1	1	—	—	1	—	1						23
24 Cirrhosis of liver	—	—	1	—	—	—	—	1	—	—						24
25 Acute and chronic nephritis	2	1	2	3	—	—	3	2	8	6						25
26 Puerperal sepsis	—	1	—	—	—	—	—	—	—	—						26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	—	—	—	—	—						27
28 Congenital debility and malformation, premature birth	3	4	4	10	5	1	2	5	6	—						28
29 Suicide	—	1	1	—	—	—	2	1	—	—						29
30 Other deaths from violence	5	2	7	2	2	—	9	—	6	4						30
31 Other defined diseases	15	16	28	19	12	16	19	21	17	12						31
32 Causes ill-defined or unknown	—	1	2	—	—	—	—	—	—	—						32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.***YORKSHIRE, EAST RIDING.**

Causes of Death.	Beverley M.B.		Bridlington M.B.		Beverley R.D.		Driffield R.D.		Howden R.D.		Pocklington R.D.		Sculcoates R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	96	96	123	121	71	46	85	56	85	80	73	56	55	45	
1 Enteric fever	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	1	1	—	1	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	1	2	—	2	—	—	1	—	—	1	2	—	—	—	5
6 Diphtheria	—	1	—	—	—	—	1	—	2	1	—	—	1	—	6
7 Influenza	—	3	2	2	4	2	3	2	2	—	1	1	4	1	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	1	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	6	8	8	8	4	5	4	5	3	6	2	5	3	2	10
11 Other tuberculous diseases	1	3	3	3	1	—	1	—	1	2	2	—	1	—	11
12 Cancer, malignant disease	9	7	21	14	10	9	8	8	10	5	9	11	3	9	12
13 Rheumatic fever	—	—	—	1	—	—	—	—	1	—	—	1	—	—	13
14 Diabetes	1	1	4	2	—	1	—	2	1	1	—	—	2	3	14
15 Cerebral hæmorrhage, &c.	8	5	12	9	5	2	5	3	6	4	3	5	3	2	15
16 Heart disease	11	17	14	7	9	4	12	10	10	9	7	13	6	6	16
17 Arterio-sclerosis	—	2	6	11	5	—	3	3	2	7	3	—	2	1	17
18 Bronchitis	9	10	5	6	5	4	7	1	4	3	5	2	3	3	18
19 Pneumonia (all forms)	8	1	3	6	4	2	5	5	5	5	2	2	2	1	19
20 Other respiratory diseases	—	—	—	1	—	1	—	—	1	2	—	—	1	1	20
21 Ulcer of stomach or duodenum	1	—	1	—	—	—	1	—	—	—	—	1	—	—	21
22 Diarrhœa, &c. (under 2 years)	5	2	2	—	—	—	3	1	1	—	2	—	—	—	22
23 Appendicitis and typhlitis	—	3	—	—	1	—	—	1	2	1	—	—	1	—	23
24 Cirrhosis of liver	1	—	3	—	—	—	—	—	2	—	3	—	—	—	24
25 Acute and chronic nephritis	2	3	2	8	3	1	2	1	—	1	1	—	3	1	25
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	—	—	—	—	1	—	2	—	—	27
28 Congenital debility and malformation, premature birth	6	4	4	10	8	2	5	—	6	10	9	3	5	2	28
29 Suicide	2	—	3	1	1	2	—	—	1	—	3	—	1	—	29
30 Other deaths from violence	3	1	2	1	1	—	2	3	3	—	4	—	3	—	30
31 Other defined diseases	21	23	28	27	9	10	22	10	18	18	15	9	11	13	31
32 Causes ill-defined or unknown	1	—	—	1	1	—	1	—	1	1	—	—	—	—	32

YORKSHIRE, NORTH RIDING.

Causes of Death.	Eston U.D.		Redcar U.D.		Scarborough M.B.		Skelton & Brotton U.D.		Thornby on Tees M.B.		Whitby U.D.		Stokesley R.D.		Thirsk R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	224	175	65	84	262	317	110	98	136	123	56	84	73	75	74	64	
1 Enteric fever	—	1	1	—	2	2	—	—	—	1	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	3	2	—	—	2	9	7	—	1	—	—	—	1	—	—	—	3
4 Scarlet fever	—	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	5	11	1	2	4	5	1	4	—	2	—	—	—	—	—	—	5
6 Diphtheria	3	2	1	2	4	3	—	1	—	1	1	—	1	1	—	2	6
7 Influenza	4	4	1	1	12	14	1	—	3	1	—	2	—	2	—	—	7
8 Encephalitis lethargica	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	22	10	6	7	21	13	5	4	7	15	2	3	4	4	6	4	10
11 Other tuberculous diseases	6	5	1	2	5	6	4	2	4	4	1	5	—	—	4	—	11
12 Cancer, malignant disease	17	10	3	5	27	47	11	6	3	6	5	14	9	9	9	7	12
13 Rheumatic fever	1	—	1	1	—	—	1	1	—	—	—	—	1	—	—	—	13
14 Diabetes	2	4	1	—	5	4	—	—	—	—	2	1	—	1	2	1	14
15 Cerebral hæmorrhage, &c.	12	11	2	6	22	29	4	3	6	6	5	6	4	4	6	5	15
16 Heart disease	24	20	5	12	44	63	11	6	17	11	7	9	8	7	9	9	16
17 Arterio-sclerosis	1	1	4	2	12	13	—	3	2	1	2	2	2	—	1	1	17
18 Bronchitis	13	6	2	8	5	15	5	10	13	7	5	2	2	3	3	3	18
19 Pneumonia (all forms)	20	12	3	3	18	16	8	9	30	13	3	5	6	10	3	2	19
20 Other respiratory diseases	—	4	—	1	4	1	2	—	—	—	1	—	5	3	1	—	20
21 Ulcer of stomach or duodenum	2	—	1	—	1	—	—	—	1	—	—	—	—	1	2	1	21
22 Diarrhœa, &c. (under 2 years)	6	6	1	2	2	6	7	3	7	6	—	2	1	2	—	1	22
23 Appendicitis and typhlitis	—	—	—	—	1	—	3	—	1	—	—	2	—	—	—	1	23
24 Cirrhosis of liver	1	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	24
25 Acute and chronic nephritis	2	—	4	4	4	5	7	3	2	1	1	4	2	1	2	1	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	3	—	1	—	4	—	—	—	1	—	—	—	—	—	1	27
28 Congenital debility and malformation, premature birth	20	22	11	5	13	12	8	12	12	14	5	2	5	1	1	2	28
29 Suicide	3	—	—	—	5	2	3	—	1	1	—	1	1	1	1	—	29
30 Other deaths from violence	10	2	2	4	4	9	3	3	3	—	5	2	3	1	2	1	30
31 Other defined diseases	47	36	14	14	45	45	16	20	25	29	8	22	19	22	22	21	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	32

Causes of Death.	Adwick-le-Street U.D.		Barn- oldswick U.D.		Batley M.B.		Bentley with Arksey U.D.		Bingley U.D.		Bolton upon Dearne U.D.							
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.						
All Causes	67	64	64	57	221	239	62	59	102	103	117	76						
1 Enteric fever	—	1	—	—	1	—	—	—	—	—	28	10						1
2 Small pox	—	—	—	—	—	—	—	—	—	—	—	—						2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—						3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	1	—						4
5 Whooping cough	1	3	—	—	1	—	2	—	—	—	—	1						5
6 Diphtheria	1	2	—	1	—	3	1	—	—	—	1	—						6
7 Influenza	7	3	1	—	5	4	1	3	—	2	1	1						7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—						8
9 Meningococcal meningitis	—	—	—	—	—	—	1	—	—	1	—	—						9
10 Tuberculosis of respiratory sys. ..	6	5	5	4	11	11	3	6	8	2	10	7						10
11 Other tuberculous diseases	1	1	2	3	1	4	1	2	—	2	2	3						11
12 Cancer, malignant disease	4	4	4	9	19	23	4	3	14	14	3	5						12
13 Rheumatic fever	—	—	—	—	—	1	—	—	—	—	2	—						13
14 Diabetes	1	1	6	—	2	—	2	1	2	3	—	1						14
15 Cerebral hæmorrhage, &c.	—	—	3	3	19	25	1	1	6	12	5	6						15
16 Heart disease	4	6	8	14	19	30	2	5	9	17	5	3						16
17 Arterio-sclerosis	—	—	1	1	9	9	—	2	9	3	—	—						17
18 Bronchitis	3	4	1	3	20	25	8	2	8	8	3	4						18
19 Pneumonia (all forms)	8	9	3	2	15	13	9	5	5	5	14	10						19
20 Other respiratory diseases	—	—	1	1	2	3	1	2	1	3	—	1						20
21 Ulcer of stomach or duodenum	—	—	1	—	1	3	1	—	3	—	—	—						21
22 Diarrhœa, &c. (under 2 years)	5	4	—	—	7	4	7	7	1	1	8	3						22
23 Appendicitis and typhlitis	—	—	—	1	—	3	—	1	2	1	1	2						23
24 Cirrhosis of liver	—	—	1	—	2	—	—	1	—	—	1	—						24
25 Acute and chronic nephritis	2	2	5	1	16	12	—	2	3	2	2	2						25
26 Puerperal sepsis	—	1	—	1	—	—	—	—	—	—	—	—						26
27 Other accidents and diseases of pregnancy and parturition.	—	2	—	—	—	4	—	2	—	—	—	—						27
28 Congenital debility and mal- formation, premature birth	8	9	3	—	19	12	4	9	7	4	14	4						28
29 Suicide	—	—	1	2	3	2	—	—	1	—	—	—						29
30 Other deaths from violence	4	—	2	2	6	6	3	2	2	1	9	—						30
31 Other defined diseases	12	7	12	9	43	42	11	2	19	22	6	12						

Causes of Death.	Brig-house M.B.		Castle-ford U.D.		Conis-brough U.D.*		Darton U.D.		Doncas-ter M.B.		Elland U.D.		Feather-stone U.D.		Golcar U.D.		Goole U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	125	138	203	140	101	85	74	71	386	307	45	63	124	82	72	61	142	133	
1 Enteric fever	1	—	1	1	—	—	—	—	—	—	1	—	—	1	—	—	1	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	3
4 Scarlet fever	1	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	2	—	4
5 Whooping cough	1	2	4	3	1	3	1	—	2	9	—	—	3	4	—	—	2	5	5
6 Diphtheria	1	1	1	1	4	—	—	—	5	3	—	—	—	—	2	—	2	3	6
7 Influenza	3	4	4	7	8	4	2	3	18	17	1	—	1	—	—	—	2	—	7
8 Encephalitis lethargica	—	—	1	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	9	10	12	5	—	5	6	5	34	15	5	3	11	1	7	2	14	8	10
11 Other tuberculous diseases	6	1	2	2	—	—	1	—	10	11	2	1	5	1	1	3	3	2	11
12 Cancer, malignant disease	7	12	9	8	4	7	8	3	27	36	2	8	7	3	9	6	9	12	12
13 Rheumatic fever	—	—	1	—	2	1	1	—	2	2	—	1	1	—	—	—	—	—	13
14 Diabetes	2	2	4	—	—	1	1	—	4	3	2	2	—	4	1	—	1	1	14
15 Cerebral hæmorrhage, &c.	8	10	7	9	5	1	6	2	23	20	1	3	1	5	3	1	5	10	15
16 Heart disease	19	20	25	13	3	4	5	3	31	31	6	10	15	8	15	7	15	10	16
17 Arterio-sclerosis	5	4	2	3	1	—	—	1	4	4	—	—	4	1	2	—	1	—	17
18 Bronchitis	7	13	21	12	5	6	8	7	32	24	4	8	13	9	—	6	3	6	18
19 Pneumonia (all forms)	11	10	41	21	18	11	4	9	38	23	7	3	12	15	8	2	3	11	19
20 Other respiratory diseases	1	—	3	—	—	—	—	2	6	4	—	—	1	1	—	2	3	—	20
21 Ulcer of stomach or duodenum	1	—	—	—	—	—	2	—	2	1	—	—	—	—	—	2	1	—	21
22 Diarrhoea, &c. (under 2 years)	4	—	12	9	19	16	2	4	18	11	—	1	11	3	2	2	5	3	22
23 Appendicitis and typhlitis	—	2	—	—	—	1	1	—	2	1	—	—	—	—	—	1	1	—	23
24 Cirrhosis of liver	—	—	1	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	24
25 Acute and chronic nephritis	4	2	3	3	2	2	—	—	6	3	1	3	6	—	4	2	5	8	25
26 Puerperal sepsis	—	—	—	—	—	—	—	1	—	1	—	1	—	1	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	2	—	2	—	2	—								

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.***YORKSHIRE, WEST RIDING—*cont.***

Causes of Death.	Harrogate M.B.		Hemsworth U.D.*		Holmfirth U.D.		Hoyland Nether U.D.		Keighley M.B.		Mexboro U.D.		Mirfield U.D.		Morley M.B.		Normanton U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	177	210	60	56	74	62	117	97	281	285	117	91	78	83	164	142	100	86	
1 Enteric fever	—	—	—	1	1	—	1	—	—	—	—	2	—	—	—	—	1	1	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	1	4	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	1	—	—	—	1	1	—	—	1	—	—	—	—	—	4
5 Whooping cough	2	1	1	6	—	—	7	8	1	—	2	7	—	—	5	7	4	2	5
6 Diphtheria	3	2	—	1	—	1	2	1	1	2	1	1	—	—	3	2	—	—	6
7 Influenza	2	2	2	—	2	4	4	4	1	2	4	4	2	4	8	5	—	—	7
8 Encephalitis lethargica	—	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	11	11	4	4	6	3	9	10	22	20	9	4	1	4	6	8	9	9	10
11 Other tuberculous diseases	6	3	2	3	2	1	6	4	12	7	4	4	2	1	2	4	5	3	11
12 Cancer, malignant disease	17	37	3	1	10	7	6	5	26	48	7	9	6	6	11	19	3	6	12
13 Rheumatic fever	2	1	—	—	1	—	—	—	—	—	1	—	2	1	2	—	—	—	13
14 Diabetes	1	2	—	—	2	1	—	2	2	3	1	—	1	3	4	2	1	2	14
15 Cerebral hæmorrhage, &c.	13	16	2	2	4	5	4	5	10	27	5	3	5	8	11	8	3	4	15
16 Heart disease	25	35	2	4	6	9	12	5	26	35	6	5	6	15	10	10	10	12	16
17 Arterio-sclerosis	18	5	2	1	6	2	2	1	11	13	3	1	1	1	15	10	1	—	17
18 Bronchitis	10	15	3	3	4	2	11	11	9	21	16	8	11	4	9	4	10	2	18
19 Pneumonia (all forms)	11	15	11	3	2	3	8	10	31	21	14	14	5	4	16	13	13	12	19
20 Other respiratory diseases	1	—	—	—	3	—	—	—	1	1	2	1	1	—	1	3	3	1	20
21 Ulcer of stomach or duodenum	1	2	1	—	—	1	3	—	1	2	—	1	1	—	2	1	1	—	21
22 Diarrhœa, &c. (under 2 years)	3	—	2	1	—	—	4	1	5	2	4	2	1	—	4	2	3	5	22
23 Appendicitis and typhlitis	3	2	1	—	—	1	—	—	3	—	1	—	—	2	1	—	2	—	23
24 Cirrhosis of liver	1	2	2	—	—	—	—	—	2	—	1	—	1	1	3	—	—	—	24
25 Acute and chronic nephritis	7	3	1	1	1	2	2	3	20	12	2	1	3	1	9	7	1	3	25
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	—	—	2	—	—	—	2	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	3	—	—	—	1	—	4	—	3	—	1	—	1	—	2	—	3	27
28 Congenital debility and malformation, premature birth	7	8	11	10	5	3	11	—	17	13	9	5	5	4	8	6	12	10	28
29 Suicide	—	3	—	—	4	1	1	—	4	1	—	—	1	1	2	—	1	1	29
30 Other deaths from violence	6	4	3	1	—	—	5	3	9	4	5	1	4	1	5	1	3	1	30
31 Other defined diseases	27	37	7	13	14	13	18	20	59	42	17	13	18	20	27	26	12	9	31
32 Causes ill-defined or unknown	—	1	—	—	—	—	—	—	5	1	2	1	—	—	—	—	—	—	32

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Ossett M.B.		Pontefract M.B.		Pudsey M.B.		Rawmarsh U.D.		Rothwell U.D.		Saddleworth U.D.		Shipley U.D.		Skipton U.D.		Sowerby Bridge U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	108	111	135	110	95	97	136	115	93	90	68	82	192	202	59	80	81	96	
1 Enteric fever	—	—	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	1	4	—	—	—	—	—	—	1	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	3	3	3	—	—	—	2	4	2	—	—	—	1	—	3	1	—	1	5
6 Diphtheria	—	—	2	—	—	—	1	—	1	—	—	1	—	—	—	—	2	—	6
7 Influenza	1	3	1	—	2	1	6	11	1	2	—	—	1	6	—	3	—	—	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	9
10 Tuberculosis of respiratory sys.	5	5	16	10	6	4	11	6	5	8	4	2	10	13	3	3	7	7	10
11 Other tuberculous diseases	—	2	4	3	7	3	4	2	—	—	1	3	8	4	1	1	3	—	11
12 Cancer, malignant disease	14	11	4	7	4	8	5	8	5	10	6	11	15	24	1	10	6	10	12
13 Rheumatic fever	1	—	1	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—	13
14 Diabetes	—	1	3	—	1	2	2	—	1	2	1	1	2	4	1	—	3	—	14
15 Cerebral hæmorrhage, &c.	9	7	8	11	7	12	4	6	5	6	4	8	13	17	6	3	4	8	15
16 Heart disease	12	20	8	7	13	14	5	7	8	13	7	17	25	31	4	9	14	24	16
17 Arterio-sclerosis	1	2	3	2	—	1	1	—	2	—	7	2	7	5	4	2	3	—	17
18 Bronchitis	4	4	15	13	7	6	8	10	12	3	4	4	10	18	7	7	8	7	18
19 Pneumonia (all forms)	19	9	14	12	9	6	16	11	7	9	11	2	26	17	4	5	6	6	19
20 Other respiratory diseases	—	1	—	—	1	—	1	—	1	—	1	—	1	2	1	2	1	—	20
21 Ulcer of stomach or duodenum	—	1	—	—	1	—	3	—	—	1	1	—	2	—	1	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	6	—	7	9	1	1	7	5	3	2	2	—	2	1	3	—	—	2	22
23 Appendicitis and typhlitis	1	1	1	—	1	—	1	—	1	—	1	—	1	—	—	—	—	—	23
24 Cirrhosis of liver	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	2	—	24
25 Acute and chronic nephritis	1	9	3	1	1	1	1	1	2	—	3	6	6	1	2	3	2	—	25
26 Puerperal sepsis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	2	—	—	—	—	1	—	—	—	3	—	—	—	—	1	27
28 Congenital debility and malformation, premature birth	7	3	20	7	6	7	15	16	10	5	1	6	13	6	3	5	4	3	28
29 Suicide	1	1	2	—	1	—	1	1	—	—	2	1	1	—	2	1	2	—	29
30 Other deaths from violence	3	3	5	4	2	—	10	3	3	5	2	6	5	4	4	—	—	—	30
31 Other defined diseases	19	23	17	15	24	25	33	23	14	24	7	16	40	38	9	18	13	18	31
32 Causes ill-defined or unknown	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.*YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Spen- borough U.D.		Stanley U.D.		Swin- ton U.D.		Tod- morden M.B.		Wath- on- Dearne U.D.		Womb- well U.D.		Wors- boro' U.D.		Don- caster R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	210	204	111	86	98	91	160	165	103	67	142	126	89	94	234	195	1
1 Enteric fever	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—	1	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	4
4 Scarlet fever	1	—	—	—	—	—	—	1	—	—	—	—	1	—	2	—	5
5 Whooping cough	—	—	6	6	—	—	—	3	—	—	10	4	1	1	16	7	6
6 Diphtheria	3	—	1	1	—	—	1	1	1	2	—	—	1	—	2	1	7
7 Influenza	3	2	2	1	5	2	6	4	4	3	6	9	3	3	6	5	8
8 Encephalitis lethargica	—	1	—	—	1	—	—	—	—	—	—	1	—	—	1	—	9
9 Meningococcal meningitis	—	—	—	—	—	1	—	—	—	—	—	1	—	—	1	1	10
10 Tuberculosis of respiratory sys.	15	14	7	2	8	4	11	7	13	3	8	10	3	9	13	9	11
11 Other tuberculous diseases	4	3	3	4	1	1	6	2	7	4	2	3	5	1	4	9	12
12 Cancer, malignant disease	17	26	2	10	10	9	17	17	4	5	6	4	4	9	11	14	13
13 Rheumatic fever	—	—	—	—	—	—	2	1	—	—	—	2	—	—	1	—	14
14 Diabetes	—	2	—	1	1	1	5	1	2	—	2	—	1	1	1	2	15
15 Cerebral hæmorrhage, &c.	10	18	12	4	4	2	12	18	5	5	5	6	7	3	7	4	16
16 Heart disease	21	24	17	17	8	9	16	18	7	6	14	16	6	11	9	16	17
17 Arterio-sclerosis	8	7	—	1	2	—	8	6	2	—	—	—	3	—	5	1	18
18 Bronchitis	17	13	10	5	14	9	11	18	9	2	11	15	10	11	20	17	19
19 Pneumonia (all forms)	18	13	9	11	15	16	15	7	19	12	18	14	7	10	32	22	20
20 Other respiratory diseases	1	4	—	—	2	—	—	1	—	—	—	1	2	1	4	3	21
21 Ulcer of stomach or duodenum	1	—	—	—	—	—	2	3	—	—	1	—	—	—	1	—	22
22 Diarrhœa, &c. (under 2 years)	7	4	9	3	3	5	2	—	4	3	8	4	4	6	14	8	23
23 Appendicitis and typhlitis	2	2	1	—	—	—	1	—	1	1	2	—	—	—	1	—	24
24 Cirrhosis of liver	1	1	—	—	—	—	1	1	—	—	2	—	—	—	—	—	25
25 Acute and chronic nephritis	5	4	3	1	—	2	3	8	3	1	1	3	2	2	4	2	26
26 Puerperal sepsis	—	1	—	—	—	2	—	—	—	1	—	—	—	1	—	1	27
27 Other accidents and diseases of pregnancy and parturition	—	4	—	1	—	1	—	1	—	1	—	1	—	3	—	4	28
28 Congenital debility and mal-formation, premature birth	15	8	7	3	6	7	9	11	8	8	10	12	11	8	21	21	29
29 Suicide	5	1	1	—	—	—	2	—	2	—	5	2	1	—	2	—	30
30 Other deaths from violence	4	1	10	1	6	3	6	3	3	—	6	1	5	2	14	8	31
31 Other defined diseases	50	51	11	14	12	17	23	31	9	9	24	16	13	11	44	36	32
32 Causes ill-defined or unknown	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	32

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Great Ouse- burn R.D.		Hems- worth R.D.		Kiveton Park R.D.		Ponte- fract R.D.		Rother- ham R.D.		Settle R.D.		Skipton R.D.		Tad- caster R.D.		Thorn R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	63	50	287	243	89	73	147	96	280	225	97	75	94	117	194	152	69	64	1
1 Enteric fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	4
4 Scarlet fever	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	10	12	1	1	4	5	6	5	—	—	—	—	3	1	1	1	6
6 Diphtheria	—	—	1	2	1	—	2	—	—	1	1	—	1	—	2	2	1	1	7
7 Influenza	2	2	10	9	1	3	6	3	22	17	2	—	2	1	4	4	1	3	8
8 Encephalitis lethargica	—	—	—	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys.	3	7	20	9	3	2	3	8	7	16	1	3	5	1	12	12	2	2	11
11 Other tuberculous diseases	—	1	5	7	1	2	5	1	9	9	—	2	1	3	2	3	1	6	12
12 Cancer, malignant disease	7	4	13	19	5	8	8	8	18	13	10	7	13	15	17	19	7	6	13
13 Rheumatic fever	—	1	2	2	1	—	—	—	—	2	—	—	1	3	—	—	—	—	14
14 Diabetes	2	1	1	2	5	7	11	5	9	8	2	—	1	5	2	2	—	—	15
15 Cerebral hæmorrhage, &c.	3	6	10	10	2	7	11	5	9	2	10	9	10	13	17	15	6	4	16
16 Heart disease	16	8	17	17	7	7	16	11	15	13	14	18	11	23	17	13	9	6	17
17 Arterio-sclerosis	1	1	9	2	—	—	1	—	5	1	2	4	2	1	—	—	1	—	18
18 Bronchitis	4	2	38	19	11	7	11	11	34	16	1	1	5	3	13	9	8	3	19
19 Pneumonia (all forms)	3	2	37	30	11	7	21	13	45	32	12	3	4	4	17	11	3	1	20
20 Other respiratory diseases	—	1	2	2	—	—	—	—	3	2	1	—	1	—	7	2	1	—	21
21 Ulcer of stomach or duodenum	—	—	—	—	1	—	—	—	3	1	1	—	1	—	1	1	—	—	22
22 Diarrhœa, &c. (under 2 years)	—	—	20	20	3	—	9	1	12	3	—	—	2	2	5	1	2	5	23
23 Appendicitis and typhlitis	—	—	2	—	1	—	—	—	—	1	1	—	—	1	1	—	—	—	24
24 Cirrhosis of liver	2	—	—	—	—	—	—	—	1	1	—	—	5	—	—	—	—	—	25
25 Acute and chronic nephritis	1	1	3	3	3	1	4	5	—	4	3	1	3	2	4	2	1	1	26
26 Puerperal sepsis	—	—	—	5	—	1	—	1	—	2	—	—	—	—	—	2	—	—	27
27 Other accidents and diseases of pregnancy and parturition	—	1	—	5	—	3	—	2	—	3	—	1	—	1	—	3	—	1	28
28 Congenital debility and mal-formation, premature birth	2	2	25	30	3	4	15	5	33	22	8	3	5	4	21	12	5	3	29
29 Suicide	—	2	2	—	—	—	—	—	5	1	1	—	—	1	1	1	—	1	30
30 Other deaths from violence	4	1	16	2	5	2	6	1	15	3	7	2	5	3	7	2	6	3	31
31 Other defined diseases	13	7	43	30	24	16	21	13	34	46	19	21	14	30	36	35	10	16	32
32 Causes ill-defined or unknown	—	—	—	—	—	—	1	1	—	—	—	—	1	1	1	—	3	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.*YORKSHIRE, WEST RIDING—*cont.*

ANGLESEY.

Causes of Death.	Wake-field R.D.		Wether-by R.D.		Wharfe-dale North R.D.		Wharfe-dale South R.D.		Wortley R.D.				Holy-head U.D.		Valley R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			M.	F.	M.	F.
All Causes	123	92	80	89	16	31	20	16	205	156			80	68	77	86
1 Enteric fever	1	—	1	—	—	—	—	—	1	—			—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—			—	—	—	—
3 Measles	—	—	—	1	—	—	—	—	1	—			1	—	1	1
4 Scarlet fever	1	—	—	—	—	—	—	—	2	1			—	—	—	—
5 Whooping cough	4	2	—	2	—	—	—	—	—	3			6	4	1	3
6 Diphtheria	—	—	3	1	—	—	—	1	1	4			1	1	1	—
7 Influenza	2	5	3	4	—	1	2	—	11	6			3	—	4	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	2			—	—	—	—
9 Meningococcal meningitis	—	1	—	—	—	—	—	—	—	—			—	—	—	—
10 Tuberculosis of respiratory sys.	7	5	3	2	—	6	1	—	17	6			1	6	4	6
11 Other tuberculous diseases	5	1	1	1	—	—	—	—	6	4			2	2	3	2
12 Cancer, malignant disease	9	11	7	11	6	2	1	6	13	12			7	6	9	10
13 Rheumatic fever	—	1	—	—	—	—	—	—	2	2			—	1	—	—
14 Diabetes	1	2	1	1	—	—	—	—	2	1			—	1	—	—
15 Cerebral hæmorrhage, &c.	6	8	5	7	—	—	—	—	15	12			5	4	6	7
16 Heart disease	10	11	16	13	2	6	—	4	30	21			9	8	8	18
17 Arterio-sclerosis	1	1	8	5	—	3	1	1	2	4			3	2	3	1
18 Bronchitis	12	4	2	7	3	1	—	1	16	11			1	7	4	3
19 Pneumonia (all forms)	7	9	7	4	—	1	3	—	15	12			6	5	3	3
20 Other respiratory diseases	1	1	1	—	—	—	—	—	5	1			3	—	2	—
21 Ulcer of stomach or duodenum	—	—	—	—	—	—	—	—	1	—			—	—	—	—
22 Diarrhœa, &c. (under 2 years)	11	4	—	—	—	—	—	—	5	2			1	1	3	1
23 Appendicitis and typhlitis	—	2	—	2	—	—	—	—	—	—			1	—	—	—
24 Cirrhosis of liver	—	—	—	—	—	—	—	—	1	—			—	—	—	—
25 Acute and chronic nephritis	2	1	3	3	2	—	2	1	5	5			4	2	1	4
26 Puerperal sepsis	—	1	—	—	—	—	—	—	—	2			—	—	—	—
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	—	—	2			—	—	—	—
28 Congenital debility and malformation, premature birth	7	8	4	3	2	2	3	—	19	16			8	3	7	2
29 Suicide	1	—	—	1	—	—	—	—	4	—			—	—	1	—
30 Other deaths from violence	8	3	4	1	—	—	1	—	7	2			1	—	—	—
31 Other defined diseases	26	11	10	20	1	9	6	2	24	25			12	14	12	14
32 Causes ill-defined or unknown	1	—	1	—	—	—	—	—	—	—			5	1	1	—

BRECKNOCKSHIRE.

CARDIGANSHIRE.

Causes of Death.	Ystrad-gynlais R.D.		Aberystwyth M.B.		Aberystwyth North R.D.		Aberystwyth South R.D.			
	M.	F.	M.	F.	M.	F.	M.	F.		
All Causes	76	72	56	65	46	67	34	43		
1 Enteric fever	—	—	—	—	—	—	—	—		
2 Small-pox	—	—	—	—	—	—	—	—		
3 Measles	—	—	—	—	—	—	—	—		
4 Scarlet fever	—	—	—	—	—	—	—	—		
5 Whooping cough	—	—	—	—	—	—	1	—		
6 Diphtheria	5	1	—	1	—	—	—	1		
7 Influenza	2	1	—	1	1	—	—	—		
8 Encephalitis lethargica	—	—	—	1	—	—	—	—		
9 Meningococcal meningitis	—	—	—	—	—	—	—	—		
10 Tuberculosis of respiratory sys.	7	6	6	7	6	5	4	2		
11 Other tuberculous diseases	—	2	1	3	1	—	—	—		
12 Cancer, malignant disease	2	8	6	9	8	7	2	—		
13 Rheumatic fever	2	—	—	—	—	—	—	—		
14 Diabetes	—	—	—	1	—	—	—	—		
15 Cerebral hæmorrhage, &c.	4	5	1	5	1	4	1	3		
16 Heart disease	5	7	7	11	12	15	2	10		
17 Arterio-sclerosis	2	—	4	—	—	3	1	1		
18 Bronchitis	6	7	7	2	2	3	3	2		
19 Pneumonia (all forms)	13	4	1	3	2	5	4	—		
20 Other respiratory diseases	4	—	—	1	1	—	—	—		
21 Ulcer of stomach or duodenum	1	1	—	—	—	—	—	1		
22 Diarrhœa, &c. (under 2 years)	2	1	2	—	—	—	—	—		
23 Appendicitis and typhlitis	2	1	—	—	—	—	—	1		
24 Cirrhosis of liver	—	—	2	—	1	—	—	—		
25 Acute and chronic nephritis	—	5	3	5	3	5	2	3		
26 Puerperal sepsis	—	1	—	—	—	1	—	—		
27 Other accidents and diseases of pregnancy and parturition	—	2	—	—	—	1	—	—		
28 Congenital debility and malformation, premature birth	10	2	4	—	—	—	1	—		
29 Suicide	—	—	—	1	—	—	1	—		
30 Other deaths from violence	1	2	2	3	1	2	1	1		
31 Other defined diseases	7	15	9	11	7	16	10	16		
32 Causes ill-defined or unknown	1	1	1	—	—	—	1	2		

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.*

CARMARTHENSHIRE.

Causes of Death.	Carmarthen M.B.		Llanelli M.B.		Carmarthen R.D.		Llandilofawr R.D.		Llanelli R.D.				
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			
All Causes	71	63	207	202	185	189	137	146	215	209			1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—			2
2 Small-pox	—	—	—	—	—	—	—	—	—	—			3
3 Measles	—	—	1	—	—	—	—	—	1	—			4
4 Scarlet fever	—	—	—	—	—	—	1	1	2	—			5
5 Whooping cough	—	—	1	2	—	—	1	2	—	1			6
6 Diphtheria	—	—	1	4	2	4	5	3	5	5			7
7 Influenza	—	—	3	2	2	9	3	4	3	4			8
8 Encephalitis lethargica	—	—	1	1	—	—	—	—	—	—			9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—			10
10 Tuberculosis of respiratory sys.	8	10	21	22	14	18	8	16	23	21			11
11 Other tuberculous diseases	1	1	4	2	5	2	3	4	5	5			12
12 Cancer, malignant disease	4	9	18	12	15	11	9	9	11	17			13
13 Rheumatic fever	—	—	—	4	—	—	—	—	—	4			14
14 Diabetes	2	—	—	1	2	2	—	1	3	4			15
15 Cerebral hæmorrhage, &c.	6	2	13	16	7	15	4	10	14	14			16
16 Heart disease	12	13	25	29	21	32	11	26	19	25			17
17 Arterio-sclerosis	—	—	6	—	7	2	1	3	2	1			18
18 Bronchitis	5	6	8	8	17	17	9	5	17	16			19
19 Pneumonia (all forms)	7	2	16	13	18	7	12	10	20	12			20
20 Other respiratory diseases	—	—	3	3	4	1	4	—	3	1			21
21 Ulcer of stomach or duodenum	1	—	1	—	—	—	1	2	1	1			22
22 Diarrhœa, &c. (under 2 years)	1	1	9	15	6	3	4	2	3	3			23
23 Appendicitis and typhlitis	1	—	—	1	1	—	—	2	1	2			24
24 Cirrhosis of liver	1	—	—	—	—	—	1	—	—	—			25
25 Acute and chronic nephritis	8	4	2	5	6	14	6	5	6	6			26
26 Puerperal sepsis	—	1	—	—	—	1	—	1	—	3			27
27 Other accidents and diseases of pregnancy and parturition	—	—	—	5	—	2	—	5	—	4			28
28 Congenital debility and malformation, premature birth	1	—	13	9	11	7	12	6	20	11			29
29 Suicide	1	1	—	1	3	—	3	—	3	1			30
30 Other deaths from violence	2	—	9	7	10	2	8	2	11	1			31
31 Other defined diseases	9	13	48	37	33	38	31	27	39	41			32
32 Causes ill-defined or unknown	1	—	4	3	1	2	—	—	3	4			

CARNARVONSHIRE.

DENBIGHSHIRE.

Causes of Death.	Bangor M.B.		Llandudno U.D.		Gwyrfai R.D.		Lleyn R.D.		Colwyn Bay & Colwyn U.D.		Wrexham M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	71	81	58	72	220	202	135	135	82	95	129	106	1
1 Enteric fever	—	—	—	—	—	—	—	1	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	1	—	5
5 Whooping cough	1	2	—	—	1	3	5	3	1	—	—	—	6
6 Diphtheria	—	—	1	1	5	3	—	2	—	—	2	2	7
7 Influenza	1	1	—	—	4	5	1	—	1	2	2	1	8
8 Encephalitis lethargica	—	2	—	1	—	1	—	—	1	2	—	—	9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	1	—	—	—	10
10 Tuberculosis of respiratory sys.	7	2	4	1	25	14	9	10	5	8	9	6	11
11 Other tuberculous diseases	—	2	2	2	4	6	6	5	3	3	1	3	12
12 Cancer, malignant disease	6	13	5	13	14	25	14	26	12	21	13	13	13
13 Rheumatic fever	—	—	—	—	—	1	—	—	—	—	—	—	14
14 Diabetes	—	1	1	1	—	1	1	2	3	—	—	1	15
15 Cerebral hæmorrhage, &c.	7	13	7	3	6	19	9	16	6	9	5	9	16
16 Heart disease	14	12	6	17	30	30	22	17	10	6	17	15	17
17 Arterio-sclerosis	2	—	7	6	13	6	—	—	5	1	3	2	18
18 Bronchitis	3	5	1	3	12	7	7	5	2	4	8	4	19
19 Pneumonia (all forms)	5	1	2	3	15	7	9	1	3	6	7	6	20
20 Other respiratory diseases	1	1	2	1	8	3	—	4	4	2	3	2	21
21 Ulcer of stomach or duodenum	1	—	1	—	1	—	—	1	—	2	1	—	22
22 Diarrhœa, &c. (under 2 years)	1	—	1	—	2	4	1	—	1	—	2	—	23
23 Appendicitis and typhlitis	—	—	—	—	2	1	—	—	1	—	—	—	24
24 Cirrhosis of liver	1	—	—	—	—	—	—	—	1	—	—	1	25
25 Acute and chronic nephritis	—	1	3	—	10	12	6	9	1	4	3	4	26
26 Puerperal sepsis	—	—	—	—	—	—	—	1	—	1	—	2	27
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	2	—	1	—	—	—	1	28
28 Congenital debility and malformation, premature birth	3	5	3	2	6	2	6	2	2	1	10	7	29
29 Suicide	1	—	1	1	—	—	1	—	—	—	1	1	30
30 Other deaths from violence	1	1	3	3	8	1	3	1	4	—	9	—	31
31 Other defined diseases	16	18	8	13	52	48	34	27	15	22	31	24	32
32 Causes ill-defined or unknown	—	—	—	1	2	1	1	1	—	1	2	—	

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.*DENBIGHSHIRE—*cont.*

FLINTSHIRE.

Causes of Death.	Wrexham R.D.		Rhyl U.D.		Hawarden R.D.		Holywell (Holywell) R.D.		Holywell (Mold) R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	428	385	55	63	118	120	110	94	57	44
1 Enteric fever	—	1	—	—	—	1	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—
3 Measles	1	—	—	1	—	1	2	—	—	—
4 Scarlet fever	—	—	1	—	—	2	—	—	—	—
5 Whooping cough	9	6	—	2	—	—	—	1	1	—
6 Diphtheria	16	13	—	1	1	1	—	—	—	—
7 Influenza	3	5	1	1	—	—	3	—	—	—
8 Encephalitis lethargica	—	1	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	25	17	4	2	2	9	6	9	5	2
11 Other tuberculous diseases	9	4	—	3	4	3	1	5	1	—
12 Cancer, malignant disease	33	37	10	11	12	9	16	9	7	4
13 Rheumatic fever	3	3	—	1	—	2	—	1	2	—
14 Diabetes	2	6	—	1	2	1	—	1	—	1
15 Cerebral hæmorrhage, &c.	32	33	2	6	11	16	7	10	3	4
16 Heart disease	39	58	5	10	13	13	11	19	6	7
17 Arterio-sclerosis	11	5	—	—	3	1	6	3	2	1
18 Bronchitis	31	31	6	1	7	9	5	3	4	3
19 Pneumonia (all forms)	30	24	4	3	8	6	4	2	5	3
20 Other respiratory diseases	6	5	1	—	2	—	2	—	1	1
21 Ulcer of stomach or duodenum	2	2	—	—	—	—	2	—	—	—
22 Diarrhœa, &c. (under 2 years)	11	9	—	2	2	2	4	1	—	1
23 Appendicitis and typhlitis	3	—	—	—	1	—	1	—	—	—
24 Cirrhosis of liver	3	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	17	6	3	6	2	2	2	2	4	2
26 Puerperal sepsis	—	3	—	—	—	—	—	4	—	—
27 Other accidents and diseases of pregnancy and parturition	—	5	—	1	—	1	—	1	—	—
28 Congenital debility and malformation, premature birth	32	31	4	2	12	6	5	1	4	1
29 Suicide	4	—	3	1	1	—	—	1	—	—
30 Other deaths from violence	28	8	—	—	7	7	7	2	2	3
31 Other defined diseases	77	72	11	8	26	26	24	17	10	10
32 Causes ill-defined or unknown	1	—	—	—	2	2	2	2	—	1

GLAMORGANSHIRE.

Causes of Death.	Aberdare U.D.		Barry U.D.		Caerphilly U.D.		Gelligaer U.D.		Glyn-corwg U.D.		Maesteg U.D.		Mountain Ash U.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	359	315	214	153	226	188	242	206	67	59	183	153	307	230
1 Enteric fever	—	1	—	1	—	—	—	—	—	—	—	—	2	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	—	—	4	—	—	—	—	—	—	—	1	—
4 Scarlet fever	2	6	1	—	2	3	—	3	—	4	3	3	2	1
5 Whooping cough	2	2	—	2	2	4	—	—	2	—	—	5	2	1
6 Diphtheria	6	2	2	—	5	1	4	8	—	1	2	3	1	4
7 Influenza	4	3	3	3	4	3	5	6	1	3	4	5	11	7
8 Encephalitis lethargica	1	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	1	—	—	—	—	1	—	1	—	—	1	—	2	—
10 Tuberculosis of respiratory sys.	19	23	19	9	13	13	13	16	7	2	8	14	18	21
11 Other tuberculous diseases	12	4	3	1	2	7	8	12	2	1	4	4	7	5
12 Cancer, malignant disease	25	19	18	16	11	11	7	12	4	5	12	13	12	22
13 Rheumatic fever	2	7	2	—	1	3	2	1	—	—	2	3	3	1
14 Diabetes	2	3	4	4	2	3	3	—	—	—	3	3	3	2
15 Cerebral hæmorrhage, &c.	20	25	4	10	12	19	6	11	—	—	12	8	10	9
16 Heart disease	33	35	22	19	19	12	14	13	4	6	9	13	26	22
17 Arterio-sclerosis	3	1	5	2	2	1	3	3	1	1	4	—	5	—
18 Bronchitis	28	24	12	10	7	11	22	12	3	2	15	6	22	9
19 Pneumonia (all forms)	32	21	10	14	24	9	28	13	5	6	21	13	27	25
20 Other respiratory diseases	6	2	3	1	10	—	5	5	—	—	—	1	8	1
21 Ulcer of stomach or duodenum	2	—	—	1	1	—	1	1	—	—	2	1	1	—
22 Diarrhœa, &c. (under 2 years)	13	5	19	13	12	6	21	14	4	1	11	7	19	9
23 Appendicitis and typhlitis	5	—	2	2	1	—	2	1	—	—	3	—	2	3
24 Cirrhosis of liver	1	—	2	1	2	—	1	—	—	—	—	—	1	—
25 Acute and chronic nephritis	13	6	5	2	5	4	5	6	4	1	4	5	8	4
26 Puerperal sepsis	—	1	—	1	—	2	—	1	—	2	—	—	—	1
27 Other accidents and diseases of pregnancy and parturition	—	6	—	1	—	3	—	4	—	3	—	5	—	8
28 Congenital debility and malformation, premature birth	27	29	19	7	26	16	26	13	5	5	15	8	18	14
29 Suicide	4	—	1	1	1	1	3	4	—	—	2	1	5	1
30 Other deaths from violence	22	5	10	1	16	3	18	4	5	—	8	4	30	7
31 Other defined diseases	74	85	48	31	41	50	46	42	16	14	39	29	62	51
32 Causes ill-defined or unknown	—	—	—	—	1	2	1	1	—	—	—	—	—	—

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.*GLAMORGANSHIRE—*cont.*

Causes of Death.	Neath M.B.		Ogmore & Gawr U.D.		Pe- narth U.D.		Pon- typridd U.D.		Port Talbot U.D.*		Rhondda U.D.		Llan- daff & Dinas Powis R.D.		Llantri- sant & Llanwit- fardre R.D.		Neath R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	127	121	187	143	101	81	286	264	124	111	1092	915	212	192	155	131	279	263	1
1 Enteric fever	—	—	3	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
3 Measles	—	—	2	3	—	—	—	—	—	—	2	—	—	—	2	1	1	1	3
4 Scarlet fever	2	5	—	1	—	1	1	—	1	—	5	12	1	—	1	—	2	1	4
5 Whooping cough	—	—	—	—	—	—	3	8	—	1	11	9	—	1	1	2	—	1	5
6 Diphtheria	—	3	2	—	—	—	1	3	3	6	16	18	—	—	5	—	8	7	6
7 Influenza	—	1	3	—	3	3	4	5	1	—	30	12	1	2	1	3	4	6	7
8 Encephalitis lethargica	—	—	—	—	—	—	1	—	—	—	—	2	—	1	1	—	1	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys. ..	10	4	13	10	9	8	17	19	12	7	67	71	18	10	10	6	28	24	10
11 Other tuberculous diseases	3	2	2	4	2	2	3	4	1	—	23	14	5	6	2	3	4	5	11
12 Cancer, malignant disease	14	13	5	14	9	11	16	9	10	9	48	63	15	20	3	12	16	31	12
13 Rheumatic fever	1	1	1	3	—	—	1	2	3	—	13	6	1	—	1	—	4	2	13
14 Diabetes	1	—	2	3	4	1	2	—	1	—	4	3	1	—	—	1	4	1	14
15 Cerebral hæmorrhage, &c. ..	6	6	12	4	8	6	14	8	9	8	48	52	8	11	3	7	15	20	15
16 Heart disease	18	13	14	16	8	11	21	22	12	13	99	95	26	23	11	9	24	27	16
17 Arterio-sclerosis	5	1	4	—	2	2	—	—	1	1	7	5	8	8	3	1	—	5	17
18 Bronchitis	7	6	14	9	5	6	22	25	8	11	124	74	7	10	21	13	23	21	18
19 Pneumonia (all forms)	9	4	18	6	4	—	13	11	13	4	98	57	15	14	15	7	17	17	19
20 Other respiratory diseases	3	1	6	2	5	1	5	2	3	2	14	11	4	1	4	2	7	7	20
21 Ulcer of stomach or duodenum ..	1	1	—	1	3	—	—	—	1	1	4	1	2	1	1	2	1	1	21
22 Diarrhœa, &c. (under 2 years) ..	5	5	7	3	2	2	28	17	9	10	72	45	10	9	8	5	5	6	22
23 Appendicitis and typhlitis	—	2	1	—	1	2	—	4	—	2	8	6	2	1	—	—	1	—	23
24 Cirrhosis of liver	—	—	—	—	—	—	1	—	—	—	4	—	1	1	1	—	—	1	24
25 Acute and chronic nephritis	2	4	5	2	3	2	10	3	6	6	28	15	5	3	4	3	5	6	25
26 Puerperal sepsis	—	2	—	3	—	—	—	2	—	—	—	15	—	4	—	2	—	2	26
27 Other accidents and diseases of pregnancy and parturition ..	—	1	—	2	—	—	—	15	—	1	—	16	—	5	—	3	—	8	27
28 Congenital debility and mal-formation, premature birth ..	9	10	12	18	4	6	30	26	6	5	96	96	21	10	14	9	18	22	28
29 Suicide	2	—	—	1	—	—	—	—	1	1	8	2	3	—	—	—	1	—	29
30 Other deaths from violence	6	5	16	3	6	1	20	8	4	—	62	14	4	6	7	—	26	3	30
31 Other defined diseases	23	31	43	33	23	15	71	69	22	19	198	199	54	45	38	38	65	37	31
32 Causes ill-defined or unknown ..	—	—	2	—	—	—	1	—	—	—	3	1	—	—	1	—	—	—	32

GLAMORGANSHIRE—*cont.*

MONMOUTHSHIRE.

Causes of Death.	Peny- bont R.D.		Pon- tar- dawe R.D.		Swan- sea R.D.		Aber- carn U.D.		Aber- sychan U.D.		Aber- tillery U.D.		Bed- wellty U.D.		Blae- navon U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	157	138	194	191	124	130	132	102	182	140	219	182	224	172	81	75	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	2	1	—	—	—	—	—	—	3	—	—	—	1	—	1	—	4
4 Scarlet fever	1	2	4	—	—	—	—	—	—	1	—	—	2	1	1	1	5
5 Whooping cough	2	4	3	7	5	3	1	2	3	5	5	8	2	1	—	—	6
6 Diphtheria	—	5	5	15	—	—	—	—	1	1	3	4	2	5	—	—	7
7 Influenza	3	2	6	1	—	—	5	1	4	2	14	4	12	8	1	—	8
8 Encephalitis lethargica	—	—	—	1	—	—	—	—	2	—	—	—	—	1	—	—	9
9 Meningococcal meningitis	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys. ..	10	10	14	8	12	10	2	6	6	9	11	9	10	12	2	—	11
11 Other tuberculous diseases	1	2	7	4	2	3	1	1	5	1	2	3	5	2	3	—	12
12 Cancer, malignant disease	15	7	11	16	9	8	4	6	10	10	10	10	9	10	1	1	13
13 Rheumatic fever	3	3	3	2	1	—	4	1	4	2	1	4	—	—	—	—	14
14 Diabetes	—	—	—	1	—	1	1	—	—	3	2	1	1	1	—	2	15
15 Cerebral hæmorrhage, &c. ..	10	6	8	16	8	11	7	5	10	10	5	10	8	9	6	10	16
16 Heart disease	10	16	10	12	11	15	13	8	12	16	21	16	18	5	6	13	17
17 Arterio-sclerosis	2	3	4	4	3	7	3	—	—	—	6	1	2	—	1	—	18
18 Bronchitis	9	10	5	7	10	13	7	10	18	11	8	7	7	9	15	12	19
19 Pneumonia (all forms)	14	9	18	9	11	7	18	17	20	10	19	18	23	18	2	3	20
20 Other respiratory diseases	2	3	4	—	3	—	1	1	—	2	2	2	2	—	2	—	21
21 Ulcer of stomach or duodenum ..	—	—	5	1	1	2	1	—	1	1	3	—	—	—	—	—	22
22 Diarrhœa, &c. (under 2 years) ..	1	1	10	—	4	2	8	6	11	4	24	12	30	19	—	6	23
23 Appendicitis and typhlitis	1	1	1	—	—	—	—	1	2	2	—	3	3	2	—	—	24
24 Cirrhosis of liver	1	—	—	2	2	—	—	—	—	—	—	—	3	1	—	—	25
25 Acute and chronic nephritis	1	1	4	4	3	1	—	1	—	1	5	4	7	2	2	—	26
26 Puerperal sepsis	—	—	—	2	—	2	—	—	—	—	—	2	—	1	—	—	27
27 Other accidents and diseases of pregnancy and parturition ..	—	7	—	4	—	2	—	—	—	3	—	4	—	1	—	—	28
28 Congenital debility and mal-formation, premature birth ..	10	8	19	10	16	10	15	12	15	13	25	25	17	24	12	4	29
29 Suicide	—	1	5	3	3	1	1	2	—	—	3	1	2	—	1	1	30
30 Other deaths from violence	15	2	11	4	5	1	5	1	11	2	11	6	11	—	2	—	31
31 Other defined diseases	44	33	39	51	14	31	35	21	43	30	35	27	43	31	18	14	32
32 Causes ill-defined or unknown ..	—	—	2	3	—	—	—	—	1	1	2	—	3	3	—	—	—

* Formerly called Aberavon.

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1921—*cont.***MONMOUTHSHIRE—*cont.***

Causes of Death.	Ebbw Vale U.D.		Mynyddislwyn U.D.		Nantyglo & Blaina U.D.		Panteg U.D.		Rhymney U.D.		Risca U.D.		Tredegar U.D.		St. Melons R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	232	166	94	74	103	69	68	57	67	62	91	80	169	141	61	48
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
3 Measles	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	33
4 Scarlet fever	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	44
5 Whooping cough	1	2	—	—	1	1	1	1	2	6	—	3	4	1	1	55
6 Diphtheria	3	1	2	3	—	2	—	1	—	—	—	—	3	—	—	66
7 Influenza	5	6	2	3	—	—	—	—	2	1	1	3	3	1	1	77
8 Encephalitis lethargica	2	—	2	2	—	—	—	—	—	—	—	—	—	—	—	88
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	99
10 Tuberculosis of respiratory sys.	14	8	9	7	5	—	7	8	8	5	7	8	8	13	6	100
11 Other tuberculous diseases	6	7	4	1	3	2	—	—	—	—	5	2	4	4	—	111
12 Cancer, malignant disease	9	15	4	8	6	8	4	1	4	3	5	9	9	12	3	122
13 Rheumatic fever	1	2	2	1	—	2	—	—	—	2	1	1	3	1	—	133
14 Diabetes	1	1	—	1	—	—	2	—	—	—	1	—	—	—	—	144
15 Cerebral hæmorrhage, &c.	9	18	1	3	5	3	2	5	3	2	5	4	4	9	6	155
16 Heart disease	18	19	7	7	10	6	9	5	1	5	4	9	13	11	4	166
17 Arterio-sclerosis	3	—	—	1	1	—	—	—	3	2	3	2	3	3	—	177
18 Bronchitis	14	5	6	4	13	4	4	3	2	5	8	9	19	9	3	188
19 Pneumonia (all forms)	19	14	11	9	11	9	8	4	8	2	7	6	13	13	4	199
20 Other respiratory diseases	15	4	2	1	2	—	2	1	—	3	2	1	4	—	2	200
21 Ulcer of stomach or duodenum	1	—	—	—	1	—	—	—	—	—	—	—	—	—	1	211
22 Diarrhoea, &c. (under 2 years)	10	10	6	1	2	1	2	—	6	4	4	4	7	7	—	222
23 Appendicitis and typhlitis	1	1	—	—	—	—	—	—	—	—	1	—	—	1	1	233
24 Cirrhosis of liver	2	1	—	—	1	1	—	—	—	—	1	—	1	1	1	244
25 Acute and chronic nephritis	6	3	3	1	4	—	2	—	4	2	1	—	5	4	1	255
26 Puerperal sepsis	—	3	—	1	—	—	—	—	—	—	1	—	1	—	—	266
27 Other accidents and diseases of pregnancy and parturition	—	3	—	2	—	3	—	2	—	1	—	—	—	1	—	277
28 Congenital debility and malformation, premature birth	24	14	12	6	12	7	5	7	7	6	7	3	13	13	9	288
29 Suicide	1	1	—	—	1	—	1	1	1	—	1	—	2	—	—	299
30 Other deaths from violence	15	1	4	2	5	2	5	1	2	1	9	—	5	2	7	300
31 Other defined diseases	51	26	16	9	20	17	14	17	13	12	20	13	45	34	9	311
32 Causes ill-defined or unknown	1	1	—	1	—	—	—	—	—	—	—	—	—	—	1	322

MONTGOMERYSHIRE.**PEMBROKESHIRE.**

Causes of Death.	Llan-fyllin R.D.		New-town & Llan-idloes R.D.		Pembroke M.B.		Haverford-west R.D.		Narberth R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	99	84	64	76	88	109	119	145	57	92
1 Enteric fever	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—
3 Measles	1	—	—	—	—	—	2	1	—	—
4 Scarlet fever	1	—	—	—	—	—	—	1	—	—
5 Whooping cough	—	1	—	—	—	—	—	—	1	—
6 Diphtheria	3	—	1	—	—	—	2	1	—	—
7 Influenza	1	—	2	1	2	1	2	—	1	—
8 Encephalitis lethargica	—	—	1	—	—	—	—	—	1	—
9 Meningococcal meningitis	1	—	—	—	—	1	—	—	—	—
10 Tuberculosis of respiratory sys.	7	5	2	9	8	14	10	10	4	7
11 Other tuberculous diseases	1	2	2	4	—	2	2	5	—	4
12 Cancer, malignant disease	14	6	3	8	5	4	9	15	5	14
13 Rheumatic fever	—	—	1	—	—	—	—	1	—	—
14 Diabetes	1	3	—	1	—	—	1	1	—	—
15 Cerebral hæmorrhage, &c.	9	6	2	4	4	8	6	6	3	6
16 Heart disease	10	12	8	13	15	12	12	25	3	14
17 Arterio-sclerosis	4	2	3	—	4	1	4	6	4	2
18 Bronchitis	5	3	10	7	4	5	7	9	7	3
19 Pneumonia (all forms)	—	5	—	2	4	8	12	11	3	5
20 Other respiratory diseases	1	—	—	1	3	1	3	5	2	1
21 Ulcer of stomach or duodenum	1	—	—	—	1	1	—	—	—	—
22 Diarrhoea, &c. (under 2 years)	1	1	1	—	1	—	3	1	1	—
23 Appendicitis and typhlitis	—	—	—	—	1	—	2	—	—	—
24 Cirrhosis of liver	1	—	—	—	1	—	—	2	—	—
25 Acute and chronic nephritis	4	3	1	4	2	2	2	6	2	2
26 Puerperal sepsis	—	1	—	1	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	—	—	—	—	—
28 Congenital debility and malformation, premature birth	8	11	8	4	5	6	5	8	3	2
29 Suicide	3	—	1	—	2	1	—	—	—	—
30 Other deaths from violence	3	—	1	2	5	—	2	1	1	1
31 Other defined diseases	18	21	19	12	24	38	33	29	14	28
32 Causes ill-defined or unknown	1	1	—	—	—	3	—	1	3	—

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1921.

(The deaths in these tables have been classified in accordance with the verdict of the Jury, and include deaths of non-civilians).

Inter-national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
	Total	M. 11626	431	772	600	415	713	629	1156	1522	1886	1740	1125	637
		F. 4874	363	536	299	128	158	171	331	439	535	531	547	836
165-174	Suicide	M. 2763 F. 996	— —	— —	— —	7 —	48 48	85 59	246 138	506 203	737 262	638 185	396 76	100 25
	Murder	M. 63 F. 111	29 31	5 7	4 6	— 3	1 5	3 8	3 18	6 15	6 8	4 7	2 2	— 1
197-199	Manslaughter	M. 53 F. 18	3 1	2 1	— —	— —	3 2	4 4	5 2	14 4	11 2	9 2	1 —	1 —
	Justifiable Homicide	M. 1 F. 1	— —	— —	— —	— —	— —	1 1	— —	— —	— —	— —	— —	— —
190	Battle	M. 101 F. —	— —	— —	— —	— —	— —	22 —	45 —	28 —	5 —	1 —	— —	— —
202 pt	Execution	M. 8 F. —	— —	— —	— —	— —	1 —	— —	3 —	2 —	2 —	— —	— —	— —
	Accident	M. 7760 F. 3438	358 296	746 516	586 289	395 118	638 83	467 77	769 133	824 168	925 223	902 296	647 439	503 800
	“Open Verdicts”*	M. 877 F. 310	41 35	19 12	10 4	13 7	22 20	47 22	85 40	142 49	200 40	186 41	79 30	33 10
165-174	Suicide :—													
165 & 166	By Solid or Liquid Poisons and Corrosive Substances	M. 203 F. 172	— —	— —	— —	1 —	— 8	13 16	21 23	39 37	57 48	46 29	19 9	7 2
	Hydrochloric acid	M. 37 F. 35	— —	— —	— —	— —	— —	2 1	2 3	6 6	9 16	14 2	3 5	1 2
	Potassium cyanide	M. 19 F. 2	— —	— —	— —	— —	— 1	2 —	3 —	1 —	10 1	3 —	— —	— —
	Prussic acid, hydrocyanic acid	M. 23 F. 1	— —	— —	— —	1 —	— 1	1 —	2 —	9 —	6 —	3 —	— —	1 —
	Oxalic acid	M. 10 F. 30	— —	— —	— —	— —	— 1	— 4	1 4	— 3	3 9	4 9	1 —	1 —
	Carbolic acid	M. 22 F. 21	— —	— —	— —	— —	— —	— 5	4 4	6 4	5 4	3 3	3 1	1 —
	Opium, laudanum, morphia	M. 9 F. 4	— —	— —	— —	— —	— —	— —	— —	5 2	— 1	2 1	1 —	1 —
	Ammonia	M. 8 F. 12	— —	— —	— —	— —	— —	— 1	— 1	1 5	4 2	2 3	— —	1 —
	Lysol	M. 11 F. 21	— —	— —	— —	— —	— —	1 2	1 6	4 7	3 4	1 2	1 —	— —
	Strychnine	M. 9 F. 7	— —	— —	— —	— —	— 1	— —	3 —	1 2	2 2	— —	2 2	— —
	Corrosive (not stated)	M. 5 F. 6	— —	— —	— —	— —	— 1	— 1	— —	— 1	3 2	— 1	2 —	— —
	Other solid or liquid poisons (or kind not stated) †	M. 50 F. 33	— —	— —	— —	— —	— 3	7 2	5 5	6 7	12 7	12 8	7 1	1 —

* These deaths are included under “Accident” in the detailed tables as follows :—International List No. 175, 1 F.; No. 177, 9 M. 6 F.; No. 178, 2 M., 1 F.; No. 179, 5 M., 10 F.; No. 180, 28 M., 22 F.; No. 181, 11 M., 10 F.; No. 182, 648 M., 214 F.; No. 183, 13 M., 1 F.; No. 184, 1 M.; No. 185, 33 M., 15 F.; No. 186, 3 M.; No. 187, 2 M.; No. 188, 72 M., 10 F.; No. 196, 1 M.; No. 201, 23 M., 3 F.; No. 202, 13 M., 13 F., and No. 203, 13 M., 4 F.

† Including nitric acid, 4 M., 1 F.; sulphuric acid, 2 M., 1 F.; chromic acid, 1 F.; corrosive sublimate, 3 M., 3 F.; zinc chloride, 1 M.; potassium chromate, 1 M.; potassium permanganate, 1 F.; potassium oxalate, 1 F.; mercury, 1 M., 2 F.; phosphorus, 2 M., 1 F.; arsenic weed killer, 2 M., 2 F.; arsenic (not stated), 2 M., 1 F.; pyrogalllic acid, 1 M.; creosol, 1 M.; tocol, 1 M.; iodine paint, 1 M.; veronal, 1 M., 3 F.; chlorodyne, 2 M., 1 F.; nicotine, 1 M.; belladonna, 3 M., 2 F.; cocaine, 1 M., 2 F.; narcotic poison, 1 F.; strychnine (vermin killer), 1 M.; germaphon, 1 M.; insecticide, 1 M.; dial tablets, 1 M.; alkaline poison (not stated), 1 M.; foot rot lotion, 1 M.; turpentine and ammonia, 1 F.; Izal, 1 F.; creosote, 1 F.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1921—*cont.*

Inter-national List. No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
	Suicide— <i>cont.</i>													
167	By poisonous gas {M. F.	233 132	— —	— —	— —	— —	2 —	10 7	13 18	51 34	72 34	50 23	31 15	4 1
	Coal gas {M. F.	231 130	— —	— —	— —	— —	2 —	8 7	13 17	51 33	72 34	50 23	31 15	4 1
	Others* {M. F.	2 2	— —	— —	— —	— —	— —	2 —	— 1	— 1	— —	— —	— —	— —
168	Hanging or strangulation .. {M. F.	676 166	— —	— —	— —	3 —	13 2	15 4	46 16	120 25	169 53	158 45	126 11	26 10
169	Drowning {M. F.	585 323	— —	— —	— —	— —	12 31	8 23	62 53	87 67	153 72	142 45	98 25	23 7
170	Firearms {M. F.	248 10	— —	— —	— —	— —	10 3	23 1	42 1	52 1	60 1	42 3	17 —	2 —
171	Cutting or piercing instruments {M. F.	598 112	— —	— —	— —	— —	4 —	7 3	39 16	122 18	164 34	152 29	78 8	32 4
172	Jumping from high places .. {M. F.	69 38	— —	— —	— —	1 —	3 —	2 1	5 2	11 9	16 13	16 6	13 6	2 1
173	Crushing {M. F.	146 23	— —	— —	— —	2 —	4 1	7 1	17 5	24 7	44 4	30 4	14 1	4 —
	On railway {M. F.	139 21	— —	— —	— —	2 —	4 1	7 1	17 5	24 6	39 3	29 4	14 1	3 —
	Others† {M. F.	7 2	— —	— —	— —	— —	— —	— —	— —	— 1	5 1	1 —	— —	1 —
174	Suicide by other means .. {M. F.	5 20	— —	— —	— —	— —	— 3	— 3	1 4	— 5	2 3	2 1	— 1	— —
	Setting fire to clothing .. {M. F.	2 6	— —	— —	— —	— —	— 1	— 1	— 1	— 1	1 2	1 —	— —	— —
	Burns (not stated) .. {M. F.	— 5	— —	— —	— —	— —	— 1	— —	— —	— 2	— 1	— —	— 1	— —
	Operation, abortion.. {M. F.	— 6	— —	— —	— —	— —	— —	— 1	— 3	— 2	— —	— —	— —	— —
	Others (or not stated)‡ {M. F.	3 3	— —	— —	— —	— —	— 1	— 1	1 —	— —	1 —	1 1	— —	— —
	Accident :—													
175	Food poisoning {M. F.	29 31	— —	4 6	2 —	2 5	1 —	— —	2 3	5 8	7 2	3 1	3 4	— 2
	“Ptomaine poisoning” .. {M. F.	21 27	— —	2 4	1 —	1 4	1 —	— —	— 2	5 8	7 2	2 1	2 4	— 2
	“Food poisoning” .. {M. F.	5 1	— —	2 —	1 —	— 1	— —	— —	1 —	— —	— —	— —	1 —	— —
	Others§ {M. F.	3 3	— —	— 2	— —	1 —	— —	— —	1 1	— —	— —	1 —	— —	— —
176	Poisoning by venomous animals {M. F.	5 10	— 1	— 1	— 1	— —	2 —	— 1	1 —	1 2	— 2	1 —	— 1	— 1
	“Insect” bite {M. F.	3 6	— 1	— 1	— 1	— —	1 —	— 1	1 —	1 1	— 1	— —	— —	— —
	Others {M. F.	2 4	— —	— —	— —	— —	1 —	— —	— —	— 1	— 1	1 —	— 1	— 1

* Carbon monoxide gas, 1 M.; chloroform vapour, 1 M., 1 F.; camphor in form of fumigator, 1 F.

† Motor car, 2 M.; motor lorry, 3 M.; tramcar, 1 M.; traction engine, 1 F.; bus (undefined), 1 F.; head under tin crushing press, 1 M.

‡ Including explosives, 2 M.; scalds, 1 F.; swallowing horse-hair, 1 F.; pillow slip in mouth, 1 F.

§ Fish poisoning, 2 M., 1 F.; mushrooms, 1 M.; mussels, 1 F.; eating improper food, 1 F.

|| Mosquito, 1 M., 1 F.; bees, 1 M.; gnat, 1 F.; wasp, 2 F.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1921—*cont.*

Inter- national List. No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
177	Accident— <i>cont.</i>													
	Other acute accidental poisonings {M. F.	84 52	1 1	14 8	3 —	4 1	1 2	— 3	11 4	12 12	21 9	8 5	6 3	3 4
	Carbolic acid {M. F.	8 3	— —	3 —	— —	1 —	— —	— —	1 1	1 1	— —	— —	2 —	— 1
	Hydrochloric acid .. . {M. F.	7 5	— —	4 1	— —	— —	— —	— —	— —	— 2	2 1	1 —	— 1	— —
	Morphia, opium .. . {M. F.	13 —	— —	1 —	— —	— —	— —	— —	3 —	3 —	3 —	2 —	— —	1 —
	Belladonna .. . {M. F.	7 —	— —	— —	— —	— —	— —	— —	— —	2 —	3 —	— —	1 —	1 —
	Others (or kind not stated)*.. {M. F.	49 44	1 1	6 7	3 —	3 1	1 2	— 3	7 3	6 9	13 8	5 5	3 2	1 3
178	Conflagration .. . {M. F.	22 28	1 2	2 4	3 4	— —	3 1	1 —	1 1	2 5	1 1	3 2	3 3	2 5
179	Burns, &c. (Conflagration excepted) .. . {M. F.	696 892	54 33	391 312	46 107	14 46	18 38	12 22	19 28	19 37	18 53	29 46	36 75	40 95
	1. Burns .. . {M. F.	291 644	22 12	110 131	27 91	8 45	10 37	8 20	9 27	5 34	8 52	19 38	30 69	35 88
	By Flannelette clothes† .. {M. F.	11 30	— —	8 12	2 4	— 1	— —	— 1	— 1	— 3	— —	— 1	1 6	— 1
	„ Clothes (other or not described)‡ .. . {M. F.	76 261	3 2	30 50	14 41	3 17	1 17	3 8	1 15	1 17	2 22	5 11	7 22	6 39
	„ Molten Metal .. . {M. F.	8 —	— —	— —	— —	— —	2 —	— —	2 —	2 —	1 —	1 —	— —	— —
	„ Playing with Fire .. {M. F.	4 11	— —	4 8	— 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
	„ Falling into Fire .. {M. F.	16 20	1 —	1 —	— 2	— 1	— 2	— —	— —	— —	— 4	1 2	2 4	11 5
	„ Bedding .. . {M. F.	4 9	— 1	— 3	1 —	— 1	— —	— —	— —	— —	— —	— 1	1 2	2 1
	„ Lamp accident .. . {M. F.	1 10	— —	— —	— 1	— —	— —	— —	— 1	— 1	1 —	— 1	— 2	— 4
	Otherwise (or not stated how):—													
	Ships, docks, etc. .. {M. F.	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —
	Others .. . {M. F.	170 303	18 9	67 58	10 40	5 25	7 18	5 11	5 10	2 13	4 26	12 22	19 33	16 38
	2. Scalds .. . {M. F.	377 246	32 21	280 181	19 16	5 1	6 1	3 —	4 1	8 3	4 1	7 8	5 6	4 7
	By Steam .. . {M. F.	12 —	— —	1 —	— —	1 —	2 —	3 —	— —	4 —	— —	— —	1 —	— —
	„ Drinking Hot Liquids.. {M. F.	7 4	— —	6 3	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
	Otherwise (or not stated how) {M. F.	358 242	32 21	273 178	18 15	4 1	4 1	— —	4 1	4 3	4 1	7 8	4 6	4 7

* Including pyrogallie acid, 1 M.; oxalic acid, 2 F.; acetic acid, 1 F.; nitric acid, 1 F.; potassium cyanide, 1 M.; potassium bichromate, 1 M.; potassium iodide, 1 M.; potassium carbonate, 1 M.; salts of lead, 1 F.; barium thio-sulphate, 1 F.; caustic soda, 1 F.; mercurial poisoning, 1 F.; zinc poisoning, 1 M.; zinc chloride, 1 M.; corrosive poisoning, 1 F.; chloral hydrate, 3 M.; chlorodyne, 1 M.; chloroform, 1 M.; laudanum, 1 F.; belladonna and chloroform, 1 F.; nicotine surpazoll, 1 F.; narcotic poisoning, 2 F.; fox-glove liquid, 1 M.; digitalis, 1 F.; lysol, 3 M., 3 F.; Izal, 2 M.; Jeyes fluid, 1 M.; liniment, 1 M., 2 F.; toxol, 1 M.; benzol, 1 M.; Sanitas, 1 F.; benzine, 1 F.; creosol, 1 M.; cresoline, 1 F.; paraldehyde drug, 1 M.; alcohol, 2 M.; ammonia, 3 M., 3 F.; arsenic, 2 M.; veronal, 2 M.; cocaine, 1 F.; aconite and belladonna, 1 F.; strychnine, 2 M., 3 F.; alkaloid poison, 1 M.; oil of chenopodium, 1 M.; camphorated oil, 2 F.; woody nightshade berries, 1 M.; poisonous berries, 1 M.; scented flag root, 1 M.; medinal, 1 F.; uranium, 1 F.; tincture of gelsemium 1 F.; tanning liquor, 2 M.; harness dye, 1 M.; overdose of medicine, 1 M.; drinking black ash, 1 M.

† Including unguarded grate, 2 M., 3 F.; playing with fire, 5 F.; lighted candle, 2 F.; lighted gas ring, 2 F.

‡ Including unguarded grate, 2 M., 8 F.; playing with fire, 8 M., 10 F.; celluloid comb, 1 M.; grate (not stated), 1 M., 19 F.; lighted candle, 11 F.; match, 1 F.; lighted gas ring, 11 F.; spark from fire, 8 F.; falling on fire, 2 F.; stamping out paper, 1 F.; smoking in bed, 1 F.; boiling tar, 1 F.; petrol vapour, 1 F.; wax and turpentine, 1 F.

|| Including beeswax and turpentine, 1 M., 1 F.; carbolic acid, 1 M., 1 F.; Lysol, 1 M.; methylated spirit, 1 M.; nitric acid, 1 M.; celluloid comb, 2 F.; celluloid doll, 1 F.; Primus stove, 1 F.; spirit cooker, 1 F.; lighting gas, 1 F.; waxing roller of collar polisher, 1 F.; paraffin oil, 2 F.; cotton wool round hands, 1 F.; electric globe, 1 F.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1921—*cont.*

Inter- national List No.	Cause or Character of Violence.	All Ages	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
	Accident— <i>cont.</i>													
	3. Explosions { M. 28 — 1 — 1 2 1 6 6 6 3 1 1 F. 2 — — — — 2 — — — — — —													
	Petrol { M. 13 — 1 — 1 1 — 3 2 3 — 1 1 F. 1 — — — — — 1 — — — — — —													
	Other (or not stated)* .. { M. 15 — — — — 1 1 3 4 3 3 — — F. 1 — — — — 1 — — — — — —													
180	Accidental Mechanical Suffoca- tion { M. 415 285 24 2 8 15 8 12 17 16 13 10 5 F. 305 256 15 4 2 1 4 3 4 3 5 4 4													
	In bed { M. 236 228 3 — — — 1 1 — — 2 1 — F. 218 213 1 1 — — 1 — — — — 1 1													
	„ Cot, Cradle, etc. .. { M. 13 13 — — — — — — — — — — F. 4 3 1 — — — — — — — — — —													
	Falling on face .. { M. 6 — — — — — — 1 2 1 — 2 F. 11 8 — — — — — 1 1 — — 1													
	Heavy substance on .. { M. 51 2 2 2 7 10 6 4 8 4 4 2 — F. 3 — 1 1 — — 1 — — — — —													
	Food, etc. { M. 59 18 15 — — — 1 1 3 8 5 5 3 F. 42 11 12 2 1 1 2 1 1 2 5 2 2													
	Others (or not stated):—													
	In Ships, Docks, etc. .. { M. 1 — — — — — — 1 — — — — F. — — — — — — — — — — —													
	Others† { M. 49 24 4 — 1 5 — 5 5 2 1 2 — F. 27 21 — — 1 — — 1 2 1 — 1 —													
181	Accidental absorption of irrespir- able or poisonous gas { M. 94 1 2 2 2 8 5 14 15 10 19 9 7 F. 56 2 1 1 2 3 4 9 — 7 10 10 7													
	Coal gas { M. 46 1 1 2 1 3 1 7 6 4 11 4 5 F. 45 1 1 1 2 3 4 7 — 7 7 8 4													
	Carbon monoxide .. { M. 17 — — — — 1 3 3 5 1 1 3 — F. 3 — — — — — 1 — 1 — 1 1 —													
	Carbon Dioxide .. { M. 7 — — — — 1 1 1 1 — 2 — 1 F. — — — — — — — — — — — —													
	Others (or not stated):—													
	Ships, docks, etc. .. { M. 3 — — — — — — — 2 1 — — — F. — — — — — — — — — — — —													
	Others‡ { M. 21 — 1 — 1 3 — 3 1 4 5 2 1 F. 8 1 — — — — — 1 — 2 1 3													
182	Accidental Drowning .. { M. 1564 14 92 163 140 171 130 139 168 228 201 85 33 F. 333 12 33 16 15 23 27 39 49 38 43 26 12													
	Bathing { M. 291 — — 18 69 96 55 25 17 6 4 — 1 F. 6 — — — 2 3 1 — — — — —													
	Shipwreck { M. 21 — — — — 3 4 5 3 4 2 — — F. — — — — — — — — — — — —													
	Boat upset, fall overboard .. { M. 77 — — 4 3 12 15 17 7 10 7 1 1 F. 8 — — — — 1 2 1 4 — — — —													
	Collision { M. 13 — — — — 1 1 2 4 4 1 — — F. 1 — — — — — 1 — — — — —													
	Whilst attempting rescue { M. 8 — — — — 1 3 1 2 — 1 — — F. 1 — — — — — — 1 — — — —													

* Including benzol, 3 M.; dinitrophenol, 3 M.; gunpowder, 2 M.; incendiary bomb, 1 M.; fireworks, 1 M.; gas, 2 M.; boiler, etc., 3 M.; filling fireworks, 1 F.

† Including suffocated whilst intoxicated, 8 M.

‡ Including fumes from petrol engine, 1 M.; vapour cyanide of potassium, 1 M.; arsenuretted hydrogen, 1 M.; ammonia gas, 1 M.; smoke (not otherwise defined), 1 M.; gas fumes, 3 M.; gas poisoning, 2 M.; fumes—burning bedding, 2 F., paper and rag, 1 F., geyser, 1 F., oil stove, 1 F., not stated, 3 F.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1921—*cont.*

Inter-national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
182 — <i>cont.</i>	Accidental drowning— <i>cont.</i>													
	Otherwise (or not stated how) {M. F.	506 103	3 2	78 25	132 13	61 9	45 4	23 9	30 8	32 6	35 6	39 10	20 6	8 5
	“ Found ” (open verdict) .. {M. F.	648 214	11 10	14 8	9 3	7 4	13 15	29 15	59 29	103 38	169 32	147 33	64 20	23 7
183	Accidental injury by firearms .. {M. F.	80 7	— —	1 —	2 1	2 1	19 4	8 1	14 —	13 —	9 —	7 —	5 —	— —
184	Accidental injury by cutting or piercing instruments {M. F.	15 4	— —	3 —	4 1	1 —	1 1	— —	2 —	— 1	3 1	— —	1 —	— —
185	Accidental injury by fall .. {M. F.	1503 1105	15 3	48 27	49 14	36 9	55 4	45 3	92 12	152 33	206 61	284 112	214 240	307 587
	In Ships, Docks, etc. .. {M. F.	99 —	— —	— —	1 —	2 —	19 —	8 —	18 —	15 —	16 —	16 —	4 —	— —
	Down hold .. {M. F.	37 —	— —	— —	— —	— —	8 —	2 —	10 —	9 —	3 —	5 —	— —	— —
	Into dock .. {M. F.	8 —	— —	— —	1 —	— —	— —	1 —	2 —	1 —	1 —	2 —	— —	— —
	Not stated how .. {M. F.	54 —	— —	— —	— —	2 —	11 —	5 —	6 —	5 —	12 —	9 —	4 —	— —
	In building operations .. {M. F.	198 —	— —	— —	— —	— —	3 —	10 —	23 —	44 —	41 —	57 —	18 —	2 —
	Downstairs .. {M. F.	284 312	3 —	4 5	3 5	2 —	2 3	3 —	6 5	19 11	47 30	62 57	55 82	78 114
	From window.. {M. F.	87 44	— 1	3 4	4 2	— —	2 —	6 —	4 2	15 7	13 8	17 6	14 7	9 7
	In house, room, etc. .. {M. F.	63 148	1 1	5 2	1 —	— —	— —	1 —	— 1	1 2	3 8	7 12	9 37	35 85
	Out of bed .. {M. F.	19 38	4 1	5 1	— —	— —	— —	— —	— 1	— 1	2 1	1 2	— 7	7 24
	In street.. {M. F.	68 56	— —	3 1	5 1	2 2	— —	— —	3 —	2 2	4 2	15 4	13 17	21 27
	Diving .. {M. F.	5 —	— —	— —	— —	— —	3 —	1 —	— —	1 —	— —	— —	— —	— —
	Down area .. {M. F.	10 2	— —	1 —	1 —	— 1	— —	— —	— —	2 —	1 —	2 —	3 1	— —
	Down lift well .. {M. F.	8 —	— —	— —	— —	1 —	1 —	— —	2 —	— —	1 —	2 —	— —	1 —
	From horse .. {M. F.	32 —	— —	— —	— —	2 —	1 —	2 —	5 —	8 —	3 —	8 —	2 —	1 —
	From cliff .. {M. F.	23 9	1 —	— —	1 —	2 1	4 —	1 —	2 1	5 1	4 3	3 3	— —	— —
	From ladder .. {M. F.	48 3	— —	— —	1 —	— —	2 —	— —	— —	1 —	10 1	14 —	13 1	7 1
	Otherwise (or not stated how)* {M. F.	559 493	6 —	27 14	32 6	25 5	18 1	13 3	29 2	39 9	61 8	80 28	83 88	146 329
186	Accidental injury in mines and quarries. M.	671	—	—	—	12	81	82	142	128	119	72	33	2
	1. Coal mines .. M.	624	—	—	—	12	78	78	134	114	106	68	32	2
	Fall of coal, stone, &c. M.	350	—	—	—	4	19	37	95	68	69	46	12	—
	Crushing .. M.	10	—	—	—	—	3	2	1	1	—	2	1	—
	Fall down shaft .. M.	16	—	—	—	—	2	3	—	2	4	3	2	—
	Fall (not otherwise described). M.	9	—	—	—	—	2	2	—	3	—	1	1	—
	Machinery .. M.	12	—	—	—	2	2	3	2	1	1	—	1	—

* Including 51 M., 117 F., aged 65 years and upwards from fracture of leg ; from swing, 2 F.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1921—*cont.*

Inter- national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
186 — <i>cont.</i>	Accidental injury in mines and quarries— <i>cont.</i>													
	1. Coal mines— <i>cont.</i>													
	Trams M.	76	—	—	—	1	10	11	13	13	15	4	7	2
	Tubs M.	77	—	—	—	3	29	9	9	11	6	4	6	—
	Electric shock .. M.	4	—	—	—	—	—	1	—	3	—	—	—	—
	Explosion of gas .. M.	11	—	—	—	—	1	2	6	2	—	—	—	—
	„ Others (or not stated).*	5	—	—	—	—	—	—	—	1	2	1	1	—
	Gas poisoning .. M.	5	—	—	—	—	1	1	1	2	—	—	—	—
	Shot firing .. M.	11	—	—	—	—	2	2	1	3	2	1	—	—
	Blow (not otherwise de- fined). M.	17	—	—	—	1	1	3	4	3	4	1	—	—
	Outburst of fire .. M.	6	—	—	—	1	2	1	—	—	2	—	—	—
	Otherwise (or not stated how).†	15	—	—	—	—	4	1	2	1	1	5	1	—
	2. Other mines .. M.	10	—	—	—	—	—	1	1	3	5	—	—	—
	Fall of stone, &c. .. M.	4	—	—	—	—	—	—	—	2	2	—	—	—
	Others‡ M.	6	—	—	—	—	—	1	1	1	3	—	—	—
	3. Quarries M.	37	—	—	—	—	3	3	7	11	8	4	1	—
	Fall of stone, &c. .. M.	22	—	—	—	—	2	2	4	7	6	—	1	—
	Fall (not otherwise de- scribed). M.	3	—	—	—	—	—	—	1	1	—	1	—	—
	Machinery M.	4	—	—	—	—	1	1	—	1	1	—	—	—
	Otherwise (or not stated how).§	8	—	—	—	—	—	—	2	2	1	3	—	—
187	Accidental injury by machines.. {M.	183	—	3	1	10	26	14	34	27	31	27	10	—
	.. {F.	6	—	1	—	—	1	1	1	—	1	1	—	—
	In ships, docks, &c. .. {M.	17	—	—	—	—	1	—	8	3	1	1	3	—
	.. {F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	In metal works .. {M.	20	—	—	—	1	2	1	4	7	1	2	2	—
	.. {F.	1	—	—	—	—	—	—	1	—	—	—	—	—
	In textile factories .. {M.	12	—	—	—	1	3	2	—	3	—	3	—	—
	.. {F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	In other factories .. {M.	1	—	—	—	—	—	—	—	—	1	—	—	—
	.. {F.	1	—	—	—	—	—	1	—	—	—	—	—	—
	Agricultural machinery {M.	16	—	—	—	1	4	1	3	—	3	3	1	—
	.. {F.	2	—	1	—	—	1	—	—	—	—	—	—	—
	Lift {M.	28	—	—	1	4	2	2	4	4	7	2	2	—
	.. {F.	2	—	—	—	—	—	—	—	—	1	1	—	—
	Crane {M.	16	—	—	—	2	2	1	1	4	4	2	—	—
	.. {F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Circular saw {M.	10	—	—	—	—	—	1	4	2	2	1	—	—
	.. {F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other machinery .. {M.	63	—	3	—	1	12	6	10	4	12	13	2	—
	.. {F.	—	—	—	—	—	—	—	—	—	—	—	—	—
188	Accidental injury by other forms of crushing {M.	2785	3	150	300	158	212	180	323	356	386	350	259	108
	.. {F.	711	3	96	134	35	19	27	53	52	70	83	81	58
	1. Railways {M.	470	—	4	13	11	36	42	62	75	85	92	39	11
	.. {F.	39	—	5	—	1	6	3	5	6	2	6	5	—
	Run over on line .. {M.	327	—	3	8	8	21	22	44	55	66	65	26	9
	.. {F.	29	—	4	—	1	6	—	2	5	2	4	5	—
	Collision {M.	19	—	—	—	—	4	2	4	4	1	2	2	—
	.. {F.	5	—	1	—	—	—	1	2	1	—	—	—	—
	Fall from carriage or engine {M.	38	—	1	4	1	1	4	3	6	8	7	3	—
	.. {F.	4	—	—	—	—	—	1	1	—	—	2	—	—
	Fall (not otherwise de- scribed) {M.	15	—	—	—	—	—	1	3	2	2	4	3	—
	.. {F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Crushing by carriage or engine {M.	48	—	—	1	1	6	8	7	6	5	10	3	1
	.. {F.	—	—	—	—	—	—	—	—	—	—	—	—	—

* Including fire damp, 3 M.; of charge, 1 M.

† Including suffocation, black damp, 1 M.; pony, 3 M.; strain, 1 M.

‡ Including wagon, 1 M.; explosion (not otherwise defined), 2 M.; blow, 1 M.; fall down shaft, 2 M.

§ Including blasting, 2 M.; explosion (not otherwise defined), 1 M.; crushed (not otherwise defined), 2 M.

|| Including electrical machinery, 2 M.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1921—*cont.*

Inter- national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
188 — <i>cont.</i>	Accidental injury by other forms of crushing— <i>cont.</i>													
	1. Railways— <i>cont.</i>													
	Striking bridge .. {M. F.	8 —	— —	— —	— —	1 —	3 —	3 —	— —	— —	— —	1 —	— —	— —
	Blow (not otherwise de- scribed) {M. F.	7 —	— —	— —	— —	— —	— —	1 —	1 —	— —	2 —	2 —	1 —	— —
	Otherwise (or not stated how)* {M. F.	8 1	— —	— —	— —	— —	1 —	1 1	— —	2 —	1 —	1 —	1 —	1 —
	2. Other vehicles mechanically propelled. {M. F.	1539 514	1 2	101 64	242 120	107 29	114 10	97 15	181 35	175 35	160 50	156 63	143 52	62 39
	Motor car .. {M. F.	456 239	1 1	38 20	111 69	24 18	14 2	9 7	31 11	48 15	47 25	52 26	55 25	26 20
	Motor van, &c. .. {M. F.	402 97	— —	41 23	81 25	49 6	42 4	16 1	26 3	32 5	37 4	34 11	34 11	10 4
	Electric tramcar .. {M. F.	39 16	— —	4 4	— 2	1 —	— —	2 —	2 —	1 2	9 1	2 3	12 1	6 3
	Motor cab .. {M. F.	50 35	— —	3 1	9 5	6 1	4 —	1 1	2 2	3 1	6 5	5 5	8 6	3 8
	Motor omnibus .. {M. F.	104 29	— —	1 5	13 8	10 1	11 1	7 —	9 3	14 2	7 —	16 3	12 3	4 3
	Motor char-a-banc, coach, &c. {M. F.	29 9	— —	2 2	5 —	1 —	1 —	— —	2 2	4 1	7 2	6 2	1 —	— —
	Motor cycle ... {M. F.	184 42	— —	4 6	5 4	3 —	14 —	19 3	39 5	32 5	29 7	19 9	12 3	8 —
	Steam waggon, &c. .. {M. F.	75 12	— —	5 3	15 5	7 —	6 —	4 —	7 1	9 2	7 —	8 —	4 1	3 —
	Steam roller .. {M. F.	5 —	— —	1 —	— —	— —	1 —	— —	1 —	1 —	— —	— —	1 —	— —
	Aeroplane, airship† .. {M. F.	63 1	— —	— —	— —	— —	4 —	18 —	32 1	7 —	1 —	1 —	— —	— —
	Motor vehicles (others or undefined)‡ {M. F.	24 12	— —	2 —	3 2	3 2	1 1	1 1	2 1	4 —	2 2	3 3	1 —	2 —
	Collisions§:— .. {M. F.	108 22	— 1	— —	— —	3 1	16 2	20 2	28 6	20 2	8 4	10 1	3 2	— 1
	Motor car and motor cycle {M. F.	26 7	— 1	— —	— —	— —	2 —	6 2	5 1	7 2	4 1	1 —	1 —	— —
	Motor car and cycle (not stated) {M. F.	24 3	— —	— —	— —	2 1	3 —	4 —	4 1	4 —	1 —	5 —	1 1	— —
	Motor lorry and motor cycle {M. F.	15 —	— —	— —	— —	— —	— —	3 —	8 —	2 —	1 —	1 —	— —	— —
	Motor lorry and cycle (not stated) {M. F.	5 2	— —	— —	— —	1 —	2 —	1 —	1 2	— —	— —	— —	— —	— —
	Motor cycle and cycle (not stated) {M. F.	6 —	— —	— —	— —	— —	2 —	— —	3 —	— —	— —	1 —	— —	— —
	Motor bus and motor cycle {M. F.	5 1	— —	— —	— —	— —	2 1	— —	3 —	— —	— —	— —	— —	— —
	Others .. {M. F.	27 9	— —	— —	— —	— —	5 1	6 —	4 2	7 —	2 3	2 1	1 1	— 1

* Including carriage off rails, 2 M.; injuries (not otherwise defined), 1 F.

† Including 38 M. from accident to the airship "R. 38."

‡ Including motor ambulance, 3 M., 1 F.; steam fire engine, 2 M.; trailer (not stated), 1 M.; motor fire engine, 1 F.; traction engine, 2 F.

§ In these cases the verdict of the jury did not state which vehicle caused death.

|| Including steam waggon and motor cycle, 3 M.; steam waggon and cycle (not stated), 4 M.; motor cycle and tramcar, 3 M., 1 F.; cycle and tramcar (not stated), 1 M.; motor bus and cycle (not stated), 2 M., 1 F.; motor char-a-banc and motor cycle, 1 M.; motor char-a-banc and cycle (not stated), 1 M.; motor cycle and cart, 2 M.; motor car and motor lorry, 1 M.; horse van and motor lorry, 1 M.; Steam waggon and cart, 1 M.; motor cycle and trolley, 1 M.; motor bus and van, 1 M.; motor cycle and pony cart, 1 M.; motor car and tramcar, 1 M.; motor cycle and motor taxi, 1 M.; motor lorry and steam tractor, 1 M.; motor car and cart, 1 M.; motor car and motor bus, 1 F.; motor cycle and steam lorry, 2 F.; traction engine and cycle (not stated), 1 F.; tramcar and van, 1 F.; trap and motor bus, 1 F.; cart and motor lorry, 1 F.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1921—*cont.*

Inter-national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
188— <i>cont.</i>	Accidental injury by other forms of crushing—(<i>cont.</i>)													
	3. Horse drawn vehicles and horses.	{M. 245 F. 48	—	21 14	15 4	18 —	16 2	10 1	16 2	20 1	41 3	40 5	32 7	16 9
	Dogcart, trap	{M. 33 F. 12	—	3 —	— —	— —	2 1	1 —	— 1	— —	8 1	7 3	9 1	3 5
	Cart	{M. 113 F. 16	—	9 8	7 3	12 —	7 —	5 1	8 —	14 1	21 —	13 1	10 1	7 1
	Van, wagon	{M. 64 F. 15	—	8 5	6 1	3 —	6 1	3 —	3 —	3 —	8 1	12 1	8 3	4 3
	Dray	{M. 7 F. —	—	— —	— —	— —	— —	— —	2 —	1 —	2 —	1 —	1 —	— —
	Others (or kind not stated)*	{M. 10 F. 2	—	— —	2 —	— —	— —	— —	1 1	1 —	1 —	2 —	2 —	1 —
	Horses	{M. 18 F. 3	—	1 1	— —	3 —	1 —	1 —	2 —	1 —	1 —	5 —	2 2	1 —
	4. Other and undefined vehicles.	{M. 293 F. 85	2 —	17 9	15 7	12 1	29 1	17 7	23 6	41 8	46 13	38 8	35 15	18 10
	Tramcar	{M. 27 F. 12	—	6 1	1 —	1 —	1 —	— 1	— —	2 —	3 1	3 3	4 2	6 4
	Van, waggon	{M. 66 F. 2	—	4 1	11 1	2 —	4 —	1 —	4 —	7 —	10 —	9 —	8 —	6 —
	Dray	{M. 14 F. 9	—	4 5	— 3	1 1	1 —	1 —	1 —	1 —	2 —	1 —	1 —	1 —
	Bicycle, tricycle	{M. 149 F. 48	—	— —	1 —	7 —	16 1	14 4	12 6	23 5	27 11	23 5	21 12	5 4
	Charabanc	{M. 10 F. —	—	— —	1 —	1 —	— —	— —	4 —	2 —	1 —	1 —	— —	— —
	Collisions†	{M. 18 F. 1	—	1 —	1 —	— —	6 —	1 1	2 —	5 —	1 —	1 —	— —	— —
	Others‡	{M. 9 F. 13	2 —	2 2	— 3	— —	1 —	— 1	— —	1 3	2 1	— —	1 1	— 2
	5. Other crushing	{M. 238 F. 25	— 1	7 4	15 3	10 4	17 —	14 1	41 5	45 2	54 2	24 1	10 2	1 —
	Fall of heavy substance—													
	In ships, docks, &c.	{M. 29 F. —	— —	— —	— —	— —	1 —	1 —	6 —	9 —	7 —	4 —	1 —	— —
	In building operations	{M. 36 F. —	— —	— —	— —	— —	1 —	1 —	6 —	10 —	9 —	4 —	4 —	1 —
	In excavations	{M. 45 F. —	— —	— —	— —	3 —	7 —	2 —	13 —	6 —	12 —	1 —	1 —	— —
	Trees	{M. 17 F. 5	— —	1 1	1 —	1 —	— —	1 1	2 1	4 —	2 —	3 1	2 1	— —
	Others (or not stated how) 	{M. 92 F. 20	— 1	5 3	10 3	4 4	7 —	8 —	12 4	14 2	19 2	11 —	2 1	— —
	Other crushings (not stated how):—													
	In ships and boats	{M. 6 F. —	— —	— —	1 —	— —	1 —	— —	1 —	1 —	2 —	— —	— —	— —
	Others	{M. 13 F. —	— —	1 —	3 —	2 —	— —	1 —	1 —	1 —	3 —	1 —	— —	— —

* Including hansom cab and horse, 2 M.; brougham, 1 M.; horse bus, 1 M.; horse roller, 2 M.; horse vehicle (not otherwise defined), 4 M.; lifeboat carriage, 1 F.; timber tug, 1 F.

† Including bicycle and trap, 1 M.; van and horse, 1 M.; bicycle and cart, 4 M.; horse trap and bicycle, 1 F.

‡ Including omnibus, 2 M., 4 F.; trolley, 3 M.; cab, 1 M.; perambulator, 3 M., 1 F.; cart, 3 F.; car, 1 F.; brake, 1 F.; fire engine, 1 F.; bath chair, 2 F.

|| Including mountain landslide, 1 M.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1921—*cont.*

Inter-national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
189	Injury by animals (poisoning excepted) {M. F.	74 10	1 —	6 7	3 1	2 1	8 —	5 —	4 —	7 —	13 —	15 —	8 —	2 1
	Horse {M. F.	58 9	— —	4 6	3 1	2 1	8 —	5 —	3 —	5 —	11 —	11 —	6 —	— 1
	Bull or cow {M. F.	15 1	— —	2 1	— —	— —	— —	— —	1 —	2 —	2 —	4 —	2 —	2 —
	Rat {M. F.	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
190	Wounds of war M.	101	—	—	—	—	—	22	45	28	5	1	—	—
192	Hunger or thirst {M. F.	11 8	— —	— —	— —	— —	— —	— —	— —	1 1	4 1	4 3	1 2	1 1
193	Excessive cold {M. F.	29 4	— —	— —	— —	— —	1 —	1 —	1 1	2 —	3 —	10 —	5 1	6 2
194	Excessive heat {M. F.	132 115	14 8	11 8	7 6	6 6	2 5	2 1	2 6	15 5	18 8	16 19	24 15	15 28
195	Lightning {M. F.	3 —	— —	— —	— —	— —	— —	— —	1 —	1 —	1 —	— —	— —	— —
196	Electricity (lightning excepted) {M. F.	19 —	— —	1 —	— —	1 —	3 —	1 —	5 —	3 —	2 —	2 —	1 —	— —
197	Homicide by firearms {M. F.	11 14	— —	— 1	— 1	— —	1 3	3 —	1 1	2 5	2 1	1 2	1 —	— —
	Murder {M. F.	9 14	— —	— 1	— 1	— —	1 3	2 —	— 1	2 5	2 1	1 2	1 —	— —
	Manslaughter {M. F.	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —
	Justifiable homicide {M. F.	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —
198	Homicide by cutting or piercing instruments {M. F.	14 31	2 5	2 3	2 2	— 1	— 1	1 3	2 4	2 6	2 4	1 2	— —	— —
	Murder {M. F.	11 29	2 5	2 3	2 2	— 1	— 1	— 3	2 4	1 5	1 3	1 2	— —	— —
	Manslaughter {M. F.	3 2	— —	— —	— —	— —	— —	1 —	— —	1 1	1 1	— —	— —	— —
199	Homicide by other means {M. F.	92 85	30 27	5 4	2 3	— 2	3 3	4 10	5 15	16 8	13 5	11 5	2 2	1 1
	Murder {M. F.	43 68	27 26	3 3	2 3	— 2	— 1	1 5	1 13	3 5	3 4	2 3	1 2	— 1
	By drowning {M. F.	9 8	5 2	3 3	— 1	— —	— —	1 —	— 1	— —	— 1	— —	— —	— —
	By strangulation {M. F.	13 21	12 15	— —	1 1	— —	— —	— 2	— 1	— —	— 1	— 1	— —	— —
	Attempt to procure abortion :—													
	By operation F.	15	—	—	—	—	—	3	7	5	—	—	—	—
	By drug F.	1	—	—	—	—	—	—	1	—	—	—	—	—
	Others (or not stated how)* {M. F.	21 23	10 9	— —	1 1	— 2	— 1	— —	1 3	3 —	3 2	2 2	1 2	— 1
	Manslaughter {M. F.	49 16	3 1	2 1	— —	— —	3 2	3 4	4 2	13 3	10 1	9 2	1 —	1 —
	By motor car {M. F.	10 4	— —	— —	— —	— —	— 1	1 1	— 1	4 —	2 1	2 —	1 —	— —
	„ blow {M. F.	20 3	— —	— —	— —	— —	1 —	2 —	2 —	4 —	5 1	6 2	— —	— —
	„ attempt to procure abortion F.	4	—	—	—	—	—	2	1	1	—	—	—	—

* Including fire in warehouse, 1 M.; coal gas, 2 M., 4 F.; cyanide of potassium, 1 M., 2 F.; carbolic acid, 1 M.; suffocation, 4 M., 3 F.; blow, 4 M., 2 F.; fracture (not stated), 4 M.; carbon monoxide, 1 F.; dislocation of spine, 1 F.; hæmorrhage on brain, 1 F.; motor car, 1 F.; fracture of skull, 3 F.; neglect, 1 F.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1921—*cont.*

Inter-national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
199— <i>cont.</i>	Homicide by other means— <i>cont.</i>													
	Manslaughter— <i>cont.</i>													
	Others (or not stated how)* {M. F.	19 5	3 1	2 1	— —	— —	2 1	— 1	2 —	5 1	3 —	1 —	— —	1 —
	Justifiable homicide .. {M. F.	— 1	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —
201	Fracture (cause not specified) .. {M. F.	32 11	2 2	1 —	— —	1 1	3 —	1 —	7 1	1 —	7 4	7 1	— —	2 2
	In ships, docks, &c. .. {M. F.	3 —	— —	— —	— —	— —	— —	— —	3 —	— —	— —	— —	— —	— —
	Others .. {M. F.	29 11	2 2	1 —	— —	1 1	3 —	1 —	4 1	1 —	7 4	7 1	— —	2 2
202	Other external violence .. {M. F.	186 56	6 7	12 9	9 3	9 1	31 1	17 5	30 12	22 7	22 2	13 6	12 2	3 1
	Swallowing foreign body .. {M. F.	26 18	— 1	5 6	2 —	— —	3 —	2 —	1 2	4 2	4 1	3 4	2 2	— —
	Blow :—													
	In ships, docks, &c. .. {M. F.	3 —	— —	— —	— —	— —	— —	— —	2 —	1 —	— —	— —	— —	— —
	Others .. {M. F.	37 7	1 1	4 2	4 2	2 —	6 —	— —	4 —	4 —	5 —	4 1	2 —	1 1
	Football, cricket, &c. .. {M. F.	38 —	— —	— —	3 —	1 —	11 —	9 —	11 —	1 —	2 —	— —	— —	— —
	Strangulation .. {M. F.	13 8	4 4	1 1	— —	3 1	1 —	— —	1 —	1 1	— —	1 1	1 —	— —
	Explosions :—													
	In ships, docks, &c. .. {M. F.	7 —	— —	— —	— —	— —	4 —	1 —	1 —	— —	1 —	— —	— —	— —
	Shell .. {M. F.	15 —	— —	— —	— —	1 —	3 —	— —	4 —	3 —	3 —	— —	1 —	— —
	Others† .. {M. F.	8 2	— —	— —	— —	— —	— —	1 1	2 1	4 —	— —	1 —	— —	— —
	Abortion :—													
	By operation .. F.	14	—	—	—	—	—	3	7	4	—	—	—	—
	„ lead .. F.	1	—	—	—	—	—	—	1	—	—	—	—	—
	Execution .. {M. F.	8 —	— —	— —	— —	— —	1 —	— —	3 —	2 —	2 —	— —	— —	— —
	Other accidents (otherwise or not stated how) :—													
	In ships, docks, &c. .. {M. F.	2 —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	1 —	— —
	Others‡ .. {M. F.	29 6	1 1	2 —	— 1	2 —	1 1	4 1	1 1	2 —	5 1	4 —	5 —	2 —
203	Violent deaths of unknown causation {M. F.	13 4	2 1	— —	— —	— —	— —	2 —	1 —	1 1	2 —	4 —	1 2	— —

* Including motor cycle, 2 M., 1 F.; motor lorry, 2 M.; motor cab, 1 M.; water cart, 1 M.; horse and cart, 1 M.; motor shando, 1 M.; strangulation, 1 M., 1 F.; fighting, 3 M.; neglect, 2 M., 1 F.; fracture (not otherwise defined), 2 M.

† Including petrol, 2 M.; benzol tank, 1 M.; acetylene gas, 2 M.; acetone vapor, 1 M.; gelignite, 1 M.; trinitro-toluol, 1 M.; coal, 1 F.; gas, 1 F.

‡ Including boxing, 2 M.; scuffle, 1 M.; exposure, 4 M.; 1 F.; strain, 1 M.; neglect, 1 M.; steel drum, 1 M.; wounds (not otherwise defined), 6 M.; wounds in vagina, 1 F.

TABLE 23.—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED PER 1000 POPULATION IN THE YEARS 1911—1921.
ENGLAND AND WALES AND CERTAIN AGGREGATES.

Disease.	Year.	England and Wales (including Ports).	England.	Wales (including Monmouth).	London.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of—		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Monmouth).	England.	Wales (including Monmouth).	England (excluding London).	Wales (including Monmouth).	England.	Wales (including Monmouth).
Smallpox ..	1911	0·01	0·01	0·00	0·02	0·01	0·00	0·01	—	0·01	0·00	0·00	0·00
	1912	0·00	0·00	0·00	0·00	0·00	0·00	0·01	—	0·00	—	0·00	0·00
	1913	0·00	0·00	0·00	0·00	0·00	—	0·00	0·02	0·00	—	0·00	—
	1914	0·00	0·00	0·00	0·00	0·00	—	0·00	0·01	0·00	—	0·00	—
	1915	0·00	0·00	—	0·00	0·00	—	0·00	—	0·00	—	—	—
	1916	0·00	0·00	0·03	0·00	0·00	0·01	0·00	0·12	0·00	0·01	0·00	0·00
	1917	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00
	1918	0·00	0·00	0·00	0·01	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00
	1919	0·01	0·01	0·01	0·01	0·01	0·00	0·01	0·04	0·01	0·00	0·00	—
	1920	0·01	0·01	0·00	0·00	0·01	0·00	0·01	—	0·01	0·00	0·02	0·00
	1921	0·01	0·01	—	0·00	0·01	—	0·01	—	0·01	—	0·00	—
Scarlet Fever	1911	2·90	2·84	3·66	2·33	2·71	3·62	3·32	3·85	2·91	4·43	2·37	2·49
	1912	2·98	2·95	3·35	2·51	2·77	3·32	3·46	3·46	2·95	3·88	2·47	2·52
	1913	3·58	3·51	4·52	3·89	2·96	4·40	4·26	5·05	3·18	5·23	2·61	3·20
	1914	4·47	4·38	5·40	5·54	3·87	5·28	4·74	5·90	4·12	6·07	3·45	4·13
	1915	3·59	3·53	4·39	3·94	3·32	4·66	3·71	3·17	3·43	5·36	3·14	3·66
	1916	2·19	2·14	2·89	2·07	2·12	3·02	2·21	2·31	2·21	3·51	1·96	2·32
	1917	1·45	1·44	1·57	1·52	1·32	1·64	1·58	1·30	1·36	1·78	1·26	1·42
	1918	1·44	1·44	1·44	1·72	1·18	1·35	1·72	1·84	1·21	1·27	1·14	1·48
	1919	2·29	2·23	3·11	2·97	1·91	2·45	2·43	5·66	2·04	2·58	1·68	2·25
	1920	3·19	3·10	4·35	5·01	2·45	4·15	3·38	5·11	2·64	4·70	2·11	3·27
	1921	3·64	3·61	3·84	7·25	2·80	3·80	3·49	3·96	3·25	4·78	2·03	2·31
Diphtheria ..	1911	1·33	1·33	1·30	1·64	1·22	1·21	1·47	1·68	1·22	1·11	1·09	1·36
	1912	1·24	1·24	1·27	1·57	1·10	1·13	1·32	1·84	1·17	1·13	1·00	1·13
	1913	1·39	1·39	1·40	1·70	1·26	1·30	1·48	1·86	1·41	1·39	1·03	1·16
	1914	1·61	1·60	1·53	2·02	1·53	1·42	1·54	2·02	1·66	1·54	1·32	1·24
	1915	1·52	1·52	1·43	2·11	1·40	1·38	1·49	1·64	1·49	1·43	1·25	1·30
	1916	1·50	1·51	1·35	2·06	1·41	1·32	1·45	1·46	1·53	1·34	1·20	1·30
	1917	1·28	1·31	0·89	2·06	1·20	0·85	1·21	1·09	1·31	0·81	1·02	0·91
	1918	1·31	1·33	0·97	2·07	1·18	0·94	1·29	1·08	1·29	0·90	1·00	0·99
	1919	1·50	1·52	1·21	2·18	1·38	1·10	1·47	1·63	1·48	1·12	1·22	1·07
	1920	1·86	1·85	1·94	3·05	1·63	1·83	1·72	2·37	1·78	1·68	1·38	2·06
	1921	1·76	1·75	1·89	3·62	1·46	1·90	1·50	1·87	1·63	1·82	1·16	2·02

TABLE 23.—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED PER 1000 POPULATION IN THE YEARS 1911—1921.
ENGLAND AND WALES AND CERTAIN AGGREGATES—*cont.*

Disease.	Year.	England and Wales (including Ports).	England.	Wales (including Monmouth).	London.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of—		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Monmouth).	England.	Wales (including Monmouth).	England (excluding London).	Wales (including Monmouth).	England.	Wales (including Monmouth).
Enteric Fever	1911	0·38	0·38	0·38	0·23	0·39	0·40	0·43	0·26	0·43	0·52	0·33	0·24
	1912	0·23	0·23	0·21	0·16	0·22	0·20	0·28	0·25	0·24	0·24	0·18	0·14
	1913	0·23	0·22	0·23	0·17	0·22	0·24	0·25	0·18	0·24	0·28	0·18	0·17
	1914	0·24	0·23	0·17	0·17	0·23	0·17	0·24	0·13	0·25	0·20	0·20	0·13
	1915	0·18	0·18	0·15	0·14	0·17	0·16	0·20	0·10	0·19	0·19	0·14	0·11
	1916	0·16	0·16	0·18	0·11	0·17	0·19	0·16	0·14	0·17	0·21	0·17	0·14
	1917	0·14	0·13	0·15	0·11	0·15	0·17	0·11	0·08	0·15	0·17	0·17	0·17
	1918	0·13	0·13	0·12	0·09	0·15	0·13	0·10	0·07	0·17	0·14	0·13	0·13
	1919	0·10	0·09	0·11	0·08	0·10	0·13	0·08	0·06	0·11	0·13	0·09	0·12
	1920	0·08	0·08	0·06	0·09	0·09	0·07	0·07	0·03	0·09	0·08	0·09	0·05
	1921	0·10	0·10	0·10	0·07	0·12	0·11	0·08	0·07	0·14	0·12	0·09	0·09
Puerperal Fever	1911	0·06	0·06	0·06	0·07	0·04	0·06	0·08	0·04	0·05	0·07	0·03	0·05
	1912	0·06	0·06	0·07	0·08	0·05	0·07	0·07	0·06	0·05	0·09	0·04	0·04
	1913	0·05	0·05	0·05	0·08	0·04	0·05	0·07	0·05	0·04	0·05	0·03	0·04
	1914	0·06	0·06	0·07	0·09	0·05	0·07	0·08	0·07	0·05	0·08	0·04	0·06
	1915	0·06	0·06	0·07	0·06	0·04	0·07	0·08	0·07	0·05	0·08	0·04	0·06
	1916	0·06	0·06	0·07	0·07	0·04	0·05	0·08	0·15	0·05	0·06	0·04	0·05
	1917	0·04	0·04	0·04	0·05	0·03	0·04	0·05	0·05	0·03	0·03	0·03	0·04
	1918	0·04	0·04	0·03	0·03	0·03	0·03	0·05	0·04	0·03	0·03	0·02	0·03
	1919	0·06	0·06	0·05	0·07	0·04	0·04	0·07	0·07	0·04	0·04	0·04	0·04
	1920	0·08	0·08	0·05	0·10	0·06	0·05	0·10	0·07	0·06	0·05	0·05	0·04
	1921	0·06	0·06	0·04	0·08	0·04	0·05	0·08	0·04	0·05	0·05	0·03	0·04
Erysipelas	1911	0·69	0·71	0·44	1·09	0·56	0·44	0·81	0·47	0·62	0·53	0·46	0·31
	1912	0·63	0·65	0·46	0·91	0·53	0·45	0·75	0·54	0·56	0·51	0·45	0·36
	1913	0·63	0·64	0·46	0·92	0·52	0·46	0·74	0·50	0·58	0·52	0·43	0·37
	1914	0·73	0·74	0·58	1·10	0·59	0·57	0·84	0·64	0·66	0·67	0·47	0·43
	1915	0·66	0·67	0·53	0·89	0·56	0·52	0·76	0·60	0·62	0·58	0·46	0·43
	1916	0·54	0·54	0·42	0·67	0·48	0·40	0·59	0·48	0·52	0·46	0·42	0·32
	1917	0·40	0·41	0·25	0·58	0·35	0·24	0·43	0·29	0·37	0·27	0·31	0·20
	1918	0·37	0·38	0·23	0·31	0·32	0·21	0·43	0·33	0·35	0·24	0·28	0·16
	1919	0·44	0·45	0·29	0·65	0·37	0·27	0·49	0·40	0·42	0·31	0·29	0·20
	1920	0·43	0·44	0·32	0·57	0·38	0·31	0·48	0·37	0·41	0·36	0·32	0·21
	1921	0·25	0·26	0·22	0·47	0·30	0·22	0·41	0·26	0·34	0·25	0·23	0·18

TABLE 24.—SEASONAL INCIDENCE OF CERTAIN INFECTIOUS DISEASES.
ENGLAND AND WALES, 1921.

(1921) Week ending				Scarlet Fever.	Diph- theria.	Enteric Fever.	Cerebro- Spinal Fever.	Polio- myeliti.	Enceph- alitis Lethar- gica.
Jan.	8	98	125	69	188	33	243
"	15	88	111	55	125	33	318
"	22	99	129	77	138	33	407
"	29	100	127	53	163	44	471
Feb.	5	92	138	66	225	56	479
"	12	88	117	49	163	22	304
"	19	91	119	70	138	22	229
"	26	92	115	55	88	56	282
March	5	91	112	50	50	56	189
"	12	87	110	58	200	11	157
"	19	86	106	65	113	44	107
"	26	79	89	51	113	22	104
April	2	77	89	74	100	22	111
"	9	74	89	55	138	78	79
"	16	72	87	58	100	22	82
"	23	70	91	59	138	33	71
"	30	79	83	59	88	44	75
May	7	74	85	70	113	—	75
"	14	80	80	57	25	44	54
"	21	69	78	51	150	67	75
"	28	74	73	73	125	33	71
June	4	74	79	57	75	111	86
"	11	69	75	58	100	22	61
"	18	75	72	45	138	56	36
"	25	74	72	63	113	100	57
July	2	74	79	72	100	56	50
"	9	83	83	63	50	78	39
"	16	81	78	73	63	78	46
"	23	80	76	108	75	100	54
"	30	71	75	73	63	100	43
Aug.	6	62	67	131	63	100	39
"	13	57	61	159	113	200	61
"	20	66	61	170	63	278	25
"	27	69	61	191	50	200	25
Sept.	3	79	74	201	88	167	50
"	10	96	79	191	88	300	14
"	17	108	89	182	63	222	64
"	24	112	89	149	25	222	32
Oct.	1	125	96	150	100	211	21
"	8	158	112	127	25	289	29
"	15	150	117	135	50	211	21
"	22	163	134	130	75	167	43
"	29	159	137	136	50	289	25
Nov.	5	162	135	209	100	178	36
"	12	157	135	280	113	133	29
"	19	168	124	182	113	189	36
"	26	164	137	161	63	156	36
Dec.	3	161	130	78	100	111	25
"	10	150	128	96	38	122	50
"	17	148	143	100	138	56	46
"	24	129	130	74	100	56	39
"	31	117	120	59	75	89	50
Average weekly number of cases notified .. }				100	100	100	100	100	100
				2,636	1,279	74	8	9	28

Note.—The actual average weekly number of cases is shown at the foot of each column. The proportion of the notifications to this average taken as 100 is shown for each week, any seasonal excess of 30 per cent. over the mean for the year being shown by black type.

TABLE 26.—INFECTIOUS DISEASE; CASES NOTIFIED AND RATES PER 1,000 POPULATION IN ENGLAND AND WALES, IN ADMINISTRATIVE COUNTIES AND IN COUNTY BOROUGH: 52 WEEKS ENDED 31ST DECEMBER, 1921.

	Adjusted Population in the middle of 1921.	Scarlet Fever.		Diphtheria.		Enteric Fever.		Puerperal Fever.		Erysipelas.		Smallpox Cases.	Typhus Fever Cases.	Continued Fever Cases.	Cerebro-Spinal Fever Cases.	Polio-myelitis Cases.	Encephalitis Lethargica Cases.	Ophthalmia Neonatorum Cases.	Pulmonary Tuberculosis Cases.	Other Tuberculosis Cases.
		Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.									
ENGLAND AND WALES	37,885,242	137,073	3·64	66,506	1·76	3,835	0·10	2,211	0·06	13,231	0·35	315	3	45	411	488	1,470	8,313	59,299	15,653
ENGLAND	35,227,583	126,819	3·61	61,431	1·75	3,509	0·10	2,094	0·06	12,609	0·36	311	3	32	387	456	1,418	7,962	56,234	14,911
WALES (including Monmouthshire) ..	2,657,659	10,193	3·84	5,021	1·89	267	0·10	117	0·04	611	0·23	—	—	5	24	32	52	350	2,897	732
PORT SANITARY DISTRICTS ..	—	61	—	54	—	59	—	—	—	11	—	4	—	8	—	—	—	1	168	10
LONDON	4,524,000	32,740	7·25	16,323	3·62	329	0·07	353	0·08	2,140	0·47	2	—	2	103	53	224	1,080	9,731	2,267
ENGLAND AND WALES, Administrative Counties, excluding London..	20,685,862	59,765	2·90	30,928	1·50	2,474	0·12	871	0·04	6,017	0·29	139	2	24	158	271	773	2,520	25,088	7,070
ENGLAND, Administrative Counties, excluding London..	18,566,003	51,705	2·80	26,911	1·46	2,247	0·12	773	0·04	5,547	0·30	139	2	20	138	244	728	2,281	23,051	6,524
Bedfordshire ..	207,040	419	2·04	385	1·87	15	0·07	4	0·02	33	0·16	—	—	—	1	2	13	22	263	73
Berkshire ..	199,873	479	2·41	229	1·15	16	0·08	9	0·05	32	0·16	—	—	—	2	6	13	18	172	41
Buckinghamshire ..	234,547	626	2·70	230	0·99	19	0·08	5	0·02	56	0·24	—	—	—	—	2	6	13	136	30
Cambridgeshire ..	129,094	173	1·34	78	0·60	11	0·09	6	0·05	30	0·23	1	—	1	2	—	9	8	262	75
Cheshire ..	629,642	1,926	3·06	953	1·51	56	0·09	30	0·05	186	0·30	4	—	—	4	5	19	104	625	270
Cornwall ..	315,325	248	0·79	585	1·87	31	0·10	7	0·02	65	0·21	—	—	1	3	24	3	20	439	76
Cumberland ..	216,691	346	1·60	299	1·38	10	0·05	7	0·03	90	0·42	—	—	—	—	1	6	20	204	42
Derbyshire ..	588,632	1,078	1·83	995	1·69	62	0·11	28	0·05	175	0·30	16	—	—	1	9	13	94	681	269
Devonshire ..	418,343	451	1·08	463	1·11	34	0·08	11	0·03	81	0·19	—	—	1	4	9	22	28	811	132
Dorsetshire ..	221,924	319	1·47	196	0·90	13	0·06	9	0·04	46	0·21	—	—	—	4	3	5	36	469	66

ENGLAND, Administrative Counties, excluding London— <i>contd.</i>	Population, 1921	Area, 1921	Population, 1931	Area, 1931	Population, 1951	Area, 1951	Population, 1961	Area, 1961	Population, 1971	Area, 1971	Population, 1981	Area, 1981	Population, 1991	Area, 1991	Population, 2001	Area, 2001	Population, 2011	Area, 2011	Population, 2021	Area, 2021
Durham ..	955,674	3,132	3.28	1,126	1.18	89	0.09	43	0.05	390	0.41	—	—	—	—	—	—	—	—	—
Ely, Isle of ..	73,642	312	4.24	35	0.48	10	0.14	—	—	16	0.22	—	—	—	—	—	—	—	—	—
Essex ..	912,605	4,491	4.93	2,004	2.20	76	0.08	33	0.04	331	0.36	—	—	—	—	—	—	—	—	—
Gloucestershire ..	328,772	446	1.36	365	1.11	28	0.09	11	0.03	78	0.24	—	—	—	—	—	—	—	—	—
Herefordshire ..	111,829	171	1.53	154	1.38	11	0.10	4	0.04	22	0.20	—	—	—	—	—	—	—	—	—
Hertfordshire ..	332,220	954	2.87	463	1.39	38	0.11	12	0.04	84	0.25	—	—	—	—	—	—	—	—	—
Huntingdonshire..	54,670	98	1.79	63	1.15	3	0.05	1	0.02	16	0.29	—	—	—	—	—	—	—	—	—
Kent ..	1,077,528	3,681	3.46	2,621	2.47	151	0.14	41	0.04	314	0.30	—	—	—	—	—	—	—	—	—
Lancashire ..	1,760,247	5,532	3.15	1,887	1.07	202	0.11	107	0.06	639	0.36	—	—	—	—	—	—	—	—	—
Leicestershire ..	262,721	486	1.85	399	1.52	26	0.10	8	0.03	76	0.29	—	—	—	—	—	—	—	—	—
Lincolnshire— Holland	86,095	108	1.25	56	0.65	5	0.06	—	—	11	0.13	—	—	—	—	—	—	—	—	—
Lincolnshire— Kesteven	107,374	171	1.63	78	0.74	14	0.13	2	0.02	23	0.22	—	—	—	—	—	—	—	—	—
Lincolnshire— Lindsey	252,412	363	1.44	425	1.68	23	0.09	6	0.02	72	0.29	—	—	—	—	—	—	—	—	—
Middlesex ..	1,260,364	8,125	6.46	3,720	2.96	83	0.07	80	0.06	460	0.37	—	—	—	—	—	—	—	—	—
Norfolk ..	315,394	435	1.38	432	1.37	20	0.06	6	0.02	49	0.16	—	—	—	—	—	—	—	—	—
Northamptonshire	212,769	297	1.40	212	1.00	19	0.09	5	0.02	56	0.26	—	—	—	—	—	—	—	—	—
Northumberland..	397,834	1,384	3.48	415	1.04	57	0.14	13	0.03	220	0.55	—	—	—	—	—	—	—	—	—
Nottinghamshire..	381,969	743	1.95	224	0.59	18	0.05	25	0.07	100	0.26	—	—	—	—	—	—	—	—	—
Oxfordshire ..	131,510	331	2.52	95	0.72	9	0.07	1	0.01	33	0.25	—	—	—	—	—	—	—	—	—
Peterborough, Soke of	47,057	93	1.98	33	0.70	—	—	1	0.02	12	0.26	—	—	—	—	—	—	—	—	—
Rutlandshire ..	18,172	36	1.98	36	1.98	—	—	—	—	4	0.22	—	—	—	—	—	—	—	—	—
Shropshire ..	242,528	525	2.16	423	1.74	9	0.04	15	0.06	50	0.21	—	—	—	—	—	—	—	—	—
Somersetshire ..	387,099	600	1.55	393	1.02	26	0.07	11	0.03	116	0.30	—	—	—	—	—	—	—	—	—
Southampton ..	406,604	870	2.23	494	1.27	46	0.12	16	0.04	65	0.17	—	—	—	—	—	—	—	—	—
Staffordshire ..	722,366	1,786	2.48	708	0.98	62	0.09	41	0.06	217	0.30	—	—	—	—	—	—	—	—	—
Suffolk—East ..	207,909	511	2.48	300	1.46	16	0.08	10	0.05	37	0.18	—	—	—	—	—	—	—	—	—
Suffolk—West ..	109,196	109	1.00	84	0.77	6	0.05	7	0.06	27	0.25	—	—	—	—	—	—	—	—	—

TABLE 26—INFECTIOUS DISEASES; CASES NOTIFIED AND RATES PER 1,000 POPULATION IN ENGLAND AND WALES—*cont.*

	Adjusted Population in the middle of 1921.	Scarlet Fever.		Diphtheria.		Enteric Fever.		Puerperal Fever.		Erysipelas.		Smallpox Cases.	Typhus Fever Cases.	Continued Fever Cases.	Cerebro- Spinal Fever Cases.	Polio- myelitis Cases.	Encephalo- myelitis Cases.	Ophthalmia Neonatorum Cases.	Pulmonary Tuberculosis Cases.	Other Tuberculosis Cases.
		Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.									
ENGLAND, Adminis- trative Counties, excluding London— <i>cont.</i>																				
Surrey ..	733,338	2,911	4.00	1,219	1.67	71	0.10	31	0.04	190	0.26	—	—	—	10	9	36	54	626	128
Sussex—East ..	251,851	398	1.60	210	0.84	24	0.10	5	0.02	46	0.18	—	—	—	2	4	13	15	364	68
Sussex—West ..	184,874	456	2.47	155	0.84	15	0.08	4	0.02	23	0.12	—	—	—	1	1	4	16	221	54
Warwickshire ..	343,333	858	2.50	332	0.97	21	0.06	23	0.07	118	0.34	—	—	—	2	18	26	35	475	135
Westmorland ..	61,686	124	2.01	63	1.02	2	0.03	1	0.02	19	0.31	—	—	—	—	—	3	4	94	9
Wight, Isle of ..	85,172	247	2.90	101	1.19	4	0.05	3	0.04	7	0.08	—	—	—	—	—	6	9	93	9
Wiltshire ..	292,266	453	1.59	239	0.84	8	0.03	6	0.02	67	0.23	—	—	—	3	5	10	24	300	118
Worcestershire ..	301,033	580	1.93	290	0.96	23	0.08	7	0.02	48	0.16	—	—	—	2	3	14	31	386	92
Yorkshire— East Riding	162,917	214	1.32	199	1.22	29	0.18	4	0.02	32	0.20	—	—	—	—	4	2	13	158	24
Yorkshire— North Riding	310,599	590	1.91	354	1.14	35	0.11	3	0.01	95	0.31	6	—	2	—	—	5	20	298	118
Yorkshire— West Riding	1,521,263	3,019	1.99	2,091	1.38	701	0.46	71	0.05	590	0.39	92	—	2	9	11	39	272	2,037	556
WALES, Administra- tive Counties, in- cluding Monmouth- shire ..	2,119,859	8,060	3.80	4,017	1.90	227	0.11	98	0.05	470	0.22	—	—	4	20	27	45	239	2,037	546
Anglesey ..	51,202	19	0.37	34	0.66	1	0.02	1	0.02	10	0.20	—	—	—	1	—	—	4	54	9
Brecknockshire ..	61,069	124	2.04	93	1.53	24	0.39	4	0.07	8	0.13	—	—	—	1	2	2	3	36	15
Cardiganshire ..	57,654	133	2.31	51	0.88	6	0.10	2	0.03	12	0.21	—	—	—	—	—	1	1	127	34
Carmarthenshire ..	176,667	436	2.47	453	2.56	14	0.08	6	0.03	30	0.17	—	—	—	—	2	4	4	255	51
Carnarvonshire ..	121,989	215	1.76	277	2.27	11	0.09	2	0.02	35	0.29	—	—	1	—	—	4	6	148	27
Denbighshire ..	151,716	527	3.47	594	3.92	23	0.15	4	0.03	35	0.23	—	—	—	2	2	6	17	121	29
Flintshire ..	102,077	272	2.67	162	1.59	12	0.12	3	0.03	12	0.12	—	—	1	1	1	3	8	44	6
Glamorganshire ..	827,658	4,223	5.10	1,642	1.98	98	0.12	47	0.06	206	0.25	—	—	2	8	17	12	150	663	246

[illegible]

TABLE 26—INFECTIOUS DISEASE; CASES NOTIFIED AND RATES PER 1,000 POPULATION IN ENGLAND AND WALES—cont.

	Adjusted Population in the middle of 1921.	Scarlet Fever.		Diphtheria.		Enteric Fever.		Puerperal Fever.		Erysipelas.		Smallpox Cases.	Typhus Fever Cases.	Continued Fever Cases.	Cerebro- Spinal Fever Cases.	Poliom- yelitis Cases.	Enceph- alitis Lethar- gica Cases.	Ophthal- mia Neonatorum Cases.	Pulmonary Tuberculosis Cases.	Other Tuberculosis Cases.
		Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.									
ENGLAND, County Boroughs—cont.																				
Croydon ..	191,500	866	4·52	471	2·46	10	0·05	8	0·04	51	0·27	—	—	—	—	5	4	28	431	168
Darlington ..	66,400	196	2·95	62	0·93	9	0·14	7	0·11	27	0·41	—	—	—	—	—	2	25	120	35
Derby ..	131,800	637	4·83	221	1·68	14	0·11	11	0·08	67	0·51	—	—	—	2	1	5	111	282	43
Dewsbury ..	55,100	163	2·96	56	1·02	2	0·04	1	0·02	12	0·22	—	—	—	1	—	—	13	40	13
Dudley ..	57,100	118	2·07	9	0·16	2	0·04	2	0·04	3	0·05	—	—	—	—	—	3	1	48	10
Eastbourne ..	53,600	72	1·34	119	2·22	4	0·07	3	0·06	14	0·26	—	—	—	—	—	2	3	85	40
East Ham ..	145,500	1,360	9·35	315	2·16	7	0·05	5	0·03	57	0·39	—	—	—	4	—	7	3	300	66
Exeter, City of ..	59,500	88	1·48	94	1·58	1	0·02	1	0·02	9	0·15	—	—	—	—	1	6	22	167	42
Gateshead ..	126,700	581	4·59	87	0·69	—	—	4	0·03	50	0·39	—	—	—	—	2	—	36	332	144
Gloucester, City of	51,800	74	1·43	110	2·12	3	0·06	3	0·06	19	0·37	—	—	—	2	—	1	6	41	6
Great Yarmouth ..	56,300	76	1·35	71	1·26	8	0·14	—	—	15	0·27	—	—	3	—	—	3	5	71	2
Grimsby ..	83,600	64	0·77	97	1·16	25	0·30	1	0·01	13	0·16	—	—	—	—	—	—	5	106	24
Halifax ..	100,700	349	3·47	101	1·00	3	0·03	—	—	17	0·17	—	—	—	1	—	4	12	101	17
Hastings ..	59,500	79	1·33	19	0·32	—	—	3	0·05	16	0·27	—	—	—	1	2	1	7	88	9
Huddersfield ..	111,900	119	1·06	263	2·35	19	0·17	10	0·09	38	0·34	2	—	—	2	6	5	9	163	43
Ipswich ..	80,100	73	0·91	439	5·48	5	0·06	5	0·06	21	0·26	—	—	—	3	5	3	17	301	71
Kingston upon Hull, City of	291,800	312	1·07	647	2·22	20	0·07	23	0·08	76	0·26	—	—	—	3	10	6	80	613	106
Leeds, City of ..	465,500	1,520	3·27	665	1·43	24	0·05	31	0·07	183	0·39	—	—	—	2	1	16	107	879	237
Leicester, City of ..	237,900	718	3·02	324	1·36	26	0·11	22	0·09	84	0·35	—	—	—	4	2	9	87	493	109
Lincoln, City of ..	66,600	37	0·56	101	1·52	1	0·02	1	0·02	17	0·26	—	—	—	2	—	5	1	72	14
Liverpool, City of	817,000	3,000	3·67	1,160	1·42	31	0·04	57	0·07	464	0·57	—	1	—	23	3	28	660	2,137	600
Manchester, City of	744,000	5,419	7·28	1,045	1·40	90	0·12	174	0·23	382	0·51	—	—	—	·3	8	34	590	1,644	530
Middlesbrough ..	133,400	136	1·02	132	0·99	2	0·01	7	0·05	35	0·25	40	—	1	—	—	2	44	323	93
Newcastle upon Tyne, City of	278,400	1,407	5·05	345	1·24	7	0·03	13	0·05	160	0·57	—	—	—	2	3	19	94	533	246
Northampton ..	92,300	118	1·28	219	2·37	12	0·13	10	0·11	48	0·52	—	—	—	2	—	—	27	150	21
Norwich, City of ..	122,400	144	1·18	331	2·70	8	0·07	3	0·02	41	0·33	—	—	—	—	—	3	17	137	29
Nottingham, City of	266,400	314	1·18	287	1·07	22	0·08	8	0·03	93	0·35	106	—	—	4	1	1	128	131	31
Oldham ..	148,300	725	4·89	105	0·71	10	0·07	12	0·08	77	0·52	4	—	—	1	—	4	38	244	64
Oxford, City of ..	56,400	144	2·55	72	1·28	3	0·05	5	0·09	15	0·27	—	—	—	1	—	5	1	76	23
Plymouth ..	211,000	410	2·05	264	1·32	18	0·09	7	0·04	70	0·35	—	—	—	8	18	12	21	369	118

ENGLAND, County
Boroughs—*cont.*

Portsmouth ..	247,000	1,992	8.52	561	2.40	33	0.14	6	0.03	77	0.33	—	—	—	—	5	1	11	88	561	117
Preston ..	119,900	366	3.05	175	1.46	12	0.10	9	0.08	44	0.37	—	—	—	—	—	—	2	13	172	50
Reading ..	92,600	172	1.86	107	1.16	4	0.04	2	0.02	45	0.49	—	—	—	—	—	—	4	13	107	22
Rochdale ..	92,700	361	3.89	68	0.73	2	0.02	3	0.03	38	0.41	—	—	1	—	—	—	2	17	194	36
Rotherham ..	69,100	50	0.72	47	0.68	8	0.12	2	0.03	43	0.62	—	—	—	—	—	—	—	17	76	24
St. Helens ..	104,900	236	2.25	53	0.51	2	0.02	19	0.18	81	0.77	—	—	1	—	—	2	1	45	197	72
Salford ..	239,100	1,744	7.29	311	1.30	40	0.17	19	0.08	146	0.61	—	—	2	—	8	—	6	81	742	132
Sheffield, City of ..	497,900	1,014	2.02	686	1.37	47	0.09	58	0.12	238	0.48	—	—	—	—	6	11	14	255	1,256	255
Smethwick ..	77,400	427	5.52	133	1.72	6	0.08	8	0.10	24	0.31	—	—	—	—	1	—	5	34	89	14
Southampton ..	162,200	228	1.41	360	2.22	21	0.13	9	0.06	29	0.18	—	—	—	—	1	—	5	36	358	23
Southend on Sea ..	90,500	335	3.70	61	0.67	11	0.12	11	0.12	24	0.27	—	—	—	—	1	2	1	24	175	59
Southport ..	71,900	129	1.79	110	1.53	12	0.17	5	0.07	23	0.32	—	—	—	—	—	1	2	11	89	35
South Shields ..	118,400	603	5.08	49	0.41	5	0.04	3	0.03	36	0.30	—	—	—	—	—	2	7	26	279	122
Stockport ..	125,500	401	3.20	203	1.62	9	0.07	10	0.08	53	0.42	—	—	—	—	2	—	2	37	182	34
Stoke on Trent ..	245,600	651	2.65	311	1.27	26	0.11	35	0.14	145	0.59	—	—	—	—	7	1	8	369	491	97
Sunderland ..	161,100	302	1.87	70	0.43	5	0.03	6	0.04	74	0.46	—	—	—	—	4	—	3	124	222	109
Tynemouth ..	63,900	300	4.69	49	0.77	13	0.20	4	0.06	34	0.53	—	—	—	—	1	—	3	27	108	59
Wakefield ..	53,600	157	2.93	39	0.73	12	0.22	4	0.07	13	0.24	—	—	—	—	1	—	1	13	118	9
Wallasey ..	89,600	495	5.52	99	1.10	12	0.13	12	0.13	19	0.21	—	—	—	—	—	—	3	8	193	32
Walsall ..	98,800	142	1.44	100	1.01	2	0.02	12	0.12	34	0.34	—	—	—	—	—	—	1	52	238	62
Warrington ..	78,600	264	3.36	88	1.12	5	0.06	8	0.10	33	0.42	—	—	—	—	—	1	4	8	124	88
West Bromwich ..	75,300	257	3.41	91	1.21	—	—	2	0.03	45	0.60	—	—	—	—	2	—	8	4	72	18
West Ham ..	307,000	1,695	5.52	659	2.15	22	0.07	8	0.03	165	0.54	—	—	—	—	1	3	10	60	656	138
West Hartlepool ..	69,300	144	2.08	40	0.58	8	0.12	7	0.10	20	0.29	—	—	—	—	1	—	—	28	126	68
Wigan ..	91,200	244	2.68	51	0.56	28	0.31	3	0.03	73	0.80	—	—	1	—	2	—	3	19	182	60
Wolverhampton ..	104,000	386	3.71	42	0.40	4	0.04	5	0.05	17	0.16	—	—	—	—	—	—	3	27	182	13
Worcester, City of ..	49,160	56	1.14	103	2.10	4	0.08	4	0.08	15	0.31	—	—	—	—	—	1	4	10	93	25
York, City of ..	84,500	217	2.57	112	1.33	5	0.06	1	0.01	20	0.24	—	—	—	—	1	—	—	11	145	46
WALES, including Monmouth, County Boroughs (4) ..	537,800	2,133	3.97	1,004	1.87	40	0.07	19	0.04	141	0.26	—	—	1	—	4	5	7	111	860	186
Cardiff ..	202,700	682	3.36	318	1.57	15	0.07	9	0.04	67	0.33	—	—	1	—	2	3	3	61	301	54
Merthyr Tydfil ..	81,800	327	4.00	116	1.42	7	0.09	1	0.01	21	0.26	—	—	—	—	1	—	1	7	143	31
Newport (Mon.) ..	93,700	843	9.00	225	2.40	9	0.10	4	0.04	23	0.25	—	—	—	—	—	1	2	15	118	43
Swansea ..	159,600	281	1.76	345	2.16	9	0.06	5	0.03	30	0.19	—	—	—	—	1	1	1	28	298	58

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population.

(Excluding cases among men in Establishments of the Armed Forces.)

Cases of Membranous Croup are included under the heading of Diphtheria.

For the populations of the several areas see Table 14.

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
BEDFORD*†	—	—	419	2·04	385	1·87	15	0·07	4	0·02	33	0·16
AGGREGATE OF M.Bs. AND U.Ds.†	—	—	237	1·88	276	2·18	7	0·06	2	0·02	15	0·12
AGGREGATE OF R.Ds.†	—	—	182	2·30	109	1·38	8	0·10	2	0·03	18	0·23
BOROUGHs AND URBAN DISTRICTS :—												
Amphill	—	—	1	0·45	39	17·36	—	—	—	—	1	0·45
Bedford M.B.	—	—	97	2·42	53	1·32	1	0·02	1	0·02	2	0·05
Biggleswade	—	—	1	0·19	7	1·30	—	—	—	—	3	0·56
Dunstable M.B.	—	—	8	0·90	34	3·81	1	0·11	—	—	2	0·22
Kempston †	—	—	25	4·93	4	0·79	—	—	—	—	1	0·20
Leighton Buzzard	—	—	23	3·37	5	0·73	2	0·29	—	—	—	—
Luton M.B.	—	—	82	1·42	134	2·32	3	0·05	1	0·02	6	0·10
RURAL DISTRICTS :—												
Amphill	—	—	51	2·66	51	2·66	—	—	1	0·05	3	0·16
Bedford †	—	—	83	4·19	13	0·66	1	0·05	—	—	3	0·15
Biggleswade †	—	—	37	1·66	11	0·49	5	0·22	—	—	9	0·40
Eaton Bray	—	—	5	1·34	8	2·14	—	—	—	—	2	0·53
Eaton Socon	—	—	—	—	—	—	1	0·30	—	—	1	0·30
Luton	—	—	6	0·55	26	2·38	1	0·09	1	0·09	—	—
BERKS*†	—	—	651	2·23	336	1·15	20	0·07	11	0·04	77	0·26
READING C.B.	—	—	172	1·86	107	1·16	4	0·04	2	0·02	45	0·49
AGGREGATE OF M.Bs. AND U.D.	—	—	210	3·15	77	1·16	5	0·08	3	0·05	15	0·23
AGGREGATE OF R.Ds.†	—	—	269	2·03	152	1·15	11	0·08	6	0·05	17	0·13
BOROUGHs AND URBAN DISTRICT :—												
Abingdon M.B.	—	—	71	9·96	25	3·51	1	0·14	1	0·14	2	0·28
Maidenhead M.B.	—	—	27	1·64	20	1·21	4	0·24	1	0·06	2	0·12
Newbury M.B.	—	—	46	3·77	18	1·48	—	—	—	—	2	0·16
New Windsor M.B.	—	—	29	1·47	11	0·56	—	—	—	—	4	0·20
Wallingford M.B.	—	—	9	3·36	1	0·37	—	—	1	0·37	2	0·75
Wantage	—	—	25	6·47	1	0·26	—	—	—	—	2	0·52
Wokingham M.B.	—	—	3	0·68	1	0·23	—	—	—	—	1	0·23
RURAL DISTRICTS :—												
Abingdon	—	—	23	2·25	8	0·78	—	—	—	—	2	0·20
Bradfield	—	—	22	1·53	26	1·81	—	—	1	0·07	—	—
Cookham	—	—	16	1·21	16	1·21	4	0·30	—	—	—	—
Easthampstead†	—	—	19	1·07	32	1·81	—	—	—	—	2	0·11
Faringdon (part of)§	—	—	5	0·50	3	0·30	1	0·10	—	—	1	0·10
Hungerford	—	—	11	1·33	5	0·60	—	—	—	—	—	—
Newbury	—	—	63	6·00	5	0·48	2	0·19	1	0·10	1	0·10
Wallingford	—	—	30	3·40	24	2·72	—	—	3	0·34	—	—
Wantage	—	—	20	1·72	7	0·60	—	—	1	0·09	1	0·09
Windsor	—	—	10	1·06	3	0·32	2	0·21	—	—	7	0·74
Wokingham	—	—	50	2·75	23	1·26	2	0·11	—	—	3	0·16

* Administrative County.

† Rates based upon estimated civilian populations.

‡ Administrative County with Associated County Borough.

§ The remaining part of the Rural District of Faringdon is in the Administrative County of Gloucester. The figures for the entire District are :—

|| — | — || 5 | 0·45 || 3 | 0·27 || 1 | 0·09 || — | — || 1 | 0·09

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
BUCKINGHAM*†	—	—	626	2·70	230	0·99	19	0·08	5	0·02	56	0·24
AGGREGATE OF M.Bs. AND U.Ds.	—	—	313	3·12	120	1·20	6	0·06	3	0·03	33	0·33
AGGREGATE OF R.Ds.† ..	—	—	313	2·38	110	0·84	13	0·10	2	0·02	23	0·17
BOROUGHs AND URBAN DISTRICTS:—												
Aylesbury M.B.	—	—	31	2·56	8	0·66	—	—	1	0·08	6	0·49
Beaconsfield	—	—	2	0·57	4	1·14	—	—	—	—	—	—
Bletchley	—	—	10	1·83	1	0·18	—	—	—	—	3	0·55
Buckingham M.B. ..	—	—	7	2·29	11	3·60	—	—	—	—	—	—
Chepping Wycombe M.B.	—	—	163	7·35	13	0·59	1	0·05	1	0·05	7	0·32
Chesham	—	—	6	0·69	18	2·08	1	0·12	—	—	—	—
Eton	—	—	2	0·59	—	—	—	—	—	—	1	0·30
Linslade	—	—	11	4·61	—	—	—	—	—	—	1	0·42
Marlow	—	—	1	0·20	4	0·80	—	—	—	—	—	—
Newport Pagnell ..	—	—	13	3·18	—	—	—	—	—	—	—	—
Slough	—	—	8	0·49	58	3·55	—	—	1	0·06	3	0·18
Wolverton	—	—	59	4·17	3	0·21	4	0·28	—	—	12	0·85
RURAL DISTRICTS:—												
Amersham	—	—	56	2·55	15	0·68	—	—	—	—	—	—
Aylesbury†	—	—	68	4·19	3	0·18	—	—	—	—	6	0·37
Buckingham	—	—	17	2·30	—	—	—	—	—	—	3	0·41
Eton	—	—	59	2·19	35	1·30	—	—	—	—	1	0·04
Hambleden	—	—	2	1·00	—	—	—	—	—	—	1	0·50
Long Crendon	—	—	6	1·60	—	—	—	—	—	—	—	—
Newport Pagnell ..	—	—	24	1·64	14	0·96	—	—	1	0·07	5	0·34
Wing	—	—	17	3·07	1	0·18	5	0·90	—	—	—	—
Winslow	—	—	19	3·02	1	0·16	—	—	—	—	—	—
Wycombe	—	—	45	1·67	41	1·52	8	0·30	1	0·04	7	0·26
CAMBRIDGE*	1	0·01	173	1·34	78	0·60	11	0·09	6	0·05	30	0·23
MUNICIPAL BOROUGH ..	1	0·02	74	1·26	27	0·46	7	0·12	2	0·03	10	0·17
AGGREGATE OF R.Ds. ..	—	—	99	1·41	51	0·73	4	0·06	4	0·06	20	0·28
BOROUGH:—												
Cambridge M.B. ..	1	0·02	74	1·26	27	0·46	7	0·12	2	0·03	10	0·17
RURAL DISTRICTS:—												
Caxton and Arrington ..	—	—	2	0·27	5	0·68	—	—	—	—	1	0·14
Chesterton	—	—	46	1·93	20	0·84	4	0·17	1	0·04	7	0·29
Linton	—	—	15	1·52	5	0·51	—	—	—	—	6	0·61
Melbourn	—	—	15	1·87	13	1·63	—	—	—	—	3	0·38
Newmarket	—	—	21	1·13	8	0·43	—	—	2	0·11	3	0·16
Swavesey	—	—	—	—	—	—	—	—	1	0·41	—	—
CHESTER†§	14	0·01	3,272	3·17	1,522	1·47	89	0·09	62	0·06	318	0·31
BIRKENHEAD C.B.	10	0·07	336	2·27	149	1·01	10	0·07	8	0·05	55	0·37
CHESTER C.B.	—	—	114	2·78	118	2·88	2	0·05	2	0·05	5	0·12
STOCKPORT C.B.	—	—	401	3·20	203	1·62	9	0·07	10	0·08	53	0·42
WALLASEY C.B.	—	—	495	5·52	99	1·10	12	0·13	12	0·13	19	0·21
AGGREGATE OF M.Bs. AND U.Ds.	4	0·01	1,379	3·15	629	1·44	47	0·11	27	0·06	156	0·36
AGGREGATE OF R.Ds.† ..	—	—	547	2·86	324	1·69	9	0·05	3	0·02	30	0·16
BOROUGHs AND URBAN DISTRICTS:—												
Alderley Edge	—	—	5	1·63	—	—	—	—	—	—	—	—
Alsager	—	—	3	1·11	—	—	—	—	—	—	—	—
Altrincham	—	—	111	5·36	28	1·35	7	0·34	1	0·05	9	0·43
Ashton upon Mersey ..	—	—	49	6·25	2	0·26	1	0·13	—	—	1	0·13
Bollington	—	—	7	1·35	35	6·76	1	0·19	—	—	5	0·97

* Administrative County.

† Rates based upon estimated civilian populations.

§ Administrative County with Associated County Boroughs.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
CHESTER—<i>cont.</i>												
BOROUGH AND URBAN DISTRICTS— <i>cont.</i>												
Bowdon	—	—	6	2·04	1	0·34	—	—	—	—	1	0·34
Bredbury and Romiley ..	—	—	16	1·73	16	1·73	1	0·11	—	—	3	0·32
Bromborough	—	—	9	3·40	—	—	—	—	—	—	2	0·76
Buglawton	—	—	1	0·63	—	—	—	—	—	—	—	—
Cheadle and Gatley ..	—	—	51	4·61	14	1·26	—	—	—	—	5	0·45
Compstall	—	—	1	1·07	1	1·07	—	—	—	—	—	—
Congleton M.B.	—	—	9	0·76	14	1·18	3	0·25	—	—	7	0·59
Crewe M.B.	—	—	225	4·77	81	1·72	—	—	3	0·06	7	0·15
Dukinfield M.B.	—	—	74	3·71	18	0·90	7	0·35	3	0·15	19	0·95
Ellesmere Port and Whitby	—	—	9	0·67	29	2·17	—	—	—	—	2	0·15
Hale	—	—	42	4·56	1	0·11	—	—	—	—	3	0·33
Handforth	—	—	7	7·71	14	15·42	—	—	—	—	—	—
Hazel Grove and Bramhall	—	—	35	3·44	2	0·20	—	—	—	—	—	—
Higher Bebington	—	—	4	2·24	1	0·56	—	—	—	—	—	—
Hollingworth	—	—	1	0·40	—	—	1	0·40	—	—	1	0·40
Hoole	—	—	30	4·98	14	2·32	1	0·17	1	0·17	3	0·50
Hoyle and West Kirby ..	—	—	26	1·57	48	2·90	2	0·12	2	0·12	2	0·12
Hyde M.B.	—	—	75	2·20	34	1·00	2	0·06	2	0·06	15	0·44
Knutsford	—	—	23	4·27	4	0·74	1	0·19	1	0·19	—	—
Lower Bebington	—	—	63	4·22	20	1·34	—	—	—	—	11	0·74
Lymm	—	—	5	0·94	—	—	1	0·19	—	—	3	0·57
Macclesfield M.B.	—	—	63	1·83	50	1·45	8	0·23	5	0·15	15	0·44
Marple	—	—	10	1·51	7	1·06	1	0·15	—	—	2	0·30
Middlewich	—	—	3	0·58	32	6·17	—	—	—	—	—	—
Mottram in Longendale ..	—	—	5	1·71	—	—	—	—	—	—	1	0·34
Nantwich	—	—	16	2·17	28	3·79	—	—	—	—	3	0·41
Neston and Parkgate ..	—	—	8	1·55	9	1·75	1	0·19	—	—	—	—
Northwich	4	0·21	70	3·75	10	0·54	—	—	1	0·05	2	0·11
Runcorn	—	—	46	2·46	42	2·24	2	0·11	3	0·16	8	0·43
Sale	—	—	97	5·90	8	0·49	—	—	1	0·06	6	0·36
Sandbach	—	—	11	1·86	7	1·18	1	0·17	—	—	—	—
Stalybridge M.B.	—	—	119	4·62	11	0·43	4	0·16	—	—	20	0·78
Tarporley	—	—	2	0·80	—	—	—	—	—	—	—	—
Wilmslow	—	—	11	1·33	24	2·91	1	0·12	4	0·48	—	—
Winsford	—	—	27	2·43	22	1·98	1	0·09	—	—	—	—
Yeardsley cum Whaley ..	—	—	4	2·39	2	1·19	—	—	—	—	—	—
RURAL DISTRICTS:—												
Bucklow	—	—	124	5·58	41	1·84	2	0·09	1	0·04	6	0·27
Chester§	—	—	27	2·09	10	0·77	—	—	—	—	1	0·08
Congleton	—	—	48	3·60	29	2·18	1	0·08	—	—	4	0·30
Disley	—	—	2	0·67	3	1·00	—	—	—	—	—	—
Macclesfield	—	—	68	4·00	30	1·76	—	—	—	—	1	0·06
Malpas	—	—	20	4·54	36	8·16	—	—	—	—	—	—
Nantwich	—	—	60	2·40	77	3·07	—	—	—	—	5	0·20
Northwich	—	—	61	2·48	25	1·02	—	—	1	0·04	6	0·24
Runcorn	—	—	55	1·89	39	1·34	—	—	1	0·03	4	0·14
Tarvin	—	—	25	1·87	10	0·75	—	—	—	—	—	—
Tintwistle	—	—	—	—	1	0·49	—	—	—	—	—	—
Wirral	—	—	57	2·35	23	0·95	6	0·25	—	—	3	0·12
CORNWALL†§												
AGGREGATE OF M.Bs. AND U.Ds.§	—	—	113	0·82	384	2·79	21	0·15	4	0·03	38	0·28
AGGREGATE OF R.Ds.§ ..	—	—	135	0·77	201	1·14	10	0·06	3	0·02	27	0·15
BOROUGH AND URBAN DISTRICTS:—												
Bodmin M.B.§	—	—	1	0·19	1	0·19	—	—	—	—	1	0·19
Callington	—	—	—	—	7	4·30	—	—	—	—	—	—
Camborne	—	—	9	0·61	26	1·76	3	0·20	—	—	10	0·68
Falmouth M.B.	—	—	1	0·08	5	0·39	1	0·08	1	0·08	2	0·15
Fowey M.B.	—	—	4	2·01	4	2·01	—	—	1	0·50	—	—

† Administrative County.

§ Rates based upon estimated civilian populations.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
CORNWALL—<i>cont.</i>												
BOROUGH AND URBAN DISTRICTS—<i>cont.</i>												
Hayle	—	—	—	—	4	3·97	—	—	—	—	—	—
Helston M.B.	—	—	—	—	2	0·76	—	—	—	—	—	—
Launceston M.B.	—	—	1	0·25	1	0·25	—	—	—	—	3	0·76
Liskeard M.B.	—	—	8	1·83	—	—	—	—	—	—	3	0·69
Looe	—	—	2	0·76	3	1·14	—	—	—	—	—	—
Lostwithiel M.B.	—	—	—	—	—	—	1	0·77	—	—	—	—
Ludgvan	—	—	2	0·96	12	5·77	+	—	—	—	—	—
Madron	—	—	—	—	10	3·06	+	—	—	—	—	—
Newquay	—	—	9	1·83	—	—	1	0·20	—	—	2	0·41
Padstow	—	—	3	1·78	20	11·86	+	1	0·59	1	0·59	—
Paul	—	—	1	0·18	4	0·73	4	0·73	1	0·18	—	—
Penryn M.B.	—	—	—	—	1	0·31	—	—	—	—	1	0·31
Penzance M.B.	—	—	2	0·17	X 33	2·82	1	0·09	—	—	—	—
Phillack	—	—	—	—	15	4·35	+	—	—	—	2	0·58
Redruth	—	—	3	0·30	31	3·09	+	—	—	—	5	0·50
St. Austell	—	—	6	1·84	X 2	0·61	—	—	—	—	—	—
St. Ives M.B.	—	—	20	3·05	X 166	2·53	6	0·92	—	—	1	0·15
St. Just	—	—	6	1·18	3	0·59	—	—	—	—	2	0·39
Saltash M.B.	—	—	2	0·55	—	—	—	—	—	—	—	—
Stratton and Bude	—	—	—	—	1	0·32	—	—	—	—	—	—
Torpoint	—	—	9	2·01	X 3	0·67	3	0·67	—	—	1	0·22
Truro M.B.	—	—	8	0·74	X 30	2·76	—	—	—	—	3	0·28
Wadebridge	—	—	16	6·90	—	—	—	—	—	—	1	0·43
RURAL DISTRICTS :—												
Bodmin	—	—	15	1·51	2	0·20	X 2	0·20	—	—	2	0·20
Calstock	—	—	5	1·08	14	3·03	X —	—	—	—	2	0·43
Camelford	—	—	—	—	2	0·27	—	—	—	—	2	0·27
East Kerrier	—	—	—	—	X 15	1·86	—	—	1	0·12	4	0·50
Helston	—	—	7	0·43	X 14	0·87	—	—	—	—	1	0·06
Holsworthy (part of)*	—	—	—	—	—	—	—	—	—	—	—	—
Launceston	—	—	2	0·28	X 15	2·09	—	—	1	0·14	2	0·28
Liskeard	—	—	10	0·69	2	0·14	X —	—	—	—	—	—
Redruth	—	—	3	0·18	53	3·12	X —	—	—	—	9	0·53
St. Austell	—	—	59	1·90	6	0·19	—	—	—	—	—	—
St. Columb Major	—	—	3	0·26	X 14	1·23	—	—	—	—	1	0·09
St. Germans†	—	—	11	0·92	X 9	0·75	7	0·58	1	0·08	3	0·25
Stratton	—	—	2	0·41	—	—	—	—	—	—	—	—
Truro	—	—	4	0·21	X 40	2·09	1	0·05	—	—	1	0·05
West Penwith	—	—	14	1·36	X 15	1·45	—	—	—	—	—	—
Isles of Scilly	—	—	—	—	—	—	—	—	—	—	—	—
CUMBERLAND‡	—	—	422	1·56	350	1·30	10	0·04	10	0·04	105	0·39
CARLISLE C.B.	—	—	76	1·43	51	0·96	—	—	3	0·06	15	0·28
AGGREGATE OF M.Bs. AND U.Ds.	—	—	170	1·41	200	1·66	6	0·05	3	0·02	76	0·63
AGGREGATE OF R.Ds.	—	—	176	1·83	99	1·03	4	0·04	4	0·04	14	0·15
BOROUGH AND URBAN DISTRICTS :—												
Arlecdon and Frizington	—	—	5	0·96	27	5·16	+	—	—	—	11	2·10
Aspatria	—	—	1	0·28	—	—	—	—	—	—	3	9·85
Cleator Moor	—	—	1	0·12	5	0·59	—	—	—	—	3	0·35
Cockermouth	—	—	9	1·86	X 7	1·45	—	—	—	—	3	0·62
Egremont	—	—	17	2·53	X 35	5·22	+	—	—	—	3	0·45
Harrington	—	—	17	3·81	11	2·47	—	—	—	—	1	0·22
Holme Cultram	—	—	3	0·63	7	1·48	—	—	—	—	1	0·21
Keswick	—	—	—	—	—	—	—	—	—	—	11	2·57
Maryport	—	—	12	1·08	4	0·36	2	0·18	—	—	4	0·36
Millom	—	—	2	0·23	X 11	1·25	1	0·11	—	—	5	0·57
Penrith	—	—	20	2·43	+	0·85	1	0·12	1	0·12	2	0·24
Whitehaven M.B.	—	—	29	1·46	+13	0·66	2	0·10	1	0·05	6	0·30
Wigton	—	—	5	1·37	4	1·10	—	—	—	—	1	0·27
Workington M.B.	—	—	49	1·82	69	2·57	—	—	1	0·04	22	0·82

* The remaining part of the Rural District of Holsworthy is in the Administrative County of Devon.

† Rates based upon estimated civilian population.

‡ Administrative County with associated County Borough.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
CUMBERLAND—<i>cont.</i>												
RURAL DISTRICTS :—												
Alston with Garrigill ..	—	—	53	19·13	8	2·89	—	—	1	0·36	—	—
Booth ..	—	—	2	0·34	2	0·34	—	—	—	—	2	0·34
Brampton ..	—	—	17	2·11	1	0·12	—	—	—	—	—	—
Carlisle ..	—	—	21	1·78	3	0·25	—	—	—	—	1	0·08
Cockermouth ..	—	—	33	1·45	21	0·92	1	0·04	—	—	4	0·18
Longtown ..	—	—	6	0·94	11	1·73	—	—	—	—	—	—
Penrith ..	—	—	5	0·41	7	0·58	1	0·08	2	0·17	2	0·17
Whitehaven ..	—	—	20	1·35	44	2·97	2	0·13	1	0·07	4	0·27
Wigton ..	—	—	19	1·68	2	0·18	—	—	—	—	1	0·09
DERBY*	16	0·02	1,715	2·38	1,216	1·69	76	0·11	39	0·05	242	0·34
DERBY C.B.	—	—	637	4·83	221	1·68	14	0·11	11	0·08	67	0·51
AGGREGATE OF M.Bs. AND U.Ds.	11	0·04	492	1·61	591	1·93	29	0·09	14	0·05	94	0·31
AGGREGATE OF R.Ds. ..	5	0·02	586	2·08	404	1·43	33	0·12	14	0·05	81	0·29
BOROUGHs AND URBAN DISTRICTS :—												
Alfreton ..	—	—	32	1·54	74	3·56	3	0·14	1	0·05	7	0·34
Alvaston and Boulton ..	—	—	2	1·23	—	—	—	—	—	—	1	0·61
Ashbourne ..	—	—	1	0·24	2	0·48	—	—	—	—	1	0·24
Bakewell ..	—	—	4	1·35	6	2·02	—	—	1	0·34	—	—
Baslow and Bubnell ..	—	—	1	1·23	—	—	—	—	—	—	1	1·23
Belper ..	—	—	11	0·89	14	1·14	1	0·08	—	—	8	0·65
Bolsover ..	—	—	22	1·88	57	4·87	—	—	—	—	5	0·43
Bonsall ..	—	—	—	—	1	0·85	—	—	—	—	—	—
Brampton ..	—	—	1	0·43	1	0·43	1	0·43	—	—	—	—
Buxton M.B. ..	—	—	23	1·56	5	0·34	4	0·27	—	—	2	0·14
Chesterfield M.B. ...	—	—	100	1·60	127	2·04	5	0·08	3	0·05	16	0·26
Clay Cross ..	—	—	14	1·58	15	1·70	7	0·79	—	—	—	—
Dronfield ..	—	—	13	2·92	25	5·62	—	—	1	0·22	—	—
Glossop M.B. ..	—	—	62	2·97	8	0·38	3	0·14	—	—	11	0·53
Heage ..	—	—	2	0·53	5	1·32	—	—	—	—	—	—
Heanor ..	—	—	19	0·87	36	1·65	1	0·05	—	—	6	0·27
Ilkeston M.B. ..	—	—	28	0·85	2	0·06	2	0·06	—	—	4	0·12
Long Eaton† ..	11	0·54	33	1·61	6	0·29	—	—	1	0·05	6	0·29
Matlock ..	—	—	1	0·16	9	1·44	—	—	—	—	—	—
Matlock Bath and Scarthin Nick.	—	—	4	2·36	—	—	—	—	—	—	—	—
New Mills ..	—	—	35	4·07	50	5·82	1	0·12	—	—	3	0·35
North Darley ..	—	—	5	1·55	9	2·80	—	—	—	—	1	0·31
Ripley ..	—	—	7	0·52	20	1·47	—	—	1	0·07	9	0·66
South Darley ..	—	—	—	—	—	—	—	—	—	—	—	—
Swadlincote District ..	—	—	65	3·18	109	5·33	1	0·05	5	0·24	13	0·64
Wirksworth ..	—	—	7	1·94	10	2·77	—	—	1	0·28	—	—
RURAL DISTRICTS :—												
Ashbourne ..	—	—	22	2·14	1	0·10	1	0·10	1	0·10	5	0·49
Bakewell ..	—	—	52	2·64	33	1·67	1	0·05	3	0·15	2	0·10
Belper ..	—	—	24	1·02	26	1·10	1	0·04	—	—	7	0·30
Blackwell ..	1	0·02	140	3·30	92	2·17	9	0·21	—	—	10	0·24
Chapel en le Frith ..	—	—	33	2·08	29	1·83	—	—	—	—	5	0·31
Chesterfield ..	—	—	109	1·42	112	1·45	13	0·17	6	0·08	20	0·26
Clowne ..	—	—	11	0·62	33	1·86	1	0·06	2	0·11	5	0·28
Glossop Dale ..	—	—	5	1·31	3	0·79	2	0·52	—	—	3	0·79
Hartshorn and Seals ..	—	—	51	5·85	7	0·80	—	—	—	—	9	1·03
Hayfield ..	—	—	33	7·48	7	1·59	1	0·23	1	0·23	3	0·68
Norton ..	—	—	5	1·09	4	0·88	—	—	—	—	—	—
Repton ..	—	—	46	2·80	27	1·64	3	0·18	—	—	6	0·37
Shardlow† ..	3	0·09	52	1·55	29	0·87	1	0·03	—	—	6	0·18
Sudbury ..	—	—	2	0·80	—	—	—	—	1	0·40	—	—
Codnor Park and Shipley (parishes).†	1	0·66	1	0·66	1	0·66	—	—	—	—	—	—

* Administrative County with associated County Borough.

† These Parishes are administered by the Rural District Council of Basford (Notts).

‡ On 1st October, 1921, the Urban District of Long Eaton was extended to include part of the Rural District of Shardlow. Allowance for this has been made in the calculation of rates.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
DEVON**	—	—	949	1·40	821	1·21	53	0·08	19	0·03	160	0·24
EXETER C.B.	—	—	88	1·48	94	1·58	1	0·02	1	0·02	9	0·15
PLYMOUTH C.B.†	—	—	410	2·05	264	1·32	18	0·09	7	0·04	70	0·35
AGGREGATE OF M.Bs. AND U.Ds.†	—	—	204	1·01	307	1·52	17	0·08	2	0·01	51	0·25
AGGREGATE OF R.Ds.†	—	—	247	1·15	156	0·73	17	0·08	9	0·04	30	0·14
BOROUGHs AND URBAN DISTRICTS:—												
Ashburton..	—	—	1	0·43	18	7·81	—	—	—	—	—	—
Axminster..	—	—	—	—	1	0·49	—	—	—	—	—	—
Bampton..	—	—	1	0·70	—	—	—	—	—	—	—	—
Barnstaple M.B.	—	—	32	2·23	15	1·05	4	0·28	1	0·07	3	0·21
Bideford M.B.	—	—	3	0·33	49	5·43	1	0·11	—	—	1	0·11
Brixham..	—	—	2	0·26	37	4·77	1	0·13	—	—	5	0·65
Buckfastleigh..	—	—	—	—	5	2·21	—	—	—	—	—	—
Budleigh Salterton..	—	—	4	1·67	—	—	—	—	—	—	—	—
Crediton..	—	—	1	0·29	—	—	—	—	—	—	1	0·29
Dartmouth M.B.†	—	—	4	0·62	6	0·93	1	0·16	—	—	6	0·93
Dawlish..	—	—	3	0·69	—	—	1	0·23	—	—	5	1·15
Exmouth..	—	—	11	0·86	3	0·23	—	—	—	—	7	0·55
Great Torrington M.B.	—	—	—	—	4	1·35	—	—	—	—	—	—
Holsworthy..	—	—	—	—	—	—	—	—	—	—	1	0·70
Honiton M.B.	—	—	6	1·98	13	4·28	2	0·66	—	—	—	—
Ilfracombe..	—	—	6	0·69	—	—	—	—	—	—	—	—
Ivybridge..	—	—	1	0·63	3	1·90	—	—	1	0·63	—	—
Kingsbridge..	—	—	—	—	—	—	—	—	—	—	—	—
Lynton..	—	—	—	—	—	—	—	—	—	—	—	—
Newton Abbot..	—	—	4	0·29	44	3·21	—	—	—	—	2	0·15
Northam..	—	—	3	0·52	7	1·21	—	—	—	—	1	0·17
Okehampton M.B.	—	—	20	5·87	4	1·17	—	—	—	—	1	0·29
Ottery St. Mary..	—	—	2	0·57	—	—	1	0·29	—	—	1	0·29
Paignton..	—	—	9	0·72	2	0·16	1	0·08	—	—	4	0·32
Salcombe..	—	—	1	0·50	4	2·00	—	—	—	—	1	0·50
Seaton..	—	—	1	0·54	1	0·54	1	0·54	—	—	1	0·54
Sidmouth..	—	—	10	2·03	3	0·61	1	0·20	—	—	—	—
South Molton M.B.	—	—	8	2·85	6	2·14	—	—	—	—	1	0·36
Tavistock..	—	—	48	11·24	1	0·23	—	—	—	—	—	—
Teignmouth..	—	—	2	0·22	21	2·27	—	—	—	—	3	0·32
Tiverton M.B.	—	—	8	0·83	41	4·24	1	0·10	—	—	2	0·21
Torquay M.B.	—	—	13	0·39	9	0·27	2	0·06	—	—	4	0·12
Totnes M.B.	—	—	—	—	10	2·54	—	—	—	—	1	0·25
RURAL DISTRICTS:—												
Axminster..	—	—	5	0·53	20	2·11	1	0·11	—	—	1	0·11
Barnstaple..	—	—	33	1·84	3	0·17	5	0·28	1	0·06	4	0·22
Bideford..	—	—	22	3·74	3	0·51	—	—	2	0·34	—	—
Broadwood Widger..	—	—	—	—	1	0·44	—	—	—	—	2	0·88
Crediton..	—	—	16	1·60	11	1·10	1	0·10	—	—	7	0·70
Culmstock..	—	—	13	4·13	—	—	1	0·32	—	—	—	—
Holsworthy (part of)†	—	—	—	—	5	0·74	—	—	—	—	1	0·15
Honiton..	—	—	10	1·12	3	0·34	1	0·11	—	—	—	—
Kingsbridge..	—	—	2	0·18	—	—	—	—	—	—	1	0·09
Newton Abbot..	—	—	5	0·26	16	0·82	—	—	2	0·10	2	0·10
Okehampton..	—	—	12	0·92	28	2·14	—	—	1	0·08	2	0·15
Plympton St. Mary†	—	—	17	0·82	27	1·30	5	0·24	1	0·05	4	0·19
St. Thomas..	—	—	31	1·19	18	0·69	—	—	—	—	2	0·08
South Molton..	—	—	15	1·50	4	0·40	—	—	—	—	2	0·20
Tavistock..	—	—	26	1·73	—	—	—	—	—	—	1	0·07
Tiverton..	—	—	34	2·39	4	0·28	3	0·21	2	0·14	—	—
Torrington..	—	—	2	0·24	6	0·71	—	—	—	—	1	0·12
Totnes..	—	—	4	0·34	7	0·59	—	—	—	—	—	—

* Administrative County with associated County Boroughs.

† Rates based upon estimated civilian populations.

‡ The remaining part of the Rural District of Holsworthy is in the Administrative County of Cornwall. The figures for the entire District are:—

|| — | — || — | — || 5 | 0·71 || — | — || — | — || 1 | 0·14

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
DORSET*†	—	—	319	1·47	196	0·90	13	0·06	9	0·04	46	0·21
AGGREGATE OF M.Bs. AND U.Ds.†	—	—	223	1·94	141	1·23	5	0·04	5	0·04	25	0·22
AGGREGATE OF R.Ds.†	—	—	96	0·94	55	0·54	8	0·08	4	0·04	21	0·21
BOROUGHs AND URBAN DISTRICTS :—												
Blandford Forum M.B. ..	—	—	1	0·31	6	1·88	—	—	—	—	—	—
Bridport M.B.	—	—	23	3·96	3	0·52	—	—	1	0·17	1	0·17
Dorchester M.B.	—	—	31	3·24	5	0·52	—	—	—	—	3	0·31
Lyme Regis M.B.	—	—	2	0·88	11	4·82	—	—	—	—	1	0·44
Poole M.B.	—	—	93	2·17	65	1·52	3	0·07	2	0·05	13	0·30
Portland†	—	—	25	2·62	8	0·84	2	0·21	—	—	3	0·31
Shaftesbury M.B.†	—	—	—	—	5	2·66	—	—	—	—	—	—
Sherborne	—	—	7	1·10	4	0·63	—	—	—	—	1	0·16
Swanage	—	—	3	0·55	2	0·36	—	—	1	0·18	1	0·18
Wareham M.B.	—	—	—	—	1	0·50	—	—	—	—	—	—
Weymouth and Melcombe Regis M.B.	—	—	36	1·62	1	0·04	—	—	1	0·04	2	0·09
Wimborne Minster	—	—	2	0·54	30	8·15	—	—	—	—	—	—
RURAL DISTRICTS :—												
Beaminster	—	—	3	0·36	5	0·60	—	—	—	—	3	0·36
Blandford	—	—	8	0·99	7	0·86	—	—	—	—	—	—
Bridport	—	—	9	1·34	—	—	—	—	—	—	2	0·30
Cerne	—	—	4	0·90	2	0·45	—	—	—	—	—	—
Dorchester	—	—	7	0·80	4	0·46	4	0·46	—	—	—	—
Poole	—	—	19	2·61	4	0·55	2	0·27	—	—	—	—
Shaftesbury†	—	—	11	1·10	2	0·20	—	—	—	—	1	0·10
Sherborne	—	—	4	0·74	1	0·18	1	0·18	—	—	—	—
Sturminster	—	—	3	0·38	1	0·13	—	—	—	—	3	0·38
Wareham and Purbeck† ..	—	—	1	0·09	3	0·27	1	0·09	—	—	2	0·18
Weymouth	—	—	10	1·15	—	—	—	—	4	0·46	2	0·23
Wimborne and Cranborne ..	—	—	17	1·14	26	1·74	—	—	—	—	8	0·54
DURHAM§	—	—	4,958	3·31	1,434	0·96	116	0·08	70	0·05	597	0·40
DARLINGTON C.B.	—	—	196	2·95	62	0·93	9	0·14	7	0·11	27	0·41
GATESHEAD C.B.	—	—	581	4·59	87	0·69	—	—	4	0·03	50	0·39
SOUTH SHIELDS C.B. 	—	—	603	5·08	49	0·41	5	0·04	3	0·03	36	0·30
SUNDERLAND C.B.	—	—	302	1·87	70	0·43	5	0·03	6	0·04	74	0·46
WEST HARTLEPOOL C.B.	—	—	144	2·08	40	0·58	8	0·12	7	0·10	20	0·29
AGGREGATE OF M.Bs. AND U.Ds.	—	—	1,598	3·11	533	1·04	49	0·10	25	0·05	231	0·45
AGGREGATE OF R.Ds.	—	—	1,534	3·47	593	1·34	40	0·09	18	0·04	159	0·36
BOROUGHs AND URBAN DISTRICTS :—												
Annfield Plain	—	—	69	4·09	70	4·15	4	0·24	—	—	15	0·89
Barnard Castle	—	—	45	10·00	—	—	—	—	1	0·22	—	—
Benfieldside	—	—	35	3·85	15	1·65	2	0·22	—	—	5	0·55
Bishop Auckland	—	—	32	2·22	16	1·11	3	0·21	—	—	3	0·21
Blaydon	—	—	169	5·02	20	0·59	2	0·06	1	0·03	17	0·51
Brandon and Byshottles ..	—	—	151	7·98	3	0·16	4	0·21	—	—	3	0·16
Chester le Street**	—	—	97	6·05	23	1·43	—	—	2	0·12	7	0·44
Consett	—	—	21	1·70	26	2·11	—	—	—	—	2	0·16
Crook	—	—	44	3·40	16	1·24	2	0·15	4	0·31	9	0·70
Durham M.B.	—	—	47	2·72	9	0·52	—	—	1	0·06	8	0·46

* Administrative County.

† Rates based upon estimated civilian populations.

‡ On 9th November, 1921, the Municipal Borough of Shaftesbury was extended to include part of the Rural District of Shaftesbury. Allowance for this has been made in the calculation of rates.

§ Administrative County with associated County Boroughs.

|| On 1st November, 1921, the County Borough of South Shields was extended to include part of the Rural District of South Shields. Allowance for this has been made in the calculation of rates.

** On 1st October, 1921, the Urban District of Chester le Street was extended to include part of the Rural District of Chester le Street. Allowance for this has been made in the calculation of rates.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
DURHAM—<i>cont.</i>												
BOROUGH AND URBAN DISTRICTS—<i>cont.</i>												
Felling	—	—	103	3·86	28	1·05	—	—	5	0·19	29	1·09
Hartlepool M.B. ..	—	—	70	3·29	6	0·28	4	0·19	—	—	4	0·19
Hebburn	—	—	57	2·31	31	1·26	—	—	2	0·08	13	0·53
Hetton	—	—	20	1·13	3	0·17	7	0·40	—	—	15	0·85
Houghton le Spring ..	—	—	10	0·96	13	1·25	—	—	—	—	4	0·38
Jarrow M.B.	—	—	85	2·35	12	0·33	—	—	2	0·06	28	0·77
Leadgate	—	—	8	1·52	23	4·36	—	—	—	—	2	0·38
Ryton	—	—	55	3·79	4	0·28	1	0·07	1	0·07	7	0·48
Seaham Harbour ..	—	—	3	0·17	12	0·70	—	—	1	0·06	5	0·29
Sildon	—	—	62	4·31	6	0·42	4	0·28	—	—	12	0·83
Southwick on Wear ..	—	—	16	1·07	1	0·07	1	0·07	—	—	—	—
Spennymoor	—	—	58	3·13	14	0·76	—	—	—	—	1	0·05
Stanhope	—	—	1	0·52	5	2·62	—	—	—	—	4	2·09
Stanley	—	—	111	4·35	77	3·01	—	—	—	—	11	0·43
Stockton on Tees ..	—	—	66	1·02	73	1·12	3	0·05	2	0·03	17	0·26
Tanfield	—	—	27	2·55	17	1·61	3	0·28	—	—	6	0·57
Tow Law	—	—	9	2·19	1	0·24	—	—	—	—	1	0·24
Whickham	—	—	64	3·30	7	0·36	9	0·46	2	0·10	3	0·15
Willington	—	—	63	6·72	2	0·21	—	—	1	0·11	—	—
RURAL DISTRICTS:—												
Auckland	—	—	217	3·48	73	1·17	11	0·18	4	0·06	9	0·14
Barnard Castle ..	—	—	37	3·19	3	0·26	1	0·09	1	0·09	2	0·17
Chester le Street *	—	—	372	5·15	137	1·90	7	0·10	1	0·01	48	0·66
Darlington	—	—	14	1·46	21	2·19	—	—	—	—	—	—
Durham	—	—	96	3·01	53	1·66	2	0·06	—	—	9	0·28
Easington	—	—	212	2·77	54	0·71	6	0·08	4	0·05	29	0·38
Hartlepool	—	—	7	1·93	—	—	—	—	—	—	1	0·28
Houghton le Spring ..	—	—	104	3·74	23	0·83	3	0·11	2	0·07	10	0·36
Lanchester	—	—	163	4·73	105	3·05	3	0·09	1	0·03	14	0·41
Sedgefield	—	—	125	3·32	62	1·65	2	0·05	1	0·03	11	0·29
South Shields† ..	—	—	46	2·44	11	0·58	2	0·11	2	0·11	4	0·21
Stockton	—	—	10	0·67	11	0·74	—	—	—	—	1	0·07
Sunderland	—	—	124	4·01	19	0·61	3	0·10	2	0·06	20	0·65
Weardale	—	—	7	0·76	21	2·27	—	—	—	—	1	0·11
ISLE OF ELY†												
ISLE OF ELY†	—	—	312	4·24	35	0·48	10	0·14	—	—	16	0·22
AGGREGATE OF M.B. AND U.Ds.												
AGGREGATE OF M.B. AND U.Ds.	—	—	177	4·76	21	0·56	4	0·11	—	—	14	0·38
AGGREGATE OF R.Ds.												
AGGREGATE OF R.Ds.	—	—	135	3·71	14	0·38	6	0·16	—	—	2	0·05
BOROUGH AND URBAN DISTRICTS:—												
Chatteris	—	—	25	4·89	3	0·59	—	—	—	—	1	0·20
Ely	—	—	41	5·36	3	0·39	3	0·39	—	—	3	0·39
March	—	—	25	2·77	1	0·11	—	—	—	—	3	0·33
Whittlesey	—	—	3	0·71	2	0·47	—	—	—	—	1	0·24
Wisbech M.B.	—	—	83	7·42	12	1·07	1	0·09	—	—	6	0·54
RURAL DISTRICTS:—												
Ely	—	—	53	4·09	2	0·15	2	0·15	—	—	—	—
North Witchford ..	—	—	12	2·34	—	—	3	0·58	—	—	—	—
Thorney	—	—	—	—	—	—	—	—	—	—	1	0·45
Whittlesey	—	—	5	1·44	1	0·29	—	—	—	—	—	—
Wisbech	—	—	65	5·14	11	0·87	1	0·08	—	—	1	0·08

* On 1st October, 1921, the Urban District of Chester le Street was extended to include part of the Rural District of Chester le Street. Allowance for this has been made in the calculation of rates.

† On 1st November, 1921, the County Borough of South Shields was extended to include part of the Rural District of South Shields. Allowance for this has been made in the calculation of rates.

‡ Administrative County.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
ESSEX*†	—	—	7,881	5·42	3,039	2·09	116	0·08	57	0·04	577	0·40
EAST HAM C.B.	—	—	1,360	9·35	315	2·16	7	0·05	5	0·03	57	0·39
SOUTHEND ON SEA C.B. ..	—	—	335	3·70	61	0·67	11	0·12	11	0·12	24	0·27
WEST HAM C.B.	—	—	1,695	5·52	659	2·15	22	0·07	8	0·03	165	0·54
AGGREGATE OF M.Bs. AND U.Ds.†	—	—	3,723	5·82	1,558	2·44	51	0·08	30	0·05	279	0·44
AGGREGATE OF R.Ds. ..	—	—	768	2·83	446	1·64	25	0·09	3	0·01	52	0·19
BOROUGHs AND URBAN DISTRICTS :—												
Barking Town	—	—	147	4·06	121	3·34	8	0·22	—	—	58	1·60
Braintree	—	—	15	2·14	1	0·14	1	0·14	—	—	4	0·57
Brentwood	—	—	17	2·46	31	4·49	—	—	—	—	1	0·14
Brightlingsea	—	—	11	2·47	11	2·47	2	0·45	—	—	2	0·45
Buckhurst Hill	—	—	13	2·64	21	4·26	4	0·81	—	—	1	0·20
Burnham on Crouch ..	—	—	23	6·75	14	4·11	1	0·29	—	—	—	—
Chelmsford M.B.	—	—	36	1·73	38	1·83	2	0·10	1	0·05	2	0·10
Chingford	—	—	37	3·92	16	1·70	—	—	—	—	1	0·11
Clacton	—	—	38	3·23	27	2·30	—	—	—	—	2	0·17
Colchester M.B.†	—	—	146	3·45	49	1·16	2	0·05	2	0·05	24	0·57
Epping	—	—	2	0·48	10	2·40	—	—	—	—	3	0·72
Frinton on Sea	—	—	9	4·49	—	—	—	—	—	—	1	0·50
Grays Thurrock	—	—	78	4·43	54	3·07	—	—	—	—	2	0·11
Halstead	—	—	11	1·84	1	0·17	—	—	—	—	—	—
Harwich M.B.†	—	—	20	1·67	49	4·09	—	—	1	0·08	1	0·08
Ilford	—	—	467	5·46	187	2·19	15	0·18	7	0·08	29	0·34
Leyton	—	—	1,314	10·10	327	2·51	7	0·05	6	0·05	54	0·42
Loughton	—	—	26	4·58	4	0·70	1	0·18	—	—	—	—
Maldon M.B.	—	—	4	0·63	—	—	1	0·16	1	0·16	1	0·16
Romford	—	—	80	4·10	89	4·57	1	0·05	3	0·15	8	0·41
Saffron Walden M.B. ..	—	—	3	0·51	8	1·36	—	—	—	—	—	—
Shoeburyness	—	—	39	6·25	7	1·12	—	—	—	—	10	1·60
Tilbury	—	—	51	5·23	6	0·62	—	—	—	—	3	0·31
Waltham Holy Cross ..	—	—	30	4·37	27	3·93	—	—	—	—	—	—
Walthamstow	—	—	980	7·55	378	2·91	3	0·02	7	0·05	59	0·45
Walton on the Naze ..	—	—	5	2·04	1	0·41	—	—	—	—	—	—
Wanstead	—	—	71	4·67	36	2·37	—	—	1	0·07	2	0·13
Witham	—	—	5	1·35	6	1·62	2	0·54	—	—	—	—
Wivenhoe	—	—	2	0·85	3	1·27	1	0·42	—	—	2	0·85
Woodford	—	—	43	2·03	36	1·70	—	—	1	0·05	9	0·43
RURAL DISTRICTS :—												
Belchamp	—	—	13	3·10	1	0·24	—	—	—	—	—	—
Billericay	—	—	47	1·97	47	1·97	3	0·13	—	—	2	0·08
Braintree	—	—	49	2·61	8	0·43	4	0·21	—	—	11	0·59
Bumpstead	—	—	5	2·09	1	0·42	—	—	—	—	1	0·42
Chelmsford	—	—	34	1·40	16	0·66	1	0·04	—	—	1	0·04
Dunmow	—	—	70	4·60	24	1·58	—	—	—	—	3	0·20
Epping	—	—	50	3·47	24	1·67	—	—	1	0·07	6	0·42
Halstead	—	—	10	1·02	10	1·02	1	0·10	—	—	3	0·31
Lexden and Winstree ..	—	—	70	3·64	29	1·51	—	—	—	—	—	—
* Maldon	—	—	36	2·21	19	1·17	2	0·12	—	—	2	0·12
Ongar	—	—	53	5·32	8	0·80	—	—	1	0·10	1	0·10
Orsett	—	—	80	3·51	92	4·03	1	0·04	—	—	4	0·18
Rochford	—	—	51	2·28	13	0·58	1	0·04	—	—	7	0·31
Romford	—	—	87	2·95	69	2·34	8	0·27	1	0·03	8	0·27
Saffron Walden	—	—	16	1·60	4	0·40	—	—	—	—	1	0·10
Stansted	—	—	40	5·91	5	0·74	—	—	—	—	1	0·15
Tendring	—	—	57	2·65	76	3·53	4	0·19	—	—	1	0·05

* Administrative County with associated County Boroughs.

† Rates based upon estimated civilian populations.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
GLOUCESTER*	7	0·01	2,096	2·75	1,894	2·48	66	0·09	46	0·06	291	0·38
BRISTOL C.B.	7	0·02	1,576	4·13	1,419	3·72	35	0·09	32	0·08	194	0·51
GLOUCESTER C.B.	—	—	74	1·43	110	2·12	3	0·06	3	0·06	19	0·37
AGGREGATE OF M.Bs. AND U.Ds.	—	—	110	1·11	155	1·57	9	0·09	3	0·03	35	0·35
AGGREGATE OF R.Ds.	—	—	336	1·46	210	0·91	19	0·08	8	0·03	43	0·19
BOROUGHs AND URBAN DISTRICTS :—												
Awre	—	—	—	—	—	—	—	—	—	—	—	—
Charlton Kings	—	—	4	0·93	5	1·16	—	—	2	0·46	—	—
Cheltenham M.B.	—	—	72	1·50	70	1·46	2	0·04	—	—	19	0·40
Cirencester	—	—	3	0·40	8	1·08	4	0·54	—	—	1	0·13
Coleford	—	—	8	2·89	—	—	—	—	—	—	1	0·36
Kingswood	—	—	10	0·76	45	3·41	1	0·08	1	0·08	8	0·61
Nailsworth	—	—	—	—	3	0·95	1	0·32	—	—	—	—
Newnham	—	—	5	4·26	—	—	—	—	—	—	2	1·70
Stow on the Wold	—	—	—	—	—	—	—	—	—	—	3	2·59
Stroud	—	—	3	0·35	14	1·63	1	0·12	—	—	1	0·12
Tetbury	—	—	1	0·63	3	1·90	—	—	—	—	—	—
Tewkesbury M.B.	—	—	1	0·21	7	1·50	—	—	—	—	—	—
Westbury on Severn	—	—	3	1·70	—	—	—	—	—	—	—	—
RURAL DISTRICTS :—												
Campden	—	—	4	0·74	3	0·55	—	—	—	—	1	0·18
Cheltenham	—	—	6	1·18	7	1·37	—	—	—	—	1	0·20
Chipping Sodbury	—	—	18	0·85	35	1·65	—	—	2	0·09	7	0·33
Cirencester	—	—	3	0·25	3	0·25	1	0·08	—	—	3	0·25
Dursley	—	—	23	1·84	4	0·32	5	0·40	1	0·08	1	0·08
East Dean and United Parishes	—	—	3	0·14	9	0·43	3	0·14	1	0·05	5	0·24
Faringdon (part of)†	—	—	—	—	—	—	—	—	—	—	—	—
Gloucester	—	—	14	1·07	4	0·31	3	0·23	—	—	2	0·15
Lydney	—	—	13	1·32	8	0·81	2	0·20	1	0·10	2	0·20
Marston Sicca	—	—	12	7·18	—	—	—	—	—	—	—	—
Newent	—	—	11	1·68	13	1·98	1	0·15	—	—	—	—
Northleach	—	—	6	0·80	1	0·13	2	0·27	1	0·13	1	0·13
Pebworth	—	—	29	9·09	4	1·25	—	—	—	—	—	—
Stow on the Wold (part of)†	—	—	4	0·65	2	0·32	—	—	1	0·16	4	0·65
Stroud	—	—	39	1·37	14	0·49	—	—	—	—	3	0·11
Tetbury (part of)†	—	—	5	1·41	2	0·56	—	—	—	—	—	—
Tewkesbury (part of)†	—	—	17	3·67	4	0·86	—	—	—	—	1	0·22
Thornbury	—	—	23	1·22	4	0·21	—	—	1	0·05	2	0·11
Warmley	—	—	18	0·96	63	3·36	—	—	—	—	5	0·27
West Dean	—	—	43	2·92	22	1·49	—	—	—	—	3	0·20
Wheatenhurst	—	—	33	5·36	1	0·16	2	—	—	—	1	0·16
Winchcomb (part of)†	—	—	12	1·37	7	0·80	—	0·23	—	—	1	0·11

* Administrative County with associated County Boroughs.

† The remaining part of the Rural District of Faringdon is in the Administrative County of Berks.

‡ The remaining parts of the Rural Districts of Stow on the Wold, Tewkesbury, and Winchcomb are in the Administrative County of Worcester, and the remaining part of the Rural District of Tetbury is in the Administrative County of Wilts. The figures for the entire Districts are :—

Stow-on-the-Wold	—	—	5	0·77	2	0·31	—	—	1	0·15	4	0·62
Tetbury	—	—	6	1·53	2	0·51	—	—	—	—	—	—
Tewkesbury	—	—	21	3·11	4	0·59	1	0·15	1	0·15	2	0·30
Winchcomb	—	—	12	1·35	8	0·90	2	0·23	—	—	1	0·11

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
HEREFORD*	-	-	171	1·53	154	1·38	11	0·10	4	0·04	22	0·20
AGGREGATE OF M.Bs. AND U.Ds.	-	-	38	0·96	88	2·21	2	0·05	-	-	6	0·15
AGGREGATE OF R.Ds. ..	-	-	133	1·85	66	0·92	9	0·12	4	0·06	16	0·22
BOROUGHs AND URBAN DISTRICTS :—												
Bromyard	-	-	2	1·31	-	-	-	-	-	-	2	1·31
Hereford M.B.	-	-	31	1·33	68	2·92	-	-	-	-	4	0·17
Kington	-	-	-	-	16	9·45	-	-	-	-	-	-
Ledbury	-	-	1	0·32	2	0·64	1	0·32	-	-	-	-
Leominster M.B. ...	-	-	2	0·36	-	-	-	-	-	-	-	-
Ross	-	-	2	0·43	2	0·43	1	0·22	-	-	-	-
RURAL DISTRICTS :—												
Bredwardine	-	-	4	2·06	-	-	-	-	1	0·52	-	-
Bromyard	-	-	17	2·23	10	1·31	1	0·13	-	-	2	0·26
Dore	-	-	4	·65	20	3·24	-	-	-	-	3	0·49
Hereford	-	-	45	3·32	16	1·18	6	0·44	-	-	3	0·22
Kington	-	-	10	2·07	6	1·24	-	-	-	-	2	0·41
Ledbury	-	-	18	2·03	5	0·56	-	-	1	0·11	-	-
Leominster	-	-	22	2·91	3	0·40	-	-	1	0·13	1	0·13
Ross	-	-	-	-	2	0·20	1	0·10	-	-	2	0·20
Weobley	-	-	8	1·26	1	0·16	-	-	1	0·16	1	0·16
Whitchurch	-	-	1	0·61	1	0·61	1	0·61	-	-	-	-
Wigmore	-	-	4	1·14	2	0·57	-	-	-	-	2	0·57
HERTFORD*	-	-	954	2·87	463	1·39	38	0·11	12	0·04	84	0·25
AGGREGATE OF M.Bs. AND U.Ds.	-	-	685	3·00	241	1·05	25	0·11	8	0·04	62	0·27
AGGREGATE OF R.Ds. ..	-	-	269	2·59	222	2·14	13	0·13	4	0·04	22	0·21
BOROUGHs AND URBAN DISTRICTS :—												
Baldock	-	-	5	2·02	-	-	-	-	-	-	1	0·40
Barnet	-	-	27	2·30	8	0·68	4	0·34	3	0·26	-	-
Bishop's Stortford ..	-	-	5	0·57	1	0·11	1	0·11	-	-	1	0·11
Bushey	-	-	59	7·36	14	1·75	1	0·12	-	-	2	0·25
Cheshunt	-	-	16	1·17	17	1·25	1	0·07	-	-	7	0·51
Chorleywood	-	-	17	7·29	2	0·86	-	-	-	-	-	-
East Barnet Valley ..	-	-	53	3·93	22	1·63	-	-	1	0·07	1	0·07
Great Berkhamstead ..	-	-	8	1·10	9	1·24	1	0·14	-	-	1	0·14
Harpenden	-	-	14	2·10	13	1·95	-	-	1	0·15	1	0·15
Hemel Hempstead M.B. ...	-	-	47	3·38	9	0·65	2	0·14	1	0·07	2	0·14
Hertford M.B.	-	-	26	2·42	40	3·72	-	-	-	-	-	-
Hitchin†	-	-	64	4·79	9	0·67	1	0·07	-	-	-	-
Hoddesdon	-	-	6	1·11	19	3·52	-	-	-	-	3	0·56
Letchworth	-	-	74	7·25	14	1·37	-	-	1	0·10	3	0·29
Rickmansworth	-	-	7	0·93	-	-	-	-	-	-	2	0·27
Royston	-	-	5	1·32	-	-	-	-	-	-	3	0·79
St. Albans M.B.	-	-	39	1·52	24	0·94	-	-	-	-	4	0·16
Sawbridgeworth	-	-	2	0·88	2	0·88	-	-	-	-	-	-
Stevenage	-	-	3	0·60	2	0·40	-	-	-	-	4	0·80
Tring	-	-	5	1·17	-	-	2	0·47	-	-	2	0·47
Ware	-	-	24	4·03	-	-	-	-	1	0·17	1	0·17
Watford‡	-	-	179	3·89	36	0·78	12	0·26	-	-	24	0·52
RURAL DISTRICTS :—												
Ashwell	-	-	9	2·50	1	0·28	-	-	-	-	-	-
Barnet	-	-	4	0·89	80	17·78	-	-	-	-	-	-
Berkhamstead	-	-	4	0·85	9	1·92	1	0·21	-	-	1	0·21
Buntingford	-	-	11	2·25	1	0·20	-	-	-	-	2	0·41
Hadham	-	-	11	2·01	-	-	-	-	1	0·18	-	-

* Administrative County.

† On 1st April, 1921, the Urban District of Hitchin was extended to include part of the Rural District of Hitchin. Allowance for this has been made in the calculation of rates.

‡ On 1st April, 1921, the Urban District of Watford was extended to include part of the Rural District of Watford. Allowance for this has been made in the calculation of rates.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATES per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
HERTFORD—<i>cont.</i>												
RURAL DISTRICTS—<i>cont.</i>												
Hatfield*	—	—	24	2·71	7	0·79	1	0·11	—	—	—	—
Hemel Hempstead	—	—	9	1·32	3	0·44	—	—	—	—	2	0·29
Hertford*	—	—	14	1·96	4	0·56	—	—	—	—	—	—
Hitchin†	—	—	25	1·93	8	0·62	1	0·08	1	0·08	—	—
St. Albans	—	—	57	3·91	54	3·70	—	—	1	0·07	4	0·27
Ware	—	—	37	3·29	18	1·60	8	0·71	1	0·09	5	0·44
Watford†	—	—	60	3·71	35	2·17	2	0·12	—	—	8	0·50
Welwyn*	—	—	4	1·48	2	0·74	—	—	—	—	—	—
HUNTINGDON§	—	—	98	1·79	63	1·15	3	0·05	1	0·02	16	0·29
AGGREGATE OF M.Bs. AND U.Ds.	—	—	45	1·88	35	1·46	1	0·04	—	—	5	0·21
AGGREGATE OF R.Ds.	—	—	53	1·72	28	0·91	2	0·07	1	0·03	11	0·36
BOROUGHs AND URBAN DISTRICTS:—												
Godmanchester M.B.	—	—	9	4·42	—	—	—	—	—	—	—	—
Huntingdon M.B.	—	—	2	0·48	4	0·97	—	—	—	—	1	0·24
Old Fletton	—	—	24	4·21	4	0·70	—	—	—	—	3	0·53
Ramsey	—	—	5	0·97	15	2·91	—	—	—	—	1	0·19
St. Ives M.B.	—	—	—	—	11	3·91	—	—	—	—	—	—
St. Neots	—	—	5	1·23	1	0·25	1	0·25	—	—	—	—
RURAL DISTRICTS:—												
Huntingdon	—	—	8	1·20	5	0·75	—	—	—	—	4	0·60
Norman Cross	—	—	33	5·98	1	0·18	1	0·18	—	—	4	0·72
Oundle (part of) 	—	—	—	—	—	—	—	—	—	—	—	—
St. Ives	—	—	9	0·95	20	2·10	1	0·11	1	0·11	2	0·21
St. Neots, No. 1	—	—	1	0·43	—	—	—	—	—	—	1	0·43
„ „ 2	—	—	—	—	—	—	—	—	—	—	—	—
„ „ 3	—	—	—	—	—	—	—	—	—	—	—	—
„ „ 4	—	—	1	0·53	1	0·53	—	—	—	—	—	—
Thrapston (part of) 	—	—	1	1·23	1	1·23	—	—	—	—	—	—
Sibson-cum-Stibington (parish)¶	—	—	—	—	—	—	—	—	—	—	—	—
KENT ** ††	4	0·00	3,705	3·41	2,701	2·49	152	0·14	43	0·04	319	0·29
CANTERBURY C.B.	—	—	24	1·01	80	3·38	1	0·04	2	0·08	5	0·21
AGGREGATE OF M.Bs. AND U.Ds.††	4	0·01	3,055	4·10	1,917	2·57	98	0·13	23	0·03	227	0·30
AGGREGATE OF R.Ds.††	—	—	626	1·97	704	2·22	53	0·17	18	0·06	87	0·27
BOROUGHs AND URBAN DISTRICTS:—												
Ashford	—	—	21	1·45	36	2·49	—	—	2	0·14	1	0·07
Beckenham	—	—	123	3·73	33	1·00	4	0·12	—	—	5	0·15
Bexley	—	—	159	7·39	45	2·09	1	0·05	1	0·05	4	0·19
Broadstairs and St. Peter's	—	—	45	4·04	48	4·31	—	—	—	—	3	0·27
Bromley M.B.	—	—	169	4·85	52	1·49	10	0·29	2	0·06	19	0·55
Chatham M.B.††	—	—	144	3·42	175	4·16	5	0·12	3	0·07	13	0·31
Cheriton††	—	—	5	1·04	—	—	—	—	—	—	—	—
Chislehurst	—	—	27	3·03	15	1·68	10	1·12	—	—	1	0·11
Crayford	—	—	95	7·88	110	9·13	—	—	1	0·08	1	0·08
Dartford	—	—	279	10·59	243	9·22	5	0·19	3	0·11	18	0·68

* On 1st October, 1921, the Rural District of Welwyn was extended to include parts of the Rural Districts of Hatfield and Hertford. Allowance for this has been made in the calculation of rates. Two cases of Typhus Fever were notified in Welwyn R.D.

† See footnote † on preceding page.

‡ See footnote ‡ on preceding page.

§ Administrative County.

|| The remaining parts of the Rural Districts of Oundle and Thrapston are in the Administrative County of Northampton.

¶ This Parish is administered by the Rural District Council of Barnack (Soke of Peterborough).

** Administrative County with associated County Borough.

†† Rates based upon estimated civilian populations.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATES per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
KENT—<i>cont.</i>												
BOROUGH AND URBAN DISTRICTS—<i>cont.</i>												
Deal M.B.	—	—	20	1·63	1	0·08	1	0·08	—	—	2	0·16
Dover M.B.*	4	0·10	150	3·73	102	2·54	15	0·37	1	0·02	7	0·17
Erith	—	—	196	6·11	73	2·28	2	0·06	1	0·03	14	0·44
Faversham M.B.	—	—	21	1·93	74	6·80	1	0·09	—	—	8	0·74
Folkestone M.B.	—	—	48	1·41	29	0·85	1	0·03	—	—	7	0·21
Gillingham M.B.†	—	—	136	2·82	155	3·22	2	0·04	1	0·02	11	0·23
Gravesend M.B.	—	—	86	2·75	49	1·57	7	0·22	—	—	15	0·48
Herne Bay	—	—	46	4·54	28	2·76	—	—	1	0·10	3	0·30
Hythe M.B.†	—	—	36	5·04	3	0·42	1	0·14	—	—	1	0·14
Lydd M.B.	—	—	1	0·45	1	0·45	—	—	—	—	—	—
Maidstone M.B.	—	—	63	1·66	87	1·77	4	0·11	—	—	12	0·32
Margate M.B.	—	—	135	4·87	62	2·24	1	0·04	—	—	6	0·22
Milton Regis	—	—	36	4·77	15	1·99	—	—	—	—	2	0·27
New Romney M.B.	—	—	2	1·33	2	1·33	—	—	—	—	—	—
Northfleet	—	—	13	0·81	37	2·32	3	0·19	—	—	6	0·38
Penge	—	—	126	4·77	40	1·51	6	0·23	1	0·04	5	0·19
Queenborough M.B.	—	—	8	2·57	5	1·61	—	—	—	—	—	—
Ramsgate M.B.	—	—	250	8·31	127	4·22	3	0·10	1	0·03	14	0·47
Rochester M.B.	—	—	52	1·65	140	4·44	6	0·19	—	—	7	0·22
Royal Tunbridge Wells M.B.	—	—	173	5·05	33	0·96	3	0·09	3	0·09	13	0·38
Sandgate (part of)††	—	—	8	4·85	6	3·63	—	—	—	—	—	—
Sandwich M.B.	—	—	3	0·95	—	—	1	0·32	—	—	—	—
Sevenoaks	—	—	10	1·13	—	—	—	—	—	—	1	0·11
Sheerness†	—	—	169	10·23	9	0·54	2	0·12	—	—	10	0·61
Sidcup	—	—	68	7·62	25	2·80	—	—	—	—	6	0·67
Sittingbourne	—	—	15	1·59	20	2·12	2	0·21	—	—	4	0·42
Southborough	—	—	55	7·90	17	2·44	—	—	2	0·29	3	0·43
Tenterden M.B.	—	—	3	0·90	—	—	1	0·30	—	—	—	—
Tonbridge§	—	—	21	1·32	21	1·32	—	—	—	—	3	0·19
Walmert†	—	—	5	1·13	16	3·62	1	0·23	—	—	—	—
Whitstable	—	—	22	2·41	2	0·22	—	—	—	—	2	0·22
Wrotham	—	—	11	2·61	1	0·24	—	—	—	—	—	—
RURAL DISTRICTS:—												
Blean	—	—	7	0·85	10	1·21	3	0·36	—	—	2	0·24
Bridge	—	—	22	1·96	54	4·80	1	0·09	—	—	2	0·18
Bromley	—	—	37	1·45	65	2·55	2	0·08	—	—	6	0·23
Cranbrook	—	—	23	1·80	6	0·47	4	0·31	2	0·16	3	0·23
Dartford	—	—	166	4·38	148	3·91	7	0·18	3	0·08	17	0·45
Dover*†	—	—	6	0·73	21	2·54	—	—	—	—	1	0·12
East Ashford	—	—	9	0·61	20	1·35	1	0·07	2	0·13	3	0·20
Eastry	—	—	5	0·37	2	0·15	1	0·07	1	0·07	2	0·15
Elham	—	—	8	1·02	10	1·28	1	0·13	—	—	1	0·13
Faversham	—	—	75	5·26	35	2·45	4	0·28	2	0·14	1	0·07
Hollingbourne	—	—	20	1·53	31	2·38	2	0·15	—	—	2	0·15
Hoo†	—	—	3	0·67	20	4·44	2	0·44	—	—	—	—
Isle of Thanet†	—	—	28	2·47	66	5·83	—	—	—	—	8	0·71
Maidstone	—	—	15	0·89	31	1·83	2	0·12	1	0·06	6	0·35
Malling	—	—	42	1·66	28	1·11	2	0·08	2	0·08	8	0·32
Milton	—	—	25	1·79	73	5·23	1	0·07	—	—	3	0·21
Romney Marsh	—	—	2	0·66	—	—	—	—	—	—	1	0·33
Sevenoaks	—	—	13	0·56	41	1·76	—	—	—	—	5	0·21
Sheppey†	—	—	8	1·85	1	0·23	1	0·23	2	0·46	1	0·23
Strood	—	—	28	1·71	18	1·10	16	0·98	—	—	5	0·31
Tenterden	—	—	7	1·22	—	—	—	—	1	0·17	—	—
Tonbridge§	—	—	54	3·14	12	0·70	1	0·06	2	0·12	6	0·35
West Ashford	—	—	23	3·01	12	1·57	2	0·26	—	—	4	0·52

* On 9th November, 1921, the Municipal Borough of Dover was extended to include part of the Rural District of Dover. Allowance for this has been made in the calculation of rates.

† Rates based upon estimated civilian populations.

‡ The remaining part of the Urban District of Sandgate forms part of the Borough of Folkestone.

§ On 1st April, 1921, the Urban District of Tonbridge was extended to include part of the Rural District of Tonbridge. Allowance for this has been made in the calculation of rates.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
LANCASTER*†	4	0.00	19,915	4.01	5,765	1.16	476	0.10	463	0.09	2,280	0.46
BARROW IN FURNESS C.B.	—	—	234	3.11	32	0.43	4	0.05	1	0.01	30	0.40
BLACKBURN C.B.	—	—	210	1.62	45	0.35	2	0.02	15	0.12	47	0.36
BLACKPOOL C.B.	—	—	223	3.02	45	0.61	7	0.09	4	0.05	13	0.18
BOLTON C.B.	—	—	591	3.24	162	0.89	8	0.04	7	0.04	87	0.48
BOOTLE C.B.	—	—	336	4.32	173	2.22	4	0.05	4	0.05	15	0.19
BURNLEY C.B.	—	—	163	1.55	206	1.96	16	0.15	9	0.09	68	0.65
BURY C.B.	—	—	138	2.40	49	0.85	1	0.02	7	0.12	20	0.35
LIVERPOOL C.B.†	—	—	3,000	3.67	1,160	1.42	31	0.04	57	0.07	464	0.57
MANCHESTER C.B.	—	—	5,419	7.28	1,045	1.40	90	0.12	174	0.23	382	0.51
OLDHAM C.B.	4	0.03	725	4.89	105	0.71	10	0.07	12	0.08	77	0.52
PRESTON C.B.	—	—	366	3.05	175	1.46	12	0.10	9	0.08	44	0.37
ROCHDALE C.B.	—	—	361	3.89	68	0.73	2	0.02	3	0.03	38	0.41
ST. HELENS C.B.	—	—	236	2.25	53	0.51	2	0.02	19	0.18	81	0.77
SALFORD C.B.	—	—	1,744	7.29	311	1.30	40	0.17	19	0.08	146	0.61
SOUTHPORT C.B.	—	—	129	1.79	110	1.53	12	0.17	5	0.07	23	0.32
WARRINGTON C.B.	—	—	264	3.36	88	1.12	5	0.06	8	0.10	33	0.42
WIGAN C.B.	—	—	244	2.68	51	0.56	28	0.31	3	0.03	73	0.80
AGGREGATE OF M.Bs. AND U.Ds.†	—	—	4,860	3.21	1,636	1.08	169	0.11	102	0.07	569	0.38
AGGREGATE OF R.Ds.†	—	—	672	2.76	251	1.03	33	0.14	5	0.02	70	0.29
BOROUGHs AND URBAN DISTRICTS :—												
Abram	—	—	27	3.86	4	0.57	2	0.29	—	—	6	0.86
Accrington M.B.	—	—	208	4.68	39	0.88	2	0.04	3	0.07	15	0.34
Adlington	—	—	2	0.45	5	1.11	1	0.22	—	—	—	—
Ashton in Makerfield	—	—	85	3.70	32	1.39	4	0.17	1	0.04	11	0.48
Ashton under Lyne M.B.	—	—	70	1.58	26	0.59	9	0.20	11	0.25	13	0.29
Aspull	—	—	25	3.11	26	3.23	10	1.24	1	0.12	11	1.37
Atherton	—	—	36	1.77	13	0.64	2	0.10	—	—	13	0.64
Audenshaw	—	—	23	2.86	5	0.62	—	—	—	—	5	0.62
Bacup M.B.	—	—	7	0.32	5	0.23	2	0.09	1	0.05	28	1.29
Barrowford	—	—	5	0.87	—	—	—	—	1	0.17	—	—
Billinge	—	—	1	0.19	1	0.19	1	0.19	2	0.38	—	—
Blackrod	—	—	7	1.77	2	0.51	—	—	2	0.51	1	0.25
Brierfield	—	—	5	0.59	6	0.71	1	0.12	—	—	1	0.12
Carnforth	—	—	29	8.97	1	0.31	—	—	1	0.31	—	—
Chadderton	—	—	192	6.54	22	0.75	2	0.07	2	0.07	13	0.44
Chorley M.B.	—	—	17	0.54	26	0.83	3	0.10	3	0.10	18	0.58
Church	—	—	31	4.49	3	0.43	—	—	—	—	1	0.14
Clayton le Moors	—	—	19	2.17	3	0.34	—	—	—	—	3	0.34
Clitheroe M.B.	—	—	86	6.94	5	0.40	—	—	—	—	1	0.08
Colne M.B.	—	—	38	1.51	57	2.26	1	0.04	1	0.04	5	0.20
Crompton	—	—	66	4.33	7	0.46	1	0.07	3	0.20	10	0.66
Croston	—	—	7	3.48	—	—	—	—	—	—	1	0.50
Dalton in Furness	—	—	27	2.17	27	2.17	—	—	—	—	3	0.24
Darwen M.B.	—	—	24	0.62	10	0.26	1	0.03	1	0.03	5	0.13
Denton	—	—	84	4.66	8	0.44	3	0.17	2	0.11	6	0.33
Droylsden	—	—	72	5.09	9	0.64	1	0.07	—	—	10	0.71
Eccles M.B.	—	—	349	7.76	58	1.29	3	0.07	—	—	16	0.36
Failsworth	—	—	150	8.64	15	0.86	—	—	4	0.23	9	0.52
Farnworth	—	—	76	2.66	25	0.87	4	0.14	5	0.17	11	0.38
Fleetwood†	—	—	63	3.31	34	1.79	3	0.16	—	—	6	0.32
Formby	—	—	19	3.03	18	2.87	1	0.16	—	—	1	0.16
Fulwood†	—	—	46	7.78	11	1.86	—	—	3	0.51	2	0.34
Golborne	—	—	11	1.50	2	0.27	2	0.27	1	0.14	4	0.54
Grange	—	—	1	0.49	1	0.49	—	—	—	—	—	—
Great Crosby	—	—	28	2.06	21	1.55	1	0.07	2	0.15	8	0.95

* Administrative County with associated County Boroughs.

† Rates based upon estimated civilian populations.

‡ One case of Typhus Fever was notified.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
LANCASTER—<i>cont.</i>												
BOROUGH AND URBAN DISTRICTS— <i>cont.</i> :—												
Great Harwood	—	—	58	4·17	3	0·22	—	—	—	—	3	0·22
Haslingden M.B. ...	—	—	15	0·84	6	0·34	3	0·17	1	0·06	5	0·28
Haydock	—	—	34	3·22	6	0·57	2	0·19	4	0·38	6	0·57
Heysham	—	—	18	4·71	1	0·26	1	0·26	—	—	—	—
Heywood M.B. ...	—	—	15	0·55	12	0·44	—	—	3	0·11	12	0·44
Hindley	—	—	84	3·48	31	1·29	7	0·29	—	—	10	0·41
Horwich	—	—	24	1·52	94	5·94	2	0·13	1	0·06	3	0·19
Hurst	—	—	12	1·45	3	0·36	1	0·12	1	0·12	8	0·97
Huyton with Roby ..	—	—	10	1·92	6	1·15	—	—	—	—	—	—
Ince in Makerfield ..	—	—	53	2·26	16	0·68	7	0·30	—	—	8	0·34
Irlam	—	—	55	5·73	6	0·63	—	—	1	0·10	5	0·52
Kearsley	—	—	14	1·42	9	0·91	—	—	—	—	3	0·30
Kirkham	—	—	3	0·77	—	—	1	0·26	—	—	—	—
Lancaster M.B. ...	—	—	110	2·71	20	0·49	5	0·12	1	0·02	14	0·34
Lathom and Burscough ..	—	—	23	2·98	9	1·16	—	—	—	—	3	0·39
Lees	—	—	20	4·08	1	0·20	—	—	—	—	6	1·22
Leigh M.B. ...	—	—	165	3·54	60	1·29	2	0·04	4	0·09	16	0·34
Leyland	—	—	36	3·91	8	0·87	1	0·11	—	—	1	0·11
Litherland	—	—	49	2·94	34	2·04	4	0·24	1	0·06	4	0·24
Littleborough	—	—	18	1·54	9	0·77	1	0·09	—	—	3	0·26
Little Crosby	—	—	7	6·32	—	—	—	—	—	—	—	—
Little Hulton	—	—	34	4·19	16	1·97	1	0·12	—	—	1	0·12
Little Lever	—	—	1	0·20	1	0·20	—	—	—	—	1	0·20
Longridge	—	—	11	2·54	6	1·38	—	—	—	—	—	—
Lytham	—	—	21	2·07	14	1·38	2	0·20	1	0·10	—	—
Middleton M.B. ...	—	—	259	8·96	17	0·59	8	0·28	1	0·03	8	0·28
Milnrow	—	—	39	4·56	1	0·12	—	—	3	0·35	2	0·23
Morecambe M.B. ...	—	—	34	2·50	5	0·37	—	—	—	—	6	0·44
Mossley M.B. ...	—	—	17	1·31	8	0·62	2	0·15	—	—	1	0·08
Nelson M.B. ...	—	—	45	1·11	31	0·76	1	0·02	—	—	7	0·17
Newton in Makerfield ..	—	—	102	5·32	38	1·98	2	0·10	2	0·10	15	0·78
Norden	—	—	5	1·21	—	—	—	—	—	—	1	0·24
Ormskirk	—	—	20	2·67	23	3·07	1	0·13	—	—	1	0·13
Orrell	—	—	22	3·18	4	0·58	2	0·29	1	0·14	6	0·87
Oswaldtwistle	—	—	109	7·06	10	0·65	1	0·06	2	0·13	2	0·13
Padiham	—	—	15	1·18	22	1·73	—	—	2	0·16	1	0·08
Poulton le Fylde	—	—	5	1·83	1	0·37	—	—	—	—	—	—
Preesall	—	—	2	1·20	9	5·38	1	0·60	—	—	—	—
Prescot	—	—	23	2·50	1	0·11	1	0·11	—	—	2	0·22
Prestwich	—	—	50	2·65	25	1·32	3	0·16	1	0·05	2	0·11
Radcliffe	—	—	51	2·02	39	1·54	3	0·12	2	0·08	14	0·55
Rainford	—	—	3	0·85	9	2·54	3	0·85	—	—	—	—
Ramsbottom	—	—	25	1·60	8	0·51	—	—	1	0·06	7	0·45
Rawtenstall M.B. ...	—	—	27	0·93	13	0·45	1	0·03	—	—	2	0·07
Rishton	—	—	10	1·39	7	0·98	1	0·14	—	—	9	1·26
Royton	—	—	32	1·82	12	0·68	2	0·11	1	0·06	11	0·63
St. Anne's on the Sea ..	—	—	67	6·37	9	0·86	—	—	—	—	2	0·19
Skelmersdale	—	—	16	2·34	1	0·15	5	0·73	—	—	5	0·73
Standish with Langtree ..	—	—	15	2·02	5	0·67	2	0·27	—	—	6	0·81
Stretford	—	—	348	7·40	45	0·96	1	0·02	2	0·04	17	0·36
Swinton and Pendlebury ..	—	—	113	3·58	51	1·61	7	0·22	2	0·06	15	0·47
Thornton	—	—	18	3·37	4	0·75	—	—	—	—	1	0·19
Tottington	—	—	23	3·35	23	3·35	1	0·15	2	0·29	9	1·31
Trawden	—	—	3	1·06	1	0·35	—	—	1	0·35	—	—
Turton	—	—	29	2·36	12	0·98	—	—	—	—	4	0·33
Tyldesley with Shakerley ..	—	—	74	4·56	15	0·92	3	0·18	1	0·06	14	0·86
Ulverston	—	—	23	2·27	2	0·20	—	—	—	—	1	0·10
Upholland	—	—	19	3·39	1	0·18	1	0·18	—	—	—	—
Urmston	—	—	60	7·16	5	0·60	—	—	—	—	1	0·12
Walton le Dale	—	—	38	3·07	10	0·81	1	0·08	1	0·08	4	0·32
Wardle	—	—	2	0·44	—	—	—	—	—	—	3	0·66
Waterloo with Seaforth ..	—	—	93	3·13	69	2·32	2	0·07	2	0·07	11	0·37
Westhoughton	—	—	31	1·95	10	0·63	3	0·19	2	0·13	5	0·32
Whitefield	—	—	22	3·13	12	1·71	—	—	1	0·14	3	0·43
Whitworth	—	—	15	1·67	6	0·67	—	—	—	—	5	0·56

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
LANCASTER—<i>cont.</i>												
BOROUGH AND URBAN DISTRICTS— <i>cont.</i> :—												
Widnes M.B.	—	—	84	2·11	169	4·25	6	0·15	4	0·10	11	0·28
Withnell	—	—	—	—	—	—	1	0·29	—	—	—	—
Worsley*	—	—	46	3·23	5	0·35	4	0·28	—	—	6	0·42
RURAL DISTRICTS :—												
Barton upon Irwell* ..	—	—	74	7·27	4	0·39	7	0·69	—	—	4	0·39
Blackburn	—	—	7	0·68	6	0·59	—	—	1	0·10	1	0·10
Burnley	—	—	27	1·39	12	0·62	1	0·05	—	—	3	0·15
Bury	—	—	12	1·25	7	0·73	—	—	—	—	3	0·31
Chorley	—	—	20	0·90	13	0·58	5	0·22	—	—	4	0·18
Clitheroe	—	—	5	0·75	25	3·73	—	—	1	0·15	—	—
Fylde	—	—	36	2·85	30	2·37	2	0·16	1	0·08	1	0·08
Garstang	—	—	14	1·31	16	1·50	1	0·09	—	—	2	0·19
Lancaster	—	—	13	1·39	7	0·75	1	0·11	—	—	2	0·21
Leigh	—	—	94	8·64	6	0·55	1	0·09	—	—	8	0·74
Limehurst†	—	—	44	4·76	7	0·76	—	—	—	—	10	1·08
Lunesdale	—	—	9	1·38	—	—	1	0·15	—	—	—	—
Preston	—	—	62	2·67	24	1·03	3	0·13	—	—	6	0·26
Sefton	—	—	31	5·38	2	0·35	—	—	—	—	2	0·35
Ulverston	—	—	34	1·89	9	0·50	3	0·17	—	—	6	0·33
Warrington	—	—	52	4·24	18	1·47	—	—	1	0·08	5	0·41
West Lancashire	—	—	72	3·37	30	1·40	2	0·09	—	—	3	0·14
Whiston	—	—	51	2·74	28	1·50	5	0·27	—	—	5	0·27
Wigan	—	—	15	2·38	7	1·11	1	0·16	1	0·16	5	0·79
LEICESTER††												
LEICESTER C.B.	—	—	718	3·02	324	1·36	26	0·11	22	0·09	84	0·35
AGGREGATE OF M.B. AND U.Ds.†	—	—	218	1·99	194	1·78	4	0·04	4	0·04	28	0·26
AGGREGATE OF R.Ds. ..	2	0·01	268	1·75	205	1·34	22	0·14	4	0·03	48	0·31
BOROUGH AND URBAN DISTRICTS :—												
Ashby de la Zouch ..	—	—	—	—	6	1·20	—	—	1	0·20	1	0·20
Ashby Woulds	—	—	12	3·66	6	1·83	—	—	—	—	1	0·31
Coalville	—	—	33	1·59	33	1·59	2	0·10	—	—	10	0·48
Hinckley	—	—	9	0·65	41	0·79	—	—	1	0·07	5	0·36
Loughborough M.B. ..	—	—	77	2·94	30	1·14	—	—	1	0·04	3	0·11
Market Harborough ..	—	—	11	1·28	2	0·23	—	—	—	—	—	—
Melton Mowbray	—	—	11	1·19	7	0·76	2	0·22	—	—	5	0·54
Oadby†	—	—	18	5·88	16	5·23	—	—	—	—	2	0·65
Quorndon	—	—	3	1·22	4	1·63	—	—	—	—	—	—
Shepshed	—	—	20	3·55	—	—	—	—	—	—	1	0·18
Thurmaston	—	—	7	3·13	10	4·46	—	—	—	—	—	—
Wigston Magna	—	—	17	1·94	69	7·89	—	—	1	0·11	—	—
RURAL DISTRICTS :—												
Ashby de la Zouch ..	—	—	33	1·91	59	3·41	1	0·06	1	0·06	4	0·23
Barrow upon Soar ..	—	—	21	0·83	27	1·06	2	0·08	1	0·04	11	0·43
Belvoir	—	—	6	1·86	1	0·31	—	—	—	—	2	0·62
Billesdon	—	—	12	1·66	9	1·24	—	—	—	—	—	—
Blaby	2	0·12	41	2·38	34	1·97	8	0·46	2	0·12	8	0·46
Castle Donington ..	—	—	2	0·31	—	—	1	0·15	—	—	—	—
Hallaton	—	—	—	—	—	—	—	—	—	—	—	—
Hinckley	—	—	27	1·85	13	0·89	—	—	—	—	10	0·69
Loughborough	—	—	3	0·66	2	0·44	—	—	—	—	—	—
Lutterworth	—	—	2	0·20	5	0·49	—	—	—	—	3	0·29
Market Bosworth ..	—	—	59	2·52	41	1·75	2	0·09	—	—	6	0·26
Market Harborough ..	—	—	37	4·93	6	0·80	8	1·07	—	—	—	—
Melton Mowbray ..	—	—	25	1·73	8	0·55	—	—	—	—	4	0·28

* On 21st July, 1921, the Urban District of Worsley was extended to include part of the Rural District of Barton upon Irwell. Allowance for this has been made in the calculation of rates.

† Rates based upon estimated civilian populations.

‡ Administrative County with associated County Borough.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
LINCOLN, PARTS OF HOLLAND*	—	—	108	1·25	56	0·65	5	0·06	—	—	11	0·13
AGGREGATE OF M.B. AND U.Ds.	—	—	18	0·48	28	0·74	5	0·13	—	—	5	0·13
AGGREGATE OF R.D. ..	—	—	90	1·86	28	0·58	—	—	—	—	6	0·12
BOROUGH AND URBAN DISTRICTS :—												
Boston M.B.	—	—	9	0·56	14	0·87	4	0·25	—	—	2	0·12
Holbeach	—	—	2	0·37	3	0·56	—	—	—	—	1	0·19
Long Sutton	—	—	—	—	1	0·31	—	—	—	—	—	—
Spalding	—	—	7	0·65	7	0·65	1	0·09	—	—	1	0·09
Sutton Bridge	—	—	—	—	3	1·28	—	—	—	—	1	0·43
RURAL DISTRICTS :—												
Boston	—	—	41	1·86	17	0·77	—	—	—	—	5	0·23
Crowland	—	—	1	0·37	1	0·37	—	—	—	—	—	—
East Elloe	—	—	—	—	6	0·63	—	—	—	—	1	0·11
Spalding	—	—	48	3·43	4	0·29	—	—	—	—	—	—
LINCOLN, PARTS OF KESTEVEN*†	1	0·01	171	1·63	78	0·74	14	0·13	2	0·02	23	0·22
AGGREGATE OF M.Bs. AND U.Ds.	1	0·02	48	1·17	20	0·49	2	0·05	—	—	12	0·29
AGGREGATE OF R.Ds.† ..	—	—	123	1·92	58	0·90	12	0·19	2	0·03	11	0·17
BOROUGHS AND URBAN DISTRICTS :—												
Bourne	—	—	21	4·86	1	0·23	—	—	—	—	—	—
Grantham M.B.	1	0·05	7	0·37	9	0·47	—	—	—	—	3	0·16
Ruskington	—	—	—	—	—	—	—	—	—	—	—	—
Sleaford	—	—	1	0·15	5	0·75	1	0·15	—	—	9	1·35
Stamford M.B.	—	—	19	1·93	5	0·51	1	0·10	—	—	—	—
RURAL DISTRICTS :—												
Bourne	—	—	35	2·77	10	0·79	1	0·08	—	—	1	0·08
Branston†	—	—	30	2·25	6	0·45	2	0·15	1	0·08	5	0·38
Claypole	—	—	2	0·25	19	2·41	2	0·25	1	0·13	1	0·13
Grantham	—	—	6	0·50	11	0·92	1	0·08	—	—	2	0·17
Sleaford†	—	—	50	2·96	12	0·71	6	0·36	—	—	2	0·12
Uffington	—	—	—	—	—	—	—	—	—	—	—	—
LINCOLN, PARTS OF LINDSEY†	—	—	464	1·15	623	1·55	49	0·12	8	0·02	102	0·25
GRIMSBY C.B.	—	—	64	0·77	97	1·16	25	0·30	1	0·01	13	0·16
LINCOLN C.B.	—	—	37	0·56	101	1·52	1	0·02	1	0·02	17	0·26
AGGREGATE OF M.B. AND U.Ds.	—	—	203	1·73	259	2·21	9	0·08	5	0·04	47	0·40
AGGREGATE OF R.Ds. ..	—	—	160	1·18	166	1·23	14	0·10	1	0·07	25	0·18
BOROUGH AND URBAN DISTRICTS :—												
Alford	—	—	—	—	6	2·77	—	—	—	—	2	0·92
Barton upon Humber ..	—	—	15	2·32	27	4·17	1	0·15	—	—	8	1·24
Brigg	—	—	—	—	11	3·31	—	—	—	—	2	0·60
Broughton	—	—	1	0·57	—	—	—	—	1	0·57	—	—
Cleethorpes	—	—	12	0·44	29	1·06	1	0·04	1	0·04	7	0·26
Crowle	—	—	1	0·33	27	8·91	—	—	—	—	—	—
Gainsborough	—	—	8	0·40	20	1·00	—	—	—	—	9	0·45
Horncastle	—	—	2	0·58	1	0·29	—	—	—	—	1	0·29
Louth M.B.	—	—	2	0·21	7	0·73	4	0·42	—	—	10	1·05
Mablethorpe	—	—	8	4·07	3	1·53	—	—	—	—	—	—

* Administrative County.

† Rates based upon estimated civilian populations.

‡ Administrative County with associated County Boroughs.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
LINCOLN, PARTS OF LINDSEY—<i>cont.</i>												
BOROUGH AND URBAN DISTRICTS—<i>cont.</i>												
Market Rasen	—	—	1	0·47	2	0·93	—	—	—	—	—	—
Roxby cum Risby	—	—	—	—	4	6·57	—	—	—	—	—	—
Scunthorpe and Frodingham	—	—	150	5·40	86	3·09	3	0·11	3	0·11	6	0·22
Skegness	—	—	1	0·22	1	0·22	—	—	—	—	2	0·45
Winterton	—	—	2	1·17	35	20·47	—	—	—	—	—	—
Woodhall Spa	—	—	—	—	—	—	—	—	—	—	—	—
RURAL DISTRICTS:—												
Caistor	—	—	13	1·03	15	1·18	—	—	1	0·08	—	—
Gainsborough	—	—	41	2·88	15	1·05	—	—	—	—	5	0·35
Glanford Brigg	—	—	43	1·70	33	1·31	4	0·16	—	—	7	0·28
Grimsby	—	—	7	0·57	10	0·81	1	0·08	—	—	2	0·16
Horncastle	—	—	6	0·50	4	0·33	—	—	—	—	3	0·25
Isle of Axholme	—	—	2	0·30	17	2·52	—	—	—	—	1	0·15
Louth	—	—	14	0·81	5	0·29	5	0·29	—	—	1	0·06
Sibsey	—	—	14	4·67	4	1·33	1	0·33	—	—	2	0·67
Spilsby	—	—	12	0·57	59	2·81	—	—	—	—	3	0·14
Welton	—	—	8	0·74	4	0·37	3	0·28	—	—	1	0·09
COUNTY OF LONDON*† ..	2	0·00	32,740	7·25	16,323	3·62	329	0·07	353	0·08	2,140	0·47
CITY OF LONDON (INCLUDING INNER AND MIDDLE TEMPLES)	—	—	91	6·58	34	2·46	1	0·07	—	—	6	0·43
METROPOLITAN BOROUGHs:—												
Battersea	—	—	1,428	8·44	775	4·58	10	0·06	15	0·09	73	0·43
Bermondsey	—	—	1,151	9·55	736	6·11	8	0·07	7	0·06	51	0·42
Bethnal Green	—	—	999	8·44	570	4·82	4	0·03	10	0·08	95	0·80
Camberwell	—	—	1,965	7·29	864	3·26	17	0·06	14	0·05	114	0·42
Chelsea	—	—	235	3·66	114	1·77	9	0·14	7	0·11	21	0·33
Deptford	—	—	931	8·20	357	3·15	11	0·10	11	0·10	59	0·52
Finsbury	—	—	610	7·95	361	4·71	5	0·07	6	0·08	85	1·11
Fulham	—	—	961	6·03	578	3·63	7	0·04	27	0·17	94	0·59
Greenwich	—	—	960	9·47	606	5·98	11	0·11	11	0·11	60	0·59
Hackney	—	—	1,900	8·47	952	4·25	11	0·05	18	0·08	90	0·40
Hammersmith†	—	—	1,350	10·49	441	3·43	4	0·03	12	0·09	55	0·43
Hampstead	—	—	384	4·42	446	5·13	12	0·14	3	0·03	27	0·31
Holborn	1	0·02	198	4·55	170	3·91	8	0·18	1	0·02	18	0·41
Islington	—	—	2,621	7·87	1,554	4·67	10	0·03	34	0·10	124	0·37
Kensington	—	—	918	5·18	376	2·12	25	0·14	8	0·05	79	0·45
Lambeth	—	—	1,750	5·72	551	1·80	7	0·02	28	0·09	124	0·41
Lewisham	—	—	1,125	6·40	534	3·04	10	0·06	9	0·05	57	0·32
Paddington	—	—	833	5·72	455	3·13	13	0·09	16	0·11	83	0·57
Poplar	—	—	1,432	8·73	649	3·95	16	0·10	16	0·10	95	0·58
St. Marylebone	—	—	490	4·66	236	2·24	13	0·12	4	0·04	48	0·46
St. Pancras	—	—	1,706	8·01	723	3·40	28	0·13	10	0·05	87	0·41
Shoreditch	—	—	930	8·84	588	5·59	7	0·07	12	0·11	72	0·68
Southwark	—	—	1,266	6·81	537	2·89	7	0·04	17	0·09	145	0·78
Stepney	—	—	2,044	8·11	1,080	4·29	21	0·08	21	0·08	132	0·52
Stoke Newington	—	—	455	8·65	164	3·12	2	0·04	3	0·06	15	0·29
Wandsworth	1	0·00	1,979	5·97	1,023	3·09	31	0·09	11	0·03	121	0·37
Westminster†	—	—	676	4·83	265	1·89	10	0·07	8	0·06	52	0·37
Woolwich†	—	—	1,352	9·83	584	4·24	11	0·08	14	0·10	58	0·42

* Administrative County.

† Rates based upon estimated civilian populations.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
MIDDLESEX*†	1	0.00	8,125	6.46	3,720	2.96	83	0.07	80	0.06	460	0.37
AGGREGATE OF M.Bs. AND U.Ds.†	1	0.00	7,948	6.61	3,663	3.05	80	0.07	77	0.06	448	0.37
AGGREGATE OF R.Ds. ..	—	—	177	3.14	57	1.01	3	0.05	3	0.05	12	0.21
BOROUGHs AND URBAN DISTRICTS :—												
Acton M.B.	—	—	632	10.19	204	3.29	1	0.02	1	0.02	19	0.31
Brentford	—	—	178	10.28	62	3.58	1	0.06	—	—	6	0.35
Chiswick	—	—	247	6.03	105	2.56	—	—	3	0.07	18	0.44
Ealing M.B.	—	—	664	9.79	183	2.70	8	0.12	9	0.13	27	0.40
Edmonton	—	—	428	6.31	420	6.19	6	0.09	10	0.15	41	0.60
Enfield	—	—	220	3.58	127	2.07	—	—	1	0.02	25	0.41
Feltham	—	—	17	2.66	3	0.47	1	0.16	—	—	5	0.78
Finchley	—	—	175	3.75	99	2.12	11	0.24	3	0.06	10	0.21
Friern Barnet	—	—	76	4.34	26	1.48	6†	0.34	—	—	8	0.46
Greenford	—	—	9	6.22	4	2.76	—	—	—	—	—	—
Hampton	—	—	29	2.75	104	9.85	4	0.38	3	0.28	7	0.66
Hampton Wick†	—	—	4	1.45	6	2.18	1	0.36	1	0.36	1	0.36
Hanwell	—	—	311	15.06	35	1.69	—	—	1	0.05	3	0.15
Harrow on the Hill ..	—	—	78	4.01	83	4.27	1	0.05	1	0.05	7	0.36
Hayes	—	—	48	7.52	5	0.78	—	—	—	—	—	—
Hendon	—	—	154	2.77	137	2.47	4	0.07	6	0.11	10	0.18
Heston and Isleworth† ..	—	—	219	4.79	102	2.23	5	0.11	11	0.24	17	0.37
Hornsey M.B.	—	—	594	6.78	188	2.15	2	0.02	2	0.02	36	0.41
Kingsbury	—	—	5	2.70	—	—	—	—	—	—	—	—
Ruislip Northwood ..	—	—	16	1.78	6	0.67	1	0.11	—	—	—	—
Southall Norwood ..	—	—	272	8.83	30	0.97	1	0.03	—	—	8	0.26
Southgate	—	—	224	5.76	50	1.29	1	0.03	3	0.08	13	0.33
Staines	—	—	18	2.49	8	1.10	—	—	—	—	—	—
Sunbury on Thames ..	—	—	8	1.49	6	1.12	—	—	—	—	—	—
Teddington	—	—	30	1.42	23	1.09	1	0.05	1	0.05	6	0.28
Tottenham	—	—	1,043	6.99	569	3.81	6	0.04	6	0.04	63	0.42
Twickenham	—	—	103	2.97	54	1.56	—	—	5	0.14	5	0.14
Uxbridge	—	—	52	4.00	20	1.54	—	—	—	—	4	0.31
Wealdstone	—	—	90	6.66	43	3.18	1	0.07	—	—	2	0.15
Wembley	—	—	52	3.23	45	2.79	1	0.06	1	0.06	5	0.31
Willesden	—	—	1,508	9.02	768	4.59	16	0.10	7	0.04	72	0.43
Wood Green	1	0.02	419	8.20	141	2.76	1	0.02	2	0.04	22	0.43
Yiewsley	—	—	25	5.09	7	1.43	—	—	—	—	8	1.63
RURAL DISTRICTS :—												
Hendon	—	—	62	3.56	32	1.83	1	0.06	—	—	1	0.06
South Mimms	—	—	10	3.20	2	0.64	—	—	—	—	—	—
Staines	—	—	60	2.38	13	0.52	1	0.04	1	0.04	8	0.32
Uxbridge	—	—	45	4.21	10	0.93	1	0.09	2	0.19	3	0.28
NORFOLK§	—	—	655	1.33	834	1.69	36	0.07	9	0.02	105	0.21
GREAT YARMOUTH C.B. ..	—	—	76	1.35	71	1.26	8	0.14	—	—	15	0.27
NORWICH C.B.	—	—	144	1.18	331	2.70	8	0.07	3	0.02	41	0.33
AGGREGATE OF M.Bs. AND U.Ds.	—	—	140	2.31	62	1.02	5	0.08	—	—	8	0.13
AGGREGATE OF R.Ds. ..	—	—	295	1.16	370	1.45	15	0.06	6	0.02	41	0.16
BOROUGHs AND URBAN DISTRICTS :—												
Cromer	—	—	2	0.50	3	0.75	1	0.25	—	—	—	—
Diss	—	—	1	0.29	—	—	—	—	—	—	1	0.29
Downham Market ..	—	—	2	0.85	10	4.27	—	—	—	—	—	—
East Dereham	—	—	1	0.18	28	4.93	—	—	—	—	—	—
King's Lynn M.B. ..	—	—	54	2.69	5	0.25	2	0.10	—	—	3	0.15

* Administrative County.

† Rates based upon estimated civilian populations.

‡ This figure includes 4 cases notified from the Mental Hospital, Colney Hatch.

§ Administrative County with associated County Boroughs.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
NORFOLK—<i>cont.</i>												
BOROUGHES AND URBAN DISTRICTS—<i>cont.</i>												
New Hunstanton	—	—	2	0·66	1	0·33	1	0·33	—	—	—	—
North Walsham	—	—	18	4·33	4	0·96	—	—	—	—	—	—
Sheringham	—	—	16	4·40	5	1·38	—	—	—	—	—	—
Swaffham	—	—	6	2·08	1	0·35	—	—	—	—	2	0·55
Thetford M.B.	—	—	1	0·21	—	—	—	—	—	—	—	—
Walsoken	—	—	37	9·38	—	—	—	—	—	—	—	—
Wells	—	—	—	—	5	1·93	1	0·39	—	—	1	0·25
											1	0·39
RURAL DISTRICTS :—												
Aylsham	—	—	40	2·46	71	4·36	—	—	1	0·06	1	0·06
Blofield	—	—	3	0·24	12	0·98	2	0·16	—	—	3	0·24
Depwade	—	—	3	0·16	19	1·00	—	—	—	—	—	—
Docking	—	—	8	0·48	14	0·84	2	0·12	3	0·16	2	0·11
Downham	—	—	13	0·89	6	0·41	—	—	1	0·06	—	—
East and West Flegg ..	—	—	8	0·78	9	0·88	1	0·10	—	—	2	0·14
Erpingham	—	—	23	1·34	5	0·29	3	0·17	—	—	1	0·10
Forehoe	—	—	15	1·32	10	0·88	1	0·09	—	—	3	0·17
Freebridge Lynn	—	—	9	0·77	1	0·09	—	—	1	0·09	2	0·18
Henstead	—	—	18	1·82	13	1·31	—	—	—	—	—	—
King's Lynn	—	—	—	—	1	1·10	—	—	—	—	—	—
Loddon and Clavering ..	—	—	26	2·14	14	1·15	1	0·08	—	—	2	0·16
Marshland	—	—	64	4·56	61	4·35	—	—	—	—	5	0·36
Mitford and Launditch ..	—	—	8	0·45	16	0·89	1	0·06	—	—	7	0·39
St. Faith's	—	—	15	1·37	23	2·10	—	—	—	—	2	0·18
Smallburgh	—	—	3	0·22	9	0·66	2	0·15	—	—	2	0·15
Swaffham	—	—	1	0·14	5	0·70	—	—	—	—	2	0·28
Thetford	—	—	2	0·21	8	0·85	1	0·11	—	—	1	0·11
Walsingham	—	—	8	0·49	51	3·15	—	—	—	—	4	0·25
Wayland	—	—	28	2·13	22	1·67	1	0·76	—	—	2	0·15
NORTHAMPTON*†												
	—	—	415	1·36	431	1·42	31	0·10	15	0·05	104	0·34
NORTHAMPTON C.B.												
	—	—	118	1·28	219	2·37	12	0·13	10	0·11	48	0·52
AGGREGATE OF M.Bs. AND U.Ds.												
	—	—	178	1·83	95	0·98	4	0·04	4	0·04	33	0·34
AGGREGATE OF R.Ds.†												
	—	—	119	1·03	117	1·02	15	0·13	1	0·01	23	0·20
BOROUGHES AND URBAN DISTRICTS :—												
Brackley M.B.	—	—	1	0·42	1	0·42	—	—	—	—	—	—
Daventry M.B.	—	—	3	0·85	3	0·85	—	—	—	—	—	—
Desborough	—	—	22	5·27	—	—	—	—	—	—	1	0·24
Finedon	—	—	3	0·74	—	—	—	—	—	—	1	0·25
Higham Ferrers M.B. ..	—	—	1	0·34	1	0·34	—	—	—	—	—	—
Irthlingborough	—	—	4	0·81	—	—	1	0·20	—	—	1	0·20
Kettering	—	—	102	3·39	40	1·33	1	0·03	3	0·10	7	0·23
Oundle	—	—	2	0·75	3	1·12	—	—	—	—	—	—
Raunds	—	—	16	4·19	—	—	—	—	—	—	—	—
Rothwell	—	—	—	—	13	2·94	—	—	1	0·23	2	0·45
Rushden	—	—	4	0·29	3	0·22	2	0·15	—	—	3	0·22
Wellingborough	—	—	20	0·97	31	1·50	—	—	—	—	18	0·87
RURAL DISTRICTS :—												
Brackley	—	—	8	1·21	3	0·46	—	—	—	—	2	0·30
Brixworth	—	—	10	0·86	12	1·04	—	—	—	—	7	0·60
Crick	—	—	—	—	2	0·84	2	0·84	—	—	—	—
Daventry †	—	—	25	1·83	50	3·66	—	—	—	—	3	0·22
Easton on the Hill ..	—	—	2	1·46	—	—	—	—	—	—	—	—

* Administrative County with associated County Borough.

† Rates based upon estimated civilian populations.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
NORTHAMPTON—<i>cont.</i>												
RURAL DISTRICTS—<i>cont.</i>												
Gretton	—	—	—	—	—	—	—	—	—	—	—	—
Hardingstone	—	—	11	1·47	4	0·53	—	—	—	—	1	0·13
Kettering	—	—	13	1·03	6	0·47	1	0·08	—	—	4	0·32
Middleton Cheney ..	—	—	—	—	—	—	—	—	—	—	—	—
Northampton	—	—	6	0·82	7	0·95	6	0·82	—	—	—	—
Oundle (part of)* ..	—	—	18	2·76	2	0·31	—	—	—	—	1	0·15
Oxendon	—	—	—	—	—	—	—	—	—	—	—	—
Potterspury	—	—	8	1·70	—	—	—	—	—	—	2	0·42
Thrapston (part of)*	—	—	7	0·68	16	1·55	6	0·58	—	—	1	0·10
Towcester	—	—	3	0·30	4	0·40	—	—	1	0·10	1	0·10
Wellingborough .. .	—	—	8	0·64	11	0·88	—	—	—	—	1	0·08
NORTHUMBERLAND† ..												
NEWCASTLE-UPON-TYNE C.B.	—	—	1,407	5·05	345	1·24	7	0·03	13	0·05	160	0·57
TYNEMOUTH C.B. .. .	—	—	300	4·69	49	0·77	13	0·20	4	0·06	34	0·53
AGGREGATE OF M.Bs. AND U.Ds.												
AGGREGATE OF R.Ds. ..	—	—	1,011	3·43	330	1·12	47	0·16	11	0·04	176	0·60
AGGREGATE OF R.Ds. ..												
AGGREGATE OF R.Ds. ..	—	—	373	3·62	85	0·82	10	0·10	2	0·02	44	0·43
BOROUGHs AND URBAN DISTRICTS:—												
Alnwick	—	—	7	1·01	—	—	—	—	—	—	1	0·14
Amble	—	—	7	1·45	3	0·62	—	—	—	—	—	—
Ashington	—	—	82	2·74	24	0·80	19	0·64	2	0·07	18	0·60
Bedlingtonshire .. .	—	—	73	2·72	42	1·56	9	0·33	1	0·04	25	0·93
Berwick upon Tweed M.B.	—	—	10	0·81	23	1·87	1	0·08	—	—	13	1·05
Blyth	—	—	64	1·98	28	0·87	7	0·22	—	—	28	0·87
Cramlington	—	—	37	4·33	3	0·35	1	0·12	—	—	2	0·23
Earsdon	—	—	42	3·68	12	1·05	1	0·09	—	—	—	—
Gosforth	—	—	102	6·47	23	1·46	1	0·06	—	—	6	0·38
Hexham	—	—	17	2·00	3	0·35	—	—	—	—	4	0·47
Longbenton	—	—	32	2·30	19	1·36	—	—	—	—	6	0·43
Morpeth M.B.	—	—	6	0·79	4	0·53	1	0·13	1	0·13	2	0·26
Newbiggin by the Sea†	—	—	4	0·62	—	—	—	—	—	—	2	0·31
Newburn	—	—	51	2·66	11	0·57	—	—	—	—	9	0·47
Prudhoe	—	—	94	10·60	2	0·23	—	—	—	—	8	0·90
Rothbury	—	—	—	—	—	—	—	—	—	—	—	—
Seaton Delaval .. .	—	—	50	6·35	19	2·41	—	—	—	—	10	1·27
Seghill	—	—	13	6·56	2	1·01	1	0·50	—	—	1	0·50
Wallsend M.B. .. .	—	—	235	5·36	82	1·87	5	0·11	6	0·14	32	0·73
Weetslade	—	—	12	1·69	6	0·85	—	—	—	—	1	0·14
Whitley and Monkseaton	—	—	73	3·80	24	1·25	1	0·05	1	0·05	8	0·42
RURAL DISTRICTS:—												
Alnwick	—	—	28	2·26	5	0·40	—	—	—	—	4	0·32
Belford	—	—	13	2·63	—	—	—	—	—	—	4	0·81
Bellingham	—	—	12	2·13	—	—	—	—	1	0·18	4	0·71
Castle Ward	—	—	120	9·54	21	1·67	—	—	—	—	11	0·87
Glendale	—	—	3	0·37	8	1·00	1	0·12	—	—	1	0·12
Haltwhistle	—	—	31	3·30	3	0·32	—	—	—	—	2	0·21
Hexham	—	—	102	4·64	21	0·96	1	0·05	1	0·05	13	0·59
Morpeth†	—	—	52	2·88	12	0·66	8	0·44	—	—	2	0·11
Norham and Islandshires	—	—	4	0·74	9	1·65	—	—	—	—	—	—
Rothbury	—	—	8	1·68	6	1·26	—	—	—	—	3	0·63
Moot Hall§	—	—	?	—	?	—	?	—	?	—	?	—

* The remaining parts of the Rural Districts of Oundle and Thrapston are in the Administrative County of Huntingdon. The figures for the entire Districts are:—

Oundle	—	—	18	2·38	2	0·26	—	—	—	—	1	0·13
Thrapston	—	—	8	0·72	17	1·52	6	0·54	—	—	1	0·09

† Administrative County with associated County Boroughs.

‡ On 1st April, 1921, the Urban District of Newbiggin by the Sea was extended to include part of the Rural District of Morpeth. Allowance for this has been made in the calculation of rates.

§ Cases, if any, are included with those for Newcastle upon Tyne C.B.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
NOTTINGHAM*	109	0·17	1,057	1·63	511	0·79	40	0·06	33	0·05	193	0·30
NOTTINGHAM C.B.	106	0·40	314	1·18	287	1·08	22	0·08	8	0·03	93	0·35
AGGREGATE OF M.Bs. AND U.Ds.	2	0·01	546	2·21	146	0·59	6	0·02	21	0·09	76	0·31
AGGREGATE OF R.Ds. ..	1	0·01	197	1·45	78	0·58	12	0·09	4	0·03	24	0·18
BOROUGHs AND URBAN DISTRICTS :—												
Arnold	—	—	8	0·67	1	0·08	1	0·08	2	0·17	1	0·08
Beeston	—	—	17	1·34	2	0·16	—	—	2	0·16	—	—
Carlton	1	0·05	22	1·17	11	0·59	—	—	—	—	16	0·85
East Retford M.B. ..	—	—	6	0·45	10	0·75	1	0·07	—	—	13	0·97
Eastwood	—	—	21	4·08	3	0·58	—	—	—	—	—	—
Hucknall	—	—	16	0·93	4	0·23	—	—	—	—	—	—
Huthwaite	—	—	10	1·80	—	—	—	—	—	—	1	0·18
Kirkby in Ashfield ..	1	0·06	42	2·39	9	0·51	—	—	2	0·11	13	0·74
Mansfield M.B.	—	—	258	5·71	33	0·73	1	0·02	3	0·07	14	0·31
Mansfield Woodhouse ..	—	—	30	2·19	10	0·73	—	—	3	0·22	3	0·22
Newark M.B.*	—	—	36	2·12	21	1·23	—	—	1	0·06	2	0·12
Sutton in Ashfield ..	—	—	14	0·57	14	0·57	1	0·04	—	—	5	0·21
Warsop	—	—	14	1·90	14	1·90	—	—	—	—	1	0·14
West Bridgford	—	—	47	3·54	8	0·60	2	0·15	1	0·08	4	0·30
Worksop	—	—	5	0·21	6	0·26	—	—	7	0·30	3	0·13
RURAL DISTRICTS :—												
Basford	—	—	61	1·39	27	0·62	4	0·09	2	0·05	12	0·27
Bingham	—	—	16	1·13	9	0·63	2	0·14	—	—	5	0·35
Blyth and Cuckney ..	—	—	3	0·59	1	0·20	—	—	—	—	—	—
East Retford	—	—	15	1·03	10	0·68	—	—	—	—	2	0·14
Leake	—	—	—	—	2	0·54	—	—	—	—	—	—
Misterton	—	—	11	2·67	—	—	—	—	—	—	—	—
Newark	—	—	22	2·52	11	1·26	2	0·23	—	—	—	—
Skegby	—	—	15	1·65	6	0·66	—	—	—	—	1	0·11
Southwell	—	—	43	2·15	11	0·55	—	—	1	0·05	—	—
Stapleford	1	0·09	7	0·60	1	0·09	4	0·34	1	0·09	4	0·34
Kingston and Ratcliffe upon Soar (parishes)† ..	—	—	4	9·90	—	—	—	—	—	—	—	—
Shire Hall‡	?	—	?	—	?	—	?	—	?	—	?	—
OXFORD*	—	—	475	2·53	167	0·89	12	0·06	6	0·03	48	0·26
OXFORD C.B.	—	—	144	2·55	72	1·28	3	0·05	5	0·09	15	0·27
AGGREGATE OF M.Bs. AND U.Ds.	—	—	64	1·82	17	0·48	5	0·14	—	—	18	0·51
AGGREGATE OF R.Ds. ..	—	—	267	2·77	78	0·81	4	0·04	1	0·01	15	0·16
BOROUGHs AND URBAN DISTRICTS :—												
Banbury M.B.	—	—	31	2·32	—	—	—	—	—	—	8	0·60
Bicester	—	—	2	0·68	—	—	—	—	—	—	2	0·68
Chipping Norton M.B. ..	—	—	—	—	1	0·28	4	1·13	—	—	4	1·13
Henley on Thames M.B. ...	—	—	—	—	12	1·82	—	—	—	—	1	0·15
Thame	—	—	18	6·20	—	—	1	0·34	—	—	2	0·69
Wheatley	—	—	4	4·35	—	—	—	—	—	—	—	—
Witney	—	—	8	2·38	3	0·89	—	—	—	—	1	0·30
Woodstock M.B.	—	—	1	0·67	1	0·67	—	—	—	—	—	—

* Administrative County with associated County Borough.

† These Parishes are administered by the Rural District Council of Shardlow (Derbyshire).

‡ Cases, if any, are included with those for Nottingham C.B.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
OXFORD—<i>cont.</i>												
RURAL DISTRICTS :—												
Banbury	—	—	58	5·21	20	1·80	1	0·09	—	—	2	0·18
Bicester	—	—	28	3·30	17	2·00	—	—	—	—	1	0·12
Chipping Norton ..	—	—	19	1·84	5	0·49	—	—	1	0·10	2	0·19
Crowmarsh	—	—	37	7·44	3	0·60	—	—	—	—	—	—
Culham	—	—	3	1·20	—	—	—	—	—	—	—	—
Goring	—	—	3	0·95	2	0·63	—	—	—	—	2	0·63
Headington	—	—	30	2·17	13	0·94	1	0·07	—	—	1	0·07
Henley	—	—	12	1·14	5	0·47	—	—	—	—	—	—
Thame	—	—	2	0·39	—	—	—	—	—	—	—	—
Witney	—	—	62	3·86	2	0·12	2	0·12	—	—	5	0·31
Woodstock	—	—	13	1·26	11	1·07	—	—	—	—	2	0·19
PETERBOROUGH, SOKE OF*												
MUNICIPAL BOROUGH ..	—	—	80	2·25	27	0·76	—	—	—	—	11	0·31
AGGREGATE OF R.Ds. ..	—	—	13	1·14	6	0·53	—	—	1	0·09	1	0·09
BOROUGH :—												
Peterborough M.B. ..	—	—	80	2·25	27	0·76	—	—	—	—	11	0·31
RURAL DISTRICTS :—												
Barnack	—	—	1	0·53	2	1·05	—	—	—	—	—	—
Peterborough	—	—	12	1·26	4	0·42	—	—	1	0·10	1	0·10
RUTLAND*												
URBAN DISTRICT	—	—	10	3·04	—	—	—	—	—	—	2	0·61
AGGREGATE OF R.Ds. ..	—	—	26	1·75	36	2·42	—	—	—	—	2	0·13
URBAN DISTRICT :—												
Oakham	—	—	10	3·04	—	—	—	—	—	—	2	0·61
RURAL DISTRICTS :—												
Ketton	—	—	3	1·08	2	0·72	—	—	—	—	—	—
Oakham	—	—	16	2·69	3	0·50	—	—	—	—	—	—
Uppingham	—	—	7	1·14	31	5·03	—	—	—	—	2	0·32
SALOP*												
AGGREGATE OF M.Bs. AND U.Ds.	—	—	286	2·54	256	2·27	6	0·05	5	0·04	31	0·28
AGGREGATE OF R.Ds. ..	—	—	239	1·84	167	1·29	3	0·02	10	0·08	19	0·15
BOROUGHs AND URBAN DISTRICTS :—												
Bishop's Castle M.B. ..	—	—	1	0·79	—	—	2	1·57	—	—	—	—
Bridgnorth M.B.	—	—	14	2·73	25	4·87	—	—	—	—	—	—
Church Stretton	—	—	18	12·32	—	—	—	—	—	—	—	—
Dawley	—	—	3	0·40	7	0·94	—	—	1	0·13	—	—
Ellesmere	—	—	—	—	1	0·54	—	—	—	—	1	0·54
Ludlow M.B.	—	—	63	11·19	86	15·28	—	—	—	—	2	0·36
Market Drayton	—	—	—	—	2	0·43	—	—	1	0·21	1	0·21
Newport	—	—	1	0·32	2	0·65	—	—	—	—	—	—
Oakengates	—	—	50	4·33	7	0·61	—	—	—	—	2	0·17
Oswestry M.B.	—	—	37	3·77	11	1·12	2	0·20	1	0·10	2	0·20
Shrewsbury M.B.	—	—	35	1·13	57	1·84	1	0·03	—	—	16	0·52
Wellington	—	—	51	6·27	2	0·25	—	—	—	—	2	0·25
Wem	—	—	5	2·28	1	0·46	—	—	—	—	—	—
Wenlock M.B.	—	—	7	0·51	31	2·25	1	0·07	2	0·14	4	0·29
Whitchurch	—	—	1	0·18	24	4·29	—	—	—	—	1	0·18

* Administrative County.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
SALOP—<i>cont.</i>												
RURAL DISTRICTS :—												
Atcham	—	—	49	2·23	47	2·14	—	—	—	—	6	0·27
Bridgnorth	—	—	21	2·48	24	2·83	—	—	1	0·12	2	0·24
Burford	—	—	1	0·79	2	1·59	—	—	—	—	—	—
Chirbury	—	—	—	—	—	—	—	—	—	—	—	—
Church Stretton	—	—	6	1·35	3	0·68	—	—	—	—	—	—
Cleobury Mortimer	—	—	4	0·55	13	1·79	—	—	1	0·14	2	0·27
Clun	—	—	12	1·94	—	—	—	—	—	—	—	—
Drayton	—	—	6	0·84	7	0·98	—	—	—	—	1	0·14
Ellesmere	—	—	10	1·25	5	0·63	—	—	2	0·25	2	0·25
Ludlow	—	—	41	4·62	14	1·58	—	—	2	0·23	—	—
Newport	—	—	28	4·84	5	0·87	—	—	1	0·17	1	0·17
Oswestry	—	—	28	1·72	22	1·35	—	—	1	0·06	1	0·06
Shifnal	—	—	2	0·26	1	0·13	—	—	—	—	—	—
Teme	—	—	3	1·83	—	—	—	—	—	—	—	—
Wellington	—	—	7	0·63	3	0·27	—	—	1	0·09	3	0·27
Wem	—	—	17	2·00	19	2·23	3	0·35	1	0·12	1	0·12
Whitchurch	—	—	4	2·00	2	1·00	—	—	—	—	—	—
SOMERSET*												
BATH C.B.	—	—	68	1·00	149	2·18	1	0·01	—	—	21	0·31
AGGREGATE OF M.Bs. AND U.Ds.	—	—	223	1·38	189	1·17	6	0·04	7	0·04	37	0·23
AGGREGATE OF R.Ds.	—	—	377	1·68	204	0·91	20	0·09	4	0·02	79	0·35
BOROUGHs AND URBAN DISTRICTS :—												
Bridgwater M.B.	—	—	4	0·25	—	—	—	—	1	0·06	3	0·19
Burnham on Sea	—	—	6	1·22	3	0·61	—	—	1	0·20	—	—
Chard M.B.	—	—	3	0·69	4	0·92	—	—	—	—	—	—
Clevedon	—	—	2	0·32	2	0·32	—	—	—	—	4	0·64
Crewkerne	—	—	2	0·54	—	—	—	—	—	—	1	0·27
Frome	—	—	64	6·10	—	—	1	0·10	—	—	—	—
Glastonbury M.B.	—	—	1	0·23	25	5·82	—	—	—	—	2	0·47
Highbridge	—	—	—	—	1	0·41	—	—	—	—	—	—
Ilminster	—	—	13	5·53	—	—	—	—	—	—	1	0·43
Midsomer Norton	—	—	16	2·04	11	1·40	—	—	—	—	3	0·38
Minehead	—	—	—	—	3	0·59	—	—	1	0·20	—	—
Portishead	—	—	—	—	1	0·27	—	—	—	—	—	—
Radstock	—	—	5	1·36	4	1·09	—	—	—	—	2	0·54
Shepton Mallet	—	—	16	3·73	5	1·17	—	—	—	—	1	0·23
Street	—	—	—	—	4	0·91	1	0·23	1	0·23	2	0·45
Taunton M.B.†	—	—	15	0·64	32	1·37	1	0·04	—	—	4	0·17
Watchet	—	—	1	0·55	6	3·31	—	—	—	—	1	0·55
Wellington	—	—	8	1·11	—	—	—	—	—	—	1	0·14
Wells M.B.	—	—	2	0·47	—	—	—	—	—	—	—	—
Weston super Mare	—	—	62	2·47	43	1·72	2	0·08	2	0·08	5	0·20
Wiveliscombe	—	—	—	—	—	—	1	0·80	—	—	—	—
Yeovil M.B.	—	—	3	0·20	45	2·99	—	—	1	0·07	7	0·47
RURAL DISTRICTS :—												
Axbridge	—	—	45	1·97	68	2·97	3	0·13	1	0·04	27	1·18
Bath	—	—	21	1·44	8	0·55	—	—	—	—	1	0·07
Bridgwater	—	—	31	1·79	15	0·87	—	—	1	0·06	3	0·17
Chard	—	—	11	0·87	3	0·24	1	0·08	—	—	3	0·24
Clutton	—	—	29	1·83	10	0·63	—	—	—	—	11	0·69
Dulverton	—	—	1	0·22	3	0·67	—	—	—	—	1	0·22
Frome	—	—	11	1·03	7	0·65	1	0·09	—	—	3	0·28
Keynsham	—	—	26	2·45	16	1·51	—	—	—	—	2	0·19
Langport	—	—	20	1·60	—	—	3	0·24	—	—	3	0·24
Long Ashton	—	—	86	4·92	21	1·20	—	—	—	—	5	0·29

* Administrative County with associated County Borough.

† On 9th November 1921 the Municipal Borough of Taunton was extended to include part of the Rural District of Taunton. Allowance for this has been made in the calculation of rates.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
SOMERSET— <i>cont.</i>												
RURAL DISTRICTS— <i>cont.</i>												
Shepton Mallet	—	—	3	0·31	8	0·83	—	—	—	—	1	0·10
Taunton*	—	—	20	1·19	4	0·24	7	0·42	1	0·06	10	0·60
Wellington	—	—	20	3·46	—	—	—	—	—	—	—	—
Wells	—	—	7	0·69	6	0·59	4	0·39	—	—	—	—
Williton	—	—	3	0·26	6	0·52	—	—	—	—	2	0·17
Wincanton	—	—	30	1·93	24	1·55	1	0·06	1	0·06	6	0·39
Yeovil	—	—	13	0·78	5	0·30	—	—	—	—	1	0·06
SOUTHAMPTON†	9	0·01	3,196	3·69	1,476	1·70	114	0·13	33	0·04	190	0·22
BOURNEMOUTH C.B.	—	—	106	1·31	61	0·75	14	0·17	2	0·02	19	0·23
PORTSMOUTH C.B.†	—	—	1,992	8·52	561	2·40	33	0·14	6	0·03	77	0·33
SOUTHAMPTON C.B.	1	0·01	228	1·41	360	2·22	21	0·13	9	0·06	29	0·18
AGGREGATE OF M.Bs. AND U.Ds.†	—	—	499	2·93	275	1·61	33	0·19	13	0·08	26	0·15
AGGREGATE OF R.Ds.†	8	0·04	371	1·69	219	1·00	13	0·06	3	0·01	39	0·18
BOROUGHs AND URBAN DISTRICTS :—												
Aldershot†	—	—	27	1·24	22	1·01	1	0·05	—	—	3	0·14
Alton	—	—	11	1·99	10	1·81	—	—	—	—	1	0·18
Andover M.B.	—	—	10	1·17	5	0·59	—	—	1	0·12	2	0·23
Basingstoke M.B.	—	—	23	1·80	—	—	1	0·08	—	—	—	—
Christchurch M.B.	—	—	37	5·35	2	0·29	—	—	2	0·29	4	0·58
Eastleigh and Bishopstoke	—	—	75	4·76	11	0·70	2	0·13	—	—	4	0·25
Fareham†	—	—	12	1·22	13	1·33	9	0·92	—	—	—	—
Farnborough†	—	—	15	1·55	41	4·22	—	—	—	—	—	—
Fleet	—	—	1	0·28	—	—	3	0·83	—	—	—	—
Gosport and Alverstoke†	—	—	180	5·83	92	2·98	2	0·06	2	0·06	4	0·13
Havant	—	—	2	0·46	1	0·23	3	0·68	—	—	—	—
Lymington M.B.	—	—	5	1·10	—	—	—	—	—	—	1	0·22
Petersfield	—	—	16	4·13	1	0·26	1	0·26	—	—	2	0·52
Romsey M.B.	—	—	3	0·62	22	4·56	1	0·21	—	—	1	0·21
Warblington	—	—	20	5·03	4	1·01	1	0·25	—	—	—	—
Winchester M.B.	—	—	62	2·63	51	2·16	9	0·38	8	0·34	4	0·17
RURAL DISTRICTS :—												
Aldersford	—	—	6	0·82	2	0·27	—	—	—	—	—	—
Alton†	—	—	8	0·56	5	0·35	—	—	—	—	—	—
Andover†	—	—	26	2·39	4	0·37	—	—	—	—	—	—
Basingstoke	—	—	37	2·95	4	0·32	—	—	—	—	2	0·16
Catherington	—	—	4	1·07	4	1·07	—	—	—	—	—	—
Christchurch	—	—	10	1·96	3	0·59	1	0·20	—	—	—	—
Droxford	—	—	11	0·86	10	0·78	—	—	—	—	5	0·39
Fareham†	—	—	31	2·23	28	2·01	2	0·14	—	—	2	0·14
Fordingbridge	—	—	18	2·94	3	0·49	—	—	1	0·16	5	0·82
Hartley Wintney	—	—	41	2·02	24	1·18	3	0·15	—	—	1	0·05
Havant	—	—	1	0·15	25	3·81	2	0·30	—	—	2	0·30
Hursley	—	—	26	5·79	3	0·67	—	—	—	—	1	0·22
Kingsclere	—	—	3	0·35	2	0·24	—	—	—	—	6	0·71
Lymington	—	—	6	0·48	1	0·08	1	0·08	1	0·08	2	0·16
New Forest	8	0·44	10	0·54	4	0·22	—	—	—	—	—	—
Petersfield	—	—	20	1·73	5	0·43	—	—	—	—	—	—
Ringwood	—	—	9	1·23	—	—	2	0·27	—	—	—	—
Romsey	—	—	—	—	5	0·72	—	—	—	—	2	0·29
South Stoneham	—	—	75	6·12	34	2·77	1	0·08	—	—	2	0·16
Stockbridge	—	—	15	2·41	4	0·64	1	0·16	—	—	—	—
Whitchurch	—	—	1	0·16	47	7·38	—	—	—	—	7	1·10
Winchester†	—	—	13	1·17	2	0·18	—	—	1	0·09	2	0·18

* See footnote † on preceding page.

† Administrative County with associated County Boroughs.

‡ Rates based upon estimated civilian populations.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
STAFFORD*†	1	0.00	3,832	2.79	1,432	1.04	104	0.08	104	0.08	489	0.36
BURTON UPON TRENT C.B. . .	—	—	183	3.70	47	0.95	4	0.08	1	0.02	7	0.14
SMETHWICK C.B. . .	—	—	427	5.52	133	1.72	6	0.08	8	0.10	24	0.31
STOKE ON TRENT C.B. . .	—	—	651	2.65	311	1.27	26	0.11	35	0.14	145	0.59
WALSALL C.B. . .	—	—	142	1.44	100	1.01	2	0.02	12	0.12	34	0.34
WEST BROMWICH C.B. . .	—	—	257	3.41	91	1.21	—	—	2	0.03	45	0.60
WOLVERHAMPTON C.B. . .	—	—	386	3.71	42	0.40	4	0.04	5	0.05	17	0.16
AGGREGATE OF M.Bs. AND U.Ds. . .	1	0.00	1,158	2.31	459	0.91	31	0.06	29	0.06	167	0.33
AGGREGATE OF R.Ds.†	—	—	628	2.87	249	1.14	31	0.14	12	0.05	50	0.23
BOROUGHs AND URBAN DISTRICTS :—												
Amblecote. . .	—	—	2	0.62	3	0.93	1	0.31	—	—	—	—
Audley . . .	—	—	10	0.57	13	0.87	—	—	—	—	4	0.27
Biddulph . . .	—	—	6	0.74	9	1.11	1	0.12	—	—	1	0.12
Bilston . . .	—	—	16	0.57	10	0.36	1	0.04	1	0.04	5	0.18
Brierley Hill . . .	—	—	18	1.41	1	0.08	—	—	—	—	2	0.16
Brownhills . . .	—	—	104	5.58	29	1.56	1	0.05	2	0.11	2	0.11
Cannock . . .	—	—	50	1.52	78	2.37	4	0.12	5	0.15	10	0.30
Coseley . . .	—	—	35	1.41	1	0.04	—	—	—	—	5	0.20
Darlaston . . .	—	—	46	2.47	6	0.32	—	—	—	—	—	—
Heath Town or Wednesfield Heath . . .	—	—	36	2.69	3	0.22	1	0.07	1	0.07	2	0.15
Kids Grove . . .	—	—	8	0.83	10	1.03	—	—	1	0.10	4	0.41
Leek . . .	—	—	51	2.91	25	1.43	—	—	—	—	3	0.17
Lichfield M.B. . .	—	—	8	0.96	1	0.12	14	1.67	1	0.12	1	0.12
Newcastle under Lyme M.B.† . . .	1	0.05	5	0.24	51	2.45	2	0.10	1	0.05	5	0.24
Perry Barr . . .	—	—	1	0.36	2	0.73	—	—	—	—	2	0.73
Quarry Bank . . .	—	—	17	2.12	14	1.74	1	0.12	—	—	1	0.12
Rowley Regis . . .	—	—	88	2.15	22	0.54	—	—	3	0.07	15	0.37
Rugeley . . .	—	—	—	—	3	0.64	—	—	—	—	1	0.21
Sedgley . . .	—	—	74	4.19	29	1.64	—	—	4	0.23	9	0.51
Short Heath . . .	—	—	1	0.22	—	—	—	—	—	—	1	0.22
Smallthorne . . .	—	—	72	5.01	27	1.88	—	—	4	0.28	15	1.04
Stafford M.B. . .	—	—	78	2.68	32	1.10	—	—	—	—	9	0.31
Stone . . .	—	—	1	0.18	6	1.08	—	—	1	0.18	—	—
Tamworth M.B. . .	—	—	66	8.10	1	0.12	—	—	—	—	5	0.61
Tettenhall . . .	—	—	31	5.62	2	0.36	—	—	—	—	2	0.36
Tipton . . .	—	—	194	5.56	9	0.26	4	0.11	—	—	30	0.86
Uttoxeter . . .	—	—	5	0.92	—	—	—	—	—	—	5	0.92
Wednesbury M.B. . .	—	—	60	1.93	33	1.06	1	0.03	3	0.10	19	0.61
Wednesfield . . .	—	—	14	1.84	5	0.66	—	—	—	—	3	0.39
Willenhall . . .	—	—	30	1.49	1	0.05	—	—	—	—	—	—
Wolstanton United . . .	—	—	31	1.04	33	1.11	—	—	2	0.07	6	0.20
RURAL DISTRICTS :—												
Blore Heath . . .	—	—	1	0.44	16	7.01	—	—	—	—	2	0.88
Cannock . . .	—	—	50	2.29	16	0.73	—	—	1	0.05	4	0.18
Cheadle . . .	—	—	183	6.37	37	1.29	6	0.21	4	0.14	11	0.38
Dudley§ . . .	—	—	?	—	?	—	?	—	?	—	?	—
Gnosall . . .	—	—	1	0.21	3	0.64	—	—	—	—	—	—
Kingswinford . . .	—	—	50	2.23	9	0.40	—	—	—	—	4	0.18
Leek . . .	—	—	31	1.91	26	1.61	—	—	2	0.12	3	0.19
Lichfield† . . .	—	—	131	4.59	62	2.17	19	0.67	2	0.07	9	0.32
Mayfield . . .	—	—	3	0.76	2	0.51	—	—	—	—	2	0.51
Newcastle under Lyme† . . .	—	—	1	0.16	11	1.73	1	0.16	—	—	2	0.31

* Administrative County with associated County Boroughs.

† Rates based upon estimated civilian populations.

‡ On 9th November, 1921, the Municipal Borough of Newcastle under Lyme was extended to include part of the Rural District of Newcastle under Lyme. Allowance for this has been made in the calculation of rates.

§ Cases, if any, are included with those for Dudley C.B.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
STAFFORD—<i>cont.</i>												
RURAL DISTRICTS—<i>cont.</i>												
Seisdon	—	—	58	3·47	14	0·84	—	—	—	—	—	—
Stafford	—	—	8	0·72	9	0·81	3	0·27	—	—	1	0·09
Stoke upon Trent	—	—	—	—	1	0·20	—	—	—	—	1	0·20
Stone	—	—	24	1·66	12	0·83	—	—	—	—	4	0·28
Tamworth (part of)†	—	—	23	4·26	5	0·93	—	—	—	—	1	0·19
Tutbury	—	—	27	3·03	1	0·11	—	—	—	—	—	—
Uttoxeter	—	—	9	1·08	6	0·72	1	0·12	—	—	2	0·24
Walsall	—	—	28	2·12	19	1·44	1	0·08	3	0·23	4	0·30
Blymhill and Weston under Lizard (parishes)	—	—	—	—	—	—	—	—	—	—	—	—
SUFFOLK, EAST†§.. ..	—	—	584	2·04	739	2·59	21	0·07	15	0·05	58	0·20
Ipswich C.B... .. .	—	—	73	0·91	439	5·48	5	0·06	5	0·06	21	0·26
AGGREGATE OF M.Bs. AND U.Ds.	—	—	283	3·23	192	2·19	12	0·14	2	0·02	20	0·23
AGGREGATE OF R.Ds.§	—	—	228	1·93	108	0·91	4	0·03	8	0·07	17	0·14
BOROUGHs AND URBAN DISTRICTS:—												
Aldeburgh M.B.	—	—	—	—	5	1·95	—	—	—	—	2	0·78
Beccles M.B.	—	—	11	1·56	11	1·56	—	—	—	—	1	0·14
Bungay	—	—	—	—	56	18·06	—	—	—	—	—	—
Eye M.B.	—	—	3	1·68	6	3·36	—	—	—	—	—	—
Felixstowe	—	—	11	1·16	10	1·06	1	0·11	—	—	1	0·11
Halesworth	—	—	1	0·48	4	1·93	—	—	—	—	—	—
Leiston cum Sizewell	—	—	5	1·07	—	—	—	—	—	—	1	0·21
Lowestoft M.B.	—	—	217	4·94	71	1·62	10	0·23	1	0·02	12	0·27
Saxmundham	—	—	1	0·74	2	1·47	—	—	—	—	—	—
Southwold M.B.	—	—	1	0·36	—	—	—	—	—	—	2	0·72
Stowmarket	—	—	30	7·08	14	3·30	1	0·24	—	—	1	0·24
Woodbridge	—	—	3	0·65	13	2·83	—	—	1	0·22	—	—
RURAL DISTRICTS:—												
Blything	—	—	16	0·91	10	0·57	1	0·06	1	0·06	1	0·06
Bosmere and Claydon	—	—	31	2·24	7	0·51	—	—	—	—	3	0·22
East Stow	—	—	40	6·32	10	1·58	1	0·16	3	0·47	1	0·16
Hartismere	—	—	49	4·51	13	1·20	—	—	—	—	2	0·18
Hoxne	—	—	31	3·23	17	1·77	—	—	—	—	1	0·10
Mutford and Lothingland	—	—	18	1·53	8	0·68	—	—	—	—	2	0·17
Plomesgate§	—	—	17	1·14	11	0·74	1	0·07	1	0·07	2	0·13
Samford	—	—	12	0·96	22	1·76	—	—	—	—	—	—
Wangford	—	—	1	0·22	4	0·87	—	—	1	0·22	1	0·22
Woodbridge	—	—	13	0·81	6	0·37	1	0·06	2	0·12	4	0·25
SUFFOLK, WEST 	—	—	109	1·00	84	0·77	6	0·05	7	0·06	27	0·25
AGGREGATE OF M.Bs. AND U.Ds.	—	—	37	0·89	36	0·87	2	0·05	3	0·07	15	0·36
AGGREGATE OF R.Ds.	—	—	72	1·07	48	0·71	4	0·06	4	0·06	12	0·18
BOROUGHs AND URBAN DISTRICTS:—												
Bury St. Edmunds M.B.	—	—	10	0·62	11	0·69	1	0·06	3	0·19	8	0·50
Glemsford	—	—	—	—	—	—	1	0·69	—	—	—	—
Hadleigh	—	—	4	1·32	—	—	—	—	—	—	1	0·33
Haverhill	—	—	—	—	—	—	—	—	—	—	1	0·24
Newmarket	—	—	5	0·51	14	1·42	—	—	—	—	—	—
Sudbury M.B.	—	—	18	2·53	11	1·55	—	—	—	—	5	0·70

* These Parishes are administered by the Rural District Council of Shifnal (Salop).

† The remaining part of the Rural District of Tamworth is in the Administrative County of Warwick.

‡ Administrative County with associated County Borough.

§ Rates based upon estimated civilian populations.

|| Administrative County.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
SUFFOLK, WEST—<i>cont.</i>												
RURAL DISTRICTS :—												
Brandon	—	—	4	0·70	4	0·70	—	—	—	—	—	—
Clare	—	—	3	0·41	—	—	1	0·14	1	0·14	1	0·18
Cosford	—	—	9	0·87	31	2·99	1	0·10	—	—	—	—
Melford	—	—	29	2·39	5	0·41	—	—	1	0·08	1	0·04
Mildenhall	—	—	1	0·12	—	—	1	0·12	—	—	4	0·50
Moulton	—	—	2	0·93	—	—	—	—	—	—	—	—
Thedwastre	—	—	8	0·95	5	0·59	1	0·12	—	—	1	0·12
Thingoe	—	—	16	1·19	3	0·22	—	—	2	0·15	5	0·37
SURREY*†												
CROYDON C.B.	—	—	866	4·52	471	2·46	10	0·05	8	0·04	51	0·27
AGGREGATE OF M.Bs. AND U.Ds.†	—	—	2,430	4·30	1,117	1·97	54	0·10	25	0·04	158	0·28
AGGREGATE OF R.Ds.†	—	—	481	2·95	102	0·63	17	0·10	6	0·04	32	0·20
BOROUGHs AND URBAN DISTRICTS :—												
Barnes	—	—	110	3·23	93	2·73	1	0·03	—	—	6	0·18
Beddington and Wallington	—	—	79	4·90	34	2·11	1	0·06	2	0·12	8	0·50
Carshalton	—	—	62	4·43	29	2·07	1	0·07	1	0·07	2	0·14
Caterham†	—	—	25	2·35	14	1·32	3	0·28	—	—	2	0·19
Chertsey	—	—	49	3·27	44	2·93	—	—	1	0·07	3	0·20
Coulsdon and Purley	—	—	135	6·40	62	2·94	5	0·24	2	0·09	8	0·38
Dorking	—	—	22	2·77	2	0·25	—	—	1	0·13	1	0·13
East and West Molesey	—	—	13	1·81	14	1·95	—	—	—	—	1	0·14
Egham	—	—	33	2·43	65	4·79	—	—	—	—	3	0·22
Epsom	—	—	65	3·45	4	0·21	15	0·80	—	—	9	0·48
Esher and the Dittons	—	—	58	4·06	23	1·61	1	0·07	—	—	4	0·28
Farnham	—	—	31	2·56	6	0·50	—	—	1	0·08	10	0·83
Frimley†	—	—	13	1·15	5	0·44	—	—	—	—	1	0·09
Godalming M.B.	—	—	23	2·51	4	0·44	—	—	1	0·11	3	0·33
Guildford M.B.	—	—	85	3·43	17	0·69	3	0·12	—	—	9	0·36
Ham	—	—	16	10·60	—	—	—	—	—	—	—	—
Haslemere	—	—	10	2·67	2	0·53	1	0·27	—	—	2	0·53
Kingston on Thames M.B.	—	—	300	7·59	78	1·97	4	0·10	1	0·03	28	0·71
Leatherhead	—	—	10	1·73	1	0·17	—	—	—	—	1	0·17
Merton and Morden	—	—	116	6·62	28	1·60	1	0·06	—	—	5	0·29
Mitcham	—	—	375	10·55	156	4·39	4	0·11	3	0·08	12	0·34
Reigate M.B.	—	—	169	5·89	64	2·23	—	—	1	0·03	9	0·31
Richmond M.B.	—	—	84	2·39	27	0·77	1	0·03	2	0·06	5	0·14
Surbiton	—	—	57	2·95	6	0·31	3	0·16	1	0·05	4	0·21
Sutton	—	—	27	1·29	39	1·87	2	0·10	1	0·05	1	0·05
The Maldens and Coombe	—	—	41	2·84	35	2·43	—	—	—	—	1	0·07
Walton upon Thames	—	—	61	4·25	14	0·98	3	0·21	—	—	—	—
Weybridge	—	—	31	4·78	39	6·02	1	0·15	1	0·15	1	0·15
Wimbledon M.B.	—	—	268	4·34	182	2·95	4	0·06	1	0·02	11	0·18
Windlesham	—	—	7	1·49	6	1·28	—	—	1	0·21	—	—
Woking	—	—	55	2·09	24	0·91	—	—	4	0·15	8	0·30
RURAL DISTRICTS :—												
Chertsey	—	—	43	3·92	10	0·91	1	0·09	1	0·09	3	0·27
Dorking	—	—	21	2·06	1	0·10	—	—	—	—	7	0·69
Epsom	—	—	105	3·12	12	0·36	7	0·21	1	0·03	7	0·21
Farnham	—	—	62	3·46	18	1·00	—	—	—	—	1	0·06
Godstone	—	—	79	3·16	14	0·56	6	0·24	2	0·08	—	—
Guildford†	—	—	61	3·06	5	0·25	1	0·05	1	0·05	4	0·20
Hambledon	—	—	45	1·98	17	0·75	1	0·04	1	0·04	5	0·22
Reigate	—	—	65	2·90	25	1·11	1	0·04	—	—	5	0·22

* Administrative County with associated County Borough.

† Rates based upon estimated civilian populations.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
SUSSEX, EAST*†	—	—	1,091	2·19	503	1·01	40	0·08	14	0·03	108	0·22
BRIGHTON C.B.	—	—	542	4·02	155	1·15	12	0·09	3	0·02	32	0·24
EASTBOURNE C.B.	—	—	72	1·34	119	2·22	4	0·07	3	0·06	14	0·26
HASTINGS C.B.	—	—	79	1·33	19	0·32	—	—	3	0·05	16	0·27
AGGREGATE OF M.Bs. AND U.Ds.†	—	—	226	1·85	82	0·67	8	0·07	2	0·02	23	0·19
AGGREGATE OF R.Ds.† ..	—	—	172	1·35	128	1·01	16	0·13	3	0·02	23	0·18
BOROUGHs AND URBAN DISTRICTS :—												
Battle	—	—	2	0·70	—	—	—	—	—	—	1	0·35
Bexhill M.B.	—	—	22	1·25	12	0·68	2	0·11	—	—	2	0·11
Burgess Hill	—	—	1	0·18	—	—	—	—	2	0·36	2	0·36
Cuckfield	—	—	7	3·74	2	1·07	—	—	—	—	—	—
East Grinstead	—	—	12	1·66	2	0·28	1	0·14	—	—	2	0·28
Haywards Heath	—	—	6	1·20	2	0·40	—	—	—	—	—	—
Hove M.B.	—	—	101	2·29	39	0·88	1	0·02	—	—	13	0·29
Lewes M.B.	—	—	31	2·90	3	0·28	1	0·09	—	—	—	—
Newhaven	—	—	16	2·48	4	0·62	3	0·46	—	—	—	—
Portslade by Sea	—	—	18	2·35	1	0·13	—	—	—	—	1	0·13
Rye M.B.	—	—	3	0·78	1	0·26	—	—	—	—	1	0·26
Seaford†	—	—	3	0·51	2	0·34	—	—	—	—	1	0·17
Uckfield	—	—	4	1·19	14	4·18	—	—	—	—	—	—
RURAL DISTRICTS :—												
Battle	—	—	10	1·61	—	—	—	—	—	—	—	—
Chailey	—	—	26	2·07	3	0·24	1	0·08	—	—	5	0·40
Cuckfield	—	—	41	2·51	9	0·55	5	0·31	2	0·12	2	0·12
Eastbourne	—	—	1	0·18	—	—	—	—	—	—	—	—
East Grinstead	—	—	26	1·92	9	0·67	4	0·30	—	—	3	0·22
Hailsham	—	—	12	0·66	76	4·16	2	0·11	—	—	9	0·49
Hastings	—	—	4	2·19	—	—	—	—	—	—	—	—
Newhaven	—	—	4	0·68	5	0·85	1	0·17	—	—	1	0·17
Rye	—	—	6	0·88	1	0·15	1	0·15	—	—	—	—
Steyning East	—	—	18	5·21	—	—	—	—	—	—	—	—
Ticehurst	—	—	12	0·94	8	0·63	—	—	—	—	—	—
Uckfield†	—	—	12	0·50	17	0·71	2	0·08	1	0·04	3	0·13
SUSSEX, WEST††	—	—	456	2·47	155	0·84	15	0·08	4	0·02	23	0·12
AGGREGATE OF M.Bs. AND U.Ds.†	—	—	319	3·56	110	1·23	14	0·16	1	0·01	18	0·20
AGGREGATE OF R.Ds. ..	—	—	137	1·44	45	0·47	1	0·01	3	0·03	5	0·05
BOROUGHs AND URBAN DISTRICTS :—												
Arundel M.B.	—	—	1	0·38	4	1·52	—	—	—	—	2	0·76
Bognor	—	—	113	9·83	20	1·74	—	—	—	—	3	0·26
Chichester M.B.	—	—	12	0·97	30	2·42	3	0·24	—	—	6	0·48
Horsham	—	—	15	1·32	4	0·35	3	0·26	—	—	—	—
Littlehampton	—	—	28	3·21	26	2·99	—	—	—	—	—	—
Shoreham by Sea†	—	—	3	0·45	2	0·30	2	0·30	—	—	3	0·45
Southwick	—	—	13	2·69	—	—	—	—	—	—	—	—
Worthing M.B.	—	—	134	4·25	24	0·76	6	0·19	1	0·03	4	0·13
RURAL DISTRICTS :—												
East Preston	—	—	8	1·13	1	0·14	—	—	—	—	—	—
Horsham	—	—	25	1·18	10	0·47	—	—	1	0·05	1	0·05
Midhurst	—	—	49	3·37	5	0·34	—	—	—	—	1	0·07
Petworth	—	—	5	0·63	3	0·38	—	—	1	0·13	—	—
Steyning West	—	—	19	1·93	7	0·71	—	—	—	—	—	—
Thakeham	—	—	3	0·37	—	—	—	—	—	—	—	—
Westbourne	—	—	14	1·59	2	0·23	—	—	1	0·11	2	0·23
Westhampnett	—	—	14	0·81	17	0·99	1	0·06	—	—	1	0·06

* Administrative County with associated County Boroughs.

† Rates based upon estimated civilian populations.

† Administrative County.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
WARWICK*†	—	—	4,543	3·22	2,138	1·52	60	0·04	136	0·10	437	0·31
BIRMINGHAM C.B.	—	—	3,418	3·65	1,704	1·82	33	0·04	102	0·11	291	0·31
COVENTRY C.B.	—	—	267	2·05	102	0·78	6	0·05	11	0·08	28	0·21
AGGREGATE OF M.Bs. AND U.Ds.	—	—	392	2·61	112	0·75	9	0·06	11	0·07	48	0·32
AGGREGATE OF R.Ds.† ..	—	—	466	2·41	220	1·14	12	0·06	12	0·06	70	0·36
BOROUGHs AND URBAN DISTRICTS :—												
Bulkington	—	—	—	—	—	—	—	—	—	—	—	—
Kenilworth	—	—	6	0·90	12	1·79	—	—	—	—	2	0·30
Nuneaton M.B.	—	—	241	5·64	24	0·56	2	0·05	6	0·14	15	0·35
Royal Leamington Spa M.B.	—	—	16	0·56	27	0·95	2	0·07	1	0·04	15	0·53
Rugby	—	—	35	1·39	16	0·63	2	0·08	2	0·08	7	0·28
Stratford on Avon M.B. . .	—	—	9	1·01	5	0·56	3	0·34	—	—	1	0·11
Sutton Coldfield M.B. ..	—	—	80	3·50	19	0·83	—	—	1	0·04	2	0·09
Warwick M.B.	—	—	5	0·39	9	0·70	—	—	1	0·08	6	0·47
RURAL DISTRICTS :—												
Alcester	—	—	18	1·47	16	1·31	—	—	—	—	5	0·41
Atherstone	—	—	18	0·85	40	1·89	—	—	1	0·05	8	0·38
Brailes	—	—	9	1·59	—	—	—	—	—	—	1	0·18
Coventry†	—	—	14	2·85	7	1·43	—	—	1	0·20	1	0·20
Farnborough	—	—	1	0·71	—	—	—	—	—	—	—	—
Foleshill	—	—	87	2·57	16	0·47	4	0·12	1	0·03	12	0·35
Meriden	—	—	40	2·36	23	1·36	—	—	1	0·06	8	0·47
Monks Kirby	—	—	16	10·60	—	—	—	—	—	—	—	—
Nuneaton	—	—	5	1·47	3	0·88	—	—	1	0·29	1	0·29
Rugby	—	—	15	0·77	20	1·03	4	0·21	—	—	5	0·26
Solihull	—	—	35	1·68	13	0·62	1	0·05	1	0·05	5	0·24
Southam	—	—	12	1·20	26	2·60	—	—	—	—	8	0·80
Stratford on Avon	—	—	14	1·30	6	0·56	—	—	—	—	1	0·09
Tamworth (part of)† ..	—	—	169	9·32	47	2·59	1	0·06	4	0·22	10	0·55
Warwick	—	—	13	1·02	3	0·24	2	0·16	2	0·16	5	0·39
WESTMORLAND§	—	—	124	2·01	63	1·02	2	0·03	1	0·02	19	0·31
AGGREGATE OF M.Bs. AND U.Ds.	—	—	51	1·92	45	1·69	—	—	—	—	5	0·19
AGGREGATE OF R.Ds. ..	—	—	73	2·08	18	0·51	2	0·06	1	0·03	14	0·40
BOROUGHs AND URBAN DISTRICTS :—												
Ambleside	—	—	3	1·30	2	0·87	—	—	—	—	1	0·43
Appleby M.B.	—	—	1	0·60	—	—	—	—	—	—	—	—
Grasmere	—	—	—	—	—	—	—	—	—	—	—	—
Kendal M.B.	—	—	20	1·41	41	2·89	—	—	—	—	2	0·14
Kirkby Lonsdale	—	—	18	13·23	2	1·47	—	—	—	—	—	—
Shap	—	—	9	9·07	—	—	—	—	—	—	2	2·02
Windermere	—	—	—	—	—	—	—	—	—	—	—	—
RURAL DISTRICTS :—												
East Westmorland	—	—	26	2·44	2	0·19	—	—	—	—	4	0·38
South Westmorland	—	—	42	2·27	11	0·60	1	0·05	1	0·05	7	0·38
West Ward	—	—	5	0·83	5	0·83	1	0·17	—	—	3	0·50

* Administrative County with associated County Boroughs.

† Rates based upon estimated civilian populations.

‡ The remaining part of the Rural District of Tamworth is in the Administrative County of Stafford. The figures for the entire District are :—

|| — | — || 192 | 8·16 || 52 | 2·21 || 1 | 0·04 || 4 | 0·17 || 11 | 0·47

§ Administrative County.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
WIGHT, ISLE OF*	—	—	247	2·90	101	1·19	4	0·05	3	0·04	7	0·08
AGGREGATE OF M.Bs. AND U.Ds.	—	—	207	3·72	89	1·60	1	0·02	3	0·05	3	0·05
RURAL DISTRICT	—	—	40	1·35	12	0·41	3	0·10	—	—	4	0·14
BOROUGHs AND URBAN DISTRICTS :—												
Cowes	—	—	58	5·82	51	5·12	—	—	—	—	1	0·10
East Cowes	—	—	4	0·85	8	1·71	1	0·21	—	—	—	—
Newport M.B.	—	—	28	2·54	2	0·18	—	—	1	0·09	2	0·18
Ryde M.B.	—	—	46	4·42	4	0·38	—	—	1	0·10	—	—
St. Helens.. .. .	—	—	17	3·49	1	0·21	—	—	1	0·21	—	—
Sandown	—	—	27	4·96	8	1·47	—	—	—	—	—	—
Shanklin	—	—	23	5·36	7	1·63	—	—	—	—	—	—
Ventnor	—	—	4	0·81	8	1·62	—	—	—	—	—	—
RURAL DISTRICT :— Isle of Wight	—	—	40	1·35	12	0·41	3	0·10	—	—	4	0·14
WILTS*†	—	—	453	1·59	239	0·84	8	0·03	6	0·02	67	0·23
AGGREGATE OF M.Bs. AND U.Ds.	—	—	218	1·63	132	0·99	4	0·03	5	0·04	24	0·18
AGGREGATE OF R.Ds.†	—	—	235	1·54	107	0·70	4	0·03	1	0·01	43	0·28
BOROUGHs AND URBAN DISTRICTS :—												
Bradford on Avon	—	—	—	—	17	3·64	—	—	—	—	—	—
Calne M.B.	—	—	4	1·10	12	3·29	—	—	—	—	1	0·27
Chippenham M.B.	—	—	3	0·39	15	1·94	—	—	2	0·26	2	0·26
Devizes M.B.	—	—	9	1·50	1	0·17	—	—	—	—	2	0·33
Malmesbury M.B.	—	—	4	1·67	1	0·42	—	—	—	—	2	0·83
Marlborough M.B.	—	—	1	0·24	2	0·48	1	0·24	—	—	—	—
Melksham	—	—	1	0·28	2	0·56	—	—	1	0·28	1	0·28
Salisbury M.B.	—	—	28	1·23	23	1·01	2	0·09	1	0·04	1	0·04
Swindon M.B.	—	—	158	2·85	43	0·77	—	—	1	0·02	12	0·22
Trowbridge	—	—	7	0·58	9	0·74	1	0·08	—	—	—	—
Warminster	—	—	1	0·18	5	0·92	—	—	—	—	—	—
Westbury	—	—	1	0·27	2	0·54	—	—	—	—	—	—
Wilton M.B.	—	—	1	0·50	—	—	—	—	—	—	3	1·49
RURAL DISTRICTS :—												
Amesbury†	—	—	8	0·80	12	1·20	1	0·10	—	—	3	0·30
Bradford on Avon	—	—	1	0·18	2	0·37	—	—	—	—	—	—
Calne	—	—	5	1·09	18	3·92	—	—	—	—	—	—
Chippenham	—	—	18	1·25	21	1·46	—	—	—	—	6	0·42
Cricklade and Wootton Bassett	—	—	7	0·65	10	0·93	—	—	—	—	7	0·65
Devizes	—	—	20	1·62	—	—	1	0·08	—	—	9	0·73
Highworth	—	—	23	1·44	13	0·82	—	—	—	—	3	0·19
Malmesbury	—	—	34	4·01	3	0·35	—	—	—	—	—	—
Marlborough	—	—	5	1·20	4	0·96	—	—	—	—	2	0·48
Melksham	—	—	2	0·40	1	0·20	—	—	—	—	2	0·40
Mere	—	—	6	1·29	1	0·22	—	—	—	—	3	0·65
Pewsey†	—	—	27	2·26	8	0·67	2	0·17	—	—	2	0·17
Ramsbury	—	—	2	0·32	—	—	—	—	—	—	—	—
Salisbury	—	—	3	0·30	6	0·59	—	—	—	—	1	0·10
Tetbury (part of)‡	—	—	1	2·69	—	—	—	—	—	—	—	—
Tisbury	—	—	8	1·11	1	0·14	—	—	1	0·14	1	0·14
Warminster	—	—	38	6·34	4	0·67	—	—	—	—	1	0·17
Westbury and Whorwells-down	—	—	22	3·35	—	—	—	—	—	—	1	0·15
Wilton	—	—	5	0·63	3	0·38	—	—	—	—	2	0·25

* Administrative County.

† Rates based upon estimated civilian populations.

‡ The remaining part of the Rural District of Tetbury is in the Administrative County of Gloucester.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
WORCESTER*	—	—	754	1·85	402	0·99	29	0·07	13	0·03	66	0·16
DUDLEY C.B. (INCLUDING DUDLEY CASTLE HILL)	—	—	118	2·07	9	0·16	2	0·04	2	0·04	3	0·05
WORCESTER C.B.	—	—	56	1·14	103	2·10	4	0·08	4	0·08	15	0·31
AGGREGATE OF M.Bs. AND U.Ds.	—	—	306	1·83	181	1·08	13	0·08	4	0·02	27	0·16
AGGREGATE OF R.Ds. ..	—	—	274	2·05	109	0·81	10	0·07	3	0·02	21	0·16
BOROUGHs AND URBAN DISTRICTS:—												
Bewdley M.B.	—	—	—	—	—	—	—	—	—	—	2	0·75
Bromsgrove	—	—	18	1·88	2	0·21	—	—	—	—	—	—
Droitwich M.B.	—	—	1	0·26	2	0·51	—	—	—	—	2	0·51
Evesham M.B.	—	—	13	1·51	6	0·70	1	0·12	—	—	3	0·35
Kidderminster M.B. ..	—	—	39	1·42	21	0·77	—	—	2	0·07	2	0·07
Lye and Wollescote ..	—	—	28	2·27	15	1·22	—	—	—	—	1	0·08
Malvern	—	—	44	2·59	26	1·53	7	0·41	—	—	4	0·24
North Bromsgrove ..	—	—	5	0·60	8	0·95	1	0·12	—	—	1	0·12
Oldbury	—	—	104	2·76	46	1·22	—	—	1	0·03	3	0·08
Redditch	—	—	9	0·54	1	0·06	4	0·24	—	—	5	0·30
Stourbridge M.B. ...	—	—	43	2·36	46	2·53	—	—	1	0·05	3	0·16
Stourport	—	—	2	0·42	8	1·66	—	—	—	—	1	0·21
RURAL DISTRICTS:—												
Bromsgrove	—	—	37	2·20	9	0·53	1	0·06	—	—	2	0·12
Droitwich	—	—	4	0·31	9	0·71	—	—	1	0·08	2	0·16
Evesham	—	—	22	2·28	16	1·66	—	—	—	—	—	—
Feckenham	—	—	2	0·36	1	0·18	—	—	—	—	2	0·36
Halesowen	—	—	72	2·50	15	0·52	—	—	—	—	6	0·21
Kidderminster	—	—	30	3·99	2	0·27	2	0·27	—	—	—	—
Martley	—	—	9	0·73	10	0·81	1	0·08	—	—	2	0·16
Pershore	—	—	20	1·56	22	1·72	—	—	1	0·08	4	0·31
Rock	—	—	7	3·25	4	1·86	—	—	—	—	—	—
Shipston on Stour ..	—	—	8	1·88	—	—	1	0·23	—	—	—	—
Stow on the Wold (part of)†	—	—	1	3·53	—	—	—	—	—	—	—	—
Tenbury	—	—	6	1·35	3	0·68	—	—	—	—	—	—
Tewkesbury (part of)† ..	—	—	4	1·89	—	—	1	0·47	1	0·47	1	0·47
Upton upon Severn ..	—	—	52	3·92	12	0·90	4	0·30	—	—	2	0·15
Winchcomb (part of)† ..	—	—	—	—	1	9·52	—	—	—	—	—	—
Redmarley d'Abitot and Staunton (parishes)† ..	—	—	—	—	5	4·91	—	—	—	—	—	—
YORKS, EAST RIDING*§ ..	—	—	526	1·16	846	1·86	49	0·11	27	0·06	108	0·24
KINGSTON UPON HULL C.B. ...	—	—	312	1·07	647	2·22	20	0·07	23	0·08	76	0·26
AGGREGATE OF M.Bs. AND U.Ds.	—	—	108	1·68	92	1·43	4	0·06	1	0·02	15	0·23
AGGREGATE OF R.Ds.§ ..	—	—	106	1·08	107	1·09	25	0·25	3	0·03	17	0·17
BOROUGHs AND URBAN DISTRICTS:—												
Beverley M.B.	—	—	1	0·07	18	1·33	2	0·15	—	—	4	0·30
Bridlington M.B. ...	—	—	33	2·17	44	2·89	1	0·07	1	0·07	6	0·39
Cottingham	—	—	3	0·58	2	0·39	—	—	—	—	1	0·19
Filey	—	—	30	8·90	2	0·59	—	—	—	—	1	0·30
Great Driffield	—	—	4	0·70	9	1·58	—	—	—	—	1	0·18
Hedon M.B.	—	—	—	—	—	—	—	—	—	—	1	0·76
Hessle	—	—	25	4·10	9	1·48	—	—	—	—	—	—
Hornsea	—	—	3	0·81	6	1·62	—	—	—	—	—	—
Norton	—	—	3	0·78	2	0·52	1	0·26	—	—	1	0·26
Pocklington	—	—	—	—	—	—	—	—	—	—	—	—
Withernsea	—	—	6	1·55	—	—	—	—	—	—	—	—

* Administrative County with associated County Boroughs.

† These Parishes are administered by the Rural District Council of Newent (Glos.).

‡ The remaining parts of the Rural Districts of Stow on the Wold, Tewkesbury, and Winchcomb are in the Administrative County of Gloucester.

§ Rates based upon civilian populations.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
YORKS, EAST RIDING—<i>cont.</i>												
RURAL DISTRICTS :—												
Beverley	—	—	1	0·08	3	0·25	—	—	3	0·25	1	0·08
Bridlington	—	—	13	1·66	7	0·90	2	0·26	—	—	1	0·13
Driffield	—	—	19	1·63	19	1·63	4	0·34	—	—	3	0·26
Escrick	—	—	16	2·72	6	1·02	—	—	—	—	—	—
Howden*	—	—	17	1·34	31	2·45	7	0·55	—	—	3	0·24
Norton	—	—	4	0·75	8	1·50	2	0·38	—	—	—	—
Patrington	—	—	12	1·61	2	0·27	1	0·13	—	—	6	0·81
Pocklington	—	—	3	0·28	1	0·09	7	0·65	—	—	2	0·19
Riccall	—	—	11	2·07	1	0·19	—	—	—	—	—	—
Sculcoates	—	—	9	0·87	15	1·45	1	0·10	—	—	—	—
Sherburn	—	—	1	0·48	10	4·82	—	—	—	—	—	—
Skirraugh	—	—	—	—	4	0·56	1	0·14	—	—	1	0·14
YORKS, NORTH RIDING††	46	0·10	726	1·64	486	1·10	37	0·08	10	0·02	130	0·29
MIDDLESBROUGH C.B. ..	40	0·30	136	1·02	132	0·99	2	0·01	7	0·05	35	0·26
AGGREGATE OF M.Bs. AND U.Ds.‡	6	0·03	406	2·33	212	1·22	28	0·16	2	0·01	64	0·37
AGGREGATE OF R.Ds.‡ ..	—	—	184	1·36	142	1·05	7	0·05	1	0·01	31	0·23
BOROUGHs AND URBAN DISTRICTS :—												
Eston§	6	0·19	93	2·98	27	0·87	9	0·29	—	—	12	0·39
Guisborough	—	—	2	0·28	2	0·28	—	—	—	—	3	0·42
Hinderwell	—	—	—	—	—	—	—	—	—	—	—	—
Kirklington cum Upland	—	—	1	4·20	—	—	—	—	—	—	—	—
Loftus	—	—	5	0·55	4	0·44	—	—	—	—	8	0·88
Malton	—	—	2	0·45	—	—	—	—	—	—	2	0·45
Masham	—	—	1	0·49	—	—	—	—	—	—	1	0·49
Northallerton	—	—	9	1·89	—	—	—	—	—	—	—	—
Pickering	—	—	1	0·29	28	8·14	—	—	—	—	—	—
Redcar	—	—	44	2·85	32	2·07	1	0·06	—	—	5	0·32
Richmond M.B.‡	—	—	10	2·87	3	0·86	—	—	1	0·29	4	1·15
Saltburn by the Sea ..	—	—	11	2·86	3	0·78	1	0·26	—	—	1	0·26
Scalby	—	—	1	0·72	1	0·72	—	—	—	—	—	—
Scarborough M.B.	—	—	174	4·64	53	1·41	14	0·37	1	0·03	13	0·35
Skelton and Brotton ..	—	—	31	1·95	13	0·82	—	—	—	—	6	0·38
Thornaby on Tees M.B. .	—	—	15	0·74	17	0·84	3	0·15	—	—	4	0·20
Whitby	—	—	6	0·50	29	2·43	—	—	—	—	5	0·42
RURAL DISTRICTS :—												
Aysgarth	—	—	18	4·28	2	0·48	—	—	—	—	2	0·48
Bedale	—	—	10	1·54	2	0·31	—	—	—	—	—	—
Croft	—	—	5	2·27	3	1·36	—	—	—	—	—	—
Easingwold	—	—	18	1·84	29	2·96	—	—	—	—	2	0·20
Flaxton	—	—	28	2·87	4	0·41	1	0·10	—	—	2	0·20
Guisborough§	—	—	5	0·61	1	0·12	—	—	—	—	—	—
Helmsley	—	—	1	0·20	—	—	—	—	—	—	—	—
Kirkby Moorside	—	—	2	0·42	5	1·05	4	0·84	—	—	3	0·63
Leyburn	—	—	4	0·65	2	0·33	—	—	1	0·16	—	—
Malton	—	—	4	0·69	6	1·04	—	—	—	—	3	0·52
Middlesbrough	—	—	5	2·09	2	0·84	—	—	—	—	—	—
Northallerton	—	—	10	1·33	1	0·13	—	—	—	—	—	—
Pickering	—	—	3	0·50	4	0·67	—	—	—	—	1	0·17
Reeth	—	—	5	2·13	6	2·55	—	—	—	—	6	2·55
Richmond‡	—	—	11	1·32	7	0·84	1	0·12	—	—	2	0·24
Scarborough	—	—	16	2·61	14	2·29	—	—	—	—	—	—
Startforth	—	—	3	0·64	—	—	—	—	—	—	1	0·21
Stokesley	—	—	12	0·97	31	2·49	—	—	—	—	2	0·16
Thirsk	—	—	8	0·65	13	1·06	—	—	—	—	1	0·08
Wath	—	—	1	0·49	—	—	—	—	—	—	1	0·49
Whitby	—	—	15	1·74	10	1·16	1	0·12	—	—	5	0·58

* See footnote § on preceding page.

† Administrative County with associated County Borough.

‡ Rates based upon estimated civilian populations.

§ On 1st April, 1921, the Urban District of Eston was extended to include part of the Rural District of Guisborough. Allowance for this has been made in the calculation of rates.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
YORKS, WEST RIDING*†	94	0·03	7,473	2·32	4,389	1·36	845	0·26	220	0·07	1,322	0·41
BARNESLEY C.B.‡	—	—	93	1·64	73	1·29	8	0·14	3	0·05	34	0·60
BRADFORD C.B.	—	—	989	3·40	368	1·26	21	0·07	40	0·14	154	0·53
DEWSBURY C.B.	—	—	163	2·96	56	1·02	2	0·04	1	0·02	12	0·22
HALIFAX C.B.	—	—	349	3·47	101	1·00	3	0·03	—	—	17	0·17
HUDDERSFIELD C.B.	2	0·02	119	1·06	263	2·35	19	0·17	10	0·09	38	0·34
LEEDS C.B.	—	—	1,520	3·27	665	1·43	24	0·05	31	0·07	183	0·39
ROTHERHAM C.B.	—	—	50	0·72	47	0·68	8	0·12	2	0·03	43	0·62
SHEFFIELD C.B.§	—	—	1,014	2·02	686	1·37	47	0·09	58	0·12	238	0·48
WAKEFIELD C.B.	—	—	157	2·93	39	0·73	12	0·22	4	0·07	13	0·24
AGGREGATE OF M.Bs. AND U.Ds.†	92	0·08	2,277	2·01	1,484	1·31	640	0·57	43	0·04	463	0·41
AGGREGATE OF R.Ds.	—	—	742	1·93	607	1·58	61	0·16	28	0·07	127	0·33
BOROUGHs AND URBAN DISTRICTS :—												
Adwick le Street ..	—	—	78	6·49	48	3·99	2	0·17	1	0·08	3	0·25
Altofts ..	—	—	19	3·69	7	1·36	2	0·39	1	0·19	3	0·58
Ardsley†	—	—	6	0·97	23	3·74	4	0·65	—	—	1	0·16
Ardsley East and West ..	—	—	62	7·20	16	1·86	—	—	2	0·23	3	0·35
Baildon ..	—	—	12	1·82	5	0·76	—	—	—	—	3	0·46
Barkisland ..	—	—	3	1·87	2	1·25	—	—	—	—	—	—
Barnoldswick ..	—	—	16	1·31	2	0·16	1	0·08	1	0·08	9	0·74
Batley M.B.	—	—	52	1·41	35	0·95	2	0·05	1	0·03	6	0·16
Bentley with Arksey ..	—	—	5	0·38	12	0·90	2	0·15	1	0·08	1	0·08
Bingley ..	—	—	22	1·15	35	1·82	8	0·42	—	—	4	0·21
Birkenshaw ..	—	—	1	0·36	1	0·36	—	—	—	—	—	—
Birstal ..	—	—	3	0·41	5	0·69	3	0·41	—	—	—	—
Bolton upon Dearne ..	—	—	57	4·68	6	0·49	350	28·74	—	—	3	0·25
Brighouse M.B.	—	—	151	7·33	13	0·63	—	—	—	—	3	0·15
Burley in Wharfedale ..	—	—	3	0·79	3	0·79	1	0·26	—	—	1	0·26
Calverley ..	—	—	19	5·58	1	0·29	—	—	—	—	1	0·29
Castleford ..	—	—	44	1·78	16	0·65	3	0·12	—	—	7	0·28
Clayton ..	—	—	13	2·52	5	0·97	—	—	—	—	—	—
Clayton West ..	—	—	2	1·00	16	7·96	—	—	—	—	—	—
Conisbrough ¶	—	—	6	0·49	73	6·00	2	0·16	—	—	2	0·16
Cudworth ..	—	—	5	0·64	8	1·03	6	0·77	—	—	7	0·90
Darfield ..	—	—	6	1·06	7	1·24	32	5·66	—	—	11	1·95
Darton ..	—	—	20	1·74	6	0·52	1	0·09	2	0·17	16	1·39
Denby and Cumberworth ..	—	—	2	0·54	6	1·63	2	0·54	—	—	—	—
Denholme ..	—	—	—	—	1	0·34	1	0·34	—	—	—	—
Dodworth ..	—	—	7	2·06	4	1·18	—	—	—	—	—	—
Doncaster M.B.	1	0·02	52	0·95	75	1·37	4	0·07	1	0·02	29	0·53
Drighlington ..	—	—	3	0·72	4	0·96	3	0·72	—	—	4	0·96
Earby ..	—	—	2	0·33	4	0·67	—	—	—	—	1	0·17
Elland ..	—	—	26	2·42	10	0·93	2	0·19	1	0·09	7	0·65
Emley ..	—	—	—	—	10	5·77	—	—	1	0·58	—	—
Farnley Tyas ..	—	—	4	8·49	—	—	—	—	—	—	—	—
Farsley ..	—	—	30	4·83	5	0·81	2	0·32	—	—	3	0·48
Featherstone ..	—	—	24	1·59	6	0·40	21	1·39	3	0·20	13	0·86
Flockton ..	—	—	1	0·70	4	2·82	—	—	—	—	2	1·41
Garforth ..	—	—	2	0·51	5	1·27	7	1·77	—	—	—	—
Gildersome ..	—	—	8	2·74	5	1·71	—	—	—	—	—	—
Golcar ..	4	0·38	10	0·95	12	1·14	1	0·09	—	—	2	0·19
Goole ..	—	—	53	2·74	58	3·00	2	0·10	—	—	15	0·77
Greasborough ..	—	—	6	1·87	3	0·93	—	—	1	0·31	3	0·93

* Administrative County with associated County Boroughs.

† Rates based upon estimated civilian populations.

‡ On 9th November, 1921, the County Borough of Barnsley was extended to include Ardsley U.D., Monk Bretton U.D. and part of Worsborough U.D. Allowance for this has been made in the calculation of rates.

§ On 9th November, 1921, the County Borough of Sheffield was extended to include Handsworth U.D. and parts of Rotherham and Wortley R.Ds. Allowance for this has been made in the calculation of rates.

|| On 9th November, 1921, the County Borough of Wakefield was extended to include part of the Rural District of Wakefield. Allowance for this has been made in the calculation of rates.

¶ On 1st April, 1921, part of the Rural District of Doncaster was constituted the Urban District of Conisbrough. Allowance for this has been made in the calculation of rates.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
YORKS, WEST RIDING—												
<i>cont.</i>												
BOROUGH AND URBAN DISTRICTS— <i>cont.</i> :—												
Greetland	—	—	7	1·58	23	5·18	2	0·45	—	—	1	0·23
Guiseley	—	—	4	0·74	4	0·74	1	0·18	—	—	2	0·37
Gunthwaite and Ingbirchworth	—	—	—	—	—	—	—	—	—	—	—	—
Handsworth*	—	—	19	1·38	14	1·02	9	0·65	2	0·15	5	0·36
Harrogate M.B.	—	—	45	1·31	66	1·92	3	0·09	—	—	11	0·32
Haworth	—	—	10	1·49	19	2·83	1	0·15	—	—	3	0·45
Hebden Bridge	—	—	11	1·67	12	1·82	1	0·15	—	—	1	0·15
Heckmondwike	—	—	28	3·06	12	1·31	1	0·11	—	—	4	0·44
Hemsworth†	—	—	23	2·67	18	2·09	9	1·04	2	0·23	6	0·70
Hipperholme	—	—	13	2·70	4	0·83	—	—	1	0·21	2	0·42
Holme	—	—	1	2·87	3	8·62	—	—	—	—	—	—
Holmfirth	9	0·85	25	2·36	21	1·98	1	0·09	1	0·09	5	0·47
Honley	—	—	8	1·68	5	1·05	—	—	—	—	2	0·42
Horbury	—	—	19	2·39	32	4·03	—	—	—	—	5	0·63
Horsforth	—	—	12	1·28	5	0·53	—	—	1	0·11	2	0·21
Hoyland Nether	—	—	55	3·63	29	1·91	11	0·73	—	—	21	1·39
Hoyland Swaine	3	4·35	—	—	1	1·45	—	—	—	—	—	—
Hunsworth	—	—	1	0·75	—	—	—	—	—	—	—	—
Ilkley	—	—	15	1·75	17	1·98	4	0·47	—	—	1	0·12
Keighley M.B.	—	—	74	1·74	28	0·66	2	0·05	—	—	11	0·26
Kirkburton	—	—	1	0·29	5	1·45	—	—	—	—	4	1·16
Kirkheaton	—	—	—	—	4	1·45	—	—	1	0·36	1	0·36
Knarborough	—	—	8	1·50	3	0·56	—	—	—	—	—	—
Knottingley	—	—	15	2·19	1	0·15	4	0·58	—	—	—	—
Lepton	—	—	7	2·18	17	5·30	—	—	—	—	—	—
Linthwaite	28	2·80	6	0·60	9	0·90	1	0·10	—	—	3	0·30
Luddenden Foot	—	—	3	1·04	2	0·70	1	0·35	—	—	—	—
Marsden	7	1·16	14	2·31	21	3·47	—	—	—	—	3	0·50
Meltham	—	—	14	2·75	7	1·37	—	—	—	—	—	—
Methley	—	—	6	1·31	5	1·09	—	—	1	0·22	1	0·22
Mexborough	—	—	9	0·58	22	1·41	12	0·77	2	0·13	6	0·38
Midgley	—	—	—	—	2	1·00	—	—	—	—	—	—
Mirfield	—	—	5	0·41	6	0·49	1	0·08	—	—	3	0·24
Monk Bretton†	—	—	11	2·47	3	0·67	2	0·45	—	—	1	0·22
Morley M.B.	—	—	34	1·39	31	1·27	7	0·29	2	0·08	8	0·33
Mytholmroyd	—	—	12	2·86	3	0·71	—	—	—	—	—	—
New Mill	—	—	11	2·43	21	4·64	—	—	—	—	2	0·44
Normanton	—	—	31	1·92	36	2·23	13	0·81	—	—	19	1·18
Oakworth	—	—	7	1·66	2	0·47	1	0·24	—	—	2	0·47
Ossett M.B.	—	—	30	1·99	19	1·26	1	0·07	—	—	6	0·40
Otley	—	—	66	6·91	28	2·93	—	—	—	—	6	0·63
Oxenhope	—	—	7	2·96	7	2·96	—	—	—	—	2	0·84
Penistone	—	—	12	3·14	3	0·78	3	0·78	2	0·52	—	—
Pontefract M.B.§	—	—	9	0·54	7	0·42	14	0·84	—	—	10	0·60
Pudsey M.B.	—	—	24	1·65	6	0·41	—	—	1	0·07	2	0·14
Queensbury	—	—	34	5·69	11	1·84	3	0·50	—	—	—	—
Rawdon	—	—	3	0·79	11	2·91	—	—	—	—	—	—
Rawmarsh	4	0·22	24	1·32	21	1·15	2	0·11	2	0·11	18	0·99
Ripon M.B.	—	—	7	0·84	2	0·24	1	0·12	—	—	—	—
Rishworth	—	—	1	1·13	—	—	—	—	—	—	—	—
Rothwell	—	—	50	3·23	20	1·29	2	0·13	—	—	6	0·39
Royston	—	—	31	4·70	3	0·45	—	—	—	—	1	0·15
Saddleworth	3	0·24	10	0·78	15	1·18	—	—	1	0·08	4	0·31
Scammonden	1	2·56	—	—	—	—	—	—	—	—	—	—
Selby	—	—	12	1·18	8	0·79	—	—	—	—	1	0·10
Shelf	—	—	1	0·41	—	—	—	—	—	—	—	—
Shelley	—	—	2	1·12	16	8·99	—	—	—	—	3	1·69
Shepley	—	—	7	4·05	—	—	—	—	—	—	1	0·58
Shipley	—	—	86	2·99	7	0·24	1	0·03	—	—	5	0·17
Silsden	—	—	—	—	2	0·41	—	—	—	—	—	—

* See footnote § on page 468.

† On 1st April, 1921, part of Hemsworth Rural District was constituted the Urban District of Hemsworth. Allowance for this has been made in the calculation of rates.

‡ See footnote ‡ on page 468.

§ Rates based upon an estimated civilian population.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
YORKS, WEST RIDING—												
<i>cont.</i>												
BOROUGH AND URBAN DISTRICTS—<i>cont.</i> :—												
Skelmanthorpe	—	—	5	1·25	7	1·76	3	0·75	—	—	—	—
Skipton	—	—	48	3·96	12	0·99	3	0·25	—	—	1	0·08
Slaithwaite	32	5·77	11	1·98	19	3·42	2	0·36	—	—	—	—
South Crosland	—	—	2	0·64	—	—	—	—	—	—	1	0·32
Southowram	—	—	2	0·74	—	—	1	0·37	—	—	—	—
Sowerby	—	—	11	3·43	—	—	—	—	—	—	—	—
Sowerby Bridge	—	—	6	0·52	27	2·32	1	0·09	—	—	2	0·17
Soyland	—	—	11	3·91	—	—	—	—	—	—	1	0·36
Spensborough	—	—	98	3·09	42	1·33	7	0·22	2	0·06	15	0·47
Springhead	—	—	5	0·99	1	0·20	—	—	—	—	2	0·40
Stainland with Old Lindley	—	—	6	1·30	20	4·34	5	1·08	—	—	2	0·43
Stanley	—	—	22	1·47	9	0·60	2	0·13	—	—	6	0·40
Stocksbridge	—	—	4	0·43	2	0·22	—	—	—	—	1	0·11
Swinton	—	—	16	1·13	6	0·42	5	0·35	2	0·14	8	0·56
Thurlstone	—	—	—	—	2	0·73	—	—	—	—	—	—
Thurnscoe	—	—	14	2·77	5	0·99	1	0·20	—	—	2	0·40
Thurstonland	—	—	—	—	—	—	4	1·60	—	—	3	1·20
Tickhill	—	—	—	—	2	0·96	—	—	—	—	1	0·48
Todmorden M.B. . .	—	—	62	2·56	13	0·54	1	0·04	1	0·04	13	0·54
Wath upon Dearne ..	—	—	44	3·37	23	1·76	6	0·46	1	0·08	14	1·07
Whitley Upper	—	—	1	1·18	2	2·35	—	—	—	—	—	—
Whitwood	—	—	12	1·98	3	0·50	2	0·33	—	—	1	0·17
Wombwell	—	—	34	1·75	16	0·83	12	0·62	1	0·05	20	1·03
Worsborough*	—	—	33	2·41	9	0·66	5	0·37	1	0·07	4	0·29
Yeadon	—	—	15	1·95	8	1·04	2	0·26	—	—	3	0·39
RURAL DISTRICTS :—												
Barnsley	—	—	3	0·71	2	0·47	1	0·24	—	—	—	—
Bishopthorpe	—	—	2	0·96	—	—	—	—	—	—	1	0·48
Bowland	—	—	10	1·82	—	—	1	0·18	—	—	1	0·18
Doncaster†	—	—	25	0·82	70	2·30	7	0·23	2	0·07	11	0·36
Goole	—	—	11	1·31	21	2·50	1	0·12	—	—	—	—
Great Ouseburn	—	—	14	1·28	2	0·18	—	—	1	0·09	3	0·27
Halifax	—	—	13	2·03	1	0·16	—	—	—	—	2	0·31
Hemsworth†	—	—	182	4·54	130	3·25	17	0·42	5	0·12	19	0·47
Hunslet	—	—	23	3·18	19	2·62	—	—	1	0·14	3	0·41
Keighley	—	—	3	0·44	10	1·45	—	—	1	0·15	1	0·15
Kiveton Park	—	—	7	0·46	22	1·45	1	0·07	1	0·07	1	0·07
Knaresborough	—	—	25	2·89	22	2·55	—	—	—	—	1	0·12
Pateley Bridge	—	—	1	0·14	1	0·14	—	—	—	—	1	0·14
Penistone	—	—	16	2·80	11	1·92	1	0·17	1	0·17	2	0·35
Pontefract	—	—	37	2·05	16	0·89	5	0·28	—	—	7	0·39
Ripon	—	—	2	0·38	2	0·38	3	0·58	1	0·19	—	—
Rotherham§	—	—	36	0·93	13	0·34	4	0·10	7	0·18	14	0·36
Sedbergh	—	—	—	—	—	—	—	—	—	—	1	0·26
Selby	—	—	8	1·30	21	3·40	—	—	1	0·16	—	—
Settle	—	—	20	1·32	4	0·26	—	—	—	—	—	—
Skipton	—	—	19	1·00	33	1·74	2	0·11	—	—	4	0·21
Tadcaster	—	—	80	2·82	58	2·04	5	0·18	2	0·07	4	0·14
Thorne	—	—	8	0·72	12	1·08	1	0·09	—	—	4	0·36
Todmorden	—	—	4	0·87	3	0·65	1	0·22	—	—	—	—
Wakefield 	—	—	93	5·19	35	1·95	3	0·17	2	0·11	18	1·00
Wetherby	—	—	38	2·65	33	2·30	2	0·14	—	—	4	0·28
Wharfedale North ..	—	—	—	—	3	0·78	—	—	—	—	2	0·52
Wharfedale South ..	—	—	9	1·40	—	—	3	0·47	—	—	7	1·09
Wortley§	—	—	53	1·61	63	1·91	3	0·09	3	0·09	16	0·49
COUNTY BOROUGH :—												
York¶	—	—	217	2·57	112	1·33	5	0·06	1	0·01	20	0·24

* See footnote ‡, page 468.

† See footnote ¶, page 468.

‡ See footnote †, page 469.

§ See footnote §, page 468.

|| See footnote ||, page 468.

¶ York C.B. is a County of itself, outside any of the three Ridings.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
ANGLESEY*	—	—	19	0·37	34	0·66	1	0·02	1	0·02	10	0·20
AGGREGATE OF M.B. AND U.Ds.	—	—	5	0·25	13	0·66	1	0·05	—	—	1	0·05
AGGREGATE OF R.Ds. ..	—	—	14	0·44	21	0·67	—	—	1	0·03	9	0·29
BOROUGH AND URBAN DISTRICTS:—												
Amlwch	—	—	—	—	1	0·38	—	—	—	—	—	—
Beaumaris M.B.	—	—	—	—	—	—	—	—	—	—	—	—
Holyhead	—	—	2	0·17	11	0·93	—	—	—	—	—	—
Llangefni	—	—	1	0·59	1	0·59	—	—	—	—	—	—
Menai Bridge	—	—	2	1·17	—	—	1	0·59	—	—	1	0·59
RURAL DISTRICTS:—												
Aethwy	—	—	11	1·35	4	0·49	—	—	—	—	—	—
Dwyran	—	—	—	—	9	3·12	—	—	—	—	5	1·73
Twrcelyn	—	—	—	—	—	—	—	—	—	—	3	0·33
Valley	—	—	3	0·26	8	0·70	—	—	1	0·09	1	0·09
BRECKNOCK*†	—	—	124	2·04	93	1·53	24	0·39	4	0·07	8	0·13
AGGREGATE OF U.Ds.† ..	—	—	76	4·32	9	0·51	12	0·68	—	—	4	0·23
AGGREGATE OF R.Ds. ..	—	—	48	1·11	84	1·94	12	0·28	4	0·09	4	0·09
URBAN DISTRICTS:—												
Brecknock†	—	—	21	3·91	3	0·56	—	—	—	—	—	—
Brynmawr	—	—	52	6·31	4	0·49	12	1·46	—	—	4	0·49
Builth Wells	—	—	3	1·79	—	—	—	—	—	—	—	—
Hay	—	—	—	—	1	0·65	—	—	—	—	—	—
Llanwrtyd.. .. .	—	—	—	—	1	1·29	—	—	—	—	—	—
RURAL DISTRICTS:—												
Brecknock (Defynnock Div.)	—	—	—	—	11	3·27	—	—	—	—	1	0·30
Brecknock (Merthyr Cynog Div.)	—	—	1	0·46	6	2·76	1	0·46	—	—	—	—
Brecknock (Llangorse Div.)	—	—	7	2·17	3	0·93	—	—	—	—	—	—
Builth	—	—	3	0·75	—	—	—	—	2	0·50	—	—
Crickhowell	—	—	15	1·83	—	—	8	0·98	—	—	—	—
Hay	—	—	6	1·44	15	3·60	—	—	—	—	—	—
Vaynor and Penderyn ..	—	—	4	0·69	8	1·39	3	0·52	1	0·17	1	0·17
Ystradgynlais	—	—	11	0·97	40	3·54	—	—	1	0·09	2	0·18
Llanwrthwl (parish)† ..	—	—	1	2·72	—	—	—	—	—	—	—	—
Ystradfellte (parish)§ ..	—	—	—	—	1	1·53	—	—	—	—	—	—
CARDIGAN*	—	—	133	2·31	51	0·88	6	0·10	2	0·03	12	0·21
AGGREGATE OF M.Bs. AND U.Ds.	—	—	32	1·93	15	0·91	3	0·18	—	—	3	0·18
AGGREGATE OF R.Ds ..	—	—	101	2·46	36	0·88	3	0·07	2	0·05	9	0·22
BOROUGHs AND URBAN DISTRICTS:—												
Aberayron.. .. .	—	—	10	8·10	2	1·62	2	1·62	—	—	—	—
Aberystwyth M.B.	—	—	15	1·67	4	0·44	—	—	—	—	3	0·33
Cardigan M.B.	—	—	5	1·45	4	1·16	1	0·29	—	—	—	—
Lampeter M.B.	—	—	—	—	3	1·68	—	—	—	—	—	—
New Quay.. .. .	—	—	2	1·80	2	1·80	—	—	—	—	—	—
RURAL DISTRICTS:—												
Aberayron.. .. .	—	—	57	7·64	6	0·80	1	0·13	—	—	—	—
Aberystwyth (North Div.)	—	—	12	1·75	3	0·44	—	—	2	0·29	4	0·58
Aberystwyth (South Div.)	—	—	21	4·16	2	0·40	—	—	—	—	1	0·20
Cardigan	—	—	1	0·33	4	1·30	—	—	—	—	—	—
Lampeter	—	—	1	0·29	1	0·29	—	—	—	—	2	0·57
Llandyssil.. .. .	—	—	6	0·76	15	1·89	2	0·25	—	—	1	0·13
Tregaron	—	—	1	0·14	5	0·72	—	—	—	—	1	0·14
Ysgubor y Coed (parish)	—	—	2	6·17	—	—	—	—	—	—	—	—

* Administrative County.

† Rates based upon estimated civilian populations.

‡ This Parish is administered by the Rural District Council of Rhayader (Radnor).

§ This Parish is administered by the Rural District Council of Neath (Glamorgan).

|| This Parish is administered by the Rural District Council of Machynlleth (Montgomery).

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
CARMARTHEN*	—	—	436	2·47	453	2·56	14	0·08	6	0·03	30	0·17
AGGREGATE OF M.Bs. AND U.Ds.	—	—	168	2·27	180	2·44	4	0·05	3	0·04	10	0·14
AGGREGATE OF R.Ds. ..	—	—	268	2·61	273	2·66	10	0·10	3	0·03	20	0·19
BOROUGHs AND URBAN DISTRICTS:—												
Ammanford	—	—	72	10·14	10	1·41	—	—	—	—	5	0·70
Burry Port	—	—	9	1·49	49	8·11	—	—	—	—	—	—
Carmarthen M.B. ...	—	—	14	1·39	5	0·50	1	0·10	—	—	1	0·10
Cwmamman	—	—	32	5·90	3	0·55	—	—	—	—	—	—
Kidwelly M.B.	—	—	3	0·92	1	0·31	—	—	—	—	1	0·31
Llandilo	—	—	—	—	2	0·98	—	—	—	—	—	—
Llandovery M.B. ...	—	—	—	—	—	—	—	—	—	—	—	—
Llanelly M.B.	—	—	33	0·89	110	2·96	3	0·08	3	0·08	3	0·08
Newcastle Emlyn ..	—	—	5	5·93	—	—	—	—	—	—	—	—
RURAL DISTRICTS:—												
Carmarthen	—	—	81	3·35	51	2·11	—	—	1	0·04	2	0·08
Llandilo Fawr	—	—	67	3·06	111	5·07	2	0·09	—	—	3	0·14
Llandovery	—	—	5	0·72	11	1·59	—	—	—	—	—	—
Llanelly	—	—	86	2·46	78	2·23	8	0·23	2	0·06	12	0·34
Llanybyther	—	—	18	5·15	8	2·29	—	—	—	—	3	0·86
Newcastle in Emlyn ..	—	—	10	1·58	10	1·58	—	—	—	—	—	—
Whitland	—	—	1	0·20	4	0·80	—	—	—	—	—	—
CARNARVON*	—	—	215	1·76	277	2·27	11	0·09	2	0·02	35	0·29
AGGREGATE OF M.Bs. AND U.Ds.	—	—	129	2·15	154	2·57	7	0·12	1	0·02	15	0·25
AGGREGATE OF R.Ds. ..	—	—	86	1·39	123	1·99	4	0·06	1	0·02	20	0·32
BOROUGHs AND URBAN DISTRICTS:—												
Bangor M.B.	—	—	58	5·29	9	0·82	—	—	—	—	5	0·46
Bethesda	—	—	7	1·70	4	0·97	—	—	—	—	1	0·24
Bettws y Coed	—	—	1	1·15	—	—	—	—	—	—	—	—
Carnarvon M.B. ...	—	—	10	1·20	56	6·71	4	0·48	1	0·12	3	0·36
Conway M.B.	—	—	7	1·13	20	3·24	—	—	—	—	—	—
Criccieth	—	—	—	—	—	—	—	—	—	—	—	—
Llandudno	—	—	34	2·64	21	1·63	—	—	—	—	6	0·47
Llanfairfechan	—	—	—	—	2	0·65	—	—	—	—	—	—
Penmaenmawr	—	—	2	0·48	33	7·96	—	—	—	—	—	—
Portmadoc	—	—	8	1·96	8	1·96	3	0·74	—	—	—	—
Pwllheli M.B.	—	—	2	0·56	1	0·28	—	—	—	—	—	—
RURAL DISTRICTS:—												
Conway	—	—	13	1·58	25	3·04	—	—	—	—	1	0·12
Geirionydd	—	—	2	0·49	3	0·73	—	—	—	—	—	—
Glaslyn	—	—	20	6·68	10	3·34	1	0·33	—	—	—	—
Gwyrfaï	—	—	18	0·74	67	2·77	1	0·04	—	—	7	0·29
Lleyn	—	—	27	1·62	15	0·90	2	0·12	1	0·06	12	0·72
Ogwen	—	—	6	1·04	3	0·52	—	—	—	—	—	—
DENBIGH*	—	—	527	3·47	594	3·92	23	0·15	4	0·03	35	0·23
AGGREGATE OF M.Bs. AND U.Ds.	—	—	220	4·18	123	2·34	3	0·06	2	0·04	12	0·23
AGGREGATE OF R.Ds. ..	—	—	307	3·10	471	4·75	20	0·20	2	0·02	23	0·23
BOROUGHs AND URBAN DISTRICTS:—												
Abergele and Pensarn ..	—	—	—	—	—	—	1	0·44	—	—	—	—
Colwyn Bay and Colwyn ..	—	—	19	1·20	32	2·02	1	0·06	—	—	4	0·25
Denbigh M.B.	—	—	7	1·03	27	3·96	—	—	—	—	2	0·29
Llangollen	—	—	6	1·81	1	0·30	—	—	—	—	—	—
Llanrwst	—	—	1	0·42	10	4·24	—	—	—	—	—	—
Ruthin M.B.	—	—	3	1·08	—	—	1	0·36	—	—	1	0·36
Wrexham M.B.	—	—	184	9·58	53	2·76	—	—	2	0·10	5	0·26

* Administrative County.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
DENBIGH—<i>cont.</i>												
RURAL DISTRICTS :—												
Chirk	—	—	9	1·99	6	1·33	—	—	—	—	—	—
Llangollen	—	—	14	3·83	3	0·82	—	—	—	—	3	0·82
Llanrwst	—	—	3	0·69	39	9·01	—	—	1	0·23	—	—
Llansilin	—	—	14	4·79	36	12·32	—	—	—	—	—	—
Ruthin	—	—	14	1·53	12	1·31	—	—	—	—	1	0·11
St. Asaph (Denbigh)	—	—	14	2·06	9	1·33	—	—	—	—	—	—
Uwchale	—	—	—	—	16	7·51	—	—	—	—	—	—
Wrexham	—	—	238	3·72	347	5·43	19	0·30	1	0·02	19	0·30
Glan Conway and Llanellian (parishes)*	—	—	1	0·57	3	1·72	1	0·57	—	—	—	—
FLINT††	—	—	272	2·67	162	1·59	12	0·12	3	0·03	12	0·12
AGGREGATE OF M.B. AND U.Ds.	—	—	78	1·99	97	2·47	5	0·13	2	0·05	6	0·15
AGGREGATE OF R.Ds.‡	—	—	194	3·10	65	1·04	7	0·11	1	0·02	6	0·10
BOROUGH AND URBAN DISTRICTS :—												
Buckley	—	—	8	1·17	7	1·02	—	—	1	0·15	1	0·15
Connah's Quay	—	—	23	4·45	12	2·32	—	—	—	—	2	0·39
Flint M.B.	—	—	—	—	12	1·87	2	0·31	1	0·16	1	0·16
Holywell	—	—	4	1·41	11	3·87	3	1·06	—	—	—	—
Mold	—	—	4	0·85	4	0·85	—	—	—	—	—	—
Prestatyn	—	—	4	1·36	—	—	—	—	—	—	—	—
Rhyl	—	—	35	3·38	51	4·93	—	—	—	—	2	0·19
RURAL DISTRICTS :—												
Hawarden	—	—	102	4·21	39	1·61	5	0·21	—	—	3	0·12
Holywell (Holywell Div.)	—	—	28	1·63	15	0·87	—	—	1	0·06	3	0·17
Holywell (Mold Div.)	—	—	33	3·81	1	0·12	—	—	—	—	—	—
Overton	—	—	8	1·57	6	1·18	—	—	—	—	—	—
St. Asaph (Flint)‡	—	—	23	3·12	4	0·54	2	0·27	—	—	—	—
GLAMORGAN§	—	—	5,513	4·33	2,421	1·90	129	0·10	62	0·05	324	0·25
CARDIFF C.B.	—	—	682	3·36	318	1·57	15	0·07	9	0·04	67	0·33
MERTHYR TYDFIL C.B.	—	—	327	4·00	116	1·42	7	0·09	1	0·01	21	0·26
SWANSEA C.B.	—	—	281	1·76	345	2·16	9	0·06	5	0·03	30	0·19
AGGREGATE OF M.Bs. AND U.Ds.	—	—	3,623	6·00	1,200	1·99	89	0·15	35	0·06	169	0·28
AGGREGATE OF R.Ds.	—	—	600	2·68	442	1·97	9	0·04	12	0·05	37	0·17
BOROUGH AND URBAN DISTRICTS :—												
Aberavon M.B. 	—	—	20	1·49	30	2·23	—	—	—	—	5	0·37
Aberdare	—	—	396	7·06	123	2·19	13	0·23	2	0·04	38	0·68
Barry	—	—	91	2·34	79	2·03	20	0·51	1	0·03	10	0·26
Bridgend	—	—	32	3·45	23	2·48	3	0·32	—	—	—	—
Briton Ferry¶	—	—	16	1·70	12	1·28	—	—	2	0·21	1	0·11
Caerphilly	—	—	174	4·62	97	2·58	—	—	3	0·08	13	0·35
Cowbridge M.B.	—	—	—	—	1	0·88	—	—	—	—	—	—
Gelligaer	—	—	379	8·63	172	3·91	1	0·02	1	0·02	7	0·16
Glyncorwg	—	—	97	8·82	9	0·82	1	0·09	1	0·09	3	0·27
Maesteg	—	—	276	9·35	36	1·22	—	—	—	—	6	0·20

* These Parishes are administered by the Rural District Council of Conway (Carnarvon).

† Administrative County.

‡ Rates based upon estimated civilian populations.

§ Administrative County with associated County Boroughs.

|| On 9th November, 1921, Aberavon Municipal Borough was renamed Port Talbot and was extended to include Margam U.D. and part of the Rural District of Neath. The estimated mid-year population of Port Talbot is 19,351, and the figures shown in the table relate to the area as from the date of the change. Allowance for the extension of area has been made in the calculation of rates.

¶ On 19th August, 1921, Briton Ferry U.D. was extended to include part of the Rural District of Neath. Allowance for this has been made in the calculation of rates.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
GLAMORGAN—<i>cont.</i>												
BOROUGH AND URBAN DISTRICTS—<i>cont.</i>												
Margam*	—	—	119	7·72	107	6·94	—	—	—	—	—	—
Mountain Ash	—	—	491	11·10	54	1·22	11	0·25	3	0·07	7	0·16
Neath M.B.	—	—	82	4·25	28	1·45	—	—	—	—	—	—
Ogmore and Garw	—	—	174	5·64	33	1·07	16	0·52	2	0·06	19	0·62
Penarth	—	—	117	6·79	10	0·58	2	0·12	—	—	—	—
Pontypridd	—	—	263	5·46	43	0·89	7	0·15	4	0·08	12	0·25
Porthcawl	—	—	27	4·88	7	1·27	1	0·18	—	—	3	0·54
Port Talbot M.B.*	—	—	14	2·37	13	2·20	—	—	—	—	2	0·34
Rhondda	—	—	855	5·13	323	1·94	14	0·08	16	0·10	43	0·26
RURAL DISTRICTS:—												
Cowbridge	—	—	7	0·72	9	0·93	—	—	—	—	9	0·93
Gower	—	—	6	0·64	17	1·83	—	—	—	—	—	—
Llandaff and Dinas Powis	—	—	122	2·90	77	1·83	3	0·07	—	—	6	0·14
Llantrisant and Llantwit	—	—	—	—	—	—	—	—	—	—	—	—
Farde	—	—	50	1·92	33	1·27	2	0·08	5	0·19	1	0·04
Neath†	—	—	164	3·40	153	3·18	3	0·06	5	0·10	3	0·06
Penybont	—	—	145	5·15	34	1·21	1	0·04	—	—	4	0·14
Pontardawe	—	—	82	2·32	100	2·83	—	—	1	0·03	4	0·11
Swansea	—	—	24	0·95	19	0·75	—	—	1	0·04	10	0·40
MERIONETH†												
AGGREGATE OF U.Ds.	—	—	46	1·10	60	1·44	—	—	—	—	13	0·31
AGGREGATE OF R.Ds.	—	—	17	0·95	47	2·62	—	—	—	—	8	0·45
AGGREGATE OF R.Ds.	—	—	29	1·22	13	0·55	—	—	—	—	5	0·21
URBAN DISTRICTS:—												
Bala	—	—	1	0·73	1	0·73	—	—	—	—	—	—
Barmouth	—	—	—	—	—	—	—	—	—	—	—	—
Dolgelley	—	—	—	—	2	1·03	—	—	—	—	4	0·49
Festiniog	—	—	12	1·47	43	5·26	—	—	—	—	—	—
Mallwyd	—	—	—	—	—	—	—	—	—	—	4	1·06
Towyn	—	—	4	1·06	1	0·27	—	—	—	—	—	—
RURAL DISTRICTS:—												
Deudraeth	—	—	9	1·26	9	1·26	—	—	—	—	3	0·42
Dolgelley	—	—	8	1·03	—	—	—	—	—	—	2	0·26
Edeirnion	—	—	9	1·89	2	0·42	—	—	—	—	—	—
Penllyn	—	—	3	0·82	2	0·54	—	—	—	—	—	—
Pennal (parish)§	—	—	—	—	—	—	—	—	—	—	—	—
MONMOUTH 												
NEWPORT C.B.	—	—	2,650	5·79	706	1·54	37	0·08	20	0·04	104	0·23
AGGREGATE OF M.Bs. AND U.Ds.	—	—	843	9·00	225	2·40	9	0·10	4	0·04	23	0·25
AGGREGATE OF M.Bs. AND U.Ds.	—	—	1,694	5·34	419	1·32	22	0·07	15	0·05	78	0·25
AGGREGATE OF R.Ds.	—	—	113	2·42	62	1·33	6	0·13	1	0·02	3	0·06
BOROUGH AND URBAN DISTRICTS:—												
Abercarn	—	—	35	1·71	16	0·78	—	—	1	0·05	1	0·05
Abergavenny M.B.	—	—	33	3·65	6	0·66	—	—	1	0·11	—	—
Abersychan	—	—	160	5·79	23	0·83	—	—	—	—	5	0·18
Abertillery	—	—	257	6·48	62	1·56	2	0·05	1	0·03	5	0·13
Bedwas and Machen	—	—	29	3·36	25	2·90	—	—	—	—	3	0·35
Bedwellty	—	—	376	11·86	76	2·40	3	0·09	1	0·03	9	0·28
Blaenavon	—	—	26	2·05	2	0·16	—	—	—	—	—	—
Caerleon	—	—	16	6·94	2	0·87	1	0·43	—	—	—	—
Chepstow	—	—	81	15·61	19	3·66	—	—	1	0·19	1	0·19
Ebbw Vale	—	—	194	5·37	60	1·66	3	0·08	6	0·17	18	0·50

* See footnote || on preceding page.

† See footnote † on preceding page.

‡ Administrative County.

§ This Parish is administered by the Rural District Council of Machynlleth (Montgomery).

|| Administrative County with associated County Borough.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the ATTACK-RATE per 1 000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
MONMOUTH—<i>cont.</i>												
BOROUGHES AND URBAN DISTRICTS— <i>cont.</i>												
Llanfrehfa Upper	—	—	13	2·72	8	1·67	—	—	—	—	2	0·42
Llantarnam	—	—	25	3·32	15	1·99	—	—	—	—	—	—
Monmouth M.B.	—	—	12	2·32	4	0·77	3	0·58	—	—	—	—
Mynyddislwyn	—	—	85	5·61	19	1·25	3	0·20	1	0·07	2	0·13
Nantyglo and Blaina ..	—	—	98	5·81	2	0·12	—	—	1	0·06	12	0·71
Panteg	—	—	59	5·27	11	0·98	—	—	—	—	—	—
Pontypool	—	—	12	1·72	4	0·57	1	0·14	—	—	2	0·29
Rhymney	—	—	44	3·69	5	0·42	—	—	—	—	3	0·25
Risca	—	—	26	1·52	29	1·70	—	—	1	0·06	1	0·06
Tredegar	—	—	112	4·37	31	1·21	6	0·23	1	0·04	13	0·51
Usk	—	—	1	0·67	—	—	—	—	—	—	1	0·67
RURAL DISTRICTS :—												
Abergavenny	—	—	39	4·23	—	—	1	0·11	1	0·11	1	0·11
Chepstow	—	—	21	2·42	47	5·41	1	0·12	—	—	—	—
Magor	—	—	10	1·83	3	0·55	2	0·37	—	—	—	—
Monmouth	—	—	11	1·69	8	1·23	—	—	—	—	1	0·15
Pontypool	—	—	5	0·95	—	—	—	—	—	—	—	—
St. Mellons	—	—	27	2·34	4	0·35	2	0·17	—	—	1	0·09
MONTGOMERY*												
AGGREGATE OF M.Bs. AND U.Ds.	—	—	61	1·20	92	1·81	2	0·04	3	0·06	12	0·24
AGGREGATE OF R.Ds. ..	—	—	28	1·53	44	2·40	2	0·11	—	—	6	0·33
AGGREGATE OF R.Ds. ..	—	—	33	1·01	48	1·47	—	—	3	0·09	6	0·18
BOROUGHES AND URBAN DISTRICTS :—												
Llanfyllin M.B.	—	—	2	1·25	29	18·16	—	—	—	—	—	—
Llanidloes M.B.	—	—	1	0·40	1	0·40	—	—	—	—	2	0·79
Machynlleth	—	—	11	5·97	8	4·34	—	—	—	—	1	0·54
Montgomery M.B. ..	—	—	5	5·31	4	4·25	—	—	—	—	—	—
Newtown and Llanllwchaiarn	—	—	6	1·05	—	—	—	—	—	—	—	—
Welshpool M.B.	—	—	3	0·53	2	0·35	2	0·35	—	—	3	0·53
RURAL DISTRICTS :—												
Forden	—	—	8	1·43	—	—	—	—	—	—	5	0·89
Llanfyllin	—	—	20	1·66	38	3·16	—	—	3	0·25	—	—
Machynlleth	—	—	1	0·26	4	1·06	—	—	—	—	—	—
Newtown and Llanidloes	—	—	4	0·36	6	0·53	—	—	—	—	1	0·09
PEMBROKE*†												
AGGREGATE OF M.Bs. AND U.Ds.§	—	—	117	1·29	66	0·73	8	0·09	10	0·11	16	0·18
AGGREGATE OF M.Bs. AND U.Ds.§	—	—	54	1·35	24	0·60	2	0·05	9	0·23	6	0·15
AGGREGATE OF R.Ds. ..	—	—	63	1·23	42	0·82	6	0·12	1	0·02	10	0·20
BOROUGHES AND URBAN DISTRICTS :—												
Fishguard	—	—	2	0·66	1	0·33	—	—	—	—	—	—
Haverfordwest M.B. ..	—	—	3	0·52	2	0·34	—	—	3	0·52	4	0·69
Milford Haven	—	—	13	1·65	10	1·27	—	—	6	0·76	1	0·13
Narberth	—	—	1	0·87	1	0·87	—	—	—	—	—	—
Neyland	—	—	1	0·37	—	—	—	—	—	—	—	—
Pembroke M.B.†	—	—	29	1·93	6	0·40	2	0·13	—	—	1	0·07
Tenby M.B.	—	—	5	1·18	4	0·94	—	—	—	—	—	—
RURAL DISTRICTS :—												
Haverfordwest	—	—	33	1·55	18	0·84	—	—	1	0·05	7	0·33
Llanfyrnach	—	—	—	—	—	—	—	—	—	—	—	—
Narberth	—	—	4	0·37	5	0·46	—	—	—	—	1	0·09
Pembroke	—	—	13	1·51	3	0·35	—	—	—	—	—	—
St. Dogmells	—	—	13	1·65	16	2·03	6	0·76	—	—	2	0·25

* Administrative County.

† Rates based upon estimated civilian populations.

TABLE 27.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 31st December 1921, and the Attack-RATE per 1,000 of the population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
RADNOR*	—	—	80	3·69	12	0·55	—	—	—	—	—	—
AGGREGATE OF U.Ds.	—	—	1	0·18	4	0·71	—	—	—	—	—	—
AGGREGATE OF R.Ds.	—	—	79	4·93	8	0·50	—	—	—	—	—	—
URBAN DISTRICTS :—												
Knighton	—	—	1	0·59	—	—	—	—	—	—	—	—
Llandrindod Wells ..	—	—	—	—	—	—	—	—	—	—	—	—
Presteigne	—	—	—	—	4	3·48	—	—	—	—	—	—
RURAL DISTRICTS :—												
Colwyn	—	—	7	3·41	—	—	—	—	—	—	—	—
Knighton	—	—	12	2·88	2	0·48	—	—	—	—	—	—
New Radnor	—	—	10	3·77	1	0·38	—	—	—	—	—	—
Paincastle	—	—	6	2·72	1	0·45	—	—	—	—	—	—
Rhayader	—	—	44	8·89	4	0·81	—	—	—	—	—	—

* Administrative County.

TABLE 28.—AIR TEMPERATURE, RAINFALL AND SUNSHINE, ENGLAND AND WALES, DURING THE YEAR 1921.*

District.	Air Temperature.						Rainfall.			Sunshine.	
	Highest.	Lowest.	Means of				Total.	Deviation from Normal.	Number of Days.	Daily Mean.	Deviation from Normal.
			Daily Maximum.	Daily Minimum.	Daily Mean.	Deviation from Normal.					
	° F.	° F.	° F.	° F.	° F.	° F.	mm.	mm.		hr.	hr.
England N.E. ..	92	15	56·9	43·3	50·1	+2·7	464	−171	152	4·43	+0·50
England E. ..	94	19	58·6	43·6	51·1	+2·7	348	−262	130	4·93	+0·61
Midland Counties	93	12	58·6	42·9	50·8	+2·9	471	−213	144	4·39	+0·57
England S.E. ..	93	14	59·4	44·7	52·1	+2·5	360	−349	124	5·07	+0·58
England N. W.†..	90	11	56·5	44·4	50·5	+2·3	771	−130	179	4·35	+0·46
England S.W.†..	90	11	58·5	45·5	52·0	+2·5	612	−389	159	4·76	+0·48
Mean	94	11	58·1	44·1	51·1	+2·6	504	−252	148	4·66	+0·53

* For similar values for each month and quarter of the year, see the Registrar-General's Quarterly Returns.

† The district known as England N.W. includes the northern half of Wales, whilst England S.W. includes the southern half.

TABLE 29.—QUARTERLY METEOROLOGICAL ELEMENTS. GREENWICH, 1921.

1st Quarter : Jan., Feb., Mar. 2nd " " April, May, June. 3rd " " July, Aug., Sept. 4th " " Oct., Nov., Dec.	Temperature of								Vapour Pressure in Millibars.		Mass of Vapour in a Cubic Metre of Air.		Degree of Humidity.		Mean Air Pressure at Station Level* in Millibars.		Mass of a Cubic Metre of Air.		Rain.		Readings of Thermometer on Grass.					
	Air.				Evaporation.		Dew Point.		Air Daily Range.		Mean.	gms.	%	%	Mean.	mb.	gms.	gms.	mm.	mm.	At or below 30°.	Between 30° and 40°.	Above 40° F.	Lowest Reading at Night.	Highest Reading at Night.	
	Mean of Maximum and Minimum.	Difference from Normal of 130 years.	Difference from Normal of 60 years.		Mean of "Wet Bulb" Readings at 9h. and 21h.	Difference from Normal of 60 years.	Mean.	Difference from Normal of 60 years.	Mean.	Difference from Normal of 60 years.																
	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	mb.	gms.	°	°	°	mb.	mb.	gms.	gms.	mm.	mm.				° F.	° F.
1921.	52.7	+4.0	+3.3	48.0	+1.5	44.1	+0.6	18.0	+2.2	10.2	+0.3	7.6	-0.2	77	-5	1013.7	+4.8	1235	-4	318	-312	108	154	103	15.0	60.7
Year ..	44.5	+5.6	+4.7	41.5	+3.7	38.7	+3.5	13.0	+1.2	8.0	+1.0	6.2	+0.7	83	-1	1014.5	+5.7	1257	-8	78	-47	34	46	10	19.7	46.2
1st Quarter	54.9	+2.5	+2.0	49.1	0.0	44.3	-0.9	22.2	+2.3	10.0	-0.4	7.6	-0.2	71	-6	1013.5	+4.3	1229	-1	73	-70	28	44	19	21.6	52.4
2nd "	64.2	+4.4	+3.8	57.4	+0.9	52.6	-0.4	23.1	+3.4	13.4	-0.2	10.1	-0.4	69	-8	1012.1	+2.5	1205	-7	67	-115	8	30	54	25.0	60.7
3rd "	47.2	+3.5	+2.8	44.1	+1.5	41.7	+1.1	13.7	+2.0	9.2	+0.5	7.1	0.0	85	-4	1014.5	+6.4	1250	-1	100	-80	38	34	20	15.0	54.0
4th "																										

* Height of barometer cistern above mean sea level=152 feet (average correction to sea level +5.6 mb.).

In this table + and - respectively signify that the numbers in the preceding column are above or below the average to the amount of the quantities to which the signs are affixed.

Pressure is expressed in millibars (1,000 mb. = 29.531 mercury inches).

Density is expressed in grams per cubic metre (2.294 grams per cubic metre=1 gram per cubic foot).

TABLE 30.—METEOROLOGICAL

Year.	Mean Weekly Movement of the Air in Miles.	Departure from Average of 50 Years (1861-1910).	Fall of Rain in Inches and in Millimetres.		Departure from Average of 50 Years (1861-1910).	Mean Degree of Humidity of the Air (Saturation =100).	Departure from Average of 50 Years (1861-1910).	Mean Temperature of the Air.	Departure from Average of 50 Years (1861-1910).
	Miles.	Miles.	in.	mm.	mm.	%	%	° F.	° F.
1872 ..	1998	+ 47	30.0	763	+153	82	+ 1	50.7	+ 1.2
1873 ..	1940	- 11	23.4	593	- 17	82	+ 1	48.9	- 0.6
1874 ..	1915	- 36	20.0	507	-103	82	+ 1	49.3	- 0.2
1875 ..	1942	- 9	28.0	710	+100	80	- 1	49.2	- 0.3
1876 ..	2036	+ 85	24.1	612	+ 2	80	- 1	50.1	+ 0.6
1877 ..	2184	+233	27.3	693	+ 83	79	- 2	49.4	- 0.1
1878 ..	1880	- 71	29.0	736	+126	81	0	49.6	+ 0.1
1879 ..	1873	- 78	31.4	797	+187	83	+ 2	46.2	- 3.3
1880 ..	1928	- 23	29.7	754	+144	84	+ 3	49.4	- 0.1
1881 ..	2030	+ 79	25.7	653	+ 43	81	0	48.7	- 0.8
1882 ..	2151	+200	25.2	640	+ 30	84	+ 3	49.7	+ 0.2
1883 ..	2058	+107	21.9	557	- 53	82	+ 1	49.4	- 0.1
1884 ..	2034	+ 83	18.1	458	-152	80	- 1	50.7	+ 1.2
1885 ..	2008	+ 57	24.0	610	0	81	0	48.6	- 0.9
1886 ..	1962	+ 11	24.2	615	+ 5	81	0	48.7	- 0.8
1887 ..	1927	- 24	19.9	504	-106	79	- 2	47.8	- 1.7
1888 ..	2049	+ 98	27.5	699	+ 89	82	+ 1	47.7	- 1.8
1889 ..	1934	- 17	23.3	591	- 19	83	+ 2	48.8	- 0.7
1890 ..	1946	- 5	21.9	555	- 55	81	0	48.6	- 0.9
1891 ..	1945	- 6	25.0	636	+ 26	82	+ 1	48.4	- 1.1
1892 ..	1863	- 88	22.3	567	- 43	80	- 1	48.1	- 1.4
1893 ..	1909	- 42	20.1	511	- 99	76	- 5	51.1	+ 1.6
1894 ..	2019	+ 68	26.9	683	+ 73	81	0	49.9	+ 0.4
1895 ..	1951	0	19.7	501	-109	78	- 3	49.3	- 0.2
1896 ..	1932	- 19	22.4	569	- 41	79	- 2	50.2	+ 0.7
1897 ..	2033	+ 82	22.1	562	- 48	79	- 2	50.3	+ 0.8
1898 ..	1956	+ 5	18.9	479	-131	78	- 3	51.3	+ 1.8
1899 ..	1911	- 40	22.3	567	- 43	77	- 4	50.6	+ 1.1
1900 ..	2050	+ 99	22.3	567	- 43	79	- 2	50.4	+ 0.9
1901 ..	1970	+ 19	20.3	515	- 95	78	- 3	49.2	- 0.3
1902 ..	1933	- 18	19.3	491	-119	80	- 1	49.2	- 0.3
1903 ..	2226	+275	35.5	903	+293	80	- 1	50.1	+ 0.6
1904 ..	1913	- 38	20.7	525	- 85	82	+ 1	49.8	+ 0.3
1905 ..	2063	+112	23.0	585	- 25	81	0	49.9	+ 0.4
1906 ..	2093	+142	24.7	628	+ 18	79	- 2	50.7	+ 1.2
1907 ..	1977	+ 26	22.3	565	- 45	81	0	49.7	+ 0.2
1908 ..	1932	- 19	23.8	604	- 6	83	+ 2	50.1	+ 0.6
1909 ..	2041	+ 90	25.7	653	+ 43	83	+ 2	48.9	- 0.6
1910 ..	2155	+204	28.1	713	+103	84	+ 3	50.2	+ 0.7
1911 ..	2140	+189	23.7	601	- 9	79	- 2	51.8	+ 2.3
1912 ..	2085	+134	24.9	632	+ 22	83	+ 2	51.0	+ 1.5
1913 ..	2030	+ 79	22.4	570	- 40	83	+ 2	51.3	+ 1.8
1914 ..	2087	+136	23.9	606	- 4	81	0	51.5	+ 2.0
1915 ..	1932	- 19	30.6	776	+166	82	+ 1	49.9	+ 0.4
1916 ..	2040	+ 89	29.8	757	+147	84	+ 3	49.9	+ 0.4
1917 ..	2059	+108	26.0	660	+ 50	82	+ 1	48.9	- 0.6
1918 ..	1993	+ 42	28.4	722	+112	82	+ 1	50.6	+ 1.1
1919 ..	1940	- 11	23.0	586	- 24	81	0	48.8	- 0.7
1920 ..	1918	- 33	21.5	546	- 64	82	+ 1	51.1	+ 1.6
1921 ..	1855	- 96	12.8	318	-292	77	- 4	52.7	+ 3.2
Average 50 years (1861-1910)	} 1951	—	24.0	610	—	81	—	49.5	—

Corresponding values from the year 1849 are

ELEMENTS, GREENWICH, 1872-1921.

Mean Temperature of the Air in the Quarters ended the last day of								Year.
March.	Departure from Average of 50 Years (1861-1910).	June.	Departure from Average of 50 Years (1861-1910).	September.	Departure from Average of 50 Years (1861-1910).	December.	Departure from Average of 50 Years (1861-1910).	
° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	
43.6	+ 3.6	52.8	- 0.2	61.1	+ 0.6	45.3	+ 1.0	1872
39.4	- 0.6	51.8	- 1.2	60.3	- 0.2	44.2	- 0.1	1873
41.4	+ 1.4	52.8	- 0.2	60.9	+ 0.4	42.3	- 2.0	1874
39.5	- 0.5	53.4	+ 0.4	60.7	+ 0.2	43.1	- 1.2	1875
39.5	- 0.5	51.7	- 1.3	61.8	+ 1.3	47.0	+ 2.7	1876
42.3	+ 2.3	51.9	- 1.1	58.5	- 2.0	45.0	+ 0.7	1877
41.5	+ 1.5	54.6	+ 1.6	60.8	+ 0.3	41.6	- 2.7	1878
37.1	- 2.9	49.5	- 3.5	58.1	- 2.4	39.9	- 4.4	1879
39.8	- 0.2	52.4	- 0.6	61.4	+ 0.9	44.0	- 0.3	1880
37.3	- 2.7	52.9	- 0.1	60.0	- 0.5	44.6	+ 0.3	1881
42.3	+ 2.3	53.0	0.0	58.1	- 2.4	44.7	+ 0.4	1882
40.0	0.0	53.0	0.0	59.5	- 1.0	44.9	+ 0.6	1883
43.4	+ 3.4	52.5	- 0.5	62.7	+ 2.2	44.1	- 0.2	1884
40.3	+ 0.3	52.4	- 0.6	59.1	- 1.4	42.8	- 1.5	1885
36.5	- 3.5	52.5	- 0.5	61.2	+ 0.7	44.6	+ 0.3	1886
37.3	- 2.7	51.6	- 1.4	61.0	+ 0.5	41.3	- 3.0	1887
36.9	- 3.1	51.6	- 1.4	57.6	- 2.9	44.6	+ 0.3	1888
38.2	- 1.8	54.5	+ 1.5	58.9	- 1.6	43.5	- 0.8	1889
41.4	- 1.4	52.8	- 0.2	58.4	- 2.1	40.8	- 3.5	1890
37.6	- 2.4	51.6	- 1.4	59.3	- 1.2	45.0	+ 0.7	1891
37.5	- 2.5	53.4	+ 0.4	59.2	- 1.3	42.3	- 2.0	1892
40.9	+ 0.9	57.0	+ 4.0	61.9	+ 1.4	44.6	+ 0.3	1893
41.4	+ 1.4	53.3	+ 0.3	58.6	- 1.9	46.4	+ 2.1	1894
35.2	- 4.8	55.1	+ 2.1	62.3	+ 1.8	44.7	+ 0.4	1895
42.2	+ 2.2	55.6	+ 2.6	60.4	- 0.1	42.4	- 1.9	1896
41.1	+ 1.1	53.1	+ 0.1	60.9	+ 0.4	46.0	+ 1.7	1897
41.5	+ 1.5	52.4	- 0.6	62.7	+ 2.2	48.5	+ 4.2	1898
41.8	+ 1.8	52.8	- 0.2	63.0	+ 2.5	44.7	+ 0.4	1899
39.2	- 0.8	52.8	- 0.2	61.8	+ 1.3	47.6	+ 3.3	1900
37.8	- 2.2	53.4	+ 0.4	61.7	+ 1.2	43.9	- 0.4	1901
40.5	+ 0.5	51.0	- 2.0	59.6	- 0.9	45.2	+ 0.9	1902
43.9	+ 3.9	51.2	- 1.8	60.0	- 0.5	45.2	+ 0.9	1903
39.5	- 0.5	53.8	+ 0.8	61.5	+ 1.0	44.3	0.0	1904
41.9	+ 1.9	53.8	+ 0.8	61.7	+ 1.2	42.2	- 2.1	1905
41.1	+ 1.1	52.8	- 0.2	63.2	+ 2.7	45.8	+ 1.5	1906
40.0	0.0	52.9	- 0.1	60.1	- 0.4	45.8	+ 1.5	1907
39.5	- 0.5	53.8	+ 0.8	60.3	- 0.2	46.6	+ 2.3	1908
38.4	- 1.6	52.5	- 0.5	59.7	- 0.8	44.8	+ 0.5	1909
41.5	+ 1.5	54.2	+ 1.2	59.3	- 1.2	45.6	+ 1.3	1910
40.3	+ 0.3	54.9	+ 1.9	65.7	+ 5.2	46.2	+ 1.9	1911
43.6	+ 3.6	55.3	+ 2.3	58.9	- 1.6	45.9	+ 1.6	1912
42.4	+ 2.4	54.5	+ 1.5	60.2	- 0.3	47.8	+ 3.5	1913
42.5	+ 2.5	54.9	+ 1.9	62.2	+ 1.7	46.5	+ 2.2	1914
40.8	+ 0.8	53.4	+ 0.4	60.9	+ 0.4	44.3	0.0	1915
41.5	+ 1.5	53.0	0.0	60.4	- 0.1	44.7	+ 0.4	1916
36.4	- 3.6	54.5	+ 1.5	61.7	+ 1.2	43.1	- 1.2	1917
42.3	+ 2.3	53.2	+ 0.2	60.7	+ 0.2	46.1	+ 1.8	1918
38.1	- 1.9	54.3	+ 1.3	60.2	- 0.3	42.5	- 1.8	1919
44.3	+ 4.3	55.3	+ 2.3	59.1	- 1.4	45.4	+ 1.1	1920
44.5	+ 4.5	54.9	+ 1.9	64.2	+ 3.7	47.2	+ 2.9	1921
40.0	—	53.0	—	60.5	—	44.3	—	Average 50 years (1861-1910).

APPENDIX:—CHANGES IN THE LIST OF CAUSES 1911 AND 1921.

Table showing the heading in the 1921 List, under which those in the 1911 List which have been discontinued or described differently will be found.

Heading in 1911 List.	Heading in 1921 List.
9B. Membranous laryngitis	With 10. Diphtheria.
9C. Croup	With 98 (2). Laryngitis.
20A. Pyæmia	With 41 (2). Other forms (Purulent infection, Septicæmia).
28A. Pulmonary tuberculosis	} 31. Tuberculosis of respiratory system.
28B. Phthisis (not defined as tuberculous)	
29A. Acute phthisis	37(a). Disseminated tuberculosis (acute).
29B. Acute miliary tuberculosis	32. Tuberculosis of nervous system.
30. Tuberculous meningitis	With 33. Tuberculosis of intestines and peritoneum.
31A. Tabes mesenterica	With 36 (a). Tuberculosis of skin and subcutaneous tissue.
34A. Lupus	With 36 (c). Tuberculosis of lymphatic system (abdominal glands excepted).
34B. Scrofula	With 155 (2). Other diseases of the bones.
36B. Other forms of bone softening	} With 50. Tumours not returned as malignant (brain and female genital organs excepted).
46A. Angioma	
46B. Adenoma	63. Diseases of the adrenals.
52. Addison's disease	With 69 (3). Other diseases included under 69 (Other general diseases).
55A. Diabetes insipidus	With 67 (2). Other chronic poisoning by mineral substances.
57B. Non-occupational lead poisoning	} With 67 (2). Other chronic poisoning by mineral substances.
58. Other chronic occupational poisonings	
59. Other chronic poisonings	} With 68. Chronic poisoning by organic substances.
61A. Cerebro-spinal fever	
61B. Posterior basal meningitis	24. Meningococcal meningitis.
63A. Diseases formerly classed to "Other nervous affections."	With 73. Other diseases of the spinal cord.
64B. Serous apoplexy and œdema of brain	} With 74 (a) (2). Apoplexy, lesion unstated.
64C. Cerebral congestion	
64D. Cerebral atheroma	With 91 (b). Arterio-sclerosis.
66B. Paraplegia	With 75 (b). Other forms of paralysis.
68. Other forms of mental alienation	77. Other forms of insanity.
70A. Epileptiform convulsions (5 years and over)	} 79 and 80. Convulsions (non-puerperal).
70B. Others included under 70 (5 years and over)	
71A. Convulsions with teething	} 93. Diseases of the veins (varices, hæmorrhoids, phlebitis etc.).
71B. Other infantile convulsions (under 5 years of age)	
83A. Phlebitis	} 62. Diseases of the thymus.
83B. Varix	
83C. Pylephlebitis	90 (8). Disordered action of the heart.
83D. Varicocele	With 95. Hæmorrhage without stated cause.
84A. Status lymphaticus	With 99. Bronchitis.
85A. Functional disease of the heart	} 103. Congestion and hæmorrhagic infarct of lung.
85B. Epistaxis	
89 and 90A. Bronchiectasis, Bronchial catarrh, etc.	107 (a). Chronic interstitial pneumonia.
94A. Pulmonary apoplexy and infarction	With 30 (2). Other mycoses.
94B. Pulmonary œdema and congestion	With 103 (3). Other diseases included under 103 (Diseases of the buccal cavity and annexa).
94C. Hypostatic pneumonia	With 113 and 114 (3). Other diseases included under 113 and 114 (Diarrhœa and enteritis).
94D. Collapse of lung (three months and over)	With 113 and 114 (2). Colitis and with 113 and 114 (3). Other diseases included under 113 and 114 (Diarrhœa and enteritis).
98A. Fibroid disease of lung	} With 113 and 114 (3). Other diseases included under 113 and 114 (Diarrhœa and enteritis).
99B. Thrush, Aphthous stomatitis	
99C. Parotitis	With 122 (b). Cirrhosis of liver (not returned as alcoholic).
104 and 105A. Infective enteritis	} With 64. Diseases of the spleen.
104 and 105B. Diarrhœa—not returned as infective	
104 and 105C. Enteritis—not returned as infective	With 126. Peritonitis of unstated origin.
104 and 105D. Gastro-enteritis—not returned as infective	125. Diseases of the pancreas.
104 and 105E. Dyspepsia under 2 years	} With 131. Other diseases of the kidneys and annexa.
104 and 105F. Colic	
113C. Diseases formerly classed to "Other diseases of liver and gall bladder."	With 134 (b). Other diseases of the urethra, urinary abscess etc.
116A. Infarction of spleen	With 140. Uterine hæmorrhage.
118A. Abdominal abscess, sub-phrenic abscess	With 141 (1). Other diseases of the uterus.
118B. Other diseases included under 118 (Other diseases of digestive system).	With 141 (2). Diseases of the other female genital organs, not included in other headings.
122A. Abscess of kidney	} With 143 (c). Other accidents of pregnancy.
122B. Cystic disease	
122C. Suppression of urine	146. Puerperal sepsis.
125A. Perineal abscess	} With 151 (2). Other gangrene.
128A. Menorrhagia	
130A. Disorders of menstruation (except menorrhagia)	152. Furuncle.
132A. Diseases of ovary (excluding ovarian tumour)	With 136. Non-venereal diseases of the male genital organs.
134B. Hæmorrhage of pregnancy	} With 160 (1). Congenital debility and sclerema.
134C. Uncontrollable vomiting	
137. Puerperal fever	With 162 (3). Other diseases included under 162 (Other diseases peculiar to early infancy).
142B. Noma, Gangrene of mouth	} With 205 (2). Other ill-defined causes.
142C. Noma pudendi	
143. Carbuncle, Boil	
150B. Phimosis	
151D. Sclerema and œdema neonatorum	
151E. Want of breast milk	
152D. Cyanosis neonatorum	
187. Dropsy	
189B. Atrophy, debility, marasmus (aged 1 year and under 70)	
189C. Teething	
189D. Pyrexia	